
NATIONAL CANCER INSTITUTE MONOGRAPH

Cancer Mortality in the United States: 1950-1977



nci

Monograph 59

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
National Institutes of Health

LIBRARY
MAY 28 1952
National Institutes of Health

NATIONAL CANCER INSTITUTE MONOGRAPH 59

April 1982

Cancer Mortality in the United States: 1950–1977

NIH Publication No. 82-2435

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

PUBLIC HEALTH SERVICE

NATIONAL INSTITUTES OF HEALTH

NATIONAL CANCER INSTITUTE, BETHESDA, MARYLAND 20205

NATIONAL CANCER INSTITUTE MONOGRAPHS

Vincent T. DeVita, Jr., Director, National Cancer Institute

The Editorial Board welcomes proposals for the publication of monographs. However, the subject matter must be relevant to cancer research, have long-term interest, appeal to a wide readership, and be of quality meeting the standards of the *Journal of the National Cancer Institute*. Proposals should be sent to the Editor in Chief as early as possible, preferably several months before a conference (for conference proceedings) or before preparation of a final draft.

Because the data presented in this volume will be widely used as a reference source, the Board of Editors has approved its publication as a logical sequel to our Monograph No. 33, "Patterns in Cancer Mortality in the United States: 1950–1967."

BOARD OF EDITORS


Peter Greenwald, *Editor in Chief*

Elizabeth K. Weisburger, *Assistant Editor in Chief*

Stuart A. Aaronson, *Associate Editor*
Charles H. Evans, *Associate Editor*
Mary Fink, *Associate Editor*
Janet W. Hartley, *Associate Editor*
Donald Henson, *Associate Editor*
Ronald B. Herberman, *Associate Editor*
George S. Johnson, *Associate Editor*
Kurt W. Kohn, *Associate Editor*
Arthur S. Levine, *Associate Editor*
John J. Mulvihill, *Associate Editor*
Alan S. Rabson, *Associate Editor*
Richard M. Simon, *Associate Editor*

For sale **ONLY** by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

CANCER MORTALITY IN THE UNITED STATES: 1950–1977



Clinical Epidemiology Branch
Field Studies and Statistics Program
Division of Cancer Cause and Prevention
National Cancer Institute
National Institutes of Health

Frank W. McKay

Margot R. Hanson

Robert W. Miller

TABLE OF CONTENTS

	Page
Foreword	i
Introduction	iii
Methods	v
All Malignant Neoplasms	2
Lip	12
Tongue	18
Salivary	24
Floor of Mouth	30
Oral Mesopharynx	36
Nasopharynx	42
Hypopharynx	48
Pharynx Unspecified	54
Buccal Cavity Plus Oral Pharynx	60
Esophagus	70
Stomach	80
Small Intestine	90
Large Intestine	96
Rectum	106
Biliary Passages and Liver (Primary)	116
Pancreas	126
Peritoneum	136
Nose	142
Larynx	148
Bronchus, Trachea, and Lung	154
Breast	164
Uterine Cervix	174
Body of Uterus	180
Ovary, Uterine Tube, etc	184
Prostate	190
Testis	196
Kidney	202
Bladder and Other Urinary Organs	212
Melanoma	222
Skin	232
Eye	238
Nervous System	244
Thyroid	254
Bone	260
Connective Tissue	270
Hodgkin's Disease	280
Non-Hodgkin's Lymphoma	290
Multiple Myeloma	300
All Leukemia	310
All Mortality	320
Populations	330

Appendix I—Annual Tumor Mortality by the ICD	340
Appendix II—Sixth, Seventh, and Eighth Revisions of the ICD for Cancer	450
Appendix III—Accuracy of Cancer Death Certificates and its Effect on Cancer Mortality Statistics	467

FOREWORD

Continuing a long tradition distinguished by such names as Dublin, Linder, Grove, Dorn, and Moriyama, statisticians and epidemiologists of the National Cancer Institute in recent years have engaged in a systematic description and analysis of trends in cancer risk over time, of demographic variation in risk, and of geographic differentials in risk at the state and county levels. National Cancer Institute Monographs 33 (Patterns of Cancer Mortality in the United States: 1950–1967), 41 (Third National Cancer Survey: Incidence Data), and 57 (Surveillance, Epidemiology, and End Results: Incidence and Mortality Data, 1973–1977), and the 1950–1969 Cancer Atlas publications (U.S. Cancer Mortality by County, 1950–1969; Atlas of Cancer Mortality for U.S. Counties: 1950–1969, and Atlas of Cancer Mortality Among Nonwhites: 1950–1969) are only the most notable of the more systematic treatments of this important subject. Here, authors McKay, Hanson, and Miller provide a source book on national trends in site-specific cancer mortality from 1950 to 1977 by age, sex, and race. The Monograph provides a remarkably balanced mix of tabular and graphic analyses, summary statistics, and absolute numbers of deaths and population estimates for calculation of rates. Each major site is illuminated with two- and three-dimensional charts of trend as well as tables of annual age-, race-, and sex-specific death rates, numbers of deaths, and percentage of all deaths attributable to that site. Unique three-dimensional charts enable the reader to visualize the contribution of individual age-at-risk and birth cohort groups to the mortality trends over time.

The authors feature 40 sites in their main tables and charts but provide counts of deaths by year, age, sex, and race at the fourth-digit level for all rubrics in three recent revisions of the International Classification of Diseases and Injuries, the sixth, seventh, and eighth. The joining of these three ICD rubrics has been well done so that continuity of classification by site over time is provided. For example, for cancer of the biliary passages and liver, ICD #155 from the sixth revision, 155–155.8 from the seventh, and 155–156.9 from the eighth are used in their analyses.

The Monograph should constitute a useful source of material for generating hypotheses about trends, for illustrating lectures and review articles on individual sites, and for the further analyses of variation in risk by year, age, sex, and race for the most detailed rubrics of the three classifications. It contains no interpretative analyses, but, for most sites, the authors cite recent authoritative references that provide perspective on the temporal trends in mortality (or incidence) for each site. They make no effort to adjust trends for reporting error and do not discuss the large uncertainties in the mortality figures for many of the individual sites, but they do include, as an appendix, a recent analysis of the accuracy of the underlying cause of death as coded from death certificates for persons dying of cancer.

Gilbert W. Beebe, Ph.D.

Introduction

Frank W. McKay, Margot R. Hanson, *and* Robert W. Miller [1, 2]

In May 1971, the Epidemiology Branch of the National Cancer Institute published the volume "Patterns in Cancer Mortality in the United States: 1950–1967" (*1*). We have now extended the information previously presented by providing more detailed data for each site, lengthening the interval covered by 10 years, and by preparing three-dimensional graphs for the 22 sites with sufficient data for this purpose. The graphs may be helpful to readers who prefer them to massive tables for quick review of a series of cancers with respect to age, sex, color, and single calendar year. The three-dimensional figures (or tables) reveal differences in trends that may suggest hypotheses about etiology or pathogenesis.

Tables and graphs show the numbers of cancer deaths by site annually in each age group. The result is at times dramatically different from the corresponding mortality rates. For example, because of the baby boom in the 1950's, the number of adolescent males with testicular cancer rose sharply in the 1970's, although no change occurred in the mortality rates.

Tables and graphs are also provided for proportionate mortality, i.e., the numbers of deaths due to a given cancer among all causes by year, age, sex, and race. The relative frequency of cancer as a cause of death in a particular population group is thus indicated. For example, leukemia (all forms) accounted for 12% of deaths among girls 5–9 years of age in 1963, which has different implications than the corresponding mortality rate, i.e., 4.2/100,000 in the same year. By contrast, one may note that the leukemia mortality rate in 1963 among women 70–74 years old was 24.0/100,000, which accounted for less than 1% of all deaths.

METHODS

The Data

The population data were obtained from publications by the Bureau of the Census (*2–4*). Population figures included all 50 states, the District of Columbia, and the armed forces overseas (but not their dependents). The National Center for Health Statistics (NCHS) provided us annually with magnetic tapes containing data from death certificates for all persons in the United States for whom cancer was listed as the underlying cause of death. From 1966 through 1977, these tapes contained data not only for cancer but also for all other causes of death. Total numbers of deaths by age, sex, and race for 1950–65 were obtained from annual publications of the NCHS for this period (*5*).

Classification of Data

The numbers of deaths were derived by site, sex, race, and age at death. The sites were as coded on the death certificates, according to the "Manual of International Statistical Classification of Diseases, Injuries, and Causes of Death" (ICD); the sixth revision (*6*) was used for deaths in 1950–57, the seventh (*7*) for 1958–67, and the eighth (*8*) for 1968–77. No major changes in coding three-digit categories occurred between the sixth and seventh revisions, but many of the cancer sites were renumbered in the eighth. The codes we used are shown on the first page for each site below the table for age-adjusted rates.

Race has been classified as white or nonwhite; white includes persons reported as Mexican, Puerto Rican, or Cuban. All others with race specified were classified as nonwhite.

Adjustments of the Data

We had to make several adjustments to compensate for omissions or additions due to changes in policy relating to data collection nationally or by individual states:

1. For 1972 only, mortality was based on a 50% sample of death-certificate diagnoses nationally. In the NCHS publication, "Vital Statistics of the United States, 1972" (*5*), the observed numbers were doubled for that year so that the rates were comparable to those for other years. In preparing our tables, we elected to show the counts as actually recorded. In calculating the rates, we divided the numbers for the population by two to achieve comparability with data for other years.

2. In New Jersey for 1962 and 1963, race was not shown on vital certificates. We distributed the age- and sex-specific deaths for these 2 years according to race by interpolating and using the white:nonwhite New Jersey ratios for the years before and after.

3. Data on deaths in Alaska and Hawaii were not available until after these areas achieved statehood, i.e., in 1959 for Alaska and 1960 for Hawaii. The Census Bureau included Alaska and Hawaii in U.S. population estimates before they

[1] Clinical Epidemiology Branch, Field Studies and Statistics Program, Division of Cancer Cause and Prevention, National Cancer Institute, National Institutes of Health, Public Health Service, U.S. Department of Health and Human Services, Bethesda, Maryland 20205.

[2] We thank Ann Pole for her competence and the extra time she devoted to providing us with high quality graphics from the National Institutes of Health CALCOMP plotter.

became states. In our calculation of rates, we excluded the population of Alaska before 1959 and that of Hawaii before 1960.

Calculations

Death Rates

Two types of death rates are used: age-specific and age-adjusted (direct method). Both are expressed in deaths/100,000 persons at risk/year and are sex and race specific. They are defined as:

$$S(i,t) = \frac{d(i,t)}{p(i,t)} \times 100{,}000; \qquad 1)$$

$$A(t) = \frac{\sum_{i=1}^{\eta} S(i,t) \times P(i)}{\sum_{i=1}^{\eta} P(i)}; \qquad 2)$$

where

$S(i,t)$ = the age-specific death rate in age group i over t years;
$A(t)$ = the age-adjusted death rate over t years;
$d(i,t)$ = the number dead in age group i over t years;
$p(i,t)$ = the number in age group i at midyear in the population-at-risk over t years;
$P(i)$ = the number in age group i at midyear in the standard population;
t = the number of years observed;
i = a particular age group 5 years wide; and
η = the number of age groups.

The standard population used in calculating the age-adjusted rates was the total 1970 population, i.e., residents of the 50 states, the District of Columbia, and armed forces overseas (but not their dependents). The actual numbers used are presented below:

Age group, yr	1970 Population
0–4	17,149,000
5–9	19,898,000
10–14	20,835,000
15–19	19,315,000
20–24	17,184,000
25–29	13,718,000
30–34	11,576,000
35–39	11,151,000
40–44	11,991,000
45–49	12,147,000
50–54	11,162,000
55–59	9,998,000
60–64	8,666,000
65–69	7,023,000
70–74	5,466,000
75–79	3,858,000
80–84	2,309,000
85+	1,432,000

Proportional Mortality Ratio

Two types of proportional mortality ratio(s) (PMR) are presented: age-specific and age-adjusted. In the age-specific PMR, total number of deaths are in the denominator, whereas in the age-adjusted PMR, the total number of deaths due to malignant neoplasms are in the denominator.

The age-specific PMR is defined as follows:

$$SPMR_c(i,t) = \frac{d_c(i,t)}{D(i,t)} \times 100; \qquad 3)$$

where

$d_c(i,t)$ = the number dead due to cause c in age group i over t years;
$D(i,t)$ = total number of dead in age group i over t years;
$SPMR_c(i,t)$ = the age-specific proportion of all who die in age group i over t years dying of cause c.

We calculated the age-adjusted PMR by using the age-adjusted death rate for a specific cancer (Equation 2) divided by the age-adjusted rate for all malignant neoplasms:

$$APMR_c = \frac{A_c(t)}{A_{ac}(t)} \times 100; \qquad 4)\,(t)$$

where

$A_c(t)$ = the age-adjusted death rate due to cancer c over t years;
$A_{ac}(t)$ = the age adjusted death rate due to *all* cancers over t years;
$APMR_c(t)$ = the age-adjusted proportion of all who die of cancer over t years dying of cancer c.

Graphics

All graphic programs were written in Fortran IV on an IBM System 370 computer located at the Division of Computer Resources and Technology, National Institutes of Health, Bethesda, Maryland. The graphs were drawn on a California Computer Products Model 663 plotter.

Format


For each of the 40 cancer sites presented, the information below is given in the following sequence:

First page: A graphic presentation of age-adjusted mortality rates by sex and race, below which are the numbers of deaths, crude rates, age-adjusted rates, and age-adjusted PMR. The specific ICD codes used to obtain the data are presented at the bottom of the first page.

Second page: Four graphs of age-specific rates for four consecutive 7-year intervals by sex and race. For cancers with good epidemiologic reviews, references are given under the graph.

Third page et seq.: Tables of age-specific data, by sex and race, and for those sites with sufficient data, three-dimensional graphs are presented on the facing page. These data concern age-specific mortality rates, numbers of deaths, and proportionate mortality. Each three-dimensional graph is shown in two views 180 degrees apart.

To assist understanding of the three-dimensional graphs, we have prepared text-figure 1. The graphs on the left show a rise with age in the usual fashion. Graphs on the right are the same, as if seen from the rear, i.e., the rates run in the opposite direction, from 85+ to zero years. The top panel shows two-dimensional graphs of mortality rates by age for every fifth calendar year from 1950 through 1975. The next panel below



TEXT-FIGURE 1.—*See* text for explanation.

presents the same graphs in three-dimensional form. The panel below has the intervening years added, as well as 1976 and 1977. Note that the axes for age and calendar year have been labeled. In the bottom panel, we added lines to the "surface" of the graph to simplify tracing the trends with age over time. The 5-year age groups are labeled according to the youngest age in the interval; e.g., a reading at age 50 signifies the average for the age group 50–54. One can see, for example, how the rates increased gradually over time among persons 60 to 64 years old (graph on the left), whereas the rates for those over 85 rose dramatically (graph on the right).

Causes of death from cancer coded to the fourth digit of the ICD cannot be easily traced through the 28-year interval. The data that are available are presented on pages 340–447, by single calendar year (Appendix I).

In using Appendix I, one must be aware of potential pitfalls. The code numbers assigned to certain cancers changed with revisions in the ICD. Code 151, for example, was consistent throughout the sixth, seventh, and eighth revisions and was designated stomach cancer. However, Code 170 represented breast cancer in the sixth and seventh revisions and bone cancer in the eighth. Other changes are not so easily followed. "Other parts of the mouth" and "mouth unspecified" were coded to 144 in the sixth and seventh revisions, but in the eighth revision, to cover the same organs, one must use Code 144 (the floor of the mouth) and 6 four-digit codes.

Comment

In preparing this volume, our intent was to make available an array of data for reference or analysis by others. The sixth, seventh, and eighth revisions of the ICD are included (Appendix II) to ensure that the reader can decipher the codes. Users must beware of variability in the quality of diagnoses on death certificates, as recently described by Percy et al. (Appendix III). When properly studied, data from death certificates are immensely valuable in cancer research.

REFERENCES

(*1*) Burbank F: Patterns in Cancer Mortality in the United States: 1950–1967. Natl Cancer Inst Monogr 33:1–594, 1971

(*2*) U.S. Bureau of the Census. Estimates of the population of the United States, by age, sex, and race: 1900 to 1959. Current Population Reports, Ser P–25, No. 311. Washington, D.C.: U.S. Govt Print Off, 1965

(*3*) ———: Estimates of the population of the United States, by age, sex, race: April 1, 1960 to July 1, 1970. Current Population Reports, Ser P–25, No. 519. Washington, D.C.: U.S. Govt Print Off, 1974


(*4*) ———: Estimates of the population of the United States, by age, sex, and race: 1970–1977. Current Population Reports, Ser P–25, No. 721. Washington, D.C.: U.S. Govt Print Off, 1978


(*5*) National Center for Health Statistics: Vital Statistics of the United States, vol II, Mortality, Part B (Published annually), 1950–65. Washington, D.C.: U.S. Govt Print Off


(*6*) World Health Organization: Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death (6th rev ed of the International List of Diseases and Causes of Death, Adopted 1948), vol 1. Geneva: WHO, 1948, pp 79–89

(*7*) Manual of International Statistical Classification of Diseases, Injuries, and Causes of Death (7th rev ed of the International List of Diseases and Causes of Death, Adopted 1955), vol 1. Geneva: WHO, 1955, pp 78–98


(*8*) Manual of International Statistical Classification of Diseases, Injuries, and Causes of Death, Adapted for use in the United States (8th rev ed). U.S. Public Health Service Publ No. 1693. Washington, D.C.: U.S. Govt Print Off, 1967, pp 99–138



RATES PER 100,000
FIVE YEAR AGE GROUPS



RATES PER 100,000
FIVE YEAR AGE GROUPS








600
400
200
0
0
1955
1965
1975
0
20
40
60
80


600
400
200
0
0
1975
1965
1955
80
60
40
20
0


600
400
200
0
0
1955
1965
1975
0
20
40
60
80


600
400
200
0
0
1975
1965
1955
80
60
40
20
0

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	98796	145.88	167.95	100.0	94896	139.44	146.19	100.0	8172	105.11	150.89	100.0	8864	109.53	147.69	100.0
1951	101579	147.66	168.75	100.0	96546	139.51	144.75	100.0	8429	106.08	151.68	100.0	8936	107.88	144.16	100.0
1952	105820	151.43	172.10	100.0	99238	140.95	144.91	100.0	9018	111.14	158.57	100.0	9212	108.68	144.39	100.0
1953	109411	154.25	174.08	100.0	100883	140.93	143.58	100.0	9416	113.50	161.20	100.0	9369	107.95	143.14	100.0
1954	112350	155.86	174.93	100.0	102453	140.66	141.79	100.0	10189	119.95	170.54	100.0	9677	108.80	143.21	100.0
1955	115901	158.23	176.50	100.0	104504	141.01	140.80	100.0	10370	119.13	168.97	100.0	9907	108.56	142.19	100.0
1956	119657	160.74	178.99	100.0	106144	140.75	139.39	100.0	11108	124.57	178.20	100.0	10446	111.60	146.31	100.0
1957	122672	162.11	179.83	100.0	108279	141.04	138.70	100.0	11725	128.26	182.16	100.0	10505	109.31	144.12	100.0
1958	123006	160.16	177.19	100.0	108799	139.38	136.10	100.0	11767	125.71	178.38	100.0	10846	110.07	144.18	100.0
1959	126476	162.05	178.76	100.0	110159	138.71	134.40	100.0	12601	131.00	187.03	100.0	10806	106.67	139.74	100.0
1960	130162	164.23	180.76	100.0	112508	139.30	134.01	100.0	13381	132.99	189.44	100.0	11576	109.35	144.25	100.0
1961	133219	165.61	182.51	100.0	114478	139.45	133.18	100.0	13938	135.36	193.73	100.0	11867	109.27	143.79	100.0
1962	135639	166.31	182.91	100.0	116558	139.84	132.60	100.0	14370	136.51	195.22	100.0	11995	107.82	141.11	100.0
1963	138896	168.25	185.72	100.0	118886	140.61	132.47	100.0	15392	143.17	205.11	100.0	12188	107.03	139.12	100.0
1964	141333	169.18	186.29	100.0	120057	140.07	130.94	100.0	15580	141.91	202.92	100.0	12607	108.19	140.77	100.0
1965	145374	172.21	189.72	100.0	123168	141.92	131.50	100.0	16048	143.40	206.03	100.0	12998	109.15	141.17	100.0
1966	147901	173.56	190.87	100.0	125268	142.71	131.01	100.0	17074	149.75	215.25	100.0	13493	110.95	142.81	100.0
1967	151451	176.19	193.16	100.0	128051	144.31	131.15	100.0	17713	152.66	218.99	100.0	13768	110.91	142.04	100.0
1968	154557	178.41	195.04	100.0	130134	145.22	130.70	100.0	18493	156.79	225.43	100.0	14281	112.77	143.36	100.0
1969	156435	179.19	195.41	100.0	131938	145.82	129.89	100.0	18987	158.44	228.10	100.0	14444	111.86	141.16	100.0
1970	159801	181.46	196.98	100.0	135469	148.17	130.56	100.0	19551	160.20	230.48	100.0	14554	110.42	139.03	100.0
1971	163182	183.72	198.89	100.0	137456	148.90	129.96	100.0	19890	159.77	229.57	100.0	15440	114.67	143.88	100.0
1972	83450	186.69	201.20	100.0	70446	151.47	130.88	100.0	10373	163.59	235.33	100.0	7776	113.16	141.91	100.0
1973	168757	187.76	201.18	100.0	142631	152.35	130.26	100.0	21710	168.23	242.29	100.0	16465	117.55	147.16	100.0
1974	173309	191.86	203.95	100.0	146416	155.47	131.36	100.0	22543	171.74	246.88	100.0	16657	116.75	145.47	100.0
1975	175303	193.05	203.33	100.0	148713	156.93	130.75	100.0	23283	173.68	247.87	100.0	16797	115.19	143.08	100.0
1976	180272	197.52	206.30	100.0	153693	161.21	132.58	100.0	24243	177.50	252.93	100.0	17450	117.31	144.50	100.0
1977	184264	200.74	207.82	100.0	157054	163.67	132.96	100.0	25235	181.44	258.24	100.0	18318	120.82	148.10	100.0

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: (ICD 140–205 [6th]; ICD 140–205 [7th]; ICD 140–207.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



WATERHOUSE J, CORREA P, MUIR C, et al (eds): Cancer Incidence in Five Continents, vol III, IARC Sci Publ No. 15. Lyon: IARC, 1976, pp 1-584

Directory of On-going Research in Cancer Epidemiology, 1980. IARC Sci Publ No. 35. Lyon: IARC, 1980, pp 1-660

DOLL R: The epidemiology of cancer. Cancer 45:2475-2485, 1980

POLLACK ES, HORM JW: Trends in cancer incidence and mortality in the United States, 1969-76. JNCI 64:1091-1103, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	145.9	12.3	8.2	6.8	9.3	10.1	14.8	20.4	32.5	56.9	109.8	194.5	326.4	504.4	680.9	959.1	1248.9	1567.8	1713.9
1951	147.7	12.9	8.2	6.9	9.9	11.8	14.5	19.4	31.4	57.5	109.6	200.4	332.7	500.3	703.5	941.9	1250.8	1535.7	1743.7
1952	151.4	11.9	8.4	5.8	9.9	11.0	14.5	20.2	30.1	59.1	111.5	200.0	343.0	515.5	724.5	960.5	1268.5	1619.8	1714.2
1953	154.3	11.6	9.2	6.4	8.4	11.5	14.5	19.9	33.3	60.6	115.2	204.0	351.3	522.5	729.1	957.6	1287.5	1623.1	1730.1
1954	155.9	12.1	8.5	6.9	9.2	10.7	14.8	20.6	31.7	59.3	112.8	204.7	339.7	521.4	750.7	981.5	1286.9	1643.6	1736.8
1955	158.2	12.2	10.0	6.9	9.2	12.3	14.7	19.5	32.7	55.9	113.3	209.3	340.5	529.6	767.1	986.7	1296.7	1634.0	1744.1
1956	160.7	11.4	9.0	6.9	9.0	11.0	14.9	20.3	31.5	61.1	111.9	210.4	351.1	544.8	761.6	983.6	1319.9	1689.4	1823.4
1957	162.1	11.7	8.9	7.0	9.5	11.0	14.9	20.7	30.6	59.8	111.2	212.9	351.0	548.2	779.6	1019.0	1290.7	1663.4	1811.3
1958	160.2	11.4	8.3	6.9	9.9	11.1	13.5	21.2	33.9	59.1	111.3	213.9	344.2	547.4	766.2	992.6	1271.7	1616.8	1764.3
1959	162.0	11.2	9.6	7.5	9.1	11.2	14.0	21.4	32.8	60.1	114.8	215.9	352.0	551.7	771.2	1003.5	1258.8	1619.2	1809.6
1960	164.2	12.0	9.1	6.7	9.4	10.5	16.1	20.9	33.4	59.1	114.0	218.6	358.3	558.8	778.9	1025.0	1287.7	1630.8	1775.5
1961	165.6	11.1	9.3	7.4	9.2	10.9	15.5	20.6	32.2	59.9	115.3	214.8	350.6	562.5	805.6	1025.0	1310.6	1634.1	1887.4
1962	166.3	10.3	8.8	6.5	9.0	11.5	13.7	21.0	32.9	60.4	117.4	217.7	359.6	571.5	808.1	1023.2	1306.9	1564.4	1932.6
1963	168.2	11.1	8.9	6.8	8.8	11.0	14.2	21.2	33.8	59.9	118.7	217.6	361.3	575.2	823.4	1045.9	1335.2	1601.6	1975.4
1964	169.2	10.0	8.2	6.6	9.2	10.1	14.8	21.6	34.6	63.2	117.9	220.9	361.2	592.6	819.1	1055.1	1358.5	1578.9	1882.8
1965	172.2	9.3	8.5	6.6	9.2	10.5	14.7	20.7	35.1	63.1	119.1	222.7	368.2	598.1	832.0	1078.3	1376.3	1647.5	1963.6
1966	173.6	9.0	8.4	6.9	9.3	11.0	13.7	20.6	34.6	63.8	117.0	228.7	364.2	602.8	835.6	1090.2	1402.8	1662.5	1938.9
1967	176.2	8.9	8.6	6.8	9.4	10.1	13.6	20.2	34.5	61.9	119.4	223.8	374.4	599.9	848.3	1124.0	1433.7	1677.8	1961.8
1968	178.4	8.2	8.3	6.1	9.2	10.3	13.9	20.1	35.3	63.5	121.1	226.2	378.3	604.7	859.5	1146.3	1433.5	1690.9	1982.0
1969	179.2	7.8	8.5	6.1	9.2	10.5	14.4	18.9	34.6	65.5	119.9	222.5	384.9	598.2	866.4	1133.3	1451.0	1706.4	2003.9
1970	181.5	7.6	8.2	5.8	8.8	11.4	13.3	18.6	33.1	64.7	121.9	223.1	393.9	611.0	868.7	1144.0	1478.8	1747.7	1911.4
1971	183.7	7.7	7.8	5.9	8.2	10.8	14.1	20.6	32.8	63.2	121.6	219.3	390.2	599.1	885.0	1164.5	1521.9	1780.8	1995.7
1972	186.7	6.1	7.2	5.5	8.2	11.6	12.7	17.4	31.9	62.0	122.0	217.0	400.0	610.3	882.9	1209.9	1564.2	1814.7	1951.5
1973	187.8	7.0	6.9	5.5	8.1	10.3	13.2	17.9	34.0	61.7	125.0	215.3	387.0	612.1	883.7	1194.5	1563.3	1826.3	2044.2
1974	191.9	6.2	7.1	5.2	7.4	9.5	11.9	17.5	31.4	60.0	129.2	225.8	387.9	627.3	886.4	1214.0	1615.1	1865.0	2014.9
1975	193.1	6.0	6.1	5.0	7.1	9.3	12.3	18.0	29.1	59.1	123.8	224.3	376.6	616.8	882.7	1241.6	1606.1	1910.4	2033.1
1976	197.5	5.3	6.8	5.4	7.3	8.6	11.9	16.3	29.4	58.3	124.2	224.3	381.5	627.8	895.2	1240.1	1662.5	1954.1	2095.6
1977	200.7	5.8	6.5	5.2	7.3	9.2	12.7	16.1	29.4	57.6	119.5	228.0	379.2	635.0	895.0	1256.2	1676.6	1979.5	2152.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	98796	901	492	337	438	521	800	1048	1621	2617	4503	7314	10985	14315	15238	14605	11705	7521	3836
1951	101579	998	501	349	459	603	781	1019	1583	2680	4576	7555	11373	14428	16152	14729	12136	7458	4199
1952	105820	912	556	308	457	551	776	1079	1531	2796	4768	7544	11805	15167	17003	15481	12688	7996	4492
1953	109411	903	631	358	396	561	777	1064	1706	2898	5029	7762	12100	15664	17482	15922	13251	8223	4685
1954	112350	959	607	403	441	511	781	1114	1635	2869	5036	7882	11759	15853	18383	16947	13618	8606	4946
1955	115901	992	744	418	445	578	768	1064	1700	2734	5159	8157	11898	16305	19106	17648	14119	8899	5176
1956	119657	947	707	426	449	510	773	1104	1669	3025	5166	8338	12385	16967	19229	18132	14719	9572	5539
1957	122672	998	690	468	494	511	760	1115	1645	2995	5207	8634	12472	17118	20065	19284	14845	9724	5647
1958	123306	990	657	476	550	522	672	1142	1830	2989	5282	8847	12423	17017	20055	19250	15020	9678	5606
1959	126476	980	774	538	529	542	680	1137	1793	3068	5508	9119	12951	17163	20457	19961	15439	9922	5915
1960	130162	1065	750	504	565	518	774	1199	1839	3053	5531	9426	13419	17457	21929	20787	16293	10209	5948
1961	133219	988	785	587	563	550	738	1072	1768	3138	5628	9441	13376	17623	21719	21187	17012	10589	6455
1962	135639	913	756	512	602	606	653	1073	1799	3209	5767	9706	14040	18014	21746	21529	17393	10763	6648
1963	138896	981	773	545	611	619	685	1065	1827	3222	5863	9819	14442	18258	22076	22298	17958	11019	6835
1964	141333	876	723	538	668	591	723	1065	1847	3432	5860	10074	14744	19029	21943	22696	18598	11242	6684
1965	145374	799	750	553	695	637	739	1011	1845	3435	5975	10260	15280	19511	22347	23269	19089	12060	7128
1966	147901	745	755	593	739	685	700	997	1789	3473	5942	10638	15316	20072	22527	23461	19752	12485	7232
1967	151451	712	768	598	741	686	721	977	1756	3349	6143	10511	15893	20497	23039	24064	20502	12902	7592
1968	154557	635	749	538	738	726	779	984	1763	3400	6317	10726	16177	21237	23558	24348	20743	13240	7908
1969	156435	586	742	550	754	765	844	937	1696	3467	6313	10669	16555	21522	24050	23959	21127	13583	8316
1970	159801	563	707	526	741	866	839	938	1604	3379	6438	10853	17059	22418	24568	24184	21369	14191	8597
1971	163182	567	648	540	709	863	869	1063	1578	3263	6400	10855	17054	22336	25576	24664	22190	14727	9280
1972	83450	223	289	252	360	458	424	465	770	1578	3179	5494	8784	11559	13115	12813	11356	7667	4664
1973	168757	498	537	499	720	825	905	1019	1658	3086	6480	11047	17096	23467	26945	25717	22340	15779	10139
1974	173309	427	536	469	668	774	852	1034	1551	2951	6634	11694	17321	24344	27709	26636	22983	16188	10538
1975	175303	405	449	436	642	777	918	1097	1457	2861	6317	11623	17151	24106	28440	27663	23063	16716	11182
1976	180272	345	500	461	666	732	932	1011	1511	2803	6269	11589	17714	24816	29370	28336	23990	17450	11777
1977	184264	374	471	423	668	800	983	1084	1565	2773	5949	11660	18044	25268	29912	29709	24277	17756	12548


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13.5	1.6	12.4	10.2	7.2	6.0	8.8	10.3	11.1	12.0	14.3	16.0	17.4	18.0	16.9	16.0	13.9	11.8	8.0
1951	13.6	1.8	12.3	10.3	7.5	7.1	8.5	9.7	10.9	12.0	14.5	16.4	17.6	18.1	17.3	15.8	14.0	11.4	8.4
1952	14.1	1.6	12.5	8.8	7.0	6.7	8.6	10.5	10.8	12.7	14.7	16.4	18.2	18.6	18.0	16.5	14.5	12.0	8.7
1953	14.3	1.6	14.7	10.1	6.3	7.0	9.1	10.7	12.5	13.3	15.4	17.0	18.9	18.9	18.0	16.5	14.7	11.8	8.6
1954	15.0	1.7	14.6	12.1	7.5	6.8	9.6	11.5	12.4	14.1	15.9	17.7	19.4	19.7	19.0	17.4	15.3	12.6	9.2
1955	15.0	1.8	17.6	12.2	7.1	7.4	9.5	11.2	12.8	13.3	16.2	18.1	19.3	20.0	19.3	17.2	15.0	12.3	8.8
1956	15.1	1.7	17.0	12.5	7.0	6.4	9.9	11.6	12.8	14.6	16.0	18.5	19.8	20.3	19.1	17.2	15.3	12.6	8.9
1957	14.9	1.8	16.0	12.6	7.2	6.6	10.0	11.7	12.0	13.9	15.9	18.1	19.5	19.8	18.9	17.4	14.9	12.4	8.6
1958	14.9	1.8	15.6	12.8	8.1	6.9	9.3	12.3	13.4	14.1	16.2	18.2	19.5	20.0	18.9	17.2	14.7	12.1	8.3
1959	15.2	1.8	17.6	13.4	7.4	7.0	9.6	12.3	13.2	14.7	16.5	18.6	19.9	20.4	19.3	17.5	14.8	12.3	8.6
1960	15.1	1.9	17.0	13.1	7.7	6.7	10.8	12.2	13.3	14.3	16.1	18.6	20.2	20.3	19.2	17.4	14.9	12.2	8.3
1961	15.6	1.8	18.6	14.9	7.8	7.0	10.8	12.3	13.2	14.8	16.9	18.9	20.4	20.8	20.2	18.1	15.5	12.5	8.7
1962	15.5	1.7	18.0	13.0	7.8	7.3	9.5	12.4	13.1	14.9	17.0	18.8	20.6	20.9	19.8	17.9	15.1	12.3	8.5
1963	15.4	1.9	18.0	14.2	7.4	7.0	9.5	12.3	13.2	14.7	16.9	18.8	20.2	20.6	19.9	17.7	15.1	12.0	8.4
1964	15.8	1.8	16.9	13.4	7.3	6.2	9.7	12.1	13.6	15.4	17.1	19.3	20.7	21.3	20.3	18.4	15.8	12.2	8.5
1965	16.0	1.8	17.8	13.6	7.1	6.4	9.5	11.8	13.8	15.4	17.4	19.3	21.0	21.4	20.5	18.7	15.7	12.6	8.6
1966	16.0	1.8	17.5	14.2	6.8	6.4	8.7	11.7	13.5	15.5	17.0	19.7	20.5	21.5	20.4	18.6	16.0	12.7	8.6
1967	16.5	1.8	18.5	14.1	6.8	6.0	8.6	11.6	13.3	15.1	17.4	19.8	21.3	21.7	21.2	19.2	16.7	13.2	8.9
1968	16.3	1.7	17.1	12.4	6.4	5.8	8.4	11.2	13.6	15.2	17.4	19.7	21.1	21.6	20.8	18.9	16.2	13.0	8.9
1969	16.6	1.6	17.4	12.8	6.1	5.7	8.5	10.4	13.3	15.5	17.4	20.1	21.7	22.0	21.3	19.2	16.8	13.2	9.3
1970	17.0	1.5	17.2	12.0	6.1	6.3	8.1	10.3	12.9	15.5	17.9	20.4	22.3	22.7	21.6	19.7	17.1	14.0	9.5
1971	17.3	1.7	17.0	12.6	5.6	6.0	8.5	11.5	12.9	15.6	18.2	20.6	22.6	22.7	22.5	20.3	17.6	14.3	9.8
1972	17.4	1.5	15.9	11.3	5.5	6.2	7.7	9.8	13.1	15.6	18.2	20.5	23.2	22.9	22.5	20.5	17.7	14.4	9.6
1973	17.6	1.8	15.3	11.4	5.2	5.3	7.7	9.9	13.6	15.7	18.9	21.1	22.9	23.5	22.8	20.7	17.7	14.6	10.1
1974	18.5	1.6	16.9	11.1	5.0	5.1	7.2	10.1	13.3	16.1	20.1	22.7	24.2	25.0	23.7	21.7	19.0	15.3	10.4
1975	19.1	1.6	15.4	11.5	4.9	5.0	7.4	10.7	12.7	16.3	20.5	23.1	24.5	25.2	24.6	22.8	19.5	16.2	11.2
1976	19.6	1.5	17.7	12.7	5.3	4.8	7.5	10.0	13.5	16.6	21.2	23.8	25.5	26.1	25.3	23.2	20.2	16.6	11.2
1977	20.2	1.6	16.8	12.1	5.1	4.9	7.7	9.9	13.5	17.0	21.2	24.6	26.3	27.2	26.0	24.0	20.7	17.1	11.9


All Malignant Neoplasms

Age-specific Graphs for White Males


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	139.4	10.5	7.0	5.3	6.6	8.4	14.8	27.2	53.7	97.0	152.4	220.8	312.6	417.1	530.1	727.3	946.0	1144.0	1342.5
1951	139.5	10.2	6.7	5.3	6.3	8.4	14.4	27.4	53.0	94.9	150.3	223.2	309.4	411.5	522.8	713.2	941.8	1142.8	1332.2
1952	141.0	10.9	6.6	5.3	7.1	8.2	15.4	28.0	53.1	92.6	148.6	223.2	310.6	408.7	520.1	719.6	948.4	1134.4	1352.0
1953	140.9	10.2	6.4	5.3	6.5	7.9	13.7	26.6	50.5	94.2	147.0	221.6	305.3	403.3	528.5	706.8	923.6	1165.9	1339.9
1954	140.7	10.5	7.1	5.3	6.0	8.4	13.7	26.0	50.4	93.1	147.2	221.5	293.8	395.7	527.7	695.5	918.1	1135.3	1322.5
1955	141.0	9.9	6.8	5.0	6.8	8.0	13.8	25.7	51.7	93.3	144.8	213.8	297.8	394.5	526.7	679.5	912.4	1114.8	1354.4
1956	140.7	10.4	7.6	5.5	6.3	7.7	13.6	27.8	49.5	89.9	143.7	213.2	294.3	393.7	522.9	662.8	891.6	1128.1	1329.7
1957	141.0	10.0	6.6	5.4	6.4	7.6	13.8	28.0	48.7	87.3	144.5	218.4	291.0	393.6	518.0	653.5	878.7	1117.9	1359.8
1958	139.4	9.7	6.9	5.7	6.4	7.6	12.9	25.3	50.1	87.6	141.7	210.2	286.8	383.5	516.6	650.2	845.0	1104.4	1311.5
1959	138.7	9.6	6.8	5.5	5.5	7.4	13.2	26.6	49.6	84.4	140.3	211.5	285.0	383.4	504.7	640.4	836.6	1075.5	1284.1
1960	139.3	9.1	6.5	5.8	6.0	6.9	12.8	24.4	47.9	86.3	143.4	210.3	280.1	382.1	497.9	636.0	839.7	1092.4	1293.2
1961	139.5	9.6	7.2	5.5	6.4	6.8	13.2	25.2	48.4	83.9	143.6	209.2	273.5	382.3	498.1	636.2	819.0	1068.4	1309.3
1962	139.8	9.0	7.2	5.6	6.3	7.0	12.2	24.8	46.8	83.4	142.1	213.3	272.3	383.1	501.8	625.6	819.4	1047.2	1300.4
1963	140.6	8.5	7.6	5.9	6.3	7.7	12.9	23.3	47.4	82.5	143.3	209.0	279.8	381.5	493.7	627.9	820.7	1035.2	1317.1
1964	140.1	7.9	6.6	5.2	6.4	7.9	12.6	26.2	46.5	84.7	140.4	216.0	277.0	375.0	488.3	611.7	804.5	1016.5	1271.7
1965	141.9	8.5	6.5	5.5	5.7	7.3	12.4	25.1	44.3	85.0	140.4	216.5	278.9	380.8	488.3	623.6	820.5	1005.8	1260.0
1966	142.7	8.0	6.2	5.1	6.1	7.1	11.6	23.8	44.9	83.3	141.4	214.8	281.3	375.2	489.6	622.4	808.0	1005.1	1286.8
1967	144.3	7.9	6.5	5.7	5.9	7.3	11.3	22.2	45.1	83.6	141.4	214.0	284.5	378.0	491.9	630.6	806.0	1000.3	1242.8
1968	145.2	7.1	6.9	5.1	5.6	7.3	10.8	22.6	45.7	82.2	141.8	216.8	287.2	376.8	483.8	622.1	817.0	975.5	1253.3
1969	145.8	6.9	6.3	4.7	5.1	6.8	10.7	21.9	43.0	83.6	138.6	209.5	292.5	374.1	490.2	614.0	801.5	1005.8	1236.8
1970	148.2	6.6	6.1	4.8	5.8	6.5	11.4	21.6	44.4	78.7	142.0	213.3	299.9	376.4	491.0	620.3	825.8	995.4	1156.4
1971	148.9	5.8	5.7	4.4	5.3	6.7	11.2	21.3	39.6	80.7	138.6	209.7	299.0	382.8	490.8	619.6	817.4	978.9	1197.9
1972	151.5	5.6	5.4	4.7	5.6	6.2	11.0	21.2	41.1	79.2	139.6	206.9	304.1	381.8	499.1	641.4	818.7	977.6	1196.6
1973	152.4	5.3	5.3	4.9	5.4	6.4	10.4	20.7	41.7	73.6	137.4	205.7	306.1	393.2	496.1	626.5	835.5	968.3	1163.9
1974	155.5	5.4	5.1	4.1	4.8	5.7	10.6	20.1	40.4	75.4	137.2	206.2	308.1	403.5	491.2	642.7	837.9	1000.7	1157.1
1975	156.9	4.8	4.9	3.7	5.1	6.0	10.1	19.4	37.7	75.0	134.2	207.6	312.1	405.4	483.4	651.0	835.3	1010.6	1158.3
1976	161.2	4.9	4.6	3.7	4.4	5.9	10.3	20.2	38.6	70.9	131.1	209.0	305.7	418.9	504.6	657.2	850.5	1016.3	1182.9
1977	163.7	4.2	3.9	3.9	4.4	5.1	9.5	19.7	35.4	70.8	131.5	208.0	305.4	425.1	516.1	650.5	857.3	1042.9	1175.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	94896	738	403	255	305	431	826	1441	2749	4496	6261	8356	10520	11842	12621	12228	10269	6861	4294
1951	96546	757	393	258	289	427	796	1476	2738	4476	6311	8492	10660	11978	12821	12404	10685	7071	4514
1952	99238	802	417	268	325	408	842	1534	2770	4437	6415	8515	10856	12273	13084	12990	11196	7268	4838
1953	100883	758	421	288	302	380	743	1465	2660	4580	6506	8535	10748	12485	13638	13253	11299	7773	5049
1954	102453	803	485	297	282	398	736	1449	2672	4585	6680	8642	10447	12557	13974	13617	11636	7932	5261
1955	104504	773	484	291	322	373	726	1441	2772	4655	6721	8453	10736	12898	14289	13867	11974	8156	5672
1956	106144	832	572	324	310	354	708	1547	2699	4546	6775	8600	10749	13052	14495	14031	12092	8637	5821
1957	108279	818	496	349	324	352	707	1545	2706	4476	6914	9038	10740	13212	14784	14270	12391	8905	6252
1958	108799	804	526	379	345	358	642	1386	2799	4547	6878	8904	10771	12937	15157	14640	12372	9062	6292
1959	110159	812	528	380	312	355	642	1441	2802	4432	6896	9173	10935	13037	15144	14882	12811	9095	6482
1960	112508	777	512	420	348	336	616	1302	2725	4596	7128	9323	10977	13123	15282	15219	13394	9537	6893
1961	114478	821	583	418	384	341	630	1324	2747	4537	7201	9486	10974	13210	15535	15739	13547	9787	7214
1962	116558	769	591	424	410	363	584	1274	2637	4589	7187	9855	11245	13342	15831	16008	14012	10064	7373
1963	118886	720	638	387	425	429	623	1174	2639	4610	7315	9801	11899	13422	15700	16558	14461	10393	7692
1964	120057	660	560	409	448	455	622	1290	2544	4787	7250	10273	12096	13388	15670	16553	14626	10694	7732
1965	123168	697	555	442	417	439	621	1222	2383	4821	7351	10442	12441	13870	15832	17198	15392	11044	8001
1966	125268	635	529	421	473	435	593	1154	2373	4722	7523	10499	12755	14012	16043	17401	15642	11488	8570
1967	128051	604	560	480	452	488	600	1077	2342	4705	7659	10601	13060	14558	16316	17789	16128	11883	8749
1968	130134	528	584	432	436	499	607	1107	2322	4577	7810	10895	13307	14980	16293	17667	16839	11989	9262
1969	131938	494	529	406	406	487	625	1094	2140	4592	7724	10697	13666	15295	16825	17542	16928	12804	9684
1970	135469	464	504	415	473	486	686	1099	2191	4256	7954	11084	14139	15743	17233	17913	17589	13249	9991
1971	137456	411	456	382	441	522	683	1105	1947	4298	7745	11092	14215	16299	17582	18056	17778	13567	10877
1972	70446	194	208	205	237	241	365	571	1013	2071	3857	5602	7266	8265	9236	9384	8977	7058	5696
1973	142631	360	397	343	462	498	711	1179	2079	3780	7519	11305	14716	17220	18927	18676	18265	14544	11651
1974	146416	356	369	350	422	452	751	1190	2049	3808	7407	11434	15013	17831	19296	19487	18485	15300	12416
1975	148713	307	345	309	444	486	746	1188	1940	3715	7163	11520	15009	17995	19578	20006	18794	15766	13402
1976	153693	302	328	298	390	491	795	1254	2032	3500	6888	11573	15463	18762	20831	20661	19384	16321	14420
1977	157054	258	272	305	389	433	722	1325	1929	3510	6791	11388	15821	19130	21682	21199	19683	17031	15186


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	17.4	1.8	14.7	13.0	10.5	10.4	15.2	21.2	28.7	33.7	34.5	33.6	30.9	25.9	21.2	17.2	13.6	10.4	6.9
1951	17.4	1.8	13.8	13.9	10.2	11.0	15.3	21.7	29.0	33.7	35.3	33.5	31.0	26.0	21.2	17.3	13.7	10.2	7.0
1952	17.7	1.9	13.4	12.7	10.9	11.2	16.7	23.7	29.6	33.8	35.7	34.6	31.8	26.7	21.5	17.8	14.1	10.4	7.2
1953	17.7	1.8	14.7	14.3	11.0	11.8	16.5	23.8	30.2	35.5	36.5	34.9	31.8	27.2	21.9	17.7	14.0	10.6	7.1
1954	18.4	2.0	17.0	15.8	11.6	13.2	18.1	25.1	32.0	37.1	38.5	36.6	32.8	28.0	23.0	18.4	14.6	11.0	7.3
1955	18.2	1.9	17.3	15.7	12.5	12.4	18.6	25.5	33.4	37.8	39.2	37.1	33.8	28.5	22.8	18.3	14.3	10.6	7.1
1956	18.0	2.1	20.3	16.8	11.8	12.1	18.8	27.5	33.5	37.4	39.0	37.9	33.7	28.7	22.9	18.1	14.1	10.7	7.0
1957	17.6	2.0	17.3	16.2	11.6	12.0	18.3	26.3	31.7	36.4	38.7	37.6	33.2	28.1	22.5	17.6	13.9	10.5	6.9
1958	17.5	1.9	18.3	18.0	12.7	12.8	17.8	25.6	33.7	37.6	38.5	37.0	33.7	28.0	23.1	17.8	13.5	10.4	6.7
1959	17.6	2.0	18.0	17.8	11.1	12.4	18.2	26.3	34.0	37.0	38.8	37.9	34.1	28.6	23.2	18.0	13.8	10.3	6.7
1960	17.5	1.9	17.0	19.0	12.0	11.5	17.8	25.0	32.5	36.4	39.0	37.8	33.9	28.1	23.2	17.9	13.9	10.4	6.7
1961	17.8	2.1	19.7	18.6	13.4	11.8	18.7	25.9	33.0	37.1	39.4	37.9	34.7	29.2	23.8	18.6	14.1	10.6	6.9
1962	17.5	2.0	19.7	19.4	13.1	11.5	16.7	25.3	31.3	36.0	38.4	38.3	33.9	29.1	23.9	18.3	13.9	10.4	6.6
1963	17.4	1.9	21.7	17.4	12.5	12.5	17.9	23.9	31.1	35.4	38.3	37.3	34.2	28.7	23.6	18.4	14.4	10.2	6.5
1964	17.6	1.8	18.9	18.2	12.5	12.4	17.9	25.4	30.6	36.1	38.0	38.0	34.5	29.0	23.9	18.6	14.1	10.5	6.6
1965	17.7	2.1	19.3	19.7	11.4	11.6	17.6	24.7	29.4	36.1	37.3	38.2	34.9	29.7	24.1	19.3	14.4	10.5	6.5
1966	17.6	2.1	17.8	17.9	11.1	11.4	15.9	23.6	30.6	35.2	37.9	37.8	34.9	29.8	24.3	19.0	14.3	10.5	6.7
1967	18.1	2.1	19.5	20.5	10.8	11.7	16.2	23.4	30.2	35.8	38.0	38.4	35.4	30.7	24.9	19.8	14.7	10.9	6.7
1968	17.6	1.9	20.0	17.9	9.8	11.3	15.1	23.5	30.1	34.3	37.4	38.0	34.6	29.9	24.2	19.2	14.7	10.4	6.6
1969	17.9	1.8	18.7	16.1	8.8	10.4	15.0	22.2	28.2	34.8	37.6	37.9	35.7	30.8	25.2	19.4	14.9	11.0	6.8
1970	18.3	1.7	19.0	17.2	10.1	10.1	15.7	22.4	29.4	33.9	38.1	38.3	36.2	31.0	25.6	19.9	15.5	11.4	7.0
1971	18.4	1.7	17.2	15.4	9.2	10.6	15.2	22.5	27.8	34.6	38.2	38.6	36.6	31.6	26.6	20.3	15.6	11.4	7.2
1972	18.4	1.8	16.2	16.3	9.6	9.7	15.8	22.3	28.8	34.6	38.4	39.3	37.1	31.7	26.6	20.7	15.4	11.4	7.2
1973	18.5	1.8	16.4	14.1	9.3	10.2	15.1	22.6	29.6	33.2	38.6	39.3	37.3	32.8	27.5	21.0	15.8	11.5	7.0
1974	19.3	1.9	17.9	15.0	9.0	9.6	16.0	23.3	31.0	35.2	40.1	40.5	39.3	34.1	28.2	22.1	16.5	12.2	7.3
1975	20.0	1.7	17.7	15.1	9.7	10.0	15.8	23.1	30.4	36.2	41.1	41.5	39.7	35.3	29.1	23.3	17.4	13.0	8.0
1976	20.3	1.7	17.3	15.2	8.4	10.4	16.7	25.0	32.4	36.5	41.1	42.8	40.7	36.2	30.5	24.2	17.9	13.1	8.0
1977	20.9	1.6	15.3	15.5	8.0	8.6	15.4	25.1	30.6	36.9	42.5	43.3	42.1	37.2	31.6	24.7	18.6	13.9	8.4


All Malignant Neoplasms

Age-specific Graphs for White Females


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	105.1	8.6	6.6	4.7	7.1	8.1	14.7	21.2	39.4	74.1	144.2	280.7	416.6	567.4	577.5	716.6	884.1	749.0	982.0
1951	106.1	7.5	3.4	3.8	9.3	10.0	14.1	21.8	35.0	69.9	140.2	290.1	450.2	555.7	577.5	773.8	824.8	706.7	989.7
1952	111.1	8.5	6.8	5.2	7.1	10.9	11.7	20.2	36.1	84.5	159.9	276.2	431.0	605.6	629.7	755.2	915.8	843.2	942.9
1953	113.5	7.6	4.9	5.4	8.7	9.9	14.7	15.6	37.1	80.6	152.9	296.6	445.4	605.2	655.9	843.6	823.1	833.2	979.7
1954	120.0	7.4	4.8	5.5	11.3	12.4	13.5	21.3	42.3	83.6	162.2	295.8	441.6	659.6	685.9	881.5	931.3	945.8	1012.7
1955	119.1	6.7	6.2	5.5	8.7	10.6	11.8	21.5	38.2	84.7	170.9	277.1	448.5	648.3	715.1	829.6	895.1	962.5	1087.4
1956	124.6	7.7	7.0	4.9	8.8	10.2	13.2	24.3	39.2	81.6	171.2	277.4	468.7	699.0	702.6	902.3	980.9	1195.7	1105.1
1957	128.3	7.7	6.3	5.4	6.3	10.9	12.1	22.0	39.0	83.0	175.1	301.5	449.8	732.8	811.0	934.6	977.9	968.7	1144.4
1958	125.7	6.3	6.1	5.5	6.1	11.6	15.6	25.5	40.3	88.5	168.3	294.0	442.4	660.0	816.9	935.3	947.2	1066.6	1004.6
1959	131.0	7.1	5.0	5.8	8.7	10.7	13.9	25.2	41.7	94.9	171.6	295.7	458.6	681.9	862.1	943.7	1009.8	1178.5	1277.4
1960	133.0	7.8	5.2	4.4	9.3	8.6	14.5	21.4	46.9	98.8	169.5	306.9	433.5	706.6	859.8	1014.3	1031.4	1163.8	1264.5
1961	135.4	6.4	4.8	4.6	8.0	10.4	12.0	23.8	46.8	95.4	167.6	316.0	444.6	737.0	859.5	1010.3	1085.0	1150.0	1506.7
1962	136.5	6.0	6.1	6.0	8.4	7.5	14.3	18.0	46.5	91.0	177.9	323.0	430.2	719.4	887.9	1068.9	1109.3	1175.0	1373.3
1963	143.2	8.1	5.2	4.9	7.9	9.2	11.9	24.0	47.1	100.2	185.0	335.9	472.0	741.7	931.9	1131.5	1183.5	1122.0	1516.7
1964	141.9	8.7	5.6	7.2	7.2	9.8	16.6	23.8	47.6	107.6	181.7	341.1	459.2	761.8	867.0	1046.0	1198.2	1223.0	1446.9
1965	143.4	5.9	5.0	5.4	9.3	7.2	12.9	19.3	48.4	103.1	183.9	326.5	485.9	754.8	901.4	1119.3	1217.7	1252.4	1467.6
1966	149.7	5.5	4.7	5.8	7.1	8.4	14.4	23.1	49.1	112.2	214.9	347.1	518.9	726.4	941.1	1153.1	1277.4	1301.6	1633.3
1967	152.7	5.9	6.4	5.7	8.3	9.0	13.3	23.6	44.1	110.5	200.7	362.2	521.2	768.9	948.5	1190.9	1370.3	1262.1	1538.5
1968	156.8	6.6	5.4	5.3	8.4	7.3	13.4	21.7	43.7	111.5	216.2	354.9	532.2	795.2	992.4	1236.5	1400.0	1410.4	1480.5
1969	158.4	5.2	5.4	4.8	7.3	7.6	12.6	22.9	47.1	108.4	212.5	363.2	583.7	761.1	1005.9	1236.0	1448.3	1448.5	1454.5
1970	160.2	6.6	5.3	4.8	8.3	9.0	11.0	23.4	44.0	108.5	214.7	373.0	561.1	749.1	998.4	1258.7	1501.6	1591.4	1495.7
1971	159.8	4.4	6.0	5.3	7.4	9.2	13.5	19.7	46.3	100.2	200.0	355.5	569.4	779.9	985.2	1300.5	1493.8	1508.1	1518.8
1972	163.6	5.6	5.1	4.0	6.6	7.4	11.5	24.7	49.8	109.2	216.9	357.7	606.4	757.4	1006.8	1367.8	1577.1	1451.3	1488.0
1973	168.2	5.5	5.4	4.9	6.9	9.0	10.8	19.6	42.6	93.6	219.7	374.3	610.1	803.9	1014.6	1444.9	1657.7	1500.0	1592.3
1974	171.7	4.9	5.2	4.6	6.8	8.0	10.4	16.2	42.5	98.1	207.8	384.7	617.4	828.8	1015.9	1530.0	1678.6	1603.5	1533.3
1975	173.7	4.4	4.8	4.1	6.5	7.6	11.4	18.1	45.1	99.5	207.8	381.3	611.3	859.5	1033.2	1494.1	1699.3	1650.9	1453.8
1976	177.5	4.2	5.0	4.2	6.7	8.7	10.3	17.4	36.2	99.1	203.8	384.7	617.4	905.2	1015.9	1562.9	1807.6	1647.3	1470.6
1977	181.4	4.3	5.1	4.5	5.5	7.1	10.1	19.1	42.3	102.8	211.0	387.1	627.3	888.0	1023.0	1569.0	1946.1	1702.2	1602.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8172	86	53	34	45	50	92	117	223	370	645	1053	1175	1189	1170	836	574	278	182
1951	8429	81	28	28	59	61	88	124	201	353	628	1119	1308	1203	1193	933	560	269	193
1952	9018	95	59	40	45	66	72	118	210	436	714	1092	1293	1341	1326	940	649	329	193
1953	9416	88	44	43	56	60	89	94	217	425	681	1204	1383	1376	1414	1083	616	333	210
1954	10189	89	46	45	74	75	81	131	250	449	725	1226	1422	1539	1513	1166	734	387	237
1955	10370	84	63	47	58	64	70	134	228	461	774	1167	1496	1564	1613	1138	741	403	265
1956	11108	100	77	42	60	62	78	152	237	447	792	1178	1617	1735	1606	1282	851	512	280
1957	11725	103	72	49	45	66	72	137	239	455	834	1285	1608	1877	1878	1383	897	424	301
1958	11767	88	72	52	45	71	93	158	250	484	825	1255	1637	1743	1906	1430	897	477	284
1959	12601	102	62	58	67	67	84	156	260	520	868	1275	1748	1871	2051	1501	998	539	374
1960	13381	116	68	48	75	56	90	136	299	556	900	1387	1734	2049	2141	1704	1083	547	392
1961	13938	96	65	53	66	70	74	152	301	545	890	1463	1796	2189	2209	1758	1161	598	452
1962	14370	90	86	72	74	53	88	116	300	529	943	1528	1768	2187	2344	1924	1198	658	412
1963	15392	122	75	61	73	68	74	155	304	594	977	1619	1973	2292	2516	2082	1290	662	455
1964	15580	131	82	92	71	76	105	153	307	649	963	1668	1956	2392	2419	1977	1330	746	463
1965	16048	88	75	72	98	58	83	124	311	629	984	1613	2099	2423	2578	2149	1376	789	499
1966	17074	82	71	80	81	69	96	148	315	690	1167	1725	2278	2397	2748	2237	1469	833	588
1967	17713	85	98	82	99	78	92	151	283	683	1114	1804	2309	2622	2817	2346	1617	833	600
1968	18493	94	83	78	104	67	97	140	279	690	1226	1771	2379	2807	2987	2473	1666	945	607
1969	18987	72	82	73	94	74	95	151	297	671	1228	1827	2615	2778	3058	2509	1738	985	640
1970	19551	89	80	74	112	94	86	158	276	674	1267	1917	2508	2839	3095	2618	1847	1114	703
1971	19890	60	91	83	104	103	107	138	291	625	1198	1891	2494	3073	3064	2796	1927	1116	729
1972	10373	39	38	32	48	43	48	90	158	343	653	989	1322	1530	1626	1443	1033	566	372
1973	21710	77	79	78	104	108	95	149	272	595	1329	2141	2660	3304	3399	3092	2155	1245	828
1974	22543	68	75	75	105	100	97	128	275	628	1272	2231	2760	3448	3525	3320	2199	1363	874
1975	23283	61	68	66	103	99	113	149	298	634	1301	2219	2879	3541	3771	3272	2345	1419	945
1976	24243	57	73	68	108	118	110	146	248	634	1286	2281	3019	3648	3891	3454	2603	1499	1000
1977	25235	59	75	72	91	101	111	169	301	665	1344	2315	3199	3561	4051	3640	2744	1583	1154


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8.5	.6	6.8	5.0	3.3	2.3	3.4	3.8	5.7	7.2	9.9	12.1	12.9	13.4	12.6	11.4	10.1	8.1	6.1
1951	8.6	.5	3.4	3.7	4.5	2.9	3.3	4.2	5.1	6.9	10.1	12.3	14.3	13.3	12.3	12.3	9.9	7.5	6.3
1952	9.0	.6	7.1	5.9	3.2	3.3	2.7	3.9	5.3	8.3	11.2	12.2	13.8	14.3	13.7	12.0	11.2	8.6	6.2
1953	9.4	.6	5.5	5.9	4.3	3.2	3.6	3.1	5.8	8.3	11.0	13.2	14.9	14.2	14.1	13.2	10.7	8.4	6.3
1954	10.6	.6	5.9	6.8	6.0	4.4	3.5	4.8	7.5	9.4	12.4	14.6	16.3	16.6	15.8	14.5	12.7	10.4	7.5
1955	10.6	.5	8.0	7.3	5.2	3.6	3.2	5.1	6.8	9.7	13.0	14.7	16.6	16.6	15.8	13.4	12.5	9.9	8.0
1956	11.0	.6	9.2	6.3	5.2	3.4	3.6	5.4	6.9	9.6	13.1	15.3	17.0	17.4	15.3	14.7	13.5	12.0	7.8
1957	10.9	.6	8.2	6.2	3.7	3.8	3.2	4.7	6.6	9.4	13.0	15.8	16.2	17.2	16.2	14.6	13.2	9.8	7.5
1958	10.9	.5	8.5	7.6	3.8	4.1	4.5	5.6	7.2	10.4	13.1	15.5	16.6	16.7	16.0	14.6	12.5	10.4	6.7
1959	11.6	.6	6.7	7.3	5.2	4.0	4.0	5.6	7.1	11.0	13.7	16.0	17.5	18.1	17.6	15.2	13.8	11.9	8.9
1960	11.7	.6	7.2	5.7	5.7	3.3	4.3	5.1	7.9	11.4	13.7	16.1	17.4	17.6	17.0	15.7	13.6	10.9	8.2
1961	12.4	.6	7.3	6.5	5.1	3.9	3.6	5.7	8.0	11.0	14.2	17.5	18.9	19.0	17.3	16.5	14.9	12.1	9.4
1962	12.3	.5	9.0	8.5	5.4	2.8	4.3	4.3	7.7	10.4	14.6	17.2	18.1	18.0	17.9	16.6	14.4	11.7	8.1
1963	12.5	.7	7.6	7.2	4.9	3.3	3.4	5.6	7.7	11.0	14.8	17.5	18.9	18.0	18.0	16.6	14.4	10.7	8.3
1964	12.8	.8	7.9	10.1	4.4	3.6	4.5	5.2	7.3	11.4	14.2	18.1	18.6	18.8	18.4	16.5	15.3	12.7	9.3
1965	12.9	.5	7.1	8.4	5.4	2.6	3.3	4.3	7.4	10.9	13.9	17.3	19.5	19.2	18.6	17.4	14.9	12.9	9.3
1966	13.3	.5	6.7	8.5	3.9	2.8	3.7	4.7	7.4	11.3	15.5	18.3	19.9	19.0	18.9	17.2	15.3	13.0	10.1
1967	14.0	.6	9.5	8.8	4.5	2.8	3.2	4.6	6.6	11.2	15.0	19.0	20.3	21.4	20.0	18.3	16.8	13.4	10.5
1968	13.6	.7	7.7	7.1	4.0	2.1	3.0	3.9	6.0	10.6	14.8	18.0	19.3	20.4	19.4	18.0	16.0	14.1	9.5
1969	14.0	.6	7.7	6.7	3.2	2.0	2.8	4.2	6.3	10.3	14.9	18.5	21.4	21.0	20.1	18.8	16.9	14.3	10.3
1970	14.4	.7	8.4	7.0	3.7	2.3	2.4	4.2	6.1	10.5	15.3	19.2	20.9	21.2	20.7	19.2	17.7	16.1	11.1
1971	14.8	.5	8.8	8.1	3.4	2.2	2.8	3.7	6.4	10.5	15.1	19.3	21.9	22.5	21.7	19.7	18.1	15.9	11.1
1972	15.0	.7	8.9	6.6	3.2	1.8	2.5	4.5	6.7	11.1	15.3	19.1	22.6	21.7	21.8	20.0	18.2	15.5	10.9
1973	15.6	.8	8.3	7.1	3.7	2.4	2.3	3.8	6.1	10.2	16.2	20.3	23.0	23.0	22.6	20.7	19.0	16.0	11.5
1974	16.7	.7	8.8	8.0	3.8	2.3	2.4	3.2	6.6	11.1	16.6	21.9	24.2	24.7	23.6	22.2	19.9	18.3	12.0
1975	17.5	.7	8.5	7.1	4.0	2.3	2.7	3.8	7.2	11.9	17.8	22.6	25.5	26.3	25.6	23.0	20.6	18.0	12.6
1976	18.2	.6	9.2	8.4	4.5	3.0	2.7	4.0	6.3	12.3	17.9	22.9	26.2	26.9	25.6	24.4	21.4	18.5	12.8
1977	18.9	.7	9.9	8.4	3.8	2.7	2.7	4.6	7.6	13.0	19.2	23.8	27.1	26.4	27.0	25.3	22.5	18.9	14.2


All Malignant Neoplasms

Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	109.5	7.0	4.3	3.6	7.9	9.3	19.6	48.8	88.9	155.3	223.3	332.4	439.6	522.1	426.7	560.0	608.7	506.1	740.0
1951	107.9	7.3	5.1	3.5	5.5	9.0	18.7	44.3	84.5	160.6	211.3	350.4	391.4	494.4	443.9	532.6	654.5	492.7	677.2
1952	108.7	7.1	4.7	4.9	7.0	8.8	19.4	43.4	88.1	146.4	219.8	346.9	396.5	458.5	446.3	565.0	670.2	531.7	669.1
1953	108.0	6.2	4.0	3.3	5.8	8.5	20.1	43.7	77.8	150.1	213.0	339.6	382.0	463.5	453.7	543.7	684.7	569.4	723.9
1954	108.8	5.7	4.6	4.4	4.9	9.9	16.7	44.4	82.9	145.1	228.8	323.9	378.3	511.7	442.7	530.1	674.5	534.8	652.6
1955	108.6	6.1	4.3	4.0	5.9	7.7	19.9	38.7	83.0	145.1	226.9	312.2	390.9	445.6	477.3	556.8	669.3	548.3	676.1
1956	111.6	7.0	4.9	5.3	5.9	7.7	18.1	40.3	80.9	148.3	231.4	299.5	411.4	478.5	486.2	560.0	651.4	673.8	730.7
1957	109.3	4.3	4.2	4.4	7.0	8.2	16.9	39.9	71.6	130.3	206.0	315.2	409.8	470.7	503.4	574.7	612.0	736.3	708.4
1958	110.1	7.0	4.8	6.2	6.1	8.9	17.8	42.2	74.6	132.9	198.8	313.3	400.8	485.2	519.8	555.7	623.5	664.1	758.9
1959	106.7	6.1	4.3	4.3	7.3	9.1	19.5	38.2	74.8	129.8	199.2	281.3	398.7	460.6	488.8	565.4	599.5	672.0	718.1
1960	109.4	6.9	4.6	4.8	4.3	9.4	17.1	41.5	71.8	128.2	206.9	299.6	368.3	500.7	493.8	589.1	673.0	736.4	755.0
1961	109.3	6.2	5.3	4.8	5.3	7.2	15.7	35.1	75.1	133.1	197.0	295.2	344.6	523.5	503.8	599.0	626.1	734.4	890.0
1962	107.8	6.6	6.0	6.0	6.0	7.5	16.6	36.8	72.2	126.5	182.9	283.2	345.1	528.9	490.7	587.7	631.7	712.1	822.0
1963	107.0	7.2	4.9	5.3	6.4	6.1	18.2	35.2	73.5	127.3	191.3	277.5	349.1	518.5	475.7	564.8	624.4	648.6	834.9
1964	108.2	6.0	4.6	5.3	5.7	6.9	15.3	31.1	72.4	118.9	192.1	292.4	330.2	544.8	490.2	562.6	648.1	713.5	851.1
1965	109.2	4.9	4.6	3.7	6.7	8.1	15.3	40.4	71.4	119.1	194.4	271.2	343.6	508.1	499.4	590.8	671.3	690.9	942.9
1966	111.0	5.8	5.1	4.4	6.4	8.3	18.5	35.9	69.6	119.4	199.5	266.7	338.4	491.1	542.8	572.3	714.9	816.3	837.7
1967	110.9	5.4	4.9	3.6	4.0	7.6	16.5	34.4	62.1	112.0	192.4	271.4	349.5	484.1	552.7	610.0	685.0	769.0	891.2
1968	112.8	5.0	3.9	4.7	5.7	8.7	14.8	33.5	66.2	114.9	193.1	267.1	357.6	481.3	585.8	599.6	723.0	727.6	852.5
1969	111.9	4.9	4.6	4.6	5.9	6.3	13.5	33.7	67.1	113.6	197.7	268.9	377.3	439.3	574.5	598.0	685.9	737.4	772.3
1970	110.4	5.1	3.9	4.0	4.3	8.4	14.6	25.7	61.1	116.8	174.8	267.1	359.9	419.3	537.3	665.2	723.8	732.3	839.4
1971	114.7	6.1	5.9	3.7	5.8	7.5	15.2	29.7	60.2	110.8	189.0	269.8	369.3	442.7	539.3	721.6	736.5	773.1	846.1
1972	113.2	4.1	3.8	3.9	4.7	6.0	14.2	26.6	57.7	107.1	182.4	273.0	345.6	439.4	552.5	746.5	762.6	701.8	819.5
1973	117.5	4.3	5.1	5.0	5.8	6.3	12.7	26.7	56.2	106.9	192.1	273.3	393.0	445.6	534.1	801.2	811.1	735.5	785.2
1974	116.8	3.4	4.2	3.8	5.4	6.8	13.6	25.3	57.7	102.6	176.5	262.1	369.3	485.1	503.0	840.2	785.5	765.1	781.6
1975	115.2	4.5	4.6	4.0	4.2	5.4	11.1	23.9	51.3	94.9	177.7	250.8	367.6	457.8	483.2	807.3	913.8	767.2	730.0
1976	117.3	3.4	3.6	4.1	3.7	5.8	11.2	23.9	45.2	94.0	163.7	270.6	357.1	470.6	490.4	798.9	936.9	821.9	821.7
1977	120.8	4.1	3.4	4.0	6.1	5.5	11.8	23.6	51.2	94.9	167.7	271.9	371.9	490.0	499.8	804.6	1019.7	775.7	765.2

Number of Deaths

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8864	70	35	26	52	65	136	303	558	806	1017	1222	1160	1046	927	650	383	210	198
1951	8936	78	42	26	36	62	130	282	534	852	970	1330	1083	1039	986	655	431	219	181
1952	9212	79	41	37	46	60	134	285	556	799	1013	1358	1148	1004	1013	734	461	252	192
1953	9369	72	36	26	39	58	137	296	490	845	983	1373	1159	1065	1052	744	491	281	222
1954	9677	68	44	36	33	67	113	308	523	838	1067	1345	1200	1226	1048	762	517	269	213
1955	9907	76	44	34	41	52	134	273	529	853	1080	1324	1298	1116	1153	839	546	281	234
1956	10446	91	54	45	42	52	122	286	524	880	1131	1291	1423	1250	1203	877	570	345	260
1957	10505	58	48	40	51	55	114	284	474	776	1045	1374	1478	1276	1270	934	578	384	266
1958	10846	98	57	58	46	60	121	300	505	792	1046	1378	1505	1363	1311	936	632	346	292
1959	10836	87	53	43	57	62	133	272	515	779	1085	1261	1554	1345	1282	987	650	357	284
1960	11576	102	61	52	35	67	120	304	510	796	1171	1399	1499	1537	1358	1084	774	405	302
1961	11867	93	71	55	44	53	119	259	541	844	1125	1426	1430	1649	1456	1162	745	448	356
1962	11995	99	84	72	53	57	116	272	525	821	1050	1413	1470	1703	1477	1199	777	470	337
1963	12188	109	71	66	60	49	129	260	538	848	1104	1421	1529	1706	1489	1203	793	454	359
1964	12607	91	67	68	57	57	110	229	533	811	1120	1532	1489	1836	1598	1249	849	528	383
1965	12998	73	69	49	71	70	112	297	528	828	1153	1451	1591	1763	1683	1353	913	532	462
1966	13493	85	77	61	73	73	140	264	517	843	1209	1451	1604	1768	1878	1345	1008	653	444
1967	13768	78	74	51	48	71	130	254	463	803	1197	1498	1695	1830	1951	1464	1007	646	508
1968	14281	70	60	69	71	85	121	251	494	828	1236	1496	1770	1906	2103	1469	1099	633	529
1969	14444	67	70	70	77	66	115	258	499	833	1299	1533	1894	1823	2114	1483	1070	671	502
1970	14554	69	59	61	58	93	129	202	456	864	1178	1565	1821	1824	2015	1703	1158	703	596
1971	15440	83	74	58	81	90	137	242	453	822	1300	1632	1843	2010	2033	1905	1230	804	643
1972	7776	28	28	31	34	37	68	113	220	400	633	856	864	1026	1094	963	652	393	336
1973	16465	59	74	80	88	81	128	237	432	809	1341	1779	1965	2130	2227	2067	1387	890	691
1974	16657	46	60	61	83	91	146	233	451	783	1246	1738	1898	2348	2208	2176	1359	964	766
1975	16797	61	65	65	67	75	127	229	411	721	1285	1673	1996	2211	2242	2197	1654	1005	803
1976	17450	45	52	66	60	84	137	234	375	723	1190	1848	2007	2245	2403	2117	1752	1126	986
1977	18318	55	49	62	100	82	150	245	441	740	1229	1879	2172	2357	2534	2261	1866	1086	1010


Percent of All Deaths

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11.1	.6	5.4	5.3	4.5	3.7	5.9	10.7	14.5	16.9	17.9	17.3	17.0	14.8	12.8	11.0	8.8	7.3	5.7
1951	11.1	.6	6.5	5.7	3.5	3.8	5.9	10.9	14.7	17.9	17.8	17.9	15.7	14.7	13.1	10.7	9.3	7.1	5.0
1952	11.3	.6	6.4	7.8	4.8	4.0	6.7	10.4	15.7	17.5	18.8	18.4	16.6	14.3	13.1	11.6	10.1	8.2	5.3
1953	11.5	.6	5.8	6.1	4.4	4.6	7.6	11.9	14.9	18.8	18.6	18.8	16.9	14.9	13.4	11.2	10.3	8.3	5.8
1954	12.4	.5	7.2	9.1	4.5	6.0	7.0	13.0	17.2	19.6	21.3	19.1	18.5	17.4	13.7	11.8	11.4	8.1	6.0
1955	12.4	.6	7.0	8.3	6.5	4.7	8.5	12.0	17.4	21.1	21.5	19.9	18.5	15.5	14.3	12.3	10.9	8.0	6.1
1956	12.7	.7	8.1	11.3	6.7	5.1	8.0	12.6	16.8	21.1	21.7	20.2	18.3	16.5	14.7	12.0	11.0	9.3	6.4
1957	12.0	.4	6.6	9.2	6.9	5.1	7.3	12.0	14.7	18.8	19.4	20.3	18.4	15.7	14.0	12.2	10.3	9.7	6.0
1958	12.3	.7	8.0	14.5	7.3	6.2	8.3	12.7	16.4	19.8	20.0	20.5	19.0	16.5	14.5	11.7	10.7	8.2	6.3
1959	12.4	.6	7.0	9.2	8.1	6.2	9.7	12.3	16.9	19.7	21.5	20.0	19.6	16.7	14.5	12.4	10.6	8.5	6.0
1960	12.6	.7	7.7	11.0	5.3	7.0	8.1	13.5	16.1	19.5	22.6	21.3	19.0	16.7	14.4	12.6	11.5	8.9	5.8
1961	13.1	.7	10.1	12.1	6.4	5.5	8.2	12.0	17.6	20.9	23.0	22.0	19.3	17.2	15.5	13.4	10.9	9.4	6.6
1962	12.6	.7	10.3	14.7	7.2	5.5	8.5	12.8	16.0	19.6	21.1	21.2	19.2	17.0	14.8	12.7	10.7	9.0	5.8
1963	12.3	.8	8.5	11.7	7.7	4.8	8.8	11.9	16.3	19.1	21.4	20.2	19.2	16.3	14.3	12.0	10.3	8.1	6.2
1964	13.0	.7	8.9	12.4	7.0	5.6	7.5	11.0	16.4	19.0	21.9	21.8	19.6	17.8	15.9	13.0	11.2	9.4	6.3
1965	13.3	.6	8.5	9.2	8.3	6.7	8.1	14.0	16.4	18.7	22.3	21.8	20.5	17.8	15.6	13.9	11.7	8.8	7.3
1966	13.5	.7	9.9	10.9	8.0	6.3	9.9	12.5	16.1	19.1	21.9	22.1	20.5	18.5	16.2	13.1	11.8	10.4	6.5
1967	14.1	.7	9.9	8.9	5.0	5.8	9.1	11.9	14.7	19.0	22.4	22.7	21.2	19.8	17.1	14.5	12.1	10.6	7.4
1968	13.7	.7	7.9	11.4	7.1	6.4	7.7	11.7	15.3	18.0	21.6	22.1	21.0	19.1	16.6	13.6	11.8	9.2	6.6
1969	14.1	.7	9.5	11.4	6.4	4.7	7.3	12.2	16.0	18.8	22.9	23.0	22.6	18.8	17.0	13.9	11.9	9.7	6.4
1970	14.2	.7	8.4	10.2	5.0	6.1	7.8	10.2	15.2	19.7	21.0	23.1	22.2	19.0	17.0	14.9	12.6	10.0	7.4
1971	15.0	.9	11.2	9.3	6.4	5.5	8.4	11.5	15.1	19.7	23.5	24.0	23.9	20.6	18.2	15.8	13.0	11.1	7.5
1972	15.0	.6	8.8	10.4	5.9	4.5	8.1	10.9	16.0	19.5	23.1	25.2	22.4	20.5	18.9	15.4	13.4	10.2	7.5
1973	15.6	.7	11.8	14.2	7.3	4.8	7.9	11.6	15.8	20.3	24.5	25.4	25.1	21.3	19.2	15.7	13.6	10.9	7.1
1974	16.3	.6	10.8	11.6	7.8	5.6	8.6	11.8	18.3	20.8	25.1	25.9	26.0	23.8	19.7	16.9	13.9	11.8	7.6
1975	16.9	.8	12.5	12.8	6.5	4.9	7.9	13.0	17.8	21.8	27.0	27.4	26.9	23.7	20.7	17.3	15.7	12.4	8.0
1976	17.3	.6	10.2	14.3	6.5	5.5	8.0	13.2	17.3	22.1	26.2	29.1	27.2	24.6	22.0	17.9	15.3	13.0	8.9
1977	18.0	.8	9.9	14.1	9.8	5.5	9.0	14.2	20.0	23.5	28.0	29.7	28.4	25.9	23.0	18.7	15.8	12.4	8.8


All Malignant Neoplasms

Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000



Number of Deaths




Percent of All Deaths





Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	412	0.61	0.78	0.46	41	0.06	0.07	0.05	6	0.08	0.13	0.08	4	0.05	0.09	0.06
1951	346	0.50	0.64	0.38	38	0.05	0.06	0.04	3	0.04	0.05	0.03	5	0.06	0.08	0.05
1952	357	0.51	0.65	0.38	41	0.06	0.07	0.05	4	0.05	0.08	0.05	5	0.06	0.08	0.06
1953	345	0.49	0.60	0.35	43	0.06	0.07	0.05	8	0.10	0.16	0.10	3	0.03	0.04	0.03
1954	317	0.44	0.54	0.31	34	0.05	0.05	0.04	5	0.06	0.08	0.05	5	0.06	0.10	0.07
1955	335	0.46	0.55	0.31	25	0.03	0.04	0.03	3	0.03	0.05	0.03	2	0.02	0.02	0.01
1956	309	0.42	0.49	0.27	30	0.04	0.04	0.03	3	0.03	0.05	0.03	2	0.02	0.03	0.02
1957	293	0.39	0.47	0.26	33	0.04	0.04	0.03	9	0.10	0.15	0.08	3	0.03	0.06	0.04
1958	201	0.26	0.32	0.18	25	0.03	0.03	0.02	1	0.01	0.03	0.01	0	0.00	0.00	0.00
1959	213	0.27	0.33	0.18	18	0.02	0.02	0.02	4	0.04	0.08	0.04	3	0.03	0.05	0.03
1960	189	0.24	0.29	0.16	18	0.02	0.02	0.02	7	0.07	0.10	0.05	2	0.02	0.03	0.02
1961	192	0.24	0.29	0.16	19	0.02	0.02	0.02	3	0.03	0.04	0.02	2	0.02	0.03	0.02
1962	194	0.24	0.29	0.16	19	0.02	0.02	0.02	5	0.05	0.08	0.04	1	0.01	0.02	0.01
1963	150	0.18	0.21	0.11	21	0.02	0.02	0.02	3	0.03	0.05	0.02	6	0.05	0.08	0.05
1964	152	0.18	0.22	0.12	26	0.03	0.03	0.02	5	0.05	0.07	0.03	2	0.02	0.02	0.02
1965	148	0.18	0.20	0.11	20	0.02	0.02	0.02	1	0.01	0.02	0.01	3	0.03	0.04	0.03
1966	129	0.15	0.18	0.09	16	0.02	0.02	0.01	2	0.02	0.04	0.02	3	0.02	0.03	0.02
1967	119	0.14	0.16	0.08	16	0.02	0.02	0.01	4	0.03	0.05	0.03	4	0.03	0.05	0.03
1968	161	0.19	0.22	0.11	20	0.02	0.02	0.01	2	0.02	0.03	0.01	1	0.01	0.01	0.01
1969	190	0.22	0.25	0.13	23	0.03	0.02	0.02	2	0.02	0.03	0.01	0	0.00	0.00	0.00
1970	175	0.20	0.23	0.11	18	0.02	0.02	0.01	2	0.02	0.03	0.01	1	0.01	0.01	0.01
1971	184	0.21	0.23	0.12	33	0.04	0.03	0.02	4	0.03	0.05	0.02	4	0.03	0.04	0.03
1972	63	0.14	0.16	0.08	12	0.03	0.02	0.02	0	0.00	0.00	0.00	2	0.03	0.04	0.03
1973	157	0.17	0.19	0.09	16	0.02	0.01	0.01	4	0.03	0.04	0.02	4	0.03	0.03	0.02
1974	141	0.16	0.17	0.08	15	0.02	0.01	0.01	3	0.02	0.03	0.01	3	0.02	0.03	0.02
1975	139	0.15	0.17	0.08	15	0.02	0.01	0.01	3	0.02	0.03	0.01	1	0.01	0.01	0.01
1976	113	0.12	0.13	0.06	16	0.02	0.01	0.01	1	0.01	0.01	0.00	2	0.01	0.01	0.01
1977	137	0.15	0.16	0.08	20	0.02	0.01	0.01	5	0.04	0.05	0.02	1	0.01	0.01	0.01


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Lip and the mucous membrane of the lip (except skin of lip).
(ICD 140 [6th]; ICD 140–140.9 [7th]; ICD 140–140.9 [8th])


Lip

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



KELLER AZ: Cellular types, survival, race, nativity, occupations, habits and associated diseases in the pathogenesis of lip cancers. Am J Epidemiol 91:486-499, 1970

LINDQUIST C: Risk factors of lip cancer: A critical evaluation based on epidemiological comparisons. Am J Public Health 69:256-260, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.0	.0	.0	.0	.1	-	.1	.3	.2	.7	.8	1.4	2.5	4.1	7.1	11.9	20.1
1951	.5	-	.0	.0	.0	.0	-	.0	.1	.1	.2	.5	.9	1.2	1.8	4.3	5.5	8.4	17.4
1952	.5	.0	.0	.0	.0	-	-	-	.1	.2	.4	.3	.6	1.4	1.6	3.2	6.0	10.3	19.5
1953	.5	.0	.0	.0	.0	-	.0	-	-	.1	.1	.3	.8	1.2	2.7	3.0	4.7	8.5	17.0
1954	.4	.0	.0	.0	.0	.0	.0	.1	-	.1	.2	.4	.5	1.0	2.2	3.0	4.0	7.8	16.5
1955	.5	.0	-	.0	.0	.0	-	-	.1	.1	.3	.5	.8	1.2	1.2	3.4	4.5	7.9	14.5
1956	.4	.0	.0	.0	.0	.0	-	.1	-	.2	.2	.5	.9	1.0	1.6	2.1	4.9	7.1	8.9
1957	.4	.0	.0	.0	.0	.0	-	-	-	.1	.3	.3	.4	.6	1.6	2.5	4.6	7.4	12.8
1958	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.5	.8	1.9	3.5	5.0	8.2
1959	.3	.0	.0	.0	.0	-	-	.1	.0	-	-	.2	.5	.7	1.2	1.7	2.2	5.9	8.9
1960	.2	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.4	.5	.6	1.5	2.6	4.8	8.4
1961	.2	.0	.0	.0	-	.0	.0	-	-	.1	-	.1	.2	.5	1.1	1.6	2.5	4.2	9.4
1962	.2	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.6	.8	1.4	2.3	5.2	9.0
1963	.2	.0	.0	.0	.0	.0	-	-	-	-	.1	.2	.3	.3	.7	1.4	1.9	3.1	4.6
1964	.2	.0	.0	.0	.0	.0	-	-	-	-	.1	.2	.2	.5	.4	1.0	2.0	2.5	8.5
1965	.2	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.4	.4	.7	.9	2.0	2.5	4.7
1966	.2	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.2	.5	.4	.8	1.5	2.4	5.1
1967	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.3	.4	1.2	.7	1.8	5.7
1968	.2	.0	.0	.0	.0	.0	.0	-	-	-	.2	.1	.1	.4	1.0	1.2	1.6	2.8	6.5
1969	.2	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.2	.3	.3	1.0	1.1	1.9	4.1	7.5
1970	.2	.0	.0	.0	.0	.0	.0	.0	-	.2	.1	.2	.3	.5	.5	1.0	1.9	3.0	6.9
1971	.2	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.2	.3	.9	1.4	2.1	2.3	6.2
1972	.1	.0	.0	.0	.0	.0	.1	.0	.1	-	.1	-	-	.4	.6	.4	1.7	2.4	4.2
1973	.2	.0	.0	.0	.0	-	.0	-	-	-	-	.2	.2	.6	.9	.9	1.8	2.2	3.4
1974	.2	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.2	.3	.6	.8	1.9	2.1	4.0
1975	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.2	.2	.3	.5	1.2	1.6	2.5	3.3
1976	.1	.0	.0	.0	.0	.0	-	.0	-	.1	.1	-	.2	.4	.2	1.1	1.1	1.5	3.2
1977	.1	.0	.0	.0	.0	-	.0	.0	.0	-	.1	.1	.3	.3	.5	.8	1.6	2.3	3.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	412	0	0	0	0	0	3	2	6	13	9	25	28	39	55	63	67	57	45
1951	346	1	0	0	0	0	2	0	3	3	9	17	32	35	41	67	53	41	42
1952	357	0	0	0	0	1	2	2	5	10	15	10	21	41	38	51	60	51	50
1953	345	0	0	0	0	1	0	2	2	7	6	13	26	36	65	50	48	43	46
1954	317	0	0	0	0	0	0	4	2	5	10	16	16	29	53	52	42	41	47
1955	335	0	1	0	0	0	1	2	6	5	12	18	28	37	30	60	49	43	43
1956	309	0	0	0	0	0	1	5	1	8	10	18	32	32	41	39	55	40	27
1957	293	0	0	0	0	0	1	1	1	6	12	13	14	20	42	47	53	43	40
1958	201	0	0	0	0	0	0	0	2	3	7	7	12	16	21	36	41	30	26
1959	213	0	0	0	0	1	1	4	0	2	2	7	17	22	32	33	27	36	29
1960	189	0	0	0	0	0	1	1	1	4	3	6	15	19	17	31	33	30	28
1961	192	0	0	0	1	0	0	1	2	3	2	6	6	17	30	33	32	27	32
1962	194	0	0	0	0	0	0	0	3	5	4	8	8	18	21	29	31	36	31
1963	150	0	0	0	0	0	1	1	2	1	4	8	12	9	20	29	26	21	16
1964	152	0	0	0	0	0	1	2	2	1	5	9	10	15	10	21	28	18	30
1965	148	0	0	0	0	0	0	1	1	2	6	6	15	14	20	20	28	18	17
1966	129	0	0	0	0	0	0	1	2	1	7	6	8	18	11	17	21	18	19
1967	119	0	0	0	0	0	0	2	2	3	4	7	9	10	11	25	10	14	22
1968	161	0	0	0	0	0	0	2	1	2	9	7	3	13	28	25	23	22	26
1969	190	0	0	0	0	0	1	0	3	6	7	8	11	12	27	24	27	33	31
1970	175	0	0	0	0	0	0	0	1	8	4	10	13	20	15	22	27	24	31
1971	184	0	0	0	0	0	0	0	0	4	7	16	10	12	27	30	30	19	29
1972	63	0	0	0	0	0	2	0	2	1	3	1	1	8	9	4	12	10	10
1973	157	0	0	0	0	1	0	1	1	2	2	10	10	23	26	19	26	19	17
1974	141	0	0	0	0	0	0	1	0	3	6	5	10	13	20	17	27	18	21
1975	139	0	0	0	0	0	0	0	1	4	2	8	7	13	15	26	23	22	18
1976	113	0	0	0	0	0	1	0	1	3	4	1	8	15	8	25	16	13	18
1977	137	0	0	0	0	1	0	0	0	1	3	3	12	13	18	19	23	21	23

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	-	-	.1	-	.1	-	-	.1	.1	.1	.1	.1
1951	-	-	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	.1	.1	.1	.1
1952	-	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.1	-	.1	.1	.1	.1
1953	-	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	.1	.1	.1	.1	.1
1954	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.1	.1	-	.1	.1
1955	-	.0	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	.1	.1	.1	.1
1956	-	.0	.0	.0	.0	.0	-	.1	-	-	-	-	.1	-	-	-	.1	.1	-
1957	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.1	.1	.1
1958	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1959	-	.0	.0	.0	.0	-	-	-	.0	-	-	-	-	-	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1961	-	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1973	-	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1977	-	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	-

Lip

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.1	.1	.4	.6	1.5	3.1
1951	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.3	.2	.6	.8	1.8
1952	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.2	.9	.8	3.1
1953	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.4	.3	.5	1.0	2.4
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.0	.1	.2	.2	.7	1.1	.8
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.0	.1	-	.2	.5	2.1
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	.4	1.2	1.8
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.9	.9
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.4	.1	.9	.2
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.6	.2
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	.1	.1	.5	.9
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.1	.1	.2	.4	.0	.4
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.1	.2	.6	.9
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.7	1.0
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.1	.1	.1	.3	.5	1.2
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.5	.8
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.2	.3	.8
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	.1	.1	.2	.7
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.0	.3	.9
1969	-	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.2	.1	.3	.8
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	-	.3	.6
1971	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	.0	-	.1	.2	.3	.2	1.3
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.1	.2	.1	.6
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.2
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	.1	.3	.1
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.1	.1	.2	.3
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.2	.1	.2	.2
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.2	.5

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	41	0	0	0	0	0	0	0	1	0	0	2	2	2	2	6	7	9	10
1951	38	0	0	0	0	0	0	0	0	0	1	0	3	5	7	4	7	5	6
1952	41	0	0	0	0	0	0	1	0	0	1	1	2	2	3	4	11	5	11
1953	43	0	0	0	0	0	0	0	0	0	1	0	2	2	10	6	6	7	9
1954	34	0	0	0	0	0	0	0	0	0	1	2	0	2	5	4	9	8	3
1955	25	0	0	0	0	0	0	0	0	1	1	2	1	0	3	1	3	4	9
1956	30	0	0	0	0	0	0	0	0	0	0	0	2	1	2	2	6	9	8
1957	33	0	0	0	0	0	0	0	0	0	0	0	2	4	5	5	6	7	4
1958	25	0	0	0	0	0	0	0	0	1	0	1	2	2	2	8	1	7	1
1959	18	0	0	0	0	0	0	0	0	0	0	0	1	1	4	3	3	5	1
1960	18	0	0	0	0	0	0	0	0	1	1	1	0	1	1	3	1	4	5
1961	19	0	0	0	0	0	0	0	0	1	0	0	0	2	3	5	6	0	2
1962	19	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	4	6	5
1963	21	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	3	7	6
1964	26	0	0	0	0	0	0	0	0	1	0	0	0	2	2	3	6	5	7
1965	20	0	0	0	0	0	0	0	0	0	0	0	0	1	1	5	3	5	5
1966	16	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	4	5
1967	16	0	0	0	0	0	0	0	0	0	1	1	0	1	1	2	3	2	5
1968	20	0	0	0	0	0	0	0	0	0	0	1	2	1	2	3	0	4	7
1969	23	0	0	1	0	0	0	0	0	0	0	0	0	1	1	7	3	4	6
1970	18	0	0	0	0	0	0	0	0	0	0	1	0	1	4	2	1	4	5
1971	33	0	0	0	0	0	1	0	0	0	1	0	0	2	2	5	7	3	12
1972	12	0	0	0	0	0	0	0	0	0	1	0	0	3	1	1	2	1	3
1973	16	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	4	3	2
1974	15	0	0	0	0	0	0	0	0	0	0	0	3	2	1	1	3	4	1
1975	15	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	3	3	4
1976	16	0	0	0	0	0	0	0	0	0	0	0	1	0	1	5	2	4	3
1977	20	0	0	0	0	0	0	0	0	0	0	0	2	1	1	3	3	4	6

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-
1952	-	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-	-
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	-	-	-	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	-	-
1969	-	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	.0	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.4	.0	.0	.0	.0	2.7	5.4
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.3	.0	.0	.8	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.9	.0	.0	2.6	.0
1953	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.2	.0	.9	.0	1.6	1.3	.0	4.7
1954	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.9	.8	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.0	.0	.7	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.0	.0	1.2	.0	.0
1957	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	1.6	.9	.0	2.2	.0	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.2	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.6	.0	2.2	3.4
1960	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.3	.4	1.2	1.0	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.0	.0	.9	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.8	.0	.9	1.8	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.4	.0	.0	1.7	.0
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.7	.0	.0	.0	3.1
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.9	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.9	.0	2.8
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.0	.5	.0	.0	2.6
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	2.4
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	1.5	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.9	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.8	.0	4.2
1972	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.2	.3	.5	.0	.0	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.0	.0	.0	.0	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.5	.0	1.2	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.5
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.2	.0	.9	.0	.0	1.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	6	0	0	0	0	0	0	0	0	0	1	2	1	0	0	0	0	1	1
1951	3	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0
1952	4	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	1	0
1953	8	0	0	0	0	0	0	0	1	0	0	1	0	2	0	2	1	0	1
1954	5	0	0	0	0	0	0	0	0	0	1	1	0	0	2	1	0	0	0
1955	3	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	0
1956	3	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	0	0
1957	9	0	0	0	0	0	0	0	0	0	0	1	0	4	2	0	2	0	0
1958	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
1959	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1
1960	7	0	0	0	0	0	0	0	0	0	0	0	2	1	1	2	1	0	0
1961	3	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
1962	5	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	1	0
1963	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0
1964	5	0	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0	1
1965	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
1966	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
1967	4	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1
1968	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1
1969	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
1970	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0
1971	4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1973	4	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	0	0	0
1974	3	0	0	0	0	0	0	0	0	0	0	0	0	3	0	0	0	0	0
1975	3	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0
1976	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
1977	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	0	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0	.0	.0	-	-
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	-	.0	-	-	.0	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	-	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	-	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	.0	.0	-	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.0	-	.0	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	-	-
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.0	.0	.0	-
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	.0	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	-
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-
1972	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	.0	.0	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	-	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	.0	-

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.5	.9	.0	.0	3.7
1951	.1	.0	.0	.0	.0	.1	.0	.2	.0	.0	.0	.0	.0	.5	.5	.8	.0	.0	.0
1952	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.2	.0	.3	.0	.4	.0	1.5	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.0	.4	.0	.0	.0	.0
1954	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.4	.0	.0	1.3	2.0	3.1
1955	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.4	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	1.1	1.9	.0
1958	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.6	.9	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	1.8	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.5	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.4
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.3	.5	.8	.0	2.3
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.5	.0	.0	.0
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.4	.0	.0	2.0
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.3	.0	.0	.0	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.4	1.4	.0	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.0	.0
1969	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.4
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.6	1.9	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	1.2	.0	.0
1973	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.2	.0	.0	.4	.0	.0	1.1
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.6	.0	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.8
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0	1
1951	5	0	0	0	0	1	0	1	0	0	0	0	0	1	1	1	0	0	0
1952	5	0	0	0	0	0	0	0	1	0	1	0	1	0	1	0	1	0	0
1953	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0
1954	5	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	1	1
1955	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
1956	2	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0
1957	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0
1958	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1959	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	0
1960	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
1961	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0
1962	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
1963	6	0	0	0	0	0	0	0	0	0	1	1	0	0	1	1	1	0	1
1964	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0
1965	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1
1966	3	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	0	0
1967	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	0
1968	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
1969	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1970	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
1971	4	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	0
1972	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0
1973	4	0	0	0	0	0	1	0	0	0	0	0	1	0	0	1	0	0	1
1974	3	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0
1975	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
1976	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
1977	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0	-
1951	-	.0	.0	.0	.0	.1	.0	-	.0	.0	.0	.0	.0	-	-	-	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	-	.0	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	-	-	-
1955	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.0
1958	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	-	-	.0	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	.0	.0
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	.0	.0	-
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	.0	.0	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.0	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0
1969	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	-	-	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0
1973	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	949	1.40	1.61	0.96	223	0.33	0.36	0.24	82	1.05	1.52	1.01	23	0.28	0.41	0.28
1951	861	1.25	1.43	0.85	214	0.31	0.33	0.23	76	0.96	1.30	0.86	26	0.31	0.45	0.32
1952	879	1.26	1.43	0.83	216	0.31	0.33	0.23	69	0.85	1.16	0.73	28	0.33	0.46	0.32
1953	897	1.26	1.44	0.83	241	0.34	0.35	0.24	77	0.93	1.30	0.81	19	0.22	0.31	0.22
1954	947	1.31	1.47	0.84	241	0.33	0.34	0.24	81	0.95	1.34	0.78	23	0.26	0.34	0.24
1955	995	1.36	1.52	0.86	265	0.36	0.36	0.26	89	1.02	1.34	0.79	21	0.23	0.31	0.22
1956	947	1.27	1.42	0.79	242	0.32	0.32	0.23	93	1.04	1.41	0.79	29	0.31	0.43	0.29
1957	975	1.29	1.43	0.79	283	0.37	0.37	0.27	93	1.02	1.45	0.80	23	0.24	0.31	0.22
1958	1037	1.35	1.48	0.83	290	0.37	0.37	0.27	92	0.98	1.40	0.78	36	0.37	0.45	0.31
1959	1038	1.33	1.46	0.81	271	0.34	0.34	0.25	97	1.01	1.39	0.74	24	0.24	0.31	0.22
1960	1074	1.36	1.49	0.82	328	0.41	0.39	0.29	105	1.04	1.46	0.77	38	0.36	0.49	0.34
1961	1065	1.32	1.45	0.80	349	0.43	0.41	0.31	87	0.84	1.10	0.57	25	0.23	0.30	0.21
1962	1090	1.34	1.46	0.80	346	0.42	0.40	0.30	91	0.86	1.17	0.60	25	0.22	0.30	0.21
1963	1060	1.28	1.41	0.76	362	0.43	0.40	0.30	126	1.17	1.63	0.79	27	0.24	0.30	0.21
1964	1077	1.29	1.40	0.75	327	0.38	0.36	0.27	137	1.25	1.72	0.85	37	0.32	0.39	0.27
1965	1091	1.29	1.41	0.74	352	0.41	0.38	0.29	141	1.26	1.68	0.82	27	0.23	0.31	0.22
1966	1079	1.27	1.38	0.72	378	0.43	0.40	0.30	127	1.11	1.53	0.71	45	0.37	0.46	0.32
1967	1031	1.20	1.30	0.67	322	0.36	0.33	0.25	155	1.34	1.82	0.83	36	0.29	0.36	0.25
1968	1119	1.29	1.40	0.72	418	0.47	0.42	0.32	132	1.12	1.51	0.67	35	0.28	0.34	0.24
1969	1154	1.32	1.42	0.73	421	0.47	0.41	0.32	155	1.29	1.77	0.78	38	0.29	0.37	0.26
1970	1125	1.28	1.37	0.69	446	0.49	0.43	0.33	173	1.42	1.96	0.85	51	0.39	0.48	0.35
1971	1139	1.28	1.36	0.69	482	0.52	0.46	0.35	166	1.33	1.84	0.80	60	0.45	0.56	0.39
1972	566	1.27	1.34	0.67	251	0.54	0.47	0.36	59	0.93	1.26	0.54	32	0.47	0.57	0.40
1973	1120	1.25	1.31	0.65	506	0.54	0.46	0.35	185	1.43	1.98	0.82	62	0.44	0.54	0.37
1974	1179	1.31	1.36	0.67	454	0.48	0.41	0.31	148	1.13	1.55	0.63	55	0.39	0.47	0.32
1975	1134	1.25	1.29	0.63	542	0.57	0.47	0.36	187	1.39	1.89	0.76	53	0.36	0.44	0.31
1976	1160	1.27	1.31	0.63	507	0.53	0.44	0.33	191	1.40	1.93	0.76	56	0.38	0.47	0.32
1977	1059	1.15	1.17	0.56	530	0.55	0.45	0.34	181	1.30	1.78	0.69	59	0.39	0.48	0.32


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Tongue only.
(ICD 141 [6th]; ICD 141-141.9 [7th]; ICD 141-141.9 [8th])


Tongue

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	-	.0	.0	.0	.0	.0	.1	.1	.5	1.1	2.0	3.4	5.0	7.5	10.0	12.7	14.0	13.4
1951	1.3	-	.0	-	.0	.0	-	-	.2	.3	1.0	1.7	3.2	5.0	6.6	7.6	11.6	13.4	11.6
1952	1.3	.0	.0	.0	.0	-	.0	.1	.2	.3	1.1	1.9	3.3	4.9	5.8	8.1	11.4	10.1	16.7
1953	1.3	-	.0	.0	.0	-	-	.1	.1	.5	1.0	1.4	3.7	4.3	6.4	8.1	9.2	14.2	18.1
1954	1.3	.0	.0	.0	.0	.0	.0	.0	-	.4	1.1	2.2	3.2	4.9	6.7	8.8	10.6	12.2	13.3
1955	1.4	.0	.0	.0	-	.0	-	.1	.1	.6	.7	2.4	3.4	4.3	7.1	8.9	11.5	14.1	13.1
1956	1.3	.0	.0	.0	.0	.0	-	-	.1	.4	1.2	1.9	3.1	5.2	6.2	7.5	9.3	13.6	14.2
1957	1.3	-	.0	.0	.0	-	-	.1	.1	.6	1.2	2.3	3.5	4.1	6.6	7.2	9.9	13.0	13.2
1958	1.4	.0	.0	.0	.0	-	-	-	.2	.4	1.0	2.4	3.7	5.6	6.3	8.7	10.6	8.4	12.3
1959	1.3	.0	.0	.0	.0	.0	-	-	.1	.3	1.3	2.7	4.0	4.5	6.6	7.4	9.5	10.1	14.1
1960	1.4	.0	.0	.0	.0	.0	.0	-	.1	.3	1.3	2.7	3.8	4.9	6.6	7.5	9.7	12.0	14.9
1961	1.3	-	.0	.0	.0	.0	-	.1	.1	.2	1.2	2.4	3.5	5.3	6.6	7.4	10.0	11.3	12.9
1962	1.3	.0	.0	.0	.0	.0	-	-	.1	.5	1.5	2.7	3.2	5.0	6.2	8.1	8.5	10.2	16.6
1963	1.3	.0	.0	-	.0	.0	-	.1	.1	.6	1.1	2.7	4.2	4.9	5.4	6.6	8.3	10.5	14.5
1964	1.3	.0	.0	.0	.0	.0	-	-	.1	.5	1.3	2.2	3.9	5.4	6.0	7.1	8.8	10.4	10.7
1965	1.3	.0	.0	.0	-	.0	-	-	.2	.5	1.1	2.1	4.2	4.9	6.3	7.5	8.9	7.9	14.9
1966	1.3	.0	.0	-	.0	.0	.1	-	.2	.5	.8	1.9	3.6	5.9	6.4	6.9	8.0	11.1	11.5
1967	1.2	.0	.0	.0	-	.0	.1	-	.2	.2	.7	2.8	3.5	6.0	5.3	6.6	6.1	8.8	11.1
1968	1.3	.0	.0	.0	.0	-	-	.1	.1	.3	1.0	2.8	3.5	5.1	6.2	6.6	9.1	9.2	15.3
1969	1.3	-	.0	.0	.0	-	.0	-	.1	.3	.8	2.6	4.5	6.0	6.3	6.6	7.3	9.8	13.3
1970	1.3	.0	.0	.0	.0	.0	.0	-	.2	.4	1.0	2.3	4.1	5.2	6.9	6.1	8.5	9.1	10.2
1971	1.3	.0	.0	.0	.0	.0	-	.1	.1	.4	1.0	2.0	4.0	5.5	7.2	6.7	7.6	7.9	10.8
1972	1.3	.0	.0	.0	.0	.1	.0	-	.2	.4	1.1	1.9	4.0	5.2	6.7	7.0	8.5	7.1	8.8
1973	1.2	.0	.0	.0	-	-	-	-	.1	.4	1.1	2.3	3.5	5.5	6.1	6.6	7.6	8.6	8.9
1974	1.3	.0	.0	.0	-	.0	-	.1	.1	.4	1.2	1.8	3.8	5.1	6.6	8.0	8.2	8.9	8.4
1975	1.2	.0	.0	.0	-	-	-	.1	-	.4	1.2	2.1	3.2	5.3	6.1	7.4	6.1	9.3	8.7
1976	1.3	.0	.0	.0	.0	-	-	-	.2	.4	1.0	1.9	3.4	5.4	6.1	6.6	8.0	9.5	10.1
1977	1.2	.0	.0	.0	.0	-	-	.1	.2	.3	.8	1.8	2.7	5.1	6.0	5.8	7.0	8.0	9.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	949	1	0	0	0	0	0	4	7	23	47	75	115	141	167	153	119	67	30
1951	861	1	0	1	0	0	1	2	9	13	42	63	109	143	152	119	113	65	28
1952	879	0	0	0	0	1	0	3	11	13	47	71	113	145	137	131	114	50	43
1953	897	1	0	0	0	1	1	4	7	22	45	55	128	130	153	134	95	72	49
1954	947	0	0	0	0	0	0	0	1	21	48	86	112	150	163	152	112	64	38
1955	995	0	0	0	2	0	2	5	4	29	34	92	118	131	178	159	125	77	39
1956	947	0	0	0	0	0	1	1	4	20	56	76	108	161	157	139	104	77	43
1957	975	1	0	0	0	1	2	3	4	28	54	92	125	127	171	136	114	76	41
1958	1037	0	0	0	0	1	1	2	9	18	49	100	135	175	165	168	125	50	39
1959	1038	0	0	0	0	0	1	2	6	16	64	116	146	139	176	147	117	62	46
1960	1074	0	0	0	0	0	0	2	7	14	62	118	141	152	178	152	123	75	50
1961	1065	1	0	0	0	0	1	5	5	13	59	104	133	167	178	152	130	73	44
1962	1090	0	0	0	0	0	1	2	6	25	75	121	125	159	166	171	112	70	57
1963	1060	0	0	3	0	0	2	4	3	31	52	123	166	157	145	140	112	72	50
1964	1077	0	0	0	0	0	2	1	4	27	66	102	158	172	160	152	121	74	38
1965	1091	0	0	0	1	0	2	1	8	26	54	97	173	161	170	162	124	58	54
1966	1079	0	0	1	0	0	3	1	8	26	42	90	151	197	173	148	113	83	43
1967	1031	0	0	0	1	0	3	2	9	11	37	132	149	204	143	142	87	68	43
1968	1119	0	0	0	0	1	1	5	5	17	53	132	150	179	171	141	131	72	61
1969	1154	1	0	0	0	1	0	2	4	16	43	123	192	217	176	140	106	78	55
1970	1125	0	0	0	0	0	0	2	8	19	52	111	176	192	194	128	123	74	46
1971	1139	0	0	0	0	0	3	3	6	19	52	99	177	205	207	142	111	65	50
1972	566	0	0	0	0	2	0	1	4	10	28	48	87	99	100	74	62	30	21
1973	1120	0	0	0	1	1	1	2	3	20	56	119	154	209	186	142	108	74	44
1974	1179	0	0	0	3	0	2	4	6	19	62	95	171	198	206	175	117	77	44
1975	1134	0	0	0	2	2	1	4	2	19	62	107	148	209	198	164	87	81	48
1976	1160	0	0	0	0	2	3	3	8	19	49	96	159	212	201	150	116	85	57
1977	1059	0	0	0	0	1	2	4	11	14	42	90	129	202	200	137	101	72	54

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1
1951	.1	-	.0	-	.0	.0	-	-	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1
1952	.1	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	.1
1953	.1	-	.0	.0	.0	-	-	-	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1
1954	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1
1955	.1	.0	.0	.0	-	.0	-	.1	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1
1956	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1957	.1	-	.0	.0	.0	-	-	-	-	.1	.2	.2	.2	.1	.2	.1	.1	.1	.1
1958	.1	.0	.0	.0	.0	-	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1959	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1960	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1961	.1	-	.0	.0	.0	.0	-	.1	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1962	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1963	.1	.0	.0	.1	.0	.0	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	.1
1964	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.1	.1	.1	.1	-
1965	.1	.0	.0	.0	-	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1966	.1	.0	.0	-	.0	.0	-	-	.1	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1
1967	.1	.0	.0	.0	-	.0	-	-	.1	-	.1	.2	.2	.2	.1	.1	.1	.1	.1
1968	.1	.0	.0	.0	.0	-	-	.1	-	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1
1969	.1	-	.0	.0	.0	-	.0	-	-	.1	.1	.2	.3	.2	.2	.1	.1	.1	.1
1970	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1
1971	.1	.0	.0	.0	.0	.0	-	-	-	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1
1972	.1	.0	.0	.0	.0	-	.0	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1973	.1	.0	.0	.0	-	-	-	-	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1974	.1	.0	.0	.0	-	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1975	.1	.0	.0	.0	-	-	-	-	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1976	.1	.0	.0	.0	.0	-	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1
1977	.1	.0	.0	.0	.0	-	-	-	.1	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1

Tongue

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.4	.9	.7	1.3	2.1	3.1	3.3	4.7
1951	.3	.0	.0	.0	.0	.0	.1	-	.1	.1	.3	.4	.6	.8	1.1	1.3	3.3	3.1	5.6
1952	.3	.0	.0	.0	.0	-	.1	-	-	.2	.2	.4	.5	.6	1.3	1.7	2.7	3.6	5.9
1953	.3	.0	.0	.0	.0	.0	-	-	.1	.2	.4	.5	.7	.6	1.0	2.1	2.9	3.6	4.8
1954	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.3	.4	.6	.6	1.1	2.0	3.1	3.6	5.8
1955	.4	-	.0	.0	.0	.0	-	.0	.1	.2	.4	.6	.6	1.0	1.3	1.7	2.7	3.3	4.3
1956	.3	.0	.0	.0	.0	-	.0	.1	.1	.1	.3	.4	.7	.6	1.0	1.8	2.7	3.4	3.9
1957	.4	.0	.0	.0	.0	-	-	-	-	.1	.4	.6	.9	.6	1.2	2.0	2.9	4.4	5.0
1958	.4	.0	.0	.0	-	.0	-	.0	.1	.4	.4	.6	.6	.8	1.3	1.6	2.5	3.9	6.0
1959	.3	.0	.0	.0	-	.0	.0	.0	-	.2	.3	.6	.9	.9	1.2	1.2	1.8	4.8	3.8
1960	.4	.0	.0	.0	.0	.0	-	.0	.1	.2	.4	.6	.8	1.2	1.2	2.0	2.6	4.6	4.7
1961	.4	.0	.0	.0	.0	.0	-	.1	.1	.2	.7	.7	.9	1.1	1.2	1.7	2.7	3.1	6.0
1962	.4	.0	.0	.0	-	.0	-	-	.1	.3	.4	.5	1.1	.9	1.2	1.8	2.1	4.5	6.5
1963	.4	.0	.0	.0	.0	.0	-	-	.1	.1	.5	.6	1.0	1.0	1.4	2.0	2.4	3.4	6.0
1964	.4	.0	.0	.0	-	-	-	-	.1	.1	.5	.9	.9	1.1	.9	1.7	1.8	2.1	6.3
1965	.4	.0	.0	.0	.0	.0	.0	-	.1	.1	.5	1.0	1.1	.9	1.1	1.9	2.1	3.0	3.3
1966	.4	.0	.0	.0	.0	-	-	-	.1	.2	.6	.7	1.1	1.3	1.1	1.4	2.6	2.7	5.9
1967	.4	.0	.0	.0	-	-	.0	.0	-	.1	.2	.8	1.0	.8	1.1	1.7	1.6	2.6	5.3
1968	.5	.0	.0	.0	.0	.0	.0	.0	.1	.2	.4	.9	1.0	1.8	1.6	1.3	2.6	3.7	3.1
1969	.5	.0	.0	.0	.0	.0	-	-	.1	.1	.4	.9	1.2	1.3	1.2	1.4	2.4	3.2	6.4
1970	.5	.0	.0	.0	-	-	-	-	.1	.2	.3	.8	1.5	1.4	1.2	2.0	2.3	3.2	4.7
1971	.5	.0	.0	.0	.0	.0	-	-	-	.1	.6	.9	1.4	2.2	1.4	1.8	2.4	3.1	4.1
1972	.5	.0	.0	.0	.0	-	.0	.0	-	.3	.4	1.1	1.6	1.7	1.6	1.7	2.5	2.8	5.0
1973	.5	.0	.0	.0	.0	-	.0	.1	-	.2	.3	1.0	1.5	1.7	1.9	1.7	2.1	3.9	5.1
1974	.5	.0	.0	.0	.0	.0	.0	-	.1	.1	.4	.6	1.1	2.0	1.5	1.6	2.6	2.6	3.8
1975	.6	.0	.0	.0	-	-	-	-	.1	.2	.2	.8	1.4	1.9	1.9	2.1	2.8	3.3	4.1
1976	.5	.0	.0	.0	.0	-	-	-	.1	.2	.3	.7	.9	2.1	1.8	2.2	2.5	2.2	4.7
1977	.6	.0	.0	.0	.0	.0	-	-	-	.1	.4	.8	1.3	1.8	1.7	2.5	2.0	3.7	3.7

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	223	0	0	0	0	0	0	2	1	7	10	17	30	21	30	36	34	20	15
1951	214	0	0	0	0	0	3	2	3	7	12	16	21	24	27	23	38	19	19
1952	216	0	0	0	0	1	4	2	2	10	7	15	17	19	33	30	32	23	21
1953	241	0	0	0	0	0	1	1	5	8	19	18	25	20	26	40	36	24	18
1954	241	0	0	0	0	0	1	2	5	6	12	17	23	19	29	40	39	25	23
1955	265	1	0	0	0	0	1	0	5	11	19	25	22	33	35	35	36	24	18
1956	242	0	0	0	0	2	0	3	5	7	14	18	24	21	29	39	37	26	17
1957	283	0	0	0	0	1	1	1	1	5	18	25	32	21	35	44	41	35	23
1958	290	0	0	0	1	0	2	0	3	19	19	24	23	27	39	35	37	32	29
1959	271	0	0	0	1	0	0	0	2	11	14	26	33	31	36	29	28	41	19
1960	328	0	0	0	0	0	1	0	3	10	22	28	33	40	37	47	42	40	25
1961	349	0	0	0	0	0	1	3	7	11	35	32	37	39	37	42	44	28	33
1962	346	0	0	0	1	0	1	1	8	15	18	25	46	32	38	45	36	43	37
1963	362	0	0	0	0	0	1	2	5	8	25	30	44	35	46	54	43	34	35
1964	327	0	0	0	1	1	1	1	5	7	25	42	38	39	29	45	33	22	38
1965	352	0	0	0	0	0	0	1	4	6	27	49	49	34	35	53	40	33	21
1966	378	0	0	0	0	1	1	2	5	9	32	36	48	49	36	38	51	31	39
1967	322	0	0	0	2	1	0	0	2	6	13	39	44	31	35	48	33	31	37
1968	418	0	0	0	0	0	0	0	3	13	23	44	48	73	55	37	53	46	23
1969	421	0	0	0	0	0	2	2	3	8	25	47	57	54	41	40	51	41	50
1970	446	0	0	0	1	1	1	2	3	9	19	42	73	60	43	59	49	43	41
1971	482	0	0	0	0	0	1	1	1	7	33	45	65	94	50	52	53	43	37
1972	251	0	0	0	0	1	0	0	1	7	11	29	39	37	30	25	27	20	24
1973	506	0	0	0	0	1	0	4	2	9	14	54	70	76	71	51	45	58	51
1974	454	0	0	0	0	0	0	1	4	5	23	32	55	88	58	49	58	40	41
1975	542	0	0	0	1	2	2	3	5	10	13	47	69	83	78	66	64	51	48
1976	507	0	0	0	0	4	3	2	5	10	15	36	47	92	75	70	56	35	57
1977	530	0	0	0	0	0	1	3	1	5	21	42	68	81	71	82	46	61	48

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	.1	.1	-	-	-
1951	-	.0	.0	.0	.0	.0	.1	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1952	-	.0	.0	.0	.0	-	.1	-	-	.1	-	.1	-	-	.1	-	-	-	-
1953	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	.1	-	-	-
1954	-	.0	.0	.0	.0	.0	-	-	.1	-	.1	.1	.1	-	-	.1	-	-	-
1955	-	-	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1956	-	.0	.0	.0	.0	.1	.0	.1	.1	.1	.1	.1	.1	-	-	.1	-	-	-
1957	-	.0	.0	.0	.0	-	-	-	-	-	.1	.1	.1	-	.1	.1	-	-	-
1958	-	.0	.0	.0	-	.0	.1	.0	-	.2	.1	.1	.1	.1	.1	-	-	-	-
1959	-	.0	.0	.0	-	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1960	.1	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1961	.1	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.1	.1	.1	.1	-	-	-	-
1962	.1	.0	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1963	.1	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1964	-	.0	.0	.0	-	-	-	-	.1	.1	.1	.2	.1	.1	-	.1	-	-	-
1965	.1	.0	.0	.0	.0	.0	.0	-	-	-	.1	.2	.1	.1	.1	.1	-	-	-
1966	.1	.0	.0	.0	.0	-	-	-	.1	.1	.2	.1	.1	.1	.1	-	-	-	-
1967	-	.0	.0	.0	-	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	-	-
1968	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.1	.1	.1	-	-	-	-
1969	.1	.0	.0	.0	.0	.0	-	-	-	.1	.1	.2	.1	.1	.1	-	-	-	-
1970	.1	.0	.0	.0	-	-	-	-	-	.1	.1	.1	.2	.1	.1	.1	-	-	-
1971	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.1	.1	-	-	-
1972	.1	.0	.0	.0	.0	-	.0	.0	-	.1	.1	.2	.2	.1	.1	.1	-	-	-
1973	.1	.0	.0	.0	.0	-	.0	.1	-	.1	.1	.2	.2	.1	.1	.1	-	-	-
1974	.1	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.2	.1	.1	.1	-	-
1975	.1	.0	.0	.0	-	-	-	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	-	-
1976	.1	.0	.0	.0	.0	.1	.1	-	.1	.1	.1	.1	.1	.2	.1	.1	.1	-	-
1977	.1	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.2	.2	.2	.1	.1	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.0	.0	.0	.0	.0	.0	.0	.2	.8	.9	4.5	3.9	8.6	4.9	9.4	4.6	2.7	10.8
1951	1.0	.0	.0	.0	.2	.0	.0	.0	.5	1.2	1.3	3.6	4.5	6.0	3.4	6.6	4.4	5.3	.0
1952	.9	.0	.0	.0	.0	.0	.0	.0	.7	1.0	1.3	4.3	4.0	4.1	1.9	.8	11.3	7.7	.0
1953	.9	.0	.0	.0	.0	.0	.0	.0	.3	.8	1.3	1.7	5.8	5.3	5.1	8.6	6.7	2.5	.0
1954	1.0	.0	.0	.0	.0	.0	.0	.0	.3	.7	1.8	2.4	5.6	7.7	3.2	4.5	6.3	2.4	8.5
1955	1.0	.0	.0	.0	.0	.0	.0	.3	.3	1.3	2.6	3.3	3.3	5.8	6.2	6.6	3.6	.0	4.1
1956	1.0	.0	.0	.1	.0	.0	.0	.3	.5	.5	2.6	3.8	3.5	6.4	5.7	4.9	5.8	4.7	3.9
1957	1.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	2.1	3.0	3.9	8.2	6.0	4.1	7.6	4.6	11.4
1958	1.0	.0	.0	.0	.0	.0	.0	.3	.6	.5	2.2	2.1	3.8	6.4	4.7	3.3	8.4	13.4	7.1
1959	1.0	.0	.1	.0	.0	.0	.0	.3	.6	.9	.4	5.1	3.9	2.9	6.3	5.7	10.1	4.4	6.8
1960	1.0	.0	.0	.0	.0	.0	.2	.2	.2	.9	1.3	4.9	3.3	4.5	6.0	9.5	5.7	6.4	6.5
1961	.8	.0	.0	.0	.0	.0	.0	.0	.5	.4	3.0	3.2	4.5	4.4	4.3	2.9	3.7	.0	.0
1962	.9	.0	.0	.0	.0	.1	.0	.0	.2	.9	2.3	4.2	3.2	3.9	5.3	2.2	4.6	3.6	6.7
1963	1.2	.0	.0	.0	.0	.0	.0	.2	.5	1.0	1.7	3.5	6.9	5.5	7.0	4.9	9.2	6.8	6.7
1964	1.2	.0	.0	.0	.0	.0	.0	.2	.6	1.3	2.6	5.9	4.9	6.1	5.4	4.8	9.0	6.6	9.4
1965	1.3	.0	.0	.0	.0	.0	.0	.0	.9	2.6	2.8	3.8	6.9	5.9	5.6	5.2	3.5	4.8	8.8
1966	1.1	.1	.0	.0	.0	.0	.0	.0	.8	.8	2.6	4.4	4.6	4.8	6.8	5.2	7.8	1.6	11.1
1967	1.3	.0	.0	.0	.0	.1	.0	.2	.6	1.9	3.6	5.4	5.0	6.5	4.4	11.7	4.2	6.1	2.6
1968	1.1	.0	.0	.0	.0	.0	.0	.2	.2	1.9	3.0	4.4	4.9	6.5	5.0	5.5	5.0	1.5	2.4
1969	1.3	.0	.0	.0	.0	.0	.0	.0	.3	1.6	3.5	6.2	4.5	6.8	7.9	4.4	6.7	4.4	6.8
1970	1.4	.0	.0	.0	.0	.0	.0	.1	.8	2.3	3.6	5.4	4.9	7.1	6.8	5.3	11.4	10.0	4.3
1971	1.3	.0	.0	.0	.0	.1	.0	.1	.5	1.8	3.5	3.9	6.4	7.6	5.1	7.4	9.3	5.4	4.2
1972	.9	.0	.0	.0	.0	.0	.0	.0	.3	.6	2.7	4.3	7.8	4.0	2.5	5.7	.0	2.6	.0
1973	1.4	.0	.0	.0	.0	.0	.0	.0	.3	1.6	3.5	5.9	7.6	7.1	6.9	8.9	6.9	4.8	1.9
1974	1.1	.0	.0	.0	.0	.0	.0	.0	.3	2.3	2.8	5.0	4.9	4.6	4.0	8.8	5.3	2.4	3.5
1975	1.4	.0	.0	.0	.0	.0	.0	.0	.6	2.2	3.8	5.3	7.6	5.6	7.9	2.7	6.5	9.3	4.6
1976	1.4	.0	.0	.0	.1	.0	.0	.1	.1	1.3	3.8	7.4	4.5	6.2	5.7	11.3	4.9	8.8	4.4
1977	1.3	.0	.0	.0	.0	.0	.0	.0	1.0	2.8	3.5	4.2	5.3	4.7	5.6	9.1	6.4	5.4	8.3

Number of Deaths

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	82	0	0	0	0	0	0	0	1	4	4	17	11	18	10	11	3	1	2
1951	76	0	0	0	1	0	0	0	3	6	6	14	13	13	7	8	3	2	0
1952	69	0	0	0	0	0	0	0	4	5	6	17	12	9	4	1	8	3	0
1953	77	0	0	0	0	0	0	0	2	4	6	7	18	12	11	11	5	1	0
1954	81	0	0	0	0	0	0	0	2	4	8	10	18	18	7	6	5	1	2
1955	89	0	0	0	0	0	0	2	2	7	12	14	11	14	14	9	3	0	1
1956	93	0	0	1	0	0	0	2	3	3	12	16	12	16	13	7	5	2	1
1957	93	0	0	0	0	0	0	0	0	3	10	13	14	21	14	6	7	2	3
1958	92	0	0	0	0	0	0	2	4	3	11	9	14	17	11	5	8	6	2
1959	97	0	1	0	0	0	0	2	4	5	2	22	15	8	15	9	10	2	2
1960	105	0	0	0	0	0	1	1	1	5	7	22	13	13	15	16	6	3	2
1961	87	0	0	0	0	0	0	0	3	2	16	15	18	13	11	5	4	0	0
1962	91	0	0	0	0	1	0	0	1	5	12	20	13	12	14	4	5	2	2
1963	126	0	0	0	0	0	0	1	3	6	9	17	29	17	19	9	10	4	2
1964	137	0	0	0	0	0	0	1	4	8	14	29	21	19	15	9	10	4	3
1965	141	0	0	0	0	0	0	0	6	16	15	19	30	19	16	10	4	3	3
1966	127	1	0	0	0	0	0	0	5	5	14	22	20	16	20	10	9	1	4
1967	155	0	0	0	0	1	0	1	4	12	20	27	22	22	13	23	5	4	1
1968	132	0	0	0	0	0	0	1	1	12	17	22	22	23	15	11	6	1	1
1969	155	0	0	0	0	0	0	0	2	10	20	31	20	25	24	9	8	3	3
1970	173	0	0	0	0	0	0	1	5	14	21	28	22	27	21	11	14	7	2
1971	166	0	0	0	0	1	0	1	3	11	21	21	28	30	16	16	12	4	2
1972	59	0	0	0	0	0	0	0	1	2	8	12	17	8	4	6	0	1	0
1973	185	0	0	0	0	0	0	0	2	10	21	34	33	29	23	19	9	4	1
1974	148	0	0	0	0	0	0	0	2	15	17	29	22	19	14	19	7	2	2
1975	187	0	0	0	0	0	0	0	4	14	24	31	36	23	29	6	9	8	3
1976	191	0	0	0	1	0	0	1	1	8	24	44	22	25	22	25	7	8	3
1977	181	0	0	0	0	0	0	0	7	18	22	25	27	19	22	21	9	5	6

Percent of All Deaths

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.1	.2	.1	.1	.1	-	.1
1951	.1	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	.0
1952	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.1	.1	-	-	.1	.1	.0
1953	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.1	.1	.1	.1	-	.0
1954	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.2	.1	.1	.1	-	.1
1955	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	.0	-
1956	.1	.0	.0	.1	.0	.0	.0	.1	.1	.1	.2	.2	.1	.2	.1	.1	.1	-	-
1957	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.1	.2	.1	.1	.1	-	.1
1958	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.1	.1	.2	.1	.1	.1	.1	-
1959	.1	.0	.1	.0	.0	.0	.0	.1	.1	.1	-	.3	.2	.1	.1	.1	.1	-	-
1960	.1	.0	.0	.0	.0	.0	-	-	-	.1	.1	.3	.1	.1	.1	.1	.1	.1	-
1961	.1	.0	.0	.0	.0	.0	.0	.0	.1	-	.3	.2	.2	.1	.1	-	.1	.0	.0
1962	.1	.0	.0	.0	.0	.1	.0	.0	-	.1	.2	.2	.1	.1	.1	-	.1	-	-
1963	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.3	.1	.1	.1	.1	.1	-
1964	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.2	.1	.1	.1	.1	.1	.1
1965	.1	.0	.0	.0	.0	.0	.0	.0	.1	.3	.2	.2	.3	.2	.1	.1	-	-	.1
1966	.1	-	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.2	.1	.1	.1	.1	-	.1
1967	.1	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.3	.2	.2	.1	.2	.1	.1	-
1968	.1	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.2	.2	.2	.1	.1	.1	-	-
1969	.1	.0	.0	.0	.0	.0	.0	.0	-	.2	.2	.3	.2	.2	.2	.1	.1	-	-
1970	.1	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.3	.2	.2	.1	.1	.1	.1	-
1971	.1	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.2	.2	.2	.1	.1	.1	.1	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.1	.1	.1	.0	-	.0
1973	.1	.0	.0	.0	.0	.0	.0	.0	-	.2	.3	.3	.3	.2	.2	.1	.1	.1	-
1974	.1	.0	.0	.0	.0	.0	.0	.0	-	.3	.2	.3	.2	.1	.1	.1	-	-	-
1975	.1	.0	.0	.0	.0	.0	.0	.0	.1	.3	.3	.3	.3	.2	.2	-	.1	.1	-
1976	.1	.0	.0	.0	-	.0	.0	-	-	.2	.3	.4	.2	.2	.1	.2	.1	.1	-
1977	.1	.0	.0	.0	.0	.0	.0	.0	.2	.4	.3	.3	.2	.1	.1	.1	.1	.1	.1

Tongue

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	.0	.2	.2	.2	.9	1.1	.4	2.0	.9	.9	3.2	4.8	.0
1951	.3	.0	.0	.0	.0	.0	.0	.0	.0	.4	.4	1.3	1.1	2.9	.9	4.9	.0	.0	.0
1952	.3	.0	.0	.0	.0	.0	.0	.2	.0	.9	.7	.5	.7	.0	2.6	4.6	4.4	.0	.0
1953	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.2	1.2	1.3	1.3	.0	1.5	1.4	.0	3.3
1954	.3	.0	.0	.0	.0	.0	.0	.0	.2	.5	1.3	.7	.9	.0	.4	1.4	.0	6.0	3.1
1955	.2	.0	.0	.0	.0	.0	.0	.1	.2	.0	1.3	.5	.3	.8	1.2	1.3	1.2	2.0	2.9
1956	.3	.0	.0	.0	.0	.0	.0	.1	.0	.3	.6	1.2	1.2	1.5	.8	2.6	3.4	2.0	.0
1957	.2	.0	.0	.0	.0	.0	.0	.0	.2	.3	.6	.7	1.9	.7	.4	.6	1.1	.0	5.3
1958	.4	.0	.0	.0	.0	.0	.1	.1	.3	.7	1.1	1.1	1.9	1.4	.8	1.8	1.0	.0	.0
1959	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.6	.7	1.0	1.0	1.9	.0	1.8	1.9	.0
1960	.4	.0	.0	.0	.0	.0	.0	.1	.1	.5	.7	1.7	.7	1.6	1.1	1.6	3.5	1.8	5.0
1961	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.9	.8	1.7	.6	.3	1.0	.8	.0	2.5
1962	.2	.0	.0	.0	.0	.0	.0	.1	.1	.5	.2	.6	.5	2.2	.7	1.0	1.6	1.5	.0
1963	.2	.0	.0	.0	.0	.0	.0	.0	.3	.3	.9	1.4	.7	.3	.0	2.3	.8	.0	2.3
1964	.3	.0	.0	.0	.0	.0	.1	.0	.3	.7	.9	2.1	.4	1.8	.9	.5	.8	.0	.0
1965	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.5	.4	.9	2.0	.6	1.3	1.5	1.3	2.0
1966	.4	.0	.0	.0	.0	.0	.0	.0	.1	1.3	.8	1.1	1.3	1.4	2.0	1.3	.7	1.3	1.9
1967	.3	.0	.0	.0	.0	.0	.0	.1	.1	.3	.5	1.3	1.4	1.9	1.4	.8	.7	.0	.0
1968	.3	.0	.0	.0	.0	.0	.0	.1	.0	.7	1.4	1.1	.6	.5	.8	.0	2.0	1.1	3.3
1969	.3	.0	.0	.0	.0	.0	.0	.0	.1	.3	1.2	1.4	.6	.5	1.4	2.0	1.9	.0	1.5
1970	.4	.0	.0	.0	.0	.0	.0	.0	.1	.3	.9	1.5	2.6	1.6	1.3	2.0	1.3	.0	1.4
1971	.4	.0	.0	.0	.0	.0	.0	.0	.1	.7	1.0	1.7	2.4	.7	2.4	1.1	3.0	3.8	1.3
1972	.5	.0	.0	.0	.0	.0	.0	.0	.5	.5	2.3	1.9	1.2	1.3	1.0	.8	3.5	1.8	2.4
1973	.4	.0	.0	.0	.0	.0	.1	.1	.1	1.1	1.4	1.5	2.0	1.9	.7	1.9	.6	2.5	.0
1974	.4	.0	.0	.0	.0	.0	.0	.1	.3	.7	.8	1.5	1.0	1.0	2.3	1.9	1.7	2.4	.0
1975	.4	.0	.0	.0	.0	.0	.1	.1	.0	.1	1.0	1.6	.6	1.2	2.2	.8	2.8	3.8	.9
1976	.4	.0	.0	.0	.0	.0	.0	.0	.0	.5	1.2	1.8	1.4	1.0	1.0	2.3	1.6	2.2	.8
1977	.4	.0	.0	.0	.0	.0	.0	.0	.0	.5	1.5	2.2	1.7	1.2	.8	.7	1.6	1.4	1.5


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	23	0	0	0	0	0	0	1	1	1	4	4	1	4	2	1	2	2	0
1951	26	0	0	0	0	0	0	0	0	2	2	5	3	6	2	6	0	0	0
1952	28	0	0	0	0	0	0	1	0	5	3	2	2	0	6	6	3	0	0
1953	19	0	0	0	0	0	0	0	0	2	1	5	4	3	0	2	1	0	1
1954	23	0	0	0	0	0	0	0	1	3	6	3	3	0	1	2	0	3	1
1955	21	0	0	0	0	0	0	1	1	0	6	2	1	2	3	2	1	1	1
1956	29	0	0	0	0	0	0	1	0	2	3	5	4	4	2	4	3	1	0
1957	23	0	0	0	0	0	0	0	1	2	3	3	7	2	1	1	1	0	2
1958	36	0	0	0	0	0	1	1	2	4	6	5	7	4	2	3	1	0	0
1959	24	0	0	0	0	0	0	0	1	2	3	3	4	3	5	0	2	1	0
1960	38	0	0	0	0	0	0	1	1	3	4	8	3	5	3	3	4	1	2
1961	25	0	0	0	0	0	0	0	0	2	5	4	7	2	1	2	1	0	1
1962	25	0	0	0	0	0	0	1	1	3	1	3	2	7	2	2	2	1	0
1963	27	0	0	0	0	0	0	0	2	2	5	7	3	1	0	5	1	0	1
1964	37	0	0	0	0	0	1	0	2	5	5	11	2	6	3	1	1	0	0
1965	27	0	0	0	0	0	0	0	0	2	3	2	4	7	2	3	2	1	1
1966	45	0	0	0	0	0	0	0	1	9	5	6	6	5	7	3	1	1	1
1967	36	0	0	0	0	0	0	1	1	2	3	7	7	7	5	2	1	0	0
1968	35	0	0	0	0	0	0	1	0	5	9	6	3	2	3	0	3	1	2
1969	38	0	0	0	0	0	0	0	1	2	8	8	3	2	5	5	3	0	1
1970	51	0	0	0	0	0	0	0	1	2	6	9	13	7	5	5	2	0	1
1971	60	0	0	0	0	0	0	0	1	5	7	10	12	3	9	3	5	4	1
1972	32	0	0	0	0	0	0	0	2	2	8	6	3	3	2	1	3	1	1
1973	62	0	0	0	0	0	1	1	1	8	10	10	10	9	3	5	1	3	0
1974	55	0	0	0	0	0	0	1	2	5	6	10	5	5	10	5	3	3	0
1975	53	0	0	0	0	0	1	1	0	1	7	11	3	6	10	2	5	5	1
1976	56	0	0	0	0	0	0	0	0	4	9	12	8	5	5	6	3	3	1
1977	59	0	0	0	0	0	0	0	0	4	11	15	10	6	4	2	3	2	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	.1	-	-	-	.1	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	.1	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	-	-	.0	.1	.1	.1	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	.0	-	-	.0	-
1954	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	.0	-	-	.0	.1	-
1955	-	.0	.0	.0	.0	.0	.0	-	-	.0	.1	-	-	-	-	-	-	-	-
1956	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	-	.1	.1	-	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	.0	-
1958	-	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	.1	.1	-	-	-	-	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	.1	-	.1	.0	-	-	.0
1960	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	.1	-	-	.1	-	-
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	-	-	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	.1	-	-	-	-	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	-	-	.0	-	-	.0	-
1964	-	.0	.0	.0	.0	.0	.1	.0	.1	.1	.1	.2	-	.1	-	-	-	.0	.0
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	.2	.1	.1	.1	.1	.1	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	.0	.0
1968	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.1	-	-	-	.0	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	.0	-
1970	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.1	-	-	-	.0	-
1971	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	-	.1	-	.1	.1	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.2	.1	.1	-	-	.1	-	-
1973	.1	.0	.0	.0	.0	.0	.1	-	-	.2	.2	.1	.1	.1	-	-	-	-	.0
1974	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	.0
1975	.1	.0	.0	.0	.0	.0	.1	.1	.0	-	.1	.2	-	.1	.1	-	-	.1	-
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.1	.1	-	.1	-	-	-
1977	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.2	.1	.1	-	-	-	-	-

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	259	0.38	0.47	0.28	160	0.24	0.25	0.17	15	0.19	0.23	0.15	14	0.17	0.27	0.18
1951	276	0.40	0.47	0.28	164	0.24	0.25	0.17	13	0.16	0.23	0.15	16	0.19	0.23	0.16
1952	249	0.36	0.41	0.24	180	0.26	0.27	0.18	22	0.27	0.37	0.24	12	0.14	0.17	0.12
1953	294	0.41	0.47	0.27	169	0.24	0.25	0.17	16	0.19	0.27	0.17	8	0.09	0.11	0.08
1954	270	0.37	0.43	0.24	174	0.24	0.24	0.17	18	0.21	0.31	0.18	18	0.20	0.22	0.15
1955	276	0.38	0.43	0.24	173	0.23	0.24	0.17	20	0.23	0.31	0.18	16	0.18	0.24	0.17
1956	301	0.40	0.46	0.25	196	0.26	0.26	0.19	26	0.29	0.42	0.23	13	0.14	0.21	0.14
1957	357	0.47	0.53	0.30	185	0.24	0.24	0.17	25	0.27	0.36	0.20	12	0.12	0.16	0.11
1958	343	0.45	0.50	0.28	192	0.25	0.24	0.18	21	0.22	0.32	0.18	15	0.15	0.21	0.14
1959	343	0.44	0.51	0.28	187	0.24	0.23	0.17	23	0.24	0.34	0.18	12	0.12	0.16	0.11
1960	349	0.44	0.49	0.27	207	0.26	0.25	0.19	30	0.30	0.39	0.21	18	0.17	0.24	0.16
1961	337	0.42	0.48	0.26	220	0.27	0.26	0.19	26	0.25	0.38	0.20	15	0.14	0.19	0.13
1962	387	0.47	0.54	0.29	235	0.28	0.27	0.20	33	0.31	0.43	0.22	13	0.12	0.17	0.12
1963	372	0.45	0.52	0.28	217	0.26	0.24	0.18	17	0.16	0.22	0.10	13	0.11	0.15	0.11
1964	347	0.42	0.48	0.26	230	0.27	0.25	0.19	26	0.24	0.32	0.16	21	0.18	0.25	0.18
1965	345	0.41	0.46	0.24	188	0.22	0.20	0.15	38	0.34	0.48	0.23	19	0.16	0.20	0.14
1966	312	0.37	0.41	0.21	223	0.25	0.23	0.18	27	0.24	0.31	0.15	25	0.21	0.25	0.18
1967	326	0.38	0.42	0.22	216	0.24	0.22	0.17	35	0.30	0.40	0.18	19	0.15	0.18	0.13
1968	329	0.38	0.42	0.21	214	0.24	0.21	0.16	33	0.28	0.40	0.18	19	0.15	0.18	0.13
1969	381	0.44	0.48	0.25	216	0.24	0.21	0.16	30	0.25	0.35	0.15	16	0.12	0.15	0.11
1970	345	0.39	0.43	0.22	248	0.27	0.23	0.18	31	0.25	0.39	0.17	21	0.16	0.20	0.14
1971	364	0.41	0.45	0.22	227	0.25	0.21	0.16	19	0.15	0.21	0.09	14	0.10	0.13	0.09
1972	149	0.33	0.37	0.18	84	0.18	0.16	0.12	16	0.25	0.34	0.15	12	0.17	0.22	0.16
1973	309	0.34	0.37	0.18	218	0.23	0.19	0.15	36	0.28	0.39	0.16	18	0.13	0.16	0.11
1974	354	0.39	0.42	0.21	262	0.28	0.23	0.18	29	0.22	0.33	0.13	19	0.13	0.17	0.12
1975	351	0.39	0.41	0.20	219	0.23	0.18	0.14	24	0.18	0.25	0.10	26	0.18	0.22	0.15
1976	342	0.37	0.40	0.19	224	0.23	0.18	0.14	46	0.34	0.47	0.18	11	0.07	0.09	0.06
1977	399	0.43	0.45	0.22	208	0.22	0.17	0.13	33	0.24	0.33	0.13	18	0.12	0.15	0.10


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Parotid, sublingual, submaxillary, and salivary glands (NOS).
(ICD 142-142.1 [6th]; ICD 142-142.9 [7th]; ICD 142-142.9 [8th])


Salivary Gland

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	-	.0	.0	-	-	-	-	.3	.3	.3	.9	1.2	1.7	2.0	3.2	6.9	9.4
1951	.4	.0	-	.0	.0	.0	.0	-	.1	.3	.4	.4	.7	1.2	2.1	2.7	3.3	4.3	7.9
1952	.4	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.7	.7	1.2	1.8	2.0	2.7	4.9	5.5
1953	.4	.0	-	.0	.0	-	-	-	.1	.3	.5	.7	.8	1.5	1.6	2.6	2.9	4.7	5.9
1954	.4	-	.0	-	.0	-	-	.1	.1	.1	.2	.5	.9	1.2	1.9	2.0	2.7	4.0	7.4
1955	.4	.0	-	.0	-	-	-	.1	.1	.2	.2	.6	.8	1.2	1.8	1.5	2.9	4.4	7.4
1956	.4	-	-	.0	-	-	.1	.1	.1	.2	.3	.7	.9	1.1	1.9	1.9	2.8	4.9	7.2
1957	.5	-	-	-	.0	-	.1	.1	.1	.2	.4	.5	1.1	1.2	2.1	2.5	4.7	5.6	7.7
1958	.4	.0	-	.0	.1	-	-	.1	.1	.2	.4	.8	1.0	1.2	1.7	2.5	3.4	5.2	6.6
1959	.4	-	-	.0	-	-	.0	.1	.1	.1	.3	.6	.8	1.3	1.8	2.4	3.2	6.9	10.7
1960	.4	.0	-	-	-	.1	-	-	.1	.3	.3	.7	1.1	1.2	1.7	2.4	3.7	5.0	7.2
1961	.4	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.3	1.1	1.3	1.8	2.2	3.8	5.6	8.8
1962	.5	-	-	-	-	-	.1	-	-	.2	.3	.6	1.1	1.6	1.7	2.9	3.5	6.1	9.6
1963	.5	-	.0	-	-	.0	-	-	.1	.2	.3	.5	.9	1.3	1.8	2.4	4.2	6.1	10.4
1964	.4	-	-	-	.0	-	-	.1	.1	.1	.3	.5	.6	1.4	1.4	2.6	3.6	5.8	9.9
1965	.4	.0	.0	-	.0	-	-	.1	.1	.2	.4	.6	1.1	1.3	1.7	2.2	2.8	4.2	7.2
1966	.4	-	.0	.0	.0	.0	-	-	.2	.1	.1	.4	1.3	1.1	1.5	2.0	2.8	3.7	6.7
1967	.4	.0	.0	-	-	.0	-	.1	.1	.1	.3	.6	.8	1.5	1.3	2.0	3.4	4.6	5.9
1968	.4	.0	-	-	.0	-	-	-	.1	.3	.3	.7	.7	1.1	1.7	2.2	2.1	3.7	7.3
1969	.4	.0	.0	-	-	-	.1	-	-	.2	.2	.4	1.1	1.3	1.8	2.2	4.0	5.7	8.0
1970	.4	.0	.0	.0	-	-	-	-	.1	.1	.2	.6	.9	.9	1.4	2.5	3.3	5.7	7.1
1971	.4	.0	.0	-	.0	.1	-	.1	.2	.3	.4	.6	.8	1.4	1.1	2.4	2.9	4.1	7.5
1972	.3	.0	.0	.0	.0	.1	.0	-	-	.2	.1	.3	.5	.6	1.5	2.5	2.5	5.2	7.5
1973	.3	.0	.0	-	.0	-	.0	-	-	.2	.2	.5	.6	.9	1.4	2.3	2.4	3.8	6.7
1974	.4	.0	.0	-	.0	-	-	-	.1	.1	.4	.4	.9	1.2	1.5	2.3	3.1	4.1	6.7
1975	.4	.0	.0	-	.0	-	-	-	.1	.1	.2	.4	.6	1.0	1.9	2.8	2.9	5.1	4.9
1976	.4	.0	.0	-	-	-	-	.1	-	.1	.4	.4	.8	.9	1.1	2.3	3.3	4.5	6.0
1977	.4	.0	.0	.0	.0	-	-	-	.1	.2	.2	.5	.9	.9	2.2	2.7	3.5	4.2	6.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	259	0	1	0	0	1	2	1	1	12	12	13	30	33	38	31	30	33	21
1951	276	0	1	0	0	0	0	2	4	14	17	16	24	34	49	43	32	21	19
1952	249	0	0	0	0	0	1	1	5	5	10	27	23	36	43	33	27	24	14
1953	294	0	1	0	0	1	1	2	3	14	20	25	29	46	38	44	30	24	16
1954	270	1	0	1	0	2	2	6	7	5	8	20	31	36	46	34	29	21	21
1955	276	0	2	0	1	1	2	5	6	11	10	25	28	37	44	26	32	24	22
1956	301	1	1	0	1	1	4	4	7	10	14	29	30	34	49	35	31	28	22
1957	357	2	1	1	0	1	4	3	7	8	19	22	38	38	55	47	54	33	24
1958	343	0	2	0	3	1	1	5	5	12	20	35	36	38	44	49	40	31	21
1959	343	3	1	0	2	2	0	6	3	7	16	25	28	39	48	47	39	42	35
1960	349	0	3	1	1	3	1	2	8	13	16	29	41	36	45	48	47	31	24
1961	337	0	0	0	0	0	1	5	6	7	12	15	41	41	48	46	49	36	30
1962	387	1	1	1	2	1	3	1	2	12	16	27	43	50	46	60	46	42	33
1963	372	2	0	1	3	0	2	1	5	9	14	24	36	40	48	52	57	42	36
1964	347	1	1	1	0	1	1	4	4	4	17	23	26	46	37	56	49	41	35
1965	345	0	0	1	0	1	2	4	3	10	20	27	46	42	46	47	39	31	26
1966	312	1	0	0	0	0	2	1	8	7	7	20	53	35	41	44	40	28	25
1967	326	0	0	1	2	0	2	3	5	7	13	27	32	50	36	42	48	35	23
1968	329	0	3	1	0	3	2	1	4	15	15	35	30	40	46	46	30	29	29
1969	381	0	0	1	2	1	3	2	2	10	11	20	49	48	50	46	58	45	33
1970	345	0	0	0	1	1	2	1	4	7	12	27	40	33	40	52	47	46	32
1971	364	0	0	1	0	4	2	5	8	14	20	28	36	52	33	50	42	34	35
1972	149	0	0	0	0	2	0	1	1	4	2	8	12	12	23	26	18	22	18
1973	309	0	0	1	0	4	0	2	2	10	10	28	27	33	42	50	34	33	33
1974	354	0	0	1	0	1	1	2	5	5	18	23	40	46	47	50	44	36	35
1975	351	0	0	1	0	1	2	3	3	4	9	23	29	40	60	62	42	45	27
1976	342	0	0	1	1	2	2	5	1	5	21	23	35	37	35	53	47	40	34
1977	399	0	0	0	0	2	2	3	3	10	10	26	45	35	74	64	50	38	37

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	-	.0	.0	-	-	-	-	.1	-	-	-	-	-	-	-	.1	-
1951	-	.0	-	.0	.0	.0	.0	-	-	.1	.1	-	-	-	.1	-	-	-	-
1952	-	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-	-	-
1953	-	.0	-	.0	.0	-	-	-	-	.1	.1	.1	-	.1	-	-	-	-	-
1954	-	-	.0	-	.0	-	-	.1	.1	-	-	-	.1	-	-	-	-	-	-
1955	-	.0	-	.0	-	-	-	.1	-	.1	-	.1	-	-	-	-	-	-	-
1956	-	-	-	.0	-	-	.1	-	.1	-	-	.1	-	-	-	-	-	-	-
1957	-	-	-	-	.0	-	.1	-	.1	-	.1	-	.1	-	.1	-	.1	-	-
1958	-	.0	-	.0	-	-	-	.1	-	.1	.1	.1	.1	-	-	-	-	-	-
1959	-	-	-	.0	-	-	.0	.1	-	-	-	.1	-	-	-	-	-	.1	.1
1960	-	.0	.1	-	-	-	-	-	.1	.1	-	.1	.1	-	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	-	.1	-	-	-	-	.1	-	-	-	-	-	-
1962	-	-	-	-	-	-	-	-	-	.1	-	.1	.1	.1	-	-	-	-	-
1963	-	-	.0	-	-	.0	-	-	-	-	-	-	.1	-	-	-	-	-	-
1964	-	-	-	-	.0	-	-	-	-	-	-	-	-	.1	-	-	-	-	-
1965	-	.0	.0	-	.0	-	-	-	-	-	.1	.1	.1	-	-	-	-	-	-
1966	-	-	.0	.0	.0	.0	-	-	.1	-	-	-	.1	-	-	-	-	-	-
1967	-	.0	.0	-	-	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-
1968	-	.0	.1	-	.0	-	-	-	-	.1	-	.1	-	-	-	-	-	-	-
1969	-	.0	.0	-	-	-	-	-	-	-	-	-	.1	-	-	-	-	-	-
1970	-	.0	.0	.0	-	-	-	-	-	-	-	.1	.1	-	-	-	-	-	-
1971	-	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-
1972	-	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	.0	.0	-	.0	-	.0	-	-	.1	-	.1	-	-	-	-	-	-	-
1974	-	.0	.0	-	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-
1975	-	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	.1	.1	-	-	-
1976	-	.0	.0	-	-	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-
1977	-	.0	.0	.0	.0	-	-	-	-	.1	-	.1	.1	-	.1	.1	-	-	-

Salivary Gland

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	-	.0	.0	-	.1	.1	-	.1	.2	.4	.4	.6	1.0	.8	2.0	2.5	2.5
1951	.2	-	.0	.0	-	-	.1	.0	-	.1	.3	.4	.3	1.0	1.0	1.1	1.5	2.4	3.0
1952	.3	.0	.0	.0	-	.0	-	-	.2	.2	.2	.6	.6	.6	.8	1.5	1.4	1.9	4.8
1953	.2	-	-	.0	.0	.0	.1	.1	-	.1	.1	.2	.5	.6	.7	.9	1.6	3.1	6.6
1954	.2	.0	-	.0	.0	.0	-	-	.1	.1	.3	.4	.4	.7	1.3	1.0	1.2	2.1	3.0
1955	.2	-	-	-	.1	.0	.0	.1	.1	.1	.1	.3	.5	.5	.8	.9	1.5	3.0	3.6
1956	.3	.0	.0	.0	-	-	.1	.1	.1	.2	.2	.3	.5	.7	.9	.9	1.5	3.5	4.1
1957	.2	-	.0	-	.0	.1	-	.1	.1	.2	.2	.3	.5	.5	.6	1.5	1.4	2.5	3.9
1958	.2	.0	-	.0	.0	.0	-	.1	.1	.1	.1	.2	.6	.6	.7	.9	2.0	4.0	4.0
1959	.2	-	-	.0	-	-	.0	.0	.1	.2	.2	.2	.5	.6	.9	.8	1.4	2.2	4.4
1960	.3	-	.0	.0	-	-	-	.1	.1	.1	.2	.5	.4	.5	.7	1.0	2.1	2.6	4.3
1961	.3	.0	.0	.0	.0	-	.0	.1	.1	.1	.3	.2	.4	.6	.9	1.1	1.8	3.2	5.8
1962	.3	-	-	-	-	-	.1	-	.1	.1	.2	.2	.3	.6	.9	1.6	2.0	2.9	4.8
1963	.3	.0	.0	.0	.0	-	-	.1	.2	.1	.2	.5	.4	.3	.8	1.0	1.7	2.1	5.0
1964	.3	-	-	.0	.0	.0	-	.1	-	.1	.3	.4	.5	.6	.6	1.3	2.4	1.6	3.9
1965	.2	-	.0	.0	-	-	.1	-	.0	.1	.1	.3	.4	.5	.8	.7	1.9	1.6	3.5
1966	.3	-	.0	.0	.0	-	.0	.1	.1	.1	.3	.4	.5	.6	.7	.9	1.2	2.3	5.1
1967	.2	-	-	-	.0	.0	-	-	.2	.1	.2	.4	.3	.5	.7	.8	1.4	2.1	4.4
1968	.2	.0	.0	.0	.0	-	.0	.1	.1	.1	.3	.2	.3	.5	.6	.8	1.6	2.3	5.1
1969	.2	-	-	.0	.0	.0	.0	.0	.1	.1	.3	.2	.4	.4	.4	1.4	2.0	1.2	3.6
1970	.3	.0	-	.0	-	.0	-	.1	.1	.1	.2	.2	.4	.7	.7	1.1	1.4	2.5	4.4
1971	.2	.0	.0	.0	.0	-	-	-	.1	.1	.3	.2	.5	.5	.6	.8	1.2	2.0	5.3
1972	.2	.0	.0	.0	-	-	.0	.0	.1	.1	.3	.1	.5	.4	.5	.9	.8	1.0	1.9
1973	.2	.0	.0	-	.0	.0	-	-	.1	.1	.1	.2	.6	.5	1.0	.6	.8	1.9	3.5
1974	.3	-	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.4	.6	.7	1.1	1.7	2.5	2.7
1975	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.3	.5	.6	.8	1.1	2.1	3.3
1976	.2	.0	.0	.0	-	-	-	.1	.1	-	.1	.3	.4	.4	.8	.9	1.1	2.1	3.0
1977	.2	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.4	.5	.4	.9	1.3	1.7	2.6

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	160	0	1	0	0	2	4	6	2	4	10	16	15	18	23	14	22	15	8
1951	164	1	0	0	1	2	3	0	2	5	12	14	9	29	25	19	17	15	10
1952	180	0	0	0	1	0	2	1	8	9	7	22	22	17	19	27	16	12	17
1953	169	1	1	0	0	0	3	3	2	7	6	8	19	18	19	17	19	21	25
1954	174	0	1	0	0	0	1	2	6	7	12	14	13	23	34	19	15	15	12
1955	173	1	1	2	3	0	0	5	5	5	5	13	18	16	23	19	20	22	15
1956	196	0	0	0	1	1	3	5	7	8	10	11	19	22	25	19	20	27	18
1957	185	1	0	1	0	3	2	3	5	9	8	13	17	16	17	32	20	20	18
1958	192	0	1	0	0	0	1	3	5	4	6	9	22	19	20	21	29	33	19
1959	187	1	1	0	1	1	0	0	8	8	11	8	18	21	27	19	22	19	22
1960	207	2	0	0	1	1	1	4	4	6	12	21	14	17	20	24	34	23	23
1961	220	0	0	0	0	1	0	5	4	3	13	10	17	20	28	28	30	29	32
1962	235	1	1	2	1	2	3	1	5	8	11	11	12	20	28	40	34	28	27
1963	217	0	0	0	0	1	1	3	9	6	8	24	19	12	27	27	30	21	29
1964	230	1	1	0	0	0	1	7	1	5	14	19	22	20	20	34	44	17	24
1965	188	1	0	0	1	1	3	1	0	4	7	13	19	19	25	19	35	18	22
1966	223	1	0	0	0	2	0	3	5	3	14	18	24	21	24	24	24	26	34
1967	216	1	1	2	0	0	2	2	8	4	12	18	16	19	23	23	29	25	31
1968	214	0	0	0	0	1	0	5	3	6	15	11	13	18	19	24	33	28	38
1969	216	1	1	0	0	0	0	0	5	5	15	10	21	16	15	41	43	15	28
1970	248	0	1	0	1	0	2	3	4	8	11	12	18	29	25	33	30	33	38
1971	227	0	0	0	0	1	1	1	3	4	14	10	22	22	23	24	26	28	48
1972	84	0	0	0	1	1	0	0	2	3	7	2	11	9	10	13	9	7	9
1973	218	0	0	1	0	0	1	2	3	5	7	12	30	20	38	19	17	28	35
1974	262	1	0	0	0	0	2	3	3	9	14	14	21	28	28	34	38	38	29
1975	219	0	0	0	0	0	2	1	3	6	12	16	14	21	25	25	24	32	38
1976	224	0	0	0	1	1	1	6	3	1	5	14	18	19	33	28	24	33	37
1977	208	0	0	0	0	1	0	3	6	3	7	9	20	22	18	29	29	27	34

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	-	.0	.0	-	.1	.1	-	-	.1	.1	-	-	-	-	-	-	-
1951	-	-	.0	.0	-	.1	.1	.0	-	-	.1	.1	-	.1	-	-	-	-	-
1952	-	.0	.0	.0	-	.0	-	-	.1	.1	-	.1	.1	-	-	-	-	-	-
1953	-	-	-	.0	.0	.0	.1	-	-	.1	-	-	.1	-	-	-	-	-	-
1954	-	.0	-	.0	.0	.0	-	-	.1	.1	.1	.1	-	.1	.1	-	-	-	-
1955	-	-	-	.1	.1	.0	.0	.1	.1	-	-	.1	.1	-	-	-	-	-	-
1956	-	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-	-
1957	-	-	.0	-	.0	.1	.1	.1	.1	.1	-	.1	.1	-	-	-	-	-	-
1958	-	.0	-	.0	.0	.0	-	.1	.1	-	-	-	.1	-	-	-	-	-	-
1959	-	-	-	.0	-	-	.0	.0	.1	.1	.1	-	.1	-	-	-	-	-	-
1960	-	-	.0	.0	-	-	-	.1	-	-	.1	.1	-	-	-	-	-	-	-
1961	-	.0	.0	.0	.0	-	.0	.1	-	-	.1	-	.1	-	-	-	-	-	-
1962	-	-	-	.1	-	.1	.1	-	.1	.1	.1	-	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	-	-	.1	.1	-	-	.1	.1	-	-	-	-	-	-
1964	-	-	-	.0	.0	.0	-	.1	-	-	.1	.1	.1	-	-	-	-	-	-
1965	-	-	.0	.0	-	-	.1	-	.0	-	-	-	.1	-	-	-	-	-	-
1966	-	-	.0	.0	.0	.1	.0	.1	.1	-	.1	.1	.1	-	-	-	-	-	-
1967	-	-	-	.1	.0	.0	.1	-	.1	-	.1	.1	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	-	.0	.1	-	-	.1	-	-	-	-	-	-	-	-
1969	-	-	-	.0	.0	.0	.0	.0	.1	-	.1	-	.1	-	-	-	-	-	-
1970	-	.0	-	.0	-	.0	-	.1	.1	.1	.1	-	-	.1	-	-	-	-	-
1971	-	.0	.0	.0	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-
1972	-	.0	.0	.0	-	-	.0	.0	.1	.1	.1	-	.1	-	-	-	-	-	-
1973	-	.0	.0	-	.0	.0	-	-	-	-	-	-	.1	-	.1	-	-	-	-
1974	-	-	.0	.0	.0	.0	-	.1	-	.1	.1	-	.1	.1	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-	-
1976	-	.0	.0	.0	-	-	.1	-	-	-	-	.1	-	-	-	-	-	-	-
1977	-	.0	.0	.0	.0	-	.0	.1	.1	-	-	-	.1	-	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.0	.0	.0	.7	.0	.2	.5	1.1	1.4	1.0	.0	.0	.0	.0
1951	.2	.0	.0	.0	.0	.0	.0	.0	.2	.4	.2	.3	.0	.5	1.0	2.5	2.9	.0	.0
1952	.3	.0	.1	.0	.0	.0	.2	.0	.2	.0	.0	1.0	1.7	.9	1.4	2.4	1.4	2.6	.0
1953	.2	.0	.0	.0	.0	.0	.2	.0	.0	.0	.7	.2	1.3	.9	.9	.8	1.3	2.5	.0
1954	.2	.0	.0	.0	.0	.2	.0	.0	.2	.6	.2	.0	.9	1.3	.5	1.5	1.3	2.4	4.3
1955	.2	.0	.0	.0	.2	.0	.0	.0	.5	.6	.2	.0	.9	1.2	.4	1.5	2.4	.0	4.1
1956	.3	.0	.0	.0	.0	.2	.0	.0	.2	.0	1.1	.5	1.2	2.8	.0	2.1	2.3	.0	3.9
1957	.3	.0	.0	.0	.0	.0	.0	.3	.3	.0	.6	.9	.3	2.0	2.2	.7	.0	2.3	3.8
1958	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.6	.2	.8	1.5	2.1	1.3	1.1	2.2	.0
1959	.2	.0	.0	.0	.0	.0	.0	.0	.0	.9	.4	1.2	.0	2.2	.0	.6	1.0	.0	10.2
1960	.3	.0	.0	.0	.0	.0	.2	.2	.2	.9	.6	.7	1.5	.7	.8	.6	3.8	.0	3.2
1961	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	1.3	1.2	.3	1.6	.6	1.9	7.7	3.3
1962	.3	.0	.0	.1	.0	.0	.0	.0	.2	.5	.8	.8	1.2	.7	1.9	1.7	2.8	3.6	.0
1963	.2	.1	.0	.1	.0	.0	.0	.0	.2	.3	.6	.2	.5	.3	.7	.0	.0	1.7	6.7
1964	.2	.0	.0	.0	.0	.0	.2	.2	.0	.2	.9	.6	.5	1.3	1.1	2.1	.9	1.6	.0
1965	.3	.0	.0	.0	.0	.0	.2	.0	.2	.2	.9	.8	.5	1.9	2.1	4.7	.9	1.6	2.9
1966	.2	.1	.0	.1	.0	.0	.0	.2	.2	.2	.6	.6	.9	.9	1.7	.5	.9	1.6	2.8
1967	.3	.0	.0	.0	.0	.0	.0	.2	.3	.3	.7	1.0	.7	2.1	2.0	1.5	.8	1.5	.0
1968	.3	.0	.0	.0	.0	.0	.0	.0	.2	.0	.5	1.2	.9	.6	2.7	1.5	1.7	1.5	7.3
1969	.3	.0	.0	.0	.0	.0	.0	.2	.0	.3	.5	.6	1.3	2.5	.3	1.0	.8	.0	4.5
1970	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.7	1.6	1.0	3.8	4.9	2.9	.0
1971	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.2	.5	1.0	1.3	1.9	.0	.0	.0
1972	.3	.0	.0	.0	.0	.0	.0	.0	.0	.6	.3	.7	.5	1.5	3.1	.9	1.5	.0	.0
1973	.3	.0	.0	.1	.0	.0	.0	.0	.2	.2	.7	.7	.5	1.7	1.2	3.3	1.5	3.6	.0
1974	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.5	.9	.2	1.7	2.8	2.3	2.4	1.8
1975	.2	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	1.2	.6	.2	1.6	.0	2.2	1.2	1.5
1976	.3	.0	.0	.0	.0	.0	.0	.2	.0	.3	.2	.8	1.8	2.2	1.6	3.2	1.4	.0	4.4
1977	.2	.0	.0	.0	.0	.0	.1	.1	.0	.0	.3	.5	.8	1.5	1.5	2.2	1.4	3.2	.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	15	0	0	0	0	0	0	0	4	0	1	2	3	3	2	0	0	0	0
1951	13	0	0	0	0	0	0	0	1	2	1	1	0	1	2	3	2	0	0
1952	22	0	1	0	0	0	1	0	1	0	0	4	5	2	3	3	1	1	0
1953	16	0	0	0	0	0	1	0	0	0	3	1	4	2	2	1	1	1	0
1954	18	0	0	0	0	1	0	0	1	3	1	0	3	3	1	2	1	1	1
1955	20	0	0	0	1	0	0	0	3	3	1	0	3	3	1	2	2	0	1
1956	26	0	0	0	0	1	0	0	1	0	5	2	4	7	0	3	2	0	1
1957	25	0	0	0	0	0	0	2	2	0	3	4	1	5	5	1	0	1	1
1958	21	0	0	0	0	0	0	0	0	1	3	1	3	4	5	2	1	1	0
1959	23	0	0	0	0	0	0	0	0	5	2	5	0	6	0	1	1	0	3
1960	30	0	0	0	0	0	1	1	1	5	3	3	6	2	2	1	4	0	1
1961	26	0	0	0	0	0	0	0	0	1	1	6	5	1	4	1	2	4	1
1962	33	0	0	1	0	0	0	0	1	3	4	4	5	2	5	3	3	2	0
1963	17	1	0	1	0	0	0	0	1	2	3	1	2	1	2	0	0	1	2
1964	26	0	0	0	0	0	1	1	0	1	5	3	2	4	3	4	1	1	0
1965	38	0	0	0	0	0	1	0	1	1	5	4	2	6	6	9	1	1	1
1966	27	1	0	1	0	0	0	1	1	1	3	3	4	3	5	1	1	1	1
1967	35	0	0	0	0	0	0	1	2	2	4	5	3	7	6	3	1	1	0
1968	33	0	0	0	0	0	0	0	1	0	3	6	4	2	8	3	2	1	3
1969	30	0	0	0	0	0	0	1	0	2	3	3	6	9	1	2	1	0	2
1970	31	1	0	0	0	0	0	0	0	0	1	1	3	6	3	8	6	2	0
1971	19	0	0	0	0	0	0	0	0	0	4	1	2	4	4	4	0	0	0
1972	16	0	0	0	0	0	0	0	0	2	1	2	1	3	5	1	1	0	0
1973	36	0	0	1	0	0	0	0	1	1	4	4	2	7	4	7	2	3	0
1974	29	0	0	0	0	0	0	0	0	1	2	3	4	1	6	6	3	2	1
1975	24	0	0	0	0	0	0	0	1	1	0	7	3	1	6	0	3	1	1
1976	46	0	0	0	0	0	0	2	0	2	1	5	9	9	6	7	2	0	3
1977	33	0	0	0	0	0	1	1	0	0	2	3	4	6	6	5	2	3	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	-	-	-	-	-	.0	.0	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	-	-	-	.0	.0
1952	-	.0	.1	.0	.0	.0	-	.0	-	.0	.0	-	.1	-	-	-	-	-	.0
1953	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	-	-	-	-	-	.0
1954	-	.0	.0	.0	.0	.1	.0	.0	-	.1	-	.0	-	-	-	-	-	-	-
1955	-	.0	.0	.0	.1	.0	.0	.0	.1	.1	-	.0	-	-	-	-	-	.0	-
1956	-	.0	.0	.0	.0	.1	.0	.0	-	.0	.1	-	-	.1	.0	-	-	.0	-
1957	-	.0	.0	.0	.0	.0	.0	.1	.1	.0	-	-	-	-	-	.0	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.0	.1	.0	-	-	.0	.1
1960	-	.0	.0	.0	.0	.0	-	-	-	.1	-	-	.1	-	-	-	.1	.0	-
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	.1	-
1962	-	.0	.0	.1	.0	.0	.0	.0	-	.1	.1	-	.1	-	-	-	-	-	.0
1963	-	-	.0	.1	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	.0	-	-
1964	-	.0	.0	.0	.0	.0	-	-	.0	-	.1	-	-	-	-	-	-	-	.0
1965	-	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	.1	-	-	-
1966	-	-	.0	.1	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	.1	-	-	-	-	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	.1	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	.1	-	-	-	.0	-
1970	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	.1	-	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	.0	.0	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	.1	-	-	.0	.0
1973	-	.0	.0	.1	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.1	-	-	-	.0	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.1	.0	-	-	.1	.1	.1	-	-	-	.0	-
1977	-	.0	.0	.0	.0	.0	-	-	.0	.0	-	-	-	-	-	-	-	-	.0

Salivary Gland

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.0	.0	.0	.2	.2	.4	.0	.4	1.0	.9	1.7	1.6	.0	7.5
1951	.2	.0	.0	.0	.0	.0	.0	.0	.5	.2	.2	1.8	.4	.5	.5	.8	.0	.0	.0
1952	.1	.0	.0	.0	.0	.0	.0	.0	.3	.2	.2	.5	.7	.5	.9	.8	.0	.0	.0
1953	.1	.0	.0	.0	.0	.0	.1	.0	.0	.2	.0	.7	.3	.4	.4	.0	.0	.0	.0
1954	.2	.1	.1	.1	.0	.0	.0	.1	.5	.5	.2	.2	.9	.4	.4	.7	.0	.0	.0
1955	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.5	1.8	.0	1.2	.7	1.2	.0	2.9
1956	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.5	.6	.8	.0	1.9	.0	3.9	2.8
1957	.1	.0	.0	.0	.0	.0	.1	.0	.2	.2	.6	.2	.0	.4	.4	.6	.0	3.8	.0
1958	.2	.0	.0	.0	.0	.0	.0	.1	.0	.2	.2	.2	1.1	1.1	.0	1.8	.0	1.9	.0
1959	.1	.0	.0	.0	.0	.0	.0	.0	.1	.7	.2	.0	.0	.3	.4	.0	1.8	1.9	2.5
1960	.2	.0	.0	.0	.0	.0	.0	.1	.1	.5	.4	.2	.0	.7	.4	1.6	.9	5.5	.0
1961	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.0	1.0	.0	1.0	.7	.0	1.7	.0	2.5
1962	.1	.0	.0	.0	.0	.0	.0	.0	.0	.3	.2	.0	.5	.6	.3	.5	1.6	1.5	2.4
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.2	.5	.0	1.0	.9	.8	1.4	.0
1964	.2	.0	.0	.0	.1	.0	.0	.0	.0	.1	.3	.0	1.1	.0	.9	1.8	.8	5.4	.0
1965	.2	.0	.0	.0	.0	.0	.0	.0	.0	.6	.2	.6	.6	1.2	.3	.4	1.5	.0	.0
1966	.2	.0	.0	.0	.0	.0	.0	.0	.3	.7	.2	.6	.6	.8	.9	.9	1.4	.0	1.9
1967	.2	.0	.0	.0	.0	.0	.0	.0	.4	.1	.2	.4	.4	.3	1.7	.4	.0	.0	3.5
1968	.2	.0	.0	.1	.0	.0	.0	.0	.1	.3	.5	.5	.4	.0	.8	.4	1.3	1.1	.0
1969	.1	.0	.0	.0	.0	.1	.0	.0	.1	.1	.3	.5	.6	.5	.0	.8	.0	1.1	.0
1970	.2	.0	.0	.0	.0	.1	.0	.0	.0	.1	.3	.0	.6	.9	1.1	.8	.0	1.0	4.2
1971	.1	.0	.0	.1	.0	.0	.0	.1	.0	.0	.1	.0	.2	.9	.8	.0	.0	1.9	1.3
1972	.2	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.3	.4	.4	1.5	2.3	1.2	1.8	.0
1973	.1	.0	.0	.0	.0	.0	.0	.2	.1	.4	.1	.0	.4	.0	.5	1.6	1.2	.8	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.4	.2	.9	1.5	1.2	.8	3.1
1975	.2	.0	.0	.0	.0	.0	.0	.1	.4	.0	.3	.6	.7	.4	.4	.8	1.7	1.5	.9
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.7	.0	.0	.0	1.1	1.5	.8
1977	.1	.0	.0	.0	.1	.0	.0	.0	.1	.1	.3	.4	.3	.2	.2	1.1	.5	1.4	.0


Number of Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	14	0	0	0	0	0	0	0	1	1	2	0	1	2	2	2	1	0	2
1951	16	0	0	0	0	0	0	0	3	1	1	7	1	1	1	1	0	0	0
1952	12	0	0	0	0	0	0	0	2	1	1	2	2	1	2	1	0	0	0
1953	8	0	0	0	0	0	1	0	0	1	0	3	1	1	1	0	0	0	0
1954	18	1	1	1	0	0	0	1	3	3	1	1	3	1	1	1	0	0	0
1955	16	0	0	0	0	0	0	0	0	2	0	2	6	0	3	1	1	0	1
1956	13	0	0	0	0	0	0	0	0	1	0	2	2	2	0	3	0	2	1
1957	12	0	0	0	0	0	1	0	1	1	3	1	0	1	1	1	0	2	0
1958	15	0	0	0	0	0	0	1	0	1	1	1	4	3	0	3	0	1	0
1959	12	0	0	0	0	0	0	0	1	1	1	0	0	1	1	0	2	1	1
1960	18	0	0	0	0	0	0	1	1	3	2	1	0	2	1	3	1	3	0
1961	15	0	0	0	0	0	0	0	1	1	0	5	0	3	2	0	2	0	1
1962	13	0	0	0	0	0	0	0	0	2	1	0	2	2	1	1	2	1	1
1963	13	0	0	0	0	0	0	0	0	1	2	1	2	0	3	2	1	1	0
1964	21	0	0	0	1	0	0	0	0	1	2	0	5	0	3	4	1	4	0
1965	19	0	0	0	0	0	0	0	0	4	1	3	3	4	1	1	2	0	0
1966	25	0	0	0	0	0	0	0	2	5	1	3	3	3	3	2	2	0	1
1967	19	0	0	0	0	0	0	0	3	1	1	2	2	1	6	1	0	0	2
1968	19	0	0	1	0	0	0	0	1	2	3	3	2	0	3	1	2	1	0
1969	16	0	0	0	0	1	0	0	1	1	2	3	3	2	0	2	0	1	0
1970	21	0	0	0	0	1	0	0	0	1	2	0	3	4	4	2	0	1	3
1971	14	0	0	1	0	0	0	1	0	0	1	0	1	4	3	0	0	2	1
1972	12	0	0	1	0	0	0	0	0	0	0	1	1	1	3	3	1	1	0
1973	18	0	0	0	0	0	0	2	1	3	1	0	2	0	2	4	2	1	0
1974	19	0	0	0	0	0	0	0	0	0	1	1	2	1	4	4	2	1	3
1975	26	0	0	0	0	0	0	1	3	0	2	4	4	2	2	2	3	2	1
1976	11	0	0	0	0	0	0	0	0	0	2	0	4	0	0	0	2	2	1
1977	18	0	0	0	1	0	0	0	1	1	2	3	2	1	1	3	1	2	0

Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	-	-	-	.0	.1
1951	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	.1	-	-	-	-	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	-	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.1	.0	.0	-	.0	-	-	-	-	.0	.0	.0	.0
1954	-	-	.2	.3	.0	.0	.0	-	.1	.1	-	-	-	-	-	-	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.0	-	-	-	.0	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.0	-	.0	.1	-
1957	-	.0	.0	.0	.0	.0	.1	.0	-	-	.1	-	.0	-	-	-	.0	.1	.0
1958	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	-	.0	-	.0	-	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.0	.0	-	-	.0	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	.0	-	-	-	-	.1	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.1	.0	-	-	.0	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	-	-	-	.0
1964	-	.0	.0	.0	.1	.0	.0	.0	.0	-	-	.0	.1	.0	-	-	-	.1	.0
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	-	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	-	-	-	-	-	-	.0	-
1967	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	.1	-	.0	.0	-
1968	-	.0	.0	.2	.0	.0	.0	.0	-	-	.1	-	-	.0	-	-	-	-	.0
1969	-	.0	.0	.0	.0	.1	.0	.0	-	-	-	-	-	-	.0	-	.0	-	.0
1970	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	.0	-	-	-	-	.0	-	-
1971	-	.0	.0	.2	.0	.0	.0	-	.0	.0	-	.0	-	-	-	.0	.0	-	-
1972	-	.0	.0	.3	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	.0
1973	-	.0	.0	.0	.0	.0	.0	.1	-	.1	-	.0	-	.0	-	-	-	-	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.1	.1	.0	-	.1	.1	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.0	.0	.0	-	-	-
1977	-	.0	.0	.0	.1	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.0

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	162	0.24	0.27	0.16	34	0.05	0.06	0.04	11	0.14	0.19	0.13	5	0.06	0.11	0.07
1951	172	0.25	0.28	0.17	27	0.04	0.04	0.03	12	0.15	0.22	0.14	6	0.07	0.10	0.07
1952	184	0.26	0.30	0.17	28	0.04	0.04	0.03	14	0.17	0.23	0.15	6	0.07	0.10	0.07
1953	191	0.27	0.30	0.17	31	0.04	0.05	0.03	11	0.13	0.20	0.13	11	0.13	0.16	0.11
1954	227	0.31	0.35	0.20	36	0.05	0.05	0.03	11	0.13	0.19	0.11	7	0.08	0.10	0.07
1955	233	0.32	0.35	0.20	41	0.06	0.06	0.04	19	0.22	0.29	0.17	0	0.00	0.00	0.00
1956	251	0.34	0.37	0.21	47	0.06	0.06	0.04	22	0.25	0.33	0.18	6	0.06	0.08	0.05
1957	248	0.33	0.36	0.20	41	0.05	0.05	0.04	21	0.23	0.31	0.17	3	0.03	0.05	0.03
1958	252	0.33	0.36	0.21	58	0.07	0.07	0.05	23	0.25	0.35	0.19	2	0.02	0.02	0.02
1959	273	0.35	0.38	0.21	54	0.07	0.07	0.05	26	0.27	0.34	0.18	6	0.06	0.08	0.06
1960	288	0.36	0.39	0.21	67	0.08	0.08	0.06	26	0.26	0.33	0.17	11	0.10	0.14	0.10
1961	278	0.35	0.37	0.21	67	0.08	0.08	0.06	42	0.41	0.55	0.29	0	0.00	0.00	0.00
1962	319	0.39	0.42	0.23	78	0.09	0.09	0.07	38	0.36	0.47	0.24	11	0.10	0.13	0.10
1963	336	0.41	0.44	0.24	92	0.11	0.10	0.08	39	0.36	0.49	0.24	13	0.11	0.14	0.10
1964	333	0.40	0.43	0.23	87	0.10	0.10	0.07	45	0.41	0.55	0.27	14	0.12	0.16	0.11
1965	288	0.34	0.37	0.19	70	0.08	0.07	0.06	45	0.40	0.55	0.27	16	0.13	0.15	0.11
1966	343	0.40	0.43	0.23	112	0.13	0.12	0.09	38	0.33	0.48	0.23	14	0.12	0.14	0.09
1967	325	0.38	0.40	0.21	85	0.10	0.09	0.07	46	0.40	0.52	0.24	15	0.12	0.16	0.12
1968	341	0.39	0.42	0.21	123	0.14	0.12	0.10	49	0.42	0.56	0.25	10	0.08	0.10	0.07
1969	343	0.39	0.42	0.21	122	0.13	0.12	0.09	49	0.41	0.56	0.25	18	0.14	0.16	0.12
1970	360	0.41	0.43	0.22	123	0.13	0.12	0.09	54	0.44	0.61	0.26	18	0.14	0.16	0.12
1971	333	0.37	0.40	0.20	129	0.14	0.12	0.09	54	0.43	0.58	0.25	12	0.09	0.11	0.07
1972	165	0.37	0.39	0.19	54	0.12	0.10	0.08	20	0.32	0.41	0.18	7	0.10	0.13	0.09
1973	353	0.39	0.41	0.20	119	0.13	0.11	0.08	58	0.45	0.62	0.26	10	0.07	0.09	0.06
1974	341	0.38	0.39	0.19	111	0.12	0.10	0.07	68	0.52	0.71	0.29	14	0.10	0.12	0.08
1975	316	0.35	0.35	0.17	135	0.14	0.12	0.09	79	0.59	0.79	0.32	17	0.12	0.14	0.10
1976	340	0.37	0.38	0.18	120	0.13	0.10	0.08	57	0.42	0.57	0.23	22	0.15	0.18	0.12
1977	355	0.39	0.39	0.19	119	0.12	0.10	0.07	64	0.46	0.62	0.24	15	0.10	0.12	0.08


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Floor of the mouth and lower gum.
(ICD 143 [6th]; ICD 143 [7th]; ICD 143.1, 144 [8th])


Floor of Mouth

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	-	.0	.0	-	.1	.2	.5	.7	1.1	1.2	1.2	1.2	2.3	1.8
1951	.3	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.6	.5	1.0	1.4	1.5	2.1	2.5	1.7
1952	.3	.0	.0	.0	.0	.0	-	.0	-	.1	.2	.4	1.0	1.0	1.1	1.6	1.3	2.6	3.9
1953	.3	.0	.0	.0	.0	.0	.0	.0	.0	-	.3	.4	.7	1.1	1.3	2.0	2.0	3.9	.7
1954	.3	.0	.0	.0	.0	-	.0	-	-	.2	.1	.6	1.0	1.1	1.5	1.9	2.3	3.1	2.8
1955	.3	.0	.0	.0	.0	.0	-	.0	-	.2	.3	.7	.8	1.4	1.4	1.8	1.9	3.1	1.7
1956	.3	.0	.0	-	.0	.0	.0	.0	-	.2	.3	.6	1.0	1.8	1.3	1.3	2.1	2.1	5.3
1957	.3	.0	.0	.0	.0	.0	.0	.0	.0	-	.4	.7	1.4	.9	1.4	2.0	2.3	1.7	2.6
1958	.3	.0	.0	.0	.0	-	.0	.0	.1	.1	.4	.6	.9	1.6	1.0	1.5	2.5	2.7	4.4
1959	.3	.0	.0	-	.0	.0	.0	.0	.1	.1	.3	.8	1.0	1.2	1.7	1.8	2.6	3.3	2.4
1960	.4	.0	.0	.0	.0	.0	.0	-	.1	.2	.5	.9	.8	1.6	1.8	1.7	1.7	2.9	1.8
1961	.3	.0	.0	.0	.0	-	.0	.1	.1	.1	.5	.8	1.3	1.1	1.6	1.4	1.5	2.0	4.7
1962	.4	-	.0	.0	.0	.0	.0	.0	.1	.2	.4	.9	1.0	1.6	2.0	2.1	2.1	3.2	1.2
1963	.4	.0	.0	.0	-	.0	.0	.0	.1	.1	.5	.7	1.3	1.6	2.3	2.1	2.7	1.9	3.8
1964	.4	-	-	.0	.0	.0	.0	-	-	.2	.3	1.0	1.5	1.7	1.6	1.8	2.3	2.7	2.0
1965	.3	.0	-	.0	.0	.0	.0	.0	.0	.1	.5	1.0	.8	1.3	1.6	2.1	1.2	2.5	1.9
1966	.4	.0	.0	.0	.0	.0	.0	.0	-	.2	.3	1.1	1.5	1.4	1.9	1.9	2.1	2.9	3.2
1967	.4	.0	.0	-	.0	.0	.0	.0	-	.1	.3	.8	1.3	1.5	1.5	2.5	2.1	2.5	2.1
1968	.4	.0	.0	.0	.0	.0	.0	.0	-	.1	.5	.8	1.4	1.7	1.9	1.9	2.6	1.4	2.8
1969	.4	.0	-	.0	.0	.0	.0	-	-	.1	.3	1.0	1.5	1.6	1.8	1.8	2.0	2.5	3.4
1970	.4	.0	.0	.0	.0	.0	.0	-	.1	.1	.4	.8	1.5	1.8	1.6	2.0	3.0	2.3	2.4
1971	.4	.0	.0	.0	.0	.0	.0	-	-	.2	.4	.5	1.1	1.4	2.1	2.2	2.0	2.4	4.5
1972	.4	.0	.0	.0	.0	.0	.0	.0	.0	-	.2	.8	1.3	1.6	2.1	2.0	1.1	2.6	2.9
1973	.4	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.7	1.4	2.0	1.5	2.7	1.5	2.1	2.4
1974	.4	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	1.0	1.2	1.8	1.5	1.7	2.0	1.5	2.7
1975	.3	.0	.0	.0	.0	-	-	-	-	.1	.3	.6	.9	1.4	2.3	2.0	1.4	1.7	1.5
1976	.4	.0	.0	.0	.0	-	.0	.0	.1	.1	.4	.7	1.1	2.0	1.8	1.6	1.9	1.7	1.6
1977	.4	.0	.0	-	.0	.0	-	.0	-	.1	.4	.8	1.2	1.8	1.6	1.9	1.3	2.1	2.6

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	162	0	0	0	0	1	0	0	1	6	10	20	23	30	27	18	11	11	4
1951	172	0	0	0	0	0	0	0	4	3	7	23	17	28	31	23	20	12	4
1952	184	0	0	0	0	0	1	0	2	6	9	14	36	29	26	25	13	13	10
1953	191	0	0	0	0	0	0	0	0	2	11	15	24	32	30	34	21	20	2
1954	227	0	0	0	0	1	0	1	1	8	6	23	35	34	37	33	24	16	8
1955	233	0	0	0	0	0	2	0	2	8	15	27	27	43	34	32	21	17	5
1956	251	0	0	1	0	0	0	0	2	11	16	22	37	55	32	24	23	12	16
1957	248	0	0	0	0	0	0	0	0	2	18	30	51	29	36	38	26	10	8
1958	252	0	0	0	0	1	0	0	4	5	18	26	32	49	27	30	30	16	14
1959	273	0	0	1	0	0	0	0	3	6	15	33	37	37	45	36	32	20	8
1960	288	0	0	0	0	0	0	1	3	11	26	39	29	50	49	35	21	18	6
1961	278	0	0	0	0	1	0	3	3	7	26	33	50	36	42	28	20	13	16
1962	319	2	0	0	0	0	0	0	4	12	18	41	39	51	54	44	28	22	4
1963	336	0	0	0	1	0	0	0	3	7	23	31	52	52	61	44	36	13	13
1964	333	1	1	0	0	0	0	2	2	12	16	45	60	55	43	38	32	19	7
1965	288	0	1	0	0	0	0	0	0	8	26	44	35	44	42	46	17	18	7
1966	343	0	0	0	0	0	0	0	1	9	15	50	65	46	52	41	30	22	12
1967	325	0	0	1	0	0	0	0	1	5	18	39	56	52	42	54	30	19	8
1968	341	0	0	0	0	0	0	0	1	7	26	36	58	61	52	41	37	11	11
1969	343	0	1	0	0	0	0	1	1	7	15	46	66	57	49	37	29	20	14
1970	360	0	0	0	0	0	0	1	3	5	19	41	64	67	44	42	44	19	11
1971	333	0	0	0	0	0	0	1	1	9	20	26	46	54	60	46	29	20	21
1972	165	0	0	0	0	0	0	0	0	1	6	21	29	30	31	21	8	11	7
1973	353	0	0	0	0	0	0	0	1	4	18	35	62	76	47	58	22	18	12
1974	341	0	0	0	0	0	0	0	0	8	22	50	53	69	46	38	28	13	14
1975	316	0	0	0	0	1	2	2	2	4	16	32	42	55	73	44	20	15	8
1976	340	0	0	0	0	1	0	0	4	4	20	36	49	78	59	37	28	15	9
1977	355	0	0	1	0	0	1	0	2	5	22	43	57	72	53	46	19	19	15

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1951	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1952	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	.1	-	-	-	-	-	-
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	-	.0	-	-	-	-	.1	.1	-	-	-	-	-	-
1955	-	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	-	.1	-	-	-	-	-
1956	-	.0	.0	-	.0	.0	.0	.0	-	.1	-	-	.1	.1	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	-	-	-	-	-
1958	-	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1959	-	.0	.0	-	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	.1	-	-	-	-	-
1961	-	.0	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1962	-	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-
1963	-	.0	.0	.0	-	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1964	-	-	-	.0	.0	.0	.0	-	-	.1	-	.1	.1	.1	-	-	-	-	-
1965	-	.0	-	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	-	-
1967	-	.0	.0	-	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1969	-	.0	-	.0	.0	.0	.0	-	-	-	-	.1	.1	.1	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	.1	.1	.1	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	-	-	-	-	-
1975	-	.0	.0	.0	.0	-	-	-	-	-	.1	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1977	-	.0	.0	-	.0	.0	-	.0	-	-	.1	.1	.1	.1	-	-	-	-	-

Floor of Mouth

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	.1	.2	.4	1.7	.3
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.2	.2	.3	.2	.6	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.3	.1	.3	.6	.8
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.2	.2	.6	.8
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.1	.2	-	.3	.2	.6	.3
1955	.1	.0	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.1	.2	.3	.5	.7
1956	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.3	.4	.9	.5
1957	.1	.0	.0	.0	.0	.0	-	.0	.0	-	.1	.1	.2	.2	.1	.2	.2	.8	.4
1958	.1	.0	.0	.0	.0	.0	-	.0	.0	-	.1	.1	.2	.2	.4	.4	.3	.4	.8
1959	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.2	.1	.3	.3	.6	.4	.4
1960	.1	.0	.0	-	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.2	.3	.4	.7	.6
1961	.1	.0	-	.0	.0	.0	-	.0	-	-	.1	.2	.2	.3	.3	.4	.4	.4	.7
1962	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.3	.4	.3	.3	.4	.9	.9
1963	.1	.0	-	.0	.0	.0	.0	.0	-	.1	.1	.3	.4	.5	.3	.3	.4	.5	1.0
1964	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.3	.5	.2	.3	.6	.3	.3
1965	.1	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.1	.2	.4	.3	.2	.6	.6
1966	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.4	.2	.3	.4	.4	.7	.8	.5
1967	.1	.0	.0	.0	-	.0	.0	.0	.0	.1	.1	.2	.3	.4	.4	.4	.3	.3	1.0
1968	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.6	.5	.5	.3	.4	1.1	1.5
1969	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.4	.4	.3	.4	.4	1.1	1.0
1970	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.5	.5	.3	.5	.2	.7	1.6
1971	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.4	.4	.5	.4	.6	1.0	.6
1972	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.4	.6	.4	.5	.6	.3	.4
1973	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.4	.5	.3	.7	.4	.9
1974	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.2	.4	.4	.5	.6	.7	1.3
1975	.1	.0	.0	.0	.0	-	.0	.0	.0	-	.1	.2	.5	.6	.5	.5	.4	1.0	.9
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.2	.3	.6	.5	.3	.7	.6	.8
1977	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.6	.5	.6	.4	.6	.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	34	0	0	0	0	0	0	0	0	0	5	3	1	4	3	3	4	10	1
1951	27	0	0	0	0	0	0	0	0	1	0	1	3	5	6	5	2	4	0
1952	28	0	0	0	0	0	0	0	0	0	1	4	1	2	7	2	4	4	3
1953	31	0	0	0	0	0	0	0	0	2	2	2	4	3	5	3	3	4	3
1954	36	0	0	0	0	0	0	0	0	3	8	4	2	6	1	5	2	4	1
1955	41	0	1	0	0	0	0	0	1	2	3	5	5	7	2	4	4	4	3
1956	47	0	0	0	0	0	0	0	0	2	1	4	4	8	7	6	6	7	2
1957	41	0	0	0	0	0	1	0	0	1	3	4	6	8	3	4	3	6	2
1958	58	0	0	0	0	0	1	0	0	2	4	5	7	7	11	10	4	3	4
1959	54	0	0	0	0	0	0	0	2	3	2	5	8	4	10	6	9	3	2
1960	67	0	0	1	0	0	0	0	0	1	7	10	9	10	7	7	6	6	3
1961	67	0	1	0	0	0	1	0	1	1	5	7	7	9	10	11	6	4	4
1962	78	0	0	0	0	0	0	0	0	3	3	10	11	14	9	8	6	9	5
1963	92	0	1	0	0	0	0	0	1	5	5	12	15	17	11	7	7	5	6
1964	87	0	0	0	0	0	0	0	1	3	4	16	15	18	7	7	11	3	2
1965	70	1	0	0	0	0	0	0	1	5	3	11	6	7	12	9	4	7	4
1966	112	0	0	0	0	0	0	0	1	4	18	21	7	11	14	10	14	9	3
1967	85	0	0	0	1	0	0	0	0	3	4	10	15	14	12	10	6	3	7
1968	123	0	0	0	0	0	0	0	1	3	12	5	27	18	16	9	8	13	11
1969	122	0	0	0	0	0	0	1	1	4	11	14	20	18	12	11	8	14	8
1970	123	0	0	0	0	0	0	0	0	4	10	12	23	20	12	14	5	9	14
1971	129	0	0	0	0	0	0	0	0	5	5	17	20	19	18	13	13	14	5
1972	54	0	0	0	0	0	0	0	0	1	3	4	9	12	7	7	7	2	2
1973	119	0	0	0	0	0	0	0	1	3	7	13	15	19	20	10	16	6	9
1974	111	0	0	0	0	0	0	1	0	0	4	8	12	19	14	15	14	10	14
1975	135	0	0	0	0	1	0	0	0	1	4	13	23	26	19	14	9	15	10
1976	120	0	0	0	0	0	0	0	0	1	2	11	13	27	22	10	15	9	10
1977	119	0	0	0	0	0	0	0	0	1	2	5	12	27	23	19	9	10	11

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1955	-	.0	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-
1958	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-
1959	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1960	-	.0	.0	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1961	-	.0	-	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1963	-	.0	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-	-
1965	-	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-	-
1967	-	.0	.0	.0	-	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	.1	-	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	-
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.3	.7	1.4	1.0	.9	.0	.0	.0
1951	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.7	.9	.5	3.3	.0	.0	.0
1952	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.2	.5	1.3	.0	.9	1.6	1.4	.0	.0
1953	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.7	.0	.4	1.4	.0	1.3	2.5	4.7
1954	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.5	.0	1.3	.9	.0	1.3	2.4	.0
1955	.2	.0	.0	.0	.0	.0	.0	.0	.3	.2	.4	.2	.9	1.7	1.8	.0	1.2	.0	4.1
1956	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	1.4	1.7	1.2	.9	.0	1.2	.0	3.9
1957	.2	.0	.0	.0	.0	.0	.0	.0	.2	.2	1.0	.5	1.1	1.2	.9	.0	1.1	4.6	.0
1958	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.4	.7	1.4	.8	1.3	1.3	3.2	.0	3.5
1959	.3	.0	.1	.0	.0	.0	.0	.2	.2	.4	1.2	.9	1.0	1.5	.4	.0	.0	2.2	3.4
1960	.3	.0	.0	.0	.0	.0	.0	.0	.3	.4	.9	1.1	.8	1.7	.0	1.8	1.0	.0	.0
1961	.4	.0	.0	.0	.0	.0	.0	.0	.3	.7	.4	.9	2.0	1.7	3.1	2.9	2.8	.0	3.3
1962	.4	.0	.0	.0	.0	.0	.0	.2	.3	.9	.6	.6	1.9	1.3	2.3	1.7	.9	3.6	.0
1963	.4	.0	.0	.0	.0	.0	.0	.3	.2	.3	1.1	.6	2.2	1.0	1.9	2.7	1.8	.0	3.3
1964	.4	.0	.0	.0	.0	.0	.0	.2	.3	.3	1.7	1.2	1.4	1.6	2.5	1.1	2.7	1.6	3.1
1965	.4	.0	.0	.0	.0	.0	.0	.0	.2	.8	.7	1.8	2.3	1.6	1.7	.5	.9	1.6	8.8
1966	.3	.0	.0	.0	.0	.0	.0	.0	.2	.5	.4	1.2	1.1	.6	1.4	4.1	3.5	1.6	5.6
1967	.4	.0	.0	.0	.0	.0	.0	.0	.2	.8	1.8	1.2	1.4	1.5	2.7	1.5	.8	1.5	.0
1968	.4	.0	.0	.0	.0	.0	.0	.0	.2	.8	2.3	1.6	2.0	.8	1.0	.5	1.7	3.0	4.9
1969	.4	.0	.0	.0	.0	.1	.0	.0	.2	.3	.9	2.0	1.8	2.2	2.0	1.5	4.2	.0	.0
1970	.4	.0	.0	.0	.0	.0	.0	.0	.2	.6	1.5	1.0	2.0	2.4	2.6	1.4	2.4	1.4	4.3
1971	.4	.0	.0	.0	.0	.0	.0	.0	.0	.3	1.3	2.8	1.6	2.5	1.9	1.9	.8	1.4	.0
1972	.3	.0	.0	.0	.0	.0	.0	.3	.0	.6	2.0	1.8	1.8	.0	.0	.9	1.5	.0	.0
1973	.4	.0	.0	.0	.0	.0	.0	.0	.0	.3	1.2	2.4	2.8	.7	3.0	1.9	3.8	1.2	.0
1974	.5	.0	.0	.0	.0	.0	.0	.0	.0	.6	2.1	1.4	2.7	3.6	2.0	1.4	2.3	1.2	3.5
1975	.6	.0	.0	.0	.0	.0	.0	.1	.5	.5	1.6	4.0	2.5	2.2	1.6	3.7	2.2	1.2	.0
1976	.4	.0	.0	.0	.0	.0	.0	.0	.3	.5	1.1	1.9	2.0	1.5	2.1	1.8	2.8	2.2	.0
1977	.5	.0	.0	.0	.0	.0	.0	.1	.3	.8	1.4	1.8	2.5	2.0	1.5	1.7	2.1	1.1	1.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11	0	0	0	0	0	0	0	0	2	0	1	2	3	2	1	0	0	0
1951	12	0	0	0	0	0	0	0	0	0	1	2	2	2	1	4	0	0	0
1952	14	0	0	0	0	0	0	0	0	2	1	2	4	0	2	2	1	0	0
1953	11	0	0	0	0	0	0	0	1	0	0	3	0	1	3	0	1	1	1
1954	11	0	0	0	0	0	0	0	0	0	2	2	0	3	2	0	1	1	0
1955	19	0	0	0	0	0	0	0	2	1	2	1	3	4	4	0	1	0	1
1956	22	0	0	0	0	0	0	0	0	1	2	6	6	3	2	0	1	0	1
1957	21	0	0	0	0	0	0	0	1	1	5	2	4	3	2	0	1	2	0
1958	23	0	0	0	0	0	0	0	0	2	2	3	5	2	3	2	3	0	1
1959	26	0	1	0	0	0	0	1	1	2	6	4	4	4	1	0	0	1	1
1960	26	0	0	0	0	0	0	0	2	2	5	5	3	5	0	3	1	0	0
1961	42	0	0	0	0	0	0	0	2	4	2	4	8	5	8	5	3	0	1
1962	38	0	0	0	0	0	0	1	2	5	3	3	8	4	6	3	1	2	0
1963	39	0	0	0	0	0	0	2	1	2	6	3	9	3	5	5	2	0	1
1964	45	0	0	0	0	0	0	1	2	2	9	6	6	5	7	2	3	1	1
1965	45	0	0	0	0	0	0	0	1	5	4	9	10	5	5	1	1	1	3
1966	38	0	0	0	0	0	0	0	1	3	2	6	5	2	4	8	4	1	2
1967	46	0	0	0	0	0	0	0	1	5	10	6	6	5	8	3	1	1	0
1968	49	0	0	0	0	0	0	0	1	5	13	8	9	3	3	1	2	2	2
1969	49	0	0	0	0	1	0	0	1	2	5	10	8	8	6	3	5	0	0
1970	54	0	0	0	0	0	0	0	1	4	9	5	9	9	8	3	3	1	2
1971	54	0	0	0	0	0	0	0	0	2	8	15	7	10	6	4	1	1	0
1972	20	0	0	0	0	0	0	1	0	2	6	5	4	0	0	1	1	0	0
1973	58	0	0	0	0	0	0	0	0	2	7	14	12	3	10	4	5	1	0
1974	68	0	0	0	0	0	0	0	0	4	13	8	12	15	7	3	3	1	2
1975	79	0	0	0	0	0	0	1	3	3	10	23	12	9	6	8	3	1	0
1976	57	0	0	0	0	0	0	0	2	3	7	11	10	6	8	4	4	2	0
1977	64	0	0	0	0	0	0	1	2	5	9	11	13	8	6	4	3	1	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	.0	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	-	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	-	-	.0	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	.0	-	-	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	.0	-	.0	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	.0	-	.0	-
1957	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	.0	-	-	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	.0	-
1959	-	.0	.1	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	.0	.0	-	-
1960	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	-	-	.0	-	-	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	-	.1	-	.1	-	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	.1	-	-	-	-	-	.0
1963	-	.0	.0	.0	.0	.0	.0	.1	-	-	.1	-	.1	-	-	-	-	.0	-
1964	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	.1	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	-	-	-	-	-	.1
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	.1	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	-	.1	-	-	-	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.1	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	-	-	-	.0	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.1	-	-	-	-	.0
1972	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	.0	.0	-	-	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	.1	-	-	-	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.1	.1	-	-	-	-	-
1975	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.1	.1	-	.1	-	-	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	-	.1	-	-	-	.0
1977	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-

Floor of Mouth

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	1.0	.0	.9	.0	2.4	.0
1951	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.7	.5	.5	.0	.0	.0	.0
1952	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.5	.9	.8	.0	.0	.0
1953	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.2	1.3	.0	.4	.0	.0	.0	.0
1954	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.5	.0	.8	.8	.0	.0	.0	.0
1955	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1956	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.7	.3	.4	.0	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.4	.0	.0	.0	2.7
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.4	.0	.0	.0	.0
1959	.1	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.2	.0	.3	.8	.0	.0	1.9	.0
1960	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.2	.7	.0	.0	1.1	.0	1.8	2.5
1961	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1962	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.2	.5	.0	.3	.0	.8	1.5	2.4
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.5	.5	.0	.7	.3	.6	.0	.0	.0	2.3
1964	.1	.0	.0	.0	.0	.0	.0	.0	.3	.1	.3	.2	.0	.3	.6	.5	1.5	2.7	.0
1965	.1	.0	.0	.0	.0	.0	.0	.1	.0	.6	.8	.0	.9	.0	.6	.0	.0	.0	.0
1966	.1	.0	.0	.0	.0	.0	.0	.0	.3	.4	.2	.6	.6	.3	.0	.0	.7	.0	.0
1967	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.5	.0	.6	.0	.0	1.7	.0	3.6	1.8
1968	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.6	.5	.8	.0	.7	.0	.0
1969	.1	.0	.0	.0	.0	.0	.0	.1	.1	.3	.6	.9	.2	.2	.5	.4	.0	.0	.0
1970	.1	.0	.0	.0	.0	.0	.0	.1	.0	.7	.3	.3	.2	.5	.0	.0	.6	.0	5.6
1971	.1	.0	.0	.0	.0	.0	.0	.0	.0	.3	.6	.3	.6	.2	.0	.0	.0	.0	.0
1972	.1	.0	.0	.0	.0	.0	.2	.0	.0	.0	.3	.0	.8	.4	.0	.0	1.2	1.8	.0
1973	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.8	.0	.2	.4	.6	.0	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.0	.4	.6	.8	.2	.0	.0	.4	.0	.0	.0
1975	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.4	.9	.2	.6	.0	.4	.0	.0	.9
1976	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.9	1.1	.2	.6	.4	.5	.0	.0
1977	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.4	.1	.9	.6	.2	.0	.0	.7	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5	0	0	0	0	0	0	0	0	0	0	1	0	2	0	1	0	1	0
1951	6	0	0	0	0	0	0	0	0	0	1	1	2	1	1	0	0	0	0
1952	6	0	0	0	0	0	0	0	0	0	1	0	1	1	2	1	0	0	0
1953	11	0	0	0	0	0	0	0	0	0	1	5	4	0	1	0	0	0	0
1954	7	0	0	0	0	0	0	0	1	0	0	2	0	2	2	0	0	0	0
1955	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1956	6	0	0	0	0	0	0	0	0	0	1	3	1	1	0	0	0	0	0
1957	3	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1
1958	2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
1959	6	0	0	0	0	0	0	0	1	0	0	1	0	1	2	0	0	1	0
1960	11	0	0	0	0	0	0	0	0	1	2	1	3	0	0	2	0	1	1
1961	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1962	11	0	0	0	0	0	0	0	0	1	3	1	2	0	1	0	1	1	1
1963	13	0	0	0	0	0	0	0	0	3	3	0	3	1	2	0	0	0	1
1964	14	0	0	0	0	0	0	0	2	1	2	1	0	1	2	1	2	2	0
1965	16	0	0	0	0	0	0	1	0	4	5	0	4	0	2	0	0	0	0
1966	14	0	0	0	0	0	0	0	2	3	1	3	3	1	0	0	1	0	0
1967	15	0	0	0	0	0	0	0	0	1	3	0	3	0	0	4	0	3	1
1968	10	0	0	0	0	0	0	0	0	1	0	0	3	2	3	0	1	0	0
1969	18	0	0	0	0	0	0	1	1	2	4	5	1	1	2	1	0	0	0
1970	18	0	0	0	0	0	0	1	0	5	2	2	1	2	0	0	1	0	4
1971	12	0	0	0	0	0	0	0	0	2	4	2	3	1	0	0	0	0	0
1972	7	0	0	0	0	0	1	0	0	0	1	0	2	1	0	0	1	1	0
1973	10	0	0	0	0	0	0	0	0	0	1	2	4	0	1	1	1	0	0
1974	14	0	0	0	0	0	0	0	0	3	4	5	1	0	0	1	0	0	0
1975	17	0	0	0	0	0	0	0	2	0	3	6	1	3	0	1	0	0	1
1976	22	0	0	0	0	0	0	0	1	1	2	6	6	1	3	1	1	0	0
1977	15	0	0	0	0	0	0	0	0	1	3	1	5	3	1	0	0	1	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	-	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.0	-	.0	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	-	-	.0	.0	.0	.0
1955	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	.0	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	-	-	.0	.0	.0	-
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	.0	-	.0	-	-
1961	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.0	-	.0	-	-	-
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.0	-	-	-	.0	.0	.0	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	.0	-	-	-	-	-	.0
1965	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.0	.1	.0	-	.0	.0	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	-	-	-	.0	.0	-	.0	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.0	-	.0	.0	-	.0	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	.0	-	.0	.0
1969	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	.0	.0	.0
1970	-	.0	.0	.0	.0	.0	.0	.1	.0	.1	-	-	-	-	.0	.0	-	.0	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	.0	.0	.0	.0	.0
1972	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	-	.0	.1	-	.0	.0	-	-	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.0	-	-	-	.0	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	-	.0	.0	-	.0	.0	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	.1	.1	-	-	.0	-	.0	.0	-
1976	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	.0	.0
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	-	-	.0	.0	-	.0

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	263	0.39	0.43	0.26	56	0.08	0.09	0.06	24	0.31	0.43	0.29	3	0.04	0.07	0.05
1951	273	0.40	0.44	0.26	52	0.08	0.08	0.05	23	0.29	0.36	0.24	0	0.00	0.00	0.00
1952	266	0.38	0.42	0.24	55	0.08	0.08	0.06	20	0.25	0.31	0.19	7	0.08	0.11	0.08
1953	301	0.42	0.47	0.27	60	0.08	0.09	0.06	17	0.20	0.29	0.18	2	0.02	0.03	0.02
1954	286	0.40	0.44	0.25	60	0.08	0.08	0.06	28	0.33	0.45	0.26	2	0.02	0.02	0.02
1955	294	0.40	0.44	0.25	56	0.08	0.08	0.05	28	0.32	0.49	0.29	8	0.09	0.10	0.07
1956	331	0.44	0.49	0.27	67	0.09	0.09	0.06	26	0.29	0.39	0.22	4	0.04	0.05	0.04
1957	377	0.50	0.54	0.30	57	0.07	0.07	0.05	29	0.32	0.40	0.22	6	0.06	0.08	0.06
1958	328	0.43	0.46	0.26	85	0.11	0.11	0.08	34	0.36	0.49	0.27	14	0.14	0.19	0.13
1959	405	0.52	0.56	0.31	108	0.14	0.13	0.10	37	0.38	0.50	0.27	6	0.06	0.07	0.05
1960	366	0.46	0.50	0.27	84	0.10	0.10	0.07	29	0.29	0.39	0.20	8	0.08	0.09	0.06
1961	364	0.45	0.49	0.27	91	0.11	0.11	0.08	48	0.47	0.59	0.30	17	0.16	0.19	0.13
1962	424	0.52	0.56	0.31	112	0.13	0.13	0.10	54	0.51	0.67	0.35	8	0.07	0.09	0.06
1963	413	0.50	0.53	0.29	92	0.11	0.10	0.08	42	0.39	0.52	0.25	8	0.07	0.09	0.06
1964	389	0.47	0.50	0.27	89	0.10	0.10	0.08	49	0.45	0.61	0.30	15	0.13	0.16	0.11
1965	393	0.47	0.50	0.26	93	0.11	0.10	0.08	43	0.38	0.49	0.24	14	0.12	0.15	0.10
1966	366	0.43	0.46	0.24	108	0.12	0.11	0.09	61	0.53	0.70	0.33	13	0.11	0.12	0.08
1967	403	0.47	0.50	0.26	111	0.13	0.12	0.09	72	0.62	0.81	0.37	19	0.15	0.18	0.13
1968	576	0.66	0.70	0.36	180	0.20	0.18	0.14	87	0.74	0.97	0.43	24	0.19	0.22	0.16
1969	590	0.68	0.71	0.37	188	0.21	0.19	0.15	112	0.93	1.22	0.53	19	0.15	0.18	0.13
1970	605	0.69	0.73	0.37	187	0.20	0.18	0.14	88	0.72	0.98	0.42	24	0.18	0.21	0.15
1971	578	0.65	0.68	0.34	238	0.26	0.23	0.18	96	0.77	1.06	0.46	23	0.17	0.21	0.14
1972	294	0.66	0.69	0.34	114	0.25	0.22	0.17	48	0.76	1.05	0.45	19	0.28	0.33	0.23
1973	619	0.69	0.72	0.36	213	0.23	0.20	0.15	106	0.82	1.08	0.45	41	0.29	0.36	0.24
1974	614	0.68	0.70	0.35	227	0.24	0.21	0.16	106	0.81	1.08	0.44	31	0.22	0.26	0.18
1975	635	0.70	0.72	0.35	248	0.26	0.23	0.17	130	0.97	1.33	0.54	37	0.25	0.31	0.21
1976	620	0.68	0.69	0.33	250	0.26	0.23	0.17	121	0.89	1.20	0.48	42	0.28	0.34	0.24
1977	676	0.74	0.75	0.36	270	0.28	0.24	0.18	141	1.01	1.37	0.53	31	0.20	0.26	0.17

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Tonsils, epiglottis, and oropharynx (NOS).
(ICD 145 [6th]; ICD 145-145.9 [7th]; ICD 146-146.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	-	.0	.0	.0	-	.0	-	.1	.4	.8	1.3	1.6	1.9	2.1	3.2	2.1	3.6
1951	.4	.0	.0	.0	-	.0	.0	-	-	.3	.2	.7	1.5	1.3	1.6	2.6	3.6	2.9	2.1
1952	.4	.0	.0	.0	.0	.0	-	.0	-	.1	.4	.8	1.0	1.6	2.1	2.2	2.2	3.4	2.3
1953	.4	-	.0	.0	.0	.0	.0	.1	.1	.2	.5	.8	1.2	1.6	1.8	2.0	3.3	4.7	3.3
1954	.4	.0	.0	.0	.0	.0	.0	.0	-	.2	.6	.9	1.1	1.3	2.0	2.4	1.7	4.0	3.9
1955	.4	.0	.0	-	.0	-	.0	.0	-	.1	.4	.9	1.0	1.5	2.8	1.7	1.7	4.2	2.0
1956	.4	-	.0	.0	.0	.0	.0	.0	.1	.3	.3	.8	1.0	1.6	2.2	3.3	3.1	3.5	4.0
1957	.5	.0	-	-	.0	.0	.0	.0	-	.2	.4	1.1	1.5	1.7	2.6	3.1	3.1	3.6	3.2
1958	.4	.0	.0	.0	-	.0	.0	.0	.1	.1	.3	.8	1.0	1.9	2.5	2.5	2.8	3.2	2.5
1959	.5	.0	.0	.0	.0	.0	-	.0	-	.3	.5	1.6	1.6	2.1	2.0	2.7	2.8	4.1	2.4
1960	.5	.0	.0	.0	.0	.0	.0	.0	-	.2	.4	1.0	1.3	1.6	2.9	2.5	2.4	3.7	2.4
1961	.5	.0	-	.0	.0	.0	.0	.0	-	.2	.5	.8	1.7	1.7	2.3	2.3	3.3	2.2	3.2
1962	.5	.0	.0	.0	.0	-	.0	-	.1	.2	.6	1.2	1.5	2.6	2.0	2.6	2.6	3.1	4.4
1963	.5	.0	.0	.0	.0	.0	.0	-	.1	.2	.7	1.5	1.7	1.8	2.5	2.3	2.2	1.9	4.0
1964	.5	.0	-	.0	-	.0	.0	-	-	.2	.4	1.0	1.2	2.1	2.2	2.5	2.8	2.8	4.2
1965	.5	.0	.0	.0	.0	-	.0	.0	.1	.1	.4	1.0	1.8	1.7	2.4	2.6	3.0	2.2	1.9
1966	.4	-	.0	.0	.0	-	.0	-	.1	.2	.4	1.1	1.4	1.7	1.9	2.1	2.2	2.3	3.5
1967	.5	.0	.0	.0	.0	.0	.0	.0	-	.1	.5	.9	1.8	2.1	2.1	2.5	2.7	2.3	2.8
1968	.7	.0	.0	-	-	.0	.0	.0	-	.3	.7	1.4	2.6	3.2	2.8	3.2	3.3	3.2	3.5
1969	.7	.0	.0	.0	.0	.0	.0	.0	-	.2	.6	1.4	2.7	2.9	3.4	3.0	4.1	4.0	2.2
1970	.7	.0	.0	.0	.0	.0	.0	.0	-	.3	.6	1.5	2.4	2.9	3.3	3.9	3.4	3.1	5.3
1971	.7	.0	.0	.0	.0	-	.0	.0	-	.1	.6	1.6	2.3	3.1	2.5	3.5	3.6	3.5	3.2
1972	.7	.0	-	.0	-	.0	.0	-	-	.3	.9	1.1	1.8	2.4	3.9	3.7	3.7	2.8	4.2
1973	.7	.0	.0	.0	.0	-	-	-	.1	.3	.8	1.1	2.4	2.8	3.5	3.7	3.3	4.5	3.8
1974	.7	.0	.0	.0	.0	.0	.0	-	.1	.2	.5	1.3	2.2	3.3	3.2	3.2	4.1	3.9	3.4
1975	.7	.0	.0	.0	.0	-	.0	-	-	.2	.7	1.5	1.9	2.9	3.6	3.6	3.5	4.1	4.4
1976	.7	.0	.0	.0	.0	.0	-	.0	.1	.2	.7	1.5	1.9	3.0	3.4	3.7	3.3	2.7	4.1
1977	.7	-	.0	.0	-	-	-	.0	-	.1	.6	1.6	2.0	3.0	3.9	3.3	3.9	4.5	5.1

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	263	0	1	0	0	0	1	0	1	4	15	30	44	45	42	32	30	10	8
1951	273	0	0	0	2	0	0	2	1	12	9	27	51	37	37	41	35	14	5
1952	266	0	0	0	0	0	1	0	1	5	19	29	35	46	49	36	22	17	6
1953	301	1	0	0	0	0	0	3	3	8	20	30	43	49	43	34	34	24	9
1954	286	0	0	0	0	0	0	0	1	8	27	33	37	41	48	41	18	21	11
1955	294	0	0	1	0	1	0	0	2	7	17	37	34	47	69	31	19	23	6
1956	331	1	0	0	0	0	0	0	4	13	16	30	34	51	55	60	35	20	12
1957	377	0	1	2	0	0	0	0	2	9	20	44	54	53	67	58	36	21	10
1958	328	0	0	0	1	0	0	0	6	6	12	35	36	59	65	48	33	19	8
1959	405	0	0	0	0	0	1	0	2	13	25	66	59	66	53	53	34	25	8
1960	366	0	0	0	0	0	0	0	1	11	21	44	49	50	79	50	30	23	8
1961	364	0	1	0	0	0	0	0	2	11	22	35	64	53	61	47	43	14	11
1962	424	0	0	0	0	1	0	1	4	10	31	55	60	83	55	54	34	21	15
1963	413	0	0	0	0	0	0	1	3	11	35	66	67	58	67	49	29	13	14
1964	389	0	2	0	2	0	0	2	2	13	22	47	48	66	59	53	38	20	15
1965	393	0	0	0	0	1	0	0	5	7	20	45	73	57	65	56	41	16	7
1966	366	1	0	0	0	1	0	2	3	9	21	53	60	58	51	46	31	17	13
1967	403	0	0	0	0	0	0	0	1	6	26	43	77	72	57	53	39	18	11
1968	576	0	0	1	1	0	0	0	2	14	36	68	111	111	76	69	48	25	14
1969	590	0	0	0	0	0	0	0	1	10	34	66	117	104	94	63	60	32	9
1970	605	0	0	0	0	0	0	0	1	15	33	71	106	105	94	82	49	25	24
1971	578	0	0	0	0	1	0	0	2	7	33	77	100	115	72	75	52	29	15
1972	294	0	1	0	2	0	0	1	1	8	23	27	40	45	58	39	27	12	10
1973	619	0	0	0	0	1	1	1	3	13	41	56	107	106	106	79	47	39	19
1974	614	0	0	0	0	0	0	1	5	9	28	67	96	127	99	71	59	34	18
1975	635	0	0	0	0	1	0	2	1	8	34	80	88	114	117	80	50	36	24
1976	620	0	0	0	0	0	1	0	4	12	34	75	86	119	110	85	47	24	23
1977	676	1	0	0	2	2	1	0	2	7	31	80	96	118	130	79	57	40	30

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	-	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	-	-	-	-	-
1951	-	.0	.0	.0	-	.0	.0	-	-	.1	-	.1	.1	-	-	-	-	-	-
1952	-	.0	.0	.0	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1953	-	-	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1955	-	.0	.0	-	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1956	-	-	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	-	-	-
1957	-	.0	-	.1	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	-	-
1958	-	.0	.0	.0	-	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-
1959	-	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1961	-	.0	-	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1962	-	.0	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	.1	.1	-	-	-	-
1963	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1964	-	.0	-	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1965	-	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1966	-	-	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1968	.1	.0	.0	-	-	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1969	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.1	.1	.1	-	-	-
1970	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1971	.1	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	-	-
1972	.1	.0	.1	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1973	.1	.0	.0	.0	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1974	.1	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-
1975	.1	.0	.0	.0	.0	-	.0	-	-	-	.1	.2	.1	.1	.1	.1	-	-	-
1976	.1	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.2	.1	.1	.1	.1	-	-	-
1977	.1	-	.0	.0	-	-	-	.0	-	-	.1	.2	.1	.1	.1	.1	-	-	-

Oral Mesopharynx

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	-	.0	.1	.1	.1	.2	.2	.5	.4	.6	.7	.9
1951	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.4	.6	.7	.6	.6
1952	.1	.0	.0	.0	.0	.0	-	.0	-	.1	-	.1	.2	.2	.4	.3	.9	.8	1.1
1953	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	.1	.3	.2	.6	.7	1.2	.5
1954	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.1	.1	.2	.3	.5	.5	.6	.8
1955	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.2	.1	.2	.2	.3	.3	.6	.7	.5
1956	.1	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.2	.2	.5	1.2	.7
1957	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.1	.3	.2	.4	.6	.9
1958	.1	-	.0	.0	.0	.0	.0	.0	.1	-	.1	.3	.3	.2	.3	.4	1.0	.5	1.0
1959	.1	-	.0	-	.0	.0	.0	.1	-	.1	.2	.4	.4	.4	.4	.3	.7	1.1	.8
1960	.1	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.3	.2	.2	.4	.5	.6	.2	.8
1961	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.3	.3	.6	.5	.3	.4
1962	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.3	.3	.2	.5	.5	.5	.9	.4	.4
1963	.1	.0	.0	.0	.0	.0	-	.0	-	-	.2	.2	.4	.3	.2	.6	.5	.7	.7
1964	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.4	.4	.3	.3	.1	.5	1.0
1965	.1	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.2	.3	.4	.4	.3	.5	.4	1.3
1966	.1	.0	-	.0	.0	-	.0	.0	.0	.1	.2	.3	.3	.3	.4	.3	.7	1.1	.2
1967	.1	.0	.0	-	.0	.0	-	-	.0	.1	.1	.3	.5	.4	.4	.4	.4	.0	.3
1968	.2	-	-	.0	.0	.0	.0	.0	-	.1	.3	.5	.8	.7	.6	.6	.5	.8	1.1
1969	.2	.0	.0	.0	-	-	.0	.0	-	-	.1	.7	1.0	.8	.5	.6	.4	.8	.9
1970	.2	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.5	.8	.8	.7	.7	.7	.8	.6
1971	.3	.0	-	.0	.0	.0	.0	-	.0	.1	.3	.9	1.0	1.0	.7	.8	.8	.5	.8
1972	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.4	.3	.5	1.5	.7	.8	.9	.8	.8
1973	.2	.0	-	-	.0	.0	.0	.0	-	.1	.2	.4	.7	1.0	.9	.7	.9	.3	1.3
1974	.2	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.5	.9	1.1	1.0	.8	.6	.3	1.4
1975	.3	-	.0	.0	.0	.0	-	-	.0	-	.3	.5	.8	1.2	.9	.9	.8	1.0	.9
1976	.3	.0	-	-	.0	.0	-	.0	.1	.1	.2	.5	.9	1.0	1.0	.9	.7	.8	.9
1977	.3	.0	.0	-	.0	.0	.0	-	-	-	.4	.5	.8	1.2	1.1	.6	1.4	1.0	.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	56	0	0	0	0	0	1	1	0	3	4	4	6	5	11	7	7	4	3
1951	52	0	0	0	0	0	0	0	0	4	3	2	4	5	10	10	8	4	2
1952	55	0	0	0	0	0	1	0	1	3	2	2	6	5	9	6	11	5	4
1953	60	0	0	0	0	0	0	0	1	4	5	1	3	10	6	11	9	8	2
1954	60	0	0	0	0	0	0	0	3	4	8	4	4	7	7	10	6	4	3
1955	56	0	0	0	0	0	0	0	1	1	8	5	7	6	7	6	8	5	2
1956	67	1	0	0	0	0	0	0	2	4	6	8	8	9	5	5	7	9	3
1957	57	0	0	0	0	0	0	0	0	5	5	9	7	3	8	5	6	5	4
1958	85	1	0	0	0	0	0	0	3	2	6	12	12	8	8	10	14	4	5
1959	108	1	0	1	0	0	0	4	1	4	11	16	16	12	11	8	10	9	4
1960	84	0	0	0	0	0	0	2	0	7	11	12	7	7	11	11	10	2	4
1961	91	0	0	0	0	0	0	0	2	7	12	8	13	11	8	16	9	3	2
1962	112	0	0	0	0	0	0	0	2	2	16	16	9	16	17	12	16	4	2
1963	92	0	0	0	0	0	1	0	1	2	10	10	17	10	6	16	8	7	4
1964	89	0	0	0	0	0	0	0	1	5	8	11	19	13	10	9	2	5	6
1965	93	0	0	0	0	0	1	0	0	4	5	11	14	16	12	8	10	4	8
1966	108	0	1	0	0	2	0	0	0	5	11	17	15	10	12	8	13	13	1
1967	111	0	0	1	0	0	1	2	0	6	8	16	25	16	14	12	8	0	2
1968	180	1	1	0	0	0	0	0	1	5	19	24	38	27	19	16	11	10	8
1969	188	0	0	0	1	1	0	0	2	2	7	36	46	32	18	18	8	10	7
1970	187	0	0	0	0	0	0	0	3	3	13	26	36	34	23	19	15	10	5
1971	238	0	1	0	0	0	0	1	0	7	14	45	48	41	25	24	18	7	7
1972	114	0	0	0	0	0	0	0	1	3	10	9	13	33	13	12	10	6	4
1973	213	0	1	2	0	0	0	0	2	5	9	23	36	43	33	22	19	5	13
1974	227	0	0	0	0	0	0	0	2	2	8	27	45	48	39	23	14	4	15
1975	248	1	0	0	0	0	1	1	0	1	14	30	38	52	37	28	19	16	10
1976	250	0	1	1	0	0	1	0	3	3	12	27	46	47	40	28	17	13	11
1977	270	0	0	1	0	0	0	1	1	1	21	26	41	52	47	20	31	16	12

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-	-	-	-	-	-
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1952	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1953	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1955	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1956	-	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1958	-	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1959	-	-	.0	-	.0	.0	.0	.1	-	-	.1	.1	-	-	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	-	-	-	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-
1966	-	.0	-	.0	.0	.1	.0	.0	.0	-	.1	.1	-	-	-	-	-	-	-
1967	-	.0	.0	-	.0	.0	-	-	.0	-	-	.1	.1	-	-	-	-	.0	-
1968	-	-	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1969	-	.0	.0	.0	-	-	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1971	-	.0	-	.0	.0	.0	.0	-	.0	.1	.1	.2	.1	.1	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-
1973	-	.0	-	.1	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-
1975	-	-	.0	.0	.0	.0	-	-	.0	-	.1	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.1	.1	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1977	-	.0	.0	.1	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.2	.0	.0	.0	.4	.2	.8	3.2	1.4	.5	1.7	3.1	.0	.0
1951	.3	.0	.0	.0	.0	.0	.0	.2	.0	.6	.2	1.3	2.4	2.8	.0	.0	.0	.0	.0
1952	.2	.0	.0	.0	.0	.0	.0	.0	.2	.6	.2	.3	2.3	1.4	1.9	.0	.0	.0	.0
1953	.2	.0	.0	.0	.0	.0	.0	.0	.0	.6	.0	.5	1.0	1.3	1.4	.0	1.3	5.0	.0
1954	.3	.0	.0	.0	.0	.0	.0	.0	.2	.6	1.3	.2	.9	2.1	2.3	.0	3.8	2.4	.0
1955	.3	.0	.0	.1	.0	.0	.0	.0	.0	.4	.2	.2	.6	2.5	2.7	2.9	2.4	2.4	8.2
1956	.3	.0	.0	.0	.0	.0	.0	.2	.0	.0	.6	.7	1.4	2.4	2.2	1.4	1.2	.0	.0
1957	.3	.0	.0	.0	.0	.0	.0	.0	.2	.5	.6	.7	2.2	1.2	2.6	.7	1.1	.0	.0
1958	.4	.0	.0	.0	.0	.0	.0	.0	.0	.5	1.0	.9	1.9	1.1	3.0	1.3	2.1	.0	3.5
1959	.4	.0	.0	.0	.0	.0	.0	.0	.3	.2	1.2	2.1	1.8	2.2	.8	1.9	.0	2.2	.0
1960	.3	.0	.0	.0	.0	.0	.0	.2	.2	.4	.4	.9	1.8	1.7	1.6	.0	1.0	.0	6.5
1961	.5	.0	.0	.0	.0	.0	.0	.2	.0	1.2	1.5	1.7	2.2	2.4	1.6	2.3	.0	.0	.0
1962	.5	.0	.0	.0	.0	.0	.0	.0	.2	1.5	1.1	1.9	2.4	3.3	1.1	.6	3.7	.0	3.3
1963	.4	.0	.0	.0	.0	.0	.0	.2	.0	.5	.9	1.7	1.9	3.2	1.1	1.1	.9	.0	3.3
1964	.4	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.9	2.2	1.9	1.0	2.2	3.7	.9	1.6	3.1
1965	.4	.0	.0	.0	.0	.0	.0	.0	.3	.8	1.5	1.0	2.1	1.9	1.7	1.0	.9	.0	.0
1966	.5	.0	.0	.0	.0	.0	.2	.0	.3	1.0	.9	2.2	3.9	1.2	3.1	1.0	1.7	3.1	.0
1967	.6	.0	.0	.0	.0	.0	.0	.2	.2	1.1	2.0	4.0	2.7	2.1	2.4	2.0	1.7	.0	.0
1968	.7	.0	.0	.0	.0	.0	.0	.2	.5	1.0	2.6	4.4	2.0	3.1	3.3	4.0	.8	.0	2.4
1969	.9	.0	.0	.0	.0	.1	.1	.3	.6	2.4	3.1	3.4	3.3	4.1	4.9	2.5	1.7	1.5	2.3
1970	.7	.0	.0	.0	.0	.0	.0	.1	.2	1.1	2.4	3.5	3.6	2.4	2.9	2.4	3.3	2.9	4.3
1971	.8	.0	.0	.0	.0	.0	.1	.1	.5	1.0	2.0	3.0	3.4	3.0	3.5	3.7	3.1	6.8	4.2
1972	.8	.0	.0	.0	.0	.0	.0	.0	.3	.0	1.3	3.3	5.0	4.0	4.3	4.7	1.5	2.6	4.0
1973	.8	.0	.0	.0	.0	.2	.1	.0	.6	1.3	3.0	3.5	3.7	4.1	3.3	1.9	2.3	1.2	1.9
1974	.8	.0	.0	.0	.1	.0	.0	.1	.6	1.6	2.3	3.4	4.3	4.1	2.3	1.8	5.3	1.2	.0
1975	1.0	.0	.0	.0	.0	.0	.0	.0	.9	1.1	2.9	2.6	4.9	6.6	3.0	5.5	4.3	3.5	3.1
1976	.9	.0	.0	.1	.1	.0	.1	.1	.3	.8	2.9	3.4	5.1	5.7	1.6	5.9	1.4	2.2	1.5
1977	1.0	.0	.0	.0	.0	.0	.0	.2	.8	.6	3.0	4.5	5.3	6.0	3.5	3.0	3.5	4.3	2.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	24	0	0	0	0	1	0	0	0	2	1	3	9	3	1	2	2	0	0
1951	23	0	0	0	0	0	0	1	0	3	1	5	7	6	0	0	0	0	0
1952	20	0	0	0	0	0	0	0	1	3	1	1	7	3	4	0	0	0	0
1953	17	0	0	0	0	0	0	0	0	3	0	2	3	3	3	0	1	2	0
1954	28	0	0	0	0	0	0	0	1	3	6	1	3	5	5	0	3	1	0
1955	28	0	0	1	0	0	0	0	0	2	1	1	2	6	6	4	2	1	2
1956	26	0	0	0	0	0	0	1	0	0	3	3	5	6	5	2	1	0	0
1957	29	0	0	0	0	0	0	0	1	3	3	3	8	3	6	1	1	0	0
1958	34	0	0	0	0	0	0	0	0	3	5	4	7	3	7	2	2	0	1
1959	37	0	0	0	0	0	0	0	2	1	6	9	7	6	2	3	0	1	0
1960	29	0	0	0	0	0	0	1	1	2	2	4	7	5	4	0	1	0	2
1961	48	0	0	0	0	0	0	1	0	7	8	8	9	7	4	4	0	0	0
1962	54	0	0	0	0	0	0	0	1	9	6	9	10	10	3	1	4	0	1
1963	42	0	0	0	0	0	0	1	0	3	5	8	8	10	3	2	1	0	1
1964	49	0	0	0	0	0	0	0	0	1	10	11	8	3	6	7	1	1	1
1965	43	0	0	0	0	0	0	0	2	5	8	5	9	6	5	2	1	0	0
1966	61	0	0	0	0	0	1	0	2	6	5	11	17	4	9	2	2	2	0
1967	72	0	0	0	0	0	0	1	1	7	11	20	12	7	7	4	2	0	0
1968	87	0	0	0	0	0	0	1	3	6	15	22	9	11	10	8	1	0	1
1969	112	0	0	0	0	1	1	2	4	15	18	17	15	15	15	5	2	1	1
1970	88	0	0	0	0	0	0	1	1	7	14	18	16	9	9	5	4	2	2
1971	96	0	0	0	0	0	1	1	3	6	12	16	15	12	11	8	4	5	2
1972	48	0	0	0	0	0	0	0	1	0	4	9	11	8	7	5	1	1	1
1973	106	0	0	0	0	2	1	0	4	8	18	20	16	17	11	4	3	1	1
1974	106	0	0	0	1	0	0	1	4	10	14	20	19	17	8	4	7	1	0
1975	130	0	0	0	0	0	0	0	6	7	18	15	23	27	11	12	6	3	2
1976	121	0	0	1	1	0	1	1	2	5	18	20	25	23	6	13	2	2	1
1977	141	0	0	0	0	0	0	2	6	4	19	27	27	24	14	7	5	4	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	.1	-	-	-	-	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	-	.0	.1	-	.1	.1	.1	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.1	-	-	.0	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	-	-	-	-	.0	-	.1	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	.1	.1	.0	.1	-	.0
1955	-	.0	.0	.2	.0	.0	.0	.0	.0	-	-	-	-	.1	.1	-	-	-	.1
1956	-	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	-	-	-	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.1	-	.1	-	-	.0	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	-	.1	-	-	.0	-
1959	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	.1	-	-	.0	-	.0
1960	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	.0	-	.0	-
1961	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	.1	-	-	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	-	.2	.1	.1	.1	.1	-	-	-	.0	-
1963	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	.1	-	-	-	.0	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	-	.1	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	-	-	-	-	.0	.0
1966	-	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	-	.1	-	-	-	.0
1967	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.1	.1	-	-	-	.0	.0
1968	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.1	.1	.1	.1	-	.0	-
1969	.1	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.1	.1	.1	-	-	-	-
1970	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.1	.1	.1	-	-	-	-
1971	.1	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.1	.1	.1	.1	-	.1	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.2	.1	.1	.1	-	-	-
1973	.1	.0	.0	.0	.0	-	-	.0	.1	.1	.2	.2	.1	.1	.1	-	-	-	-
1974	.1	.0	.0	.0	-	.0	.0	-	.1	.2	.2	.2	.2	.1	.1	-	.1	-	.0
1975	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.2	.2	.1	.1	.1	-	-
1976	.1	.0	.0	.1	-	.0	-	-	.1	.1	.3	.2	.2	.2	-	.1	-	-	-
1977	.1	.0	.0	.0	.0	.0	.0	.1	.2	.1	.3	.3	.2	.2	.1	-	-	-	-

Oral Mesopharynx

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.0	.9	1.6	.0	.0
1951	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1952	.1	.0	.0	.0	.0	.0	.3	.0	.0	.0	.2	.3	.0	.0	.4	.8	1.5	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.0	.0	.0	.0	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.0	.0	.0	.0	.0	.0
1955	.1	.0	.0	.0	.0	.0	.0	.0	.2	.2	.2	.5	.6	.0	.4	.0	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.2	.3	.0	.0	.6	.0	.0	.0
1957	.1	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.3	.0	.4	.0	1.1	.0	2.7
1958	.1	.0	.0	.0	.0	.0	.1	.0	.0	.2	.0	1.4	.0	.4	.8	1.2	.0	.0	2.6
1959	.1	.0	.0	.0	.0	.0	.0	.1	.1	.2	.0	.0	.3	.7	.0	.0	.0	.0	.0
1960	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.4	.2	.0	.4	.0	.0	.0	.0
1961	.2	.0	.0	.0	.0	.0	.0	.0	.3	.6	.2	.2	.7	.3	1.0	1.0	.0	.0	.0
1962	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.2	.7	.3	.3	.0	.0	.0	.0
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.6	.0	.6	.0	.5	.0	.0	.0
1964	.1	.0	.0	.0	.0	.0	.0	.0	.1	.6	.7	.2	.2	.6	.0	.5	.0	.0	2.2
1965	.1	.0	.0	.0	.0	.0	.0	.0	.4	.3	.0	.0	.4	.6	.0	1.7	.0	1.3	.0
1966	.1	.0	.0	.0	.0	.1	.0	.0	.4	.3	.3	.4	.4	.3	.0	.0	.0	.0	.0
1967	.2	.0	.0	.0	.0	.0	.0	.0	.1	.8	.2	.2	.8	.5	.6	.4	.7	.0	.0
1968	.2	.0	.0	.0	.0	.1	.0	.0	.4	.3	.5	1.4	.0	.8	.8	.4	.0	.0	.0
1969	.1	.0	.0	.0	.0	.0	.0	.0	.1	.5	.2	.9	.6	.0	.3	.8	.6	1.1	.0
1970	.2	.0	.0	.1	.0	.0	.1	.0	.3	.4	.3	.9	.6	.9	.5	.0	.6	.0	.0
1971	.2	.0	.0	.0	.0	.1	.0	.0	.0	.1	.6	1.3	1.2	.2	.3	.0	.0	.0	1.3
1972	.3	.0	.0	.0	.0	.0	.0	.2	.3	.8	.9	1.3	1.2	.4	.0	.0	1.2	.0	4.9
1973	.3	.0	.0	.0	.0	.0	.0	.1	.1	.4	.7	1.1	2.2	.4	1.2	1.2	.0	.0	3.4
1974	.2	.0	.0	.0	.0	.0	.0	.0	.0	.5	.4	.6	.8	1.4	.9	.8	.0	.8	2.0
1975	.3	.0	.0	.0	.0	.0	.0	.0	.1	.3	1.4	1.0	1.1	1.0	.2	.8	.0	.0	2.7
1976	.3	.0	.0	.0	.0	.1	.0	.1	.0	.3	.7	1.6	1.2	1.5	1.0	.8	.0	.7	.0
1977	.2	.0	.0	.0	.0	.0	.0	.0	.0	.5	.4	1.0	.7	.6	.8	1.1	1.6	.0	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0
1951	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1952	7	0	0	0	0	0	2	0	0	0	1	1	0	0	1	1	1	0	0
1953	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0
1954	2	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0
1955	8	0	0	0	0	0	0	0	1	1	1	2	2	0	1	0	0	0	0
1956	4	0	0	0	0	0	1	0	0	0	0	1	1	0	0	1	0	0	0
1957	6	0	0	0	0	0	0	0	1	1	0	0	1	0	1	0	1	0	1
1958	14	0	0	0	0	0	1	0	0	1	0	6	0	1	2	2	0	0	1
1959	6	0	0	0	0	0	0	1	1	1	0	0	1	2	0	0	0	0	0
1960	8	0	0	0	0	0	0	0	0	1	3	2	1	0	1	0	0	0	0
1961	17	0	0	0	0	0	0	0	2	4	1	1	3	1	3	2	0	0	0
1962	8	0	0	0	0	0	0	0	0	1	1	1	3	1	1	0	0	0	0
1963	8	0	0	0	0	0	0	0	0	2	0	3	0	2	0	1	0	0	0
1964	15	0	0	0	0	0	0	0	1	4	4	1	1	2	0	1	0	0	1
1965	14	0	0	0	0	0	0	0	3	2	0	0	2	2	0	4	0	1	0
1966	13	0	0	0	0	1	0	0	3	2	2	2	2	1	0	0	0	0	0
1967	19	0	0	0	0	0	0	0	1	6	1	1	4	2	2	1	1	0	0
1968	24	0	0	0	0	1	0	0	3	2	3	8	0	3	3	1	0	0	0
1969	19	0	0	0	0	0	0	0	1	4	1	5	3	0	1	2	1	1	0
1970	24	0	0	1	0	0	1	0	2	3	2	5	3	4	2	0	1	0	0
1971	23	0	0	0	0	1	0	0	0	1	4	8	6	1	1	0	0	0	1
1972	19	0	0	0	0	0	0	1	1	3	3	4	3	1	0	0	1	0	2
1973	41	0	0	0	0	0	0	1	1	3	5	7	11	2	5	3	0	0	3
1974	31	0	0	0	0	0	0	0	0	4	3	4	4	7	4	2	0	1	2
1975	37	0	0	0	0	0	0	0	1	2	10	7	6	5	1	2	0	0	3
1976	42	0	0	0	0	1	0	1	0	2	5	11	7	7	5	2	0	1	0
1977	31	0	0	0	0	0	0	0	0	4	3	7	4	3	4	3	3	0	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.0	.0
1951	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	-	-	.0	.0	-	-	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0	.0	.0	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	-	.0	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	-	-	.0	.0	-	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0	-	.0	-	.0	-
1958	-	.0	.0	.0	.0	.0	.1	.0	.0	-	.0	.1	.0	-	-	-	.0	.0	-
1959	-	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0	-	-	.0	.0	.0	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.0	-	.0	.0	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	-	-	-	-	-	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	.0	.0	.0	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	-	.0	.0	.0
1964	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	-	.0	-	.0	.0	-
1965	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.0	.0	-	-	.0	-	.0	-	.0
1966	-	.0	.0	.0	.0	.1	.0	.0	.1	-	-	-	-	-	.0	.0	.0	.0	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.1	-	-	-	-	.0	.0
1968	-	.0	.0	.0	.0	.1	.0	.0	.1	-	.1	.1	.0	-	-	-	.0	.0	.0
1969	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	-	.0	-	-	-	-	.0
1970	-	.0	.0	.2	.0	.0	.1	.0	.1	.1	-	.1	-	-	-	.0	-	.0	.0
1971	-	.0	.0	.0	.0	.1	.0	.0	.0	-	.1	.1	.1	-	-	.0	.0	.0	-
1972	-	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	-	.0	.0	-	.0	-
1973	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	.0	.0	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	-	-	.0	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.1	.1	-	-	.0	.0	-
1976	-	.0	.0	.0	.0	.1	.0	.1	.0	.1	.1	.2	.1	.1	-	-	.0	-	.0
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	-	-	-	.0	.0

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	208	0.31	0.33	0.20	67	0.10	0.10	0.07	27	0.35	0.42	0.28	7	0.09	0.10	0.07
1951	202	0.29	0.31	0.18	76	0.11	0.11	0.08	36	0.45	0.51	0.33	7	0.08	0.10	0.07
1952	233	0.33	0.35	0.20	79	0.11	0.11	0.08	37	0.46	0.51	0.32	9	0.11	0.14	0.10
1953	217	0.31	0.32	0.18	80	0.11	0.11	0.08	24	0.29	0.35	0.22	3	0.03	0.03	0.02
1954	249	0.35	0.36	0.20	84	0.12	0.11	0.08	34	0.40	0.47	0.27	7	0.08	0.10	0.07
1955	242	0.33	0.34	0.19	88	0.12	0.11	0.08	23	0.26	0.31	0.18	15	0.16	0.19	0.13
1956	277	0.37	0.39	0.22	80	0.11	0.10	0.07	41	0.46	0.54	0.30	10	0.11	0.11	0.07
1957	285	0.38	0.39	0.22	84	0.11	0.11	0.08	46	0.50	0.63	0.35	10	0.10	0.12	0.08
1958	265	0.35	0.36	0.20	86	0.11	0.11	0.08	44	0.47	0.58	0.33	8	0.08	0.10	0.07
1959	324	0.42	0.43	0.24	103	0.13	0.13	0.09	46	0.48	0.61	0.32	12	0.12	0.14	0.10
1960	288	0.36	0.38	0.21	125	0.15	0.15	0.11	47	0.47	0.57	0.30	13	0.12	0.16	0.11
1961	316	0.39	0.41	0.23	110	0.13	0.13	0.10	52	0.51	0.62	0.32	12	0.11	0.13	0.09
1962	305	0.37	0.39	0.22	105	0.13	0.12	0.09	56	0.53	0.70	0.36	16	0.14	0.17	0.12
1963	356	0.43	0.45	0.24	125	0.15	0.14	0.11	49	0.46	0.56	0.27	12	0.11	0.12	0.09
1964	322	0.39	0.41	0.22	127	0.15	0.14	0.11	58	0.53	0.68	0.33	14	0.12	0.15	0.11
1965	316	0.37	0.39	0.21	94	0.11	0.10	0.08	57	0.51	0.65	0.31	22	0.18	0.22	0.16
1966	290	0.34	0.36	0.19	123	0.14	0.13	0.10	48	0.42	0.51	0.24	16	0.13	0.16	0.11
1967	341	0.40	0.42	0.22	113	0.13	0.12	0.09	60	0.52	0.66	0.30	23	0.19	0.22	0.16
1968	340	0.39	0.41	0.21	126	0.14	0.13	0.10	57	0.48	0.63	0.28	18	0.14	0.17	0.12
1969	390	0.45	0.47	0.24	113	0.12	0.11	0.09	65	0.54	0.70	0.31	23	0.18	0.23	0.16
1970	344	0.39	0.41	0.21	144	0.16	0.14	0.11	49	0.40	0.53	0.23	22	0.17	0.20	0.14
1971	334	0.38	0.39	0.20	170	0.18	0.17	0.13	77	0.62	0.77	0.34	20	0.15	0.17	0.12
1972	183	0.41	0.42	0.21	68	0.15	0.13	0.10	38	0.60	0.79	0.33	14	0.20	0.23	0.16
1973	348	0.39	0.40	0.20	162	0.17	0.16	0.12	64	0.50	0.64	0.27	25	0.18	0.21	0.15
1974	371	0.41	0.42	0.21	148	0.16	0.14	0.10	64	0.49	0.65	0.26	33	0.23	0.26	0.18
1975	335	0.37	0.38	0.18	167	0.18	0.15	0.12	78	0.58	0.75	0.30	26	0.18	0.21	0.15
1976	359	0.39	0.40	0.19	158	0.17	0.14	0.11	78	0.57	0.72	0.29	29	0.19	0.24	0.16
1977	331	0.36	0.36	0.17	178	0.19	0.16	0.12	76	0.55	0.73	0.28	37	0.24	0.29	0.19


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Adenoid tissue, lymphadenoid tissue, and pharyngeal bursa.
(ICD 146 [6th]; ICD 146 [7th]; ICD 147 [8th])


Nasopharynx

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



SHANMUGARATNAM K, CHAN SH, DE-THÉ G, et al : Histopathology of nasopharyngeal carcinoma: Correlations with epidemiology, survival rates and other biological characteristics. Cancer 44:1029-1044, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	-	-	.1	.1	.1	-	-	.2	.5	.7	.6	.6	1.2	.9	.9	1.2	1.3	2.7
1951	.3	-	-	-	.1	.1	.1	.1	.1	.2	.6	.6	.9	1.1	1.1	.9	1.0	1.2	2.1
1952	.3	-	-	.0	.1	.1	.1	.1	.1	.3	.5	.7	1.0	1.6	1.1	1.1	1.2	1.8	.8
1953	.3	-	-	-	-	.1	-	.1	.2	.3	.3	.6	.9	1.6	1.0	.8	1.3	1.2	.7
1954	.3	-	-	-	-	.0	.1	.1	.2	.4	.5	.7	1.1	1.4	1.0	1.3	1.4	1.5	.7
1955	.3	-	-	-	-	-	-	.1	.2	.4	.5	.7	1.0	1.3	1.3	1.1	1.0	1.1	1.3
1956	.4	-	-	-	.1	.1	.1	.1	.1	.3	.6	.9	1.1	1.5	1.3	1.4	1.3	1.4	1.3
1957	.4	-	.1	-	-	.2	-	.1	.1	.4	.6	1.0	.8	1.3	1.6	1.3	1.2	1.5	1.6
1958	.3	.0	-	-	.1	-	.1	.1	.1	.3	.5	.9	1.1	1.3	1.3	1.1	1.6	1.5	1.6
1959	.4	-	-	-	.1	.2	.1	.2	.2	.4	.5	1.0	.9	1.6	1.8	1.5	1.4	1.3	1.2
1960	.4	-	-	-	-	.1	-	.1	.1	.3	.6	.8	1.2	1.2	1.8	1.6	1.3	.6	.9
1961	.4	.0	-	-	.1	.1	.1	.1	.1	.4	.6	.8	1.1	1.5	1.8	1.5	1.6	1.2	1.5
1962	.4	-	-	-	-	.1	.1	.1	.1	.2	.5	1.0	1.2	1.3	1.6	1.6	1.1	1.6	1.7
1963	.4	.0	-	-	-	.1	-	-	.1	.3	.7	1.1	1.4	1.9	2.0	1.3	1.9	1.0	1.4
1964	.4	-	-	-	-	-	-	-	.2	.3	.4	.9	.9	2.1	1.6	1.7	1.4	2.1	1.7
1965	.4	-	-	-	-	-	.1	.1	.2	.3	.5	1.0	1.1	1.6	1.6	1.4	1.1	.8	2.2
1966	.3	.0	-	-	.1	.1	-	.1	.2	.3	.4	1.0	1.0	1.5	1.1	1.2	.9	1.3	1.6
1967	.4	-	-	-	-	-	-	.1	.2	.3	.7	.8	1.5	1.6	1.5	1.6	1.4	1.2	2.8
1968	.4	.1	.1	-	.1	.1	-	.1	.1	.1	.7	.8	1.2	1.4	1.5	1.6	2.1	1.3	.8
1969	.4	-	-	.0	-	.1	.1	-	.3	.4	.5	1.0	1.5	1.7	2.1	1.4	2.0	1.8	1.4
1970	.4	.0	-	-	-	-	-	.1	.2	.2	.6	.9	1.0	1.4	1.6	2.4	1.2	1.8	.4
1971	.4	-	-	-	-	-	-	.1	.1	.2	.4	.8	1.3	1.7	1.6	1.4	1.7	2.1	.2
1972	.4	.0	.0	-	.0	.1	.1	.1	.0	.3	.5	1.0	1.5	1.7	1.3	1.5	1.9	2.1	.8
1973	.4	.0	-	.0	.1	-	-	.1	.2	.2	.6	.9	1.4	1.4	1.6	1.8	1.4	1.0	1.4
1974	.4	.0	-	-	.1	-	.1	-	.1	.4	.5	.7	1.1	1.8	1.8	1.7	2.3	1.4	.8
1975	.4	-	-	-	-	-	-	-	.1	.2	.7	.8	1.2	1.5	1.5	1.4	1.6	.9	1.3
1976	.4	.0	.0	-	.1	-	.1	-	.2	.3	.4	.6	1.5	1.8	1.5	1.6	2.0	1.0	.5
1977	.4	-	-	-	-	-	.1	-	.1	.3	.5	.8	1.1	1.5	1.8	1.2	1.0	1.3	1.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	208	1	1	3	5	4	2	2	8	21	27	22	21	34	20	14	11	6	6
1951	202	3	2	1	3	4	3	3	7	7	24	22	32	31	25	14	10	6	5
1952	233	2	2	0	3	6	8	3	4	12	21	25	36	46	25	17	12	9	2
1953	217	3	3	1	2	4	2	4	9	15	15	23	30	48	24	13	13	6	2
1954	249	2	1	1	2	0	7	3	11	21	23	26	38	42	24	23	15	8	2
1955	242	2	1	2	2	2	1	3	8	19	25	28	35	41	33	19	11	6	4
1956	277	2	2	2	4	3	4	4	6	16	29	37	38	47	32	25	14	8	4
1957	285	2	5	1	1	9	2	5	7	20	29	39	29	42	41	25	14	9	5
1958	265	0	2	1	3	1	3	5	7	17	23	36	40	39	34	21	19	9	5
1959	324	2	3	2	3	9	4	9	13	19	25	44	34	49	49	30	17	8	4
1960	288	1	4	1	1	4	2	5	8	13	28	34	44	39	48	32	17	4	3
1961	316	0	4	2	7	4	5	5	3	20	28	37	41	47	49	30	21	8	5
1962	305	1	2	2	3	6	3	4	8	13	23	45	45	41	44	33	15	11	6
1963	356	0	1	2	3	4	1	2	7	18	34	50	57	59	53	28	25	7	5
1964	322	1	2	1	3	1	2	1	11	16	20	39	38	67	43	37	19	15	6
1965	316	1	2	3	3	3	5	4	8	19	26	44	45	51	42	31	15	6	8
1966	290	0	2	2	7	4	1	3	9	17	22	46	43	49	31	26	12	10	6
1967	341	1	4	1	1	3	2	3	8	15	34	37	64	53	41	34	20	9	11
1968	340	4	5	2	6	7	2	3	7	7	38	38	53	48	42	34	31	10	3
1969	390	2	4	0	1	5	4	1	15	19	28	49	66	60	58	29	29	14	6
1970	344	0	1	2	4	3	2	4	11	13	31	46	44	52	46	50	18	15	2
1971	334	1	2	2	3	3	2	5	5	12	22	41	56	62	45	30	25	17	1
1972	183	0	0	1	0	3	3	2	0	8	14	26	33	32	20	16	14	9	2
1973	348	0	2	0	6	3	2	3	10	11	29	47	61	52	48	38	20	9	7
1974	371	0	3	2	8	1	4	1	6	22	26	37	49	71	55	37	33	12	4
1975	335	1	3	1	4	1	3	2	4	9	37	42	53	57	48	32	23	8	7
1976	359	0	0	1	5	1	4	1	11	15	21	30	71	72	49	37	29	9	3
1977	331	1	1	3	1	3	5	2	6	13	23	43	50	59	60	28	15	12	6

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	-	.1	.1	-	-	-	.1	.1	.1	-	-	-	-	-	-	-	-
1951	-	-	-	-	-	-	-	-	-	-	.1	-	-	-	-	-	-	-	-
1952	-	-	-	.0	-	.1	.1	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1953	-	-	.1	-	-	-	-	-	.1	.1	-	.1	-	.1	-	-	-	-	-
1954	-	-	-	-	-	.0	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1955	-	-	-	.1	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1956	-	-	-	.1	.1	-	.1	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1957	-	-	.1	-	-	.1	-	.1	.1	.1	.1	.1	-	-	-	-	-	-	-
1958	-	.0	-	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-
1959	-	-	.1	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1960	-	-	.1	-	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-
1961	-	.0	.1	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	-	-	-	-	-
1962	-	-	-	.1	-	.1	-	-	.1	.1	.1	.1	.1	-	-	-	-	-	-
1963	-	.0	-	.1	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1964	-	-	-	-	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1965	-	-	-	.1	-	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1966	-	.0	-	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1967	-	-	.1	-	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1968	-	-	.1	-	.1	.1	-	-	.1	-	.1	.1	.1	-	-	-	-	-	-
1969	-	-	.1	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1970	-	.0	-	-	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1971	-	-	.1	-	-	-	-	.1	-	.1	.1	.1	.1	.1	-	-	-	-	-
1972	-	.0	.0	-	.0	-	.1	-	.0	.1	.1	.1	.1	.1	-	-	-	-	-
1973	-	.0	.1	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1974	-	.0	.1	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1975	-	-	.1	-	-	-	-	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1976	-	.0	.0	-	-	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1977	-	-	-	.1	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-

Nasopharynx

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	-	.1	.0	.1	.1	.1	.1	.1	.2	.4	.1	.3	.3	.1	.7	.0
1951	.1	.0	.0	-	-	-	-	.1	.1	.2	.2	.3	.4	.1	.2	.5	.3	.6	.3
1952	.1	.0	-	-	-	.0	.1	-	.1	-	.1	.3	.3	.1	.5	.5	.4	.5	.6
1953	.1	-	-	.0	-	-	-	-	.1	-	.2	.3	.1	.4	.3	.2	.7	.7	.5
1954	.1	.1	.0	.0	-	-	-	-	.1	.1	.1	.2	.3	.5	.5	.3	.4	.6	.5
1955	.1	-	-	-	.0	.0	-	.1	.1	.2	.1	.2	.3	.4	.4	.3	.2	1.0	.0
1956	.1	-	-	-	-	.0	-	-	-	-	.2	.1	.4	.4	.6	.4	.2	.3	.2
1957	.1	-	.0	.0	-	.0	-	.1	.1	.1	.2	.2	.3	.3	.3	.3	.6	.5	.0
1958	.1	.0	.0	-	.0	.0	.1	-	.1	.2	.1	.3	.3	.3	.4	.1	.3	.7	.6
1959	.1	-	-	-	-	.0	.0	-	-	.2	.1	.3	.3	.5	.5	.2	.6	.7	1.0
1960	.2	.0	.0	-	.1	-	.1	-	.1	.2	.4	.4	.2	.3	.5	.8	.4	.8	.4
1961	.1	-	-	-	.0	-	-	.1	.1	.2	.1	.3	.3	.3	.5	.5	.3	.5	.5
1962	.1	-	.0	-	-	.1	.1	-	.1	.2	.2	.2	.1	.6	.2	.5	.4	.4	.9
1963	.1	-	-	-	-	.1	-	.0	.1	.1	.3	.3	.2	.2	.4	.6	.4	.4	.9
1964	.1	-	.0	-	-	.0	-	-	.1	.1	.1	.4	.4	.4	.4	.4	.7	.9	1.2
1965	.1	-	-	-	-	.0	.1	-	.1	.1	.1	.2	.2	.2	.3	.3	.7	.3	.9
1966	.1	.0	-	-	-	-	.0	.0	.1	.1	.2	.2	.5	.2	.5	.6	.5	.1	.9
1967	.1	.0	.0	-	-	.0	-	.0	-	.1	.2	.2	.2	.2	.3	.8	.7	.6	1.0
1968	.1	.0	-	.0	-	.0	-	-	.1	.1	.2	.3	.3	.6	.4	.5	.5	.4	.9
1969	.1	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.3	.3	.4	.3	.5	.5	.6	.8
1970	.2	.0	-	-	-	-	-	-	.1	.2	.2	.3	.4	.5	.4	.5	.5	.5	1.3
1971	.2	.0	-	.0	.0	-	.0	-	.1	.2	.2	.4	.4	.7	.7	.4	.9	.4	1.0
1972	.1	.0	.0	-	.0	-	.0	.0	.0	.1	.3	.4	.5	.3	.4	.2	.5	.8	.4
1973	.2	-	-	-	-	-	-	-	.1	.1	.2	.3	.4	.7	.6	.4	.8	.4	.6
1974	.2	.0	.0	.0	.0	-	-	-	.1	.2	.2	.3	.5	.3	.5	.7	.5	.9	.6
1975	.2	-	-	-	-	.0	-	-	.1	.1	.3	.3	.4	.4	.7	.6	.5	.6	.9
1976	.2	.0	.0	-	-	-	.0	.1	-	.1	.1	.3	.5	.7	.5	.4	.6	.3	.6
1977	.2	.0	.0	-	-	-	-	-	-	.2	.2	.2	.5	.6	.5	1.0	.7	.5	.6

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	67	0	0	1	3	0	3	5	6	3	4	8	12	4	8	5	1	4	0
1951	76	0	0	2	1	1	2	3	3	8	8	10	13	4	5	8	3	4	1
1952	79	0	1	1	1	0	3	2	7	2	4	10	12	4	13	9	5	3	2
1953	80	1	2	0	2	1	1	1	5	2	11	12	5	11	7	4	8	5	2
1954	84	4	0	0	1	2	1	1	3	3	6	9	9	15	14	5	5	4	2
1955	88	2	2	1	0	0	2	3	5	9	5	7	10	14	11	7	3	7	0
1956	80	1	2	1	1	0	1	2	1	1	9	3	15	13	16	8	3	2	1
1957	84	1	0	0	1	0	1	3	4	5	11	10	12	9	9	6	8	4	0
1958	86	0	0	1	0	0	5	1	5	8	3	11	11	11	13	3	5	6	3
1959	103	1	1	1	1	0	0	1	2	8	6	15	10	17	15	5	9	6	5
1960	125	0	0	1	4	1	4	2	4	9	18	17	6	12	14	18	6	7	2
1961	110	2	1	2	0	1	1	3	4	12	5	13	13	12	15	13	5	5	3
1962	105	1	0	1	3	3	3	2	4	11	11	8	3	20	7	13	6	4	5
1963	125	4	3	1	1	5	1	0	8	8	17	13	10	7	14	17	7	4	5
1964	127	1	0	2	2	0	1	1	6	4	7	19	18	16	12	10	12	9	7
1965	94	1	1	2	2	0	3	1	6	7	6	10	9	6	10	8	13	3	6
1966	123	0	1	3	2	1	0	0	3	8	13	12	22	9	16	17	9	1	6
1967	113	0	0	1	1	0	1	0	2	6	10	12	11	8	11	22	14	7	7
1968	126	0	1	0	1	0	1	2	3	5	9	16	13	25	13	15	10	5	7
1969	113	0	0	0	0	3	0	2	4	3	7	15	12	16	11	15	11	8	6
1970	144	0	3	2	1	3	1	2	3	9	9	15	17	22	15	13	11	7	11
1971	170	0	1	0	0	1	0	1	7	8	10	21	20	29	25	13	19	6	9
1972	68	0	0	2	0	1	0	0	0	3	7	11	13	7	8	3	5	6	2
1973	162	2	1	1	1	2	1	2	4	7	11	19	18	29	22	13	17	6	6
1974	148	0	0	0	0	3	1	1	3	8	12	15	22	13	18	21	12	13	6
1975	167	1	1	1	2	0	1	3	3	3	17	18	20	19	30	17	11	10	10
1976	158	0	0	2	4	2	0	6	1	5	6	18	25	30	21	12	14	5	7
1977	178	0	0	1	3	2	1	2	1	9	8	12	25	29	21	32	16	8	8

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.1	.1	.0	.1	.1	.1	-	-	-	-	-	-	-	-	-	.0
1951	-	.0	.0	.1	-	-	-	-	-	.1	-	-	-	-	-	-	-	-	-
1952	-	.0	-	-	-	.0	.1	-	.1	-	-	-	-	-	-	-	-	-	-
1953	-	-	.1	.0	.1	-	-	-	.1	-	.1	-	-	-	-	-	-	-	-
1954	-	-	.0	.0	-	.1	-	-	-	-	-	-	-	-	-	-	-	-	-
1955	-	-	.1	.1	.0	.0	.1	.1	.1	.1	-	-	-	-	-	-	-	-	.0
1956	-	-	.1	.1	-	.0	-	-	-	-	.1	-	-	-	-	-	-	-	-
1957	-	-	.0	.0	-	.0	-	.1	-	-	.1	-	-	-	-	-	-	-	.0
1958	-	.0	.0	-	.0	.0	.1	-	.1	.1	-	-	-	-	-	-	-	-	-
1959	-	-	-	-	-	.0	.0	-	-	.1	-	.1	-	-	-	-	-	-	-
1960	-	.0	.0	-	.1	-	.1	-	-	.1	.1	.1	-	-	-	-	-	-	-
1961	-	-	-	.1	.0	-	-	.1	-	.1	-	.1	-	-	-	-	-	-	-
1962	-	-	.0	-	.1	.1	.1	-	-	.1	.1	-	-	-	-	-	-	-	-
1963	-	-	.1	-	-	.1	-	.0	.1	.1	.1	-	-	-	-	-	-	-	-
1964	-	-	.0	.1	.1	.0	-	-	.1	-	-	.1	.1	-	-	-	-	-	-
1965	-	-	-	.1	.1	.0	.1	-	.1	.1	-	-	-	-	-	-	-	-	-
1966	-	.0	-	.1	-	-	.0	.0	-	.1	.1	-	.1	-	-	-	-	-	-
1967	-	.0	.0	-	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1968	-	.0	-	.0	-	.0	-	-	-	-	-	.1	-	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.1	.0	-	.1	-	-	.1	-	-	-	-	-	-	-
1970	-	.0	.1	.1	-	.1	-	-	-	.1	-	.1	-	-	-	-	-	-	-
1971	-	.0	-	.0	.0	-	.0	-	.1	.1	-	.1	.1	.1	-	-	-	-	-
1972	-	.0	.0	.2	.0	-	.0	.0	.0	.1	.1	.1	.1	-	-	-	-	-	-
1973	-	-	-	-	-	-	-	-	.1	.1	.1	.1	-	.1	-	-	-	-	-
1974	-	.0	.0	.0	.0	.1	-	-	-	.1	.1	.1	.1	-	-	-	-	-	-
1975	-	-	.1	-	-	.0	-	.1	-	-	.1	.1	.1	-	-	-	-	-	-
1976	-	.0	.0	.1	.1	-	.0	.1	-	.1	-	.1	.1	.1	-	-	-	-	-
1977	-	.0	.0	.1	.1	-	-	-	-	.1	.1	-	.1	.1	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	.2	.2	.2	.4	1.1	1.3	2.1	.5	1.5	.9	.0	2.7	.0
1951	.5	.0	.0	.0	.2	.2	.3	.2	.7	1.0	1.6	1.0	1.7	2.8	.0	.0	.0	.0	.0
1952	.5	.0	.0	.0	.0	.7	.3	.9	.0	.6	1.1	2.0	2.0	.9	.5	.8	.0	.0	.0
1953	.3	.0	.0	.0	.0	.0	.0	.0	.2	.4	1.6	1.0	1.0	1.3	1.4	.8	.0	.0	.0
1954	.4	.0	.0	.0	.0	.0	.2	.0	.8	.7	.7	1.2	1.9	1.7	2.3	.8	.0	.0	.0
1955	.3	.0	.0	.1	.0	.2	.0	.0	.2	.7	.4	1.2	1.5	.8	.9	.0	.0	.0	.0
1956	.5	.0	.2	.1	.3	.0	.3	.2	.7	.4	.9	1.4	2.9	1.2	.9	.7	.0	2.3	.0
1957	.5	.0	.1	.0	.1	.2	.2	.6	.5	.5	.6	1.9	2.0	2.3	.4	2.7	2.2	2.3	.0
1958	.5	.0	.0	.2	.1	.3	.2	.2	.3	.5	.8	1.4	3.2	1.1	1.3	1.3	2.1	.0	.0
1959	.5	.1	.0	.1	.1	.5	.2	.3	.6	.2	.6	1.4	1.3	1.8	3.4	1.3	2.0	2.2	.0
1960	.5	.0	.0	.0	.1	.0	.0	.5	1.3	.9	.9	2.2	.8	1.4	1.6	.6	.0	4.3	3.2
1961	.5	.0	.0	.0	.0	.0	.0	.5	1.1	.2	1.5	2.2	1.0	2.4	2.7	2.9	.0	.0	.0
1962	.5	.0	.0	.0	.1	.1	.3	.0	.2	1.0	1.7	1.9	1.7	3.0	1.1	1.7	3.7	1.8	.0
1963	.5	.0	.1	.1	.2	.1	.3	.2	.6	1.0	.9	1.7	.7	2.3	.7	2.7	.9	.0	.0
1964	.5	.0	.1	.1	.1	.0	.2	.0	.0	1.0	1.7	2.7	1.6	2.2	2.5	1.1	2.7	.0	.0
1965	.5	.0	.0	.1	.3	.1	.2	.2	.3	1.0	.9	1.4	2.3	2.5	2.1	2.6	.0	1.6	.0
1966	.4	.0	.0	.1	.1	.2	.5	.0	.6	1.6	.9	.6	1.8	.6	1.4	1.0	.0	3.1	.0
1967	.5	.0	.0	.1	.3	.2	.0	.5	.3	1.0	1.4	1.6	1.8	2.3	.7	1.5	2.5	3.0	.0
1968	.5	.0	.0	.0	.2	.2	.0	.5	.0	.3	.7	2.6	2.7	2.0	1.7	1.5	1.7	1.5	.0
1969	.5	.0	.0	.0	.5	.1	.4	.3	.6	.8	1.2	1.6	2.2	1.9	.7	2.0	1.7	4.4	2.3
1970	.4	.0	.0	.0	.1	.3	.0	.4	.3	.5	.8	.8	1.8	1.1	2.3	3.4	.0	2.9	.0
1971	.6	.0	.1	.1	.2	.4	.1	.4	.2	1.1	1.5	3.0	1.6	1.3	3.2	3.3	.0	1.4	.0
1972	.6	.0	.0	.0	.1	.0	.5	.3	.6	1.6	2.0	.7	3.2	1.5	1.9	3.8	3.1	.0	.0
1973	.5	.0	.1	.0	.0	.2	.1	.7	.3	.9	2.0	1.0	1.4	2.4	.6	4.2	.8	1.2	.0
1974	.5	.0	.0	.0	.0	.2	.0	.1	.9	.5	1.5	1.2	2.2	1.7	2.6	1.8	3.8	.0	.0
1975	.6	.0	.0	.1	.1	.2	.1	.1	.6	.9	1.6	2.1	3.2	2.2	1.9	1.8	1.4	.0	1.5
1976	.6	.0	.0	.0	.0	.4	.3	.2	.6	.9	1.4	2.4	2.0	2.2	1.8	2.7	.0	1.1	1.5
1977	.5	.0	.0	.1	.2	.1	.1	.3	.3	1.1	.8	.5	2.4	2.0	3.0	3.0	5.0	3.2	.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	27	0	0	0	0	0	1	1	1	2	5	5	6	1	3	1	0	1	0
1951	36	0	0	0	1	1	2	1	4	5	7	4	5	6	0	0	0	0	0
1952	37	0	0	0	0	4	2	5	0	3	5	8	6	2	1	1	0	0	0
1953	24	0	0	0	0	0	0	0	1	2	7	4	3	3	3	1	0	0	0
1954	34	0	0	0	0	0	1	0	5	4	3	5	6	4	5	1	0	0	0
1955	23	0	0	1	0	1	0	0	1	4	2	5	5	2	2	0	0	0	0
1956	41	0	2	1	2	0	2	1	4	2	4	6	10	3	2	1	0	1	0
1957	46	0	1	0	1	1	1	4	3	3	3	8	7	6	1	4	2	1	0
1958	44	0	0	2	1	2	1	1	2	3	4	6	12	3	3	2	2	0	0
1959	46	1	0	1	1	3	1	2	4	1	3	6	5	5	8	2	2	1	0
1960	47	0	0	0	1	0	0	3	8	5	5	10	3	4	4	1	0	2	1
1961	52	0	0	0	0	0	0	3	7	1	8	10	4	7	7	5	0	0	0
1962	56	0	0	0	1	1	2	0	1	6	9	9	7	9	3	3	4	1	0
1963	49	0	1	1	2	1	2	1	4	6	5	8	3	7	2	5	1	0	0
1964	58	0	1	1	1	0	1	0	0	6	9	13	7	7	7	2	3	0	0
1965	57	0	0	1	3	1	1	1	2	6	5	7	10	8	6	5	0	1	0
1966	48	0	0	2	1	2	3	0	4	10	5	3	8	2	4	2	0	2	0
1967	60	0	0	2	3	2	0	3	2	6	8	8	8	8	2	3	3	2	0
1968	57	0	0	0	3	2	0	3	0	2	4	13	12	7	5	3	2	1	0
1969	65	0	0	0	6	1	3	2	4	5	7	8	10	7	2	4	2	3	1
1970	49	0	0	0	1	3	0	3	2	3	5	4	8	4	7	7	0	2	0
1971	77	0	1	2	3	4	1	3	1	7	9	16	7	5	10	7	0	1	0
1972	38	0	0	0	1	0	2	1	2	5	6	2	7	3	3	4	2	0	0
1973	64	0	1	0	0	2	1	5	2	6	12	6	6	10	2	9	1	1	0
1974	64	0	0	0	0	3	0	1	6	3	9	7	10	7	9	4	5	0	0
1975	78	0	0	2	2	2	1	1	4	6	10	12	15	9	7	4	2	0	1
1976	78	0	0	0	0	6	3	2	4	6	9	14	10	9	7	6	0	1	1
1977	76	0	0	2	3	1	1	3	2	7	5	3	12	8	12	7	7	3	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	-	-	-	.1	.1	.1	-	-	-	.0	-	.0
1951	-	.0	.0	.0	.1	-	.1	-	.1	.1	.1	-	.1	.1	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.2	.1	.2	.0	.1	.1	.1	.1	-	-	-	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	-	.0	.2	.1	.1	.1	.1	-	.1	-	.0	.0	.0
1955	-	.0	.0	.2	.0	.1	.0	.0	-	.1	-	.1	.1	-	-	.0	.0	.0	.0
1956	-	.0	.2	.1	.2	.0	.1	-	.1	-	.1	.1	.1	-	-	-	.0	-	.0
1957	-	.0	.1	.0	.1	.1	-	.1	.1	.1	-	.1	.1	.1	-	-	-	-	.0
1958	-	.0	.0	.3	.1	.1	-	-	.1	.1	.1	.1	.1	-	-	-	-	.0	.0
1959	-	-	.0	.1	.1	.2	-	.1	.1	-	-	.1	.1	-	.1	-	-	-	.0
1960	-	.0	.0	.0	.1	.0	.0	.1	.2	.1	.1	.1	-	-	-	-	.0	-	-
1961	-	.0	.0	.0	.0	.0	.0	.1	.2	-	.1	.1	-	.1	.1	-	.0	.0	.0
1962	-	.0	.0	.0	.1	.1	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-	.0
1963	-	.0	.1	.1	.1	-	.1	-	.1	.1	.1	.1	-	.1	-	-	-	.0	.0
1964	-	.0	.1	.1	.1	.0	-	.0	.0	.1	.1	.1	.1	.1	.1	-	-	.0	.0
1965	-	.0	.0	.1	.2	-	-	-	-	.1	.1	.1	.1	.1	-	-	.0	-	.0
1966	-	.0	.0	.2	-	.1	.1	.0	.1	.2	.1	-	.1	-	-	-	.0	-	.0
1967	-	.0	.0	.2	.1	.1	.0	.1	-	.1	.1	.1	.1	.1	-	-	-	-	.0
1968	-	.0	.0	.0	.1	.1	.0	.1	.0	-	-	.1	.1	.1	-	-	-	-	.0
1969	-	.0	.0	.0	.2	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1970	-	.0	.0	.0	-	.1	.0	.1	-	-	.1	-	.1	-	-	.1	.0	-	.0
1971	.1	.0	.1	.2	.1	.1	-	.1	-	.1	.1	.2	.1	-	.1	-	.0	-	.0
1972	.1	.0	.0	.0	.1	.0	.1	-	.1	.2	.1	-	.1	-	-	.1	-	.0	.0
1973	-	.0	.1	.0	.0	-	-	.1	-	.1	.1	.1	.1	.1	-	.1	-	-	.0
1974	-	.0	.0	.0	.0	.1	.0	-	.1	.1	.1	.1	.1	.1	.1	-	-	.0	.0
1975	.1	.0	.0	.2	.1	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	.0	-
1976	.1	.0	.0	.0	.0	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-	.0	-	-
1977	.1	.0	.0	.2	.1	-	-	.1	.1	.1	.1	-	.1	.1	.1	-	.1	-	.0

Nasopharynx

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.1	.0	.0	.0	.2	.4	.0	.4	.5	.5	.0	.0	.0	.0
1951	.1	.0	.0	.0	.2	.1	.0	.0	.0	.2	.4	.3	.4	.0	.0	.0	.0	.0	.0
1952	.1	.0	.0	.0	.0	.1	.0	.0	.3	.0	.2	.0	.7	.5	.4	.0	1.5	.0	.0
1953	-	.0	.0	.0	.0	.0	.1	.0	.0	.2	.0	.2	.0	.0	.9	.0	.0	.0	.0
1954	.1	.0	.0	.0	.0	.1	.0	.0	.0	.0	.2	.5	.0	.4	.4	.7	.0	.0	.0
1955	.2	.0	.1	.0	.1	.3	.0	.0	.0	.5	.4	.9	.3	.4	.0	.0	.0	.0	.0
1956	.1	.0	.1	.0	.0	.1	.0	.3	.0	.5	.4	.0	.3	.0	.0	.0	.0	.0	.0
1957	.1	.0	.0	.0	.0	.0	.1	.0	.0	.5	.8	.0	.3	.0	.0	.0	1.1	.0	.0
1958	.1	.0	.0	.0	.0	.0	.0	.3	.0	.2	.2	.0	.3	.4	.4	.0	.0	1.9	.0
1959	.1	.0	.1	.0	.0	.1	.1	.0	.3	.2	.2	.0	.3	1.0	.0	.6	.0	.0	.0
1960	.1	.0	.0	.0	.0	.1	.3	.0	.0	.0	.4	.4	.7	.3	.4	.0	.0	1.8	.0
1961	.1	.0	.0	.0	.1	.1	.0	.0	.1	.0	.4	.6	.2	.3	.7	.0	.0	.0	.0
1962	.1	.0	.0	.2	.0	.3	.0	.1	.1	.2	.3	.6	.0	.3	.3	.5	.0	.0	2.4
1963	.1	.0	.0	.1	.0	.0	.0	.1	.1	.2	.3	.6	.2	.3	.0	.5	.0	.0	.0
1964	.1	.0	.0	.0	.1	.0	.1	.0	.1	.1	.2	.2	.4	.3	.6	.9	.8	.0	.0
1965	.2	.0	.0	.0	.2	.0	.0	.0	.4	.6	.3	.6	.4	.6	.3	.4	.7	1.3	.0
1966	.1	.0	.0	.1	.2	.2	.0	.0	.0	.0	.7	.4	.4	.6	.3	.0	.0	.0	.0
1967	.2	.0	.0	.0	.1	.0	.3	.1	.3	.0	.5	.9	.2	.5	.8	.4	1.4	.0	.0
1968	.1	.0	.0	.1	.1	.0	.0	.0	.3	.0	.5	.7	.6	.3	.3	.4	.0	1.1	.0
1969	.2	.0	.0	.0	.0	.1	.0	.0	.0	.0	.5	.4	.2	1.4	1.6	.4	.6	.0	3.1
1970	.2	.0	.0	.1	.0	.1	.0	.0	.1	.3	.9	.2	.8	.5	.5	.0	1.3	.0	.0
1971	.1	.1	.0	.0	.1	.1	.0	.0	.3	.0	.6	.3	1.0	.7	.0	.0	.0	.0	1.3
1972	.2	.0	.0	.0	.3	.2	.0	.2	.0	.3	.0	1.0	.4	1.3	.5	.0	1.2	.0	.0
1973	.2	.0	.0	.1	.3	.0	.0	.0	.0	.1	.0	.6	.4	.8	.2	1.2	1.2	1.7	.0
1974	.2	.0	.0	.1	.1	.0	.2	.1	.3	.3	.8	.8	.6	1.0	.2	.4	.0	.0	2.0
1975	.2	.0	.0	.0	.1	.1	.3	.0	.0	.3	.4	.4	.6	1.0	.0	.4	1.1	.0	.9
1976	.2	.0	.0	.1	.0	.0	.2	.0	.2	.1	.1	.4	1.1	.4	.6	1.9	.5	.7	.8
1977	.2	.1	.1	.0	.2	.1	.0	.1	.1	.1	.3	.7	.9	1.7	.6	1.1	.5	.0	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7	0	0	0	0	1	0	0	0	1	2	0	1	1	1	0	0	0	0
1951	7	0	0	0	1	1	0	0	0	1	2	1	1	0	0	0	0	0	0
1952	9	0	0	0	0	1	0	0	2	0	1	0	2	1	1	0	1	0	0
1953	3	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	0	0
1954	7	0	0	0	0	1	0	0	0	0	1	2	0	1	1	1	0	0	0
1955	15	0	1	0	1	2	0	0	0	3	2	4	1	1	0	0	0	0	0
1956	10	0	1	0	0	1	0	2	0	3	2	0	1	0	0	0	0	0	0
1957	10	0	0	0	0	0	1	0	0	3	4	0	1	0	0	0	1	0	0
1958	8	0	0	0	0	0	0	2	0	1	1	0	1	1	1	0	0	1	0
1959	12	0	1	0	0	1	1	0	2	1	1	0	1	3	0	1	0	0	0
1960	13	0	0	0	0	1	2	0	0	0	2	2	3	1	1	0	0	1	0
1961	12	0	0	0	1	1	0	0	1	0	2	3	1	1	2	0	0	0	0
1962	16	0	0	2	0	2	0	1	1	1	2	3	0	1	1	1	0	0	1
1963	12	0	0	1	0	0	0	1	1	1	2	3	1	1	0	1	0	0	0
1964	14	0	0	0	1	0	1	0	1	1	1	1	2	1	2	2	1	0	0
1965	22	0	0	0	2	0	0	0	3	4	2	3	2	2	1	1	1	1	0
1966	16	0	0	1	2	2	0	0	0	0	4	2	2	2	1	0	0	0	0
1967	23	0	0	0	1	0	2	1	2	0	3	5	1	2	3	1	2	0	0
1968	18	0	0	1	1	0	0	0	2	0	3	4	3	1	1	1	0	1	0
1969	23	0	0	0	0	1	0	0	0	0	3	2	1	6	6	1	1	0	2
1970	22	0	0	1	0	1	0	0	1	2	6	1	4	2	2	0	2	0	0
1971	20	1	0	0	1	1	0	0	2	0	4	2	5	3	0	0	0	0	1
1972	14	0	0	0	2	1	0	1	0	1	0	3	1	3	1	0	1	0	0
1973	25	0	0	2	4	0	0	0	0	1	0	4	2	4	1	3	2	2	0
1974	33	0	0	1	2	0	2	1	2	2	6	5	3	5	1	1	0	0	2
1975	26	0	0	0	1	2	3	0	0	2	3	3	3	5	0	1	2	0	1
1976	29	0	0	1	0	0	2	0	2	1	1	3	6	2	3	5	1	1	1
1977	37	1	1	0	4	1	0	1	1	1	2	5	5	8	3	3	1	0	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	.0	-	-	-	.0	.0	.0	.0
1951	-	.0	.0	.0	.1	.1	.0	.0	.0	-	-	-	-	.0	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.1	.0	.0	.1	.0	-	.0	-	-	-	.0	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.1	.0	.0	-	.0	-	.0	.0	.0	.0	.0	.0	.0
1954	-	.0	.0	.0	.0	.1	.0	.0	.0	.0	-	-	.0	-	-	-	.0	.0	.0
1955	-	.0	.2	.0	.2	.2	.0	.0	.0	.1	-	.1	-	-	.0	.0	.0	.0	.0
1956	-	.0	.1	.0	.0	.1	.0	.1	.0	.1	-	.0	-	.0	.0	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.1	.0	.0	.1	.1	.0	-	.0	.0	.0	-	.0	.0
1958	-	.0	.0	.0	.0	.0	.0	.1	.0	-	-	.0	-	-	-	.0	.0	-	.0
1959	-	.0	.1	.0	.0	.1	.1	.0	.1	-	-	.0	-	-	.0	-	.0	.0	.0
1960	-	.0	.0	.0	.0	.1	.1	.0	.0	.0	-	-	-	-	-	.0	.0	-	.0
1961	-	.0	.0	.0	.1	.1	.0	.0	-	.0	-	-	-	-	-	.0	.0	.0	.0
1962	-	.0	.0	.4	.0	.2	.0	-	-	-	-	-	.0	-	-	-	.0	.0	-
1963	-	.0	.0	.2	.0	.0	.0	-	-	-	-	-	-	-	.0	-	.0	.0	.0
1964	-	.0	.0	.0	.1	.0	.1	.0	-	-	-	-	-	-	-	-	-	.0	.0
1965	-	.0	.0	.0	.2	.0	.0	.0	.1	.1	-	-	-	-	-	-	-	-	.0
1966	-	.0	.0	.2	.2	.2	.0	.0	.0	.0	.1	-	-	-	-	.0	.0	.0	.0
1967	-	.0	.0	.0	.1	.0	.1	-	.1	.0	.1	.1	-	-	-	-	-	.0	.0
1968	-	.0	.0	.2	.1	.0	.0	.0	.1	.0	.1	.1	-	-	-	-	.0	-	.0
1969	-	.0	.0	.0	.0	.1	.0	.0	.0	.0	.1	-	-	.1	-	-	-	.0	-
1970	-	.0	.0	.2	.0	.1	.0	.0	-	-	.1	-	-	-	-	.0	-	.0	.0
1971	-	-	.0	.0	.1	.1	.0	.0	.1	.0	.1	-	.1	-	.0	.0	.0	.0	-
1972	-	.0	.0	.0	.3	.1	.0	.1	.0	-	.0	.1	-	.1	-	.0	-	.0	.0
1973	-	.0	.0	.4	.3	.0	.0	.0	.0	-	.0	.1	-	-	-	-	-	-	.0
1974	-	.0	.0	.2	.2	.0	.1	.1	.1	.1	.1	.1	-	.1	-	-	.0	.0	-
1975	-	.0	.0	.0	.1	.1	.2	.0	.0	.1	.1	-	-	.1	.0	-	-	.0	-
1976	-	.0	.0	.2	.0	.0	.1	.0	.1	-	-	-	.1	-	-	-	-	-	-
1977	-	-	.2	.0	.4	.1	.0	.1	-	-	-	.1	.1	.1	-	-	-	.0	.0

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	106	0.16	0.17	0.10	11	0.02	0.02	0.01	7	0.09	0.13	0.09	1	0.01	0.01	0.01
1951	134	0.19	0.21	0.12	19	0.03	0.03	0.02	4	0.05	0.08	0.05	1	0.01	0.01	0.01
1952	117	0.17	0.18	0.10	13	0.02	0.02	0.01	8	0.10	0.12	0.08	2	0.02	0.03	0.02
1953	136	0.19	0.20	0.12	20	0.03	0.03	0.02	8	0.10	0.15	0.09	1	0.01	0.01	0.01
1954	199	0.28	0.29	0.17	26	0.04	0.03	0.02	11	0.13	0.17	0.10	0	0.00	0.00	0.00
1955	193	0.26	0.28	0.16	32	0.04	0.04	0.03	10	0.11	0.15	0.09	5	0.05	0.07	0.05
1956	208	0.28	0.30	0.17	30	0.04	0.04	0.03	10	0.11	0.16	0.09	4	0.04	0.04	0.03
1957	233	0.31	0.33	0.18	34	0.04	0.04	0.03	15	0.16	0.21	0.12	4	0.04	0.06	0.05
1958	215	0.28	0.30	0.17	37	0.05	0.05	0.03	16	0.17	0.25	0.14	1	0.01	0.01	0.01
1959	261	0.33	0.36	0.20	39	0.05	0.05	0.04	17	0.18	0.22	0.12	3	0.03	0.04	0.03
1960	220	0.28	0.29	0.16	48	0.06	0.06	0.04	26	0.26	0.34	0.18	1	0.01	0.01	0.01
1961	299	0.37	0.39	0.22	40	0.05	0.05	0.03	33	0.32	0.44	0.23	5	0.05	0.06	0.04
1962	291	0.36	0.38	0.21	53	0.06	0.06	0.05	24	0.23	0.30	0.16	4	0.04	0.04	0.03
1963	279	0.34	0.36	0.19	53	0.06	0.06	0.05	32	0.30	0.41	0.20	8	0.07	0.10	0.07
1964	294	0.35	0.38	0.20	49	0.06	0.05	0.04	41	0.37	0.51	0.25	3	0.03	0.03	0.02
1965	317	0.38	0.40	0.21	61	0.07	0.07	0.05	30	0.27	0.35	0.17	6	0.05	0.06	0.04
1966	331	0.39	0.41	0.22	48	0.05	0.05	0.04	43	0.38	0.53	0.25	9	0.07	0.09	0.06
1967	305	0.35	0.38	0.20	75	0.08	0.08	0.06	37	0.32	0.42	0.19	9	0.07	0.09	0.07
1968	341	0.39	0.42	0.21	73	0.08	0.07	0.06	51	0.43	0.58	0.26	12	0.09	0.11	0.08
1969	319	0.37	0.39	0.20	69	0.08	0.07	0.05	51	0.43	0.58	0.25	5	0.04	0.05	0.03
1970	379	0.43	0.45	0.23	83	0.09	0.08	0.06	44	0.36	0.49	0.21	13	0.10	0.12	0.09
1971	384	0.43	0.46	0.23	79	0.09	0.08	0.06	57	0.46	0.63	0.27	13	0.10	0.12	0.08
1972	200	0.45	0.47	0.23	51	0.11	0.10	0.08	36	0.57	0.75	0.32	3	0.04	0.05	0.04
1973	378	0.42	0.44	0.22	83	0.09	0.08	0.06	52	0.40	0.56	0.23	16	0.11	0.14	0.10
1974	405	0.45	0.46	0.23	98	0.10	0.09	0.07	55	0.42	0.60	0.24	18	0.13	0.15	0.11
1975	398	0.44	0.45	0.22	110	0.12	0.10	0.08	66	0.49	0.66	0.27	14	0.10	0.12	0.08
1976	375	0.41	0.42	0.20	101	0.11	0.09	0.07	88	0.64	0.90	0.36	15	0.10	0.12	0.09
1977	451	0.49	0.49	0.24	120	0.13	0.10	0.08	85	0.61	0.84	0.32	18	0.12	0.15	0.10


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Postcricoid region and the pyriform fossa.
(ICD 147 [6th]; ICD 147 [7th]; ICD 148–148.9 [8th])


Hypopharynx

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.5	1.0	.7	.7	.8	.0	
1951	.2	-	.0	.0	.0	.0	.0	.0	.1	.2	-	.4	.7	1.0	.7	1.0	1.4	.8	.8
1952	.2	.0	.0	.0	.0	-	.0	.0	.1	.1	.1	.3	.7	.6	.8	.7	1.3	1.0	.4
1953	.2	.0	.0	.0	.0	.0	.0	.0	.0	-	.3	.4	.7	1.1	.6	1.1	1.1	.2	.4
1954	.3	-	.0	.0	.0	.0	.0	.0	.1	.1	.3	.5	.9	1.7	1.2	1.2	1.6	1.7	.4
1955	.3	.0	.0	.0	.0	.0	.0	.0	.0	-	.2	.7	.9	1.0	1.6	1.5	1.2	1.3	1.3
1956	.3	.0	.0	.0	.0	.0	.0	.0	.0	-	.2	.6	1.0	1.3	1.3	1.6	1.7	1.1	2.3
1957	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.6	.9	1.5	1.6	2.2	1.6	.9	1.9
1958	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.5	.4	1.0	1.1	1.6	1.1	1.4	1.8	2.2
1959	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.7	.9	2.0	1.9	1.4	1.5	2.3	1.2
1960	.3	.0	.0	.0	.0	.0	.0	-	.0	.1	.3	.7	.8	1.4	1.5	1.6	.9	1.3	.9
1961	.4	.0	.0	.0	.0	.0	.0	-	.1	.1	.5	1.0	1.2	1.3	1.9	2.1	1.7	1.2	2.3
1962	.4	.0	.0	.0	.0	.0	.0	.0	-	.2	.4	.8	1.6	1.4	1.6	1.8	1.7	1.6	.6
1963	.3	.0	.0	.0	.0	.0	-	.0	-	.1	.3	.7	1.2	1.6	2.1	1.9	1.3	1.6	1.2
1964	.4	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.8	1.1	1.8	2.3	1.5	1.8	1.3	1.7
1965	.4	.0	.0	.0	.0	.0	.0	.0	-	.1	.4	.9	1.4	1.7	2.0	1.9	1.7	1.2	.8
1966	.4	.0	.0	.0	.0	.0	.0	-	-	.1	.4	1.2	1.6	1.4	1.7	2.1	1.8	1.9	1.3
1967	.4	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.8	1.5	1.9	1.6	1.6	1.5	2.1	2.8
1968	.4	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.7	1.2	1.9	1.9	2.5	1.9	1.5	1.5
1969	.4	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.8	1.2	1.6	2.3	1.9	2.1	1.9	.7
1970	.4	.0	.0	.0	.0	-	.0	.0	.0	.1	.3	.9	1.8	2.4	2.0	1.9	2.1	1.8	1.3
1971	.4	-	.0	.0	.0	.0	.0	.0	.0	.2	.2	1.0	1.4	1.6	3.0	2.2	1.8	3.4	1.3
1972	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.9	1.5	2.2	2.0	2.5	2.6	2.6	1.7
1973	.4	.0	.0	.0	.0	.0	.0	.0	-	.1	.4	.9	1.3	1.7	2.7	2.0	2.0	2.8	1.4
1974	.4	.0	.0	.0	.0	.0	.0	-	-	.0	.3	1.0	1.1	2.1	2.4	2.5	3.2	2.2	1.3
1975	.4	.0	.0	.0	.0	.0	.0	.0	.0	.1	.4	.8	1.3	2.2	2.2	2.6	2.0	2.3	1.6
1976	.4	.0	.0	.0	.0	.0	.0	.0	.0	.1	.4	.8	1.4	1.9	2.1	2.1	2.4	1.5	1.1
1977	.5	.0	.0	.0	.0	.0	.0	-	-	.1	.5	.8	1.5	2.1	3.0	2.5	2.3	2.8	1.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	106	0	0	0	0	0	0	0	2	3	8	10	18	27	16	11	7	4	0
1951	134	1	0	0	0	0	0	0	3	7	2	16	24	28	17	16	14	4	2
1952	117	0	0	0	0	1	0	0	3	6	6	11	24	17	18	12	13	5	1
1953	136	0	0	0	0	0	0	0	0	2	13	17	24	33	15	19	11	1	1
1954	199	1	0	0	0	0	0	0	3	3	14	20	30	51	29	21	17	9	1
1955	193	0	0	0	0	0	0	0	0	2	10	27	31	32	41	26	13	7	4
1956	208	0	0	0	0	0	0	0	0	2	11	24	37	40	32	30	19	6	7
1957	233	0	0	0	0	0	0	0	1	6	13	23	31	48	40	42	18	5	6
1958	215	0	0	0	0	0	0	0	1	6	24	17	37	33	41	21	17	11	7
1959	261	0	0	0	0	0	0	1	1	5	14	31	32	63	51	27	18	14	4
1960	220	0	0	0	0	0	0	2	0	5	14	32	31	43	39	32	11	8	3
1961	299	0	0	0	0	0	0	1	4	6	25	42	46	41	52	44	22	8	8
1962	291	0	0	0	0	0	0	0	2	8	21	37	64	44	43	37	22	11	2
1963	279	0	0	0	0	0	1	0	1	4	17	30	48	50	55	41	17	11	4
1964	294	0	0	0	0	0	0	0	1	4	14	37	46	58	62	32	25	9	6
1965	317	0	0	0	0	0	0	0	1	5	22	42	58	57	55	42	23	9	3
1966	331	0	0	0	0	0	0	1	1	7	18	58	66	45	46	45	25	14	5
1967	305	0	0	0	0	0	0	0	0	6	9	37	62	65	43	34	22	16	11
1968	341	0	0	0	0	0	0	0	0	9	25	35	53	66	53	54	28	12	6
1969	319	0	0	0	0	0	0	1	1	6	15	37	50	56	65	40	30	15	3
1970	379	0	0	0	0	1	0	0	0	7	14	43	78	88	56	40	31	15	6
1971	384	1	0	0	0	0	0	0	0	8	11	49	62	60	87	46	26	28	6
1972	200	0	0	0	0	0	0	0	0	0	14	22	33	41	29	27	19	11	4
1973	378	0	0	0	0	0	0	0	1	5	21	44	57	65	82	44	28	24	7
1974	405	0	0	0	0	0	0	1	1	0	17	52	51	83	74	55	45	19	7
1975	398	0	0	0	0	0	0	0	0	4	20	42	59	86	71	58	29	20	9
1976	375	0	0	0	0	0	0	0	0	4	21	40	64	77	69	47	34	13	6
1977	451	0	0	0	0	0	0	2	1	4	24	41	70	82	99	59	33	25	11

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.0
1951	-	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1952	-	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1954	-	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	-	-
1959	-	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	.1	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	.1	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	.1	.1	.1	-	-	-	-
1970	-	.0	.0	.0	.0	-	.0	.0	.0	-	-	.1	.1	.1	-	-	-	-	-
1971	-	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	-	-	.0	.1	.1	.1	.1	.1	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-
1977	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	-	-	-	-

Hypopharynx

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.0	.1	.0	.0	.1	.0	.3	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.3	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.2	.4	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.2	.2	.1	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.2	.1	.2	.1	.3	.2	.3	.2
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.2	.1	.1	.0	.1	.2
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.1	.2	.1	.3	.2
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.3	.3	.1	.4	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.1	.3	.1	.2	.5	.4
1960	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.2	.2	.3	.2	.2	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.1	.1	.2	.1	.5	.0	.4
1962	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.3	.2	.2	.1	.3	.2	.4
1963	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.3	.3	.2	.1	.2	.1	.2
1964	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.2	.3
1965	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.2	.2	.2	.3	.1	.6
1966	.1	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.2	.1	.3	.2	.2	.3	.6
1967	.1	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.3	.3	.3	.2	.2	.3	.3	.1
1968	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.2	.4	.2	.2	.1
1969	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.4	.4	.3	.1	.1	.5	.4
1970	.1	.0	.0	.0	.0	-	.0	-	-	-	.1	.3	.3	.3	.3	.3	.1	.5	.2
1971	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.3	.3	.4	.2	.1	.3	.0
1972	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.5	.6	.4	.3	.2	.3	.0
1973	.1	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.4	.3	.3	.3	.3	.1	.3
1974	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.2	.5	.6	.2	.1	.1	.2
1975	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.5	.5	.4	.6	.2	.2	.3
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.4	.5	.4	.5	.1	.3	.4
1977	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.2	.4	.5	.5	.4	.7	.4	.2

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11	0	0	0	0	0	0	1	0	2	3	0	2	0	0	1	0	2	0
1951	19	0	0	0	0	0	0	0	0	2	2	5	2	2	2	1	3	0	0
1952	13	0	0	0	0	0	0	0	0	1	1	1	3	2	3	1	1	0	0
1953	20	0	0	0	0	0	0	0	0	1	2	3	2	3	2	2	2	3	0
1954	26	0	0	0	0	0	0	0	0	2	4	5	3	3	5	3	1	0	0
1955	32	0	0	0	0	0	0	0	1	1	1	6	3	5	3	6	3	2	1
1956	30	0	0	0	0	0	0	0	0	2	3	8	5	5	3	2	0	1	1
1957	34	0	0	0	0	0	0	0	0	0	3	3	9	8	2	4	2	2	1
1958	37	0	0	0	0	0	0	0	0	1	2	6	4	4	10	6	1	3	0
1959	39	0	0	0	0	0	0	0	0	1	3	6	6	3	8	3	3	4	2
1960	48	0	0	0	0	0	0	0	2	1	4	8	7	8	6	7	3	2	0
1961	40	0	0	0	0	0	0	0	0	0	10	4	4	2	7	3	8	0	2
1962	53	0	0	0	0	0	0	1	2	3	5	5	13	6	6	3	5	2	2
1963	53	0	0	0	0	0	0	0	1	1	3	12	13	9	5	3	4	1	1
1964	49	0	0	0	0	0	0	0	2	2	6	3	10	7	6	5	4	2	2
1965	61	0	0	0	0	0	0	0	0	1	6	9	13	8	8	5	6	1	4
1966	48	0	0	0	0	0	0	0	1	2	1	6	9	4	9	6	3	3	4
1967	75	0	0	0	0	0	0	1	0	1	6	15	15	13	6	7	6	4	1
1968	73	0	0	0	0	0	0	0	0	2	8	8	15	14	8	10	4	3	1
1969	69	0	0	0	0	0	0	0	0	3	3	7	17	16	9	2	3	6	3
1970	83	0	0	0	0	1	0	1	1	1	8	14	16	11	9	10	2	7	2
1971	79	0	0	0	0	0	0	0	2	3	5	14	15	14	13	7	2	4	0
1972	51	0	0	0	0	0	0	0	0	1	4	4	13	13	7	5	2	2	0
1973	83	0	0	0	0	0	0	0	1	0	7	11	20	14	12	8	6	1	3
1974	98	0	0	0	0	0	0	0	0	2	7	18	12	23	23	7	2	2	2
1975	110	0	0	0	0	0	0	0	0	2	3	13	24	21	17	18	5	3	4
1976	101	0	0	0	0	0	0	0	0	3	4	8	20	23	15	16	2	5	5
1977	120	0	0	0	0	0	0	2	0	0	2	12	21	24	22	12	15	7	3

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	.0	-	.0	.0	-	.0	-	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1960	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1970	-	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-
1977	-	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.1	-	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.7	.5	.0	.0	.0	.0	5.4
1951	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.9	.0	.8	.0	.0	.0
1952	.1	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.3	.3	1.4	.5	.0	.0	.0	.0
1953	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	1.3	.5	.0	2.7	.0	.0
1954	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.5	.6	1.3	1.4	.0	.0	.0	.0
1955	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.7	1.2	.4	.0	.7	.0	.0	.0
1956	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.0	1.6	.4	1.4	.0	.0	.0
1957	.2	.0	.0	.0	.0	.0	.2	.0	.0	.2	.4	.7	.6	.4	.9	2.0	.0	.0	.0
1958	.2	.0	.0	.0	.0	.0	.2	.0	.0	.0	.2	.5	.0	1.5	1.7	2.0	.0	.0	3.5
1959	.2	.0	.0	.0	.0	.0	.0	.0	.3	.4	.0	.9	1.0	.7	.8	.6	.0	.0	.0
1960	.3	.0	.0	.0	.0	.0	.0	.2	.2	.2	.9	1.8	.3	1.0	1.2	.6	.0	.0	6.5
1961	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.8	1.3	1.7	1.0	2.7	.6	1.9	1.9	3.3
1962	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.9	.6	.7	1.6	.8	1.7	.9	.0	.0
1963	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.3	1.2	.7	1.6	2.6	.0	1.8	.0	3.3
1964	.4	.0	.0	.0	.0	.0	.0	.2	.2	.3	1.3	1.2	1.9	1.3	1.8	1.6	.9	1.6	6.3
1965	.3	.0	.0	.0	.0	.0	.0	.0	.0	.5	.7	.6	2.3	1.2	1.0	1.0	.9	.0	.0
1966	.4	.0	.0	.0	.0	.0	.2	.0	.0	.2	1.7	.8	1.1	3.0	1.7	1.5	1.7	4.7	.0
1967	.3	.0	.0	.0	.0	.0	.0	.0	.0	.8	.7	1.8	2.3	1.2	.0	1.0	1.7	1.5	.0
1968	.4	.0	.0	.0	.0	.0	.0	.0	.0	1.3	.9	1.2	2.5	1.7	2.0	2.5	3.4	.0	.0
1969	.4	.0	.0	.0	.0	.0	.0	.0	.2	.5	1.0	2.4	2.9	1.1	1.6	1.0	4.2	.0	.0
1970	.4	.0	.0	.0	.0	.0	.1	.0	.0	.3	.8	1.6	2.2	1.8	1.9	.5	2.4	.0	2.1
1971	.5	.0	.0	.0	.0	.0	.0	.0	.2	.8	1.3	1.7	1.6	2.0	2.3	2.8	3.1	.0	4.2
1972	.6	.0	.0	.0	.0	.0	.0	.3	.3	.3	1.3	2.2	3.7	5.4	1.9	.0	1.5	.0	.0
1973	.4	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.0	1.7	2.3	1.9	2.7	2.3	2.3	.0	.0
1974	.4	.0	.0	.0	.0	.0	.0	.0	.2	.3	.7	1.4	2.5	1.2	3.2	1.4	4.6	3.5	1.8
1975	.5	.0	.0	.0	.0	.0	.0	.0	.5	.3	2.1	2.2	2.8	1.7	2.2	2.3	1.4	.0	.0
1976	.6	.0	.0	.0	.0	.0	.0	.0	.3	.6	1.6	2.4	3.5	3.0	2.1	4.5	4.2	5.5	.0
1977	.6	.0	.0	.0	.0	.0	.0	.0	.0	.6	1.1	3.2	3.9	3.0	2.3	2.2	3.5	2.2	2.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7	0	0	0	0	0	0	0	0	0	1	2	2	1	0	0	0	0	1
1951	4	0	0	0	0	0	0	0	0	0	0	0	1	2	0	1	0	0	0
1952	8	0	0	0	0	0	0	1	1	0	0	1	1	3	1	0	0	0	0
1953	8	0	0	0	0	0	0	0	0	0	1	1	0	3	1	0	2	0	0
1954	11	0	0	0	0	0	0	0	1	0	0	2	2	3	3	0	0	0	0
1955	10	0	0	0	0	0	0	0	0	0	1	3	4	1	0	1	0	0	0
1956	10	0	0	0	0	0	0	0	0	0	0	3	0	4	1	2	0	0	0
1957	15	0	0	0	0	0	1	0	0	1	2	3	2	1	2	3	0	0	0
1958	16	0	0	0	0	0	1	0	0	0	1	2	0	4	4	3	0	0	1
1959	17	0	0	0	0	0	0	0	2	2	0	4	4	2	2	1	0	0	0
1960	26	0	0	0	0	0	0	1	1	1	5	8	1	3	3	1	0	0	2
1961	33	0	0	0	0	0	0	0	0	1	4	6	7	3	7	1	2	1	1
1962	24	0	0	0	0	0	0	0	0	2	5	3	3	5	2	3	1	0	0
1963	32	0	0	0	0	0	0	0	0	1	7	6	3	5	7	0	2	0	1
1964	41	0	0	0	0	0	0	1	1	2	7	6	8	4	5	3	1	1	2
1965	30	0	0	0	0	0	0	0	0	3	4	3	10	4	3	2	1	0	0
1966	43	0	0	0	0	0	1	0	0	1	9	4	5	10	5	3	2	3	0
1967	37	0	0	0	0	0	0	0	0	5	4	9	10	4	0	2	2	1	0
1968	51	0	0	0	0	0	0	0	0	8	5	6	11	6	6	5	4	0	0
1969	51	0	0	0	0	0	0	0	1	3	6	12	13	4	5	2	5	0	0
1970	44	0	0	0	0	0	1	0	0	2	5	8	10	7	6	1	3	0	1
1971	57	0	0	0	0	0	0	0	1	5	8	9	7	8	7	6	4	0	2
1972	36	0	0	0	0	0	0	1	1	1	4	6	8	11	3	0	1	0	0
1973	52	0	0	0	0	0	0	0	0	1	6	10	10	8	9	5	3	0	0
1974	55	0	0	0	0	0	0	0	1	2	4	8	11	5	11	3	6	3	1
1975	66	0	0	0	0	0	0	0	3	2	13	13	13	7	8	5	2	0	0
1976	88	0	0	0	0	0	0	0	2	4	10	14	17	12	8	10	6	5	0
1977	85	0	0	0	0	0	0	0	0	4	7	19	20	12	9	5	5	2	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	.0	.0	.0	-
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	-	-	-	.0	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	.0	-	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	.0	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	.0	.0	.0
1958	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	.0	-	-	-	.0	.0	-
1959	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.0	.1	-	-	-	-	.0	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	.0	.0	-
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	.1	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	.0	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	.1	.0	-	.0	-
1964	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	-	-	-	-	.0	.0
1966	-	.0	.0	.0	.0	.0	-	.0	.0	-	.1	-	-	.1	-	-	-	-	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	.0	-	-	-	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	-	-	-	.0	.0
1969	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	-	-	-	.0	.0
1970	-	.0	.0	.0	.0	.0	-	.0	.0	-	.1	.1	.1	.1	-	-	-	.0	-
1971	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	.0	-
1972	.1	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.2	-	.0	-	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	.0	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	.1	-	.1	-	-
1975	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.2	.1	.1	.1	.1	-	-	.0	.0
1976	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	.0
1977	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.1	.1	-	-	-	-

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	.0	.0	.0	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1954	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1955	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	.0	.8	.7	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.3	.2	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	1.2	.0	.0	2.7
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.4	.6	.0	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.2	.0	.3	.0	.0	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.1	.0	.1	.0	.2	.2	.0	.0	.0	.0	.0	.0	.0
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.0	.6	.3	.5	.8	.0	.0
1964	-	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.0	.0	.0	.0
1965	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.0	.0	.0	.0	.0	.0
1966	.1	.0	.0	.0	.0	.0	.0	.0	.1	.3	.3	.4	.0	.3	.0	.4	.0	.0	.0
1967	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.0	.3	.6	.8	.7	.0	.0
1968	.1	.0	.0	.0	.0	.0	.1	.0	.3	.0	.3	.4	.2	.5	.3	.0	.7	.0	.0
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.2	.0	.3	.0	.0	.0	.0
1970	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.3	.2	.9	.5	.0	.6	.0	.0
1971	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.5	.6	.4	.3	.4	.0	.0	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.6	.0	.0	.0	.0	.0	.0	.0
1973	.1	.0	.0	.0	.0	.0	.1	.0	.0	.1	.1	.5	.8	.4	.5	.4	.0	.8	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.6	.6	.2	.6	.2	.4	.6	.8	.0
1975	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.6	.6	.4	.2	.4	.6	.0	.9
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.4	.7	.6	.4	.0	.0	.0	.0
1977	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.7	.9	.6	.0	1.1	.0	.0	.8


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
1951	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1952	2	0	0	0	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
1953	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0
1954	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1955	5	0	0	0	0	0	0	0	0	0	2	0	0	0	2	1	0	0	0
1956	4	0	0	0	0	0	0	2	1	0	0	1	0	0	0	0	0	0	0
1957	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	1
1958	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
1959	3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	0	0
1960	1	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
1961	5	0	0	0	0	0	0	0	0	0	3	1	0	1	0	0	0	0	0
1962	4	0	0	0	0	0	1	0	1	0	1	1	0	0	0	0	0	0	0
1963	8	0	0	0	0	0	0	0	0	0	0	3	0	2	1	1	1	0	0
1964	3	0	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	0	0
1965	6	0	0	0	0	0	0	0	1	1	1	1	2	0	0	0	0	0	0
1966	9	0	0	0	0	0	0	0	1	2	2	2	0	1	0	1	0	0	0
1967	9	0	0	0	0	0	0	0	0	0	1	2	0	1	2	2	1	0	0
1968	12	0	0	0	0	0	1	0	2	0	2	2	1	2	1	0	1	0	0
1969	5	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0	0	0	0
1970	13	0	0	0	0	0	0	0	1	1	1	2	1	4	2	0	1	0	0
1971	13	0	0	0	0	0	0	0	0	1	2	3	3	2	1	1	0	0	0
1972	3	0	0	0	0	0	0	0	0	0	1	2	0	0	0	0	0	0	0
1973	16	0	0	0	0	0	1	0	0	1	1	3	4	2	2	1	0	1	0
1974	18	0	0	0	0	0	0	0	1	1	4	4	1	3	1	1	1	1	0
1975	14	0	0	0	0	0	0	0	0	1	0	4	3	2	1	1	1	0	1
1976	15	0	0	0	0	0	0	0	0	1	2	3	4	3	2	0	0	0	0
1977	18	0	0	0	0	0	0	0	0	0	1	5	5	3	0	3	0	0	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1954	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1955	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	.0	.0	.0
1956	-	.0	.0	.0	.0	.0	.0	.1	-	.0	.0	-	.0	.0	.0	.0	.0	.0	.0
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.0	.0	.0
1960	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.0	-	.0	.0	.0	.0	.0
1962	-	.0	.0	.0	.0	.0	.1	.0	-	.0	-	-	.0	.0	.0	.0	.0	.0	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	.0	.0
1964	-	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0	.0
1965	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	.0	.0	.0	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	.0	-	.0	.0	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	.0	.0
1968	-	.0	.0	.0	.0	.0	.1	.0	.1	.0	-	-	-	-	-	-	.0	-	.0	.0
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	-	.0	.0	.0	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	-	.0	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	.0	.0
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.0	.0	.0	.0	.0	.0	.0
1973	-	.0	.0	.0	.0	.0	.1	.0	.0	-	-	-	.1	-	-	-	.0	-	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-	.0
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	-	-	-	-	-	.0	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	.0	.0	.0	.0
1977	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	.0	-	.0	.0	-

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	858	1.27	1.48	0.88	189	0.28	0.30	0.20	67	0.86	1.21	0.80	30	0.37	0.52	0.35
1951	773	1.12	1.29	0.76	184	0.27	0.29	0.20	71	0.89	1.28	0.85	30	0.36	0.51	0.36
1952	868	1.24	1.41	0.82	188	0.27	0.28	0.19	77	0.95	1.39	0.88	25	0.29	0.41	0.29
1953	795	1.12	1.29	0.74	158	0.22	0.23	0.16	77	0.93	1.29	0.80	26	0.30	0.42	0.29
1954	898	1.25	1.41	0.81	208	0.29	0.30	0.21	72	0.85	1.21	0.71	18	0.20	0.29	0.20
1955	863	1.18	1.32	0.75	186	0.25	0.25	0.18	77	0.88	1.21	0.71	28	0.31	0.41	0.29
1956	857	1.15	1.30	0.72	167	0.22	0.22	0.16	80	0.90	1.23	0.69	35	0.37	0.51	0.35
1957	860	1.14	1.27	0.71	209	0.27	0.27	0.20	103	1.13	1.51	0.83	25	0.26	0.37	0.25
1958	863	1.12	1.25	0.71	207	0.27	0.26	0.19	77	0.82	1.13	0.63	26	0.26	0.33	0.23
1959	844	1.08	1.19	0.67	203	0.26	0.25	0.19	106	1.10	1.48	0.79	27	0.27	0.31	0.22
1960	887	1.12	1.24	0.69	225	0.28	0.27	0.20	75	0.75	0.99	0.52	28	0.26	0.33	0.23
1961	900	1.12	1.22	0.67	223	0.27	0.26	0.20	93	0.90	1.26	0.65	24	0.22	0.29	0.20
1962	842	1.03	1.13	0.62	196	0.24	0.22	0.17	101	0.96	1.31	0.67	27	0.24	0.32	0.23
1963	881	1.07	1.16	0.63	208	0.25	0.23	0.18	91	0.85	1.16	0.57	37	0.32	0.42	0.30
1964	892	1.07	1.16	0.62	198	0.23	0.22	0.17	110	1.00	1.39	0.68	22	0.19	0.25	0.18
1965	874	1.04	1.12	0.59	229	0.26	0.25	0.19	94	0.84	1.15	0.56	35	0.29	0.39	0.28
1966	954	1.12	1.21	0.63	247	0.28	0.26	0.20	111	0.97	1.32	0.61	29	0.24	0.30	0.21
1967	931	1.08	1.17	0.61	247	0.28	0.26	0.20	121	1.04	1.41	0.64	43	0.35	0.42	0.29
1968	898	1.04	1.12	0.57	230	0.26	0.23	0.18	116	0.98	1.37	0.61	37	0.29	0.36	0.25
1969	862	0.99	1.06	0.54	273	0.30	0.27	0.21	109	0.91	1.25	0.55	50	0.39	0.47	0.33
1970	851	0.97	1.04	0.53	268	0.29	0.26	0.20	111	0.91	1.27	0.55	35	0.27	0.33	0.24
1971	892	1.00	1.07	0.54	260	0.28	0.25	0.19	98	0.79	1.08	0.47	36	0.27	0.33	0.23
1972	400	0.89	0.95	0.47	129	0.28	0.24	0.19	68	1.07	1.52	0.64	19	0.28	0.35	0.25
1973	880	0.98	1.03	0.51	305	0.33	0.28	0.22	133	1.03	1.40	0.58	39	0.28	0.35	0.24
1974	871	0.96	1.01	0.50	315	0.33	0.29	0.22	138	1.05	1.47	0.59	31	0.22	0.27	0.18
1975	823	0.91	0.94	0.46	310	0.33	0.28	0.21	143	1.07	1.46	0.59	47	0.32	0.39	0.27
1976	851	0.93	0.96	0.47	319	0.33	0.28	0.21	142	1.04	1.44	0.57	46	0.31	0.39	0.27
1977	850	0.93	0.95	0.45	358	0.37	0.32	0.24	159	1.14	1.60	0.62	55	0.36	0.45	0.31


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Throat and pharynx (NOS).
(ICD 148 [6th]; ICD 148 [7th]; ICD 149 [8th])


Pharynx Unspecified

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	.0	.1	.0	.0	.1	.1	.1	.2	.3	.9	1.8	3.1	4.2	6.1	9.3	11.1	16.1	15.2
1951	1.1	.0	.0	-	-	.1	.0	.0	.2	.3	.9	1.5	2.7	3.9	6.5	6.8	10.7	12.4	10.8
1952	1.2	-	.0	.0	-	.0	-	-	.2	.2	1.3	1.8	3.2	4.8	6.2	8.3	10.0	12.8	11.3
1953	1.1	.0	.0	.0	-	.0	.0	-	.1	.4	.8	2.0	2.6	3.7	5.5	7.6	9.0	11.8	17.4
1954	1.2	.0	.0	-	-	.1	.0	.1	.1	.5	1.1	1.7	2.3	4.4	6.5	8.9	9.6	14.1	15.5
1955	1.2	-	.0	-	.0	-	.1	-	.2	.3	1.0	1.6	3.1	4.5	5.5	7.1	8.8	13.8	13.5
1956	1.2	-	.0	-	-	-	-	-	.1	.3	1.0	1.8	3.0	3.7	5.6	6.4	10.4	12.9	14.2
1957	1.1	.0	.0	-	-	-	-	-	.1	.4	1.1	1.8	2.7	3.9	5.2	7.0	9.4	10.1	16.4
1958	1.1	-	-	-	-	-	-	.1	.1	.4	.8	1.6	3.6	3.9	5.7	6.0	7.7	10.0	16.1
1959	1.1	-	.0	.0	-	.0	.0	-	.1	.3	.9	1.9	2.4	5.0	4.8	6.5	8.5	8.8	11.6
1960	1.1	.0	.0	-	.1	-	.0	.1	.1	.1	.9	1.9	3.3	4.5	4.0	6.9	9.2	10.1	13.1
1961	1.1	.0	.0	-	.1	-	-	.1	.1	.4	.9	2.5	3.3	4.4	5.2	5.5	8.2	9.3	7.6
1962	1.0	-	-	-	-	-	.1	-	.1	.2	.9	1.7	2.9	3.9	5.7	5.4	7.4	8.0	10.8
1963	1.1	-	.0	.0	-	-	-	-	.1	.2	.9	2.6	3.5	4.7	4.4	5.4	5.9	8.0	10.1
1964	1.1	.0	.0	.0	-	-	-	-	.1	.5	.7	2.0	3.3	4.3	5.1	6.1	7.8	6.7	10.4
1965	1.0	.0	.0	-	.1	-	-	-	.1	.2	.9	2.0	3.6	4.7	4.5	5.1	6.5	8.2	6.9
1966	1.1	-	-	-	.0	-	.0	-	.1	.2	1.0	2.2	3.8	4.6	4.7	7.2	6.4	8.1	9.4
1967	1.1	.0	.0	-	-	-	-	.0	-	.3	.9	2.5	3.2	4.9	5.2	5.9	5.8	7.5	9.0
1968	1.0	.0	.0	-	-	-	.0	-	.1	.3	.7	1.9	2.5	5.2	5.4	5.6	5.6	8.8	9.0
1969	1.0	-	.0	.0	-	-	.1	-	-	.3	.6	2.0	3.4	4.3	5.3	4.8	5.7	6.0	8.4
1970	1.0	.0	-	.0	.0	-	-	-	.1	.2	.6	1.8	2.8	4.7	4.3	5.9	5.5	5.9	10.4
1971	1.0	.0	-	.0	.0	.0	-	-	-	.3	.6	2.0	3.1	4.1	5.7	5.0	5.8	8.2	5.8
1972	.9	.0	.0	-	.0	.0	.0	.0	.1	.2	.6	1.3	3.0	4.6	3.4	4.7	5.0	7.3	9.6
1973	1.0	-	.0	-	-	-	.0	.0	.1	.2	.8	1.6	2.9	3.6	4.9	5.6	5.8	8.1	8.9
1974	1.0	.0	.0	-	-	-	.0	-	.1	.3	.8	1.4	2.7	4.0	4.5	4.8	6.7	8.3	7.5
1975	.9	.0	.0	.0	.0	-	.0	-	.1	.3	.8	1.2	2.5	3.7	5.1	5.5	5.7	4.0	6.5
1976	.9	.0	.0	.0	.0	.0	-	-	-	.1	.7	1.1	2.2	4.4	4.8	5.6	7.2	6.2	6.4
1977	.9	-	.0	-	.0	.0	.0	.0	-	.1	.6	1.3	2.8	3.6	4.6	5.1	7.5	5.0	6.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	858	0	3	0	0	4	3	3	8	16	38	67	105	118	136	142	104	77	34
1951	773	0	0	1	1	3	0	0	9	15	37	55	92	113	150	107	104	60	26
1952	868	1	0	0	1	0	1	1	8	10	55	69	111	141	145	133	100	63	29
1953	795	0	0	0	2	0	0	1	7	17	35	75	90	110	131	127	93	60	47
1954	898	0	0	1	1	3	0	6	4	22	48	67	78	135	160	153	102	74	44
1955	863	4	0	1	0	2	3	1	8	15	45	63	107	139	137	127	96	75	40
1956	857	1	0	1	1	1	1	1	6	15	45	70	107	116	142	118	116	73	43
1957	860	0	0	1	2	1	2	1	6	19	51	75	97	121	134	132	108	59	51
1958	863	1	1	3	1	2	1	3	4	19	39	68	131	122	150	116	91	60	51
1959	844	2	0	0	1	0	0	2	4	16	44	82	87	155	126	129	104	54	38
1960	887	0	0	3	3	1	0	3	8	7	46	83	124	140	107	139	116	63	44
1961	900	0	0	1	5	1	2	4	4	20	46	108	125	139	139	114	106	60	26
1962	842	1	1	2	2	2	3	2	5	11	45	75	114	122	154	113	98	55	37
1963	881	1	0	0	2	1	1	1	7	12	44	119	141	148	119	116	79	55	35
1964	892	0	0	0	2	1	1	1	3	25	35	91	135	138	137	131	107	48	37
1965	874	0	0	1	4	2	1	1	3	13	46	94	150	153	122	109	90	60	25
1966	954	1	1	1	0	1	0	1	5	12	52	103	158	152	127	154	90	61	35
1967	931	0	0	1	1	1	2	0	2	14	47	116	137	166	141	127	83	58	35
1968	898	0	0	1	2	2	0	2	4	18	36	89	108	183	147	120	81	69	36
1969	862	1	0	0	1	1	3	1	1	16	29	94	147	154	146	102	83	48	35
1970	851	0	1	0	0	1	2	1	3	12	31	89	120	171	121	124	80	48	47
1971	892	0	1	0	0	0	2	1	2	16	33	99	136	151	166	105	85	68	27
1972	400	0	0	1	0	0	0	0	2	4	16	34	66	87	50	50	36	31	23
1973	880	1	0	1	1	1	0	0	5	10	42	84	130	139	148	121	83	70	44
1974	871	0	0	1	2	1	0	1	4	15	43	72	122	156	142	106	95	72	39
1975	823	0	0	0	0	2	0	1	3	13	42	62	116	144	164	123	82	35	36
1976	851	0	0	0	0	0	1	1	2	4	34	55	100	172	158	129	104	55	36
1977	850	1	0	1	0	0	0	0	2	5	29	69	133	143	154	120	108	45	40

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.1	.0	.0	-	-	-	.1	.1	.1	.1	.2	.1	.2	.2	.1	.1	.1
1951	.1	.0	.0	-	-	-	.0	.0	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1
1952	.1	-	.0	.0	-	.0	-	-	.1	-	.2	.1	.2	.2	.2	.1	.1	.1	.1
1953	.1	.0	.0	.0	-	.0	.0	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1
1954	.1	.0	.0	-	-	-	.0	.1	-	.1	.2	.2	.1	.2	.2	.2	.1	.1	.1
1955	.1	-	.0	-	.0	-	-	-	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1
1956	.1	-	.0	-	-	-	-	-	-	.1	.1	.2	.2	.1	.1	.1	.1	.1	.1
1957	.1	.0	.0	-	-	-	-	-	-	.1	.2	.2	.2	.1	.1	.1	.1	.1	.1
1958	.1	-	-	.1	-	-	-	-	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1
1959	.1	-	.0	.0	-	.0	.0	-	-	.1	.1	.2	.1	.2	.1	.1	.1	.1	.1
1960	.1	.0	.0	.1	-	-	.0	-	.1	-	.1	.2	.2	.2	.1	.1	.1	.1	.1
1961	.1	.0	.0	-	.1	-	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1962	.1	-	-	.1	-	-	-	-	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	-
1963	.1	-	.0	.0	-	-	-	-	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1964	.1	.0	.0	.0	-	-	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1965	.1	.0	.0	-	-	-	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1966	.1	-	-	-	.0	-	.0	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1967	.1	.0	.0	-	-	-	-	.0	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1968	.1	.0	.0	-	-	-	.0	-	-	.1	.1	.2	.1	.2	.1	.1	.1	.1	-
1969	.1	-	.0	.0	-	-	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	-	-
1970	.1	.0	-	.0	.0	-	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	-	.1
1971	.1	.0	-	.0	.0	.0	-	-	-	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1972	.1	.0	.0	-	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.1	.1	.1	.1	-
1973	.1	-	.0	-	-	-	.0	.0	-	.1	.1	.2	.2	.1	.1	.1	.1	.1	-
1974	.1	.0	.0	-	-	-	.0	-	-	.1	.1	.1	.2	.2	.1	.1	.1	.1	-
1975	.1	.0	.0	.0	.0	-	.0	-	-	.1	.1	.1	.2	.2	.1	.1	.1	-	-
1976	.1	.0	.0	.0	.0	.0	-	-	-	-	.1	.1	.1	.2	.1	.1	.1	.1	-
1977	.1	-	.0	-	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.1	.1	.1	-	-

Pharynx Unspecified

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	-	-	.0	.0	-	.1	-	.1	.2	.2	.4	.5	1.0	1.2	1.4	1.7	3.2	4.4
1951	.3	-	-	-	-	-	-	.0	.1	.1	.2	.4	.3	.6	1.2	1.5	2.6	2.1	5.3
1952	.3	.0	.0	.0	-	.0	-	-	-	.1	.3	.4	.4	.6	.8	2.1	2.6	2.3	3.1
1953	.2	-	-	-	-	.0	.0	-	.0	.2	.3	.3	.5	.6	.8	1.3	1.6	1.5	2.9
1954	.3	-	-	.0	-	-	-	.1	-	.1	.3	.5	.4	1.0	.7	1.5	2.1	2.3	5.3
1955	.3	.0	.0	.0	.0	-	-	.1	.1	.1	.3	.4	.6	.5	.7	1.7	1.2	2.5	3.8
1956	.2	.0	.0	-	.0	-	.0	-	.1	.1	.3	.3	.4	.8	.8	.9	1.4	2.2	2.3
1957	.3	.0	-	.0	-	.0	.0	-	-	.2	.3	.5	.3	.6	.6	1.3	2.1	4.3	3.9
1956	.3	.0	.0	-	-	.0	.0	-	-	.1	.3	.6	.7	.8	.6	1.0	1.9	1.9	3.3
1959	.3	-	.0	-	-	-	.0	-	-	.1	.4	.5	.5	.5	.9	.9	1.4	3.3	2.0
1960	.3	.0	-	-	-	.0	-	.0	-	.3	.4	.6	.8	.7	.8	.8	1.6	1.8	2.8
1961	.3	-	-	.0	.0	.1	-	.0	-	.1	.4	.6	.4	.8	.9	1.3	1.3	2.0	4.0
1962	.2	-	.0	-	.0	-	.0	.0	-	.2	.2	.4	.8	.7	.6	1.0	1.1	1.2	2.6
1963	.2	.0	.0	.0	-	.0	-	.0	.1	.1	.4	.6	.5	.6	.8	.9	1.0	1.8	3.1
1964	.2	.0	-	.0	-	.0	-	-	.1	.1	.4	.5	.6	.9	.7	.7	.8	1.0	2.6
1965	.3	.0	.0	-	-	-	-	-	-	.1	.3	.8	.9	.9	.9	.7	.9	1.1	2.4
1966	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.4	.8	.7	.8	1.0	.8	1.5	1.0	2.9
1967	.3	.0	.0	.0	-	-	.0	-	.1	.1	.3	.9	.7	.8	1.0	1.3	.8	1.3	1.6
1968	.3	.0	-	.0	.0	.0	.0	.0	-	.1	.4	.5	.8	.9	.8	.7	1.1	1.3	2.2
1969	.3	-	.0	.0	-	-	.0	.1	.1	.1	.2	.5	1.0	1.0	1.1	1.0	.9	1.6	2.8
1970	.3	.0	.0	-	-	-	-	-	-	.1	.2	.6	1.0	.8	1.1	1.1	1.0	1.9	2.1
1971	.3	.0	.0	.0	.0	.0	.0	.0	-	-	.3	.5	.8	1.2	1.2	.7	1.0	1.5	2.2
1972	.3	.0	.0	-	.0	.0	.0	.0	.1	-	.1	.5	1.1	.9	1.0	1.0	.6	1.9	1.5
1973	.3	.0	.0	.0	-	-	.0	.0	-	-	.4	.6	1.0	1.3	1.4	1.1	.8	1.2	1.9
1974	.3	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.6	1.2	1.2	1.1	1.3	1.4	1.6	1.5
1975	.3	.0	.0	.0	.0	-	.0	.0	-	.1	.3	.4	1.1	1.3	1.2	1.2	1.3	.6	2.1
1976	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.5	1.0	1.4	1.3	1.2	1.0	.9	1.9
1977	.4	.0	.0	.0	.0	.0	-	.0	-	.1	.3	.9	.9	1.7	1.3	1.1	1.3	1.6	1.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	189	1	1	0	0	1	3	1	4	7	9	17	16	27	28	23	18	19	14
1951	184	2	1	1	1	2	2	0	3	6	7	14	12	17	30	26	29	13	18
1952	188	0	0	0	1	0	1	2	1	6	12	17	14	18	21	38	31	15	11
1953	158	1	1	1	1	0	0	2	0	8	13	11	18	18	20	24	19	10	11
1954	208	2	1	0	2	1	1	3	1	5	12	20	16	33	19	29	26	16	21
1955	186	0	0	0	0	2	2	4	5	7	12	14	21	15	19	35	16	18	16
1956	167	0	0	1	0	1	0	1	5	5	15	11	15	26	21	20	19	17	10
1957	209	0	1	0	1	0	0	2	2	9	13	22	12	21	17	28	29	34	18
1958	207	0	0	1	2	0	0	2	2	7	15	24	25	28	19	22	28	16	16
1959	203	1	0	2	2	1	0	2	2	4	18	23	21	17	28	22	22	28	10
1960	225	0	1	1	1	0	1	0	1	15	22	26	30	24	26	20	26	16	15
1961	223	2	1	0	0	3	1	0	1	4	18	25	18	27	28	33	22	18	22
1962	196	2	0	2	0	1	0	0	2	11	12	19	33	23	20	26	18	12	15
1963	208	0	0	0	1	0	1	0	5	5	19	30	23	21	25	25	17	18	18
1964	198	0	1	0	2	0	1	2	3	6	19	23	26	32	24	18	15	10	16
1965	229	0	0	2	3	1	2	1	1	4	15	37	40	31	29	19	17	12	15
1966	247	0	0	0	0	0	2	2	3	3	22	41	32	30	32	21	29	11	19
1967	247	0	0	0	2	1	0	1	3	5	15	43	31	32	33	38	17	15	11
1968	230	0	1	0	0	0	0	0	2	6	21	27	39	34	27	19	22	16	16
1969	273	1	0	0	1	2	0	3	3	7	13	26	46	41	38	29	20	21	22
1970	268	0	0	1	1	1	1	1	1	3	12	31	49	35	37	31	21	25	18
1971	260	0	0	0	0	0	0	0	2	1	18	24	37	50	44	21	22	21	20
1972	129	0	0	1	0	0	0	0	2	1	4	14	27	19	19	14	7	14	7
1973	305	0	0	0	1	1	0	0	1	2	23	31	48	59	52	32	18	18	19
1974	315	0	0	0	0	0	0	0	0	7	10	33	58	54	44	38	31	24	16
1975	310	0	0	0	0	1	0	0	1	7	14	23	56	57	49	38	30	10	24
1976	319	0	0	0	0	0	0	0	1	4	17	29	52	62	55	39	22	15	23
1977	358	0	0	0	0	0	1	0	2	3	16	48	46	78	55	37	29	26	17

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-OP
1950	-	-	-	.0	.0	-	.1	-	-	.1	-	.1	-	.1	-	-	-	-	-
1951	-	-	-	.1	-	.1	-	.0	-	-	-	.1	-	-	-	-	-	-	-
1952	-	.0	.0	.0	-	.0	-	-	-	-	.1	.1	-	-	-	.1	-	-	-
1953	-	-	-	-	-	.0	.0	-	.0	.1	.1	-	.1	-	-	-	-	-	-
1954	-	-	-	.0	.1	-	-	.1	-	-	.1	.1	.1	.1	-	-	-	-	-
1955	-	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-
1956	-	.0	.0	.1	.0	-	.0	-	.1	-	.1	-	-	.1	-	-	-	-	-
1957	-	.0	-	.0	-	.0	.0	-	-	.1	.1	.1	-	-	-	-	-	-	-
1958	-	.0	.0	-	.1	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1959	-	-	.0	.1	.1	-	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1960	-	.0	-	-	-	.0	-	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-
1961	-	-	-	.0	.0	.1	-	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1962	-	-	.0	.1	.0	-	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-
1963	-	.0	.0	.0	-	.0	-	.0	.1	-	.1	.1	.1	-	-	-	-	-	-
1964	-	.0	-	.0	.1	.0	-	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1965	-	.0	.0	.1	.1	-	.1	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.1	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1967	-	.0	.0	.0	-	-	.0	-	-	-	.1	.2	.1	.1	.1	-	-	-	-
1968	-	.0	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1969	-	-	.0	.0	-	-	.0	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1970	-	.0	.0	-	-	-	-	-	-	-	.1	.1	.1	.1	.1	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1972	-	.0	.0	.1	.0	.0	.0	.0	.1	-	-	.1	.1	.1	.1	-	-	-	-
1973	-	.0	.0	.0	-	-	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.1	.1	-	-	-	-
1975	-	.0	.0	.0	.0	-	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-
1977	-	.0	.0	.0	.0	.0	-	.0	-	-	.1	.2	.1	.2	.1	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.9	.0	.0	.0	.0	.0	.0	.2	.9	.4	1.3	2.9	3.2	5.7	4.4	4.3	7.7	.0	10.8
1951	.9	.0	.0	.0	.2	.0	.0	.2	.0	1.4	1.1	2.9	3.4	5.5	4.4	5.8	5.9	2.6	15.4
1952	.9	.0	.0	.0	.2	.3	.0	.0	.2	.8	2.0	2.3	1.7	5.0	7.1	5.6	12.7	5.1	9.8
1953	.9	.0	.0	.0	.2	.0	.3	.0	.3	.6	1.6	3.0	4.2	5.3	4.6	6.2	4.0	7.5	4.7
1954	.8	.0	.0	.1	.0	.2	.0	.0	.3	.6	1.6	1.9	3.7	6.0	3.2	6.0	8.9	2.4	4.3
1955	.9	.0	.0	.0	.0	.0	.0	.3	.2	.7	1.8	2.4	4.5	5.0	5.8	2.9	6.0	4.8	4.1
1956	.9	.0	.2	.1	.0	.2	.0	.0	.0	.9	1.5	2.6	4.1	3.6	5.2	7.7	4.6	2.3	7.9
1957	1.1	.0	.0	.0	.0	.0	.2	.0	.8	1.1	1.3	4.5	3.9	6.6	8.6	6.1	2.2	2.3	11.4
1958	.8	.0	.0	.0	.1	.0	.0	.2	.5	.9	1.4	2.3	3.2	5.7	2.6	5.2	7.4	2.2	3.5
1959	1.1	.0	.0	.1	.0	.0	.2	.0	.3	.7	3.2	3.2	5.8	4.4	8.4	2.5	7.1	6.6	.0
1960	.7	.0	.0	.0	.2	.0	.0	.2	.0	1.1	2.3	2.7	4.0	2.1	3.6	3.0	1.9	6.4	3.2
1961	.9	.0	.0	.0	.1	.0	.0	.2	.3	.4	2.3	1.7	3.7	5.7	5.8	5.7	5.6	1.9	10.0
1962	1.0	.0	.0	.0	.1	.0	.0	.0	.3	1.0	2.3	2.7	4.4	4.6	6.1	5.6	4.6	5.4	3.3
1963	.8	.0	.0	.0	.1	.1	.0	.0	.0	1.0	1.5	3.3	3.1	4.9	4.8	5.4	5.5	1.7	3.3
1964	1.0	.1	.0	.0	.0	.0	.2	.0	.0	1.0	3.0	3.3	4.7	3.2	4.7	6.9	9.0	4.9	3.1
1965	.8	.0	.0	.0	.0	.1	.2	.0	.3	.2	1.1	3.8	4.2	8.4	3.5	1.6	3.5	1.6	2.9
1966	1.0	.0	.0	.0	.2	.0	.0	.0	.6	.7	2.4	3.6	4.1	7.3	4.5	3.1	5.2	3.1	2.8
1967	1.0	.0	.0	.0	.2	.2	.1	.2	.5	1.0	2.0	4.4	4.7	4.4	4.7	7.1	5.1	3.0	2.6
1968	1.0	.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.8	4.6	3.6	6.2	5.6	4.5	7.6	4.5	2.4
1969	.9	.0	.0	.0	.0	.0	.3	.2	.2	1.6	2.6	2.4	5.4	3.6	3.6	3.4	5.8	2.9	9.1
1970	.9	.0	.0	.0	.0	.0	.0	.0	.3	.6	2.5	2.1	5.1	4.5	5.2	4.8	6.5	2.9	6.4
1971	.8	.0	.0	.0	.0	.0	.0	.3	.3	1.0	2.0	1.9	3.9	5.1	3.5	4.7	3.1	2.7	4.2
1972	1.1	.0	.0	.0	.0	.0	.0	.0	.6	1.6	2.7	3.3	5.5	4.0	4.3	4.7	9.2	10.3	8.0
1973	1.0	.0	.0	.0	.1	.0	.0	.1	.2	1.7	2.5	3.7	4.4	4.6	6.6	5.6	4.6	3.6	1.9
1974	1.1	.0	.0	.0	.0	.0	.0	.0	.6	1.1	1.1	3.3	5.8	6.5	5.5	6.5	6.1	5.9	3.5
1975	1.1	.0	.0	.0	.0	.0	.0	.0	.0	.5	1.8	3.4	6.8	5.6	9.0	3.7	3.6	4.7	6.2
1976	1.0	.0	.0	.0	.0	.1	.0	.1	.3	1.1	3.2	3.5	3.9	6.2	4.4	5.4	8.3	2.2	4.4
1977	1.1	.0	.0	.0	.0	.0	.0	.0	.6	.3	3.3	4.2	5.5	7.5	3.5	6.5	8.5	6.5	2.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	67	0	0	0	0	0	0	1	5	2	6	11	9	12	9	5	5	0	2
1951	71	0	0	0	1	0	0	1	0	7	5	11	10	12	9	7	4	1	3
1952	77	0	0	0	1	2	0	0	1	4	9	9	5	11	15	7	9	2	2
1953	77	0	0	0	1	0	2	0	2	3	7	12	13	12	10	8	3	3	1
1954	72	0	0	1	0	1	0	0	2	3	7	8	12	14	7	8	7	1	1
1955	77	0	0	0	0	0	0	2	1	4	8	10	15	12	13	4	5	2	1
1956	80	0	2	1	0	1	0	0	0	5	7	11	14	9	12	11	4	1	2
1957	103	0	0	0	0	0	1	0	5	6	6	19	14	17	20	9	2	1	3
1958	77	0	0	0	1	0	0	1	3	5	7	10	12	15	6	8	7	1	1
1959	106	0	0	1	0	0	1	0	2	4	16	14	22	12	20	4	7	3	0
1960	75	0	0	0	2	0	0	1	0	6	12	12	16	6	9	5	2	3	1
1961	93	0	0	0	1	0	0	1	2	2	12	8	15	17	15	10	6	1	3
1962	101	0	0	0	1	0	0	0	2	6	12	13	18	14	16	10	5	3	1
1963	91	0	0	0	1	1	0	0	0	6	8	16	13	15	13	10	6	1	1
1964	110	1	0	0	0	0	1	0	0	6	16	16	20	10	13	13	10	3	1
1965	94	0	0	0	0	1	1	0	2	1	6	19	18	27	10	3	4	1	1
1966	111	0	0	0	2	0	0	0	4	4	13	18	18	24	13	6	6	2	1
1967	121	0	0	0	2	2	1	1	3	6	11	22	21	15	14	14	6	2	1
1968	116	0	0	0	0	0	0	0	0	6	10	23	16	22	17	9	9	3	1
1969	109	0	0	0	0	0	2	1	1	10	15	12	24	13	11	7	7	2	4
1970	111	0	0	0	0	0	0	0	2	4	15	11	23	17	16	10	8	2	3
1971	98	0	0	0	0	0	0	2	2	6	12	10	17	20	11	10	4	2	2
1972	68	0	0	0	0	0	0	0	2	5	8	9	12	8	7	5	6	4	2
1973	133	0	0	0	2	0	0	1	1	11	15	21	19	19	22	12	6	3	1
1974	138	0	0	0	0	0	0	0	4	7	7	19	26	27	19	14	8	5	2
1975	143	0	0	0	0	0	0	0	0	3	11	20	32	23	33	8	5	4	4
1976	142	0	0	0	0	1	0	1	2	7	20	21	19	25	17	12	12	2	3
1977	159	0	0	0	0	0	0	0	4	2	21	25	28	30	14	15	12	6	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.0	.1
1951	.1	.0	.0	.0	.1	.0	.0	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1952	.1	.0	.0	.0	.1	.1	.0	.0	-	.1	.1	.1	.1	.1	.2	.1	.2	.1	.1
1953	.1	.0	.0	.0	.1	.0	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1954	.1	.0	.0	.2	.0	.1	.0	.0	.1	.1	.1	.1	.1	.2	.1	.1	.1	-	-
1955	.1	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	.2	.1	.1	-	.1	-	-
1956	.1	.0	.2	.1	.0	.1	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1957	.1	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.2	.1	.2	.2	.1	-	-	.1
1958	.1	.0	.0	.0	.1	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1959	.1	.0	.0	.1	.0	.0	-	.0	.1	.1	.3	.2	.2	.1	.2	-	.1	.1	.0
1960	.1	.0	.0	.0	.2	.0	.0	-	.0	.1	.2	.1	.2	.1	.1	-	-	.1	-
1961	.1	.0	.0	.0	.1	.0	.0	-	.1	-	.2	.1	.2	.1	.1	.1	.1	-	.1
1962	.1	.0	.0	.0	.1	.0	.0	.0	.1	.1	.2	.1	.2	.1	.1	.1	.1	.1	-
1963	.1	.0	.0	.0	.1	-	.0	.0	.0	.1	.1	.2	.1	.1	.1	.1	.1	-	-
1964	.1	-	.0	.0	.0	.0	-	.0	.0	.1	.2	.2	.2	.1	.1	.1	.1	.1	-
1965	.1	.0	.0	.0	.0	-	-	.0	-	-	.1	.2	.2	.2	.1	-	-	-	-
1966	.1	.0	.0	.0	.1	.0	.0	.0	.1	.1	.2	.2	.2	.2	.1	-	.1	-	-
1967	.1	.0	.0	.0	.1	.1	-	-	.1	.1	.1	.2	.2	.1	.1	.1	.1	-	-
1968	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.1	.2	.1	.1	.1	-	-
1969	.1	.0	.0	.0	.0	.0	.1	-	-	.2	.2	.1	.2	.1	.1	.1	.1	-	.1
1970	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.2	.1	.1	.1	.1	-	-
1971	.1	.0	.0	.0	.0	.0	.0	.1	-	.1	.2	.1	.1	.1	.1	.1	-	-	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1
1973	.1	.0	.0	.0	.1	.0	.0	-	-	.2	.2	.2	.2	.1	.1	.1	.1	-	-
1974	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1975	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.3	.2	.2	.1	-	.1	.1
1976	.1	.0	.0	.0	.0	-	.0	-	.1	.1	.3	.2	.2	.2	.1	.1	.1	-	-
1977	.1	.0	.0	.0	.0	.0	.0	.0	.1	-	.3	.3	.2	.2	.1	.1	.1	.1	-

Pharynx Unspecified

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.0	.0	.0	.0	.3	.8	.7	1.4	1.1	2.0	1.4	1.7	3.2	2.4	3.7
1951	.4	.0	.0	.0	.0	.1	.1	.0	.0	.9	.4	1.3	.7	2.4	.9	2.4	1.5	4.5	3.7
1952	.3	.0	.0	.0	.0	.0	.0	.0	.2	.5	1.1	.3	1.0	.9	1.3	3.1	2.9	2.1	.0
1953	.3	.0	.0	.0	.1	.0	.0	.0	.3	.7	.4	.5	1.6	.4	1.3	.0	4.2	4.1	3.3
1954	.2	.0	.0	.0	.1	.0	.0	.1	.3	.2	.0	.2	.9	.4	.8	1.4	5.2	.0	.0
1955	.3	.1	.0	.0	.0	.0	.0	.1	.2	.2	.2	.9	.6	.0	3.3	3.3	1.2	2.0	5.8
1956	.4	.1	.0	.0	.1	.0	.0	.3	.2	.5	.4	1.4	.3	2.3	1.2	1.3	2.3	5.9	5.6
1957	.3	.0	.0	.1	.1	.0	.0	.1	.0	.0	.4	1.1	1.1	1.1	.4	1.2	.0	5.8	5.3
1958	.3	.0	.0	.0	.0	.0	.0	.3	.3	.5	.8	.7	1.1	.4	1.2	.6	2.0	1.9	.0
1959	.3	.0	.0	.0	.0	.0	.0	.1	.3	.3	1.5	.7	1.0	.0	1.9	1.1	.0	.0	.0
1960	.3	.0	.0	.1	.0	.0	.1	.0	.3	.3	.9	.4	1.0	.7	2.2	1.1	.0	.0	2.5
1961	.2	.0	.0	.0	.0	.0	.0	.0	.1	.2	.7	.6	1.4	.6	.7	.5	2.5	1.6	.0
1962	.2	.0	.0	.0	.0	.0	.0	.1	.0	.5	.5	1.2	.5	.6	1.0	1.5	.8	3.0	2.4
1963	.3	.0	.0	.0	.1	.0	.0	.0	.4	.5	.5	.4	1.1	2.1	1.9	1.9	.8	1.4	2.3
1964	.2	.0	.0	.0	.0	.0	.0	.1	.0	.4	.3	.8	.4	1.5	.0	.5	.8	2.7	2.2
1965	.3	.0	.0	.0	.2	.0	.0	.0	.0	.3	.5	1.3	1.1	1.2	.3	2.2	2.2	.0	6.1
1966	.2	.0	.0	.0	.0	.1	.0	.0	.4	.4	.2	.9	.6	.6	.9	.9	3.5	1.3	.0
1967	.3	.0	.0	.0	.1	.0	.0	.1	.4	.4	1.1	1.6	1.2	1.6	1.1	1.3	.0	.0	.0
1968	.3	.1	.0	.0	.0	.0	.0	.1	.0	.6	.8	.9	1.8	.8	.8	.8	.7	3.4	.0
1969	.4	.0	.0	.0	.0	.0	.1	.0	.5	.8	.8	2.5	1.2	1.7	.3	1.2	.6	1.1	1.5
1970	.3	.0	.0	.0	.0	.0	.0	.0	.0	.4	.6	.9	.6	1.1	2.1	1.6	1.9	.0	.0
1971	.3	.0	.0	.0	.0	.2	.0	.0	.0	.4	.7	1.2	1.4	.9	.8	1.1	.6	.0	1.3
1972	.3	.0	.0	.0	.0	.0	.0	.0	.0	.8	.3	.3	1.2	1.7	1.5	1.6	1.2	1.8	.0
1973	.3	.0	.0	.0	.0	.0	.0	.0	.1	.1	1.3	1.1	2.0	.6	1.0	.0	1.2	.8	1.1
1974	.2	.0	.0	.0	.0	.0	.1	.0	.0	.1	1.0	.8	.8	1.2	.5	1.2	.0	.8	1.0
1975	.3	.0	.0	.0	.0	.0	.0	.1	.1	.3	1.1	1.0	1.1	1.4	1.5	.8	1.7	.8	1.8
1976	.3	.0	.0	.0	.0	.0	.0	.0	.2	.1	.6	1.9	1.4	1.0	.4	2.3	2.1	.0	.8
1977	.4	.0	.0	.0	.1	.0	.0	.0	.3	.5	.5	.7	2.1	1.2	1.4	3.2	2.2	.0	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	30	0	0	0	0	0	0	0	2	4	3	5	3	4	3	2	2	1	1
1951	30	0	0	0	0	1	1	0	0	5	2	5	2	5	2	3	1	2	1
1952	25	0	0	0	0	0	0	0	1	3	5	1	3	2	3	4	2	1	0
1953	26	0	0	0	1	0	0	0	2	4	2	2	5	1	3	0	3	2	1
1954	18	0	0	0	1	0	0	1	2	1	0	1	3	1	2	2	4	0	0
1955	28	1	0	0	0	0	0	1	1	1	1	4	2	0	8	5	1	1	2
1956	35	1	0	0	1	0	0	2	1	3	2	6	1	6	3	2	2	3	2
1957	25	0	0	1	1	0	0	1	0	0	2	5	4	3	1	2	0	3	2
1958	26	0	0	0	0	0	0	2	2	3	4	3	4	1	3	1	2	1	0
1959	27	0	0	0	0	0	0	1	2	2	8	3	4	0	5	2	0	0	0
1960	28	0	0	1	0	0	1	0	2	2	5	2	4	2	6	2	0	0	1
1961	24	0	0	0	0	0	0	0	1	1	4	3	6	2	2	1	3	1	0
1962	27	0	0	0	0	0	0	1	0	3	3	6	2	2	3	3	1	2	1
1963	37	0	0	0	1	0	0	0	3	3	3	2	5	7	6	4	1	1	1
1964	22	0	0	0	0	0	0	1	0	3	2	4	2	5	0	1	1	2	1
1965	35	0	0	0	2	0	0	0	0	2	3	7	5	4	1	5	3	0	3
1966	29	0	0	0	0	1	0	0	3	3	1	5	3	2	3	2	5	1	0
1967	43	0	0	0	1	0	0	1	3	3	7	9	6	6	4	3	0	0	0
1968	37	1	0	0	0	0	0	1	0	4	5	5	9	3	3	2	1	3	0
1969	50	0	0	0	0	0	1	0	4	6	5	14	6	7	1	3	1	1	1
1970	35	0	0	0	0	0	0	0	0	3	4	5	3	5	8	4	3	0	0
1971	36	0	0	0	0	2	0	0	0	3	5	7	7	4	3	3	1	0	1
1972	19	0	0	0	0	0	0	0	0	3	1	1	3	4	3	2	1	1	0
1973	39	0	0	0	0	0	0	0	1	1	9	7	10	3	4	0	2	1	1
1974	31	0	0	0	0	0	1	0	0	1	7	5	4	6	2	3	0	1	1
1975	47	0	0	0	0	0	0	1	1	2	8	7	6	7	7	2	3	1	2
1976	46	0	0	0	0	0	0	0	2	1	4	13	8	5	2	6	4	0	1
1977	55	0	0	0	1	0	0	0	3	4	4	5	12	6	7	9	4	0	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	.1	-	-	-	-	-
1951	-	.0	.0	.0	.0	.1	-	.0	.0	.1	-	.1	-	.1	-	-	-	.1	-
1952	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	-	-	.1	-	-	.0
1953	-	.0	.0	.0	.1	.0	.0	.0	.1	.1	-	-	.1	-	-	.0	.1	.1	-
1954	-	.0	.0	.0	.1	.0	.0	-	.1	-	.0	-	-	-	-	-	.1	.0	.0
1955	-	-	.0	.0	.0	.0	.0	-	-	-	-	.1	-	.0	.1	.1	-	-	.1
1956	-	-	.0	.0	.2	.0	.0	.1	-	.1	-	.1	-	.1	-	-	-	.1	-
1957	-	.0	.0	.2	.1	.0	.0	-	.0	.0	-	.1	-	-	-	-	.0	.1	-
1958	-	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	.1	-	-	-	-	-	.0
1959	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	-	.1	.0	.1	-	.0	.0	.0
1960	-	.0	.0	.2	.0	.0	.1	.0	.1	-	.1	-	.1	-	.1	-	.0	.0	-
1961	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	-	.0
1962	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	-	-	-	-	-	-	-
1963	-	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	-	.1	.1	.1	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	-	.0	.1	-	.1	-	-	.0	-	-	-	-
1965	-	.0	.0	.0	.2	.0	.0	.0	.0	-	.1	.1	.1	-	-	.1	-	.0	-
1966	-	.0	.0	.0	.0	.1	.0	.0	.1	.1	-	.1	-	-	-	-	.1	-	.0
1967	-	.0	.0	.0	.1	.0	.0	-	.1	.1	.1	.1	.1	.1	-	-	.0	.0	.0
1968	-	-	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	-	-	-	-	-	.0
1969	-	.0	.0	.0	.0	.0	.1	.0	.1	.1	.1	.2	.1	.1	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	-	.1	.1	-	-	.0	.0
1971	-	.0	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	.1	-	-	-	-	.0	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	.1	.1	.1	-	-	-	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	-	-	.2	.1	.1	-	-	.0	-	-	-
1974	-	.0	.0	.0	.0	.0	.1	.0	.0	-	.1	.1	.1	.1	-	-	.0	-	-
1975	-	.0	.0	.0	.0	.0	.0	.1	-	.1	.2	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.2	.1	.1	-	.1	-	.0	-
1977	.1	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	.1	.2	.1	.1	.1	-	.0	.0

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRODE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRODE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRODE RATE	ADJ. RATE	% OF MALIG*
1950	1435	2.12	2.41	1.43	323	0.47	0.50	0.34	125	1.61	2.19	1.45	41	0.51	0.71	0.48
1951	1382	2.01	2.25	1.33	331	0.48	0.50	0.35	134	1.69	2.23	1.47	38	0.46	0.62	0.43
1952	1484	2.12	2.35	1.37	335	0.48	0.49	0.34	142	1.75	2.33	1.47	43	0.51	0.69	0.48
1953	1449	2.04	2.28	1.31	318	0.44	0.46	0.32	126	1.52	2.08	1.29	32	0.37	0.48	0.34
1954	1632	2.26	2.50	1.43	378	0.52	0.53	0.37	145	1.71	2.29	1.34	27	0.30	0.42	0.29
1955	1592	2.17	2.38	1.35	362	0.49	0.49	0.34	138	1.59	2.15	1.27	56	0.61	0.77	0.54
1956	1673	2.25	2.47	1.38	344	0.46	0.45	0.32	157	1.76	2.33	1.31	53	0.57	0.70	0.48
1957	1755	2.32	2.53	1.41	384	0.50	0.50	0.36	193	2.11	2.76	1.51	45	0.47	0.64	0.44
1958	1671	2.18	2.37	1.34	415	0.53	0.52	0.38	171	1.83	2.45	1.37	49	0.50	0.62	0.43
1959	1834	2.35	2.54	1.42	453	0.57	0.56	0.41	206	2.14	2.80	1.50	48	0.47	0.56	0.40
1960	1761	2.22	2.40	1.33	482	0.60	0.58	0.43	177	1.76	2.28	1.21	50	0.47	0.58	0.40
1961	1879	2.34	2.51	1.38	464	0.57	0.54	0.41	226	2.19	2.91	1.50	58	0.53	0.67	0.46
1962	1862	2.28	2.46	1.35	466	0.56	0.53	0.40	235	2.23	2.98	1.53	55	0.49	0.62	0.44
1963	1929	2.34	2.51	1.35	478	0.57	0.54	0.41	214	1.99	2.66	1.30	65	0.57	0.72	0.52
1964	1897	2.27	2.45	1.32	463	0.54	0.51	0.39	258	2.35	3.18	1.57	54	0.46	0.59	0.42
1965	1900	2.25	2.41	1.27	477	0.55	0.52	0.39	224	2.00	2.64	1.28	77	0.65	0.81	0.58
1966	1941	2.28	2.44	1.28	526	0.60	0.56	0.43	263	2.31	3.07	1.43	67	0.55	0.67	0.47
1967	1980	2.30	2.47	1.28	546	0.62	0.57	0.43	290	2.50	3.30	1.51	94	0.76	0.92	0.65
1968	2155	2.49	2.65	1.36	609	0.68	0.62	0.48	311	2.64	3.56	1.58	91	0.72	0.87	0.61
1969	2161	2.48	2.62	1.34	643	0.71	0.65	0.50	337	2.81	3.74	1.64	97	0.75	0.92	0.65
1970	2179	2.47	2.62	1.33	682	0.75	0.67	0.51	292	2.39	3.26	1.41	94	0.71	0.87	0.62
1971	2188	2.46	2.60	1.31	747	0.81	0.73	0.56	328	2.63	3.54	1.54	92	0.68	0.83	0.58
1972	1077	2.41	2.54	1.26	362	0.78	0.69	0.53	190	3.00	4.10	1.74	55	0.80	0.96	0.68
1973	2225	2.48	2.59	1.29	763	0.81	0.72	0.55	355	2.75	3.68	1.52	121	0.86	1.06	0.72
1974	2261	2.50	2.60	1.28	788	0.84	0.73	0.55	363	2.77	3.80	1.54	113	0.79	0.95	0.65
1975	2191	2.41	2.48	1.22	835	0.88	0.76	0.58	417	3.11	4.19	1.69	124	0.85	1.02	0.72
1976	2205	2.42	2.47	1.20	828	0.87	0.74	0.56	429	3.14	4.26	1.69	132	0.89	1.09	0.76
1977	2308	2.51	2.55	1.22	926	0.97	0.82	0.62	461	3.31	4.53	1.76	141	0.93	1.15	0.77


*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: (ICD 140-148 [6th]; ICD 140-148 [7th]; ICD 140-149 [8th])


Buccal Cavity plus Oral Pharynx

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



GRAHAM S, DAYAL H, ROHRER T, et al : Dentition, diet, tobacco, and alcohol in the epidemiology of oral cancer. JNCI 59:1611-1618, 1977

SMITH EM: Epidemiology of oral and pharyngeal cancers in the United States: Review of recent literature. JNCI 63:1189-1198, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.6	-	.1	.1	.1	.2	.2	.2	.8	2.3	4.4	7.8	13.1	19.2	26.6	37.2	51.1	68.4	79.1
1951	5.2	.1	-	.1	.1	.1	.1	.2	.8	1.8	4.2	7.1	12.9	18.3	25.4	32.4	47.4	55.8	67.7
1952	5.2	-	-	.0	.1	.2	.3	.2	.9	1.5	4.6	7.7	13.2	19.6	24.2	32.3	43.6	55.9	72.8
1953	5.3	.1	.1	-	.1	.2	.1	.3	.7	2.0	4.1	7.7	12.9	18.8	24.3	32.7	42.4	60.2	74.6
1954	5.4	.1	-	.1	.1	.1	.2	.4	.6	2.0	4.6	8.6	12.2	19.2	26.2	34.3	41.2	57.3	74.4
1955	5.5	.1	.1	.1	.1	.1	.2	.3	.8	2.2	4.2	9.0	13.6	18.9	26.9	31.6	41.4	61.7	71.1
1956	5.4	.1	.1	.1	.1	.1	.3	.3	.6	2.1	4.7	8.7	13.5	19.5	25.0	29.9	43.5	58.4	70.8
1957	5.5	.1	.1	.1	.1	.3	.2	.2	.6	2.2	5.1	9.1	13.7	17.8	26.2	33.4	44.2	52.3	72.8
1958	5.3	-	.1	.1	.1	.1	.1	.3	.8	1.9	4.7	9.2	14.1	19.8	24.1	28.7	39.3	48.1	66.7
1959	5.5	.1	-	-	.1	.3	.2	.5	.6	1.9	5.0	10.7	13.3	20.8	25.9	29.9	38.2	50.9	64.6
1960	5.4	-	.1	.1	.1	.2	.1	.3	.7	1.8	4.9	10.3	14.3	19.1	24.3	30.7	38.4	48.7	62.7
1961	5.5	-	.1	.1	.2	.1	.2	.5	.6	1.9	5.3	9.7	15.0	20.0	25.6	29.0	38.4	46.1	65.8
1962	5.5	.1	-	.1	.1	.2	.2	.2	.7	2.0	5.3	10.5	14.7	20.1	24.8	30.0	35.0	46.9	72.7
1963	5.4	-	-	.1	.1	.1	.2	.2	.6	1.9	5.1	11.2	16.3	20.6	24.9	27.3	34.1	42.3	62.4
1964	5.3	-	.1	-	.1	.1	.2	.3	.6	2.1	4.4	9.8	14.7	22.0	23.6	28.6	36.2	41.0	63.1
1965	5.2	-	-	.1	.1	.1	.2	.2	.6	1.8	4.9	9.9	16.4	20.3	24.4	27.3	32.7	37.4	55.9
1966	5.3	-	-	.1	.1	.1	.1	.2	.7	1.8	4.2	10.6	16.6	20.7	23.2	29.1	33.1	41.7	56.3
1967	5.1	-	-	-	.1	.1	.2	.2	.7	1.4	4.0	10.8	15.9	22.1	21.9	28.0	29.6	37.5	54.0
1968	5.5	.1	.1	.1	.1	.2	.1	.3	.6	1.9	5.1	10.4	15.5	22.8	25.3	28.7	34.5	40.0	58.9
1969	5.6	.1	.1	-	.1	.1	.2	.2	.7	1.9	4.1	10.3	18.2	22.8	27.8	26.8	35.0	43.0	54.9
1970	5.5	.0	-	-	.1	.1	.1	.2	.7	2.0	4.2	10.1	16.9	22.8	24.6	30.0	34.4	40.3	54.4
1971	5.5	-	-	-	-	.1	.1	.3	.6	1.8	4.3	9.7	16.7	22.2	27.4	28.6	32.2	39.8	48.2
1972	5.2	.0	-	-	.1	.2	.1	.2	.4	1.6	4.6	8.5	15.5	21.3	25.7	26.1	30.6	39.3	49.8
1973	5.4	-	-	-	.1	.1	.1	.2	.6	1.7	4.6	9.1	15.3	21.0	26.1	30.4	30.7	39.4	48.2
1974	5.5	.0	-	.1	.2	-	.1	.2	.6	1.8	5.1	8.7	15.5	22.6	25.5	29.0	36.3	39.4	44.4
1975	5.4	-	.1	-	.1	.1	.1	.2	.4	1.4	5.0	8.7	14.1	21.9	26.7	31.1	29.3	37.0	43.6
1976	5.4	.0	.0	-	.1	.1	.2	.2	.6	1.7	4.6	8.2	14.2	22.8	25.1	28.6	33.4	35.9	41.1
1977	5.5	-	-	.1	.1	.1	.2	.2	.5	1.4	4.4	9.1	14.8	21.5	27.5	27.7	33.2	36.2	46.3

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3799	2	6	3	5	10	11	12	38	107	181	294	440	544	596	566	479	328	177
1951	3560	6	3	4	6	7	6	10	42	82	174	267	442	527	583	507	460	271	163
1952	3666	3	2	0	4	9	15	12	44	72	195	291	454	577	569	520	436	276	187
1953	3725	5	4	1	4	8	4	16	37	95	180	294	445	563	583	543	436	305	202
1954	3907	6	2	4	4	7	9	20	33	99	204	331	424	583	641	592	436	300	212
1955	4036	6	4	4	6	6	11	19	40	109	192	351	475	581	669	566	450	336	211
1956	4048	6	4	4	6	5	13	15	32	104	218	344	476	608	630	552	485	331	215
1957	4199	5	8	5	3	12	12	13	31	109	241	369	487	557	674	632	508	306	227
1958	4069	1	5	4	8	7	6	17	44	96	225	381	509	615	631	556	464	288	212
1959	4304	8	4	3	6	13	9	26	35	98	241	454	488	647	686	595	468	312	211
1960	4274	1	7	6	6	9	5	17	39	92	240	443	535	596	654	623	486	305	210
1961	4388	1	5	4	13	6	10	25	31	101	257	425	572	627	689	600	498	299	225
1962	4464	5	4	5	7	10	11	11	37	104	261	466	574	634	667	632	463	323	250
1963	4460	3	1	6	9	5	9	11	34	103	253	507	652	654	667	581	458	291	216
1964	4422	3	7	2	7	3	9	14	33	113	220	447	601	705	631	616	495	292	224
1965	4400	1	3	6	8	8	10	11	32	100	244	458	680	663	656	590	453	274	203
1966	4514	3	3	6	7	8	6	12	38	97	214	494	697	689	625	626	466	313	210
1967	4409	1	4	4	5	5	10	10	35	76	208	505	675	756	595	600	423	288	209
1968	4769	4	9	5	11	14	5	13	30	103	268	494	661	802	693	610	499	313	235
1969	4906	4	5	1	6	10	12	9	33	100	214	493	781	821	772	566	509	342	228
1970	4853	0	2	3	6	8	6	9	35	104	222	490	730	838	697	634	497	327	245
1971	4857	2	3	3	3	8	9	16	30	94	227	482	732	827	792	606	470	329	224
1972	2340	0	1	2	3	7	5	5	10	41	120	216	340	403	382	298	222	166	119
1973	4810	2	2	3	8	12	5	9	28	87	241	465	675	806	796	654	438	340	239
1974	4969	0	3	5	14	3	8	12	30	89	260	452	691	878	798	636	516	342	232
1975	4875	1	4	2	6	9	9	14	19	70	256	449	642	856	861	692	421	324	240
1976	4883	0	0	2	8	7	12	12	33	80	231	426	659	901	825	653	482	321	231
1977	5042	3	2	5	5	9	13	12	29	69	220	466	704	857	918	654	481	325	270


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	-	.2	.1	.1	.1	.1	.1	.3	.5	.6	.6	.7	.7	.7	.6	.6	.5	.4
1951	.5	-	.1	.1	.1	.1	.1	.1	.3	.4	.6	.6	.7	.7	.6	.5	.5	.4	.3
1952	.5	-	-	.0	.1	.1	.2	.1	.3	.3	.6	.6	.7	.7	.6	.6	.5	.4	.4
1953	.5	-	.1	-	.1	.1	-	.2	.3	.4	.6	.6	.7	.7	.6	.6	.5	.4	.4
1954	.5	-	-	.1	.1	.1	.1	.2	.3	.5	.6	.7	.7	.7	.7	.6	.5	.4	.4
1955	.5	-	.1	.1	.1	.1	.1	.2	.3	.5	.6	.8	.8	.7	.7	.6	.5	.5	.4
1956	.5	-	.1	.1	.1	.1	.2	.2	.2	.5	.7	.8	.8	.7	.6	.5	.5	.4	.3
1957	.5	-	.2	.1	-	.2	.2	.1	.2	.5	.7	.8	.8	.6	.6	.6	.5	.4	.3
1958	.5	-	.1	.1	.1	.1	.1	.2	.3	.5	.7	.8	.8	.7	.6	.5	.5	.4	.3
1959	.5	-	.1	.1	.1	.2	.1	.3	.3	.5	.7	.9	.8	.8	.6	.5	.4	.4	.3
1960	.5	-	.2	.2	.1	.1	.1	.2	.3	.4	.7	.9	.8	.7	.6	.5	.4	.4	.3
1961	.5	-	.1	.1	.2	.1	.1	.3	.2	.5	.8	.8	.9	.7	.6	.5	.5	.4	.3
1962	.5	-	.1	.1	.1	.1	.2	.1	.3	.5	.8	.9	.8	.7	.6	.5	.4	.4	.3
1963	.5	-	-	.2	.1	.1	.1	.1	.2	.5	.7	1.0	.9	.7	.6	.5	.4	.3	.3
1964	.5	-	.2	-	.1	-	.1	.2	.2	.5	.6	.9	.8	.8	.6	.5	.4	.3	.3
1965	.5	-	.1	.1	.1	.1	.1	.1	.2	.4	.7	.9	.9	.7	.6	.5	.4	.3	.2
1966	.5	-	.1	.1	.1	.1	.1	.1	.3	.4	.6	.9	.9	.7	.6	.5	.4	.3	.2
1967	.5	-	.1	.1	-	-	.1	.1	.3	.3	.6	1.0	.9	.8	.5	.5	.3	.3	.2
1968	.5	-	.2	.1	.1	.1	.1	.1	.2	.5	.7	.9	.9	.8	.6	.5	.4	.3	.3
1969	.5	-	.1	-	-	.1	.1	.1	.3	.4	.6	.9	1.0	.8	.7	.5	.4	.3	.3
1970	.5	.0	-	.1	-	.1	.1	.1	.3	.5	.6	.9	1.0	.8	.6	.5	.4	.3	.3
1971	.5	-	.1	.1	-	.1	.1	.2	.2	.4	.6	.9	1.0	.8	.7	.5	.4	.3	.2
1972	.5	.0	.1	.1	-	.1	.1	.1	.2	.4	.7	.8	.9	.8	.7	.5	.3	.3	.2
1973	.5	-	.1	.1	.1	.1	-	.1	.2	.4	.7	.9	.9	.8	.7	.5	.3	.3	.2
1974	.5	.0	.1	.1	.1	-	.1	.1	.3	.5	.8	.9	1.0	.9	.7	.5	.4	.3	.2
1975	.5	-	.1	.1	-	.1	.1	.1	.2	.4	.8	.9	.9	.9	.7	.6	.4	.3	.2
1976	.5	.0	.0	.1	.1	-	.1	.1	.3	.5	.8	.9	.9	.9	.7	.5	.4	.3	.2
1977	.6	-	.1	.1	-	.1	.1	.1	.3	.4	.8	1.0	1.0	.9	.8	.5	.4	.3	.3


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	-	-	-	.1	.1	.2	.3	.3	.6	1.2	2.0	2.7	3.5	5.7	7.3	10.5	19.5	21.3
1951	1.4	-	-	.1	.1	.1	.2	.1	.3	.8	1.3	1.8	2.4	3.5	5.7	7.2	11.5	13.6	22.1
1952	1.4	.0	-	.1	.1	-	.2	.1	.5	.7	.9	2.3	2.4	3.2	5.6	8.2	12.0	14.2	24.3
1953	1.4	-	.1	-	.1	-	.1	.1	.2	.7	1.5	1.7	2.6	3.4	4.7	7.1	11.6	15.6	22.3
1954	1.5	.1	-	.0	.1	.1	.1	.1	.4	.8	1.5	2.3	2.4	3.8	5.4	7.9	10.7	15.2	20.9
1955	1.4	.1	.1	.1	.1	-	.1	.2	.4	.9	1.4	2.2	2.7	3.7	4.8	7.1	9.4	15.3	20.1
1956	1.4	-	-	-	-	.1	.1	.2	.4	.6	1.4	1.9	2.8	3.8	5.0	6.3	9.7	16.6	19.2
1957	1.5	-	-	-	.1	.1	.1	.2	.3	.7	1.4	2.4	3.3	3.2	4.3	7.2	10.8	17.7	20.7
1958	1.6	-	-	-	.1	.0	.2	.1	.3	.9	1.5	2.6	3.3	3.9	5.1	6.5	10.9	16.1	21.3
1959	1.5	-	-	.1	.1	-	.0	.1	.4	.8	1.6	2.5	3.3	3.7	5.7	5.4	9.7	18.7	17.4
1960	1.7	-	-	-	.1	.1	.2	.2	.3	1.1	2.2	3.2	3.3	4.1	5.2	7.2	10.0	14.9	18.6
1961	1.7	-	-	-	.0	.1	.1	.2	.4	.8	2.1	2.6	3.0	4.3	5.3	7.6	10.3	14.0	22.7
1962	1.7	.1	-	.1	.1	.1	.1	.1	.5	1.0	1.7	2.4	3.7	4.6	4.9	7.5	9.7	14.8	24.0
1963	1.7	-	.1	-	-	.1	.1	.1	.6	.8	1.9	3.0	4.0	3.9	5.1	7.0	9.0	13.0	22.4
1964	1.7	-	-	-	.1	-	.1	.2	.4	.7	1.7	3.2	4.2	5.2	4.2	6.3	9.2	10.0	24.7
1965	1.6	-	-	.1	.1	-	.2	.1	.3	.6	1.6	3.3	3.9	4.3	5.2	6.3	9.0	10.5	18.9
1966	1.8	-	.1	-	-	.1	.1	.1	.4	.7	2.3	3.6	4.1	4.4	5.6	6.2	9.6	11.5	23.1
1967	1.7	-	-	-	.1	-	.1	.1	.3	.6	1.5	3.6	4.2	4.4	5.1	7.3	8.4	10.4	19.2
1968	1.9	-	-	-	-	-	-	.1	.3	.8	2.3	3.3	4.9	6.1	5.6	6.0	8.8	13.8	22.7
1969	2.0	-	-	-	-	.1	.1	.2	.4	.7	1.7	3.6	5.5	5.9	5.0	7.2	9.8	12.3	22.0
1970	2.1	.0	-	-	.1	.1	.1	.2	.3	.8	1.7	3.5	5.7	6.4	6.0	7.7	8.5	14.7	19.9
1971	2.2	.0	-	-	.0	-	.1	.1	.3	.7	2.0	3.9	5.5	7.5	7.0	7.0	9.8	12.0	22.0
1972	2.0	.0	-	.1	-	.1	.0	.0	.3	.7	1.8	3.1	5.9	7.2	6.2	7.3	8.8	10.2	16.6
1973	2.2	-	-	-	-	.1	-	.2	.3	.7	1.7	3.4	5.8	7.1	8.0	7.1	9.0	11.0	19.1
1974	2.2	-	-	.0	-	-	-	.1	.2	.7	1.7	2.9	5.6	7.2	7.0	8.0	10.7	12.4	16.9
1975	2.3	-	-	-	-	-	.1	.2	.2	.7	1.7	3.4	6.0	7.7	7.8	8.4	9.7	12.6	17.4
1976	2.2	.0	-	-	.1	.1	.1	.3	.2	.7	1.4	2.9	5.3	7.8	7.7	8.6	9.3	10.1	17.6
1977	2.3	.0	.0	-	-	-	-	.2	.2	.5	1.6	3.3	5.5	8.2	8.0	8.8	9.5	13.5	15.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	956	1	2	2	3	3	11	16	16	30	49	75	92	98	136	123	114	117	68
1951	943	3	1	3	3	5	10	5	13	36	54	70	83	102	140	125	131	84	75
1952	998	0	3	3	3	1	11	8	24	34	38	87	83	95	140	148	142	91	87
1953	990	3	4	1	4	1	5	8	13	35	65	67	93	106	122	133	142	104	84
1954	1069	6	2	0	3	3	4	8	20	39	68	88	85	122	143	154	135	106	83
1955	1067	4	4	3	3	2	5	13	24	44	66	88	98	119	130	144	124	112	84
1956	1068	3	2	2	2	4	4	11	23	32	65	77	103	126	139	133	131	127	84
1957	1142	2	1	1	3	4	6	10	14	37	69	100	120	108	122	157	152	141	95
1958	1219	1	2	3	4	0	9	7	19	47	71	111	125	130	151	146	159	132	102
1959	1223	4	2	4	5	2	0	7	20	43	81	109	127	127	172	126	148	158	88
1960	1355	2	1	3	6	3	8	9	17	58	111	143	131	142	161	172	159	130	99
1961	1367	4	3	3	0	5	4	11	22	43	106	120	122	147	165	189	170	128	125
1962	1416	5	1	6	5	6	7	5	26	55	85	112	153	161	154	191	166	142	136
1963	1421	4	5	1	2	7	6	5	33	45	95	142	170	138	163	185	158	131	131
1964	1427	2	2	2	5	2	5	11	21	37	90	154	183	184	136	170	168	105	150
1965	1402	3	1	6	6	2	10	4	15	36	84	159	173	156	170	174	168	115	120
1966	1566	1	5	3	2	6	3	7	20	39	124	178	186	165	183	172	186	132	154
1967	1506	1	1	4	6	2	5	6	17	36	82	179	195	171	168	205	169	124	135
1968	1718	2	3	1	2	1	1	7	15	44	125	166	229	244	187	171	182	170	168
1969	1778	2	2	2	2	7	4	8	21	37	95	182	257	243	172	207	208	157	172
1970	1890	0	4	3	5	6	6	9	15	44	97	181	271	268	210	222	182	195	172
1971	2004	0	3	2	0	3	6	5	17	37	112	204	261	319	252	203	213	167	200
1972	936	0	1	3	2	3	0	0	7	19	49	85	140	156	115	107	96	74	79
1973	2018	2	2	4	2	4	3	9	15	36	93	189	279	311	306	211	196	165	191
1974	2030	1	1	0	1	3	3	7	12	36	90	160	274	319	275	242	235	190	181
1975	2185	2	1	1	4	4	6	10	12	35	93	187	298	342	315	259	219	196	201
1976	2115	0	1	3	6	8	5	17	13	33	75	161	268	349	317	270	213	162	214
1977	2243	0	0	2	3	3	3	12	13	25	82	179	284	367	338	287	219	220	206


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.1	.1	.1	.1	.2	.2	.2	.2	.3	.3	.3	.2	.2	.2	.2	.2	.1
1951	.2	-	-	.2	.1	.1	.2	.1	.1	.3	.3	.3	.2	.2	.2	.2	.2	.1	.1
1952	.2	.0	.1	.1	.1	-	.2	.1	.3	.3	.2	.4	.2	.2	.2	.2	.2	.1	.1
1953	.2	-	.1	-	.1	-	.1	.1	.1	.3	.4	.3	.3	.2	.2	.2	.2	.1	.1
1954	.2	-	.1	.0	.1	.1	.1	.1	.2	.3	.4	.4	.3	.3	.2	.2	.2	.1	.1
1955	.2	-	.1	.2	.1	.1	.1	.2	.3	.4	.4	.4	.3	.3	.2	.2	.1	.1	.1
1956	.2	-	.1	.1	.1	.1	.1	.2	.3	.3	.4	.3	.3	.3	.2	.2	.2	.2	.1
1957	.2	-	-	-	.1	.1	.2	.2	.2	.3	.4	.4	.4	.2	.2	.2	.2	.2	.1
1958	.2	-	.1	.1	.1	.0	.3	.1	.2	.4	.4	.5	.4	.3	.2	.2	.2	.2	.1
1959	.2	-	.1	.2	.2	.1	.0	.1	.2	.4	.5	.5	.4	.3	.3	.2	.2	.2	.1
1960	.2	-	-	.1	.2	.1	.2	.2	.2	.5	.6	.6	.4	.3	.2	.2	.2	.1	.1
1961	.2	-	.1	.1	.0	.2	.1	.2	.3	.4	.6	.5	.4	.3	.3	.2	.2	.1	.1
1962	.2	-	-	.3	.2	.2	.2	.1	.3	.4	.5	.4	.5	.4	.2	.2	.2	.1	.1
1963	.2	-	.2	-	.1	.2	.2	.1	.4	.3	.5	.5	.5	.3	.2	.2	.2	.1	.1
1964	.2	-	.1	.1	.1	.1	.1	.2	.3	.3	.5	.6	.5	.4	.2	.2	.2	.1	.1
1965	.2	-	-	.3	.2	.1	.3	.1	.2	.3	.4	.6	.5	.3	.3	.2	.2	.1	.1
1966	.2	-	.2	.1	-	.2	.1	.1	.3	.3	.6	.6	.5	.4	.3	.2	.2	.1	.1
1967	.2	-	-	.2	.1	-	.1	.1	.2	.3	.4	.6	.5	.4	.3	.2	.2	.1	.1
1968	.2	-	.1	-	-	-	-	.1	.2	.3	.6	.6	.6	.5	.3	.2	.2	.1	.1
1969	.2	-	.1	.1	-	.1	.1	.2	.3	.3	.5	.6	.7	.5	.3	.2	.2	.1	.1
1970	.3	.0	.2	.1	.1	.1	.1	.2	.2	.4	.5	.6	.7	.5	.3	.2	.2	.2	.1
1971	.3	.0	.1	.1	.0	.1	.1	.1	.2	.3	.6	.7	.7	.6	.4	.2	.2	.1	.1
1972	.2	.0	.1	.2	.1	.1	.0	.0	.2	.3	.5	.6	.7	.6	.3	.2	.2	.1	.1
1973	.3	-	.1	.2	-	.1	.1	.2	.2	.3	.5	.7	.7	.6	.4	.2	.2	.1	.1
1974	.3	-	-	.0	-	.1	.1	.1	.2	.3	.5	.6	.7	.6	.4	.3	.2	.2	.1
1975	.3	-	.1	-	.1	.1	.1	.2	.2	.3	.5	.7	.8	.7	.5	.3	.2	.2	.1
1976	.3	.0	.1	.2	.1	.2	.1	.3	.2	.3	.4	.6	.7	.7	.5	.3	.2	.1	.1
1977	.3	.0	.0	.1	.1	.1	.1	.2	.2	.3	.5	.7	.8	.7	.5	.3	.2	.2	.1


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.5	.0	.0	.0	.0	.2	.2	.4	1.9	2.8	4.5	13.1	18.1	22.4	13.8	20.6	20.0	13.5	37.8
1951	3.5	.0	.0	.0	.5	.2	.3	.5	1.4	4.9	6.3	12.4	17.6	19.4	11.1	22.4	17.7	10.5	25.6
1952	3.5	.0	.1	.0	.2	1.0	.5	1.2	1.4	3.7	5.6	11.9	15.7	17.2	17.6	13.7	26.8	23.1	9.8
1953	3.3	.1	.0	.0	.2	.0	.5	.0	1.4	2.5	6.5	9.1	13.8	18.9	16.7	19.5	21.4	25.0	23.3
1954	3.6	.0	.0	.1	.0	.3	.2	.0	2.0	3.9	6.9	8.4	16.1	24.9	16.8	15.1	26.6	19.6	17.1
1955	3.5	.0	.0	.2	.2	.2	.0	.6	1.5	3.9	7.1	9.3	14.7	19.1	20.8	16.0	20.5	14.3	32.8
1956	3.9	.0	.4	.3	.3	.3	.5	.6	1.7	2.0	8.2	12.7	16.2	22.6	18.4	21.8	19.6	14.0	23.7
1957	4.5	.0	.1	.0	.1	.2	.5	1.0	2.1	3.5	8.6	14.5	15.7	27.3	26.8	20.9	28.3	22.8	30.4
1958	3.8	.0	.0	.2	.3	.3	.5	.6	1.5	3.5	7.7	9.4	15.9	21.6	18.8	17.0	28.5	24.6	31.8
1959	4.2	.1	.2	.2	.1	.5	.3	.8	2.4	4.0	7.9	16.5	17.6	19.0	22.3	15.1	24.3	24.1	34.2
1960	3.9	.0	.0	.0	.4	.0	.3	1.3	2.4	5.2	8.1	16.6	14.0	15.5	18.9	19.0	18.1	21.3	32.3
1961	4.2	.0	.0	.0	.1	.0	.0	.9	2.5	3.5	10.2	13.4	17.8	21.9	23.0	23.6	18.7	19.2	30.0
1962	4.3	.0	.0	.1	.2	.3	.3	.2	1.2	6.5	10.6	14.4	17.8	21.4	21.2	20.6	25.0	23.2	23.3
1963	4.4	.1	.1	.2	.3	.3	.3	1.1	1.7	4.9	9.5	14.9	19.6	23.9	21.9	19.6	23.9	15.3	30.0
1964	5.1	.1	.1	.1	.1	.0	.6	.8	1.1	5.1	14.3	19.8	19.2	21.0	25.8	25.4	30.6	21.3	50.0
1965	4.7	.0	.0	.1	.3	.2	.5	.2	2.5	7.7	10.3	15.4	22.7	25.5	21.7	19.8	14.2	17.5	38.2
1966	4.7	.1	.0	.2	.3	.4	.8	.2	2.6	6.2	10.5	15.5	20.3	21.2	24.0	22.2	27.0	21.9	27.8
1967	5.2	.0	.0	.1	.4	.6	.1	1.3	2.2	7.6	14.6	21.9	21.4	20.5	20.5	31.5	20.3	21.2	15.4
1968	5.2	.0	.0	.0	.2	.2	.1	.8	1.3	6.9	13.6	22.6	22.4	24.6	23.3	25.5	26.1	14.9	31.7
1969	5.5	.0	.0	.1	.5	.4	.8	1.1	2.5	8.4	15.6	20.9	23.9	25.8	25.3	17.2	27.5	19.1	31.8
1970	5.3	.1	.0	.0	.1	.3	.4	1.2	1.9	6.9	14.2	16.3	23.3	25.1	25.2	23.6	35.8	32.9	21.3
1971	5.2	.0	.1	.1	.2	.5	.3	1.0	2.1	6.9	14.2	18.6	22.8	24.6	22.8	27.4	20.9	23.0	22.9
1972	5.3	.0	.0	.0	.1	.0	.5	.8	2.2	5.7	14.0	19.5	30.3	25.2	22.3	23.7	24.4	25.6	12.0
1973	5.8	.0	.1	.1	.1	.3	.3	1.1	1.7	7.1	16.0	21.0	26.1	26.8	29.6	34.1	23.8	21.7	11.5
1974	5.5	.0	.0	.0	.1	.3	.0	.4	2.9	7.7	12.3	19.5	26.6	27.2	24.2	29.0	34.4	22.4	17.5
1975	6.1	.0	.0	.1	.1	.2	.1	.2	3.3	6.8	15.5	23.9	32.1	27.4	32.3	24.2	25.4	24.4	18.5
1976	6.2	.0	.0	.1	.1	.5	.5	1.0	2.2	7.3	15.7	25.5	27.8	29.5	24.0	42.5	25.7	24.2	19.1
1977	6.4	.0	.0	.1	.2	.1	.2	.8	3.4	7.0	16.6	22.4	31.0	31.9	25.0	34.5	35.5	31.2	22.2

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	273	0	0	0	0	1	1	2	11	14	20	49	51	47	28	24	13	5	7
1951	282	0	0	0	3	1	2	3	8	25	28	48	51	42	23	27	12	4	5
1952	286	0	1	0	1	6	3	7	8	19	25	47	47	38	37	17	19	9	2
1953	270	1	0	0	1	0	3	0	8	13	29	37	43	43	36	25	16	10	5
1954	303	0	0	1	0	2	1	0	12	21	31	35	52	58	37	20	21	8	4
1955	304	0	0	2	1	1	0	4	9	21	32	39	49	46	47	22	17	6	8
1956	345	0	4	3	2	2	3	4	10	11	38	54	56	56	42	31	17	6	6
1957	410	0	1	0	1	1	3	6	13	19	41	62	56	70	62	31	26	10	8
1958	352	0	0	2	2	2	3	4	9	19	38	40	59	57	44	26	27	11	9
1959	405	1	2	2	1	3	2	5	15	22	40	71	67	52	53	24	24	11	10
1960	394	0	0	0	3	0	2	8	15	29	43	75	56	45	47	32	19	10	10
1961	435	0	0	0	1	0	0	6	16	20	54	62	72	65	59	41	20	10	9
1962	456	0	0	1	2	2	2	1	8	38	56	68	73	65	56	37	27	13	7
1963	475	1	1	2	3	2	2	7	11	29	50	72	82	74	59	36	26	9	9
1964	555	1	1	1	1	0	4	5	7	31	76	97	82	66	72	48	34	13	16
1965	524	0	0	1	3	2	3	1	16	47	55	76	98	82	62	38	16	11	13
1966	533	2	0	3	3	3	5	1	17	38	57	77	89	70	70	43	31	14	10
1967	604	0	0	2	5	5	1	8	14	47	81	109	95	70	61	62	24	14	6
1968	614	0	0	0	3	2	1	5	8	43	77	113	100	87	70	51	31	10	13
1969	660	0	0	1	6	4	6	7	16	52	90	105	107	94	77	35	33	13	14
1970	642	1	0	0	1	3	3	8	12	43	84	84	104	95	78	49	44	23	10
1971	643	0	1	2	3	6	2	7	13	43	85	99	100	97	71	59	27	17	11
1972	334	0	0	0	1	0	2	3	7	18	42	54	66	51	36	25	16	10	3
1973	743	0	1	1	2	4	3	8	11	45	97	120	114	110	99	73	31	18	6
1974	717	0	0	0	1	4	0	3	19	49	75	113	119	113	84	63	45	19	10
1975	814	0	0	2	2	3	1	2	22	43	97	139	151	113	118	53	35	21	12
1976	848	0	0	1	2	7	5	8	15	47	99	151	136	119	92	94	37	22	13
1977	884	0	0	2	3	1	2	7	24	45	106	134	158	128	99	80	50	29	16


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	-	-	.1	.3	.3	.3	.6	.6	.5	.3	.3	.2	.1	.2
1951	.3	.0	.0	.0	.2	-	.1	.1	.2	.5	.5	.5	.6	.5	.2	.4	.2	.1	.2
1952	.3	.0	.1	.0	.1	.3	.1	.2	.2	.4	.4	.5	.5	.4	.4	.2	.3	.2	.1
1953	.3	-	.0	.0	.1	.0	.1	.0	.2	.3	.5	.4	.5	.4	.4	.3	.3	.3	.2
1954	.3	.0	.0	.2	.0	.1	-	.0	.4	.4	.5	.4	.6	.6	.4	.2	.4	.2	.1
1955	.3	.0	.0	.3	.1	.1	.0	.2	.3	.4	.5	.5	.5	.5	.5	.3	.3	.1	.2
1956	.3	.0	.5	.4	.2	.1	.1	.1	.3	.2	.6	.7	.6	.6	.4	.4	.3	.1	.2
1957	.4	.0	.1	.0	.1	.1	.1	.2	.4	.4	.6	.8	.6	.6	.5	.3	.4	.2	.2
1958	.3	.0	.0	.3	.2	.1	.1	.1	.3	.4	.6	.5	.6	.5	.4	.3	.4	.2	.2
1959	.4	-	.2	.3	.1	.2	.1	.2	.4	.5	.6	.9	.7	.5	.5	.2	.3	.2	.2
1960	.3	.0	.0	.0	.2	.0	.1	.3	.4	.6	.7	.9	.6	.4	.4	.3	.2	.2	.2
1961	.4	.0	.0	.0	.1	.0	.0	.2	.4	.4	.9	.7	.8	.6	.5	.4	.3	.2	.2
1962	.4	.0	.0	.1	.1	.1	.1	-	.2	.7	.9	.8	.7	.5	.4	.3	.3	.2	.1
1963	.4	-	.1	.2	.2	.1	.1	.3	.3	.5	.8	.8	.8	.6	.4	.3	.3	.1	.2
1964	.5	-	.1	.1	.1	.0	.2	.2	.2	.5	1.1	1.1	.8	.5	.5	.4	.4	.2	.3
1965	.4	.0	.0	.1	.2	.1	.1	-	.4	.8	.8	.8	.9	.6	.4	.3	.2	.2	.2
1966	.4	-	.0	.3	.1	.1	.2	-	.4	.6	.8	.8	.8	.6	.5	.3	.3	.2	.2
1967	.5	.0	.0	.2	.2	.2	-	.2	.3	.8	1.1	1.1	.8	.6	.4	.5	.2	.2	.1
1968	.5	.0	.0	.0	.1	.1	-	.1	.2	.7	.9	1.1	.8	.6	.5	.4	.3	.1	.2
1969	.5	.0	.0	.1	.2	.1	.2	.2	.3	.8	1.1	1.1	.9	.7	.5	.3	.3	.2	.2
1970	.5	-	.0	.0	-	.1	.1	.2	.3	.7	1.0	.8	.9	.7	.5	.4	.4	.3	.2
1971	.5	.0	.1	.2	.1	.1	.1	.2	.3	.7	1.1	1.0	.9	.7	.5	.4	.3	.2	.2
1972	.5	.0	.0	.0	.1	.0	.1	.1	.3	.6	1.0	1.0	1.1	.7	.5	.3	.3	.3	.1
1973	.5	.0	.1	.1	.1	.1	.1	.2	.2	.8	1.2	1.1	1.0	.8	.7	.5	.3	.2	.1
1974	.5	.0	.0	.0	-	.1	.0	.1	.5	.9	1.0	1.1	1.0	.8	.6	.4	.4	.3	.1
1975	.6	.0	.0	.2	.1	.1	-	.1	.5	.8	1.3	1.4	1.3	.8	.8	.4	.3	.3	.2
1976	.6	.0	.0	.1	.1	.2	.1	.2	.4	.9	1.4	1.5	1.2	.9	.6	.7	.3	.3	.2
1977	.7	.0	.0	.2	.1	-	-	.2	.6	.9	1.5	1.4	1.3	.9	.7	.6	.4	.3	.2

Buccal Cavity plus Oral Pharynx


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	.0	.0	.0	.0	.1	.0	.3	.6	1.3	3.7	4.6	3.4	9.5	5.1	6.9	9.5	9.6	18.7
1951	1.3	.0	.0	.0	.3	.4	.1	.2	.6	1.9	2.0	6.3	4.0	6.7	4.1	9.8	1.5	6.7	3.7
1952	1.3	.0	.1	.0	.0	.1	.3	.2	1.1	1.8	3.5	2.3	4.8	2.3	8.8	10.0	13.1	2.1	7.0
1953	1.1	.0	.0	.0	.1	.0	.3	.1	.6	1.6	1.3	5.9	5.9	3.0	3.9	2.9	7.0	4.1	6.5
1954	1.2	.1	.1	.1	.1	.1	.1	.3	1.3	1.6	2.4	2.6	4.7	4.2	3.4	7.0	7.8	8.0	9.2
1955	1.3	.2	.1	.0	.1	.3	.0	.3	.6	1.5	3.2	3.8	3.9	1.2	9.5	6.0	6.1	7.8	14.4
1956	1.4	.1	.1	.0	.1	.1	.1	1.0	.3	1.7	2.5	5.3	3.8	6.5	3.2	9.6	6.9	11.7	11.2
1957	1.1	.0	.0	.1	.1	.1	.3	.1	.5	1.2	2.8	2.5	5.0	4.1	4.0	4.9	5.3	13.4	26.6
1958	1.3	.0	.1	.0	.0	.0	.3	1.0	.7	2.2	2.7	4.1	4.5	4.6	5.1	5.9	6.9	7.7	5.2
1959	1.2	.0	.1	.0	.0	.1	.1	.4	1.3	1.7	2.9	2.0	3.8	4.8	6.5	4.6	4.6	9.4	12.6
1960	1.4	.0	.0	.1	.0	.1	.6	.3	.7	1.8	3.2	4.3	4.2	6.2	5.8	7.6	8.7	18.2	10.0
1961	1.2	.1	.0	.0	.1	.3	.0	.1	1.0	1.7	3.0	4.8	4.3	4.8	4.5	5.2	5.9	4.9	7.5
1962	1.3	.0	.0	.2	.0	.3	.1	.7	.6	2.3	2.3	3.6	3.8	5.6	6.3	4.9	6.5	12.1	14.6
1963	1.3	.0	.0	.1	.1	.0	.0	.1	1.1	1.8	3.3	4.7	3.9	5.8	5.4	8.0	7.1	2.9	11.6
1964	1.4	.0	.0	.0	.3	.0	.3	.1	1.0	2.5	2.9	4.0	3.8	6.8	6.1	7.7	6.9	12.2	8.9
1965	1.5	.0	.0	.0	.4	.0	.0	.3	1.2	3.0	3.5	3.9	5.0	6.6	3.3	7.9	8.8	5.2	12.2
1966	1.5	.1	.0	.1	.2	.5	.0	.0	1.7	3.7	3.0	5.1	4.6	4.7	5.5	4.3	11.3	5.0	11.3
1967	1.6	.0	.0	.0	.2	.0	.4	.4	1.5	2.1	3.5	5.1	6.0	5.3	7.6	7.9	6.1	7.1	8.8
1968	1.5	.1	.0	.1	.1	.1	.1	.3	1.2	2.3	4.5	5.5	5.1	3.8	7.0	3.7	7.2	9.2	9.8
1969	1.6	.0	.0	.0	.0	.2	.1	.1	1.5	2.9	4.7	7.7	5.0	5.1	5.2	7.3	4.5	4.4	6.2
1970	1.7	.0	.0	.1	.0	.2	.1	.1	.7	2.6	4.0	4.6	6.3	7.8	6.9	5.1	9.4	7.3	19.7
1971	1.6	.1	.0	.1	.1	.3	.0	.4	.7	1.8	4.8	5.8	8.0	4.8	5.3	4.5	6.0	14.4	7.9
1972	1.9	.0	.0	.1	.3	.2	.2	.5	.8	2.4	4.6	7.0	6.8	6.9	6.6	6.2	14.0	7.1	9.8
1973	1.8	.0	.0	.1	.3	.0	.3	.5	.5	2.4	4.4	6.1	9.2	4.6	6.5	8.1	5.3	11.6	6.8
1974	1.8	.0	.0	.1	.1	.1	.3	.2	.8	2.6	5.5	6.0	5.3	6.8	6.4	8.9	5.8	6.3	9.2
1975	1.8	.0	.0	.0	.1	.1	.4	.4	.9	1.6	5.8	7.0	5.7	7.0	5.0	6.1	8.8	8.4	10.0
1976	1.8	.0	.0	.1	.0	.1	.2	.1	.6	1.8	3.7	8.1	9.4	5.7	5.5	9.1	8.0	5.1	7.5
1977	1.9	.1	.1	.0	.4	.1	.0	.1	.6	2.3	4.0	7.1	8.0	8.3	4.3	9.3	10.4	5.7	6.1

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	110	0	0	0	0	1	0	2	4	7	17	17	9	19	11	8	6	4	5
1951	105	0	0	0	2	3	1	1	4	10	9	24	11	14	9	12	1	3	1
1952	111	0	1	0	0	1	2	1	7	10	16	9	14	5	20	13	9	1	2
1953	94	0	0	0	1	0	2	1	4	9	6	24	18	7	9	4	5	2	2
1954	103	1	1	1	1	1	1	2	8	9	11	11	15	10	8	10	6	4	3
1955	115	3	1	0	1	2	0	2	4	9	15	16	13	3	23	9	5	4	5
1956	128	1	1	0	1	1	1	7	2	10	12	23	13	17	8	15	6	6	4
1957	110	0	0	1	1	1	2	1	3	7	14	11	18	11	10	8	5	7	10
1958	126	0	1	0	0	0	2	7	5	13	14	18	17	13	13	10	7	4	2
1959	119	0	1	0	0	1	1	3	9	10	16	9	15	14	17	8	5	5	5
1960	152	0	0	1	0	1	4	2	5	11	18	20	17	19	16	14	10	10	4
1961	132	1	0	0	1	2	0	1	7	11	17	23	18	15	13	10	7	3	3
1962	145	0	0	2	0	2	1	5	4	15	13	18	16	18	19	10	8	8	6
1963	152	0	0	1	1	0	0	1	8	12	19	24	17	19	17	17	9	2	5
1964	167	0	0	0	3	0	2	1	7	17	17	21	17	23	20	17	9	9	4
1965	175	0	0	0	4	0	0	2	9	21	21	21	23	23	11	18	12	4	6
1966	187	1	0	1	2	4	0	0	13	26	18	28	22	17	19	10	16	4	6
1967	199	0	0	0	2	0	3	3	11	15	22	28	29	20	27	19	9	6	5
1968	193	1	0	2	1	1	1	2	9	17	29	31	25	15	25	9	11	8	6
1969	209	0	0	0	0	2	1	1	11	21	31	44	25	21	19	18	7	4	4
1970	225	0	0	2	0	2	1	1	5	19	27	27	32	34	26	13	15	7	14
1971	221	1	0	1	1	4	0	3	5	13	33	35	40	22	20	12	10	15	6
1972	131	0	0	1	2	1	1	2	3	9	16	22	17	16	13	8	12	4	4
1973	251	0	0	2	4	0	3	4	4	18	31	40	46	22	27	21	9	14	6
1974	252	0	0	1	2	1	3	2	6	20	39	40	27	33	28	23	10	8	9
1975	261	0	0	0	1	2	4	4	7	12	42	47	31	34	23	16	16	11	11
1976	268	0	0	1	0	1	2	1	5	14	27	55	53	27	27	24	15	7	9
1977	281	1	1	0	6	1	0	1	5	18	29	49	47	40	22	26	19	8	8


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.1	.0	.1	.1	.1	.3	.2	.1	.3	.2	.1	.1	.1	.1
1951	.1	.0	.0	.0	.2	.2	-	-	.1	.2	.2	.3	.2	.2	.1	.2	-	.1	-
1952	.1	.0	.2	.0	.0	.1	.1	-	.2	.2	.3	.1	.2	.1	.3	.2	.2	-	.1
1953	.1	.0	.0	.0	.1	.0	.1	-	.1	.2	.1	.3	.3	.1	.1	.1	.1	.1	.1
1954	.1	-	.2	.3	.1	.1	.1	.1	.3	.2	.2	.2	.2	.1	.1	.2	.1	.1	.1
1955	.1	-	.2	.0	.2	.2	.0	.1	.1	.2	.3	.2	.2	-	.3	.1	.1	.1	.1
1956	.2	-	.1	.0	.2	.1	.1	.3	.1	.2	.2	.4	.2	.2	.1	.2	.1	.2	.1
1957	.1	.0	.0	.2	.1	.1	.1	-	.1	.2	.3	.2	.2	.1	.1	.1	.1	.2	.2
1958	.1	.0	.1	.0	.0	.0	.1	.3	.2	.3	.3	.3	.2	.2	.1	.1	.1	.1	-
1959	.1	.0	.1	.0	.0	.1	.1	.1	.3	.3	.3	.1	.2	.2	.2	.1	.1	.1	.1
1960	.2	.0	.0	.2	.0	.1	.3	.1	.2	.3	.3	.3	.2	.2	.2	.2	.1	.2	.1
1961	.1	-	.0	.0	.1	.2	.0	-	.2	.3	.3	.4	.2	.2	.1	.1	.1	.1	.1
1962	.2	.0	.0	.4	.0	.2	.1	.2	.1	.4	.3	.3	.2	.2	.2	.1	.1	.2	.1
1963	.2	.0	.0	.2	.1	.0	.0	-	.2	.3	.4	.3	.2	.2	.2	.2	.1	-	.1
1964	.2	.0	.0	.0	.4	.0	.1	-	.2	.4	.3	.3	.2	.2	.2	.2	.1	.2	.1
1965	.2	.0	.0	.0	.5	.0	.0	.1	.3	.5	.4	.3	.3	.2	.1	.2	.2	.1	.1
1966	.2	-	.0	.2	.2	.3	.0	.0	.4	.6	.3	.4	.3	.2	.2	.1	.2	.1	.1
1967	.2	.0	.0	.0	.2	.0	.2	.1	.3	.4	.4	.4	.4	.2	.2	.2	.1	.1	.1
1968	.2	-	.0	.3	.1	.1	.1	.1	.3	.4	.5	.5	.3	.2	.2	.1	.1	.1	.1
1969	.2	.0	.0	.0	.0	.1	.1	-	.4	.5	.5	.7	.3	.2	.2	.2	.1	.1	.1
1970	.2	.0	.0	.3	.0	.1	.1	.1	.2	.4	.5	.4	.4	.4	.2	.1	.2	.1	.2
1971	.2	-	.0	.2	.1	.2	.0	.1	.2	.3	.6	.5	.5	.2	.2	.1	.1	.2	.1
1972	.3	.0	.0	.3	.3	.1	.1	.2	.2	.4	.6	.6	.4	.3	.2	.1	.2	.1	.1
1973	.2	.0	.0	.4	.3	.0	.2	.2	.1	.5	.6	.6	.6	.2	.2	.2	.1	.2	.1
1974	.2	.0	.0	.2	.2	.1	.2	.1	.2	.5	.8	.6	.4	.3	.3	.2	.1	.1	.1
1975	.3	.0	.0	.0	.1	.1	.2	.2	.3	.4	.9	.8	.4	.4	.2	.1	.2	.1	.1
1976	.3	.0	.0	.2	.0	.1	.1	.1	.2	.4	.6	.9	.7	.3	.2	.2	.1	.1	.1
1977	.3	-	.2	.0	.6	.1	.0	.1	.2	.6	.7	.8	.6	.4	.2	.2	.2	.1	.1


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	2620	3.87	4.43	2.64	717	1.05	1.15	0.79	414	5.33	7.44	4.93	115	1.42	1.93	1.31
1951	2595	3.77	4.30	2.55	753	1.09	1.18	0.81	415	5.22	7.34	4.84	89	1.07	1.43	0.99
1952	2758	3.95	4.53	2.63	772	1.10	1.17	0.81	429	5.29	7.34	4.63	102	1.20	1.60	1.11
1953	2813	3.97	4.48	2.57	750	1.05	1.10	0.77	440	5.30	7.37	4.57	111	1.28	1.72	1.20
1954	2754	3.82	4.28	2.45	749	1.03	1.06	0.75	513	6.04	8.31	4.87	138	1.55	2.13	1.49
1955	2934	4.01	4.44	2.51	802	1.08	1.11	0.79	493	5.66	7.84	4.64	135	1.48	1.99	1.40
1956	2880	3.87	4.30	2.40	836	1.11	1.11	0.80	549	6.16	8.50	4.77	132	1.41	1.84	1.26
1957	2970	3.92	4.37	2.43	886	1.15	1.15	0.83	597	6.53	8.78	4.82	125	1.30	1.72	1.20
1958	3036	3.95	4.37	2.47	820	1.05	1.04	0.76	613	6.55	9.02	5.06	143	1.45	1.90	1.32
1959	3038	3.89	4.28	2.39	924	1.16	1.14	0.85	684	7.11	9.69	5.18	173	1.71	2.20	1.57
1960	3122	3.94	4.32	2.39	884	1.09	1.06	0.79	710	7.06	9.77	5.16	199	1.88	2.49	1.73
1961	3114	3.87	4.27	2.34	890	1.08	1.04	0.78	710	6.90	9.44	4.87	175	1.61	2.13	1.48
1962	3191	3.91	4.30	2.35	924	1.11	1.05	0.79	782	7.43	10.21	5.23	191	1.72	2.19	1.55
1963	3114	3.77	4.14	2.23	973	1.15	1.08	0.82	851	7.92	10.88	5.30	215	1.89	2.41	1.73
1964	3257	3.90	4.26	2.29	999	1.17	1.08	0.83	849	7.73	10.81	5.33	215	1.85	2.34	1.66
1965	3341	3.96	4.34	2.29	1048	1.21	1.11	0.85	895	8.00	11.14	5.40	258	2.17	2.76	1.96
1966	3216	3.77	4.12	2.16	1075	1.22	1.12	0.86	979	8.59	11.81	5.49	235	1.93	2.44	1.71
1967	3369	3.92	4.27	2.21	1069	1.20	1.09	0.83	937	8.08	11.23	5.13	252	2.03	2.58	1.82
1968	3363	3.88	4.22	2.16	1151	1.28	1.14	0.87	997	8.45	11.72	5.20	293	2.31	2.93	2.04
1969	3334	3.82	4.14	2.12	1211	1.34	1.18	0.91	1010	8.43	11.76	5.16	252	1.95	2.43	1.72
1970	3422	3.89	4.19	2.13	1229	1.34	1.17	0.89	1020	8.36	11.64	5.05	298	2.26	2.84	2.04
1971	3568	4.02	4.31	2.17	1266	1.37	1.18	0.91	1031	8.28	11.58	5.05	297	2.21	2.78	1.93
1972	1776	3.97	4.24	2.11	611	1.31	1.11	0.85	550	8.67	12.03	5.11	191	2.78	3.46	2.44
1973	3575	3.98	4.21	2.09	1333	1.42	1.19	0.92	1190	9.22	12.89	5.32	390	2.78	3.50	2.38
1974	3704	4.10	4.31	2.12	1339	1.42	1.17	0.89	1213	9.24	12.99	5.26	395	2.77	3.47	2.39
1975	3889	4.28	4.46	2.19	1410	1.49	1.21	0.92	1307	9.75	13.55	5.47	391	2.68	3.31	2.32
1976	3926	4.30	4.43	2.15	1460	1.53	1.23	0.93	1416	10.37	14.41	5.70	421	2.83	3.49	2.42
1977	3925	4.28	4.37	2.10	1520	1.58	1.26	0.94	1403	10.09	13.96	5.40	435	2.87	3.57	2.41


*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Esophagus only.
(ICD 150 [6th]; ICD 150 [7th]; ICD 150 [8th])


Esophagus

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



COOK-MOZAFFARI P: The epidemiology of cancer of the esophagus. Nutr Cancer 1:51-60, 1979

HAAS JF, SCHOTTENFELD D: Epidemiology of esophageal cancer. *In* Gastrointestinal Tract Cancer (Lipkin M, Good RA, eds). New York: Plenum Press, 1978, pp 145-172

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.9	-	.0	.0	-	-	-	.1	.3	.7	2.0	5.0	9.7	15.8	22.7	29.2	33.5	36.3	32.6
1951	3.8	.0	.0	.0	.0	-	-	.1	.1	.8	2.1	5.7	9.2	15.6	21.3	27.2	30.7	37.1	34.5
1952	3.9	.0	.0	.0	.0	-	-	.1	.2	.7	2.9	4.9	10.1	14.1	20.7	29.8	34.7	46.0	37.8
1953	4.0	.0	.0	.0	.0	.0	-	.1	.3	.7	2.5	5.4	9.6	15.9	21.4	28.0	34.4	40.1	36.2
1954	3.8	.0	.0	.0	.0	-	.0	-	.2	.8	2.8	4.6	9.4	14.9	22.2	26.3	30.8	37.2	36.5
1955	4.0	-	.0	.0	.0	.0	-	.1	.2	.7	2.3	6.5	10.7	15.9	22.6	25.4	32.6	33.6	35.4
1956	3.9	.0	.0	.0	.0	.0	.0	-	.3	.9	2.4	5.9	9.3	15.6	19.6	27.2	30.6	38.3	34.9
1957	3.9	.0	.0	.0	.0	.0	.0	-	.3	1.0	2.7	5.2	8.7	15.4	20.9	27.2	32.7	34.0	46.8
1958	4.0	.0	.0	.0	-	.0	.0	-	.1	.8	3.0	6.2	10.5	15.3	21.1	24.9	30.4	38.1	36.8
1959	3.9	.0	.0	.0	.0	.0	-	.1	.2	.9	2.5	6.1	11.0	15.9	19.0	25.8	28.9	35.4	32.7
1960	3.9	-	.0	.0	.0	.0	.1	.1	.2	.9	2.7	6.5	10.2	14.6	21.7	25.5	29.0	36.3	34.3
1961	3.9	.0	.0	.0	.0	.0	-	.0	.2	.8	2.6	5.8	9.9	15.3	21.1	24.0	30.1	33.3	43.3
1962	3.9	.0	-	.0	.0	.0	.1	.1	.2	.8	2.8	5.5	10.6	16.1	19.4	26.0	29.9	33.3	38.7
1963	3.8	.0	.0	.0	.0	.0	-	.1	.2	1.0	2.3	5.7	10.2	14.2	20.0	26.8	27.1	29.2	40.2
1964	3.9	.0	.0	.0	.0	.0	-	.1	.3	1.0	2.7	5.8	10.8	15.6	20.9	25.5	28.7	30.9	33.8
1965	4.0	.0	.0	.0	.0	-	-	.1	.4	.8	2.7	6.0	10.6	17.0	19.7	24.9	29.6	35.0	36.1
1966	3.8	.0	.0	.0	.0	.0	.1	.1	.3	.9	2.3	6.5	10.2	14.8	19.4	25.0	28.0	30.4	32.7
1967	3.9	.0	.0	.0	.0	.0	-	.1	.2	1.0	2.1	5.8	11.1	16.4	20.1	25.6	28.8	33.9	31.5
1968	3.9	.0	-	.0	.0	-	-	.2	.4	.8	2.6	6.2	10.0	17.2	20.9	23.6	26.6	26.9	40.1
1969	3.8	.0	-	.0	.0	-	-	.1	.3	1.1	2.2	5.7	10.5	14.1	20.9	23.0	29.7	31.5	36.1
1970	3.9	-	.0	.0	-	.0	-	.1	.5	.9	2.4	5.6	10.6	16.7	19.9	24.4	27.6	30.7	33.3
1971	4.0	-	.0	.0	.0	-	.1	.1	.2	.7	2.4	5.5	11.9	16.4	21.7	23.6	30.2	29.9	35.9
1972	4.0	.0	.0	.0	-	.0	-	.1	.3	.9	2.3	5.4	12.0	15.4	21.1	24.2	30.4	29.8	31.8
1973	4.0	.0	.0	.0	.0	.0	-	-	.2	.7	2.6	6.4	10.3	16.4	20.9	23.5	28.8	28.7	35.3
1974	4.1	.0	.0	-	.0	.0	-	.1	.2	.7	3.0	5.7	10.5	16.4	21.3	25.1	30.3	29.6	35.8
1975	4.3	.0	.0	.0	.0	-	.1	.1	.2	.9	2.9	5.8	11.5	16.5	21.4	27.5	29.6	32.8	34.5
1976	4.3	.0	.0	.0	.0	.0	-	.1	.2	.9	3.0	6.0	10.5	16.9	22.7	26.5	28.6	33.3	33.6
1977	4.3	.0	.0	.0	.0	-	.1	.1	.2	1.0	2.4	6.1	11.1	17.4	20.7	26.3	29.8	30.7	30.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2620	1	0	0	2	2	1	7	14	34	83	187	327	448	508	445	314	174	73
1951	2595	0	0	0	0	1	1	4	7	39	87	214	315	451	490	425	298	180	83
1952	2758	0	0	0	0	1	1	7	9	31	123	186	348	415	485	481	347	227	97
1953	2813	0	0	0	0	0	1	7	16	35	107	205	332	478	512	465	354	203	98
1954	2754	0	0	0	0	1	0	2	8	38	127	176	325	454	544	454	326	195	104
1955	2934	1	0	0	0	0	1	5	13	32	106	252	373	491	563	454	355	183	105
1956	2880	0	0	0	0	0	0	2	14	44	112	234	328	485	496	501	341	217	106
1957	2970	0	0	0	0	0	0	2	16	49	126	212	310	481	539	514	376	199	146
1958	3036	0	0	0	1	0	0	1	8	38	140	255	378	476	552	483	359	228	117
1959	3038	0	0	0	0	0	2	4	12	46	121	258	403	495	504	514	355	217	107
1960	3122	1	0	0	0	0	3	3	11	47	131	280	383	455	582	517	367	227	115
1961	3114	0	0	0	0	0	2	0	9	42	125	257	378	479	570	497	391	216	148
1962	3191	0	1	0	0	0	3	3	13	42	137	244	412	508	522	548	396	229	133
1963	3114	0	0	0	0	0	1	6	13	53	114	259	407	450	535	571	365	201	139
1964	3257	0	0	0	0	0	1	4	17	56	133	264	440	500	561	548	393	220	120
1965	3341	0	0	0	0	1	1	3	20	43	135	278	439	556	530	537	411	256	131
1966	3216	0	0	0	0	0	3	3	13	47	118	304	430	492	524	538	394	228	122
1967	3369	0	0	0	0	0	2	4	8	52	109	273	470	561	547	548	412	261	122
1968	3363	0	1	0	0	1	2	8	18	42	137	292	428	603	574	501	385	211	160
1969	3334	0	1	0	0	1	2	7	14	57	118	271	452	509	581	487	433	251	150
1970	3422	1	0	0	1	0	1	7	22	45	128	274	457	611	562	515	399	249	150
1971	3568	1	0	0	0	2	5	4	10	38	128	270	518	610	628	499	441	247	167
1972	1776	0	0	0	1	0	1	2	7	22	60	137	263	291	313	256	221	126	76
1973	3575	0	0	0	0	0	3	2	9	37	135	328	453	630	638	505	412	248	175
1974	3704	0	0	1	0	0	2	7	12	36	156	294	467	638	665	551	431	257	187
1975	3889	0	0	0	0	1	5	7	9	44	150	301	523	646	688	613	425	287	190
1976	3926	0	0	0	0	0	1	6	12	41	153	308	486	669	746	606	412	297	189
1977	3925	0	0	0	0	2	7	5	10	50	118	313	527	691	693	622	432	275	180


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	-	.0	.0	-	-	-	.1	.1	.2	.3	.4	.5	.6	.6	.5	.4	.3	.2
1951	.3	.0	.0	.0	.0	-	-	-	-	.2	.3	.5	.5	.6	.5	.5	.3	.3	.2
1952	.4	.0	.0	.0	.0	-	-	.1	.1	.1	.4	.4	.5	.5	.5	.5	.4	.3	.2
1953	.4	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.4	.5	.6	.5	.5	.4	.3	.2
1954	.4	.0	.0	.0	.0	-	.0	-	.1	.2	.4	.4	.5	.6	.6	.5	.4	.3	.2
1955	.4	-	.0	.0	.0	.0	-	.1	.1	.2	.3	.6	.6	.6	.6	.4	.4	.3	.2
1956	.4	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.5	.5	.6	.5	.5	.4	.3	.2
1957	.4	.0	.0	.0	.0	.0	.0	-	.1	.2	.4	.4	.5	.6	.5	.5	.4	.3	.2
1958	.4	.0	.0	.0	-	.0	.0	-	.1	.2	.4	.5	.6	.6	.5	.4	.4	.3	.2
1959	.4	.0	.0	.0	.0	.0	-	-	.1	.2	.4	.5	.6	.6	.5	.5	.3	.3	.2
1960	.4	-	.0	.0	.0	.0	-	-	.1	.2	.4	.6	.6	.5	.5	.4	.3	.3	.2
1961	.4	.0	.0	.0	.0	.0	-	.0	.1	.2	.4	.5	.6	.6	.5	.4	.4	.3	.2
1962	.4	.0	-	.0	.0	.0	-	-	.1	.2	.4	.5	.6	.6	.5	.5	.3	.3	.2
1963	.3	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.5	.6	.5	.5	.5	.3	.2	.2
1964	.4	.0	.0	.0	.0	.0	-	-	.1	.3	.4	.5	.6	.6	.5	.4	.3	.2	.2
1965	.4	.0	.0	.0	.0	-	-	-	.1	.2	.4	.5	.6	.6	.5	.4	.3	.3	.2
1966	.3	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.6	.6	.5	.5	.4	.3	.2	.1
1967	.4	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.5	.6	.6	.5	.4	.3	.3	.1
1968	.4	.0	-	.0	.0	-	-	.1	.1	.2	.4	.5	.6	.6	.5	.4	.3	.2	.2
1969	.4	.0	-	.0	.0	-	-	.1	.1	.3	.3	.5	.6	.5	.5	.4	.3	.2	.2
1970	.4	-	.0	.0	-	.0	-	.1	.2	.2	.4	.5	.6	.6	.5	.4	.3	.2	.2
1971	.4	-	.0	.0	.0	-	-	-	.1	.2	.4	.5	.7	.6	.6	.4	.3	.2	.2
1972	.4	.0	.0	.0	-	.0	-	-	.1	.2	.3	.5	.7	.6	.5	.4	.3	.2	.2
1973	.4	.0	.0	.0	.0	.0	-	-	.1	.2	.4	.6	.6	.6	.5	.4	.3	.2	.2
1974	.4	.0	.0	-	.0	.0	-	.1	.1	.2	.5	.6	.7	.7	.6	.4	.4	.2	.2
1975	.4	.0	.0	.0	.0	-	-	.1	.1	.3	.5	.6	.7	.7	.6	.5	.4	.3	.2
1976	.4	.0	.0	.0	.0	.0	-	.1	.1	.2	.5	.6	.7	.7	.6	.5	.3	.3	.2
1977	.4	.0	.0	.0	.0	-	.1	-	.1	.3	.4	.7	.8	.7	.6	.5	.4	.3	.2

Esophagus


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.0	.0	.0	.0	.0	-	-	.1	.3	.8	1.1	2.1	3.0	5.0	7.2	8.4	14.2	15.9
1951	1.1	.0	.0	.0	.0	.0	.0	.1	.1	.3	.4	1.1	2.2	3.3	4.6	8.2	10.1	12.9	16.2
1952	1.1	.0	.0	.0	.0	.0	-	.1	.1	.4	.7	1.2	1.9	3.3	4.3	7.3	7.7	14.4	20.4
1953	1.0	.0	.0	.0	.0	.0	.0	-	.2	.4	.5	1.2	1.7	2.6	4.5	7.1	8.5	13.8	16.5
1954	1.0	.0	-	.0	.0	.0	.0	.1	.1	.3	.6	.9	1.9	2.3	4.8	6.8	8.4	13.9	14.1
1955	1.1	-	.0	.0	.0	.0	.0	-	.1	.2	.8	1.1	1.6	3.2	4.0	6.9	9.8	12.4	18.9
1956	1.1	.0	.0	.0	.0	.0	.0	-	.2	.4	.6	1.3	2.0	2.7	4.5	6.4	10.5	13.3	12.6
1957	1.2	.0	.0	.0	.0	-	.0	-	.1	.5	.6	1.4	2.4	3.3	4.3	6.6	9.2	11.9	17.4
1958	1.1	.0	.0	.0	.0	.0	-	-	.1	.3	.7	1.7	1.9	2.6	4.5	5.5	7.6	11.2	14.6
1959	1.2	.0	.0	.0	.0	.0	.0	-	.1	.3	.9	1.2	2.3	3.1	4.5	6.2	9.9	11.9	16.0
1960	1.1	-	.0	.0	.0	.0	.0	.0	-	.3	.7	1.3	2.0	2.9	4.1	5.9	8.5	12.7	15.4
1961	1.1	.0	.0	.0	.0	.0	-	.0	.2	.3	.7	1.1	2.6	2.9	4.3	4.5	7.4	13.0	15.1
1962	1.1	.0	.0	.0	.0	.0	-	.1	.1	.2	.6	2.0	2.6	2.8	3.9	5.5	7.7	10.0	14.8
1963	1.2	.0	.0	.0	.0	.0	.0	-	.1	.4	.9	1.7	2.0	3.2	4.2	5.7	8.1	11.9	13.2
1964	1.2	.0	.0	.0	.0	.0	-	.0	.1	.2	.8	1.9	2.3	2.9	3.9	5.7	9.0	11.7	13.2
1965	1.2	.0	.0	.0	.0	.0	-	-	.1	.3	.8	1.9	2.6	3.5	4.3	5.8	7.6	10.7	15.1
1966	1.2	.0	.0	.0	.0	.0	-	.0	-	.3	.9	2.1	3.0	3.7	4.1	4.9	7.3	10.7	14.3
1967	1.2	.0	.0	.0	.0	-	.0	.0	.1	.3	.9	1.8	2.5	3.5	4.1	5.1	8.1	8.9	15.8
1968	1.3	.0	.0	.0	.0	.0	-	.0	-	.2	.7	1.9	3.4	3.7	4.2	6.0	7.6	9.4	16.2
1969	1.3	.0	.0	.0	.0	.0	-	-	.1	.2	.8	1.7	3.4	4.0	5.0	5.1	8.2	11.0	13.9
1970	1.3	-	.0	.0	.0	.0	.0	-	.1	.3	.6	2.1	3.3	3.7	4.6	6.1	7.6	11.6	11.8
1971	1.4	.0	.0	.0	.0	.0	.0	.0	.1	.3	.9	1.6	3.4	4.2	4.9	5.2	8.5	10.2	13.4
1972	1.3	.0	.0	.0	.0	.0	.0	-	.1	.3	.7	1.7	2.7	4.2	4.5	6.0	7.0	11.2	11.1
1973	1.4	.0	.0	.0	.0	.0	-	-	.1	.2	.5	2.0	3.0	4.7	5.3	6.2	7.7	8.7	14.3
1974	1.4	.0	.0	.0	.0	.0	-	.1	-	.2	.8	1.6	2.7	4.6	4.9	6.2	7.3	11.2	13.0
1975	1.5	.0	.0	.0	.0	.0	.0	-	.1	.1	.6	1.8	3.1	4.7	5.0	6.7	8.1	11.0	12.3
1976	1.5	.0	.0	.0	.0	.0	-	-	.1	.3	.5	1.8	3.2	5.0	5.7	6.3	7.9	8.8	14.4
1977	1.6	-	.0	.0	.0	.0	.0	-	-	.1	.7	1.3	3.2	5.1	5.9	6.6	9.5	10.8	11.6

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	717	0	0	0	0	0	1	2	4	14	34	40	71	85	118	121	91	85	51
1951	753	0	0	0	0	0	0	3	4	13	16	41	77	95	112	142	115	80	55
1952	772	0	0	0	0	0	2	3	6	18	32	47	68	99	109	132	91	92	73
1953	750	0	0	0	0	0	0	1	9	21	21	47	61	81	117	134	104	92	62
1954	749	0	1	0	0	0	0	4	6	14	28	36	67	73	126	134	107	97	56
1955	802	1	0	0	0	0	0	2	4	8	36	43	57	103	108	141	129	91	79
1956	836	0	0	0	0	0	0	2	12	21	28	51	72	91	125	135	142	102	55
1957	886	0	0	0	0	1	0	1	5	25	27	56	88	111	122	145	130	95	80
1958	820	0	0	0	0	0	1	1	4	17	34	72	73	89	133	123	111	92	70
1959	924	0	0	0	0	0	0	1	7	17	42	53	87	105	135	144	151	101	81
1960	884	1	0	0	0	0	0	0	2	15	34	58	77	100	126	142	136	111	82
1961	890	0	0	0	0	0	1	0	12	18	36	49	104	99	135	112	122	119	83
1962	924	0	0	0	0	0	2	3	4	12	32	91	107	99	122	141	131	96	84
1963	973	0	0	0	0	0	0	2	3	22	48	79	86	112	132	150	143	119	77
1964	999	0	0	0	0	0	1	0	6	13	41	88	102	105	124	153	163	123	80
1965	1048	0	0	0	0	0	1	1	5	15	41	91	114	126	139	160	142	117	96
1966	1075	0	0	0	0	0	1	0	1	17	46	105	137	139	133	138	141	122	95
1967	1069	0	0	0	0	1	0	0	6	16	47	90	116	135	136	143	162	106	111
1968	1151	0	0	0	0	0	1	0	2	9	40	94	156	148	140	169	156	116	120
1969	1211	0	0	0	0	0	1	1	4	13	42	88	158	164	171	147	173	140	109
1970	1229	1	0	0	0	0	0	1	3	18	36	107	154	155	162	175	161	154	102
1971	1266	0	0	0	0	0	0	0	3	14	49	86	160	179	174	152	185	142	122
1972	611	0	0	0	0	0	0	1	2	7	19	45	64	90	84	88	77	81	53
1973	1333	0	0	0	0	0	1	1	3	10	28	112	145	206	201	184	169	130	143
1974	1339	0	0	0	0	0	3	3	1	12	43	91	133	202	191	188	161	172	139
1975	1410	0	0	0	0	0	0	2	3	4	34	99	155	210	202	206	182	171	142
1976	1460	0	0	0	0	0	1	1	3	13	26	101	161	224	236	198	180	141	175
1977	1520	1	0	0	0	0	0	2	2	5	37	73	166	228	248	214	217	177	150


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1
1951	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1
1952	.1	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1
1953	.1	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.2	.2	.2	.2	.2	.1	.1	.1
1954	.1	.0	-	.0	.0	.0	.0	.1	.1	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1
1955	.1	-	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.2	.2	.2	.2	.2	.1	.1
1956	.1	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.2	.2	.2	.2	.2	.2	.1	.1
1957	.1	.0	.0	.0	.0	-	.0	-	.1	.2	.2	.2	.3	.2	.2	.2	.1	.1	.1
1958	.1	.0	.0	.0	.0	.0	-	-	-	.1	.2	.3	.2	.2	.2	.1	.1	.1	.1
1959	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.2	.2	.2	.2	.1	.1
1960	.1	-	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1
1961	.1	.0	.0	.0	.0	.0	-	.0	.1	.1	.2	.2	.3	.2	.2	.1	.1	.1	.1
1962	.1	.0	.0	.0	.0	.0	.1	.1	-	.1	.2	.4	.3	.2	.2	.2	.1	.1	.1
1963	.1	.0	.0	.0	.0	.0	.0	-	-	.2	.3	.3	.2	.2	.2	.2	.1	.1	.1
1964	.1	.0	.0	.0	.0	.0	-	.0	.1	.1	.2	.3	.3	.2	.2	.2	.2	.1	.1
1965	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.3	.3	.2	.2	.1	.1	.1
1966	.2	.0	.0	.0	.0	.0	-	.0	-	.1	.2	.4	.4	.3	.2	.2	.1	.1	.1
1967	.2	.0	.0	.0	.0	-	.0	.0	.1	.1	.2	.3	.3	.3	.2	.2	.1	.1	.1
1968	.2	.0	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.4	.3	.2	.2	.1	.1	.1
1969	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.4	.3	.3	.2	.2	.1	.1
1970	.2	-	.0	.0	.0	.0	.0	-	-	.1	.2	.4	.4	.3	.2	.2	.1	.1	.1
1971	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.3	.3	.2	.2	.1	.1
1972	.2	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.3	.2	.2	.1	.1	.1
1973	.2	.0	.0	.0	.0	.0	-	-	-	.1	.1	.4	.4	.4	.3	.2	.1	.1	.1
1974	.2	.0	.0	.0	.0	.0	.1	.1	-	.1	.2	.3	.3	.4	.3	.2	.1	.1	.1
1975	.2	.0	.0	.0	.0	.0	.0	-	-	-	.2	.4	.4	.4	.3	.2	.2	.1	.1
1976	.2	.0	.0	.0	.0	.0	-	-	-	.1	.2	.4	.4	.4	.3	.2	.2	.1	.1
1977	.2	-	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.4	.4	.4	.2	.2	.1	.1


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.3	.0	.0	.0	.0	.0	.2	.2	1.4	2.8	10.5	20.8	25.5	36.3	27.6	21.4	30.8	21.6	43.2
1951	5.2	.0	.0	.0	.0	.0	.0	.0	1.6	4.0	8.3	19.7	29.9	32.8	18.4	33.2	29.5	28.9	30.8
1952	5.3	.0	.0	.0	.0	.0	.0	.2	1.2	4.5	11.9	17.7	27.0	32.5	22.8	28.1	29.6	28.2	34.2
1953	5.3	.1	.0	.0	.0	.0	.2	.0	1.0	3.8	10.6	20.7	29.0	26.4	21.8	31.2	32.1	27.5	42.0
1954	6.0	.0	.0	.0	.0	.0	.0	.3	1.0	4.1	12.7	22.0	28.3	32.6	32.6	40.1	34.3	26.9	21.4
1955	5.7	.0	.0	.0	.0	.0	.0	.2	.7	4.6	11.5	17.1	30.0	37.3	29.3	28.4	26.6	31.0	36.9
1956	6.2	.1	.0	.0	.0	.0	.0	.2	1.3	5.8	12.1	21.0	29.3	35.5	31.9	30.3	34.6	35.0	47.4
1957	6.5	.0	.0	.0	.0	.0	.0	.8	1.0	6.0	14.1	23.0	31.6	40.2	37.6	31.8	24.0	25.1	19.0
1958	6.5	.0	.0	.0	.0	.0	.2	.2	1.0	4.6	12.4	23.0	32.4	40.5	36.0	36.6	33.8	22.4	42.4
1959	7.1	.0	.0	.0	.0	.0	.3	.5	1.8	5.8	13.0	23.7	33.3	36.8	50.0	45.9	28.3	24.1	30.7
1960	7.1	.1	.0	.0	.0	.0	.0	.2	1.6	5.5	15.1	24.8	27.8	37.9	41.8	46.4	37.1	44.7	38.7
1961	6.9	.0	.0	.0	.0	.0	.0	.3	1.7	7.5	13.6	25.9	29.0	39.7	35.8	40.2	33.6	36.5	33.3
1962	7.4	.0	.0	.0	.0	.0	.0	.2	2.5	6.5	15.5	27.7	30.7	39.5	41.7	50.0	33.3	26.8	56.7
1963	7.9	.0	.0	.0	.0	.0	.0	.3	1.9	7.9	15.5	27.2	35.6	42.1	52.2	47.8	31.2	37.3	43.3
1964	7.7	.0	.0	.0	.0	.0	.0	.0	2.2	8.6	13.2	23.5	36.6	47.5	39.4	46.6	48.6	36.1	59.4
1965	8.0	.0	.0	.0	.0	.0	.0	.3	1.2	5.1	16.1	27.1	35.0	48.0	51.7	52.6	38.9	38.1	35.3
1966	8.6	.0	.0	.0	.0	.0	.0	.0	3.0	7.8	17.5	34.0	43.5	43.9	46.6	46.9	39.1	31.3	55.6
1967	8.1	.0	.0	.0	.0	.0	.0	.3	2.2	7.1	17.1	27.5	40.2	43.1	43.4	46.7	47.5	42.4	38.5
1968	8.5	.0	.0	.0	.0	.0	.0	.3	1.6	6.9	16.0	29.7	43.6	49.3	49.5	46.5	48.7	40.3	17.1
1969	8.4	.0	.0	.0	.0	.0	.0	.1	.0	.5	6.8	17.5	28.2	41.5	47.7	51.0	55.7	44.2	30.9
1970	8.4	.0	.0	.0	.0	.0	.0	.0	.0	1.4	8.1	18.1	28.6	43.4	45.9	42.9	48.6	47.2	48.6
1971	8.3	.0	.0	.0	.0	.0	.0	.0	.3	1.3	6.4	15.9	29.1	39.5	45.2	47.3	59.1	48.1	32.4
1972	8.7	.0	.0	.0	.0	.0	.0	.7	.5	2.5	7.0	17.3	27.8	46.8	49.0	49.5	56.9	33.6	35.9
1973	9.2	.0	.0	.0	.0	.0	.0	.0	.1	1.7	7.1	19.0	29.0	49.3	55.5	51.0	51.4	51.5	42.2
1974	9.2	.1	.0	.0	.0	.0	.0	.0	.3	1.5	5.3	17.5	33.1	49.0	45.7	52.7	57.6	71.0	42.4
1975	9.7	.0	.0	.0	.0	.0	.0	.1	.2	1.4	7.2	18.8	36.3	48.2	55.8	51.8	64.4	51.4	48.8
1976	10.4	.0	.0	.1	.0	.0	.0	.0	.4	1.9	5.5	14.4	39.3	55.4	64.3	57.4	64.3	65.3	38.5
1977	10.1	.0	.0	.0	.0	.0	.0	.1	.3	2.0	8.0	19.5	33.1	53.5	56.6	54.3	66.8	59.6	31.2

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	414	0	0	0	0	0	1	1	8	14	47	78	72	76	56	25	20	8	8
1951	415	0	0	0	0	0	0	0	9	20	37	76	87	71	38	40	20	11	6
1952	429	0	0	0	0	0	0	1	7	23	53	70	81	72	48	35	21	11	7
1953	440	1	0	0	0	0	1	0	6	20	47	84	90	60	47	40	24	11	9
1954	513	0	0	0	0	0	0	2	6	22	57	91	91	76	72	53	27	11	5
1955	493	0	0	0	0	0	0	1	4	25	52	72	100	90	66	39	22	13	9
1956	549	1	0	0	0	0	0	1	8	32	56	89	101	88	73	43	30	15	12
1957	597	0	0	0	0	0	0	5	6	33	67	98	113	103	87	47	22	11	5
1958	613	0	0	0	0	0	1	1	6	25	61	98	120	107	84	56	32	10	12
1959	684	0	0	0	0	0	2	3	11	32	66	102	127	101	119	73	28	11	9
1960	710	1	0	0	0	0	0	1	10	31	80	112	111	110	104	78	39	21	12
1961	710	0	0	0	0	0	0	2	11	43	72	120	117	118	92	70	36	19	10
1962	782	0	0	0	0	0	0	1	16	38	82	131	126	120	110	90	36	15	17
1963	851	0	0	0	0	0	0	2	12	47	82	131	149	130	141	88	34	22	13
1964	849	0	0	0	0	0	0	0	14	52	70	115	156	149	110	88	54	22	19
1965	895	0	0	0	0	0	0	2	8	31	86	134	151	154	148	101	44	24	12
1966	979	0	0	0	0	0	0	0	19	48	95	169	191	145	136	91	45	20	20
1967	937	0	0	0	0	0	0	2	14	44	95	137	178	147	129	92	56	28	15
1968	997	0	0	0	0	0	0	2	10	43	91	148	195	174	149	93	58	27	7
1969	1010	0	0	0	0	0	1	0	3	42	101	142	186	174	155	113	53	21	19
1970	1020	0	0	0	0	0	0	0	9	50	107	147	194	174	133	101	58	34	13
1971	1031	0	0	0	0	0	0	2	8	40	95	155	173	178	147	127	62	24	20
1972	550	0	0	0	0	0	3	2	8	22	52	77	102	99	80	60	22	14	9
1973	1190	0	0	0	0	0	0	1	11	45	115	166	215	228	171	110	67	35	26
1974	1213	1	0	0	0	0	0	2	10	34	107	192	219	190	183	125	93	36	21
1975	1307	0	0	0	0	0	1	2	9	46	118	211	227	230	189	141	71	42	20
1976	1416	0	0	1	0	0	0	3	13	35	91	233	271	259	220	142	94	35	19
1977	1403	0	0	0	0	0	1	3	14	52	124	198	273	227	215	155	84	29	28

Percent of All Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.0	.0	-	-	.2	.3	.7	.9	.8	.9	.6	.3	.4	.2	.3
1951	.4	.0	.0	.0	.0	.0	.0	.0	.2	.4	.6	.8	.9	.8	.4	.5	.4	.3	.2
1952	.4	.0	.0	.0	.0	.0	.0	-	.2	.4	.8	.8	.9	.8	.5	.4	.4	.3	.2
1953	.4	-	.0	.0	.0	.0	-	.0	.2	.4	.8	.9	1.0	.6	.5	.5	.4	.3	.3
1954	.5	.0	.0	.0	.0	.0	.0	.1	.2	.5	1.0	1.1	1.0	.8	.8	.7	.5	.3	.2
1955	.5	.0	.0	.0	.0	.0	.0	-	.1	.5	.9	.9	1.1	1.0	.6	.5	.4	.3	.3
1956	.5	-	.0	.0	.0	.0	.0	-	.2	.7	.9	1.2	1.1	.9	.7	.5	.5	.4	.3
1957	.6	.0	.0	.0	.0	.0	.0	.2	.2	.7	1.0	1.2	1.1	.9	.8	.5	.3	.3	.1
1958	.6	.0	.0	.0	.0	.0	-	-	.2	.5	1.0	1.2	1.2	1.0	.7	.6	.4	.2	.3
1959	.6	.0	.0	.0	.0	.0	.1	.1	.3	.7	1.0	1.3	1.3	1.0	1.0	.7	.4	.2	.2
1960	.6	-	.0	.0	.0	.0	.0	-	.3	.6	1.2	1.3	1.1	.9	.8	.7	.5	.4	.3
1961	.6	.0	.0	.0	.0	.0	.0	.1	.3	.9	1.2	1.4	1.2	1.0	.7	.7	.5	.4	.2
1962	.7	.0	.0	.0	.0	.0	.0	-	.4	.7	1.3	1.5	1.3	1.0	.8	.8	.4	.3	.3
1963	.7	.0	.0	.0	.0	.0	.0	.1	.3	.9	1.2	1.4	1.4	1.0	1.0	.7	.4	.4	.2
1964	.7	.0	.0	.0	.0	.0	.0	.0	.3	.9	1.0	1.2	1.5	1.2	.8	.7	.6	.4	.4
1965	.7	.0	.0	.0	.0	.0	.0	.1	.2	.5	1.2	1.4	1.4	1.2	1.1	.8	.5	.4	.2
1966	.8	.0	.0	.0	.0	.0	.0	.0	.4	.8	1.3	1.8	1.7	1.1	.9	.7	.5	.3	.3
1967	.7	.0	.0	.0	.0	.0	.0	.1	.3	.7	1.3	1.4	1.6	1.2	.9	.7	.6	.4	.3
1968	.7	.0	.0	.0	.0	.0	.0	.1	.2	.7	1.1	1.5	1.6	1.3	1.0	.7	.6	.4	.1
1969	.7	.0	.0	.0	.0	.0	-	.0	.1	.6	1.2	1.4	1.5	1.3	1.0	.8	.5	.3	.3
1970	.8	.0	.0	.0	.0	.0	.0	.0	.2	.8	1.3	1.5	1.6	1.3	.9	.7	.6	.5	.2
1971	.8	.0	.0	.0	.0	.0	.0	.1	.2	.7	1.2	1.6	1.5	1.3	1.0	.9	.6	.3	.3
1972	.8	.0	.0	.0	.0	.0	.2	.1	.3	.7	1.2	1.5	1.7	1.4	1.1	.8	.4	.4	.3
1973	.9	.0	.0	.0	.0	.0	.0	-	.2	.8	1.4	1.6	1.9	1.6	1.1	.7	.6	.4	.4
1974	.9	-	.0	.0	.0	.0	.0	.1	.2	.6	1.4	1.9	1.9	1.4	1.2	.8	.8	.5	.3
1975	1.0	.0	.0	.0	.0	.0	-	.1	.2	.9	1.6	2.1	2.0	1.7	1.3	1.0	.6	.5	.3
1976	1.1	.0	.0	.1	.0	.0	.0	.1	.3	.7	1.3	2.3	2.4	1.9	1.4	1.0	.8	.4	.2
1977	1.1	.0	.0	.0	.0	.0	-	.1	.4	1.0	1.8	2.0	2.3	1.7	1.4	1.1	.7	.3	.3

Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	.0	.0	.0	.0	.0	.1	.5	.5	1.7	3.3	4.9	6.4	9.0	8.7	4.3	6.4	.0	11.2
1951	1.1	.0	.0	.0	.0	.1	.0	.5	.8	1.5	2.0	4.0	5.4	4.3	5.0	5.7	6.1	4.5	.0
1952	1.2	.0	.0	.0	.0	.1	.0	.3	.3	1.6	3.5	4.6	3.1	4.6	9.3	3.8	7.3	2.1	10.5
1953	1.3	.0	.0	.0	.0	.0	.0	.4	.6	1.2	2.2	7.2	4.3	8.7	3.9	4.4	4.2	12.2	3.3
1954	1.6	.0	.0	.0	.0	.0	.1	.3	.0	1.7	4.7	4.1	4.1	7.9	10.6	11.1	10.4	4.0	9.2
1955	1.5	.1	.0	.0	.0	.0	.0	.0	.5	1.9	4.0	4.0	5.4	9.6	9.1	5.3	6.1	9.8	5.8
1956	1.4	.0	.0	.0	.0	.0	.0	.4	1.1	3.4	2.7	3.9	4.9	7.3	4.0	8.3	8.0	11.7	.0
1957	1.3	.0	.0	.0	.0	.0	.0	.3	.2	2.5	3.2	5.0	3.6	5.2	7.1	6.2	3.2	15.3	8.0
1958	1.5	.0	.0	.0	.0	.0	.0	.1	1.3	2.2	3.2	5.2	5.9	6.8	5.1	4.2	10.9	7.7	10.4
1959	1.7	.0	.0	.0	.0	.0	.0	.6	1.0	3.0	4.0	5.8	5.9	7.2	9.2	8.0	6.5	9.4	5.1
1960	1.9	.0	.0	.0	.0	.0	.0	.1	1.1	1.8	4.1	7.3	10.1	8.1	7.6	8.7	7.0	16.4	5.0
1961	1.6	.0	.0	.0	.0	.0	.0	.1	.1	2.7	5.6	5.2	4.3	9.8	6.6	7.2	4.2	6.6	20.0
1962	1.7	.0	.0	.0	.0	.0	.0	.3	.8	2.9	5.7	6.8	4.7	10.2	6.3	6.4	4.1	4.5	9.8
1963	1.9	.0	.0	.1	.0	.0	.0	.1	1.8	2.9	4.0	6.4	7.8	9.7	8.0	7.5	7.1	4.3	14.0
1964	1.8	.0	.0	.0	.0	.0	.0	.3	1.1	4.5	5.0	7.6	6.0	8.0	4.9	5.0	10.7	6.8	11.1
1965	2.2	.0	.0	.0	.0	.0	.0	.1	1.8	2.7	4.0	9.2	7.6	10.7	10.7	8.3	7.4	6.5	20.4
1966	1.9	.0	.0	.0	.0	.0	.1	.0	1.3	3.3	6.3	6.6	6.5	8.6	8.4	4.7	9.2	10.0	7.5
1967	2.0	.0	.0	.0	.0	.0	.3	.3	.7	2.6	5.3	6.7	8.2	11.1	6.5	10.8	10.2	4.8	7.0
1968	2.3	.1	.0	.0	.0	.0	.0	.3	1.2	1.9	5.5	11.4	7.9	9.6	10.0	9.4	9.9	11.5	11.5
1969	2.0	.0	.0	.0	.0	.1	.0	.3	1.6	1.6	4.9	6.8	9.6	8.7	9.8	4.8	8.3	4.4	7.7
1970	2.3	.0	.0	.0	.0	.0	.0	.3	1.1	2.8	5.8	7.2	9.3	8.5	11.7	8.2	13.8	12.5	4.2
1971	2.2	.0	.0	.0	.0	.1	.0	.0	.4	2.3	6.0	7.3	9.4	10.1	9.5	11.0	11.4	8.7	6.6
1972	2.8	.0	.0	.0	.0	.0	.0	.0	.5	2.9	9.5	9.3	12.4	12.8	12.1	13.2	5.8	8.9	9.8
1973	2.8	.0	.0	.0	.0	.0	.1	.5	1.0	2.2	5.7	10.3	14.2	13.4	10.3	15.5	9.9	10.7	5.7
1974	2.8	.0	.0	.0	.0	.1	.0	.1	.5	2.5	6.4	10.9	14.2	11.0	10.5	14.3	11.6	13.5	7.1
1975	2.7	.0	.0	.0	.0	.0	.0	.1	1.0	2.6	5.8	10.0	14.2	10.1	12.3	11.5	11.6	6.9	9.1
1976	2.8	.0	.0	.0	.0	.0	.0	.2	.5	2.9	5.4	10.8	14.8	13.4	10.8	10.6	13.4	8.8	12.5
1977	2.9	.0	.0	.0	.0	.0	.0	.0	.1	2.7	5.9	10.1	13.5	15.6	10.1	10.7	16.9	14.3	10.6

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	115	0	0	0	0	0	1	3	3	9	15	18	17	18	19	5	4	0	3
1951	89	0	0	0	0	1	0	3	5	8	9	15	15	9	11	7	4	2	0
1952	102	0	0	0	0	1	0	2	2	9	16	18	9	10	21	5	5	1	3
1953	111	0	0	0	0	0	0	3	4	7	10	29	13	20	9	6	3	6	1
1954	138	0	0	0	0	0	1	2	0	10	22	17	13	19	25	16	8	2	3
1955	135	1	0	0	0	0	0	0	3	11	19	17	18	24	22	8	5	5	2
1956	132	0	0	0	0	0	0	3	7	20	13	17	17	19	10	13	7	6	0
1957	125	0	0	0	0	0	0	2	1	15	16	22	13	14	18	10	3	8	3
1958	143	0	0	0	0	0	0	1	9	13	17	23	22	19	13	7	11	4	4
1959	173	0	0	0	0	0	0	4	7	18	22	26	23	21	24	14	7	5	2
1960	199	0	0	0	0	0	0	1	8	11	23	34	41	25	21	16	8	9	2
1961	175	0	0	0	0	0	0	1	1	17	32	25	18	31	19	14	5	4	8
1962	191	0	0	0	0	0	0	2	6	19	33	34	20	33	19	13	5	3	4
1963	215	0	0	1	0	0	0	1	13	19	23	33	34	32	25	16	9	3	6
1964	215	0	0	0	0	0	0	2	8	31	29	40	27	27	16	11	14	5	5
1965	258	0	0	0	0	0	0	1	13	19	24	49	35	37	36	19	10	5	10
1966	235	0	0	0	0	0	1	0	10	23	38	36	31	31	29	11	13	8	4
1967	252	0	0	0	0	0	2	2	5	19	33	37	40	42	23	26	15	4	4
1968	293	1	0	0	0	0	0	2	9	14	35	64	39	38	36	23	15	10	7
1969	252	0	0	0	0	1	0	2	12	12	32	39	48	36	36	12	13	4	5
1970	298	0	0	0	0	0	0	2	8	21	39	42	47	37	44	21	22	12	3
1971	297	0	0	0	0	1	0	0	3	17	41	44	47	46	36	29	19	9	5
1972	191	0	0	0	0	0	0	0	2	11	33	29	31	30	24	17	5	5	4
1973	390	0	0	0	0	0	1	4	8	17	40	67	71	64	43	40	17	13	5
1974	395	0	0	0	0	1	0	1	4	19	45	72	73	53	46	37	20	17	7
1975	391	0	0	0	0	0	0	1	8	20	42	67	77	49	57	30	21	9	10
1976	421	0	0	0	0	0	0	2	4	22	39	74	83	64	53	28	25	12	15
1977	435	0	0	0	0	0	0	0	1	21	43	70	79	75	51	30	31	20	14


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.2	.3	.3	.1	.1	.0	.1
1951	.1	.0	.0	.0	.0	.1	.0	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1	.1	.0
1952	.1	.0	.0	.0	.0	.1	.0	.1	.1	.2	.3	.2	.1	.1	.3	.1	.1	-	.1
1953	.1	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.2	.3	.1	.1	.1	.2	-
1954	.2	.0	.0	.0	.0	.0	.1	.1	.0	.2	.4	.2	.2	.3	.3	.2	.2	.1	.1
1955	.2	-	.0	.0	.0	.0	.0	.0	.1	.3	.4	.3	.3	.3	.3	.1	.1	.1	.1
1956	.2	.0	.0	.0	.0	.0	.0	.1	.2	.5	.2	.3	.2	.3	.1	.2	.1	.2	.0
1957	.1	.0	.0	.0	.0	.0	.0	.1	-	.4	.3	.3	.2	.2	.2	.1	.1	.2	.1
1958	.2	.0	.0	.0	.0	.0	.0	-	.3	.3	.3	.3	.3	.2	.1	.1	.2	.1	.1
1959	.2	.0	.0	.0	.0	.0	.0	.2	.2	.5	.4	.4	.3	.3	.3	.2	.1	.1	-
1960	.2	.0	.0	.0	.0	.0	.0	-	.3	.3	.4	.5	.5	.3	.2	.2	.1	.2	-
1961	.2	.0	.0	.0	.0	.0	.0	-	-	.4	.7	.4	.2	.3	.2	.2	.1	.1	.1
1962	.2	.0	.0	.0	.0	.0	.0	.1	.2	.5	.7	.5	.3	.3	.2	.1	.1	.1	.1
1963	.2	.0	.0	.2	.0	.0	.0	-	.4	.4	.4	.5	.4	.3	.2	.2	.1	.1	.1
1964	.2	.0	.0	.0	.0	.0	.0	.1	.2	.7	.6	.6	.4	.3	.2	.1	.2	.1	.1
1965	.3	.0	.0	.0	.0	.0	.0	-	.4	.4	.5	.7	.5	.4	.3	.2	.1	.1	.2
1966	.2	.0	.0	.0	.0	.0	.1	.0	.3	.5	.7	.5	.4	.3	.2	.1	.2	.1	.1
1967	.3	.0	.0	.0	.0	.0	.1	.1	.2	.4	.6	.6	.5	.5	.2	.3	.2	.1	.1
1968	.3	-	.0	.0	.0	.0	.0	.1	.3	.3	.6	.9	.5	.4	.3	.2	.2	.1	.1
1969	.2	.0	.0	.0	.0	.1	.0	.1	.4	.3	.6	.6	.6	.4	.3	.1	.1	.1	.1
1970	.3	.0	.0	.0	.0	.0	.0	.1	.3	.5	.7	.6	.6	.4	.4	.2	.2	.2	-
1971	.3	.0	.0	.0	.0	.1	.0	.0	.1	.4	.7	.6	.6	.5	.3	.2	.2	.1	.1
1972	.4	.0	.0	.0	.0	.0	.0	.0	.1	.5	1.2	.9	.8	.6	.4	.3	.1	.1	.1
1973	.4	.0	.0	.0	.0	.0	.1	.2	.3	.4	.7	1.0	.9	.6	.4	.3	.2	.2	.1
1974	.4	.0	.0	.0	.0	.1	.0	.1	.2	.5	.9	1.1	1.0	.5	.4	.3	.2	.2	.1
1975	.4	.0	.0	.0	.0	.0	.0	.1	.3	.6	.9	1.1	1.0	.5	.5	.2	.2	.1	.1
1976	.4	.0	.0	.0	.0	.0	.0	.1	.2	.7	.9	1.2	1.1	.7	.5	.2	.2	.1	.1
1977	.4	.0	.0	.0	.0	.0	.0	.0	-	.7	1.0	1.1	1.0	.8	.5	.2	.3	.2	.1


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	13632	20.13	23.86	14.20	8119	11.93	13.13	8.98	1647	21.18	31.16	20.65	859	10.61	16.05	10.87
1951	13376	19.44	22.80	13.51	7900	11.42	12.36	8.54	1590	20.01	29.60	19.52	817	9.86	14.72	10.21
1952	13110	18.76	21.89	12.72	7899	11.22	12.01	8.29	1649	20.32	29.99	18.92	808	9.53	14.12	9.78
1953	13126	18.51	21.42	12.31	7815	10.92	11.54	8.04	1626	19.60	29.03	18.01	806	9.29	13.60	9.50
1954	12847	17.82	20.55	11.75	7634	10.48	10.90	7.69	1729	20.35	29.98	17.58	810	9.11	13.45	9.39
1955	12454	17.00	19.48	11.04	7360	9.93	10.17	7.23	1666	19.14	27.65	16.37	778	8.53	12.25	8.62
1956	12242	16.45	18.77	10.48	7336	9.73	9.85	7.06	1710	19.18	28.44	15.96	831	8.88	12.69	8.68
1957	11862	15.68	17.83	9.91	7162	9.33	9.33	6.73	1680	18.38	26.98	14.81	818	8.51	12.16	8.44
1958	11489	14.96	16.95	9.57	7075	9.06	8.96	6.58	1600	17.09	24.97	14.00	868	8.81	12.66	8.78
1959	11551	14.80	16.73	9.36	6958	8.76	8.57	6.38	1720	17.88	26.41	14.12	795	7.85	11.13	7.96
1960	11309	14.27	16.06	8.88	6906	8.55	8.26	6.16	1776	17.65	26.01	13.73	868	8.20	11.78	8.17
1961	10846	13.48	15.23	8.34	6611	8.05	7.70	5.78	1801	17.49	25.83	13.33	855	7.87	11.14	7.75
1962	10275	12.60	14.18	7.75	6610	7.93	7.49	5.65	1672	15.88	23.55	12.06	821	7.38	10.39	7.36
1963	10094	12.23	13.88	7.47	6534	7.73	7.23	5.46	1802	16.76	24.88	12.13	870	7.64	10.58	7.61
1964	9911	11.86	13.37	7.18	6062	7.07	6.54	5.00	1716	15.63	23.18	11.42	867	7.44	10.32	7.33
1965	9383	11.11	12.55	6.62	6085	7.01	6.38	4.85	1676	14.98	22.25	10.80	883	7.42	10.17	7.21
1966	9051	10.62	11.93	6.25	5991	6.82	6.14	4.69	1699	14.90	22.30	10.36	882	7.25	9.87	6.91
1967	8717	10.14	11.39	5.89	5812	6.55	5.80	4.42	1679	14.47	21.45	9.79	842	6.78	9.11	6.41
1968	8699	10.04	11.22	5.75	5728	6.39	5.59	4.28	1631	13.83	20.51	9.10	843	6.66	8.84	6.17
1969	8395	9.62	10.71	5.48	5652	6.25	5.38	4.14	1605	13.39	19.86	8.71	777	6.02	7.92	5.61
1970	8229	9.34	10.32	5.24	5430	5.94	5.03	3.85	1573	12.89	19.11	8.29	788	5.98	7.83	5.63
1971	7889	8.88	9.81	4.93	5366	5.81	4.86	3.74	1531	12.30	18.07	7.87	804	5.97	7.77	5.40
1972	3906	8.74	9.57	4.76	2647	5.69	4.70	3.59	753	11.88	17.57	7.47	432	6.29	8.15	5.74
1973	7700	8.57	9.33	4.64	5161	5.51	4.47	3.43	1476	11.44	16.80	6.93	859	6.13	7.89	5.36
1974	7602	8.42	9.09	4.45	5124	5.44	4.37	3.33	1555	11.85	17.33	7.02	888	6.22	7.97	5.48
1975	7417	8.17	8.71	4.28	5184	5.47	4.31	3.29	1537	11.47	16.77	6.76	841	5.77	7.23	5.05
1976	7357	8.06	8.53	4.13	5045	5.29	4.05	3.06	1509	11.05	16.04	6.34	833	5.60	6.95	4.81
1977	7235	7.88	8.25	3.97	4839	5.04	3.83	2.88	1452	10.44	15.18	5.88	914	6.03	7.46	5.04

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Cardiac orifice, fundus, pylorus, and stomach (NOS).
(ICD 151 [6th]; ICD 151 [7th]; ICD 151–151.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



HAAS JF, SCHOTTENFELD D: Epidemiology of gastric cancer. *In* Gastrointestinal Tract Cancer (Lipkin M, Good RA, eds). New York: Plenum Press, 1978, pp 173-206

TULINIUS H: Epidemiology of gastric cancer. Nutr Cancer 1(2):61-69, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	20.1	-	-	-	-	.1	.4	1.0	2.5	5.3	11.8	21.7	41.5	68.8	105.0	156.3	211.6	253.7	269.4
1951	19.4	-	.0	-	.1	.1	.4	.9	2.6	5.3	11.1	21.4	39.3	65.5	106.5	147.5	193.5	239.7	257.9
1952	18.8	-	-	.0	-	.1	.3	1.0	1.7	5.3	10.2	19.9	37.5	63.4	99.9	141.2	193.1	241.5	234.4
1953	18.5	.1	.0	-	-	.2	.3	1.2	2.4	5.1	10.4	19.1	37.4	59.8	97.7	136.6	190.0	240.2	227.5
1954	17.8	.1	-	.0	.1	.1	.5	.7	2.6	4.3	8.7	19.1	31.9	56.9	94.0	136.7	183.6	228.8	233.5
1955	17.0	.0	-	-	-	.2	.3	.9	1.9	3.9	9.0	17.3	30.4	52.6	90.8	128.7	173.0	223.8	220.4
1956	16.4	-	.0	.0	-	.2	.3	.7	2.1	4.6	8.4	17.3	28.7	50.5	84.8	123.7	170.6	207.9	224.8
1957	15.7	-	-	.0	-	.1	.4	.8	1.7	4.1	7.7	16.1	26.5	49.5	79.3	120.9	156.8	206.6	209.5
1958	15.0	-	-	.0	.1	.1	.2	.7	2.1	3.7	7.8	15.0	25.8	45.3	76.9	113.4	153.6	192.0	196.4
1959	14.8	-	.0	-	.0	.1	.3	.8	1.8	4.0	8.6	15.0	26.6	44.3	72.9	109.9	147.5	191.8	208.3
1960	14.3	.0	.0	.0	-	.1	.2	.8	1.7	3.4	7.2	15.2	25.6	44.6	71.9	104.7	141.4	183.7	188.7
1961	13.5	.0	.0	.0	.0	.1	.4	.6	1.8	3.5	7.5	13.9	21.0	39.6	67.2	96.2	143.6	178.1	196.2
1962	12.6	.0	.0	.0	-	.1	.1	.8	1.8	2.9	6.3	13.6	21.4	37.5	60.2	91.3	129.8	165.0	186.0
1963	12.2	-	-	-	-	.1	.2	.7	1.6	3.8	6.2	11.6	20.4	35.3	59.0	85.1	129.6	167.0	199.4
1964	11.9	.0	.0	.0	-	.1	.2	.6	1.6	3.0	6.4	12.6	19.3	36.3	58.8	87.0	119.1	149.6	178.0
1965	11.1	-	.0	-	-	-	.2	.6	1.1	3.1	5.6	10.7	18.8	33.8	51.1	81.9	111.2	158.6	168.6
1966	10.6	.0	-	.0	-	.2	.2	.7	1.6	2.8	5.9	11.3	17.6	30.8	50.3	74.1	111.5	145.1	150.9
1967	10.1	-	.0	.0	.0	-	.3	.6	1.4	2.8	5.5	10.0	18.0	29.6	46.2	70.1	102.9	137.1	164.3
1968	10.0	.0	.0	.0	-	.1	.2	.3	1.1	2.2	5.5	10.1	17.7	29.1	45.7	70.4	106.2	138.7	145.6
1969	9.6	.0	.0	-	-	.1	.2	.5	1.0	2.7	5.4	9.5	17.6	27.9	45.0	64.5	96.6	125.9	153.5
1970	9.3	.0	.0	.0	-	.1	.2	.5	1.5	2.7	5.0	9.5	17.5	28.0	44.1	63.2	89.4	120.4	134.2
1971	8.9	-	-	.0	-	.1	.2	.4	1.0	2.2	5.4	9.2	15.6	24.9	39.7	57.8	89.3	119.0	146.7
1972	8.7	.0	.0	.0	-	-	.2	.6	1.1	2.4	4.8	7.8	15.6	28.2	39.2	56.8	87.7	108.9	132.6
1973	8.6	-	.0	-	-	-	.2	.5	1.3	2.6	5.2	8.4	15.5	24.4	38.3	55.4	82.6	108.4	133.9
1974	8.4	.0	.0	-	-	-	.1	.3	1.0	2.6	5.0	8.1	14.9	25.9	34.8	54.7	82.5	109.0	122.4
1975	8.2	-	.0	.0	-	-	.2	.3	.8	2.3	4.1	8.6	13.7	24.3	35.3	53.9	76.5	101.4	121.5
1976	8.1	-	.0	.0	-	-	.2	.4	1.0	1.8	4.0	8.4	13.6	22.4	34.7	49.1	79.6	103.5	121.7
1977	7.9	.0	.0	.0	-	-	.1	.5	1.1	2.6	4.4	7.6	13.6	23.1	32.0	49.6	73.8	98.0	109.3

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13632	2	1	1	1	6	20	51	127	243	482	817	1396	1952	2350	2380	1983	1217	603
1951	13376	2	0	1	6	4	21	45	131	249	464	807	1344	1888	2445	2307	1877	1164	621
1952	13110	2	1	0	2	6	16	54	87	250	438	751	1292	1865	2345	2276	1931	1192	602
1953	13126	4	0	1	2	11	15	62	125	242	454	725	1290	1793	2343	2271	1955	1217	616
1954	12847	4	1	0	3	6	24	37	134	210	389	734	1105	1731	2302	2361	1943	1198	665
1955	12454	0	1	1	1	8	16	49	100	191	411	676	1061	1620	2262	2302	1882	1219	654
1956	12242	2	0	0	1	8	16	37	110	227	386	687	1011	1574	2140	2280	1902	1178	683
1957	11862	2	1	0	1	4	18	43	93	203	361	652	943	1547	2042	2288	1803	1208	653
1958	11489	2	1	0	4	7	10	39	112	185	369	622	931	1408	2013	2199	1814	1149	624
1959	11551	1	0	1	0	4	13	45	98	204	412	633	977	1378	1935	2185	1809	1175	681
1960	11309	0	0	0	1	3	9	42	95	177	350	655	959	1392	1931	2124	1789	1150	632
1961	10846	0	0	0	0	7	17	33	99	184	365	609	800	1242	1813	1988	1864	1154	671
1962	10275	0	0	0	1	6	7	43	96	156	310	606	836	1181	1619	1921	1718	1135	640
1963	10094	1	1	1	3	4	12	35	88	203	308	523	816	1121	1582	1814	1743	1149	690
1964	9911	0	0	0	1	3	11	28	83	164	317	576	787	1166	1576	1872	1630	1065	632
1965	9383	2	0	1	1	2	10	30	57	168	281	493	782	1101	1373	1767	1542	1161	612
1966	9051	0	1	0	1	11	8	32	81	153	299	526	740	1026	1356	1594	1570	1090	563
1967	8717	1	0	0	0	1	17	29	71	150	283	471	765	1012	1254	1501	1472	1054	636
1968	8699	0	0	0	1	6	11	16	54	116	288	478	755	1021	1254	1496	1536	1086	581
1969	8395	0	0	1	1	5	14	23	50	143	286	455	756	1003	1250	1363	1406	1002	637
1970	8229	0	0	0	3	4	14	24	72	142	266	461	758	1027	1247	1337	1292	978	604
1971	7889	1	1	0	1	4	10	21	47	116	282	456	680	930	1147	1225	1302	984	682
1972	3906	0	0	0	2	1	6	16	26	61	124	197	342	534	582	601	637	460	317
1973	7700	1	0	1	1	2	13	26	65	129	271	430	684	936	1167	1192	1181	937	664
1974	7602	0	0	1	1	4	6	18	51	126	259	417	666	1004	1080	1201	1174	946	640
1975	7417	1	0	0	1	3	16	21	41	110	209	448	626	949	1136	1202	1099	887	668
1976	7357	1	0	0	2	4	15	26	52	87	203	433	633	885	1137	1123	1148	924	684
1977	7235	0	0	0	2	2	11	33	60	125	217	391	646	921	1068	1174	1069	879	637

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.9	-	-	-	-	.1	.2	.5	.9	1.1	1.5	1.8	2.2	2.5	2.6	2.6	2.4	1.9	1.2
1951	1.8	-	.0	-	.1	-	.2	.4	.9	1.1	1.5	1.7	2.1	2.4	2.6	2.5	2.2	1.8	1.2
1952	1.7	-	-	.0	-	.1	.2	.5	.6	1.1	1.4	1.6	2.0	2.3	2.5	2.4	2.2	1.8	1.2
1953	1.7	-	.0	-	-	.1	.2	.6	.9	1.1	1.4	1.6	2.0	2.2	2.4	2.3	2.2	1.8	1.1
1954	1.7	-	-	.0	.1	.1	.3	.4	1.0	1.0	1.2	1.6	1.8	2.2	2.4	2.4	2.2	1.8	1.2
1955	1.6	.0	-	-	-	.1	.2	.5	.8	.9	1.3	1.5	1.7	2.0	2.3	2.2	2.0	1.7	1.1
1956	1.5	-	.0	.0	-	.1	.2	.4	.8	1.1	1.2	1.5	1.6	1.9	2.1	2.2	2.0	1.6	1.1
1957	1.4	-	-	.0	-	.1	.2	.5	.7	.9	1.1	1.4	1.5	1.8	1.9	2.1	1.8	1.5	1.0
1958	1.4	-	-	.0	.1	.1	.1	.4	.8	.9	1.1	1.3	1.5	1.7	1.9	2.0	1.8	1.4	.9
1959	1.4	-	.0	-	.0	.1	.2	.5	.7	1.0	1.2	1.3	1.5	1.6	1.8	1.9	1.7	1.5	1.0
1960	1.3	.0	.0	.0	-	-	.1	.5	.7	.8	1.0	1.3	1.4	1.6	1.8	1.8	1.6	1.4	.9
1961	1.3	.0	.0	.0	.0	.1	.2	.4	.7	.9	1.1	1.2	1.2	1.5	1.7	1.7	1.7	1.4	.9
1962	1.2	.0	.0	.0	-	.1	.1	.5	.7	.7	.9	1.2	1.2	1.4	1.5	1.6	1.5	1.3	.8
1963	1.1	-	-	-	-	-	.2	.4	.6	.9	.9	1.0	1.1	1.3	1.4	1.4	1.5	1.2	.9
1964	1.1	.0	.0	.0	-	-	.1	.3	.6	.7	.9	1.1	1.1	1.3	1.5	1.5	1.4	1.2	.8
1965	1.0	-	.0	-	-	-	.1	.4	.4	.8	.8	.9	1.1	1.2	1.3	1.4	1.3	1.2	.7
1966	1.0	.0	-	.0	-	.1	.1	.4	.6	.7	.9	1.0	1.0	1.1	1.2	1.3	1.3	1.1	.7
1967	.9	-	.0	.0	.0	-	.2	.3	.5	.7	.8	.9	1.0	1.1	1.2	1.2	1.2	1.1	.7
1968	.9	.0	.0	.0	-	-	.1	.2	.4	.5	.8	.9	1.0	1.0	1.1	1.2	1.2	1.1	.7
1969	.9	.0	.0	-	-	-	.1	.3	.4	.6	.8	.9	1.0	1.0	1.1	1.1	1.1	1.0	.7
1970	.9	.0	.0	.0	-	-	.1	.3	.6	.7	.7	.9	1.0	1.0	1.1	1.1	1.0	1.0	.7
1971	.8	-	-	.0	-	-	.1	.2	.4	.6	.8	.9	.9	.9	1.0	1.0	1.0	1.0	.7
1972	.8	.0	.0	.0	-	-	.1	.3	.4	.6	.7	.7	.9	1.1	1.0	1.0	1.0	.9	.7
1973	.8	-	.0	-	-	-	.1	.3	.5	.7	.8	.8	.9	.9	1.0	1.0	.9	.9	.7
1974	.8	.0	.0	-	-	-	.1	.2	.4	.7	.8	.8	.9	1.0	.9	1.0	1.0	.9	.6
1975	.8	-	.0	.0	-	-	.1	.2	.4	.6	.7	.9	.9	1.0	1.0	1.0	.9	.9	.7
1976	.8	-	.0	.0	-	-	.1	.3	.5	.5	.7	.9	.9	.9	1.0	.9	1.0	.9	.6
1977	.8	.0	.0	.0	-	-	.1	.3	.5	.8	.8	.8	.9	1.0	.9	.9	.9	.8	.6

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11.9	-	.0	.0	-	.1	.4	1.1	1.9	3.4	5.6	11.5	19.9	32.1	51.1	82.9	124.0	163.6	186.0
1951	11.4	.0	.0	-	-	.1	.3	1.0	1.7	3.5	6.5	10.4	19.0	31.2	47.9	77.8	113.1	150.5	176.5
1952	11.2	-	-	-	-	.1	.3	1.0	1.6	3.2	6.3	10.1	17.9	27.5	45.8	77.1	110.8	153.6	175.2
1953	10.9	.0	-	.0	-	.1	.5	.6	2.1	3.0	5.5	9.7	15.6	25.8	45.0	73.0	109.7	151.3	173.3
1954	10.5	-	-	.0	-	.1	.3	.8	1.8	3.2	5.3	8.9	14.9	25.3	43.9	63.9	106.0	137.4	169.4
1955	9.9	.0	.0	.0	.0	.1	.4	.7	1.8	3.2	4.9	8.1	14.9	25.0	37.4	62.2	95.3	133.0	152.1
1956	9.7	-	-	.0	-	-	.3	1.0	1.5	3.2	5.0	9.0	13.4	22.6	38.6	57.4	90.1	129.6	156.5
1957	9.3	-	.0	.0	-	-	.4	.7	1.4	2.4	5.0	8.0	13.3	22.4	37.1	55.7	84.3	115.0	151.8
1958	9.1	-	.0	.0	.0	.1	.2	.6	1.6	2.8	4.7	7.6	11.6	21.6	34.9	55.3	81.0	117.4	135.9
1959	8.8	-	-	.0	-	.1	.3	.9	1.3	3.0	4.3	7.2	10.5	21.4	31.9	53.1	74.2	109.9	146.2
1960	8.6	-	.0	.0	-	-	.2	.8	1.4	2.7	4.3	6.9	11.3	19.2	31.6	49.5	76.9	108.1	127.2
1961	8.1	-	.0	-	-	-	.3	.7	1.3	2.5	3.7	6.5	9.5	18.4	30.2	45.2	69.0	102.1	130.1
1962	7.9	.0	.0	.0	-	.1	.1	.4	1.4	2.4	4.3	6.7	10.3	16.8	28.7	44.0	64.7	98.5	130.7
1963	7.7	-	-	.0	.1	.1	.3	.4	1.2	2.3	4.0	6.0	10.3	15.7	26.5	42.4	63.3	95.2	134.2
1964	7.1	-	.0	-	-	.1	.2	.9	.8	2.0	3.7	5.6	9.0	15.8	24.8	35.9	58.6	86.7	112.7
1965	7.0	-	.0	.0	-	-	.3	.3	1.1	2.1	3.5	5.7	9.6	14.4	22.1	38.5	60.5	81.8	102.8
1966	6.8	.0	.0	.0	-	.1	.2	.6	1.1	2.1	3.3	5.4	8.5	14.4	23.2	35.4	54.6	78.3	105.6
1967	6.5	.0	.0	.0	-	-	.2	.5	.9	1.8	3.5	5.4	7.7	12.4	21.1	35.1	53.8	74.7	96.2
1968	6.4	.0	.0	.0	-	-	.3	.4	1.0	1.8	3.0	5.7	7.8	12.9	19.9	33.2	49.5	71.6	94.7
1969	6.2	.0	-	-	.0	-	.2	.6	1.1	2.0	2.7	4.6	8.9	11.6	18.8	31.7	48.8	69.4	90.0
1970	5.9	.0	.0	.0	.0	.1	.1	.3	1.0	1.5	3.0	4.5	8.0	11.6	19.0	28.5	46.2	64.8	78.6
1971	5.8	.0	-	.0	-	-	.2	.5	.9	1.7	2.7	4.7	7.4	10.6	18.6	28.1	43.9	61.4	76.3
1972	5.7	-	.0	.0	.0	-	.1	.6	1.3	2.0	2.6	4.3	7.2	10.6	17.6	26.2	42.4	58.9	74.2
1973	5.5	.0	.0	-	-	.1	.2	.5	1.0	1.3	2.5	4.1	6.7	10.0	15.9	26.0	42.0	56.8	72.2
1974	5.4	.0	.0	.0	-	-	.1	.4	1.1	1.6	2.9	4.0	6.3	10.3	15.7	24.5	41.8	54.6	64.7
1975	5.5	.0	.0	.0	.0	-	.2	.3	.6	1.5	2.5	4.2	6.7	10.9	14.6	25.2	39.8	54.9	64.7
1976	5.3	.0	.0	.0	.0	.1	.1	.3	.7	1.2	1.8	3.7	6.2	9.1	14.8	23.3	37.3	52.5	69.9
1977	5.0	.0	.0	.0	-	.1	.1	.3	.6	1.3	2.3	3.5	5.5	9.7	13.8	20.9	34.5	50.0	62.1

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8119	1	0	0	2	6	21	56	95	159	229	436	669	912	1217	1394	1346	981	595
1951	7900	0	0	1	1	4	18	56	87	164	272	397	654	907	1174	1353	1283	931	598
1952	7899	3	1	1	2	5	17	57	86	155	272	384	627	827	1151	1392	1308	984	627
1953	7815	0	2	0	2	3	26	33	108	144	242	372	550	799	1161	1369	1342	1009	653
1954	7634	1	1	0	2	4	14	47	95	158	241	349	529	803	1162	1251	1343	960	674
1955	7360	0	0	0	0	6	23	40	95	158	226	320	536	812	1014	1269	1251	973	637
1956	7336	1	1	0	1	2	16	53	84	161	235	361	489	748	1071	1214	1222	992	685
1957	7162	3	0	0	1	2	20	38	79	125	241	333	491	752	1058	1216	1189	916	698
1958	7075	3	0	0	0	5	9	35	92	147	230	321	436	727	1023	1246	1186	963	652
1959	6958	1	2	0	2	5	13	51	75	158	212	312	403	728	958	1235	1136	929	738
1960	6906	1	0	0	1	2	12	45	78	143	216	304	443	660	969	1184	1226	944	678
1961	6611	1	0	1	2	2	13	36	71	133	187	294	380	637	942	1118	1142	935	717
1962	6610	0	0	0	2	3	7	23	78	134	217	309	425	586	906	1126	1106	947	741
1963	6534	1	1	0	4	5	14	21	67	127	203	281	440	551	844	1119	1116	956	784
1964	6062	2	0	1	3	3	8	43	45	113	191	266	393	564	796	972	1065	912	685
1965	6085	1	0	0	1	2	13	17	58	119	183	274	426	526	717	1062	1135	898	653
1966	5991	0	0	0	1	4	9	29	60	117	175	266	386	537	761	990	1058	895	703
1967	5812	0	0	0	2	3	12	25	49	103	189	268	352	479	699	990	1076	888	677
1968	5728	0	0	0	2	2	15	20	53	98	163	288	362	513	669	943	1020	880	700
1969	5652	0	1	1	0	3	10	32	54	108	151	235	414	474	644	907	1030	883	705
1970	5430	0	0	0	0	4	5	15	47	83	167	232	375	484	668	823	985	863	679
1971	5366	0	1	0	1	2	10	28	43	91	153	251	351	452	666	818	955	851	693
1972	2647	1	0	0	0	1	3	16	32	52	71	117	172	230	326	383	465	425	353
1973	5161	0	0	1	2	5	15	27	48	67	138	225	320	437	606	776	918	853	723
1974	5124	0	0	0	1	3	7	25	57	80	156	224	309	453	615	742	923	835	694
1975	5184	0	0	0	0	2	12	20	31	72	135	232	331	482	593	774	895	856	749
1976	5045	0	0	0	0	5	9	20	38	59	96	207	313	409	610	734	850	843	852
1977	4839	0	0	0	1	7	9	23	30	64	117	193	287	436	580	681	793	816	802

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.5	-	.0	.0	.1	.1	.4	.8	1.0	1.2	1.3	1.8	2.0	2.0	2.0	2.0	1.8	1.5	1.0
1951	1.4	.0	.0	.1	-	.1	.3	.8	.9	1.2	1.5	1.6	1.9	2.0	1.9	1.9	1.6	1.3	.9
1952	1.4	-	-	-	.1	.1	.3	.9	.9	1.2	1.5	1.6	1.8	1.8	1.9	1.9	1.7	1.4	.9
1953	1.4	.0	.1	.0	.1	.1	.6	.5	1.2	1.1	1.4	1.5	1.6	1.7	1.9	1.8	1.7	1.4	.9
1954	1.4	-	-	.0	.1	.1	.3	.8	1.1	1.3	1.4	1.5	1.7	1.8	1.9	1.7	1.7	1.3	.9
1955	1.3	.0	.0	.0	.0	.2	.6	.7	1.1	1.3	1.3	1.4	1.7	1.8	1.6	1.7	1.5	1.3	.8
1956	1.2	-	-	.0	-	.1	.4	.9	1.0	1.3	1.4	1.6	1.5	1.6	1.7	1.6	1.4	1.2	.8
1957	1.2	-	.0	.0	-	.1	.5	.6	.9	1.0	1.4	1.4	1.5	1.6	1.6	1.5	1.3	1.1	.8
1958	1.1	-	.0	.0	.0	.2	.3	.6	1.1	1.2	1.3	1.3	1.4	1.6	1.6	1.5	1.3	1.1	.7
1959	1.1	-	.1	.0	.1	.2	.4	.9	.9	1.3	1.2	1.3	1.3	1.6	1.5	1.5	1.2	1.1	.8
1960	1.1	-	.0	.0	-	.1	.3	.9	.9	1.1	1.2	1.2	1.4	1.4	1.5	1.4	1.3	1.0	.7
1961	1.0	-	.0	-	.1	.1	.4	.7	.9	1.1	1.0	1.2	1.2	1.4	1.4	1.3	1.2	1.0	.7
1962	1.0	.0	.0	.0	.1	.1	.2	.5	.9	1.1	1.2	1.2	1.3	1.3	1.4	1.3	1.1	1.0	.7
1963	1.0	-	-	.0	.1	.1	.4	.4	.8	1.0	1.1	1.1	1.3	1.2	1.3	1.2	1.1	.9	.7
1964	.9	-	.0	-	.1	.1	.2	.8	.5	.9	1.0	1.0	1.1	1.2	1.2	1.1	1.0	.9	.6
1965	.9	-	.0	.0	-	.1	.4	.3	.7	.9	.9	1.0	1.2	1.1	1.1	1.2	1.1	.9	.5
1966	.8	.0	.0	.0	-	.1	.2	.6	.8	.9	.9	1.0	1.1	1.1	1.2	1.1	1.0	.8	.5
1967	.8	.0	.0	.0	-	.1	.3	.5	.6	.8	.9	1.0	1.0	1.0	1.1	1.1	1.0	.8	.5
1968	.8	.0	.0	.0	-	-	.4	.4	.7	.7	.8	1.0	.9	1.0	1.0	1.0	.9	.8	.5
1969	.8	.0	-	-	.0	.1	.2	.6	.7	.8	.7	.8	1.1	1.0	1.0	1.0	.9	.8	.5
1970	.7	.0	.0	.0	.0	.1	.1	.3	.6	.7	.8	.8	1.0	1.0	1.0	.9	.9	.7	.5
1971	.7	.0	-	.0	-	-	.2	.6	.6	.7	.8	.9	.9	.9	1.0	.9	.8	.7	.5
1972	.7	-	.0	.0	.0	-	.1	.6	.9	.9	.7	.8	.9	.9	.9	.8	.8	.7	.4
1973	.7	.0	.0	-	-	.1	.3	.5	.7	.6	.7	.8	.8	.8	.9	.9	.8	.7	.4
1974	.7	.0	.0	.0	-	.1	.1	.5	.9	.7	.8	.8	.8	.9	.9	.8	.8	.7	.4
1975	.7	.0	.0	.0	.0	-	.3	.4	.5	.7	.8	.8	.9	.9	.9	.9	.8	.7	.4
1976	.7	.0	.0	.0	.0	.1	.2	.4	.6	.6	.6	.8	.8	.8	.9	.9	.8	.7	.5
1977	.6	.0	.0	.0	-	.1	.2	.4	.5	.7	.7	.7	.8	.8	.8	.8	.8	.7	.4

Age-specific Graphs for White Females


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths



Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	21.2	.2	.1	.0	.0	.2	1.3	2.2	5.7	12.8	32.2	57.3	88.3	117.4	129.3	168.0	191.0	145.5	199.6
1951	20.0	.0	.0	.0	.5	1.0	.5	1.9	6.3	11.3	22.8	54.2	87.1	112.7	121.0	161.7	187.1	144.5	200.0
1952	20.3	.1	.0	.0	.0	.0	.8	2.1	4.6	13.2	23.5	54.6	81.3	103.9	136.8	172.7	183.4	184.5	175.9
1953	19.6	.1	.2	.0	.0	.5	.5	1.2	3.9	9.9	22.5	46.1	85.7	109.9	135.0	156.6	165.7	175.1	214.6
1954	20.4	.0	.0	.0	.2	.2	1.2	2.4	4.4	11.2	26.2	47.5	82.0	109.7	131.0	168.6	190.3	195.5	183.7
1955	19.1	.2	.1	.0	.2	.0	.7	1.9	4.5	11.9	28.5	44.2	72.3	111.1	127.7	155.3	153.4	157.6	143.6
1956	19.2	.1	.0	.1	.3	.2	.5	1.4	6.1	10.4	24.0	39.3	75.4	105.6	117.7	164.0	168.3	240.5	189.5
1957	18.4	.0	.1	.0	.0	.3	.5	1.8	4.1	9.5	19.7	44.3	64.6	112.4	127.4	144.6	170.1	146.2	209.1
1958	17.1	.0	.0	.0	.0	.3	.8	1.9	4.8	9.3	20.2	36.1	59.7	93.5	124.2	162.9	138.3	163.2	127.3
1959	17.9	.0	.0	.0	.2	.5	.8	2.3	3.2	9.1	22.1	35.7	62.7	102.8	124.4	156.6	155.8	164.0	225.4
1960	17.7	.1	.0	.0	.0	.3	1.0	.6	4.4	9.9	18.6	36.1	54.0	102.8	141.4	142.3	163.8	176.6	183.9
1961	17.5	.0	.0	.0	.1	.3	.8	2.8	5.4	10.0	20.0	36.1	52.5	90.6	119.8	161.5	167.3	186.5	213.3
1962	15.9	.0	.0	.1	.1	.1	.6	.9	4.2	9.6	14.9	33.8	47.0	88.5	105.3	150.0	164.8	176.8	166.7
1963	16.8	.1	.0	.0	.1	.3	.8	2.5	3.4	7.8	21.6	31.5	54.8	92.2	124.1	134.2	169.7	150.8	243.3
1964	15.6	.0	.0	.0	.0	.4	.8	1.7	3.4	7.3	18.3	35.8	46.9	80.6	108.2	142.3	155.0	163.9	196.9
1965	15.0	.0	.0	.0	.1	.1	.6	.5	4.0	9.3	15.0	27.7	46.5	77.3	108.7	139.6	160.2	150.8	185.3
1966	14.9	.0	.0	.0	.0	.2	.8	1.2	5.1	7.0	17.7	31.0	47.6	71.8	99.3	125.8	140.0	206.3	236.1
1967	14.5	.0	.0	.0	.0	.2	1.0	2.2	2.2	9.1	14.8	32.5	44.2	73.6	95.6	128.4	163.6	133.3	197.4
1968	13.8	.0	.0	.0	.1	.2	.3	1.4	3.6	7.6	14.1	23.2	47.0	67.4	99.7	131.5	139.5	150.7	178.0
1969	13.4	.0	.0	.0	.0	.2	.3	2.6	2.7	6.5	13.0	27.0	47.1	65.5	86.8	131.0	140.0	142.6	161.4
1970	12.9	.0	.0	.0	.0	.2	.3	1.5	3.0	5.8	16.9	24.3	37.8	62.0	88.7	115.4	130.1	170.0	172.3
1971	12.3	.0	.0	.0	.1	.3	1.3	1.1	3.5	6.1	12.2	21.2	38.4	67.0	76.5	123.7	118.6	128.4	164.6
1972	11.9	.0	.0	.0	.0	.0	.5	1.6	3.1	5.1	10.3	26.4	40.8	54.0	75.5	108.1	134.4	128.2	172.0
1973	11.4	.0	.0	.0	.0	.3	.1	1.7	2.8	4.7	13.4	21.5	36.2	57.4	74.3	112.1	130.8	109.6	121.2
1974	11.8	.0	.0	.0	.0	.2	.3	.8	3.1	4.5	10.5	23.3	40.5	58.4	80.1	115.7	126.0	110.6	147.4
1975	11.5	.0	.0	.0	.0	.2	.6	1.2	2.6	5.0	11.2	22.3	32.5	53.9	69.0	118.3	141.3	125.6	123.1
1976	11.0	.0	.0	.0	.0	.1	.8	1.8	2.6	6.7	10.1	19.1	30.1	53.1	68.1	103.6	142.4	133.0	101.5
1977	10.4	.0	.0	.0	.1	.1	.4	.6	3.1	4.6	8.2	18.4	32.7	53.4	56.3	103.0	131.2	114.0	127.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1647	2	1	0	0	1	8	12	32	64	144	215	249	246	262	196	124	54	37
1951	1590	0	0	0	3	6	3	11	36	57	102	209	253	244	250	195	127	55	39
1952	1649	1	0	0	0	0	5	12	27	68	105	216	244	230	288	215	130	72	36
1953	1626	1	2	0	0	3	3	7	23	52	100	187	266	250	291	201	124	70	46
1954	1729	0	0	0	1	1	7	15	26	60	117	197	264	256	289	223	150	80	43
1955	1666	3	1	0	1	0	4	12	27	65	129	186	241	268	288	213	127	66	35
1956	1710	1	0	1	2	1	3	9	37	57	111	167	260	262	269	233	146	103	48
1957	1680	0	1	0	0	2	3	11	25	52	94	189	231	288	295	214	156	64	55
1958	1600	0	0	0	0	2	5	12	30	51	99	154	221	247	290	249	131	73	36
1959	1720	0	0	0	1	3	5	14	20	50	112	154	239	282	296	249	154	75	66
1960	1776	1	0	0	0	2	6	4	28	56	99	163	216	298	352	239	172	83	57
1961	1801	0	0	0	1	2	5	18	35	57	106	167	212	269	308	281	179	97	64
1962	1672	0	0	1	1	1	4	6	27	56	79	160	193	269	278	270	178	99	50
1963	1802	1	0	0	1	2	5	16	22	46	114	152	229	285	335	247	185	89	73
1964	1716	0	0	0	0	3	5	11	22	44	97	175	200	253	302	269	172	100	63
1965	1676	0	0	0	1	1	4	3	26	57	80	137	201	248	311	268	181	95	63
1966	1699	0	0	0	0	2	5	8	33	43	96	154	209	237	290	244	161	132	85
1967	1679	0	0	0	0	2	7	14	14	56	82	162	196	251	284	253	193	88	77
1968	1631	0	0	0	1	2	2	9	23	47	80	116	210	238	300	263	166	101	73
1969	1605	0	0	0	0	2	2	17	17	40	75	136	211	239	264	266	168	97	71
1970	1573	0	0	0	0	2	2	10	19	36	100	125	169	235	275	240	160	119	81
1971	1531	0	0	0	1	3	10	8	22	38	73	113	168	264	238	266	153	95	79
1972	753	0	0	0	0	0	2	6	10	16	31	73	89	109	122	114	88	50	43
1973	1476	0	0	0	0	3	1	13	18	30	81	123	158	236	249	240	170	91	63
1974	1555	0	0	0	0	2	3	6	20	29	64	135	181	243	278	251	165	94	84
1975	1537	0	0	0	0	3	6	10	17	32	70	130	153	222	252	259	195	108	80
1976	1509	0	0	0	0	2	8	15	18	43	64	113	147	214	261	229	205	121	69
1977	1452	0	0	0	1	2	4	5	22	30	52	110	167	214	223	239	185	106	92


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.7	-	.1	.0	.0	-	.3	.4	.8	1.2	2.2	2.5	2.7	2.8	2.8	2.7	2.2	1.6	1.2
1951	1.6	.0	.0	.0	.2	.3	.1	.4	.9	1.1	1.6	2.3	2.8	2.7	2.6	2.6	2.2	1.5	1.3
1952	1.6	-	.0	.0	.0	.0	.2	.4	.7	1.3	1.7	2.4	2.6	2.5	3.0	2.7	2.2	1.9	1.1
1953	1.6	-	.3	.0	.0	.2	.1	.2	.6	1.0	1.6	2.1	2.9	2.6	2.9	2.4	2.2	1.8	1.4
1954	1.8	.0	.0	.0	.1	.1	.3	.5	.8	1.3	2.0	2.3	3.0	2.8	3.0	2.8	2.6	2.1	1.4
1955	1.7	-	.1	.0	.1	.0	.2	.5	.8	1.4	2.2	2.3	2.7	2.8	2.8	2.5	2.1	1.6	1.1
1956	1.7	-	.0	.1	.2	.1	.1	.3	1.1	1.2	1.8	2.2	2.7	2.6	2.6	2.7	2.3	2.4	1.3
1957	1.6	.0	.1	.0	.0	.1	.1	.4	.7	1.1	1.5	2.3	2.3	2.6	2.6	2.3	2.3	1.5	1.4
1958	1.5	.0	.0	.0	.0	.1	.2	.4	.9	1.1	1.6	1.9	2.2	2.4	2.4	2.6	1.8	1.6	.9
1959	1.6	.0	.0	.0	.1	.2	.2	.5	.5	1.1	1.8	1.9	2.4	2.7	2.5	2.5	2.1	1.7	1.6
1960	1.5	-	.0	.0	.0	.1	.3	.1	.7	1.1	1.5	1.9	2.2	2.6	2.8	2.2	2.2	1.6	1.2
1961	1.6	.0	.0	.0	.1	.1	.2	.7	.9	1.2	1.7	2.0	2.2	2.3	2.4	2.6	2.3	2.0	1.3
1962	1.4	.0	.0	.1	.1	.1	.2	.2	.7	1.1	1.2	1.8	2.0	2.2	2.1	2.3	2.1	1.8	1.0
1963	1.5	-	.0	.0	.1	.1	.2	.6	.6	.9	1.7	1.6	2.2	2.2	2.4	2.0	2.1	1.4	1.3
1964	1.4	.0	.0	.0	.0	.1	.2	.4	.5	.8	1.4	1.9	1.9	2.0	2.3	2.2	2.0	1.7	1.3
1965	1.3	.0	.0	.0	.1	-	.2	.1	.6	1.0	1.1	1.5	1.9	2.0	2.2	2.2	2.0	1.6	1.2
1966	1.3	.0	.0	.0	.0	.1	.2	.3	.8	.7	1.3	1.6	1.8	1.9	2.0	1.9	1.7	2.1	1.5
1967	1.3	.0	.0	.0	.0	.1	.2	.4	.3	.9	1.1	1.7	1.7	2.1	2.0	2.0	2.0	1.4	1.3
1968	1.2	.0	.0	.0	-	.1	.1	.3	.5	.7	1.0	1.2	1.7	1.7	2.0	1.9	1.6	1.5	1.1
1969	1.2	.0	.0	.0	.0	.1	.1	.5	.4	.6	.9	1.4	1.7	1.8	1.7	2.0	1.6	1.4	1.1
1970	1.2	.0	.0	.0	.0	-	.1	.3	.4	.6	1.2	1.3	1.4	1.8	1.8	1.8	1.5	1.7	1.3
1971	1.1	.0	.0	.0	-	.1	.3	.2	.5	.6	.9	1.2	1.5	1.9	1.7	1.9	1.4	1.4	1.2
1972	1.1	.0	.0	.0	.0	.0	.1	.3	.4	.5	.7	1.4	1.5	1.5	1.6	1.6	1.5	1.4	1.3
1973	1.1	.0	.0	.0	.0	.1	-	.3	.4	.5	1.0	1.2	1.4	1.6	1.7	1.6	1.5	1.2	.9
1974	1.2	.0	.0	.0	.0	-	.1	.2	.5	.5	.8	1.3	1.6	1.7	1.9	1.7	1.5	1.3	1.2
1975	1.2	.0	.0	.0	.0	.1	.1	.3	.4	.6	1.0	1.3	1.4	1.6	1.7	1.8	1.7	1.4	1.1
1976	1.1	.0	.0	.0	.0	.1	.2	.4	.5	.8	.9	1.1	1.3	1.6	1.7	1.6	1.7	1.5	.9
1977	1.1	.0	.0	.0	-	.1	.1	.1	.6	.6	.7	1.1	1.4	1.6	1.5	1.7	1.5	1.3	1.1


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	10.6	.0	.0	.1	.3	.1	.9	2.7	3.0	7.7	14.7	34.8	41.7	61.9	56.6	71.5	104.9	91.6	127.1
1951	9.9	.0	.0	.1	.2	.3	.7	2.0	4.6	7.4	11.5	27.9	32.5	55.7	61.7	77.2	100.2	87.7	89.8
1952	9.5	.1	.0	.0	.0	.1	.4	1.5	2.7	7.7	13.7	30.7	38.0	50.7	48.0	62.3	104.7	88.6	90.6
1953	9.3	.1	.0	.0	.0	.1	.3	2.2	2.4	6.9	11.9	23.5	33.6	54.4	57.8	70.9	101.8	54.7	81.5
1954	9.1	.0	.1	.0	.0	.3	.7	1.3	3.3	5.4	10.9	21.2	28.4	50.5	56.2	66.1	103.1	83.5	128.7
1955	8.5	.0	.0	.0	.0	.1	1.2	1.8	2.5	4.8	11.3	19.8	26.8	43.5	57.5	72.3	90.7	42.9	92.5
1956	8.9	.0	.0	.0	.1	.0	.6	1.5	4.0	7.1	10.0	17.9	28.9	46.7	58.6	65.1	90.3	70.3	104.0
1957	8.5	.0	.0	.1	.0	.6	.4	1.7	3.0	5.0	9.7	13.5	33.0	40.9	62.6	59.7	70.9	97.8	98.5
1958	8.8	.0	.0	.1	.0	.1	.3	1.3	1.9	5.4	8.9	19.8	34.4	40.9	53.3	67.7	89.8	88.3	114.2
1959	7.8	.1	.0	.0	.0	.4	.9	2.0	2.0	6.0	7.9	15.8	32.6	33.2	44.2	58.4	73.8	86.6	98.6
1960	8.2	.1	.0	.0	.0	.1	.4	2.0	2.1	5.2	7.1	18.8	28.7	46.3	41.1	56.0	92.2	90.9	105.0
1961	7.9	.0	.0	.0	.0	.0	.7	1.8	3.2	6.8	7.9	14.1	21.9	36.8	49.1	61.9	72.3	101.6	102.5
1962	7.4	.0	.0	.1	.0	.3	.9	1.2	3.3	4.3	6.1	14.0	19.5	40.7	43.5	58.8	68.3	93.9	85.4
1963	7.6	.1	.0	.1	.0	.3	.8	1.1	3.8	5.6	8.8	13.7	22.1	41.9	39.9	55.9	65.4	87.1	100.0
1964	7.4	.0	.0	.0	.1	.4	.8	.8	3.0	6.3	6.3	14.1	17.3	41.8	41.4	50.0	72.5	90.5	106.7
1965	7.4	.0	.0	.0	.1	.3	.7	1.1	2.3	4.5	9.8	13.5	17.7	39.2	39.2	56.3	75.0	79.2	93.9
1966	7.3	.0	.0	.0	.1	.5	.8	1.1	2.6	5.2	7.1	12.7	17.9	35.3	43.6	41.7	76.6	98.8	88.7
1967	6.8	.0	.0	.0	.0	.2	.6	.9	2.8	2.5	5.9	11.8	16.9	30.4	46.7	46.3	59.2	82.1	101.8
1968	6.7	.0	.0	.0	.1	.0	.6	1.1	2.4	4.1	5.8	13.4	17.2	27.3	37.9	51.0	67.1	62.1	96.7
1969	6.0	.1	.0	.0	.0	.1	.6	.5	2.0	3.5	8.2	11.9	17.3	21.0	32.9	47.2	52.6	71.4	67.7
1970	6.0	.0	.0	.0	.0	.4	.3	.3	2.7	3.8	6.2	9.6	14.8	22.5	31.7	48.4	65.0	62.5	74.6
1971	6.0	.0	.0	.0	.1	.3	.6	.7	2.1	3.1	4.7	8.9	15.8	20.0	33.7	51.5	67.1	55.8	80.3
1972	6.3	.0	.0	.0	.0	.0	.6	.9	2.1	3.7	4.9	8.6	16.4	21.4	33.3	57.4	67.8	66.1	80.5
1973	6.1	.0	.0	.0	.0	.2	.4	1.2	1.8	2.9	7.4	9.2	19.8	20.7	30.9	51.2	64.3	61.2	56.8
1974	6.2	.0	.0	.1	.2	.1	.8	1.4	1.7	2.5	6.5	6.8	16.3	25.6	26.9	69.5	57.2	57.1	61.2
1975	5.8	.0	.0	.0	.1	.2	.6	.6	2.2	2.4	6.4	10.8	14.5	19.5	25.2	43.3	66.9	55.0	66.4
1976	5.6	.1	.0	.0	.0	.1	.4	.7	1.0	3.3	5.2	9.4	11.2	19.5	24.5	41.5	74.3	50.4	74.2
1977	6.0	.0	.0	.0	.1	.3	.6	1.0	1.0	3.3	6.1	8.1	15.4	18.7	24.7	49.8	72.1	66.4	65.2

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	859	0	0	1	2	1	6	17	19	40	67	128	110	124	123	83	66	38	34
1951	817	0	0	1	1	2	5	13	29	39	53	106	90	117	137	95	66	39	24
1952	808	1	0	0	0	1	3	10	17	42	63	120	110	111	109	81	72	42	26
1953	806	1	0	0	0	1	2	15	15	39	55	95	102	125	134	97	73	27	25
1954	810	0	1	0	0	2	5	9	21	31	51	88	90	121	133	95	79	42	42
1955	778	0	0	0	0	1	8	13	16	28	54	84	89	109	139	109	74	22	32
1956	831	0	0	0	1	0	4	11	26	42	49	77	100	122	145	102	79	36	37
1957	818	0	0	1	0	4	3	12	20	30	49	59	119	111	158	97	67	51	37
1958	868	0	0	1	0	1	2	9	13	32	47	87	129	115	137	114	91	46	44
1959	795	1	0	0	0	3	6	14	14	36	43	71	127	97	116	102	80	46	39
1960	868	1	0	0	0	1	3	15	15	32	40	88	117	142	113	103	106	50	42
1961	855	0	0	0	0	0	5	13	23	43	45	68	91	116	142	120	86	62	41
1962	821	0	0	1	0	2	6	9	24	28	35	70	83	131	131	120	84	62	35
1963	870	1	0	1	0	2	6	8	28	37	51	70	97	138	125	119	83	61	43
1964	867	0	0	0	1	3	6	6	22	43	37	74	78	141	135	111	95	67	48
1965	883	0	0	0	1	3	5	8	17	31	58	72	82	136	132	129	102	61	46
1966	882	0	0	0	1	4	6	8	19	37	43	69	85	127	151	98	108	79	47
1967	842	0	0	0	0	2	5	7	21	18	37	65	82	115	165	111	87	69	58
1968	843	0	0	0	1	0	5	8	18	30	37	75	85	108	136	125	102	54	59
1969	777	1	0	0	0	1	5	4	15	26	54	68	87	87	121	117	82	65	44
1970	788	0	0	0	0	4	3	2	20	28	42	56	75	98	119	124	104	60	53
1971	804	0	0	0	1	3	5	6	16	23	32	54	79	91	127	136	112	58	61
1972	432	0	0	0	0	0	3	4	8	14	17	27	41	50	66	74	58	37	33
1973	859	0	0	0	0	3	4	11	14	22	52	60	99	99	129	132	110	74	50
1974	888	0	0	1	3	2	9	13	13	19	46	45	84	124	118	180	99	72	60
1975	841	0	0	0	2	3	7	6	18	18	46	72	79	94	117	113	121	72	73
1976	833	1	0	0	0	2	5	7	8	25	38	64	63	93	120	110	139	69	89
1977	914	0	0	0	1	4	7	10	9	26	45	56	90	90	125	140	132	93	86


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.0	.0	.2	.2	.1	.3	.6	.5	.8	1.2	1.8	1.6	1.7	1.7	1.4	1.5	1.3	1.0
1951	1.0	.0	.0	.2	.1	.1	.2	.5	.8	.8	1.0	1.4	1.3	1.7	1.8	1.5	1.4	1.3	.7
1952	1.0	-	.0	.0	.0	.1	.2	.4	.5	.9	1.2	1.6	1.6	1.6	1.4	1.3	1.6	1.4	.7
1953	1.0	-	.0	.0	.0	.1	.1	.6	.5	.9	1.0	1.3	1.5	1.7	1.7	1.5	1.5	.8	.7
1954	1.0	.0	.2	.0	.0	.2	.3	.4	.7	.7	1.0	1.2	1.4	1.7	1.7	1.5	1.7	1.3	1.2
1955	1.0	.0	.0	.0	.0	.1	.5	.6	.5	.7	1.1	1.3	1.3	1.5	1.7	1.6	1.5	.6	.8
1956	1.0	.0	.0	.0	.2	.0	.3	.5	.8	1.0	.9	1.2	1.3	1.6	1.8	1.4	1.5	1.0	.9
1957	.9	.0	.0	.2	.0	.4	.2	.5	.6	.7	.9	.9	1.5	1.4	1.7	1.3	1.2	1.3	.8
1958	1.0	.0	.0	.3	.0	.1	.1	.4	.4	.8	.9	1.3	1.6	1.4	1.5	1.4	1.5	1.1	1.0
1959	.9	-	.0	.0	.0	.3	.4	.6	.5	.9	.9	1.1	1.6	1.2	1.3	1.3	1.3	1.1	.8
1960	.9	-	.0	.0	.0	.1	.2	.7	.5	.8	.8	1.3	1.5	1.5	1.2	1.2	1.6	1.1	.8
1961	.9	.0	.0	.0	.0	.0	.4	.6	.7	1.1	.9	1.0	1.2	1.2	1.5	1.4	1.3	1.3	.8
1962	.9	.0	.0	.2	.0	.2	.4	.4	.7	.7	.7	1.0	1.1	1.3	1.3	1.3	1.2	1.2	.6
1963	.9	-	.0	.2	.0	.2	.4	.4	.8	.8	1.0	1.0	1.2	1.3	1.2	1.2	1.1	1.1	.7
1964	.9	.0	.0	.0	.1	.3	.4	.3	.7	1.0	.7	1.1	1.0	1.4	1.3	1.2	1.3	1.2	.8
1965	.9	.0	.0	.0	.1	.3	.4	.4	.5	.7	1.1	1.1	1.1	1.4	1.2	1.3	1.3	1.0	.7
1966	.9	.0	.0	.0	.1	.3	.4	.4	.6	.8	.8	1.1	1.1	1.3	1.3	1.0	1.3	1.3	.7
1967	.9	.0	.0	.0	.0	.2	.3	.3	.7	.4	.7	1.0	1.0	1.2	1.4	1.1	1.0	1.1	.8
1968	.8	.0	.0	.0	.1	.0	.3	.4	.6	.7	.6	1.1	1.0	1.1	1.1	1.2	1.1	.8	.7
1969	.8	-	.0	.0	.0	.1	.3	.2	.5	.6	1.0	1.0	1.0	.9	1.0	1.1	.9	.9	.6
1970	.8	.0	.0	.0	.0	.3	.2	.1	.7	.6	.7	.8	.9	1.0	1.0	1.1	1.1	.9	.7
1971	.8	.0	.0	.0	.1	.2	.3	.3	.5	.6	.6	.8	1.0	.9	1.1	1.1	1.2	.8	.7
1972	.8	.0	.0	.0	.0	.0	.4	.4	.6	.7	.6	.8	1.1	1.0	1.1	1.2	1.2	1.0	.7
1973	.8	.0	.0	.0	.0	.2	.2	.5	.5	.6	.9	.9	1.3	1.0	1.1	1.0	1.1	.9	.5
1974	.9	.0	.0	.2	.3	.1	.5	.7	.5	.5	.9	.7	1.2	1.3	1.1	1.4	1.0	.9	.6
1975	.8	.0	.0	.0	.2	.2	.4	.3	.8	.5	1.0	1.2	1.1	1.0	1.1	.9	1.1	.9	.7
1976	.8	-	.0	.0	.0	.1	.3	.4	.4	.8	.8	1.0	.9	1.0	1.1	.9	1.2	.8	.8
1977	.9	.0	.0	.0	.1	.3	.4	.6	.4	.8	1.0	.9	1.2	1.0	1.1	1.2	1.1	1.1	.8


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	381	0.56	0.64	0.38	358	0.53	0.57	0.39	24	0.31	0.41	0.27	31	0.38	0.52	0.35
1951	327	0.48	0.54	0.32	342	0.49	0.52	0.36	24	0.30	0.46	0.31	26	0.31	0.42	0.29
1952	338	0.48	0.54	0.32	316	0.45	0.47	0.32	26	0.32	0.44	0.27	24	0.28	0.39	0.27
1953	341	0.48	0.53	0.30	283	0.40	0.41	0.28	28	0.34	0.46	0.28	28	0.32	0.44	0.31
1954	320	0.44	0.49	0.28	333	0.46	0.46	0.33	21	0.25	0.33	0.19	24	0.27	0.39	0.27
1955	350	0.48	0.53	0.30	331	0.45	0.45	0.32	23	0.26	0.34	0.20	29	0.32	0.42	0.29
1956	323	0.43	0.47	0.26	336	0.45	0.45	0.32	27	0.30	0.41	0.23	21	0.22	0.33	0.22
1957	353	0.47	0.51	0.28	305	0.40	0.39	0.28	35	0.38	0.52	0.29	30	0.31	0.44	0.31
1958	363	0.47	0.51	0.29	304	0.39	0.38	0.28	28	0.30	0.42	0.23	28	0.28	0.38	0.27
1959	358	0.46	0.51	0.28	310	0.39	0.38	0.28	30	0.31	0.43	0.23	31	0.31	0.40	0.28
1960	377	0.48	0.52	0.29	331	0.41	0.39	0.29	28	0.28	0.38	0.20	33	0.31	0.43	0.30
1961	329	0.41	0.44	0.24	345	0.42	0.40	0.30	38	0.37	0.55	0.28	31	0.29	0.37	0.25
1962	351	0.43	0.47	0.25	329	0.39	0.37	0.28	37	0.35	0.50	0.26	28	0.25	0.35	0.24
1963	362	0.44	0.48	0.26	337	0.40	0.37	0.28	26	0.24	0.36	0.18	34	0.30	0.41	0.30
1964	355	0.42	0.47	0.25	317	0.37	0.35	0.26	33	0.30	0.44	0.22	24	0.21	0.27	0.19
1965	369	0.44	0.48	0.25	320	0.37	0.34	0.26	37	0.33	0.49	0.24	19	0.16	0.21	0.15
1966	326	0.38	0.42	0.22	324	0.37	0.34	0.26	24	0.21	0.29	0.13	19	0.16	0.21	0.15
1967	331	0.39	0.42	0.22	313	0.35	0.32	0.24	37	0.32	0.45	0.21	34	0.27	0.36	0.25
1968	313	0.36	0.39	0.20	294	0.33	0.29	0.22	28	0.24	0.34	0.15	30	0.24	0.31	0.22
1969	307	0.35	0.38	0.19	290	0.32	0.28	0.22	26	0.22	0.29	0.13	42	0.33	0.42	0.29
1970	331	0.38	0.41	0.21	285	0.31	0.27	0.21	47	0.39	0.56	0.24	22	0.17	0.21	0.15
1971	320	0.36	0.39	0.19	298	0.32	0.28	0.21	34	0.27	0.38	0.16	25	0.19	0.23	0.16
1972	187	0.42	0.45	0.22	132	0.28	0.24	0.18	22	0.35	0.50	0.21	14	0.20	0.25	0.18
1973	302	0.34	0.36	0.18	257	0.27	0.23	0.18	28	0.22	0.32	0.13	48	0.34	0.43	0.29
1974	292	0.32	0.34	0.17	282	0.30	0.25	0.19	52	0.40	0.57	0.23	35	0.25	0.30	0.21
1975	282	0.31	0.32	0.16	276	0.29	0.24	0.19	37	0.28	0.39	0.16	30	0.21	0.25	0.18
1976	311	0.34	0.35	0.17	289	0.30	0.25	0.19	50	0.37	0.52	0.21	37	0.25	0.32	0.22
1977	315	0.34	0.35	0.17	294	0.31	0.25	0.19	40	0.29	0.38	0.15	30	0.20	0.24	0.16

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Duodenum, ileum, jejunum, and small intestine (NOS).
(ICD 152 [6th]; ICD 152-152.9 [7th]; ICD 152-152.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	-	.0	.0	.0	-	-	.1	.2	.2	.7	.8	1.4	1.8	2.4	4.7	3.5	5.8	5.4
1951	.5	-	.0	-	.0	-	.0	.1	.2	.2	.5	.6	1.1	1.9	2.1	2.9	3.5	6.0	5.0
1952	.5	.0	.0	.0	.0	-	-	.1	.2	.3	.5	.8	1.0	1.7	2.1	2.1	4.4	6.1	4.3
1953	.5	-	-	.0	-	.0	-	.1	.1	.3	.4	.9	1.1	1.6	2.4	2.8	3.9	3.6	3.0
1954	.4	.0	.0	-	-	-	-	.1	.1	.2	.4	.7	.8	1.6	2.1	3.0	3.2	4.6	3.5
1955	.5	-	.0	.0	.0	-	-	.1	.2	.1	.5	.6	1.2	1.6	2.2	2.8	4.1	4.4	5.7
1956	.4	.0	.0	.0	.0	.0	-	.1	.1	.3	.5	.6	1.1	1.4	2.0	2.4	2.9	4.1	4.9
1957	.5	-	.0	-	-	-	-	.1	.1	.3	.5	.8	.9	1.4	2.1	2.4	4.3	4.8	3.2
1958	.5	.0	.0	.0	.0	.0	.1	.1	.2	.4	.4	.6	1.2	1.4	2.5	2.6	3.6	4.3	3.5
1959	.5	.0	.0	.0	-	.0	.1	.1	.1	.3	.5	.7	1.4	1.3	1.9	2.4	2.7	5.7	4.9
1960	.5	-	.0	.0	-	-	.1	.1	.1	.2	.6	.7	1.1	1.4	2.5	2.4	3.8	3.2	5.4
1961	.4	-	.0	.0	.0	-	-	.1	.2	.4	.4	.5	1.0	1.2	1.8	2.2	2.2	4.8	3.5
1962	.4	.0	.0	.0	.0	.0	.1	-	.2	.2	.4	.7	1.0	1.6	2.0	2.1	3.7	3.3	2.9
1963	.4	.0	.0	.0	.0	-	-	.1	.1	.3	.3	.7	1.2	1.2	2.3	2.7	2.8	4.5	4.0
1964	.4	.0	.0	-	.0	.1	-	-	.1	.3	.5	.7	.8	1.7	1.9	2.3	2.7	3.4	5.1
1965	.4	-	.0	.0	.0	.0	.1	.1	.2	.1	.4	.8	1.2	1.5	1.9	2.4	2.7	3.8	4.4
1966	.4	.0	-	.0	.0	-	-	.1	.1	.1	.4	.5	.8	1.3	1.8	2.6	3.4	3.2	3.8
1967	.4	.0	.0	-	.0	-	.0	.1	.1	.4	.4	.6	.8	1.3	2.3	2.1	2.1	2.1	4.7
1968	.4	.0	.0	-	.0	-	-	-	.1	.2	.3	.6	.7	1.2	1.9	2.3	2.4	2.6	2.8
1969	.4	.0	.0	-	.0	-	.1	.1	.1	.3	.3	.4	.8	1.5	1.8	1.6	2.2	2.9	4.3
1970	.4	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.6	.9	1.5	1.3	2.6	2.6	3.9	3.3
1971	.4	.0	.0	.0	-	-	-	.0	.1	.2	.3	.6	.8	1.3	1.7	1.9	2.5	2.8	3.4
1972	.4	.0	.0	.0	-	.0	.0	-	.2	.3	.2	.8	1.2	1.5	1.4	2.5	3.0	2.1	4.6
1973	.3	.0	.0	.0	-	-	.0	.1	.1	.2	.4	.4	.7	.8	2.0	1.9	2.6	2.9	3.6
1974	.3	.0	.0	-	.0	.0	-	-	.2	.2	.3	.2	.9	1.1	1.0	2.6	2.0	3.2	1.9
1975	.3	.0	.0	.0	-	.0	.0	-	.1	.2	.4	.4	.7	1.0	1.6	1.5	2.6	2.1	1.6
1976	.3	.0	.0	.0	.0	-	.0	.1	.1	.2	.3	.7	.7	1.3	1.3	2.1	2.3	2.8	1.6
1977	.3	.0	.0	.0	.0	-	-	-	.1	.2	.3	.4	.7	1.3	1.4	1.9	2.2	3.0	3.6

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	381	1	0	0	0	2	2	5	11	8	28	29	46	51	53	72	33	28	12
1951	327	1	0	2	0	1	0	5	9	8	21	21	36	54	49	45	34	29	12
1952	338	0	0	0	0	1	1	6	11	15	21	30	35	49	50	34	44	30	11
1953	341	1	2	0	1	0	2	4	6	15	17	36	38	49	58	46	40	18	8
1954	320	0	0	1	1	1	2	5	7	10	18	27	29	49	51	51	34	24	10
1955	350	3	0	0	0	1	1	4	8	6	23	22	41	49	56	50	45	24	17
1956	323	0	0	0	0	0	1	7	7	15	24	23	39	43	50	44	32	23	15
1957	353	2	0	1	1	2	2	6	6	15	23	31	31	45	55	46	49	28	10
1958	363	0	0	0	0	0	3	4	9	19	19	25	45	43	65	51	43	26	11
1959	358	0	0	0	2	0	5	3	7	13	22	31	53	39	51	48	33	35	16
1960	377	1	0	0	2	1	4	3	8	10	29	30	43	43	68	49	48	20	18
1961	329	1	0	0	0	2	2	5	12	22	21	24	37	38	48	45	29	31	12
1962	351	0	0	0	0	0	5	2	9	13	20	32	40	49	54	45	49	23	10
1963	362	0	0	0	0	2	2	4	5	17	16	30	46	39	61	58	37	31	14
1964	355	0	0	1	0	3	2	2	5	17	26	33	31	54	52	50	37	24	18
1965	369	1	0	0	0	0	3	4	11	8	22	37	51	48	51	52	37	28	16
1966	326	0	1	0	0	1	2	3	3	6	19	24	33	42	49	57	48	24	14
1967	331	0	0	1	0	1	0	4	5	20	22	26	34	46	62	46	30	16	18
1968	313	0	0	1	0	1	2	2	7	12	18	30	32	41	53	48	35	20	11
1969	307	0	0	1	0	2	3	3	3	14	14	21	36	53	51	33	32	23	18
1970	331	0	0	0	0	1	1	4	3	8	16	27	39	55	38	55	37	32	15
1971	320	0	0	0	2	1	3	0	7	12	18	28	35	49	49	40	37	23	16
1972	187	0	0	0	1	0	0	1	6	7	6	20	27	29	21	27	22	9	11
1973	302	0	0	0	2	1	0	3	5	10	19	19	30	32	60	41	37	25	18
1974	292	0	0	1	0	0	1	2	9	9	16	12	42	43	32	58	29	28	10
1975	282	0	0	0	1	0	0	2	3	12	20	21	32	40	52	34	38	18	9
1976	311	0	0	0	0	1	0	4	5	11	13	35	32	52	43	48	33	25	9
1977	315	0	0	0	0	2	1	3	6	11	17	18	33	52	47	45	32	27	21

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	.0	.0	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-
1951	-	-	.0	.1	.0	-	.0	-	.1	-	.1	-	.1	.1	.1	-	-	-	-
1952	-	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-	-
1953	-	-	-	.0	-	.0	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1954	-	.0	.0	-	-	-	-	.1	.1	-	.1	.1	-	.1	.1	.1	-	-	-
1955	-	-	.0	.0	.0	-	-	-	.1	-	.1	-	.1	.1	.1	-	-	-	-
1956	-	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1957	-	-	.0	-	-	-	-	.1	-	.1	.1	.1	-	.1	.1	-	-	-	-
1958	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1959	-	.0	.0	.0	-	.0	.1	-	.1	.1	.1	.1	.1	-	-	-	-	-	-
1960	-	-	.0	.0	-	-	.1	-	.1	-	.1	.1	.1	.1	.1	-	-	-	-
1961	-	-	.0	.0	.0	-	-	.1	.1	.1	.1	-	.1	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1963	-	.0	.0	.0	.0	-	-	-	-	.1	-	.1	.1	-	.1	-	-	-	-
1964	-	.0	.0	-	.0	-	-	-	-	.1	.1	.1	-	.1	-	-	-	-	-
1965	-	-	.0	.0	.0	.0	-	-	.1	-	.1	.1	.1	.1	-	-	-	-	-
1966	-	.0	-	.0	.0	-	-	-	-	-	.1	-	-	-	-	-	-	-	-
1967	-	.0	.0	-	.0	-	.0	-	-	.1	.1	-	-	-	.1	-	-	-	-
1968	-	.0	.0	-	.0	-	-	-	.1	.1	-	.1	-	-	-	-	-	-	-
1969	-	.0	.0	-	.0	-	-	-	-	.1	-	-	-	.1	-	-	-	-	-
1970	-	.0	.0	.0	.0	-	-	-	-	-	-	.1	.1	.1	-	-	-	-	-
1971	-	.0	.0	.0	-	-	-	.0	.1	.1	.1	.1	-	-	-	-	-	-	-
1972	-	.0	.0	.0	-	.0	.0	-	.1	.1	-	.1	.1	.1	-	-	-	-	-
1973	-	.0	.0	.0	-	-	.0	-	-	.1	.1	-	-	-	.1	-	-	-	-
1974	-	.0	.0	-	.0	.0	-	-	.1	-	-	-	.1	-	-	-	-	-	-
1975	-	.0	.0	.0	-	.0	.0	-	-	.1	.1	-	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	-	.0	-	-	.1	-	.1	-	.1	-	-	-	-	-
1977	-	.0	.0	.0	.0	-	-	-	.1	.1	.1	-	-	.1	-	-	-	-	-

Small Intestine

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.0	-	-	-	-	-	.1	.2	.2	.4	.6	1.1	1.5	2.4	2.9	3.6	6.8	8.1
1951	.5	.0	.0	.0	.0	-	.0	.1	.2	.3	.5	.8	1.2	1.4	1.9	2.9	3.3	3.4	6.2
1952	.4	.0	.0	.0	-	.0	-	-	.1	.3	.4	.7	.9	1.7	1.9	2.2	3.5	3.0	5.6
1953	.4	-	.0	.0	.0	-	.0	.1	.1	.1	.4	.5	.9	1.0	1.8	2.3	3.7	3.0	4.5
1954	.5	.0	.0	.0	.0	.0	-	.1	.1	.2	.4	.7	.9	1.6	1.7	2.8	2.5	3.4	6.3
1955	.4	.0	.0	.0	-	-	.0	-	.1	.2	.3	.7	1.0	1.5	1.9	3.0	2.7	2.7	4.3
1956	.4	.0	.0	-	.0	-	-	.1	.1	.2	.2	.8	.8	1.4	1.5	2.6	2.8	5.1	4.3
1957	.4	-	.0	.0	.0	-	-	.1	.1	.1	.3	.7	.9	1.2	1.4	2.1	2.7	3.5	4.6
1958	.4	-	.0	.0	.0	-	-	-	.1	.2	.4	.6	1.1	1.2	1.5	2.0	2.1	3.2	3.3
1959	.4	-	.0	.0	.0	.0	-	-	.1	.2	.3	.6	1.0	.7	1.6	1.6	3.1	3.8	4.4
1960	.4	.0	.0	.0	.0	.0	-	-	.1	.1	.4	.5	.7	1.3	1.6	2.0	2.9	4.0	3.9
1961	.4	.0	.0	.0	-	.0	.0	.1	.1	.2	.4	.5	.7	1.3	1.6	2.0	2.6	3.3	5.4
1962	.4	.0	.0	.0	.0	-	-	-	.1	.2	.1	.5	.8	1.1	1.8	1.8	2.5	3.4	3.9
1963	.4	.0	.0	-	-	.0	.0	-	.1	.2	.4	.6	.7	1.1	1.6	2.0	2.6	3.1	4.8
1964	.4	.0	.0	-	-	-	-	.1	.1	.1	.2	.3	.8	1.2	1.5	1.6	2.7	2.8	4.3
1965	.4	.0	.0	.0	-	-	-	-	.1	.2	.3	.4	.6	.9	1.4	2.0	3.3	2.4	2.7
1966	.4	-	.0	.0	-	-	-	.1	-	.3	.3	.3	.7	1.0	1.5	1.5	2.6	2.4	3.6
1967	.4	.0	.0	.0	-	-	-	.1	-	.2	.2	.5	.6	1.0	1.5	1.6	2.4	2.6	3.4
1968	.3	.0	.0	.0	.0	-	-	-	.1	.1	.3	.4	.4	1.0	1.1	1.8	1.8	2.4	3.9
1969	.3	.0	.0	.0	.0	-	.1	.1	-	.2	.4	.3	.5	.8	1.0	1.5	2.2	2.4	2.7
1970	.3	.0	.0	.0	.0	.0	.0	.1	-	.1	.2	.4	.7	.8	1.0	2.0	1.8	2.6	1.6
1971	.3	.0	.0	-	-	-	-	-	.1	.2	.3	.2	.7	.8	1.3	1.5	1.9	2.8	1.9
1972	.3	.0	.0	.0	.0	.0	-	.0	.0	-	.1	.3	.5	.9	1.2	1.3	2.0	1.9	1.9
1973	.3	.0	.0	-	-	-	.1	-	-	.2	.2	.3	.7	.5	1.1	1.1	1.6	2.0	1.5
1974	.3	.0	-	.0	.0	-	.0	.1	.1	.1	.2	.3	.5	.7	1.3	1.6	1.7	2.2	1.4
1975	.3	.0	.0	.0	-	.0	.1	.0	.1	.2	.3	.2	.6	.9	.9	1.2	1.7	2.1	1.5
1976	.3	.0	.0	.0	-	.0	-	-	.1	.2	.2	.6	.5	.6	.8	1.4	1.9	1.5	2.4
1977	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.3	.4	.5	.8	.9	1.1	1.8	2.4	2.1

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	358	0	1	1	1	1	2	5	11	8	15	21	37	43	57	49	39	41	26
1951	342	0	0	0	0	2	0	6	8	15	21	31	42	41	47	50	37	21	21
1952	316	0	0	0	1	0	1	2	5	14	17	26	32	51	47	40	41	19	20
1953	283	1	0	0	0	1	0	4	5	3	17	18	31	32	46	43	45	20	17
1954	333	0	0	0	0	0	2	7	4	12	16	26	33	51	46	55	32	24	25
1955	331	0	0	0	2	2	0	2	5	11	12	27	35	49	51	61	36	20	18
1956	336	0	0	1	0	1	1	3	8	11	10	33	31	46	41	54	38	39	19
1957	305	3	0	0	0	1	2	3	4	5	13	27	35	39	40	46	38	28	21
1958	304	1	0	0	0	1	1	2	6	9	18	24	41	39	44	45	31	26	16
1959	310	2	0	0	0	0	2	1	5	9	16	26	37	23	49	38	48	32	22
1960	331	0	0	0	0	0	1	2	6	7	18	23	29	46	49	47	47	35	21
1961	345	0	0	0	1	0	0	3	8	12	21	21	30	46	50	50	43	30	30
1962	329	0	0	0	0	1	2	1	8	12	6	23	35	40	58	46	42	33	22
1963	337	0	0	1	1	0	0	2	4	9	19	26	29	37	52	52	46	31	28
1964	317	0	0	1	1	1	1	4	5	6	10	16	34	44	47	43	49	29	26
1965	320	0	0	0	1	1	1	1	3	14	14	21	27	34	44	55	61	26	17
1966	324	1	0	0	1	2	1	5	2	15	18	16	32	36	49	43	51	28	24
1967	313	0	0	0	1	2	1	3	2	9	11	23	26	38	49	44	49	31	24
1968	294	0	0	0	0	1	2	2	4	6	15	22	20	38	37	50	38	30	29
1969	290	0	0	0	0	1	3	3	2	10	21	15	25	33	36	43	47	30	21
1970	285	0	0	0	0	0	0	4	2	5	9	21	32	33	36	57	38	34	14
1971	298	0	0	1	1	1	1	2	3	8	15	13	33	32	47	44	41	39	17
1972	132	0	0	0	0	0	1	0	0	1	3	8	13	19	23	19	22	14	9
1973	257	0	0	1	1	1	4	1	2	8	11	18	32	22	43	33	35	30	15
1974	282	0	1	0	0	1	0	3	3	6	10	16	26	30	50	50	38	33	15
1975	276	0	0	0	1	0	4	0	4	8	14	13	31	39	36	37	39	33	17
1976	289	0	0	0	1	0	1	1	6	8	10	33	26	29	34	44	43	24	29
1977	294	0	0	0	0	0	2	1	4	6	17	23	25	35	39	35	41	39	27

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1951	.1	.0	.0	.0	.0	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1952	.1	.0	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1953	-	-	.0	.0	.0	-	.0	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-
1954	.1	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1955	.1	.0	.0	.0	.1	.1	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1956	.1	.0	.0	.1	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1957	-	-	.0	.0	.0	-	.1	.1	-	-	.1	.1	.1	.1	.1	.1	-	-	-
1958	-	-	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1959	-	-	.0	.0	.0	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	-	.1	-	-
1960	.1	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1961	.1	.0	.0	.0	-	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1962	-	.0	.0	.0	.0	-	.1	-	.1	.1	-	.1	.1	.1	.1	.1	-	-	-
1963	-	.0	.0	-	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1964	-	.0	.0	-	-	-	-	.1	.1	-	.1	.1	.1	.1	.1	-	-	-	-
1965	-	.0	.0	.0	-	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1966	-	-	.0	.0	-	.1	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1967	-	.0	.0	.0	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1968	-	.0	.0	.0	.0	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	-	-	-
1969	-	.0	.0	.0	.0	-	.1	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.1	-	-	-	.1	.1	.1	.1	.1	-	-	-
1971	-	.0	.0	-	-	-	-	-	-	.1	.1	-	.1	.1	.1	-	-	-	-
1972	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-
1973	-	.0	.0	-	-	-	.1	-	-	.1	.1	.1	.1	-	.1	-	-	-	-
1974	-	.0	-	.0	.0	-	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1975	-	.0	.0	.0	-	.0	.1	.0	.1	.1	.1	-	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	-	.0	-	-	.1	.1	.1	.1	.1	.1	-	.1	-	-	-
1977	-	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	.2	.2	.2	.0	.7	.5	2.8	1.0	2.0	.9	.0	.0	5.4
1951	.3	.0	.0	.0	.0	.0	.0	.0	.2	.2	.7	.8	.3	.0	2.4	3.3	4.4	7.9	.0
1952	.3	.0	.0	.0	.0	.0	.2	.0	.0	.2	.9	1.0	2.0	1.4	1.4	.8	4.2	.0	.0
1953	.3	.0	.0	.0	.0	.0	.0	.0	.2	.2	.7	1.2	1.9	1.3	1.9	3.1	.0	.0	4.7
1954	.2	.0	.0	.0	.0	.0	.0	.0	.0	.6	.2	.7	.3	2.1	2.7	.8	.0	2.4	.0
1955	.3	.0	.0	.0	.0	.0	.0	.5	.0	.4	.4	.5	1.2	1.7	.9	1.5	2.4	.0	.0
1956	.3	.1	.0	.0	.0	.0	.2	.2	.0	.0	.6	.5	2.0	1.6	.9	2.8	2.3	.0	.0
1957	.4	.0	.0	.1	.0	.0	.0	.3	.0	.4	1.3	.9	1.1	.8	3.0	.7	4.4	2.3	3.8
1958	.3	.0	.0	.0	.0	.0	.2	.0	.0	.2	.6	.7	1.1	1.5	2.1	2.6	3.2	.0	.0
1959	.3	.0	.0	.0	.0	.0	.0	.0	.3	.2	.2	.9	.8	1.1	4.2	1.9	2.0	2.2	.0
1960	.3	.0	.0	.0	.1	.0	.0	.0	.3	.2	.6	.7	1.3	.3	2.0	1.8	2.9	2.1	.0
1961	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.6	1.2	1.7	3.1	4.0	4.7	3.8	.0
1962	.4	.0	.0	.0	.0	.0	.0	.3	.2	.0	.4	1.9	1.0	2.3	.8	3.3	.9	.0	10.0
1963	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.8	1.2	1.3	1.5	2.2	.0	3.4	6.7
1964	.3	.0	.0	.0	.0	.0	.0	.2	.2	.3	.8	.4	1.2	1.3	1.4	1.6	2.7	.0	12.5
1965	.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.6	1.6	1.2	2.1	2.1	4.4	4.8	2.9
1966	.2	.0	.0	.0	.0	.0	.0	.0	.2	.7	.2	.6	.9	.9	1.0	.5	1.7	3.1	.0
1967	.3	.0	.0	.0	.0	.0	.0	.2	.3	1.0	.4	.8	.5	1.2	1.3	2.5	2.5	3.0	5.1
1968	.2	.0	.0	.0	.0	.0	.0	.0	.2	.3	.7	.2	.4	1.7	1.7	1.5	1.7	1.5	2.4
1969	.2	.0	.0	.0	.0	.0	.3	.0	.3	.0	1.0	.4	.2	.8	1.3	2.0	.0	1.5	2.3
1970	.4	.0	.0	.0	.0	.0	.0	.0	.0	.5	.8	1.0	.4	1.8	2.6	4.3	2.4	2.9	6.4
1971	.3	.0	.0	.0	.0	.0	.0	.0	.0	.6	.7	.9	1.1	1.5	1.0	1.4	1.6	1.4	2.1
1972	.3	.0	.0	.0	.0	.0	.0	.3	.0	.3	.7	.4	1.8	1.5	1.2	3.8	1.5	2.6	8.0
1973	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.2	1.1	.7	2.1	2.8	2.3	1.2	.0
1974	.4	.0	.0	.0	.0	.0	.1	.0	.5	.0	.3	1.4	1.6	2.4	1.2	2.8	5.3	3.5	1.8
1975	.3	.0	.0	.0	.0	.0	.1	.0	.2	.3	.5	.3	.6	1.5	1.6	2.7	2.2	2.3	3.1
1976	.4	.0	.0	.0	.0	.0	.0	.0	.1	.3	.6	.5	1.4	1.2	2.9	3.2	3.5	4.4	1.5
1977	.3	.0	.0	.0	.0	.0	.0	.3	.3	.6	.2	.8	1.4	.7	1.3	2.6	.7	1.1	2.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	24	0	0	0	0	0	1	1	1	0	3	2	8	2	4	1	0	0	1
1951	24	0	0	0	0	0	0	0	1	1	3	3	1	0	5	4	3	3	0
1952	26	0	0	0	0	0	1	0	0	1	4	4	6	3	3	1	3	0	0
1953	28	0	0	0	0	0	0	0	1	1	3	5	6	3	4	4	0	0	1
1954	21	0	0	0	0	0	0	0	0	3	1	3	1	5	6	1	0	1	0
1955	23	0	0	0	0	0	0	3	0	2	2	2	4	4	2	2	2	0	0
1956	27	1	0	0	0	0	1	1	0	0	3	2	7	4	2	4	2	0	0
1957	35	0	0	1	0	0	0	2	0	2	6	4	4	2	7	1	4	1	1
1958	28	0	0	0	0	0	1	0	0	1	3	3	4	4	5	4	3	0	0
1959	30	0	0	0	0	0	0	0	2	1	1	4	3	3	10	3	2	1	0
1960	28	0	0	0	1	0	0	0	2	1	3	3	5	1	5	3	3	1	0
1961	38	0	0	0	0	0	0	0	0	0	3	3	5	5	8	7	5	2	0
1962	37	0	0	0	0	0	0	2	1	0	2	9	4	7	2	6	1	0	3
1963	26	0	0	0	0	0	0	0	0	0	1	4	5	4	4	4	0	2	2
1964	33	0	0	0	0	0	0	1	1	2	4	2	5	4	4	3	3	0	4
1965	37	0	0	0	0	0	0	0	0	0	4	3	7	4	6	4	5	3	1
1966	24	0	0	0	0	0	0	0	1	4	1	3	4	3	3	1	2	2	0
1967	37	0	0	0	0	0	0	1	2	6	2	4	2	4	4	5	3	2	2
1968	28	0	0	0	0	0	0	0	1	2	4	1	2	6	5	3	2	1	1
1969	26	0	0	0	0	0	2	0	2	0	6	2	1	3	4	4	0	1	1
1970	47	0	0	0	0	0	0	0	0	3	5	5	2	7	8	9	3	2	3
1971	34	0	0	0	0	0	0	0	0	4	4	5	5	6	3	3	2	1	1
1972	22	0	0	0	0	0	0	1	0	1	2	1	4	3	2	4	1	1	2
1973	28	0	0	0	0	0	0	0	0	2	0	1	5	3	7	6	3	1	0
1974	52	0	0	0	0	0	1	0	3	0	2	8	7	10	4	6	7	3	1
1975	37	0	0	0	0	0	1	0	1	2	3	2	3	6	6	6	3	2	2
1976	50	0	0	0	0	0	0	0	1	2	4	3	7	5	11	7	5	4	1
1977	40	0	0	0	0	0	0	3	2	4	1	5	7	3	5	6	1	1	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	-	-	.0	-	-	.1	-	-	-	.0	.0	-
1951	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.0	.1	.1	.1	.1	.0
1952	-	.0	.0	.0	.0	.0	-	.0	.0	-	.1	-	.1	-	-	-	.1	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	.0	.0	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	.1	.1	-	.0	-	.0
1955	-	.0	.0	.0	.0	.0	.0	.1	.0	-	-	-	-	-	-	-	-	.0	.0
1956	-	-	.0	.0	.0	.0	-	-	.0	.0	-	-	.1	-	-	-	-	.0	.0
1957	-	.0	.0	.1	.0	.0	.0	.1	.0	-	.1	-	-	-	.1	-	.1	-	-
1958	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	.0	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	.1	-	-	.1	-	-	-	.0
1960	-	.0	.0	.0	.1	.0	.0	.0	.1	-	-	-	.1	-	-	-	-	-	.0
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	.1	.1	-	.0
1962	-	.0	.0	.0	.0	.0	.0	.1	-	.0	-	.1	-	.1	-	.1	-	.0	.1
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	.0	-	-
1964	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-	.0	.1
1965	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	-	-	-	.1	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	-	-	.0
1967	-	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.1	.0	-	.0	.1	-	-	-	-	-	.0	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	.1	.1	.1	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	-	-	.1	-	-	.1
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	.0
1974	-	.0	.0	.0	.0	.0	-	.0	.1	.0	-	.1	.1	.1	-	-	.1	-	-
1975	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	.1	-	-	-	-
1977	-	.0	.0	.0	.0	.0	.0	.1	.1	.1	-	.1	.1	-	-	-	-	-	-

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.0	.0	.0	.2	.3	.6	.9	1.6	1.5	1.5	1.8	.0	6.4	.0	.0
1951	.3	.0	.0	.0	.0	.0	.0	.2	.0	.4	.7	1.1	2.2	1.9	1.4	2.4	.0	.0	.0
1952	.3	.0	.0	.0	.0	.0	.1	.2	.0	.4	.2	1.0	.7	3.2	1.8	.8	1.5	.0	.0
1953	.3	.0	.0	.0	.0	.0	.0	.0	.2	.4	1.1	.7	1.3	.9	1.7	3.7	1.4	.0	3.3
1954	.3	.0	.0	.1	.0	.0	.0	.1	.0	.3	.6	.5	.6	.8	1.3	2.1	5.2	.0	3.1
1955	.3	.0	.0	.0	.0	.0	.0	.1	.5	.2	.4	.9	1.5	.4	2.9	.7	2.5	3.9	.0
1956	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.7	.9	1.1	1.2	.6	1.1	5.9	2.8
1957	.3	.0	.0	.1	.0	.0	.0	.1	.0	.3	.6	.7	1.4	.7	1.2	2.5	4.2	3.8	.0
1958	.3	.0	.0	.0	.0	.0	.0	.0	.7	.0	.8	.0	.3	1.4	1.6	3.6	1.0	1.9	5.2
1959	.3	.0	.0	.0	.0	.0	.1	.0	.3	.0	.9	.4	1.0	1.7	3.1	1.1	1.8	.0	.0
1960	.3	.0	.0	.0	.0	.1	.1	.0	.0	.0	.9	.9	1.0	1.6	2.2	2.2	.0	3.6	2.5
1961	.3	.0	.0	.1	.0	.1	.0	.1	.3	.0	.9	.6	.7	1.6	1.7	1.0	2.5	.0	.0
1962	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.7	.6	1.2	1.2	1.0	1.0	4.9	.0	.0
1963	.3	.0	.0	.0	.0	.1	.0	.0	.0	.2	.3	1.2	.5	1.2	1.6	3.3	2.4	2.9	2.3
1964	.2	.0	.0	.0	.0	.0	.0	.0	.3	.1	.5	.4	.7	1.2	.9	1.8	.0	2.7	.0
1965	.2	.0	.0	.0	.0	.1	.0	.1	.0	.3	.2	.2	.4	1.4	.3	1.3	.7	1.3	.0
1966	.2	.0	.0	.0	.0	.0	.0	.1	.1	.0	.5	.0	.2	1.1	.6	1.3	2.1	1.3	.0
1967	.3	.0	.0	.0	.0	.0	.0	.1	.0	.3	.3	.4	1.2	1.9	1.1	2.5	.0	3.6	1.8
1968	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.3	.7	.2	1.3	1.4	2.0	2.0	2.3	1.6
1969	.3	.0	.0	.0	.0	.0	.1	.0	.1	.0	.5	.5	.8	1.7	3.5	1.6	2.6	.0	3.1
1970	.2	.0	.0	.0	.0	.0	.1	.0	.1	.1	.1	.3	1.0	.5	.5	1.2	1.3	2.1	.0
1971	.2	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.7	.4	1.3	1.6	.4	.6	.0	2.6
1972	.2	.0	.0	.0	.0	.0	.0	.0	.3	.0	.3	1.0	.0	1.3	1.0	1.6	1.2	.0	2.4
1973	.3	.0	.0	.0	.0	.1	.0	.2	.1	.1	.7	.5	1.0	.8	2.2	2.3	3.5	3.3	1.1
1974	.2	.0	.0	.0	.0	.0	.0	.1	.0	.3	.7	.8	.2	.6	2.3	.8	2.9	.8	.0
1975	.2	.0	.0	.0	.0	.0	.1	.0	.0	.1	.7	.3	.2	1.0	.6	1.1	2.2	1.5	2.7
1976	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.3	.4	.7	1.7	.2	2.6	2.1	1.5	3.3
1977	.2	.0	.0	.0	.0	.0	.1	.0	.3	.0	.1	.9	.5	.6	.8	.7	2.2	.7	1.5


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	31	0	0	0	0	0	0	1	2	3	4	6	4	3	4	0	4	0	0
1951	26	0	0	0	0	0	0	1	0	2	3	4	6	4	3	3	0	0	0
1952	24	0	0	0	0	0	1	1	0	2	1	4	2	7	4	1	1	0	0
1953	28	0	0	0	0	0	0	0	1	2	5	3	4	2	4	5	1	0	1
1954	24	0	0	1	0	0	0	1	0	2	3	2	2	2	3	3	4	0	1
1955	29	0	0	0	0	0	0	1	3	1	2	4	5	1	7	1	2	2	0
1956	21	0	0	0	0	0	0	0	0	1	2	3	3	3	3	1	1	3	1
1957	30	0	0	1	0	0	0	1	0	2	3	3	5	2	3	4	4	2	0
1958	28	0	0	0	0	0	0	0	5	0	4	0	1	4	4	6	1	1	2
1959	31	0	0	0	0	0	1	0	2	0	5	2	4	5	8	2	2	0	0
1960	33	0	0	0	0	1	1	0	0	0	5	4	4	5	6	4	0	2	1
1961	31	0	0	1	0	1	0	1	2	0	5	3	3	5	5	2	3	0	0
1962	28	0	0	0	0	0	0	0	0	1	4	3	5	4	3	2	6	0	0
1963	34	0	0	0	0	1	0	0	0	1	2	6	2	4	5	7	3	2	1
1964	24	0	0	0	0	0	0	0	2	1	3	2	3	4	3	4	0	2	0
1965	19	0	0	0	0	1	0	1	0	2	1	1	2	5	1	3	1	1	0
1966	19	0	0	0	0	0	0	1	1	0	3	0	1	4	2	3	3	1	0
1967	34	0	0	0	0	0	0	1	0	2	2	2	6	7	4	6	0	3	1
1968	30	0	0	0	0	0	0	0	0	2	2	4	1	5	5	5	3	2	1
1969	42	0	0	0	0	0	1	0	1	0	3	3	4	7	13	4	4	0	2
1970	22	0	0	0	0	0	1	0	1	1	1	2	5	2	2	3	2	2	0
1971	25	0	0	0	0	0	0	0	0	1	2	4	2	6	6	1	1	0	2
1972	14	0	0	0	0	0	0	0	1	0	1	3	0	3	2	2	1	0	1
1973	48	0	0	0	0	1	0	2	1	1	5	3	5	4	9	6	6	4	1
1974	35	0	0	0	0	0	0	1	0	2	5	5	1	3	10	2	5	1	0
1975	30	0	0	0	0	0	1	0	0	1	5	2	1	5	3	3	4	2	3
1976	37	0	0	0	0	0	0	0	0	2	2	3	4	8	1	7	4	2	4
1977	30	0	0	0	0	0	1	0	3	0	1	6	3	3	4	2	4	1	2

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	.1	.0	.1	.0	.0
1951	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	-	-	.0	.0	.0
1952	-	.0	.0	.0	.0	.0	.1	-	.0	-	-	.1	-	.1	.1	-	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	.1	.1	-	.0	-
1954	-	.0	.0	.3	.0	.0	.0	-	.0	-	.1	-	-	-	-	-	.1	.0	-
1955	-	.0	.0	.0	.0	.0	.0	-	.1	-	-	.1	.1	-	.1	-	-	.1	.0
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.1	-
1957	-	.0	.0	.2	.0	.0	.0	-	.0	-	.1	-	.1	-	-	.1	.1	.1	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	.2	.0	.1	.0	-	-	-	.1	-	-	-
1959	-	.0	.0	.0	.0	.0	.1	.0	.1	.0	.1	-	.1	.1	.1	-	-	.0	.0
1960	-	.0	.0	.0	.0	.1	.1	.0	.0	.0	.1	.1	.1	.1	.1	-	.0	-	-
1961	-	.0	.0	.2	.0	.1	.0	-	.1	.0	.1	-	-	.1	.1	-	-	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	-	-	-	.1	.0	.0
1963	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	.1	-	-	-	.1	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	-	-	-	-	-	.0	-	.0
1965	-	.0	.0	.0	.0	.1	.0	-	.0	-	-	-	-	.1	-	-	-	-	.0
1966	-	.0	.0	.0	.0	.0	.0	-	-	.0	.1	.0	-	-	-	-	-	-	.0
1967	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	.1	-	.1	.0	-	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.1	.0	-	.0	.1	-	-	.1	.1	-	-	.0	-
1970	-	.0	.0	.0	.0	.0	.1	.0	-	-	-	-	.1	-	-	-	-	-	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	.1	-	-	.0	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	-	.1	.0	.1	-	-	-	.0	-
1973	-	.0	.0	.0	.0	.1	.0	.1	-	-	.1	-	.1	-	.1	-	.1	-	-
1974	-	.0	.0	.0	.0	.0	.0	.1	.0	.1	.1	.1	-	-	.1	-	.1	-	.0
1975	-	.0	.0	.0	.0	.0	.1	.0	.0	-	.1	-	-	.1	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	.1	.1	-	.1	-	-	-
1977	-	.0	.0	.0	.0	.0	.1	.0	.1	.0	-	.1	-	-	-	-	-	-	-

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	9473	13.99	16.50	9.83	11581	17.02	18.45	12.62	502	6.46	9.88	6.55	650	8.03	12.00	8.13
1951	9687	14.08	16.56	9.81	11935	17.25	18.44	12.74	517	6.51	9.57	6.31	659	7.96	11.67	8.09
1952	10145	14.52	16.89	9.82	12106	17.19	18.19	12.55	576	7.10	10.61	6.69	654	7.72	11.22	7.77
1953	10296	14.52	16.84	9.67	12427	17.36	18.15	12.64	588	7.09	10.49	6.51	703	8.10	11.68	8.16
1954	10449	14.50	16.64	9.51	12844	17.63	18.16	12.81	670	7.89	11.59	6.80	706	7.94	11.35	7.92
1955	10731	14.65	16.78	9.51	12959	17.49	17.81	12.65	637	7.32	10.86	6.43	745	8.16	11.63	8.18
1956	11326	15.22	17.35	9.70	13268	17.59	17.68	12.69	686	7.69	11.53	6.47	789	8.43	12.04	8.23
1957	11498	15.19	17.26	9.60	13607	17.72	17.65	12.72	709	7.76	11.70	6.42	875	9.10	12.81	8.89
1958	11558	15.05	17.05	9.62	13705	17.56	17.34	12.74	712	7.61	11.31	6.34	927	9.41	13.26	9.20
1959	11889	15.23	17.21	9.63	14192	17.87	17.45	12.99	744	7.73	11.64	6.22	924	9.12	12.73	9.11
1960	12145	15.32	17.29	9.57	14536	18.00	17.39	12.98	865	8.60	12.72	6.71	991	9.36	13.27	9.20
1961	12634	15.71	17.70	9.70	15036	18.32	17.52	13.15	884	8.59	12.75	6.58	1111	10.23	14.43	10.04
1962	12649	15.51	17.47	9.55	15246	18.29	17.30	13.05	912	8.66	13.07	6.69	1030	9.26	12.77	9.05
1963	12995	15.74	17.76	9.56	15622	18.48	17.32	13.07	937	8.72	12.98	6.33	1062	9.33	13.01	9.35
1964	13313	15.94	17.92	9.62	15721	18.34	16.99	12.97	1030	9.38	13.82	6.81	1201	10.31	14.11	10.02
1965	13858	16.42	18.48	9.74	15858	18.27	16.72	12.72	1039	9.28	13.92	6.75	1245	10.46	14.29	10.12
1966	13874	16.28	18.27	9.57	16495	18.79	16.99	12.97	1148	10.07	15.00	6.97	1294	10.64	14.45	10.12
1967	14081	16.38	18.33	9.49	16537	18.64	16.61	12.67	1124	9.69	14.44	6.60	1340	10.79	14.49	10.20
1968	14492	16.73	18.64	9.56	16954	18.92	16.65	12.74	1198	10.16	15.03	6.67	1386	10.94	14.55	10.15
1969	14822	16.98	18.89	9.67	17099	18.90	16.40	12.62	1261	10.52	15.66	6.87	1484	11.49	15.19	10.76
1970	15056	17.10	18.91	9.60	17784	19.45	16.59	12.71	1300	10.65	15.91	6.90	1572	11.93	15.52	11.16
1971	15397	17.33	19.09	9.60	17683	19.16	16.14	12.42	1301	10.45	15.41	6.71	1631	12.11	15.71	10.92
1972	7977	17.85	19.55	9.72	9106	19.58	16.25	12.42	664	10.47	15.42	6.55	794	11.55	14.97	10.55
1973	15896	17.69	19.26	9.57	18720	20.00	16.40	12.59	1386	10.74	15.99	6.60	1740	12.42	15.97	10.85
1974	16837	18.64	20.11	9.86	19287	20.48	16.52	12.57	1552	11.82	17.46	7.07	1748	12.25	15.64	10.75
1975	16868	18.58	19.82	9.75	19326	20.39	16.18	12.38	1598	11.92	17.51	7.06	1824	12.51	15.92	11.13
1976	17628	19.31	20.43	9.90	20159	21.14	16.47	12.42	1684	12.33	18.08	7.15	2035	13.68	17.10	11.83
1977	18149	19.77	20.67	9.95	20487	21.35	16.37	12.32	1781	12.81	18.53	7.17	2000	13.19	16.36	11.05

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Appendix, cecum, ascending colon, transverse colon, descending colon, sigmoid colon, and intestinal tract (NOS).
(ICD 153 [6th]; ICD 153-153.9 [7th]; ICD 153-153.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



HILL MJ: Carcinogenesis of gastrointestinal cancer. Front Gastrointest Res 4:1-16, 1979

LIPKIN M, SHERLOCK P, DECOSSE JJ: Risk factors and preventive measures in the control of cancer of the large intestine. Curr Probl Cancer 4(10):1-57, 1980

SCHOTTENFELD D, HAAS F: Epidemiology of colorectal cancer. *In* Gastrointestinal Tract Cancer (Lipkin M, Good RA, eds). New York: Plenum Press, 1978, pp 207-240

WINAWER SJ, SCHOTTENFELD D, SHERLOCK P (eds): Colorectal Cancer: Prevention, Epidemiology and Screening. New York: Raven Press, 1980, 410 pp

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	14.0	-	-	.1	.3	.4	1.0	1.3	2.5	4.9	8.1	15.5	28.6	47.4	69.3	104.1	137.8	188.0	181.8
1951	14.1	-	-	.2	.2	.5	.6	1.3	2.2	4.6	8.6	15.0	27.5	45.0	71.3	107.9	143.5	174.8	200.2
1952	14.5	.1	.0	-	.2	.5	.8	1.4	2.5	4.7	9.2	15.1	27.2	47.4	75.2	106.2	144.9	193.1	181.1
1953	14.5	.1	-	.1	.2	.4	.7	1.2	2.5	4.4	8.5	15.4	29.1	46.6	70.6	105.7	147.3	188.9	198.7
1954	14.5	.1	-	.1	.2	.3	.6	1.3	2.8	4.9	8.2	16.5	27.7	46.5	68.5	105.1	145.8	191.4	180.8
1955	14.7	.1	-	-	.2	.4	.7	1.2	2.1	4.3	8.3	15.8	26.5	46.6	72.1	105.2	144.3	193.9	204.9
1956	15.2	-	.0	.0	.2	.3	.7	1.2	2.6	4.7	8.2	15.6	28.7	46.5	73.0	109.4	157.2	200.1	205.4
1957	15.2	-	-	-	.2	.3	.5	1.1	2.1	4.6	8.2	16.3	28.7	47.1	74.9	108.6	148.9	194.5	214.3
1958	15.0	-	-	-	.1	.3	.6	1.3	2.3	4.7	8.1	15.8	29.0	46.6	72.4	106.8	144.4	197.8	211.8
1959	15.2	-	-	.1	.1	.4	.6	1.2	2.0	4.4	8.6	16.3	28.1	48.6	72.8	108.2	145.5	196.6	218.4
1960	15.3	-	.0	.1	.1	.2	.8	1.0	2.2	4.0	8.9	15.2	27.6	48.9	72.7	108.5	150.3	206.1	212.8
1961	15.7	-	.0	-	.2	.4	.5	1.1	2.1	4.2	8.8	16.1	27.3	48.3	75.2	113.4	156.2	203.2	225.4
1962	15.5	-	.0	-	-	.4	.5	1.0	2.5	4.1	9.0	15.1	27.3	49.2	75.5	109.1	146.4	192.0	252.9
1963	15.7	-	.0	.0	.1	.3	.6	1.0	2.1	4.1	8.8	16.4	27.9	49.5	77.7	111.6	152.4	199.4	234.7
1964	15.9	-	-	-	.2	.3	.7	1.1	2.4	4.3	8.1	16.8	29.2	50.9	75.0	109.6	162.6	201.5	226.5
1965	16.4	.0	.0	-	.1	.3	.6	1.5	2.3	4.7	8.3	16.2	29.3	50.5	81.5	113.0	163.4	206.6	252.3
1966	16.3	.0	-	-	.1	.1	.5	1.3	2.5	4.2	8.3	16.8	27.3	49.4	79.6	116.0	165.8	205.9	238.3
1967	16.4	-	-	-	.1	.2	.6	1.1	2.0	3.8	8.7	16.2	28.6	50.4	78.1	118.8	163.8	202.1	247.5
1968	16.7	-	.0	-	.1	.1	.7	1.3	2.1	4.8	8.7	16.4	30.2	49.9	77.8	120.0	168.0	211.6	242.6
1969	17.0	.0	-	-	-	.2	.6	1.2	2.2	4.4	8.2	16.6	30.6	50.4	80.2	118.4	172.4	211.7	261.2
1970	17.1	-	.0	.0	.1	.2	.4	1.2	2.1	3.8	8.1	17.1	31.2	51.3	80.9	118.3	171.8	215.8	250.9
1971	17.3	-	.0	-	.1	.3	.7	1.3	2.1	4.1	8.4	16.2	30.6	52.0	79.7	124.6	173.5	217.7	248.6
1972	17.8	.0	-	-	.1	.4	.4	.7	2.2	4.2	8.9	16.7	32.3	54.3	80.6	120.5	178.9	237.2	248.1
1973	17.7	-	.0	-	.1	.2	.5	1.2	2.1	4.0	8.7	16.0	30.8	53.4	78.9	122.9	173.9	225.0	263.1
1974	18.6	-	.0	-	.1	.2	.4	1.4	2.3	4.1	9.4	16.9	31.9	54.3	85.5	124.9	182.4	233.3	279.2
1975	18.6	.0	-	-	.1	.3	.6	1.2	2.5	4.2	9.2	17.8	30.7	52.0	82.9	125.3	183.5	237.3	252.4
1976	19.3	-	.0	.0	.1	.1	.5	.9	2.1	4.5	9.7	17.1	29.7	55.5	86.8	129.1	187.2	249.0	270.1
1977	19.8	-	-	.0	.1	.2	.5	1.2	2.3	4.3	8.6	17.9	31.7	56.8	87.0	131.6	188.4	236.3	288.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	9473	1	1	6	14	21	52	65	126	226	333	584	961	1345	1552	1585	1292	902	407
1951	9687	1	3	8	11	24	32	70	112	213	359	567	940	1299	1638	1687	1392	849	482
1952	10145	4	0	2	7	25	44	73	128	224	394	570	937	1394	1764	1712	1449	953	465
1953	10296	4	2	4	11	19	37	62	128	209	373	585	1003	1397	1693	1758	1516	957	538
1954	10449	5	3	4	11	16	31	71	146	235	368	635	959	1413	1678	1814	1543	1002	515
1955	10731	5	2	2	11	19	35	66	111	210	379	617	926	1436	1797	1881	1570	1056	608
1956	11326	4	0	0	12	16	34	63	139	234	379	617	1011	1447	1842	2017	1753	1134	624
1957	11498	2	1	2	10	14	27	58	115	230	386	661	1021	1470	1928	2055	1713	1137	668
1958	11558	3	3	1	7	12	32	72	122	238	384	655	1048	1450	1896	2072	1706	1184	673
1959	11889	3	1	4	7	17	27	62	109	225	413	689	1033	1511	1932	2152	1785	1205	714
1960	12145	2	0	4	3	11	40	53	120	206	432	656	1032	1528	1954	2200	1901	1290	713
1961	12634	2	0	1	10	20	25	59	117	219	431	708	1041	1514	2027	2345	2027	1317	771
1962	12649	3	0	2	2	19	24	49	138	220	443	674	1067	1551	2033	2295	1938	1321	870
1963	12995	3	0	0	10	19	28	50	111	218	433	739	1116	1572	2083	2379	2050	1372	812
1964	13313	2	2	1	11	17	33	55	129	236	402	767	1193	1633	2010	2357	2226	1435	804
1965	13858	0	0	2	5	21	31	73	121	257	419	747	1214	1647	2188	2439	2266	1512	916
1966	13874	0	2	3	10	9	25	64	128	228	420	781	1148	1644	2147	2496	2334	1546	889
1967	14081	2	1	1	8	16	31	52	102	205	449	761	1212	1722	2122	2543	2342	1554	958
1968	14492	2	0	2	8	7	37	62	106	259	452	777	1291	1752	2132	2549	2431	1657	968
1969	14822	0	1	3	3	14	35	62	110	231	431	797	1314	1812	2227	2503	2510	1685	1084
1970	15056	1	0	0	10	17	23	58	104	200	426	830	1350	1884	2288	2501	2483	1752	1129
1971	15397	3	0	1	6	20	44	65	103	212	440	802	1336	1940	2302	2638	2529	1800	1156
1972	7977	0	1	2	5	14	15	19	54	106	232	424	709	1028	1198	1276	1299	1002	593
1973	15896	1	0	2	8	20	33	66	100	200	449	823	1361	2048	2405	2646	2485	1944	1305
1974	16837	1	0	4	6	17	29	85	113	200	482	876	1423	2106	2674	2740	2596	2025	1460
1975	16868	0	2	2	11	24	45	71	125	203	469	923	1400	2032	2670	2792	2635	2076	1388
1976	17628	1	0	0	6	8	42	58	106	217	491	885	1379	2194	2847	2951	2701	2224	1518
1977	18149	1	2	0	13	19	42	78	122	208	428	916	1507	2260	2908	3113	2728	2120	1684

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	-	-	.2	.2	.2	.6	.6	.9	1.0	1.1	1.3	1.5	1.7	1.7	1.7	1.5	1.4	.8
1951	1.3	-	.1	.2	.2	.3	.4	.7	.8	1.0	1.1	1.2	1.5	1.6	1.8	1.8	1.6	1.3	1.0
1952	1.3	-	.0	.1	.1	.3	.5	.7	.9	1.0	1.2	1.2	1.4	1.7	1.9	1.8	1.7	1.4	.9
1953	1.3	-	-	.1	.2	.2	.4	.6	.9	1.0	1.1	1.3	1.6	1.7	1.7	1.8	1.7	1.4	1.0
1954	1.4	-	.1	.1	.2	.2	.4	.7	1.1	1.2	1.2	1.4	1.6	1.8	1.7	1.9	1.7	1.5	1.0
1955	1.4	-	-	.1	.2	.2	.4	.7	.8	1.0	1.2	1.4	1.5	1.8	1.8	1.8	1.7	1.5	1.0
1956	1.4	-	.0	.0	.2	.2	.4	.7	1.1	1.1	1.2	1.4	1.6	1.7	1.8	1.9	1.8	1.5	1.0
1957	1.4	-	-	.1	.1	.2	.4	.6	.8	1.1	1.2	1.4	1.6	1.7	1.8	1.9	1.7	1.5	1.0
1958	1.4	-	.1	-	.1	.2	.4	.8	.9	1.1	1.2	1.3	1.6	1.7	1.8	1.8	1.7	1.5	1.0
1959	1.4	-	-	.1	.1	.2	.4	.7	.8	1.1	1.2	1.4	1.6	1.8	1.8	1.9	1.7	1.5	1.0
1960	1.4	-	.0	.1	-	.1	.6	.6	.9	1.0	1.3	1.3	1.6	1.8	1.8	1.8	1.7	1.5	1.0
1961	1.5	-	.0	-	.1	.3	.4	.7	.9	1.0	1.3	1.4	1.6	1.8	1.9	2.0	1.8	1.6	1.0
1962	1.4	-	.0	.1	-	.2	.3	.6	1.0	1.0	1.3	1.3	1.6	1.8	1.9	1.9	1.7	1.5	1.1
1963	1.4	-	.0	.0	.1	.2	.4	.6	.8	1.0	1.2	1.4	1.6	1.8	1.9	1.9	1.7	1.5	1.0
1964	1.5	-	-	-	.1	.2	.4	.6	.9	1.1	1.2	1.5	1.7	1.8	1.9	1.9	1.9	1.6	1.0
1965	1.5	.0	.0	-	.1	.2	.4	.9	.9	1.2	1.2	1.4	1.7	1.8	2.0	2.0	1.9	1.6	1.1
1966	1.5	.0	-	.1	.1	.1	.3	.8	1.0	1.0	1.2	1.4	1.5	1.8	1.9	2.0	1.9	1.6	1.1
1967	1.5	-	-	-	.1	.1	.4	.6	.8	.9	1.3	1.4	1.6	1.8	2.0	2.0	1.9	1.6	1.1
1968	1.5	-	.0	-	.1	.1	.4	.7	.8	1.2	1.2	1.4	1.7	1.8	1.9	2.0	1.9	1.6	1.1
1969	1.6	.0	-	.1	-	.1	.4	.7	.9	1.0	1.2	1.5	1.7	1.9	2.0	2.0	2.0	1.6	1.2
1970	1.6	-	.0	.0	.1	.1	.2	.6	.8	.9	1.2	1.6	1.8	1.9	2.0	2.0	2.0	1.7	1.2
1971	1.6	-	.0	-	-	.1	.4	.7	.8	1.0	1.3	1.5	1.8	2.0	2.0	2.2	2.0	1.8	1.2
1972	1.7	.0	.1	.1	.1	.2	.3	.4	.9	1.0	1.3	1.6	1.9	2.0	2.1	2.0	2.0	1.9	1.2
1973	1.7	-	.0	-	.1	.1	.3	.6	.8	1.0	1.3	1.6	1.8	2.0	2.0	2.1	2.0	1.8	1.3
1974	1.8	-	.0	.1	-	.1	.2	.8	1.0	1.1	1.5	1.7	2.0	2.2	2.3	2.2	2.1	1.9	1.4
1975	1.8	.0	.1	.1	.1	.2	.4	.7	1.1	1.2	1.5	1.8	2.0	2.1	2.3	2.3	2.2	2.0	1.4
1976	1.9	-	.0	.0	-	.1	.3	.6	.9	1.3	1.7	1.8	2.0	2.3	2.5	2.4	2.3	2.1	1.4
1977	2.0	-	.1	.0	.1	.1	.3	.7	1.1	1.3	1.5	1.9	2.2	2.4	2.5	2.5	2.3	2.0	1.6

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





CANCER MORTALITY IN THE U.S., 1950-1977

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	17.0	.1	.1	-	.2	.3	.9	1.6	3.6	7.4	11.8	21.3	33.2	48.2	71.7	104.1	152.0	205.6	240.4
1951	17.2	.0	.0	.1	.1	.4	.8	2.1	3.9	6.4	12.7	21.8	33.9	47.5	68.9	105.6	153.3	206.2	233.7
1952	17.2	-	-	.0	.2	.3	.7	1.9	3.0	6.6	12.0	21.5	33.2	48.9	67.5	104.4	147.7	207.7	235.6
1953	17.4	-	.0	-	.2	.3	.7	1.5	3.3	6.3	12.1	21.4	33.3	49.3	67.9	101.7	143.6	208.6	248.1
1954	17.6	-	-	-	.1	.4	.8	1.4	3.5	7.1	11.7	21.5	31.3	47.5	72.1	101.9	148.8	200.2	245.8
1955	17.5	-	-	-	.0	.3	.8	1.4	3.3	6.4	10.9	20.0	32.4	44.1	71.4	100.7	144.1	203.9	252.9
1956	17.6	-	-	.1	.1	.3	.8	1.7	3.2	6.1	11.3	20.0	31.8	48.8	71.1	97.3	143.4	197.1	232.8
1957	17.7	-	.0	-	.0	.3	.8	1.8	3.3	6.0	10.7	20.2	32.6	46.7	70.0	96.7	144.1	194.1	251.0
1958	17.6	-	.0	.0	.1	.2	.6	1.3	2.9	6.2	11.0	18.9	30.2	46.5	68.7	97.7	136.0	197.3	258.5
1959	17.9	.0	.0	-	.1	.3	.7	1.4	3.3	5.8	11.7	20.7	31.7	47.0	66.4	96.6	142.2	196.7	238.3
1960	18.0	-	.0	-	.1	.2	.6	1.2	3.0	5.5	10.5	19.6	30.9	48.3	67.6	96.9	142.8	198.2	241.8
1961	18.3	-	.0	-	.1	.3	.4	1.2	3.1	5.6	11.8	19.5	31.6	48.3	67.7	97.6	141.8	198.7	244.5
1962	18.3	-	.0	.0	.1	.2	.6	1.2	2.7	5.1	10.5	20.0	30.0	46.3	72.9	96.9	141.0	190.0	244.1
1963	18.5	-	.0	-	.1	.3	.7	1.4	2.7	5.4	10.2	18.3	31.0	46.8	70.6	96.6	144.1	188.5	251.5
1964	18.3	-	-	.0	.1	.2	.5	1.3	2.5	5.5	10.1	19.2	28.6	47.6	67.4	98.7	140.7	184.4	237.7
1965	18.3	-	.0	.0	.1	.2	.4	1.4	2.8	5.3	10.0	18.9	29.3	45.2	67.6	96.5	138.7	179.4	234.5
1966	18.8	.0	.0	.0	.1	.2	.4	1.4	2.4	5.0	10.6	19.1	29.4	45.8	69.2	98.0	138.7	180.1	252.7
1967	18.6	-	.0	-	-	.2	.6	1.4	2.9	5.3	9.6	18.7	28.5	43.9	68.4	94.5	136.3	188.5	231.0
1968	18.9	-	.0	-	.1	.3	.4	1.3	2.6	5.1	10.7	17.7	29.7	44.6	66.0	96.3	138.5	177.1	244.7
1969	18.9	.0	.0	.0	-	.1	.6	1.2	2.3	5.4	9.4	18.2	28.1	43.7	66.3	91.5	137.2	186.0	239.7
1970	19.5	.0	-	.0	-	.1	.4	1.1	2.1	4.3	9.6	17.7	30.0	43.3	67.6	96.9	143.5	185.7	228.4
1971	19.2	-	.0	-	-	.3	.3	1.0	2.4	5.3	9.1	17.2	27.9	42.8	63.3	95.1	137.9	179.4	229.8
1972	19.6	.0	.0	-	-	.1	.6	.9	2.4	4.5	8.6	16.0	28.7	42.3	68.7	96.2	138.0	176.0	240.1
1973	20.0	-	-	-	-	.2	.6	.9	2.4	4.2	9.7	16.2	29.5	44.4	65.6	95.1	145.1	184.8	220.9
1974	20.5	-	-	.0	-	.1	.5	1.0	2.5	4.9	9.4	17.0	28.1	44.6	64.4	99.3	138.6	191.2	232.2
1975	20.4	.0	.0	-	-	.2	.4	1.0	2.1	5.2	8.5	16.8	28.2	44.0	61.0	97.5	142.8	184.7	220.3
1976	21.1	-	-	-	-	.1	.5	.9	2.5	4.6	8.8	15.7	27.7	46.2	64.2	98.9	142.2	186.7	236.9
1977	21.4	-	.0	-	.1	.2	.4	.9	1.9	4.8	8.9	15.8	28.9	44.5	64.0	94.1	141.9	196.6	230.5

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11581	7	4	2	7	13	49	83	184	341	486	808	1118	1369	1708	1750	1650	1233	769
1951	11935	0	0	3	6	20	42	113	200	302	535	828	1169	1364	1690	1836	1739	1276	792
1952	12106	2	1	0	8	14	38	102	158	317	520	819	1160	1468	1697	1885	1743	1331	843
1953	12427	1	0	1	10	13	39	81	173	308	536	825	1173	1526	1752	1906	1757	1391	935
1954	12844	2	1	1	3	19	44	78	186	349	532	840	1113	1509	1909	1995	1886	1399	978
1955	12959	1	2	1	0	12	41	77	176	319	507	789	1168	1433	1935	2056	1891	1492	1059
1956	13268	2	3	3	5	15	41	95	175	309	533	805	1161	1617	1971	2060	1945	1509	1019
1957	13607	1	0	1	0	12	43	97	183	308	510	838	1202	1569	1999	2112	2032	1546	1154
1958	13705	4	0	0	3	11	29	73	162	322	532	800	1134	1570	2015	2199	1992	1619	1240
1959	14192	0	0	1	3	16	34	76	188	307	575	897	1218	1597	1992	2244	2178	1663	1203
1960	14536	3	0	2	3	12	29	66	173	294	524	869	1210	1660	2076	2318	2278	1730	1289
1961	15036	2	0	2	4	15	21	65	174	301	594	884	1267	1668	2112	2414	2346	1820	1347
1962	15246	2	0	0	5	10	29	61	153	282	530	923	1238	1614	2299	2479	2411	1826	1384
1963	15622	1	0	1	5	19	34	71	150	302	522	860	1317	1648	2244	2547	2539	1893	1469
1964	15721	2	1	0	4	13	27	63	136	313	521	915	1250	1698	2164	2671	2558	1940	1445
1965	15858	1	0	0	4	14	21	67	149	302	523	910	1306	1646	2193	2661	2602	1970	1489
1966	16495	0	0	0	5	11	20	70	129	283	564	935	1334	1712	2267	2739	2685	2058	1683
1967	16537	1	0	1	3	15	31	67	152	296	520	924	1310	1690	2270	2665	2727	2239	1626
1968	16954	1	0	1	4	18	25	66	134	283	587	891	1376	1772	2223	2735	2854	2176	1808
1969	17099	0	0	0	3	7	35	61	114	295	522	930	1312	1788	2276	2614	2897	2368	1877
1970	17784	0	2	0	3	10	22	57	104	232	537	920	1412	1811	2374	2799	3056	2472	1973
1971	17683	1	0	2	3	20	21	52	119	284	511	908	1328	1824	2266	2772	2999	2486	2087
1972	9106	0	0	1	2	4	21	24	58	117	237	434	686	916	1271	1408	1513	1271	1143
1973	18720	1	1	1	2	16	38	49	118	217	533	890	1417	1944	2501	2834	3172	2775	2211
1974	19287	1	1	0	4	10	36	58	128	246	509	945	1367	1970	2530	3011	3057	2923	2491
1975	19326	0	0	1	3	13	33	60	106	259	452	933	1400	1955	2470	2996	3214	2882	2549
1976	20159	1	1	2	4	12	36	55	132	227	462	870	1400	2069	2651	3110	3240	2999	2888
1977	20487	1	0	1	7	13	33	62	101	240	459	867	1499	2001	2689	3067	3259	3210	2978

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.1	-	.1	.1	.2	.3	.9	1.2	1.9	2.6	2.7	3.3	3.3	3.0	2.9	2.5	2.2	1.9	1.2
1951	2.1	.0	.0	.2	.2	.5	.8	1.7	2.1	2.3	3.0	3.3	3.4	3.0	2.8	2.6	2.2	1.8	1.2
1952	2.2	-	-	.0	.3	.4	.8	1.6	1.7	2.4	2.9	3.3	3.4	3.2	2.8	2.6	2.2	1.9	1.3
1953	2.2	-	.0	-	.4	.4	.9	1.3	2.0	2.4	3.0	3.4	3.5	3.3	2.8	2.5	2.2	1.9	1.3
1954	2.3	-	-	.1	.1	.6	1.1	1.4	2.2	2.8	3.1	3.6	3.5	3.4	3.1	2.7	2.4	1.9	1.4
1955	2.3	-	.1	.1	.0	.4	1.0	1.4	2.1	2.6	3.0	3.5	3.7	3.2	3.1	2.7	2.3	1.9	1.3
1956	2.3	-	.1	.2	.2	.5	1.1	1.7	2.2	2.5	3.1	3.5	3.6	3.6	3.1	2.7	2.3	1.9	1.2
1957	2.2	-	.0	-	.0	.4	1.1	1.7	2.1	2.5	2.9	3.5	3.7	3.3	3.0	2.6	2.3	1.8	1.3
1958	2.2	-	.0	.0	.1	.4	.8	1.3	2.0	2.7	3.0	3.3	3.5	3.4	3.1	2.7	2.2	1.9	1.3
1959	2.3	.0	.0	-	.1	.6	1.0	1.4	2.3	2.6	3.2	3.7	3.8	3.5	3.1	2.7	2.3	1.9	1.2
1960	2.3	-	.0	.1	.1	.4	.8	1.3	2.1	2.3	2.9	3.5	3.7	3.6	3.2	2.7	2.4	1.9	1.3
1961	2.3	-	.0	.1	.1	.5	.6	1.3	2.1	2.5	3.3	3.5	4.0	3.7	3.2	2.8	2.4	2.0	1.3
1962	2.3	-	.0	.0	.2	.3	.8	1.2	1.8	2.2	2.8	3.6	3.7	3.5	3.5	2.8	2.4	1.9	1.2
1963	2.3	-	.0	-	.1	.6	1.0	1.4	1.8	2.3	2.7	3.3	3.8	3.5	3.4	2.8	2.5	1.9	1.2
1964	2.3	-	-	.0	.1	.4	.8	1.2	1.6	2.4	2.7	3.4	3.6	3.7	3.3	3.0	2.5	1.9	1.2
1965	2.3	-	.0	.0	.1	.4	.6	1.4	1.8	2.3	2.7	3.3	3.7	3.5	3.3	3.0	2.4	1.9	1.2
1966	2.3	.0	.0	.0	.1	.3	.5	1.4	1.7	2.1	2.8	3.4	3.7	3.6	3.4	3.0	2.4	1.9	1.3
1967	2.3	-	.0	-	.1	.4	.8	1.5	2.0	2.3	2.6	3.3	3.5	3.6	3.5	3.0	2.5	2.1	1.2
1968	2.3	-	.0	-	.1	.4	.6	1.4	1.7	2.1	2.8	3.1	3.6	3.5	3.3	3.0	2.5	1.9	1.3
1969	2.3	.0	.0	.0	.1	.1	.8	1.2	1.5	2.2	2.5	3.3	3.4	3.6	3.4	2.9	2.6	2.0	1.3
1970	2.4	.0	.1	.0	.1	.2	.5	1.2	1.4	1.8	2.6	3.2	3.6	3.6	3.5	3.1	2.7	2.1	1.4
1971	2.4	-	.0	.1	.1	.4	.5	1.1	1.7	2.3	2.5	3.2	3.4	3.5	3.4	3.1	2.6	2.1	1.4
1972	2.4	.0	.0	.1	.1	.2	.9	.9	1.6	2.0	2.4	3.0	3.5	3.5	3.7	3.1	2.6	2.1	1.4
1973	2.4	-	-	-	-	.3	.8	.9	1.7	1.9	2.7	3.1	3.6	3.7	3.6	3.2	2.7	2.2	1.3
1974	2.5	-	-	.0	.1	.2	.8	1.1	1.9	2.3	2.8	3.3	3.6	3.8	3.7	3.4	2.7	2.3	1.5
1975	2.6	.0	.0	-	.1	.3	.7	1.2	1.7	2.5	2.6	3.4	3.7	3.8	3.7	3.5	3.0	2.4	1.5
1976	2.7	-	.1	.1	.1	.3	.8	1.1	2.1	2.4	2.8	3.2	3.7	4.0	3.9	3.6	3.0	2.4	1.6
1977	2.7	-	.0	.1	.1	.3	.7	1.2	1.6	2.5	2.9	3.3	4.0	3.9	3.9	3.6	3.1	2.6	1.6

Age-specific Graphs for White Females


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	6.5	.0	.0	.0	.2	.3	1.3	1.6	1.8	4.6	7.6	11.7	22.0	31.0	40.0	59.1	83.2	72.7	70.1
1951	6.5	.3	.0	.0	.3	.5	1.3	.9	2.1	4.4	8.0	15.6	26.5	30.5	37.3	65.5	39.8	60.4	87.2
1952	7.1	.2	.1	.0	.3	.7	.3	.7	2.9	3.9	8.3	15.4	24.0	39.7	45.6	63.5	63.5	76.9	78.2
1953	7.1	.1	.0	.0	.3	.5	.8	1.0	1.7	5.9	8.8	14.3	23.2	37.8	46.4	65.4	54.8	92.6	60.6
1954	7.9	.1	.0	.2	.5	.7	1.2	1.8	3.4	4.5	8.5	16.2	24.5	36.0	59.8	61.2	81.2	66.0	111.1
1955	7.3	.2	.0	.1	.3	1.0	1.7	1.3	2.8	3.5	9.1	10.9	21.9	41.4	47.0	67.8	73.7	64.5	98.5
1956	7.7	.1	.0	.0	.4	1.2	.5	2.9	2.1	3.1	7.8	13.4	25.2	46.7	42.4	64.0	95.7	84.1	82.9
1957	7.8	.1	.0	.1	.1	.7	.7	1.9	1.6	3.3	7.8	13.4	22.9	38.7	56.1	75.0	78.5	89.1	117.9
1958	7.6	.0	.0	.0	.0	1.1	.7	1.9	1.8	3.5	9.6	14.5	23.2	38.6	50.1	72.6	77.1	87.2	77.8
1959	7.7	.0	.0	.1	.3	.6	1.0	1.8	1.1	4.9	9.1	11.4	25.2	43.7	49.6	59.1	86.0	98.4	112.7
1960	8.6	.0	.0	.2	.7	.6	1.0	.8	3.3	5.3	8.1	15.7	25.3	45.2	61.0	76.8	82.9	91.5	109.7
1961	8.6	.0	.0	.0	.6	.4	1.8	2.0	2.8	3.3	7.3	16.6	26.0	46.1	57.6	77.0	84.1	88.5	130.0
1962	8.7	.0	.0	.1	.8	.3	.8	.6	3.4	4.6	7.5	12.9	19.7	50.0	61.7	75.6	110.2	92.9	133.3
1963	8.7	.0	.0	.1	.3	.5	.5	.9	2.6	4.7	8.0	18.7	26.3	45.6	55.9	84.2	92.7	83.1	120.0
1964	9.4	.0	.0	.2	.3	1.2	1.1	1.9	5.3	6.1	7.9	17.6	22.1	49.7	67.7	76.2	103.6	111.5	96.9
1965	9.3	.0	.0	.1	.4	.0	1.2	2.0	3.3	3.8	7.5	16.8	24.3	56.1	62.9	78.6	103.5	100.0	147.1
1966	10.1	.0	.0	.1	.4	.5	1.8	2.8	2.2	5.0	11.0	18.5	31.2	44.5	71.6	79.9	112.2	140.6	125.0
1967	9.7	.1	.1	.2	.4	.5	.6	1.1	2.5	4.5	8.6	16.5	28.0	51.3	68.7	82.2	111.9	113.6	135.9
1968	10.2	.1	.0	.1	.4	.3	1.1	1.7	3.0	5.0	9.7	15.2	27.7	53.5	75.1	100.5	108.4	113.4	104.9
1969	10.5	.0	.0	.0	.3	.4	1.1	2.3	3.0	5.2	9.0	17.7	31.9	49.0	73.0	102.0	135.8	114.7	104.5
1970	10.7	.0	.1	.1	.3	.6	.8	1.8	2.7	3.9	9.8	20.6	29.3	49.6	71.3	91.8	128.5	155.7	140.4
1971	10.5	.0	.0	.1	.4	.6	.9	1.7	2.2	5.3	11.7	16.9	32.6	48.5	65.6	103.7	113.2	128.4	125.0
1972	10.5	.0	.0	.0	.4	.2	1.4	1.9	3.8	4.1	10.0	19.2	33.0	42.6	77.4	91.0	120.6	135.9	112.0
1973	10.7	.1	.0	.0	.3	.8	.2	1.8	3.6	4.4	8.6	15.9	29.6	47.2	67.5	114.5	138.5	141.0	134.6
1974	11.8	.0	.0	.1	.3	.7	1.7	1.9	2.2	6.1	9.3	19.3	28.6	56.0	70.6	125.3	156.5	138.8	147.4
1975	11.9	.0	.0	.1	.2	.5	1.1	1.1	2.7	5.0	8.5	18.9	31.4	58.3	74.0	111.4	152.9	170.9	146.2
1976	12.3	.0	.0	.0	.2	.4	1.1	1.2	3.1	4.5	6.3	20.4	36.2	51.4	69.7	119.9	175.0	167.0	179.4
1977	12.8	.0	.0	.1	.5	.5	1.5	1.4	2.7	6.0	8.6	20.7	37.6	54.9	78.5	123.3	172.3	147.3	152.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	502	0	0	0	1	2	8	9	10	23	34	44	62	65	81	69	54	27	13
1951	517	3	0	0	2	3	8	5	12	22	36	60	77	66	77	79	27	23	17
1952	576	2	1	0	2	4	2	4	17	20	37	61	72	88	96	79	45	30	16
1953	588	1	0	0	2	3	5	6	10	31	39	58	72	86	100	84	41	37	13
1954	670	1	0	2	3	4	7	11	20	24	38	67	79	84	132	81	64	27	26
1955	637	3	0	1	2	6	10	8	17	19	41	46	73	100	106	93	61	27	24
1956	686	1	0	0	3	7	3	18	13	17	36	57	87	116	97	91	83	36	21
1957	709	1	0	1	1	4	4	12	10	18	37	57	82	99	130	111	72	39	31
1958	712	0	0	0	0	7	4	12	11	19	47	62	86	102	117	111	73	39	22
1959	744	0	0	1	2	4	6	11	7	27	46	49	96	120	118	94	85	45	33
1960	865	0	0	2	6	4	6	5	21	30	43	71	101	131	152	129	87	43	34
1961	884	0	0	0	5	3	11	13	18	19	39	77	105	137	148	134	90	46	39
1962	912	0	0	1	7	2	5	4	22	27	40	61	81	152	163	136	119	52	40
1963	937	0	0	1	3	4	3	6	17	28	42	90	110	141	151	155	101	49	36
1964	1030	0	0	3	3	9	7	12	34	37	42	86	94	156	189	144	115	68	31
1965	1039	0	0	1	4	0	8	13	21	23	40	83	105	180	180	151	117	63	50
1966	1148	0	0	1	4	4	12	18	14	31	60	92	137	147	209	155	129	90	45
1967	1124	1	1	3	5	4	4	7	16	28	48	82	124	175	204	162	132	75	53
1968	1198	1	0	1	5	3	8	11	19	31	55	76	124	189	226	201	129	76	43
1969	1261	0	0	0	4	4	8	15	19	32	52	89	143	179	222	207	163	78	46
1970	1300	0	1	2	4	6	6	12	17	24	58	106	131	188	221	191	158	109	66
1971	1301	0	0	1	5	7	7	12	14	33	70	90	143	191	204	223	146	95	60
1972	664	0	0	0	3	1	6	7	12	13	30	53	72	86	125	96	79	53	28
1973	1386	1	0	0	4	10	2	14	23	28	52	91	129	194	226	245	180	117	70
1974	1552	0	0	1	4	9	16	15	14	39	57	112	128	233	245	272	205	118	84
1975	1598	0	0	1	3	6	11	9	18	32	53	110	148	240	270	244	211	147	95
1976	1684	0	0	0	4	5	12	10	21	29	40	121	177	207	267	265	252	152	122
1977	1781	0	0	1	8	7	17	12	19	39	55	124	192	220	311	286	243	137	110


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.0	.0	.0	.1	.1	.3	.3	.3	.4	.5	.5	.7	.7	.9	.9	1.0	.8	.4
1951	.5	-	.0	.0	.2	.1	.3	.2	.3	.4	.6	.7	.8	.7	.8	1.0	.5	.6	.6
1952	.6	-	.1	.0	.1	.2	.1	.1	.4	.4	.6	.7	.8	.9	1.0	1.0	.8	.8	.5
1953	.6	-	.0	.0	.2	.2	.2	.2	.3	.6	.6	.6	.8	.9	1.0	1.0	.7	.9	.4
1954	.7	-	.0	.3	.2	.2	.3	.4	.6	.5	.7	.8	.9	.9	1.4	1.0	1.1	.7	.8
1955	.7	-	.0	.2	.2	.3	.5	.3	.5	.4	.7	.6	.8	1.1	1.0	1.1	1.0	.7	.7
1956	.7	-	.0	.0	.3	.4	.1	.6	.4	.4	.6	.7	.9	1.2	.9	1.0	1.3	.8	.6
1957	.7	-	.0	.1	.1	.2	.2	.4	.3	.4	.6	.7	.8	.9	1.1	1.2	1.1	.9	.8
1958	.7	.0	.0	.0	.0	.4	.2	.4	.3	.4	.7	.8	.9	1.0	1.0	1.1	1.0	.9	.5
1959	.7	.0	.0	.1	.2	.2	.3	.4	.2	.6	.7	.6	1.0	1.2	1.0	.9	1.2	1.0	.8
1960	.8	.0	.0	.2	.5	.2	.3	.2	.6	.6	.7	.8	1.0	1.1	1.2	1.2	1.1	.9	.7
1961	.8	.0	.0	.0	.4	.2	.5	.5	.5	.4	.6	.9	1.1	1.2	1.2	1.3	1.2	.9	.8
1962	.8	.0	.0	.1	.5	.1	.2	.1	.6	.5	.6	.7	.8	1.3	1.2	1.2	1.4	.9	.8
1963	.8	.0	.0	.1	.2	.2	.1	.2	.4	.5	.6	1.0	1.1	1.1	1.1	1.2	1.1	.8	.7
1964	.8	.0	.0	.3	.2	.4	.3	.4	.8	.7	.6	.9	.9	1.2	1.4	1.2	1.3	1.2	.6
1965	.8	.0	.0	.1	.2	.0	.3	.4	.5	.4	.6	.9	1.0	1.4	1.3	1.2	1.3	1.0	.9
1966	.9	.0	.0	.1	.2	.2	.5	.6	.3	.5	.8	1.0	1.2	1.2	1.4	1.2	1.3	1.4	.8
1967	.9	-	.1	.3	.2	.1	.1	.2	.4	.5	.6	.9	1.1	1.4	1.4	1.3	1.4	1.2	.9
1968	.9	-	.0	.1	.2	.1	.2	.3	.4	.5	.7	.8	1.0	1.4	1.5	1.5	1.2	1.1	.7
1969	.9	.0	.0	.0	.1	.1	.2	.4	.4	.5	.6	.9	1.2	1.4	1.5	1.6	1.6	1.1	.7
1970	1.0	.0	.1	.2	.1	.1	.2	.3	.4	.4	.7	1.1	1.1	1.4	1.5	1.4	1.5	1.6	1.0
1971	1.0	.0	.0	.1	.2	.2	.2	.3	.3	.6	.9	.9	1.3	1.4	1.4	1.6	1.4	1.4	.9
1972	1.0	.0	.0	.0	.2	-	.3	.3	.5	.4	.7	1.0	1.2	1.2	1.7	1.3	1.4	1.4	.8
1973	1.0	-	.0	.0	.1	.2	-	.4	.5	.5	.6	.9	1.1	1.4	1.5	1.6	1.6	1.5	1.0
1974	1.2	.0	.0	.1	.1	.2	.4	.4	.3	.7	.7	1.1	1.1	1.7	1.6	1.8	1.9	1.6	1.2
1975	1.2	.0	.0	.1	.1	.1	.3	.2	.4	.6	.7	1.1	1.3	1.8	1.8	1.7	1.9	1.9	1.3
1976	1.3	.0	.0	.0	.2	.1	.3	.3	.5	.6	.6	1.2	1.5	1.5	1.8	1.9	2.1	1.9	1.6
1977	1.3	.0	.0	.1	.3	.2	.4	.3	.5	.8	.8	1.3	1.6	1.6	2.1	2.0	2.0	1.6	1.4


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8.0	.1	.0	.1	.2	.3	.7	1.8	3.7	7.3	14.5	20.4	32.2	46.9	37.3	56.9	73.1	62.7	108.4
1951	8.0	.0	.1	.0	.2	.4	.4	2.2	3.6	8.3	11.8	25.0	29.6	40.4	37.8	55.3	80.5	49.5	101.0
1952	7.7	.0	.0	.0	.3	.7	.9	1.5	2.2	7.5	11.7	22.0	33.5	37.4	37.4	57.7	71.2	61.2	66.2
1953	8.1	.0	.0	.0	.1	.7	1.2	1.2	3.3	6.0	11.9	18.8	32.6	44.4	47.9	57.7	69.7	58.8	81.5
1954	7.9	.1	.0	.0	.0	.6	.7	1.4	3.8	6.1	10.9	23.1	27.1	46.3	40.1	48.7	67.8	79.5	79.7
1955	8.2	.0	.0	.1	.1	.1	.4	2.4	3.3	4.8	10.5	21.2	31.3	39.1	46.8	62.4	69.9	70.2	89.6
1956	8.4	.2	.0	.0	.3	.3	.1	1.8	2.5	5.2	12.1	21.1	31.8	41.3	50.5	51.1	83.4	82.0	95.6
1957	9.1	.0	.0	.0	.1	.4	.7	1.3	3.0	7.2	11.8	28.4	29.9	41.7	48.4	75.7	62.5	88.2	103.9
1958	9.4	.1	.0	.0	.1	.1	.9	.8	3.0	5.2	11.4	26.4	36.2	53.8	49.0	70.6	75.0	72.9	101.2
1959	9.1	.0	.0	.0	.1	.3	1.5	2.1	3.5	6.5	10.8	20.1	34.9	43.8	52.2	73.3	70.1	80.9	91.0
1960	9.4	.0	.0	.0	.0	.3	.4	1.1	2.4	7.2	11.1	18.8	36.4	44.3	56.7	71.2	92.2	92.7	92.5
1961	10.2	.1	.0	.1	.2	.4	.1	1.1	4.0	7.3	12.3	20.3	30.4	58.4	57.4	74.7	100.0	95.1	135.0
1962	9.3	.0	.1	.1	.2	.4	.7	2.7	3.2	7.1	12.4	16.0	28.9	48.4	52.8	72.5	80.5	80.3	97.6
1963	9.3	.0	.0	.0	.2	.5	.6	.9	3.3	6.3	9.4	20.5	26.7	53.2	50.2	62.4	88.2	101.4	127.9
1964	10.3	.0	.0	.0	.0	.2	.7	2.3	3.4	5.6	13.2	22.5	29.5	52.5	60.1	77.0	82.4	98.6	135.6
1965	10.5	.0	.0	.2	.1	.2	1.0	1.9	2.7	4.6	14.2	16.4	29.2	51.3	63.5	83.0	94.9	106.5	136.7
1966	10.6	.1	.1	.1	.1	.0	.7	2.0	3.6	4.2	11.9	20.2	28.7	50.0	64.5	74.9	99.3	131.3	134.0
1967	10.8	.1	.1	.0	.1	.3	1.4	1.1	2.8	4.7	10.8	18.8	32.8	49.5	65.7	76.7	112.9	102.4	131.6
1968	10.9	.1	.0	.0	.2	.2	.5	1.1	3.1	5.5	10.6	18.0	31.7	49.7	71.9	78.4	101.3	116.1	126.2
1969	11.5	.0	.0	.0	.2	.2	.2	1.8	4.0	5.9	11.4	19.1	33.3	50.1	70.1	80.2	116.7	130.8	113.8
1970	11.9	.0	.0	.1	.1	.0	.6	1.4	2.8	6.5	12.5	22.2	35.0	52.9	72.5	89.1	103.1	110.4	131.0
1971	12.1	.0	.0	.1	.4	.2	1.1	1.3	3.1	7.3	9.4	21.2	34.1	43.4	67.9	103.4	120.4	110.6	157.9
1972	11.6	.1	.0	.0	.3	.0	.4	.5	1.8	5.4	12.7	20.7	34.0	45.8	68.7	95.3	115.8	107.1	100.0
1973	12.4	.0	.0	.0	.1	.3	.9	1.0	2.3	5.4	12.2	23.8	35.0	45.4	67.4	95.0	133.3	130.6	128.4
1974	12.3	.1	.0	.2	.1	.4	.7	1.0	3.2	6.6	8.6	17.8	33.1	52.3	58.3	121.6	111.6	118.3	133.7
1975	12.5	.0	.0	.1	.3	.1	.3	1.1	2.6	5.5	10.7	16.0	32.8	47.8	59.9	113.4	146.4	138.9	114.5
1976	13.7	.0	.0	.0	.2	.3	.7	1.3	3.7	4.7	11.7	22.5	30.8	52.8	63.3	125.7	148.7	126.3	151.7
1977	13.2	.1	.0	.1	.1	.3	.8	1.3	2.6	5.4	8.7	19.0	34.1	49.7	63.1	114.9	154.1	116.4	136.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	650	1	0	1	1	2	5	11	23	38	66	75	85	94	81	66	46	26	29
1951	659	0	1	0	1	3	3	14	23	44	54	95	82	85	84	68	53	22	27
1952	654	0	0	0	2	5	6	10	14	41	54	86	97	82	85	75	49	29	19
1953	703	0	0	0	1	5	8	8	21	34	55	76	99	102	111	79	50	29	25
1954	706	1	0	0	0	4	5	10	24	35	51	96	86	111	95	70	52	40	26
1955	745	0	0	1	1	1	3	17	21	28	50	90	104	98	113	94	57	36	31
1956	789	2	0	0	2	2	1	13	16	31	59	91	110	108	125	80	73	42	34
1957	875	0	0	0	1	3	5	9	20	43	60	124	108	113	122	123	59	46	39
1958	927	1	0	0	1	1	6	6	20	31	60	116	136	151	126	119	76	39	39
1959	924	0	0	0	1	2	10	15	24	39	59	90	136	128	137	128	76	43	36
1960	991	0	0	0	0	2	3	8	17	45	63	88	148	136	156	131	106	51	37
1961	1111	1	0	1	2	3	1	8	29	46	70	98	126	184	166	145	119	58	54
1962	1030	0	1	1	2	3	5	20	23	46	71	80	123	156	159	148	99	53	40
1963	1062	0	0	0	2	4	4	7	24	42	54	105	117	175	157	133	112	71	55
1964	1201	0	0	0	0	2	5	17	25	38	77	118	133	177	196	171	108	73	61
1965	1245	0	0	2	1	2	7	14	20	32	84	88	135	178	214	190	129	82	67
1966	1294	1	1	1	1	0	5	15	27	30	72	110	136	180	223	176	140	105	71
1967	1340	1	1	0	1	3	11	8	21	34	67	104	159	187	232	184	166	86	75
1968	1386	1	0	0	3	2	4	8	23	40	68	101	157	197	258	192	154	101	77
1969	1484	0	0	0	2	2	2	14	30	43	75	109	167	208	258	199	182	119	74
1970	1572	0	0	1	1	0	5	11	21	48	84	130	177	230	272	228	165	106	93
1971	1631	0	0	1	5	2	10	11	23	54	65	128	170	197	256	273	201	115	120
1972	794	1	0	0	2	0	2	2	7	20	44	65	85	107	136	123	99	60	41
1973	1740	0	0	0	2	4	9	9	18	41	85	155	175	217	281	245	228	158	113
1974	1748	1	0	3	1	5	8	9	25	50	61	118	170	253	256	315	193	149	131
1975	1824	0	0	1	4	2	3	11	21	42	77	107	178	231	278	296	265	182	126
1976	2035	0	0	0	3	4	8	13	31	36	85	154	173	252	310	333	278	173	182
1977	2000	2	0	2	2	5	10	14	22	42	64	131	199	239	320	323	282	163	180


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	-	.0	.2	.1	.1	.2	.4	.6	.8	1.2	1.1	1.2	1.3	1.1	1.1	1.1	.9	.8
1951	.8	.0	.2	.0	.1	.2	.1	.5	.6	.9	1.0	1.3	1.2	1.2	1.1	1.1	1.1	.7	.8
1952	.8	.0	.0	.0	.2	.3	.3	.4	.4	.9	1.0	1.2	1.4	1.2	1.1	1.2	1.1	.9	.5
1953	.9	.0	.0	.0	.1	.4	.4	.3	.6	.8	1.0	1.0	1.4	1.4	1.4	1.2	1.0	.9	.7
1954	.9	-	.0	.0	.0	.4	.3	.4	.8	.8	1.0	1.4	1.3	1.6	1.2	1.1	1.2	1.2	.7
1955	.9	.0	.0	.2	.2	.1	.2	.7	.7	.7	1.0	1.4	1.5	1.4	1.4	1.4	1.1	1.0	.8
1956	1.0	-	.0	.0	.3	.2	.1	.6	.5	.7	1.1	1.4	1.4	1.4	1.5	1.1	1.4	1.1	.8
1957	1.0	.0	.0	.0	.1	.3	.3	.4	.6	1.0	1.1	1.8	1.3	1.4	1.3	1.6	1.1	1.2	.9
1958	1.0	-	.0	.0	.2	.1	.4	.3	.6	.8	1.1	1.7	1.7	1.8	1.4	1.5	1.3	.9	.8
1959	1.1	.0	.0	.0	.1	.2	.7	.7	.8	1.0	1.2	1.4	1.7	1.6	1.6	1.6	1.2	1.0	.8
1960	1.1	.0	.0	.0	.0	.2	.2	.4	.5	1.1	1.2	1.3	1.9	1.5	1.7	1.5	1.6	1.1	.7
1961	1.2	-	.0	.2	.3	.3	.1	.4	.9	1.1	1.4	1.5	1.7	1.9	1.8	1.7	1.7	1.2	1.0
1962	1.1	.0	.1	.2	.3	.3	.4	.9	.7	1.1	1.4	1.2	1.6	1.6	1.6	1.6	1.4	1.0	.7
1963	1.1	.0	.0	.0	.3	.4	.3	.3	.7	.9	1.0	1.5	1.5	1.7	1.5	1.3	1.4	1.3	.9
1964	1.2	.0	.0	.0	.0	.2	.3	.8	.8	.9	1.5	1.7	1.8	1.7	2.0	1.8	1.4	1.3	1.0
1965	1.3	.0	.0	.4	.1	.2	.5	.7	.6	.7	1.6	1.3	1.7	1.8	2.0	1.9	1.7	1.4	1.1
1966	1.3	-	.1	.2	.1	.0	.4	.7	.8	.7	1.3	1.7	1.7	1.9	1.9	1.7	1.6	1.7	1.0
1967	1.4	-	.1	.0	.1	.2	.8	.4	.7	.8	1.3	1.6	2.0	2.0	2.0	1.8	2.0	1.4	1.1
1968	1.3	-	.0	.0	.3	.1	.3	.4	.7	.9	1.2	1.5	1.9	2.0	2.0	1.8	1.7	1.5	1.0
1969	1.4	.0	.0	.0	.2	.1	.1	.7	1.0	1.0	1.3	1.6	2.0	2.1	2.1	1.9	2.0	1.7	.9
1970	1.5	.0	.0	.2	.1	.0	.3	.6	.7	1.1	1.5	1.9	2.2	2.4	2.3	2.0	1.8	1.5	1.1
1971	1.6	.0	.0	.2	.4	.1	.6	.5	.8	1.3	1.2	1.9	2.2	2.0	2.3	2.3	2.1	1.6	1.4
1972	1.5	-	.0	.0	.3	.0	.2	.2	.5	1.0	1.6	1.9	2.2	2.1	2.4	2.0	2.0	1.6	.9
1973	1.6	.0	.0	.0	.2	.2	.6	.4	.7	1.0	1.6	2.2	2.2	2.2	2.4	1.9	2.2	1.9	1.2
1974	1.7	-	.0	.6	.1	.3	.5	.5	1.0	1.3	1.2	1.8	2.3	2.6	2.3	2.5	2.0	1.8	1.3
1975	1.8	.0	.0	.2	.4	.1	.2	.6	.9	1.3	1.6	1.8	2.4	2.5	2.6	2.4	2.5	2.2	1.2
1976	2.0	.0	.0	.0	.3	.3	.5	.7	1.4	1.1	1.9	2.4	2.3	2.8	2.8	2.8	2.4	2.0	1.6
1977	2.0	-	.0	.5	.2	.3	.6	.8	1.0	1.3	1.5	2.1	2.6	2.6	2.9	2.7	2.4	1.9	1.6


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	5597	8.26	9.62	5.73	4081	6.00	6.45	4.41	379	4.87	7.22	4.78	326	4.03	5.67	3.84
1951	5348	7.77	8.97	5.32	4127	5.96	6.33	4.37	317	3.99	5.71	3.77	312	3.77	5.40	3.74
1952	5486	7.85	9.04	5.25	4135	5.87	6.17	4.26	366	4.51	6.72	4.24	345	4.07	5.72	3.96
1953	5739	8.09	9.23	5.30	4276	5.97	6.20	4.32	348	4.19	6.10	3.78	331	3.81	5.23	3.66
1954	5699	7.91	8.98	5.13	4271	5.86	6.00	4.23	365	4.30	6.38	3.74	331	3.72	5.18	3.62
1955	5848	7.98	9.09	5.15	4434	5.98	6.07	4.31	391	4.49	6.58	3.89	367	4.02	5.59	3.93
1956	5777	7.76	8.75	4.89	4345	5.76	5.79	4.15	368	4.13	6.11	3.43	328	3.50	4.82	3.30
1957	5766	7.62	8.58	4.77	4353	5.67	5.64	4.07	365	3.99	5.93	3.25	349	3.63	5.09	3.53
1958	5784	7.53	8.47	4.78	4387	5.62	5.54	4.07	365	3.90	5.75	3.22	328	3.33	4.57	3.17
1959	5732	7.34	8.24	4.61	4311	5.43	5.29	3.94	376	3.91	5.74	3.07	321	3.17	4.44	3.18
1960	5701	7.19	8.07	4.46	4335	5.37	5.19	3.87	416	4.13	6.00	3.17	403	3.81	5.37	3.72
1961	5663	7.04	7.86	4.31	4251	5.18	4.96	3.73	426	4.14	6.14	3.17	357	3.29	4.57	3.18
1962	5744	7.04	7.88	4.31	4353	5.22	4.94	3.73	387	3.68	5.35	2.74	369	3.32	4.55	3.22
1963	5442	6.59	7.40	3.98	4279	5.06	4.75	3.59	422	3.93	5.90	2.87	326	2.86	3.89	2.80
1964	5471	6.55	7.35	3.94	4215	4.92	4.57	3.49	450	4.10	6.09	3.00	362	3.11	4.21	2.99
1965	5519	6.54	7.34	3.87	4214	4.86	4.46	3.39	443	3.96	5.87	2.85	357	3.00	4.06	2.88
1966	5573	6.54	7.32	3.83	4260	4.85	4.39	3.35	447	3.92	5.86	2.72	383	3.15	4.18	2.93
1967	5436	6.32	7.04	3.64	4239	4.78	4.27	3.25	400	3.45	5.05	2.30	356	2.87	3.82	2.69
1968	5378	6.21	6.90	3.54	4177	4.66	4.12	3.15	463	3.93	5.80	2.57	387	3.06	3.99	2.79
1969	5518	6.32	7.02	3.59	4159	4.60	3.99	3.07	468	3.91	5.71	2.50	436	3.38	4.41	3.12
1970	5311	6.03	6.65	3.38	4091	4.47	3.83	2.93	472	3.87	5.70	2.47	387	2.94	3.82	2.75
1971	5243	5.90	6.48	3.26	4189	4.54	3.83	2.95	466	3.74	5.54	2.41	419	3.11	4.00	2.78
1972	2630	5.88	6.43	3.20	2037	4.38	3.64	2.78	221	3.49	5.05	2.14	201	2.93	3.81	2.68
1973	4962	5.52	6.01	2.99	3994	4.27	3.50	2.69	461	3.57	5.28	2.18	402	2.87	3.71	2.52
1974	4960	5.49	5.90	2.89	4036	4.29	3.44	2.62	516	3.93	5.79	2.34	399	2.80	3.53	2.43
1975	4891	5.39	5.74	2.82	4039	4.26	3.36	2.57	487	3.63	5.29	2.13	400	2.74	3.50	2.45
1976	4773	5.23	5.53	2.68	3927	4.12	3.20	2.41	456	3.34	4.82	1.91	375	2.52	3.16	2.18
1977	4527	4.93	5.15	2.48	3757	3.92	2.99	2.25	527	3.79	5.51	2.13	362	2.39	2.98	2.01

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Rectosigmoid junction, rectum, and anal canal (except skin of anus).
(ICD 154 [6th]; ICD 154 [7th]; ICD 154-154.2 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8.3	.0	.0	-	.1	.2	.4	.7	1.7	2.4	5.4	9.8	17.5	31.5	41.6	60.0	78.1	101.3	89.4
1951	7.8	.0	-	-	-	.3	.2	.6	1.4	2.5	5.2	10.7	17.5	27.0	39.7	53.7	73.7	82.8	95.1
1952	7.9	-	-	-	.1	.1	.2	.4	1.2	2.8	4.7	9.2	17.3	27.2	42.9	54.5	71.9	94.4	90.3
1953	8.1	-	-	.0	.1	.1	.3	.4	1.1	2.8	5.2	10.3	18.2	27.7	42.8	57.1	71.0	92.4	93.8
1954	7.9	-	.0	.0	.1	.1	.3	.4	1.1	2.6	5.0	9.5	17.1	26.1	43.3	54.3	69.9	91.3	96.2
1955	8.0	-	.0	-	.1	.3	.3	.5	1.0	2.2	4.6	9.3	15.1	26.2	41.8	56.5	75.3	100.1	101.4
1956	7.8	-	.0	.0	.0	.2	.3	.4	1.0	2.2	4.3	9.6	14.5	28.5	40.1	52.7	73.4	87.5	96.1
1957	7.6	-	.0	.0	.0	.1	.3	.5	1.0	2.4	3.9	8.5	14.9	25.8	41.1	52.7	70.3	86.9	98.8
1958	7.5	-	.0	.0	-	.1	.3	.7	1.3	2.1	3.8	8.6	14.7	25.3	36.9	54.9	72.0	88.7	92.8
1959	7.3	-	.0	-	.0	.1	.2	.6	1.1	1.9	4.1	8.5	15.0	25.2	38.0	47.5	67.3	90.1	93.0
1960	7.2	-	.0	.0	.1	.1	.3	.3	.8	2.1	3.8	8.6	13.8	24.4	36.5	49.7	65.8	85.0	97.0
1961	7.0	.0	.0	.0	-	.1	.2	.5	.9	1.9	4.0	8.3	13.3	23.1	36.8	46.6	70.4	78.9	88.6
1962	7.0	-	.0	-	-	.1	.2	.5	1.0	2.0	3.6	8.1	14.0	23.3	36.0	47.7	65.0	74.0	109.6
1963	6.6	.0	.0	.0	-	.1	.1	.5	1.0	1.9	3.3	7.1	13.0	20.4	34.0	46.1	62.4	77.5	93.9
1964	6.5	.0	.0	.0	-	.1	.3	.5	.8	1.8	3.7	7.0	12.5	22.3	31.5	47.0	60.4	74.9	96.3
1965	6.5	.0	-	.0	-	-	.1	.4	.8	1.5	3.6	7.3	13.1	23.0	31.2	43.0	59.9	84.7	94.8
1966	6.5	-	.0	-	-	.1	.2	.2	.9	2.0	3.2	7.4	13.0	21.2	31.5	44.3	60.3	83.5	92.5
1967	6.3	.0	-	.0	-	.1	.2	.3	.7	1.8	3.4	7.0	12.1	21.2	32.0	42.3	57.9	76.3	87.1
1968	6.2	.0	.0	.0	-	.1	.1	.4	.7	1.7	3.2	6.6	12.5	20.4	30.4	42.1	56.6	74.3	91.0
1969	6.3	.0	.0	.0	.0	-	.1	.3	.6	1.4	3.2	7.0	12.2	20.1	30.6	43.4	57.6	80.5	94.9
1970	6.0	-	.0	.0	-	.1	.2	.3	.6	1.6	3.4	5.7	11.8	20.2	29.9	39.7	54.0	69.2	94.0
1971	5.9	.0	.0	.0	.1	-	.2	.2	.6	1.6	2.3	6.8	11.6	18.4	28.1	37.6	54.3	77.6	86.2
1972	5.9	.0	.0	.0	.0	.1	.1	.1	1.0	.8	3.2	5.8	12.0	16.2	28.3	40.6	62.1	72.9	71.5
1973	5.5	.0	.0	.0	-	-	-	.3	.5	1.4	2.8	5.0	10.6	17.1	25.1	35.9	54.0	68.3	84.1
1974	5.5	.0	.0	.0	-	-	.1	.3	.7	1.4	2.4	6.2	9.2	17.3	26.0	36.1	49.9	66.1	79.3
1975	5.4	.0	.0	-	-	-	.1	.2	.6	1.2	2.6	5.2	9.4	15.0	24.5	36.7	48.7	66.5	85.5
1976	5.2	.0	.0	.0	.0	-	-	.2	.4	1.0	2.3	5.5	9.2	14.6	22.7	34.5	48.8	63.9	83.6
1977	4.9	.0	.0	.0	-	-	.1	.3	.6	1.0	1.9	5.0	8.3	14.5	20.8	31.8	42.5	62.0	80.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5597	0	0	2	3	11	19	37	85	109	220	368	588	893	931	913	732	486	200
1951	5348	0	1	1	2	14	13	33	71	117	216	405	598	780	912	839	715	402	229
1952	5486	2	1	1	3	7	12	23	60	131	202	346	596	801	1006	878	719	466	232
1953	5739	2	2	0	3	4	18	22	55	133	225	391	626	830	1026	949	731	468	254
1954	5699	1	0	0	3	5	18	24	56	126	224	365	593	795	1060	937	740	478	274
1955	5848	1	0	3	3	13	15	29	50	107	211	363	529	808	1041	1010	819	545	301
1956	5777	1	0	0	0	8	15	22	51	108	199	382	513	887	1013	972	818	496	292
1957	5766	3	0	0	0	4	16	27	54	118	182	345	531	807	1057	997	809	508	308
1958	5784	1	0	0	1	5	14	35	70	104	179	354	529	786	965	1065	850	531	295
1959	5732	1	0	1	0	6	11	31	59	99	197	358	551	785	1008	944	825	552	304
1960	5701	3	0	0	5	4	14	14	42	110	185	371	515	761	981	1007	832	532	325
1961	5663	0	0	0	2	3	11	26	47	100	193	366	508	723	992	964	914	511	303
1962	5744	2	0	1	3	3	8	28	56	104	179	363	545	734	968	1004	860	509	377
1963	5442	0	0	0	1	4	6	27	55	104	165	319	521	649	912	982	839	533	325
1964	5471	0	0	0	1	3	16	23	44	99	184	318	511	717	843	1010	827	533	342
1965	5519	0	1	0	1	1	7	19	42	80	180	336	543	750	837	927	831	620	344
1966	5573	1	0	1	2	7	11	12	44	111	164	346	546	705	849	953	849	627	345
1967	5436	0	1	0	1	6	9	16	38	96	177	327	513	726	869	905	828	587	337
1968	5378	0	0	0	1	7	3	20	36	89	166	314	533	716	834	895	819	582	363
1969	5518	0	0	0	0	3	8	15	29	72	170	336	523	722	849	917	839	641	394
1970	5311	1	0	0	4	8	13	15	29	82	180	279	510	740	846	839	780	562	423
1971	5243	0	0	0	5	3	14	12	31	85	123	336	507	685	812	796	791	642	401
1972	2630	0	0	0	0	3	2	4	23	20	83	146	263	306	420	430	451	308	171
1973	4962	0	0	0	1	3	1	17	26	68	146	259	470	657	764	772	771	590	417
1974	4960	0	0	0	1	4	8	20	33	67	122	319	411	671	813	792	710	574	415
1975	4891	0	0	2	2	4	6	12	28	59	135	270	428	586	791	817	699	582	470
1976	4773	0	0	0	0	3	3	15	20	48	115	284	429	578	744	789	704	571	470
1977	4527	0	0	0	1	3	8	17	32	50	97	256	397	577	695	751	616	556	471

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	.0	.0	.1	-	.1	.2	.4	.6	.5	.7	.8	.9	1.1	1.0	1.0	.9	.8	.4
1951	.7	.0	-	-	-	.2	.1	.3	.5	.5	.7	.9	.9	1.0	1.0	.9	.8	.6	.5
1952	.7	-	-	-	-	.1	.1	.2	.4	.6	.6	.8	.9	1.0	1.1	.9	.8	.7	.5
1953	.7	-	-	.0	-	-	.2	.2	.4	.6	.7	.9	1.0	1.0	1.1	1.0	.8	.7	.5
1954	.8	-	.0	.0	.1	.1	.2	.2	.4	.6	.7	.8	1.0	1.0	1.1	1.0	.8	.7	.5
1955	.8	-	.0	.1	-	.2	.2	.3	.4	.5	.7	.8	.9	1.0	1.1	1.0	.9	.8	.5
1956	.7	-	.0	.0	.0	.1	.2	.2	.4	.5	.6	.8	.8	1.1	1.0	.9	.8	.7	.5
1957	.7	-	.0	.0	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0	.9	.8	.6	.5
1958	.7	-	.0	.0	-	.1	.2	.4	.5	.5	.5	.7	.8	.9	.9	.9	.8	.7	.4
1959	.7	-	.0	-	.0	.1	.2	.3	.4	.5	.6	.7	.8	.9	1.0	.8	.8	.7	.4
1960	.7	-	.0	.0	.1	.1	.2	.2	.3	.5	.5	.7	.8	.9	.9	.8	.8	.6	.5
1961	.7	.0	.0	.0	-	-	.2	.3	.4	.5	.6	.7	.8	.9	.9	.8	.8	.6	.4
1962	.7	-	.0	-	-	-	.1	.3	.4	.5	.5	.7	.8	.9	.9	.8	.8	.6	.5
1963	.6	.0	.0	.0	-	-	.1	.3	.4	.5	.5	.6	.7	.7	.8	.8	.7	.6	.4
1964	.6	.0	.0	.0	-	-	.2	.3	.3	.4	.5	.6	.7	.8	.8	.8	.7	.6	.4
1965	.6	.0	-	.0	-	-	.1	.2	.3	.4	.5	.6	.7	.8	.8	.7	.7	.6	.4
1966	.6	-	.0	-	-	.1	.1	.1	.3	.5	.5	.6	.7	.8	.8	.8	.7	.6	.4
1967	.6	.0	-	.0	-	.1	.1	.2	.3	.4	.5	.6	.7	.8	.8	.7	.7	.6	.4
1968	.6	.0	.0	.0	-	.1	-	.2	.3	.4	.5	.6	.7	.7	.7	.7	.7	.6	.4
1969	.6	.0	.0	.0	.0	-	.1	.2	.2	.3	.5	.6	.7	.7	.8	.7	.7	.6	.4
1970	.6	-	.0	.0	-	.1	.1	.2	.2	.4	.5	.5	.7	.7	.7	.7	.6	.6	.5
1971	.6	.0	.0	.0	-	-	.1	.1	.3	.4	.4	.6	.7	.7	.7	.7	.6	.6	.4
1972	.5	.0	.0	.0	.0	-	-	.1	.4	.2	.5	.5	.7	.6	.7	.7	.7	.6	.4
1973	.5	.0	.0	.0	-	-	-	.2	.2	.3	.4	.5	.6	.7	.6	.6	.6	.5	.4
1974	.5	.0	.0	.0	-	-	.1	.2	.3	.4	.4	.6	.6	.7	.7	.6	.6	.5	.4
1975	.5	.0	.0	.1	-	-	-	.1	.2	.3	.4	.5	.6	.6	.7	.7	.6	.6	.5
1976	.5	.0	.0	.0	.0	-	-	.1	.2	.3	.4	.6	.6	.6	.6	.6	.6	.5	.4
1977	.5	.0	.0	.0	-	-	.1	.2	.3	.3	.3	.5	.6	.6	.6	.6	.5	.5	.4

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	6.0	.0	.0	.0	-	.2	.2	.5	1.2	2.7	5.1	7.3	12.5	20.0	26.6	34.1	48.7	64.4	77.2
1951	6.0	-	.0	.0	.1	.2	.2	.7	1.5	2.7	4.1	8.1	12.2	18.9	25.2	34.5	44.7	68.2	76.4
1952	5.9	-	.0	.0	.1	.1	.2	.5	1.3	2.8	4.7	7.6	12.1	18.3	22.9	31.2	51.8	61.7	76.9
1953	6.0	.0	-	-	-	.1	.3	.6	.9	2.7	4.2	7.6	13.2	16.5	26.2	34.8	46.3	59.8	78.6
1954	5.9	-	.0	.0	-	.1	.2	.5	1.3	2.4	4.4	8.2	11.6	17.5	24.4	31.4	45.1	60.3	74.4
1955	6.0	-	.0	-	-	.1	.1	.5	1.4	2.1	4.4	6.8	11.6	16.3	25.2	32.7	49.1	62.5	80.7
1956	5.8	-	.0	.0	.0	.1	.2	.5	1.1	2.3	3.9	7.1	11.9	16.2	23.0	30.1	43.3	62.4	80.4
1957	5.7	.0	.0	.0	.1	.1	.2	.5	.9	1.9	3.8	7.2	10.6	15.8	23.7	29.3	42.8	59.0	79.8
1958	5.6	-	.0	.0	-	.1	.1	.5	1.1	1.8	3.6	6.3	11.0	14.7	21.5	32.1	41.4	61.4	79.4
1959	5.4	-	-	.0	-	.1	.3	.4	1.0	1.9	3.7	6.8	10.2	14.7	21.9	27.8	41.3	54.6	68.3
1960	5.4	-	.0	.0	.0	.1	.1	.4	.7	1.8	3.9	6.0	9.4	14.6	21.0	28.4	38.9	54.4	77.1
1961	5.2	-	.0	.0	-	.1	.2	.4	.9	1.8	3.7	6.3	8.3	14.6	18.5	26.9	35.6	56.4	73.9
1962	5.2	-	.0	.0	-	-	.2	.3	.7	1.7	3.2	6.3	8.0	13.6	20.7	28.5	37.4	52.7	72.0
1963	5.1	.0	.0	.0	-	.1	.1	.5	.7	1.8	3.1	5.4	8.5	12.6	20.2	24.2	38.0	51.7	72.1
1964	4.9	-	.0	.0	-	.1	.1	.3	.7	1.5	2.9	6.0	8.2	11.9	19.0	24.2	34.4	47.4	73.8
1965	4.9	-	.0	.0	-	-	.1	.1	.6	1.4	2.8	5.3	7.9	12.4	18.0	22.4	36.0	48.1	74.5
1966	4.9	-	.0	-	-	.1	.1	.2	.7	1.3	2.9	5.1	8.3	11.5	18.2	24.3	34.0	47.2	66.8
1967	4.8	.0	-	-	-	-	.1	.3	.6	1.3	2.8	5.1	7.5	11.7	17.7	23.4	33.5	43.5	67.5
1968	4.7	.0	.0	.0	.0	.1	.2	.3	.6	1.2	2.7	5.3	7.6	11.7	16.2	22.2	30.9	43.3	64.7
1969	4.6	-	.0	.0	.0	-	-	.2	.5	1.3	2.2	4.7	7.5	11.4	16.0	21.7	29.9	46.7	60.8
1970	4.5	-	-	.0	.0	-	.1	.2	.4	1.1	2.3	4.1	7.7	10.8	15.4	22.4	31.4	38.2	54.4
1971	4.5	.0	.0	.0	-	.1	.1	.2	.5	1.3	2.3	4.5	7.9	10.2	14.2	21.6	28.4	44.2	58.8
1972	4.4	.0	.0	.0	.0	.0	.1	.3	.5	1.4	2.4	3.5	6.6	10.0	14.2	21.1	28.9	37.5	59.5
1973	4.3	.0	.0	.0	.0	.1	.1	.2	.5	.9	2.0	3.5	6.5	10.0	14.2	20.5	27.0	39.5	50.8
1974	4.3	.0	.0	.0	.0	.1	.1	.2	.5	1.0	1.8	3.7	6.5	9.8	13.2	18.5	28.4	40.1	54.1
1975	4.3	.0	.0	-	-	-	.1	.2	.3	.8	1.8	3.8	6.3	9.1	12.5	19.5	26.4	39.6	53.6
1976	4.1	.0	.0	.0	.0	.1	-	.2	.4	.8	1.9	3.4	5.7	8.8	12.1	18.4	25.8	37.4	49.6
1977	3.9	.0	.0	.0	.0	-	.1	.2	.3	.8	1.7	2.9	5.0	8.6	11.9	15.8	26.0	35.6	46.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4081	0	0	0	1	8	12	27	63	127	211	275	420	568	634	573	529	386	247
1951	4127	1	0	0	3	9	13	40	75	125	173	309	421	551	619	600	507	422	259
1952	4135	1	0	0	3	4	13	29	68	132	202	289	423	551	575	564	611	395	275
1953	4276	0	1	1	1	4	14	31	49	133	185	291	464	511	676	653	567	399	296
1954	4271	1	0	0	2	3	12	30	67	119	199	319	414	556	647	614	571	421	296
1955	4434	2	0	1	2	3	7	27	76	104	204	270	417	529	684	668	645	457	338
1956	4345	2	0	0	0	5	10	27	58	114	182	286	433	536	637	638	587	478	352
1957	4353	0	0	0	4	4	9	29	48	99	184	300	390	531	675	640	603	470	367
1958	4387	1	0	0	2	4	6	30	59	92	174	265	412	496	632	723	606	504	381
1959	4311	1	1	0	1	6	15	22	57	100	181	294	391	499	656	647	633	462	345
1960	4335	1	0	0	0	4	7	19	40	98	194	267	370	503	646	680	620	475	411
1961	4251	3	0	0	2	4	8	21	51	95	188	286	332	506	577	665	589	517	407
1962	4353	1	0	0	2	1	9	13	42	95	160	291	330	473	653	730	639	506	408
1963	4279	0	0	0	2	5	5	23	38	101	160	251	362	443	641	639	669	519	421
1964	4215	1	0	0	1	4	7	17	41	85	152	286	358	426	610	654	625	499	449
1965	4214	1	0	0	1	2	6	7	32	77	149	257	353	451	585	617	675	528	473
1966	4260	1	0	1	2	6	4	12	36	76	152	248	376	428	595	679	659	540	445
1967	4239	0	1	1	1	2	5	13	29	76	153	252	346	451	587	660	670	517	475
1968	4177	0	0	0	0	4	11	14	30	68	147	264	352	464	547	630	636	532	478
1969	4159	1	0	0	0	2	2	8	24	69	123	242	349	466	550	621	631	595	476
1970	4091	1	1	0	0	2	7	11	21	61	127	213	361	451	541	647	668	509	470
1971	4189	0	0	0	1	4	6	11	26	68	126	236	377	434	507	630	617	612	534
1972	2037	0	0	0	0	0	2	8	12	37	67	94	157	217	263	309	317	271	283
1973	3994	0	0	0	0	5	5	14	26	46	111	195	313	437	540	610	590	593	509
1974	4036	0	0	0	0	4	5	10	23	49	97	203	315	432	517	562	626	613	580
1975	4039	0	0	1	1	2	4	10	18	42	97	213	311	404	505	598	595	618	620
1976	3927	0	0	0	0	5	2	11	23	39	102	190	289	392	500	580	589	600	605
1977	3757	0	0	0	0	3	4	14	18	42	88	159	258	387	499	514	596	581	594

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.7	.0	.0	.0	-	.2	.2	.4	.7	1.0	1.2	1.1	1.2	1.2	1.1	.8	.7	.6	.4
1951	.7	-	.0	.0	.1	.2	.2	.6	.8	.9	1.0	1.2	1.2	1.2	1.0	.8	.7	.6	.4
1952	.7	-	.0	.0	.1	.1	.3	.4	.7	1.0	1.1	1.2	1.2	1.2	.9	.8	.8	.6	.4
1953	.8	.0	-	-	-	.1	.3	.5	.6	1.0	1.0	1.2	1.4	1.1	1.1	.9	.7	.5	.4
1954	.8	-	.0	.0	.1	.1	.3	.5	.8	1.0	1.1	1.4	1.3	1.2	1.1	.8	.7	.6	.4
1955	.8	-	.0	.1	.1	.1	.2	.5	.9	.8	1.2	1.2	1.3	1.2	1.1	.9	.8	.6	.4
1956	.7	-	.0	.0	.0	.2	.3	.5	.7	.9	1.0	1.3	1.4	1.2	1.0	.8	.7	.6	.4
1957	.7	.0	.0	.0	.1	.1	.2	.5	.6	.8	1.0	1.2	1.2	1.1	1.0	.8	.7	.6	.4
1958	.7	-	.0	.0	.1	.1	.2	.6	.7	.8	1.0	1.1	1.3	1.1	1.0	.9	.7	.6	.4
1959	.7	-	-	.0	-	.2	.4	.4	.7	.8	1.0	1.2	1.2	1.1	1.0	.8	.7	.5	.4
1960	.7	-	.0	.0	.0	.1	.2	.4	.5	.8	1.1	1.1	1.1	1.1	1.0	.8	.6	.5	.4
1961	.7	-	.0	.0	.1	.1	.2	.4	.6	.8	1.0	1.1	1.0	1.1	.9	.8	.6	.6	.4
1962	.7	-	.0	.0	.1	-	.3	.3	.5	.7	.9	1.1	1.0	1.0	1.0	.8	.6	.5	.4
1963	.6	.0	.0	.0	.1	.1	.1	.5	.4	.8	.8	1.0	1.0	.9	1.0	.7	.7	.5	.4
1964	.6	-	.0	.0	-	.1	.2	.3	.5	.6	.8	1.1	1.0	.9	.9	.7	.6	.5	.4
1965	.6	-	.0	.0	-	.1	.2	.1	.4	.6	.8	.9	1.0	1.0	.9	.7	.6	.5	.4
1966	.6	-	.0	-	-	.2	.1	.2	.5	.6	.8	.9	1.0	.9	.9	.7	.6	.5	.3
1967	.6	.0	-	-	-	-	.1	.3	.4	.6	.8	.9	.9	1.0	.9	.7	.6	.5	.4
1968	.6	.0	.0	.0	.0	.1	.3	.3	.4	.5	.7	.9	.9	.9	.8	.7	.6	.5	.3
1969	.6	-	.0	.0	.0	-	-	.2	.3	.5	.6	.9	.9	.9	.8	.7	.6	.5	.3
1970	.6	-	-	.0	.0	-	.2	.2	.3	.5	.6	.7	.9	.9	.8	.7	.6	.4	.3
1971	.6	.0	.0	.0	-	.1	.1	.2	.4	.5	.6	.8	1.0	.8	.8	.7	.5	.5	.4
1972	.5	.0	.0	.0	.0	.0	.1	.3	.3	.6	.7	.7	.8	.8	.8	.7	.5	.4	.4
1973	.5	.0	.0	.0	.0	.1	.1	.3	.4	.4	.6	.7	.8	.8	.8	.7	.5	.5	.3
1974	.5	.0	.0	.0	.0	.1	.1	.2	.3	.5	.5	.7	.8	.8	.8	.6	.6	.5	.3
1975	.5	.0	.0	-	-	-	.1	.2	.3	.4	.6	.8	.8	.8	.8	.7	.6	.5	.4
1976	.5	.0	.0	.0	.0	.1	-	.2	.4	.4	.6	.7	.8	.8	.8	.7	.7	.5	.3
1977	.5	.0	.0	.0	.0	.1	.1	.3	.3	.4	.6	.6	.7	.8	.7	.6	.6	.5	.3

Age-specific Graphs for White Females


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.9	.0	.0	.0	.0	.3	.6	.7	1.9	4.0	6.5	10.9	15.6	30.5	28.6	41.1	41.6	53.9	37.8
1951	4.0	.0	.0	.0	.2	.2	.5	.9	1.9	2.8	5.1	10.4	15.1	21.2	27.1	24.9	39.8	36.8	10.3
1952	4.5	.1	.0	.0	.0	.3	.8	.9	.9	3.3	6.3	9.6	16.7	27.5	23.7	33.7	52.2	38.4	48.9
1953	4.2	.0	.0	.0	.0	.5	1.0	.5	1.5	2.7	6.1	10.3	17.4	18.9	25.5	31.9	30.7	37.5	60.6
1954	4.3	.0	.0	.0	.0	.5	.3	.5	1.0	3.5	4.0	10.4	13.4	25.3	26.7	35.5	40.6	53.8	38.5
1955	4.5	.0	.0	.1	.0	.5	.5	.5	1.5	2.2	5.3	10.7	12.0	22.8	34.1	43.7	38.7	40.6	41.0
1956	4.1	.1	.0	.0	.3	.3	1.0	1.3	1.3	3.3	5.0	5.2	12.2	22.2	27.6	36.6	35.7	49.0	55.3
1957	4.0	.0	.1	.1	.1	.3	.8	.5	.8	2.6	5.5	9.1	12.9	21.9	21.6	29.1	39.2	59.4	41.8
1958	3.9	.0	.0	.0	.0	.5	.3	1.3	1.6	1.8	4.1	6.8	12.4	18.6	28.3	36.0	39.1	38.0	46.0
1959	3.9	.0	.0	.0	.1	.3	.5	1.5	1.4	3.5	3.8	6.3	11.0	24.1	27.3	25.1	43.5	39.4	44.4
1960	4.1	.0	.0	.0	.1	.0	.3	1.9	1.1	2.3	4.5	8.0	14.3	21.7	32.1	32.7	30.5	51.1	32.3
1961	4.1	.0	.0	.0	.0	.1	.5	1.1	1.1	2.5	5.3	7.3	11.1	27.3	25.7	33.3	37.4	36.5	76.7
1962	3.7	.0	.0	.0	.0	.1	.3	.6	1.1	2.4	3.8	10.6	13.1	17.8	23.1	28.3	31.5	39.3	43.3
1963	3.9	.0	.0	.0	.2	.4	.2	.6	1.4	1.9	4.4	8.3	11.5	18.1	25.2	37.5	35.8	42.4	80.0
1964	4.1	.0	.0	.0	.0	.0	.3	.6	.9	2.2	4.7	8.8	12.7	23.6	25.1	34.4	47.7	45.9	40.6
1965	4.0	.1	.0	.0	.1	.4	.5	.6	.8	2.6	3.0	7.9	15.0	22.1	25.5	27.6	38.1	39.7	73.5
1966	3.9	.0	.0	.0	.1	.2	.6	1.2	1.1	2.0	4.4	5.8	12.8	20.0	25.3	30.9	46.1	45.3	61.1
1967	3.4	.0	.0	.0	.0	.2	.4	.9	.5	1.3	3.8	8.6	12.6	15.0	26.6	22.8	35.6	45.5	28.2
1968	3.9	.0	.0	.0	.0	.2	.1	.5	.8	2.6	3.2	6.4	13.9	21.0	29.6	33.0	41.2	32.8	58.5
1969	3.9	.0	.0	.0	.0	.0	.4	.6	1.3	2.3	4.3	7.0	10.7	24.1	28.6	36.5	30.8	45.6	31.8
1970	3.9	.0	.0	.0	.1	.3	.1	.9	1.0	2.4	4.4	7.6	11.9	16.6	28.1	27.9	51.2	31.4	61.7
1971	3.7	.0	.0	.0	.0	.4	.5	.6	1.6	1.1	2.3	6.2	10.7	16.8	29.6	31.2	41.1	55.4	47.9
1972	3.5	.0	.0	.0	.0	.2	.2	1.1	1.6	2.5	4.3	5.8	11.9	16.8	21.1	37.0	35.1	28.2	24.0
1973	3.6	.0	.0	.0	.0	.3	.3	.4	.8	1.7	2.5	6.6	11.2	12.9	27.2	36.4	41.5	34.9	55.8
1974	3.9	.0	.0	.0	.1	.1	.2	.3	1.1	2.0	4.2	6.9	11.4	18.5	24.2	38.2	48.9	41.2	52.6
1975	3.6	.0	.0	.0	.1	.1	.3	.6	.5	2.4	4.0	4.8	10.6	14.1	24.1	39.3	36.2	48.8	47.7
1976	3.3	.0	.0	.0	.1	.1	.3	.5	.7	2.7	3.0	4.6	9.8	17.9	19.6	34.4	30.6	46.2	30.9
1977	3.8	.0	.0	.0	.1	.1	.2	.2	1.1	2.6	3.8	6.5	10.2	17.0	19.2	39.2	43.3	52.7	50.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	379	0	0	0	0	2	4	4	11	20	29	41	44	64	58	48	27	20	7
1951	317	0	0	0	1	1	3	5	11	14	23	40	44	46	56	30	27	14	2
1952	366	1	0	0	0	2	5	5	5	17	28	38	50	61	50	42	37	15	10
1953	348	0	0	0	0	3	6	3	9	14	27	42	54	43	55	41	23	15	13
1954	365	0	0	0	0	3	2	3	6	19	18	43	43	59	59	47	32	22	9
1955	391	0	0	1	0	3	3	3	9	12	24	45	40	55	77	60	32	17	10
1956	368	1	0	0	2	2	6	8	8	18	23	22	42	55	63	52	31	21	14
1957	365	0	1	1	1	2	5	3	5	14	26	39	46	56	50	43	36	26	11
1958	365	0	0	0	0	3	2	8	10	10	20	29	46	49	66	55	37	17	13
1959	376	0	0	0	1	2	3	9	9	19	19	27	42	66	65	40	43	18	13
1960	416	0	0	0	1	0	2	12	7	13	24	36	57	63	80	55	32	24	10
1961	426	0	0	0	0	1	3	7	7	14	28	34	45	81	66	58	40	19	23
1962	387	0	0	0	0	1	2	4	7	14	20	50	54	54	61	51	34	22	13
1963	422	0	0	0	2	3	1	4	9	11	23	40	48	56	68	69	39	25	24
1964	450	0	0	0	0	0	2	4	6	13	25	43	54	74	70	65	53	28	13
1965	443	1	0	0	1	3	3	4	5	16	16	39	65	71	73	53	43	25	25
1966	447	0	0	0	1	2	4	8	7	12	24	29	56	66	74	60	53	29	22
1967	400	0	0	0	0	2	3	6	3	8	21	43	56	51	79	45	42	30	11
1968	463	0	0	0	0	2	1	3	5	16	18	32	62	74	89	66	49	22	24
1969	468	0	0	0	0	0	3	4	8	14	25	35	48	88	87	74	37	31	14
1970	472	0	0	0	1	3	1	6	6	15	26	39	53	63	87	58	63	22	29
1971	466	0	0	0	0	5	4	4	10	7	14	33	47	66	92	67	53	41	23
1972	221	0	0	0	0	1	1	4	5	8	13	16	26	34	34	39	23	11	6
1973	461	0	0	0	0	3	3	3	5	11	15	38	49	53	91	78	54	29	29
1974	516	0	0	0	1	1	2	2	7	13	26	40	51	77	84	83	64	35	30
1975	487	0	0	0	2	1	3	5	3	15	25	28	50	58	88	86	50	42	31
1976	456	0	0	0	1	2	3	4	5	17	19	27	48	72	75	76	44	42	21
1977	527	0	0	0	1	1	2	2	8	17	24	39	52	68	76	91	61	49	36


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.0	.1	.1	.1	.3	.4	.4	.5	.5	.7	.6	.7	.5	.6	.2
1951	.3	.0	.0	.0	.1	-	.1	.2	.3	.3	.4	.4	.5	.5	.6	.4	.5	.4	.1
1952	.4	-	.0	.0	.0	.1	.2	.2	.1	.3	.4	.4	.5	.7	.5	.5	.6	.4	.3
1953	.3	.0	.0	.0	.0	.2	.2	.1	.2	.3	.4	.5	.6	.4	.5	.5	.4	.4	.4
1954	.4	.0	.0	.0	.0	.2	.1	.1	.2	.4	.3	.5	.5	.6	.6	.6	.6	.6	.3
1955	.4	.0	.0	.2	.0	.2	.1	.1	.3	.3	.4	.6	.4	.6	.8	.7	.5	.4	.3
1956	.4	-	.0	.0	.2	.1	.3	.3	.2	.4	.4	.3	.4	.6	.6	.6	.5	.5	.4
1957	.3	.0	.1	.1	.1	.1	.2	.1	.1	.3	.4	.5	.5	.5	.4	.5	.5	.6	.3
1958	.3	.0	.0	.0	.0	.2	.1	.3	.3	.2	.3	.4	.5	.5	.6	.6	.5	.4	.3
1959	.3	.0	.0	.0	.1	.1	.1	.3	.2	.4	.3	.3	.4	.6	.6	.4	.6	.4	.3
1960	.4	.0	.0	.0	.1	.0	.1	.4	.2	.3	.4	.4	.6	.5	.6	.5	.4	.5	.2
1961	.4	.0	.0	.0	.0	.1	.1	.3	.2	.3	.4	.4	.5	.7	.5	.5	.5	.4	.5
1962	.3	.0	.0	.0	.0	.1	.1	.1	.2	.3	.3	.6	.6	.4	.5	.4	.4	.4	.3
1963	.3	.0	.0	.0	.1	.1	-	.1	.2	.2	.3	.4	.5	.4	.5	.6	.4	.4	.4
1964	.4	.0	.0	.0	.0	.0	.1	.1	.1	.2	.4	.5	.5	.6	.5	.5	.6	.5	.3
1965	.4	-	.0	.0	.1	.1	.1	.1	.1	.3	.2	.4	.6	.6	.5	.4	.5	.4	.5
1966	.3	.0	.0	.0	-	.1	.2	.3	.2	.2	.3	.3	.5	.5	.5	.5	.6	.5	.4
1967	.3	.0	.0	.0	.0	.1	.1	.2	.1	.1	.3	.5	.5	.4	.6	.4	.4	.5	.2
1968	.3	.0	.0	.0	.0	.1	-	.1	.1	.2	.2	.3	.5	.5	.6	.5	.5	.3	.4
1969	.3	.0	.0	.0	.0	.0	.1	.1	.2	.2	.3	.4	.4	.7	.6	.6	.4	.5	.2
1970	.3	.0	.0	.0	-	.1	-	.2	.1	.2	.3	.4	.4	.5	.6	.4	.6	.3	.5
1971	.3	.0	.0	.0	.0	.1	.1	.1	.2	.1	.2	.3	.4	.5	.7	.5	.5	.6	.4
1972	.3	.0	.0	.0	.0	-	.1	.2	.2	.3	.3	.3	.4	.5	.5	.5	.4	.3	.2
1973	.3	.0	.0	.0	.0	.1	.1	.1	.1	.2	.2	.4	.4	.4	.6	.5	.5	.4	.4
1974	.4	.0	.0	.0	-	-	.1	.1	.2	.2	.3	.4	.4	.6	.6	.6	.6	.5	.4
1975	.4	.0	.0	.0	.1	-	.1	.1	.1	.3	.3	.3	.4	.4	.6	.6	.4	.5	.4
1976	.3	.0	.0	.0	-	.1	.1	.1	.1	.3	.3	.3	.4	.5	.5	.5	.4	.5	.3
1977	.4	.0	.0	.0	-	-	-	.1	.2	.3	.3	.4	.4	.5	.5	.6	.5	.6	.4


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.0	.0	.0	.0	.2	.0	.1	1.4	3.0	5.4	7.0	14.1	18.9	19.0	16.1	18.1	30.2	28.9	33.6
1951	3.8	.0	.0	.0	.0	.3	.4	.9	1.7	3.8	6.1	10.8	14.5	21.9	23.0	20.3	30.4	15.7	44.9
1952	4.1	.0	.0	.0	.3	.1	.4	.9	1.3	3.8	6.1	14.1	18.0	21.0	24.7	19.2	20.4	29.5	48.8
1953	3.8	.2	.0	.0	.0	.3	.3	.7	2.7	4.6	5.6	11.4	17.1	16.5	19.8	20.5	26.5	22.3	35.9
1954	3.7	.1	.0	.0	.0	.4	.3	1.2	2.1	3.3	6.6	11.8	11.3	16.3	19.0	23.7	32.6	35.8	24.5
1955	4.0	.0	.0	.0	.1	.1	.1	.7	2.0	5.1	6.1	11.1	14.2	24.4	18.6	22.6	34.3	27.3	31.8
1956	3.5	.0	.0	.0	.0	.0	.6	.6	1.7	4.4	6.8	8.8	13.3	16.8	16.2	19.8	28.6	23.4	39.3
1957	3.6	.0	.0	.0	.0	.1	.1	1.0	.9	3.5	4.3	8.7	20.5	14.8	15.9	20.9	32.8	28.8	50.6
1958	3.3	.0	.0	.0	.1	.3	.6	.6	.9	1.8	6.3	10.9	13.3	16.4	18.7	17.8	19.7	30.7	23.4
1959	3.2	.0	.0	.0	.0	.1	.4	.8	1.0	1.8	5.5	5.8	12.3	16.4	18.7	20.6	24.0	41.4	20.2
1960	3.8	.0	.0	.0	.1	.4	.1	.3	1.7	2.7	6.5	7.7	11.5	18.9	22.9	25.5	33.0	41.8	45.0
1961	3.3	.0	.0	.0	.1	.3	.4	.5	1.0	4.3	3.9	8.5	12.5	15.6	12.8	20.1	27.7	34.4	47.5
1962	3.3	.0	.0	.0	.0	.0	.3	.4	1.2	2.5	4.5	8.0	13.1	16.8	19.6	19.1	24.4	25.8	43.9
1963	2.9	.0	.0	.0	.0	.0	.1	.4	1.2	2.1	3.3	9.4	8.0	11.9	16.9	23.0	16.5	27.1	37.2
1964	3.1	.0	.0	.0	.0	.1	.3	.4	1.0	2.5	3.4	6.7	10.6	16.6	19.6	19.4	28.2	21.6	28.9
1965	3.0	.0	.0	.0	.0	.1	.3	.3	.4	1.7	3.0	9.2	8.4	15.6	19.3	18.3	19.9	24.7	49.0
1966	3.1	.0	.0	.0	.0	.0	.5	.3	1.6	3.0	3.0	5.7	8.2	16.1	21.4	23.4	22.7	32.5	20.8
1967	2.9	.0	.0	.0	.0	.0	.4	.4	.4	2.2	3.4	7.8	8.9	13.2	13.9	19.2	22.4	26.2	42.1
1968	3.1	.0	.0	.0	.0	.0	.1	.3	1.5	1.9	3.8	7.7	10.7	15.4	18.1	15.1	22.4	28.7	27.9
1969	3.4	.0	.0	.0	.0	.1	.4	.5	.9	2.6	3.3	6.8	11.4	17.1	16.8	23.8	23.1	33.0	40.0
1970	2.9	.0	.0	.0	.0	.0	.7	.3	1.2	.8	3.6	3.8	10.5	11.5	16.0	22.3	25.6	28.1	42.3
1971	3.1	.0	.0	.1	.1	.0	.6	.7	1.5	1.2	4.2	5.1	8.0	11.0	16.2	25.0	26.3	32.7	40.8
1972	2.9	.0	.0	.0	.0	.0	.0	.2	.5	1.1	3.7	3.8	8.8	10.3	15.2	27.9	28.1	30.4	39.0
1973	2.9	.0	.0	.0	.1	.1	.2	.2	.7	1.3	1.9	4.8	10.2	9.4	16.1	26.4	29.8	24.8	28.4
1974	2.8	.0	.0	.0	.0	.1	.4	.4	.9	.8	3.1	4.7	7.0	10.3	14.1	23.6	24.9	29.4	35.7
1975	2.7	.0	.0	.1	.1	.0	.1	.2	.4	1.2	3.5	3.9	7.4	9.9	11.9	24.9	34.8	25.2	24.5
1976	2.5	.0	.0	.0	.0	.0	.1	.4	.0	1.0	2.8	5.1	5.9	9.4	11.2	21.9	27.8	22.6	27.5
1977	2.4	.0	.0	.0	.0	.1	.2	.3	.3	1.2	1.9	3.5	7.2	9.6	10.5	19.2	25.7	27.1	18.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	326	0	0	0	1	0	1	9	19	28	32	52	50	38	35	21	19	12	9
1951	312	0	0	0	0	2	3	6	11	20	28	41	40	46	51	25	20	7	12
1952	345	0	0	0	2	1	3	6	8	21	28	55	52	46	56	25	14	14	14
1953	331	2	0	0	0	2	2	5	17	26	26	46	52	38	46	28	19	11	11
1954	331	1	0	0	0	3	2	8	13	19	31	49	36	39	45	34	25	18	8
1955	367	0	0	0	1	1	1	5	13	30	29	47	47	61	45	34	28	14	11
1956	328	0	0	0	0	0	4	4	11	26	33	38	46	44	40	31	25	12	14
1957	349	0	0	0	0	1	1	7	6	21	22	38	74	40	40	34	31	15	19
1958	328	0	0	0	1	2	4	4	6	11	33	48	50	46	48	30	20	16	9
1959	321	0	0	0	0	1	3	6	7	11	30	26	48	48	49	36	26	22	8
1960	403	0	0	0	1	3	1	2	12	17	37	36	47	58	63	47	38	23	18
1961	357	0	0	0	1	2	3	4	7	27	22	41	52	49	37	39	33	21	19
1962	369	0	0	0	0	0	2	3	9	16	26	40	56	54	59	39	30	17	18
1963	326	0	0	0	0	0	1	3	9	14	19	48	35	39	53	49	21	19	16
1964	362	0	0	0	0	1	2	3	7	17	20	35	48	56	64	43	37	16	13
1965	357	0	0	0	0	1	2	2	3	12	18	49	39	54	65	42	27	19	24
1966	383	0	0	0	0	0	4	2	12	21	18	31	39	58	74	55	32	26	11
1967	356	0	0	0	0	0	3	3	3	16	21	43	43	50	49	46	33	22	24
1968	387	0	0	0	0	0	1	2	11	14	24	43	53	61	65	37	34	25	17
1969	436	0	0	0	0	1	3	4	7	19	22	39	57	71	62	59	36	30	26
1970	387	0	0	0	0	0	6	2	9	6	24	22	53	50	60	57	41	27	30
1971	419	0	0	1	1	0	5	6	11	9	29	31	40	50	61	66	44	34	31
1972	201	0	0	0	0	0	0	1	2	4	13	12	22	24	30	36	24	17	16
1973	402	0	0	0	1	1	2	2	5	10	13	31	51	45	67	68	51	30	25
1974	399	0	0	0	0	1	4	4	7	6	22	31	36	50	62	61	43	37	35
1975	400	0	0	2	1	0	1	2	3	9	25	26	40	48	55	65	63	33	27
1976	375	0	0	0	0	0	1	4	0	8	20	35	33	45	55	58	52	31	33
1977	362	0	0	0	0	1	3	3	3	9	14	24	42	46	53	54	47	38	25


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.1	.0	-	.3	.5	.6	.6	.7	.7	.5	.5	.4	.4	.4	.3
1951	.4	.0	.0	.0	.0	.1	.1	.2	.3	.4	.5	.6	.6	.7	.7	.4	.4	.2	.3
1952	.4	.0	.0	.0	.2	.1	.2	.2	.2	.5	.5	.7	.8	.7	.7	.4	.3	.5	.4
1953	.4	-	.0	.0	.0	.2	.1	.2	.5	.6	.5	.6	.8	.5	.6	.4	.4	.3	.3
1954	.4	-	.0	.0	.0	.3	.1	.3	.4	.4	.6	.7	.6	.6	.6	.5	.6	.5	.2
1955	.5	.0	.0	.0	.2	.1	.1	.2	.4	.7	.6	.7	.7	.8	.6	.5	.6	.4	.3
1956	.4	.0	.0	.0	.0	.0	.3	.2	.4	.6	.6	.6	.6	.6	.5	.4	.5	.3	.3
1957	.4	.0	.0	.0	.0	.1	.1	.3	.2	.5	.4	.6	.9	.5	.4	.4	.6	.4	.4
1958	.4	.0	.0	.0	.2	.2	.3	.2	.2	.3	.6	.7	.6	.6	.5	.4	.3	.4	.2
1959	.4	.0	.0	.0	.0	.1	.2	.3	.2	.3	.6	.4	.6	.6	.6	.5	.4	.5	.2
1960	.4	.0	.0	.0	.2	.3	.1	.1	.4	.4	.7	.5	.6	.6	.7	.5	.6	.5	.3
1961	.4	.0	.0	.0	.1	.2	.2	.2	.2	.7	.4	.6	.7	.5	.4	.4	.5	.4	.4
1962	.4	.0	.0	.0	.0	.0	.1	.1	.3	.4	.5	.6	.7	.5	.6	.4	.4	.3	.3
1963	.3	.0	.0	.0	.0	.0	.1	.1	.3	.3	.4	.7	.4	.4	.5	.5	.3	.3	.3
1964	.4	.0	.0	.0	.0	.1	.1	.1	.2	.4	.4	.5	.6	.5	.6	.4	.5	.3	.2
1965	.4	.0	.0	.0	.0	.1	.1	.1	.1	.3	.3	.7	.5	.5	.6	.4	.3	.3	.4
1966	.4	.0	.0	.0	.0	.0	.3	.1	.4	.5	.3	.5	.5	.6	.6	.5	.4	.4	.2
1967	.4	.0	.0	.0	.0	.0	.2	.1	.1	.4	.4	.7	.5	.5	.4	.5	.4	.4	.3
1968	.4	.0	.0	.0	.0	.0	.1	.1	.3	.3	.4	.6	.6	.6	.5	.3	.4	.4	.2
1969	.4	.0	.0	.0	.0	.1	.2	.2	.2	.4	.4	.6	.7	.7	.5	.6	.4	.4	.3
1970	.4	.0	.0	.0	.0	.0	.4	.1	.3	.1	.4	.3	.6	.5	.5	.5	.4	.4	.4
1971	.4	.0	.0	.2	.1	.0	.3	.3	.4	.2	.5	.5	.5	.5	.5	.5	.5	.5	.4
1972	.4	.0	.0	.0	.0	.0	.0	.1	.1	.2	.5	.4	.6	.5	.5	.6	.5	.4	.4
1973	.4	.0	.0	.0	.1	.1	.1	.1	.2	.3	.2	.4	.7	.4	.6	.5	.5	.4	.3
1974	.4	.0	.0	.0	.0	.1	.2	.2	.3	.2	.4	.5	.5	.5	.6	.5	.4	.5	.3
1975	.4	.0	.0	.4	.1	.0	.1	.1	.1	.3	.5	.4	.5	.5	.5	.5	.6	.4	.3
1976	.4	.0	.0	.0	.0	.0	.1	.2	.0	.2	.4	.6	.4	.5	.5	.5	.5	.4	.3
1977	.4	.0	.0	.0	.0	.1	.2	.2	.1	.3	.3	.4	.6	.5	.5	.4	.4	.4	.2


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	1669	2.46	2.81	1.67	2716	3.99	4.24	2.90	152	1.96	2.72	1.80	116	1.43	2.06	1.39
1951	1690	2.46	2.78	1.65	2776	4.01	4.22	2.92	154	1.94	2.71	1.79	133	1.61	2.30	1.60
1952	1804	2.58	2.89	1.68	2841	4.04	4.22	2.91	149	1.84	2.41	1.52	152	1.79	2.59	1.79
1953	1877	2.65	2.95	1.69	2921	4.08	4.20	2.92	174	2.10	3.00	1.86	150	1.73	2.35	1.64
1954	1855	2.57	2.86	1.63	3040	4.17	4.24	2.99	185	2.18	2.96	1.74	157	1.77	2.47	1.72
1955	1922	2.62	2.94	1.67	3059	4.13	4.15	2.95	179	2.06	2.92	1.73	168	1.84	2.63	1.85
1956	2029	2.73	3.04	1.70	3230	4.28	4.26	3.06	198	2.22	2.98	1.67	165	1.76	2.49	1.70
1957	2134	2.82	3.11	1.73	3189	4.15	4.11	2.96	203	2.22	3.15	1.73	166	1.73	2.36	1.64
1958	2195	2.86	3.16	1.78	3287	4.21	4.12	3.03	279	2.98	4.07	2.28	186	1.89	2.61	1.81
1959	2235	2.86	3.14	1.76	3391	4.27	4.14	3.08	271	2.82	3.78	2.02	180	1.78	2.49	1.78
1960	2418	3.05	3.35	1.85	3333	4.13	3.96	2.95	301	2.99	4.17	2.20	194	1.83	2.57	1.78
1961	2438	3.03	3.33	1.83	3412	4.16	3.95	2.97	284	2.76	3.85	1.99	225	2.07	2.85	1.98
1962	2513	3.08	3.38	1.85	3385	4.06	3.82	2.88	309	2.94	4.07	2.08	216	1.94	2.66	1.88
1963	2465	2.99	3.30	1.78	3309	3.91	3.65	2.76	338	3.14	4.44	2.16	212	1.86	2.56	1.84
1964	2488	2.98	3.29	1.76	3314	3.87	3.57	2.73	354	3.22	4.54	2.24	238	2.04	2.78	1.98
1965	2578	3.05	3.37	1.78	3430	3.95	3.61	2.74	350	3.13	4.43	2.15	231	1.94	2.59	1.84
1966	2523	2.96	3.26	1.71	3392	3.86	3.47	2.65	410	3.60	5.03	2.33	259	2.13	2.85	1.99
1967	2548	2.96	3.27	1.69	3511	3.96	3.52	2.68	407	3.51	4.94	2.26	279	2.25	3.02	2.13
1968	2658	3.07	3.37	1.73	3459	3.86	3.39	2.60	421	3.57	5.03	2.23	267	2.11	2.79	1.95
1969	2630	3.01	3.31	1.69	3339	3.69	3.21	2.47	394	3.29	4.71	2.07	263	2.04	2.67	1.89
1970	2580	2.93	3.19	1.62	3387	3.70	3.17	2.43	405	3.32	4.63	2.01	253	1.92	2.49	1.79
1971	2746	3.09	3.36	1.69	3308	3.58	3.02	2.33	408	3.28	4.66	2.03	265	1.97	2.54	1.77
1972	1305	2.92	3.17	1.57	1659	3.57	2.98	2.28	207	3.26	4.59	1.95	137	1.99	2.57	1.81
1973	2586	2.88	3.10	1.54	3215	3.43	2.83	2.17	424	3.29	4.65	1.92	318	2.27	2.94	2.00
1974	2676	2.96	3.16	1.55	3353	3.56	2.90	2.21	435	3.31	4.66	1.89	315	2.21	2.76	1.90
1975	2620	2.89	3.05	1.50	3271	3.45	2.75	2.11	459	3.42	4.82	1.94	304	2.08	2.62	1.83
1976	2763	3.03	3.18	1.54	3287	3.45	2.72	2.05	482	3.53	4.98	1.97	306	2.06	2.58	1.79
1977	2880	3.14	3.25	1.56	3342	3.48	2.71	2.04	538	3.87	5.37	2.08	333	2.20	2.74	1.85

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Intrahepatic bile ducts, liver, extrahepatic bile ducts, ampulla of Vater, gallbladder, and biliary tract (NOS).
(ICD 155 [6th]; ICD 155-155.8 [7th]; ICD 155-156.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



POPPER H: Hepatic cancers in man: Quantitative perspectives. Environ Res 19:482-494, 1979

AOKI K: Cancer of the liver. International mortality trends. World Health Stat Q 31:28-50, 1979

SARACCI R, REPETTO F: Time trends of primary liver cancer: Indication of increased incidence in selected cancer registry populations. JNCI 65:241-247, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.5	.1	-	-	-	-	.1	.2	.4	1.0	1.7	3.3	6.0	9.4	13.0	17.1	21.3	20.8	25.5
1951	2.5	.1	-	.0	.1	-	.1	.2	.2	.7	1.6	3.0	6.6	9.8	12.1	17.6	22.6	21.8	19.9
1952	2.6	.1	-	-	-	.1	.1	.1	.5	.6	1.5	3.1	7.0	10.2	14.0	19.4	20.2	20.7	21.4
1953	2.6	.1	-	-	.0	-	.1	.1	.4	.8	2.2	3.3	6.1	10.6	14.4	18.5	20.6	24.9	20.3
1954	2.6	.2	.0	.1	-	-	.1	.1	.2	.7	1.1	3.7	5.4	10.2	15.1	18.9	21.2	21.6	19.7
1955	2.6	.1	-	-	-	-	.1	.1	.2	.7	1.5	2.9	5.2	9.3	15.4	19.0	24.0	25.7	26.6
1956	2.7	.1	-	.1	.1	.1	.1	.2	.3	.9	1.7	3.5	5.6	9.8	14.4	16.9	26.4	26.5	29.3
1957	2.8	.1	-	-	.0	.1	.1	.2	.5	.7	1.5	3.4	6.0	10.4	16.4	21.6	20.5	27.7	24.1
1958	2.9	.1	-	-	-	-	.1	.3	.3	.7	1.5	3.9	5.6	11.0	15.3	20.1	25.0	26.1	27.4
1959	2.9	.1	-	-	.1	.1	.1	.2	.5	1.0	1.7	3.7	5.9	10.8	15.5	19.0	23.8	25.9	26.6
1960	3.1	.2	.1	.1	.1	.0	.1	.2	.3	.8	1.7	3.6	6.6	11.5	15.9	23.1	24.4	27.2	27.8
1961	3.0	.2	-	-	-	-	.1	.2	.3	.6	1.9	3.3	6.1	11.5	15.7	22.5	26.4	30.4	25.1
1962	3.1	.2	.1	-	.1	.1	.2	.3	.4	.7	1.9	3.3	6.5	11.9	16.9	21.4	24.5	29.1	26.5
1963	3.0	.2	-	-	-	.1	.2	.1	.3	.6	1.8	3.0	6.3	10.4	16.9	21.8	26.7	28.5	29.2
1964	3.0	.2	-	-	.1	.2	.1	.2	.3	.7	1.7	3.3	6.0	10.7	16.6	21.9	24.8	28.9	28.7
1965	3.1	.1	-	.1	.1	.1	.2	.2	.4	.7	1.5	3.4	6.1	11.1	15.7	23.5	26.3	29.8	31.4
1966	3.0	.2	.1	-	.1	.1	.1	.2	.2	.9	1.9	3.6	5.4	10.4	15.1	21.6	26.8	28.8	29.0
1967	3.0	.2	-	.1	.1	.1	.2	.2	.3	.7	1.6	3.2	6.4	9.5	16.0	21.4	25.2	30.6	32.8
1968	3.1	.2	-	.1	.1	.1	.1	.2	.5	.7	1.5	3.7	6.3	9.5	15.6	22.7	28.9	29.2	34.3
1969	3.0	.2	-	-	-	.1	.1	.1	.3	.7	1.7	3.2	6.7	10.0	15.3	20.8	26.8	32.4	33.0
1970	2.9	.3	-	-	.1	.2	.1	.3	.4	1.1	1.6	3.0	6.1	10.0	14.1	20.3	27.1	31.3	24.9
1971	3.1	.2	-	-	.1	.2	.1	.3	.4	.8	1.7	3.3	6.1	9.8	15.9	19.9	30.9	31.6	32.3
1972	2.9	.1	.1	-	-	.2	.1	.4	.4	.9	1.5	2.6	5.8	9.5	14.5	18.2	29.9	32.4	29.3
1973	2.9	.3	-	-	-	.1	.1	.2	.2	.7	1.3	2.9	5.7	9.0	13.7	20.8	28.4	30.8	27.8
1974	3.0	.1	.1	-	.1	.1	.1	.2	.4	1.0	1.5	3.0	5.8	10.1	14.4	19.3	26.2	32.1	28.3
1975	2.9	.2	-	-	.1	.1	.2	.2	.3	.4	1.3	2.8	5.6	8.3	15.0	19.9	26.7	29.3	31.1
1976	3.0	.2	-	.1	.1	.1	.2	.1	.4	.7	1.6	3.2	5.4	9.8	13.3	20.7	28.2	31.1	30.8
1977	3.1	.2	-	-	.1	.1	.2	.1	.2	.8	1.6	3.4	5.8	10.2	14.6	21.1	25.6	34.3	29.3

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1669	6	2	1	1	2	6	11	19	48	70	124	203	267	291	261	200	100	57
1951	1690	6	3	0	3	2	4	11	12	34	68	113	226	283	277	275	219	106	48
1952	1804	7	3	1	1	3	4	7	25	30	66	117	240	299	329	313	202	102	55
1953	1877	6	2	1	0	1	8	8	20	40	94	125	210	317	345	307	212	126	55
1954	1855	13	0	4	1	2	4	6	12	33	51	143	186	311	369	327	224	113	56
1955	1922	10	1	2	2	1	5	5	8	33	70	113	183	285	384	340	261	140	79
1956	2029	12	2	4	3	4	5	12	16	46	79	137	196	304	364	312	294	150	89
1957	2134	5	2	3	0	3	4	13	26	34	68	136	212	325	422	408	236	162	75
1958	2195	13	1	3	2	2	5	14	15	37	73	161	201	341	400	389	295	156	87
1959	2235	10	4	2	3	3	3	12	28	50	81	157	217	337	412	378	292	159	87
1960	2418	14	7	4	7	0	4	12	19	40	82	156	246	358	428	469	309	170	93
1961	2438	18	3	1	2	2	6	8	17	31	95	147	234	361	422	465	343	197	86
1962	2513	16	10	2	4	7	9	16	24	38	95	145	253	374	455	450	324	200	91
1963	2465	18	2	2	3	3	8	7	16	30	88	135	251	330	452	464	359	196	101
1964	2488	15	3	1	4	9	6	10	18	36	86	149	243	344	445	471	340	206	102
1965	2578	12	3	6	4	7	9	8	21	36	76	155	252	362	422	508	365	218	114
1966	2523	13	6	4	6	7	7	12	12	49	97	166	225	347	407	464	377	216	108
1967	2548	14	2	5	6	4	8	11	15	36	84	150	271	325	435	459	361	235	127
1968	2658	12	1	7	7	5	4	9	23	40	76	174	271	335	427	483	418	229	137
1969	2630	12	2	3	2	7	5	7	13	37	91	153	287	361	426	439	390	258	137
1970	2580	19	1	2	9	12	6	13	17	55	84	144	265	367	399	430	391	254	112
1971	2746	12	1	1	8	12	9	15	20	40	88	162	268	366	460	422	451	261	150
1972	1305	3	4	1	1	6	5	10	9	22	39	65	128	180	215	193	217	137	70
1973	2586	19	3	3	3	9	5	10	11	34	65	149	254	346	418	447	406	266	138
1974	2676	10	7	3	6	5	8	12	18	48	77	157	260	391	451	423	373	279	148
1975	2620	12	2	4	5	9	13	13	16	20	64	147	255	324	482	443	384	256	171
1976	2763	13	2	5	5	8	12	8	21	36	81	164	253	388	435	474	407	278	173
1977	2880	16	2	3	7	5	13	10	13	39	80	173	278	405	488	499	370	308	171

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.1	-	-	-	.1	.1	.1	.2	.2	.3	.3	.3	.3	.3	.2	.2	.1
1951	.2	-	.1	.0	-	-	-	.1	.1	.2	.2	.2	.3	.4	.3	.3	.3	.2	.1
1952	.2	-	.1	-	-	-	-	.1	.2	.1	.2	.3	.4	.4	.3	.3	.2	.2	.1
1953	.2	-	-	-	.0	-	.1	.1	.1	.2	.3	.3	.3	.4	.4	.3	.2	.2	.1
1954	.2	-	.0	.1	-	-	-	.1	.1	.2	.2	.3	.3	.4	.4	.3	.3	.2	.1
1955	.2	-	-	.1	-	-	.1	.1	.1	.2	.2	.3	.3	.3	.4	.3	.3	.2	.1
1956	.3	-	-	.1	-	-	.1	.1	.1	.2	.2	.3	.3	.4	.4	.3	.3	.2	.1
1957	.3	-	-	.1	.0	-	.1	.1	.2	.2	.2	.3	.3	.4	.4	.4	.2	.2	.1
1958	.3	-	-	.1	-	-	.1	.2	.1	.2	.2	.3	.3	.4	.4	.3	.3	.2	.1
1959	.3	-	.1	-	-	-	-	.1	.2	.2	.2	.3	.3	.4	.4	.3	.3	.2	.1
1960	.3	-	.2	.1	.1	.0	.1	.1	.1	.2	.2	.3	.4	.4	.4	.4	.3	.2	.1
1961	.3	-	.1	-	-	-	.1	.1	.1	.1	.3	.3	.4	.4	.4	.4	.3	.2	.1
1962	.3	-	.2	.1	.1	.1	.2	.2	.2	.2	.3	.3	.4	.4	.4	.4	.3	.2	.1
1963	.3	-	-	.1	-	-	.1	.1	.1	.1	.3	.3	.4	.4	.4	.4	.3	.2	.1
1964	.3	-	.1	-	-	.1	.1	.1	.1	.2	.3	.3	.3	.4	.4	.4	.3	.2	.1
1965	.3	-	.1	.1	-	.1	.1	.1	.2	.2	.2	.3	.3	.4	.4	.4	.3	.2	.1
1966	.3	-	.1	.1	.1	.1	.1	.1	.1	.2	.3	.3	.3	.4	.4	.4	.3	.2	.1
1967	.3	-	-	.1	.1	-	.1	.1	.1	.2	.2	.3	.4	.3	.4	.4	.3	.2	.1
1968	.3	-	-	.2	.1	-	-	.1	.2	.2	.2	.3	.4	.3	.4	.4	.3	.2	.2
1969	.3	-	-	.1	-	.1	.1	.1	.1	.2	.3	.3	.4	.4	.4	.4	.3	.3	.2
1970	.3	.1	-	-	.1	.1	.1	.1	.1	.3	.2	.3	.3	.4	.4	.4	.3	.3	.1
1971	.3	-	-	-	.1	.1	.1	.2	.2	.2	.3	.3	.4	.4	.4	.3	.4	.3	.2
1972	.3	-	.2	-	-	.1	.1	.2	.2	.2	.2	.2	.3	.4	.4	.3	.3	.3	.1
1973	.3	.1	.1	.1	-	.1	-	.1	.1	.2	.2	.3	.3	.3	.4	.4	.3	.2	.1
1974	.3	-	.2	.1	-	-	.1	.1	.2	.3	.2	.3	.4	.4	.4	.3	.3	.3	.1
1975	.3	-	.1	.1	-	.1	.1	.1	.1	.1	.2	.3	.4	.3	.4	.4	.3	.2	.2
1976	.3	.1	.1	.1	-	.1	.1	.1	.2	.2	.3	.3	.4	.4	.4	.4	.3	.3	.2
1977	.3	.1	.1	.1	.1	-	.1	.1	.1	.2	.3	.4	.4	.4	.4	.4	.3	.3	.2

Age-specific Graphs for White Males


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.0	-	.0	.0	-	.1	.1	.1	.5	1.1	2.0	4.3	9.4	16.2	20.0	29.0	32.5	32.5	26.9
1951	4.0	.1	-	.0	-	.1	.1	.2	.3	1.0	2.6	5.4	8.9	15.3	20.0	26.9	30.0	35.1	32.5
1952	4.0	.1	-	-	.1	-	.1	.2	.4	.8	2.0	4.0	9.0	14.5	19.6	27.5	34.9	38.2	33.8
1953	4.1	-	.0	.0	.0	-	.1	.2	.3	.8	1.9	4.6	8.9	15.1	20.9	26.8	33.8	35.5	29.7
1954	4.2	-	-	.1	-	.1	-	.2	.2	.9	2.1	4.9	8.0	14.0	22.5	28.7	33.1	34.5	32.2
1955	4.1	.1	-	.0	-	.1	-	.2	.5	.8	1.6	4.1	9.1	14.0	22.0	25.9	32.2	35.3	34.4
1956	4.3	-	-	-	-	-	-	.2	.4	1.0	1.7	4.2	8.1	13.9	22.7	27.4	36.9	36.3	33.6
1957	4.2	.1	-	.0	.1	-	.1	.1	.3	.8	1.8	3.9	7.3	13.3	20.4	26.7	35.2	41.3	33.9
1958	4.2	.2	.0	-	.1	.1	.1	.2	.3	.9	2.0	4.2	7.6	14.6	21.0	25.6	31.9	36.3	35.9
1959	4.3	.2	-	.0	.1	.1	-	.1	.4	.9	2.1	3.7	7.9	13.9	19.7	27.5	32.4	38.0	40.0
1960	4.1	.2	-	-	.1	-	.1	.2	.3	1.1	1.6	3.8	6.5	12.6	19.4	26.4	32.5	40.0	35.6
1961	4.2	.1	-	-	.0	-	.1	.2	.5	.9	1.5	3.5	6.3	13.3	18.2	26.2	33.4	38.8	42.6
1962	4.1	.1	-	.1	.1	.1	.1	.1	.4	.9	1.8	3.4	5.5	12.5	18.3	25.8	33.5	37.6	33.5
1963	3.9	.1	.1	.1	.1	.1	.1	.1	.3	.7	1.8	3.1	6.8	11.2	16.7	24.3	32.2	35.3	34.9
1964	3.9	.2	-	-	.1	.1	.1	.1	.4	.8	2.0	3.3	5.7	11.1	18.1	22.4	29.6	36.0	32.9
1965	4.0	.1	.0	-	.1	.1	.1	.2	.4	.8	1.6	3.0	5.8	11.1	17.4	23.5	30.7	37.1	38.0
1966	3.9	.1	-	-	-	.1	.1	.2	.3	.6	1.7	2.4	6.1	9.0	16.4	24.7	32.3	35.9	33.0
1967	4.0	.1	.1	.1	.1	.1	-	.1	.4	.9	1.3	3.4	5.4	9.5	17.2	22.6	32.0	36.1	38.5
1968	3.9	.1	-	-	.1	.1	.1	.1	.3	.7	1.5	3.3	5.2	9.6	16.2	22.3	28.7	36.9	36.4
1969	3.7	.2	-	-	.1	.2	.1	.1	.3	.9	1.7	3.1	5.5	8.3	15.4	19.7	28.2	34.2	32.3
1970	3.7	.2	-	.1	.1	.1	.1	.2	.4	.9	1.6	3.4	4.5	8.6	14.4	20.8	27.3	35.2	32.6
1971	3.6	.1	-	-	.1	.1	.1	.3	.3	.7	1.2	2.5	5.4	7.7	13.7	19.3	26.4	34.6	34.7
1972	3.6	.0	-	.1	.1	.1	.1	.3	.6	.8	1.2	2.5	4.6	7.3	14.3	21.0	25.8	30.6	32.6
1973	3.4	.1	-	.0	-	.1	.1	.2	.3	.7	1.3	2.7	4.5	8.2	11.8	18.8	26.5	28.6	31.6
1974	3.6	.2	-	-	-	.1	-	.2	.4	.7	1.6	2.8	4.6	7.7	12.8	19.1	26.7	30.1	30.2
1975	3.5	.1	.0	-	.1	.1	.1	.1	.4	.7	1.5	2.6	4.6	7.2	10.5	18.1	25.0	30.2	33.2
1976	3.4	.2	-	-	-	.1	.1	.2	.3	.8	1.4	2.2	4.5	7.6	10.5	18.2	25.1	30.5	28.7
1977	3.5	.2	.1	-	-	.1	.1	.3	.3	.7	1.4	2.6	4.2	7.4	11.3	17.2	25.3	28.8	29.5

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2716	2	0	0	2	7	4	6	24	52	84	163	315	461	475	487	353	195	86
1951	2776	4	1	0	1	3	6	11	14	47	110	204	307	444	490	467	340	217	110
1952	2841	4	1	1	3	2	4	12	19	39	86	152	315	434	494	497	412	245	121
1953	2921	3	0	0	0	2	6	10	16	39	86	176	314	466	539	502	413	237	112
1954	3040	3	1	3	2	3	1	11	13	42	97	191	285	443	596	561	419	241	128
1955	3059	4	1	0	1	3	1	9	28	40	76	164	327	455	597	528	423	258	144
1956	3230	2	2	1	1	1	2	10	21	50	79	171	296	461	628	580	500	278	147
1957	3189	8	2	0	4	1	5	6	15	41	88	161	268	445	582	582	496	329	156
1958	3287	13	0	1	3	7	5	9	17	47	99	178	287	492	615	577	467	298	172
1959	3391	14	1	0	3	5	1	8	24	45	102	162	305	474	590	638	496	321	202
1960	3333	14	2	1	6	1	4	11	17	56	78	168	256	433	596	632	519	349	190
1961	3412	10	4	2	0	1	5	9	27	47	75	160	254	458	569	648	553	355	235
1962	3385	12	3	6	4	3	6	3	21	52	93	159	227	437	576	660	572	361	190
1963	3309	12	5	4	5	3	4	5	19	38	91	144	289	395	530	640	567	354	204
1964	3314	13	2	1	6	6	6	7	20	43	102	157	251	395	581	606	539	379	200
1965	3430	6	0	2	5	6	7	9	19	48	84	146	259	404	563	648	576	407	241
1966	3392	9	3	1	3	4	5	10	17	34	90	119	276	336	539	691	625	410	220
1967	3511	8	5	5	5	6	2	7	21	52	71	167	247	365	572	637	641	429	271
1968	3459	9	3	3	5	10	3	7	15	37	82	168	241	382	546	634	591	454	269
1969	3339	12	3	4	8	11	8	7	15	47	96	156	256	340	529	562	596	436	253
1970	3387	12	3	5	5	6	6	8	20	47	89	175	214	358	506	601	582	468	282
1971	3308	10	1	4	6	11	6	14	14	39	66	130	256	328	490	563	575	480	315
1972	1659	0	1	3	3	4	4	9	15	21	32	67	111	159	264	307	283	221	155
1973	3215	7	3	0	3	6	6	11	14	36	73	149	216	357	449	560	580	429	316
1974	3353	11	3	3	3	6	2	10	19	37	85	154	226	340	503	579	588	460	324
1975	3271	7	0	2	9	6	10	7	21	37	79	142	228	321	427	557	563	471	384
1976	3287	10	3	1	3	9	7	11	18	38	76	120	230	342	435	573	571	490	350
1977	3342	10	5	3	1	8	8	19	17	34	71	145	219	334	476	560	581	470	381


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	-	.0	.0	.1	.2	.1	.1	.3	.4	.5	.7	.9	1.0	.8	.7	.5	.3	.1
1951	.5	-	-	.0	-	.1	.1	.2	.1	.4	.6	.8	.9	1.0	.8	.7	.4	.3	.2
1952	.5	-	-	-	.1	.1	.1	.2	.2	.3	.5	.6	.9	.9	.8	.7	.5	.4	.2
1953	.5	-	.0	.0	.0	.1	.1	.2	.2	.3	.5	.7	.9	1.0	.9	.7	.5	.3	.2
1954	.5	-	-	.2	.1	.1	-	.2	.2	.3	.6	.8	.9	1.0	1.0	.8	.5	.3	.2
1955	.5	-	-	.0	-	.1	-	.2	.3	.3	.4	.7	1.0	1.0	1.0	.7	.5	.3	.2
1956	.5	-	.1	.1	-	-	.1	.2	.3	.4	.5	.8	.9	1.0	1.0	.7	.6	.3	.2
1957	.5	-	.1	.0	.1	-	.1	.1	.2	.3	.5	.7	.8	.9	.9	.7	.6	.4	.2
1958	.5	-	.0	-	.1	.2	.1	.2	.2	.4	.6	.7	.9	1.1	.9	.7	.5	.3	.2
1959	.5	-	-	.0	.1	.2	-	.1	.3	.4	.6	.7	1.0	1.0	.9	.8	.5	.4	.2
1960	.5	-	.1	-	.2	-	.1	.2	.2	.4	.4	.7	.8	.9	.9	.7	.5	.4	.2
1961	.5	-	.1	.1	.0	-	.1	.2	.3	.4	.4	.6	.8	1.0	.9	.8	.6	.4	.2
1962	.5	-	.1	.3	.1	.1	.2	.1	.2	.4	.5	.6	.7	1.0	.9	.8	.6	.4	.2
1963	.5	-	.2	.2	.1	.1	.1	.1	.2	.3	.5	.5	.8	.8	.8	.7	.6	.3	.2
1964	.5	-	.1	-	.2	.2	.2	.1	.2	.3	.5	.6	.7	.9	.9	.7	.5	.4	.2
1965	.5	-	.0	.1	.1	.2	.2	.2	.2	.4	.4	.5	.7	.9	.9	.7	.5	.4	.2
1966	.5	-	.1	-	.1	.1	.1	.2	.2	.3	.5	.4	.8	.7	.8	.8	.6	.4	.2
1967	.5	-	.2	.2	.1	.1	.1	.2	.3	.4	.4	.6	.7	.8	.9	.7	.6	.4	.2
1968	.5	-	.1	.1	.1	.2	.1	.1	.2	.3	.4	.6	.6	.8	.8	.7	.5	.4	.2
1969	.5	-	.1	.2	.2	.2	.2	.1	.2	.4	.5	.6	.7	.7	.8	.6	.5	.4	.2
1970	.5	-	.1	.2	.1	.1	.1	.2	.3	.4	.4	.6	.5	.7	.8	.7	.5	.4	.2
1971	.4	-	-	.2	.1	.2	.1	.3	.2	.3	.3	.5	.7	.6	.7	.6	.5	.4	.2
1972	.4	.0	.1	.2	.1	.2	.2	.4	.4	.4	.3	.5	.6	.6	.8	.7	.5	.4	.2
1973	.4	-	.1	.0	.1	.1	.1	.2	.2	.3	.4	.5	.5	.7	.7	.6	.5	.3	.2
1974	.4	.1	.1	.1	.1	.1	-	.2	.3	.3	.5	.5	.6	.7	.7	.7	.5	.4	.2
1975	.4	-	.0	.1	.2	.1	.2	.1	.3	.4	.5	.5	.6	.6	.6	.6	.5	.4	.2
1976	.4	.1	.2	.1	.1	.2	.1	.2	.3	.4	.5	.4	.6	.7	.6	.7	.5	.4	.2
1977	.4	.1	.3	.2	-	.2	.2	.4	.3	.4	.4	.6	.6	.6	.7	.7	.5	.4	.2


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.0	.0	.0	.0	.0	.5	.3	.5	1.2	1.8	2.5	5.3	7.4	14.3	9.9	9.4	16.9	5.4	10.8
1951	1.9	.1	.0	.0	.2	.0	.6	1.6	.3	1.0	2.5	5.7	8.3	9.7	10.6	10.0	19.1	13.1	10.3
1952	1.8	.0	.1	.0	.2	.3	.2	.5	1.4	2.1	3.4	3.5	9.0	9.9	11.4	10.4	7.1	2.6	4.9
1953	2.1	.0	.0	.1	.0	.2	.0	.0	1.2	1.9	1.8	5.2	9.7	13.2	12.1	12.5	18.7	25.0	.0
1954	2.2	.0	.0	.1	.3	.2	.0	.7	.8	1.5	4.2	8.2	5.9	10.7	14.5	12.9	15.2	12.2	4.3
1955	2.1	.0	.1	.1	.0	.0	.0	.6	.3	1.1	2.6	5.2	6.9	14.1	13.3	19.7	10.9	11.9	12.3
1956	2.2	.2	.0	.0	.1	.5	.0	.6	1.2	2.0	3.7	5.7	9.9	10.9	14.4	12.7	13.8	7.0	7.9
1957	2.2	.0	.0	.0	.0	.2	.0	.8	1.1	1.6	3.6	4.9	9.0	13.3	9.5	16.9	19.6	22.8	7.6
1958	3.0	.0	.1	.0	.0	.5	.3	.8	1.1	3.3	4.7	6.8	12.2	17.4	19.7	22.9	9.5	17.9	7.1
1959	2.8	.1	.0	.0	.1	.3	.5	1.0	2.4	3.1	4.9	8.6	10.8	12.0	15.6	15.1	15.2	19.7	13.7
1960	3.0	.1	.1	.1	.1	.0	.5	1.1	2.4	2.3	4.5	6.6	12.0	16.2	11.6	24.4	20.0	25.5	22.6
1961	2.8	.0	.0	.0	.0	.1	.2	.5	1.7	3.0	3.6	8.4	10.1	15.5	16.3	16.1	16.8	19.2	26.7
1962	2.9	.1	.0	.3	.0	.3	.2	.3	1.2	3.3	4.0	7.8	12.2	14.5	19.7	18.3	16.7	21.4	20.0
1963	3.1	.0	.0	.0	.1	.1	.2	.3	2.2	2.2	5.1	7.9	10.3	14.9	24.8	20.7	27.5	15.3	26.7
1964	3.2	.3	.1	.1	.0	.0	.9	.3	.9	2.3	3.4	10.4	13.6	18.2	16.8	21.7	18.9	34.4	18.8
1965	3.1	.0	.0	.1	.1	.2	.3	.9	1.2	2.0	4.9	8.1	11.6	20.2	17.1	21.4	23.9	19.0	23.5
1966	3.6	.1	.0	.0	.2	.5	.5	1.2	.9	3.7	6.3	8.5	12.5	17.0	25.0	29.4	24.3	15.6	22.2
1967	3.5	.1	.1	.1	.0	.2	.4	.5	.8	2.8	4.9	10.0	12.2	23.8	20.2	27.9	22.9	10.6	30.8
1968	3.6	.0	.0	.0	.1	.2	.6	.6	1.7	3.7	5.6	11.2	12.5	20.4	16.9	26.0	26.1	19.4	31.7
1969	3.3	.3	.0	.0	.1	.1	.1	.6	1.1	2.3	5.9	9.1	12.7	14.0	20.1	20.7	27.5	36.8	29.5
1970	3.3	.0	.1	.1	.0	.2	.5	1.3	2.1	2.9	5.6	6.8	13.6	19.3	18.4	21.2	25.2	21.4	17.0
1971	3.3	.2	.1	.0	.1	.3	.1	.7	.8	2.2	3.8	6.2	17.6	20.1	16.4	21.4	27.9	27.0	20.8
1972	3.3	.3	.0	.0	.0	.2	.7	.3	.6	1.3	3.7	10.5	9.2	17.3	29.1	22.7	19.8	23.1	24.0
1973	3.3	.1	.3	.1	.0	.1	.0	.5	1.3	2.0	4.6	8.2	14.9	16.5	21.5	20.1	31.5	18.1	23.1
1974	3.3	.0	.1	.1	.0	.2	.3	1.3	1.2	2.7	4.2	7.6	13.6	17.3	21.3	23.0	31.3	18.8	14.0
1975	3.4	.1	.1	.1	.1	.1	.9	1.0	1.2	2.0	3.2	8.4	13.8	16.5	19.2	31.5	31.2	25.6	10.8
1976	3.5	.1	.1	.1	.4	.2	.4	1.1	1.2	1.6	4.1	6.1	14.1	19.6	19.1	33.0	33.3	28.6	11.8
1977	3.9	.2	.1	.1	.2	.4	.5	1.0	1.8	2.6	4.7	8.2	13.7	18.0	23.7	32.3	36.2	24.7	22.2

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	152	0	0	0	0	3	2	3	7	9	11	20	21	30	20	11	11	2	2
1951	154	1	0	0	1	0	4	9	2	5	11	22	24	21	22	12	13	5	2
1952	149	0	1	0	1	2	1	3	8	11	15	14	27	22	24	13	5	1	1
1953	174	0	0	1	0	1	0	0	7	10	8	21	30	30	26	16	14	10	0
1954	185	0	0	1	2	1	0	4	5	8	19	34	19	25	32	17	12	5	1
1955	179	0	1	1	0	0	0	4	2	6	12	22	23	34	30	27	9	5	3
1956	198	2	0	0	1	3	0	4	7	11	17	24	34	27	33	18	12	3	2
1957	203	0	0	0	0	1	0	5	7	9	17	21	32	34	22	25	18	10	2
1958	279	0	1	0	0	3	2	5	7	18	23	29	45	46	46	35	9	8	2
1959	271	2	0	0	1	2	3	6	15	17	25	37	41	33	37	24	15	9	4
1960	301	1	1	1	1	0	3	7	15	13	24	30	48	47	29	41	21	12	7
1961	284	0	0	0	0	1	1	3	11	17	19	39	41	46	42	28	18	10	8
1962	309	1	0	3	0	2	1	2	8	19	21	37	50	44	52	33	18	12	6
1963	338	0	0	0	1	1	1	2	14	13	27	38	43	46	67	38	30	9	8
1964	354	4	1	1	0	0	6	2	6	14	18	51	58	57	47	41	21	21	6
1965	350	0	0	1	1	2	2	6	8	12	26	40	50	65	49	41	27	12	8
1966	410	1	0	0	2	4	3	8	6	23	34	42	55	56	73	57	28	10	8
1967	407	1	1	2	0	2	3	3	5	17	27	50	54	81	60	55	27	7	12
1968	421	0	0	0	1	2	4	4	11	23	32	56	56	72	51	52	31	13	13
1969	394	4	0	0	1	1	1	4	7	14	34	46	57	51	61	42	33	25	13
1970	405	0	1	1	0	2	4	9	13	18	33	35	61	73	57	44	31	15	8
1971	408	3	1	0	1	3	1	5	5	14	23	33	77	79	51	46	36	20	10
1972	207	2	0	0	0	1	3	1	2	4	11	29	20	35	47	24	13	9	6
1973	424	2	4	1	0	1	0	4	8	13	28	47	65	68	72	43	41	15	12
1974	435	0	1	1	0	3	3	10	8	17	26	44	61	72	74	50	41	16	8
1975	459	2	2	1	2	1	9	8	8	13	20	49	65	68	70	69	43	22	7
1976	482	2	1	1	6	3	4	9	8	10	26	36	69	79	73	73	48	26	8
1977	538	3	2	1	3	5	5	9	13	17	30	49	70	72	94	75	51	23	16


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.1	.1	.1	.2	.2	.2	.2	.2	.3	.2	.1	.2	.1	.1
1951	.2	-	.0	.0	.1	.0	.1	.3	.1	.1	.2	.2	.3	.2	.2	.2	.2	.1	.1
1952	.1	.0	.1	.0	.1	.1	-	.1	.2	.2	.2	.2	.3	.2	.2	.2	.1	-	-
1953	.2	.0	.0	.1	.0	.1	.0	.0	.2	.2	.1	.2	.3	.3	.3	.2	.2	.3	.0
1954	.2	.0	.0	.2	.2	.1	.0	.1	.2	.2	.3	.4	.2	.3	.3	.2	.2	.1	-
1955	.2	.0	.1	.2	.0	.0	.0	.2	.1	.1	.2	.3	.3	.4	.3	.3	.2	.1	.1
1956	.2	-	.0	.0	.1	.2	.0	.1	.2	.2	.3	.3	.4	.3	.3	.2	.2	.1	.1
1957	.2	.0	.0	.0	.0	.1	.0	.2	.2	.2	.3	.3	.3	.3	.2	.3	.3	.2	-
1958	.3	.0	.1	.0	.0	.2	.1	.2	.2	.4	.4	.4	.5	.4	.4	.4	.1	.2	-
1959	.3	-	.0	.0	.1	.1	.1	.2	.4	.4	.4	.5	.4	.3	.3	.2	.2	.2	.1
1960	.3	-	.1	.1	.1	.0	.1	.3	.4	.3	.4	.3	.5	.4	.2	.4	.3	.2	.1
1961	.3	.0	.0	.0	.0	.1	-	.1	.3	.3	.3	.5	.4	.4	.3	.3	.2	.2	.2
1962	.3	-	.0	.4	.0	.1	-	.1	.2	.4	.3	.4	.5	.4	.4	.3	.2	.2	.1
1963	.3	.0	.0	.0	.1	-	-	.1	.4	.2	.4	.4	.4	.4	.5	.3	.3	.1	.1
1964	.3	-	.1	.1	.0	.0	.3	.1	.1	.2	.3	.6	.6	.4	.4	.3	.2	.4	.1
1965	.3	.0	.0	.1	.1	.1	.1	.2	.2	.2	.4	.4	.5	.5	.4	.3	.3	.2	.1
1966	.3	-	.0	.0	.1	.2	.1	.3	.1	.4	.5	.4	.5	.4	.5	.4	.3	.2	.1
1967	.3	-	.1	.2	.0	.1	.1	.1	.1	.3	.4	.5	.5	.7	.4	.4	.3	.1	.2
1968	.3	.0	.0	.0	-	.1	.1	.1	.2	.4	.4	.6	.5	.5	.3	.4	.3	.2	.2
1969	.3	-	.0	.0	-	-	-	.1	.1	.2	.4	.5	.5	.4	.4	.3	.3	.4	.2
1970	.3	.0	.1	.1	.0	-	.1	.2	.3	.3	.4	.4	.5	.5	.4	.3	.3	.2	.1
1971	.3	-	.1	.0	-	.1	-	.1	.1	.2	.3	.3	.7	.6	.4	.3	.3	.3	.2
1972	.3	-	.0	.0	.0	-	.2	-	.1	.1	.3	.6	.3	.5	.6	.3	.2	.2	.2
1973	.3	-	.4	.1	.0	-	.0	.1	.2	.2	.3	.4	.6	.5	.5	.3	.4	.2	.2
1974	.3	.0	.1	.1	.0	.1	.1	.3	.2	.3	.3	.4	.5	.5	.5	.3	.4	.2	.1
1975	.3	-	.3	.1	.1	-	.2	.2	.2	.2	.3	.5	.6	.5	.5	.5	.4	.3	.1
1976	.4	-	.1	.1	.2	.1	.1	.2	.2	.2	.4	.4	.6	.6	.5	.5	.4	.3	.1
1977	.4	-	.3	.1	.1	.1	.1	.2	.3	.3	.4	.5	.6	.5	.6	.5	.4	.3	.2


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	.0	.0	.0	.0	.0	.1	.3	.3	1.7	2.6	6.5	4.2	8.5	6.9	8.6	11.1	7.2	11.2
1951	1.6	.1	.0	.0	.0	.0	.3	.2	.5	2.1	2.4	3.2	6.5	13.3	9.9	11.4	12.1	4.5	.0
1952	1.8	.0	.0	.0	.3	.1	.4	.0	.6	1.5	3.0	4.6	6.6	11.0	8.8	16.9	10.2	14.8	10.5
1953	1.7	.0	.1	.0	.0	.1	.6	.3	.6	1.8	2.4	6.4	7.6	8.3	10.4	7.3	12.5	6.1	9.8
1954	1.8	.0	.1	.1	.0	.1	.0	.6	.3	1.4	1.9	5.5	9.5	10.4	9.7	7.7	14.4	8.0	12.3
1955	1.8	.1	.0	.1	.0	.1	.0	.1	.8	1.4	2.3	5.4	6.6	11.6	7.9	12.6	15.9	17.6	17.3
1956	1.8	.1	.0	.0	.1	.0	.0	.4	.5	1.5	2.5	3.0	9.0	11.5	8.1	11.5	17.1	11.7	8.4
1957	1.7	.1	.0	.1	.1	.0	.0	.1	1.1	.8	2.4	5.0	8.0	9.2	11.1	8.6	13.8	9.6	5.3
1958	1.9	.1	.0	.1	.0	.1	.0	.1	.3	1.0	2.9	6.1	8.0	9.6	11.7	9.5	15.8	13.4	13.0
1959	1.8	.0	.0	.0	.1	.0	.0	.3	.4	1.5	2.0	3.1	8.5	8.2	11.8	11.5	15.7	16.9	15.2
1960	1.8	.2	.0	.0	.0	.0	.4	.3	.7	.6	2.8	3.6	4.7	10.1	11.6	13.0	17.4	12.7	27.5
1961	2.1	.2	.0	.0	.0	.0	.0	.4	.8	1.4	1.4	5.2	7.2	13.7	11.1	15.5	20.2	11.5	12.5
1962	1.9	.1	.0	.0	.2	.0	.0	.7	.1	1.8	2.6	4.0	6.3	13.0	8.0	16.7	12.2	15.2	17.1
1963	1.9	.1	.0	.1	.0	.3	.1	.0	.1	1.1	3.5	4.1	6.8	12.2	9.3	10.8	9.4	21.4	20.9
1964	2.0	.1	.1	.1	.2	.0	.0	.1	.5	.9	2.9	3.1	4.9	15.4	12.3	15.8	16.8	13.5	15.6
1965	1.9	.2	.0	.1	.0	.2	.1	.3	.1	2.4	2.2	3.9	5.6	9.5	9.8	14.4	17.6	13.0	22.4
1966	2.1	.0	.0	.1	.1	.3	.4	.4	.5	1.0	3.0	4.0	6.3	9.4	12.7	15.7	14.2	27.5	17.0
1967	2.2	.0	.0	.0	.1	.0	.3	.5	.4	1.1	1.9	5.8	6.4	7.9	12.2	17.9	22.4	29.8	21.1
1968	2.1	.1	.0	.0	.1	.0	.1	.7	1.1	.8	1.7	2.9	5.1	11.4	12.5	18.4	17.1	25.3	16.4
1969	2.0	.0	.0	.0	.0	.1	.1	.7	.4	.7	1.2	4.2	6.6	9.4	13.9	15.3	15.4	16.5	24.6
1970	1.9	.0	.0	.0	.0	.1	.0	.9	.8	1.2	1.5	3.9	4.3	7.1	11.5	18.0	15.0	21.9	14.1
1971	2.0	.2	.1	.0	.1	.0	.3	.2	.4	1.2	1.0	4.1	5.8	8.4	9.8	15.2	20.4	18.3	17.1
1972	2.0	.1	.0	.1	.0	.2	.2	.0	.0	1.3	1.7	5.1	5.6	8.1	10.6	16.3	16.4	25.0	7.3
1973	2.3	.1	.0	.1	.1	.0	.4	.0	.7	.8	1.7	4.6	7.0	9.8	9.6	23.6	23.4	15.7	15.9
1974	2.2	.1	.0	.1	.1	.2	.5	.2	.9	1.3	2.7	4.1	4.7	10.1	9.3	18.9	16.2	21.4	19.4
1975	2.1	.1	.0	.0	.0	.1	.4	.4	.7	1.1	1.2	3.3	3.7	9.5	10.6	16.5	28.2	13.7	20.0
1976	2.1	.1	.0	.1	.0	.2	.1	.5	.6	.7	2.2	5.7	5.7	8.6	8.6	18.9	17.1	16.1	9.2
1977	2.2	.0	.0	.0	.0	.1	.1	.3	.8	.8	2.5	4.1	5.3	9.6	10.3	17.4	24.6	17.9	15.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	116	0	0	0	0	0	1	2	2	9	12	24	11	17	15	10	7	3	3
1951	133	1	0	0	0	0	2	1	3	11	11	12	18	28	22	14	8	2	0
1952	152	0	0	0	2	1	3	0	4	8	14	18	19	24	20	22	7	7	3
1953	150	0	1	0	0	1	4	2	4	10	11	26	23	19	24	10	9	3	3
1954	157	0	1	1	0	1	0	4	2	8	9	23	30	25	23	11	11	4	4
1955	168	1	0	1	0	1	0	1	5	8	11	23	22	29	19	19	13	9	6
1956	165	1	0	0	1	0	0	3	3	9	12	13	31	30	20	18	15	6	3
1957	166	1	0	1	1	0	0	1	7	5	12	22	29	25	28	14	13	5	2
1958	186	2	0	1	0	1	0	1	2	6	15	27	30	27	30	16	16	7	5
1959	180	0	0	0	1	0	0	2	3	9	11	14	33	24	31	20	17	9	6
1960	194	3	0	0	0	0	3	2	5	4	16	17	19	31	32	24	20	7	11
1961	225	3	0	0	0	0	0	3	6	9	8	25	30	43	32	30	24	7	5
1962	216	2	0	0	2	0	0	5	1	12	15	20	27	42	24	34	15	10	7
1963	212	1	0	1	0	2	1	0	1	7	20	21	30	40	29	23	12	15	9
1964	238	1	2	1	2	0	0	1	4	6	17	16	22	52	40	35	22	10	7
1965	231	3	0	1	0	2	1	2	1	17	13	21	26	33	33	33	24	10	11
1966	259	0	0	2	1	3	3	3	4	7	18	22	30	34	44	37	20	22	9
1967	279	0	0	0	1	0	2	4	3	8	12	32	31	30	43	43	33	25	12
1968	267	1	0	0	1	0	1	5	8	6	11	16	25	45	45	45	26	22	10
1969	263	0	0	0	0	1	1	5	3	5	8	24	33	39	51	38	24	15	16
1970	253	0	0	0	0	1	0	7	6	9	10	23	22	31	43	46	24	21	10
1971	265	3	1	0	2	0	3	2	3	9	7	25	29	38	37	40	34	19	13
1972	137	1	0	1	0	1	1	0	0	5	6	16	14	19	21	21	14	14	3
1973	318	1	0	2	2	0	4	0	5	6	12	30	35	47	40	61	40	19	14
1974	315	2	0	1	2	3	5	2	7	10	19	27	24	49	41	49	28	27	19
1975	304	1	0	0	0	1	4	4	6	8	9	22	20	46	49	43	51	18	22
1976	306	1	0	1	0	3	1	5	5	5	16	39	32	41	42	50	32	22	11
1977	333	0	0	0	0	1	1	3	7	6	18	28	31	46	52	49	45	25	21


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.2	.2	.2	.2	.2	.1	.1
1951	.2	-	.0	.0	.0	.0	.1	-	.1	.2	.2	.2	.3	.4	.3	.2	.2	.1	.0
1952	.2	.0	.0	.0	.2	.1	.2	.0	.1	.2	.3	.2	.3	.3	.3	.3	.2	.2	.1
1953	.2	.0	.2	.0	.0	.1	.2	.1	.1	.2	.2	.4	.3	.3	.3	.2	.2	.1	.1
1954	.2	.0	.2	.3	.0	.1	.0	.2	.1	.2	.2	.3	.5	.4	.3	.2	.2	.1	.1
1955	.2	-	.0	.2	.0	.1	.0	-	.2	.2	.2	.3	.3	.4	.2	.3	.3	.3	.2
1956	.2	-	.0	.0	.2	.0	.0	.1	.1	.2	.2	.2	.4	.4	.2	.2	.3	.2	.1
1957	.2	-	.0	.2	.1	.0	.0	-	.2	.1	.2	.3	.4	.3	.3	.2	.2	.1	-
1958	.2	-	.0	.3	.0	.1	.0	-	.1	.2	.3	.4	.4	.3	.3	.2	.3	.2	.1
1959	.2	.0	.0	.0	.1	.0	.0	.1	.1	.2	.2	.2	.4	.3	.4	.3	.3	.2	.1
1960	.2	-	.0	.0	.0	.0	.2	.1	.2	.1	.3	.3	.2	.3	.3	.3	.3	.2	.2
1961	.2	-	.0	.0	.0	.0	.0	.1	.2	.2	.2	.4	.4	.4	.3	.3	.4	.1	.1
1962	.2	-	.0	.0	.3	.0	.0	.2	-	.3	.3	.3	.4	.4	.2	.4	.2	.2	.1
1963	.2	-	.0	.2	.0	.2	.1	.0	-	.2	.4	.3	.4	.4	.3	.2	.2	.3	.2
1964	.2	-	.3	.2	.2	.0	.0	-	.1	.1	.3	.2	.3	.5	.4	.4	.3	.2	.1
1965	.2	-	.0	.2	.0	.2	.1	.1	-	.4	.3	.3	.3	.3	.3	.3	.3	.2	.2
1966	.3	.0	.0	.4	.1	.3	.2	.1	.1	.2	.3	.3	.4	.4	.4	.4	.2	.3	.1
1967	.3	.0	.0	.0	.1	.0	.1	.2	.1	.2	.2	.5	.4	.3	.4	.4	.4	.4	.2
1968	.3	-	.0	.0	.1	.0	.1	.2	.2	.1	.2	.2	.3	.5	.4	.4	.3	.3	.1
1969	.3	.0	.0	.0	.0	.1	.1	.2	.1	.1	.1	.4	.4	.4	.4	.4	.3	.2	.2
1970	.2	.0	.0	.0	.0	.1	.0	.4	.2	.2	.2	.3	.3	.3	.4	.4	.3	.3	.1
1971	.3	-	.2	.0	.2	.0	.2	.1	.1	.2	.1	.4	.4	.4	.3	.3	.4	.3	.2
1972	.3	-	.0	.3	.0	.1	.1	.0	.0	.2	.2	.5	.4	.4	.4	.3	.3	.4	.1
1973	.3	-	.0	.4	.2	.0	.2	.0	.2	.2	.2	.4	.4	.5	.3	.5	.4	.2	.1
1974	.3	-	.0	.2	.2	.2	.3	.1	.3	.3	.4	.4	.3	.5	.4	.4	.3	.3	.2
1975	.3	-	.0	.0	.0	.1	.2	.2	.3	.2	.2	.4	.3	.5	.5	.4	.5	.2	.2
1976	.3	-	.0	.2	.0	.2	.1	.3	.2	.2	.4	.6	.4	.4	.4	.4	.3	.3	.1
1977	.3	.0	.0	.0	.0	.1	.1	.2	.3	.2	.4	.4	.4	.5	.5	.4	.4	.3	.2


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	4869	7.19	8.17	4.87	3520	5.17	5.57	3.81	345	4.44	6.17	4.09	219	2.71	4.02	2.72
1951	5199	7.56	8.55	5.07	3511	5.07	5.39	3.72	374	4.71	6.75	4.45	264	3.19	4.55	3.16
1952	5258	7.52	8.48	4.93	3786	5.38	5.66	3.90	462	5.69	8.18	5.16	282	3.33	4.90	3.39
1953	5557	7.83	8.79	5.05	3896	5.44	5.66	3.94	451	5.44	7.68	4.77	261	3.01	4.34	3.03
1954	5966	8.28	9.22	5.27	4140	5.68	5.81	4.10	485	5.71	8.14	4.77	327	3.68	5.18	3.62
1955	6152	8.40	9.32	5.28	4247	5.73	5.80	4.12	599	6.88	9.69	5.73	341	3.74	5.23	3.68
1956	6616	8.89	9.86	5.51	4707	6.24	6.25	4.49	608	6.82	9.82	5.51	390	4.17	5.85	4.00
1957	6632	8.76	9.68	5.38	4689	6.11	6.04	4.36	636	6.96	9.94	5.46	386	4.02	5.61	3.89
1958	6806	8.86	9.77	5.51	4817	6.17	6.06	4.45	674	7.20	10.22	5.73	454	4.61	6.56	4.55
1959	7131	9.14	10.08	5.64	5004	6.30	6.12	4.56	723	7.52	10.80	5.78	458	4.52	6.34	4.54
1960	7241	9.14	10.06	5.57	5214	6.46	6.22	4.64	741	7.36	10.36	5.47	479	4.52	6.38	4.42
1961	7632	9.49	10.46	5.73	5342	6.51	6.20	4.65	817	7.93	11.30	5.83	558	5.14	7.12	4.95
1962	7929	9.72	10.67	5.83	5700	6.84	6.46	4.87	796	7.56	10.83	5.55	594	5.34	7.41	5.25
1963	8096	9.81	10.83	5.83	5802	6.86	6.42	4.84	848	7.89	11.46	5.59	580	5.09	7.02	5.05
1964	8056	9.64	10.62	5.70	5878	6.86	6.34	4.84	844	7.69	11.12	5.48	605	5.19	7.07	5.02
1965	8264	9.79	10.81	5.70	6150	7.09	6.48	4.93	973	8.69	12.70	6.17	615	5.16	7.10	5.03
1966	8453	9.92	10.93	5.73	6280	7.15	6.47	4.94	953	8.36	12.12	5.63	674	5.54	7.50	5.25
1967	8732	10.16	11.15	5.77	6502	7.33	6.54	4.99	964	8.31	12.10	5.53	688	5.54	7.37	5.19
1968	8872	10.24	11.23	5.76	6736	7.52	6.62	5.07	1045	8.86	12.99	5.76	728	5.75	7.58	5.29
1969	8838	10.12	11.07	5.66	7006	7.74	6.73	5.18	1094	9.13	13.34	5.85	711	5.51	7.23	5.12
1970	9044	10.27	11.16	5.66	7039	7.70	6.60	5.06	1017	8.33	12.26	5.32	785	5.96	7.79	5.60
1971	8894	10.01	10.85	5.46	7085	7.67	6.51	5.01	1070	8.60	12.52	5.45	859	6.38	8.29	5.76
1972	4468	10.00	10.76	5.35	3616	7.77	6.51	4.97	534	8.42	12.20	5.19	400	5.82	7.53	5.30
1973	9258	10.30	11.06	5.50	7393	7.90	6.55	5.03	1121	8.69	12.63	5.21	880	6.28	8.18	5.56
1974	9122	10.10	10.73	5.26	7755	8.23	6.74	5.13	1085	8.27	12.05	4.88	933	6.54	8.44	5.80
1975	9381	10.33	10.90	5.36	7876	8.31	6.67	5.10	1225	9.14	13.18	5.32	955	6.55	8.39	5.86
1976	9423	10.32	10.80	5.23	8093	8.49	6.73	5.08	1215	8.90	12.86	5.08	1004	6.75	8.54	5.91
1977	9649	10.51	10.90	5.24	8502	8.86	6.91	5.20	1289	9.27	13.33	5.16	1025	6.76	8.47	5.72

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Pancreas only.
(ICD 157 [6th]; ICD 157 [7th]; ICD 157-157.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



BERG JW, CONNELLY RR: Updating the epidemiologic data on pancreatic cancer. Semin Oncol 6:275-284, 1979

WYNDER EL: An epidemiological evaluation of the causes of cancer of the pancreas. Cancer Res 35:2228-2233, 1975

FRAUMENI JF: Cancers of the pancreas and biliary tract: Epidemiological considerations. Cancer Res 35:3437-3446, 1975

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7.2	-	-	.0	-	.0	.3	.3	1.2	2.8	6.2	11.2	17.5	28.2	37.0	47.2	60.8	67.3	63.9
1951	7.6	-	.0	.0	.0	.1	.2	.4	1.1	3.0	5.0	11.1	20.0	28.5	40.6	50.8	63.9	64.9	73.1
1952	7.5	-	-	-	-	.1	.1	.3	1.2	2.7	6.0	11.0	20.9	28.5	38.0	47.7	58.7	79.4	67.4
1953	7.8	-	.0	.0	.0	.1	.1	.5	1.1	2.9	6.2	11.1	19.4	30.3	39.1	51.4	66.8	76.4	69.1
1954	8.3	-	-	.0	.0	.1	.2	.5	1.0	3.1	6.4	11.8	20.5	30.2	43.7	55.7	64.9	78.5	76.9
1955	8.4	-	.0	.0	.0	-	.2	.4	1.2	3.0	6.0	11.3	20.1	30.6	45.0	56.8	67.6	82.6	74.5
1956	8.9	-	.0	-	.0	.1	.1	.5	1.3	3.0	6.6	13.0	20.8	34.0	44.7	55.5	74.7	89.1	84.3
1957	8.8	-	.0	-	.0	-	.2	.3	1.4	3.0	6.3	11.8	21.1	33.0	43.8	60.1	71.2	85.4	78.9
1958	8.9	-	.0	.0	.1	.1	.2	.5	1.3	3.1	6.8	13.8	19.8	33.6	42.8	59.1	72.1	84.0	81.2
1959	9.1	-	.0	-	.0	.1	.1	.5	1.0	3.0	6.6	13.2	20.5	33.5	47.0	61.7	71.7	89.9	93.9
1960	9.1	-	-	.0	-	.1	.2	.6	1.4	2.7	6.3	13.1	20.8	32.9	45.6	62.0	76.2	87.7	91.6
1961	9.5	.0	-	.0	.1	-	.1	.5	1.2	3.0	6.4	12.5	21.9	35.0	50.3	63.0	75.2	94.4	96.8
1962	9.7	.0	.0	-	-	.0	.3	.5	1.2	3.2	6.9	13.4	22.4	36.0	51.0	64.6	78.3	88.8	93.3
1963	9.8	.0	.0	-	-	.1	.2	.4	1.1	3.0	7.6	13.1	22.2	37.4	51.0	64.7	78.9	88.8	108.7
1964	9.6	-	.0	-	-	.1	.3	.5	1.6	3.4	6.8	12.3	22.1	35.8	51.2	63.8	77.3	90.7	96.1
1965	9.8	-	.0	-	.0	.0	.2	.5	1.6	3.3	6.6	12.8	21.4	36.3	50.5	64.2	84.4	90.3	110.5
1966	9.9	.0	.0	.0	.0	-	.2	.5	1.4	3.3	6.4	13.6	21.7	36.4	50.8	66.7	83.0	92.7	109.1
1967	10.2	.0	.0	-	-	-	.3	.5	1.3	3.5	7.1	13.2	22.2	36.8	52.5	69.5	82.2	94.1	110.9
1968	10.2	-	.0	-	-	-	.1	.5	1.4	3.2	6.7	13.1	23.7	35.5	52.2	68.9	85.1	100.5	113.0
1969	10.1	.0	.0	.0	-	-	.2	.4	1.5	3.1	7.4	12.5	22.2	34.8	52.1	68.6	85.7	96.7	110.8
1970	10.3	.0	.0	.0	-	-	.1	.5	1.6	2.9	6.6	13.5	23.4	35.8	53.3	67.6	89.4	94.8	98.9
1971	10.0	-	-	-	-	.1	.1	.6	1.3	3.4	6.9	12.8	22.3	33.4	49.7	68.6	84.8	94.2	105.2
1972	10.0	.0	.0	-	.0	.1	.1	.4	1.0	2.9	6.1	11.5	23.0	35.3	52.0	72.5	78.8	93.0	91.2
1973	10.3	.0	.0	.0	-	.1	.1	.5	1.4	2.6	6.8	12.4	22.0	34.6	51.0	67.8	89.8	103.0	109.3
1974	10.1	-	.0	.0	-	-	.1	.3	1.2	2.6	6.8	12.1	23.1	34.3	48.0	68.4	84.5	99.1	95.0
1975	10.3	-	-	.0	.0	-	.1	.3	1.5	2.5	5.7	12.2	19.7	34.7	51.2	69.1	94.2	101.0	101.1
1976	10.3	.0	.0	-	.0	-	.1	.3	.9	3.1	6.8	11.7	20.1	34.8	49.6	67.1	88.1	109.0	96.6
1977	10.5	.0	.0	.0	-	-	.1	.4	1.0	3.0	5.8	12.0	20.9	34.5	48.1	68.1	90.1	107.9	111.1

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4869	1	1	0	1	0	16	18	58	127	253	423	588	800	829	718	570	323	143
1951	5199	2	0	0	0	3	9	21	55	141	209	417	683	822	932	794	620	315	176
1952	5258	1	1	1	1	4	6	18	60	127	256	414	718	839	892	768	587	392	173
1953	5557	1	0	0	0	3	7	27	57	141	271	421	668	907	937	855	688	387	187
1954	5966	3	1	0	0	4	10	27	53	149	285	456	711	918	1070	962	687	411	219
1955	6152	4	0	0	0	1	11	22	64	149	274	441	701	942	1120	1016	736	450	221
1956	6616	1	0	1	0	3	6	27	69	147	305	517	735	1060	1128	1023	833	505	256
1957	6632	1	0	2	0	1	8	18	74	150	293	480	748	1030	1126	1137	819	499	246
1958	6806	1	0	0	4	5	8	29	72	156	324	569	715	1043	1121	1146	852	503	258
1959	7131	2	0	2	0	3	6	24	57	152	318	559	755	1041	1247	1227	880	551	307
1960	7241	1	2	0	1	3	10	30	78	138	306	564	780	1027	1224	1257	964	549	307
1961	7632	0	1	0	4	1	6	24	64	157	314	549	837	1098	1355	1303	976	612	331
1962	7929	0	0	2	2	0	15	24	65	172	341	597	875	1135	1373	1359	1037	611	321
1963	8096	0	0	1	2	5	8	19	62	160	376	591	889	1188	1368	1379	1061	611	376
1964	8056	1	0	1	2	5	14	26	86	183	337	562	902	1148	1371	1373	1058	646	341
1965	8264	1	0	1	0	0	10	25	83	178	330	592	887	1183	1356	1386	1170	661	401
1966	8453	0	0	0	0	2	11	24	75	182	323	634	914	1212	1370	1435	1168	696	407
1967	8732	0	0	1	1	2	15	25	64	192	367	622	944	1257	1427	1487	1175	724	429
1968	8872	2	0	1	2	3	6	24	69	173	349	619	1013	1246	1431	1464	1232	787	451
1969	8838	0	0	0	1	2	9	21	72	162	390	600	953	1253	1447	1450	1248	770	460
1970	9044	0	0	0	1	3	5	27	78	153	349	657	1014	1314	1506	1430	1292	770	445
1971	8894	1	1	2	4	4	9	31	62	174	362	632	975	1246	1435	1452	1236	779	489
1972	4468	0	0	1	0	4	3	12	25	74	160	292	506	668	772	768	572	393	218
1973	9258	0	0	0	1	6	7	30	67	130	354	637	971	1326	1555	1459	1283	890	542
1974	9122	1	0	0	1	1	10	20	60	129	348	628	1031	1332	1501	1501	1202	860	497
1975	9381	1	1	0	0	1	7	18	76	122	290	633	895	1356	1649	1540	1352	884	556
1976	9423	0	0	1	0	4	7	20	45	147	343	604	931	1375	1626	1533	1271	973	543
1977	9649	0	0	0	2	4	9	26	55	144	289	612	997	1374	1607	1610	1304	968	648


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.7	-	-	.0	-	.0	.2	.2	.4	.6	.8	.9	.9	1.0	.9	.8	.7	.5	.3
1951	.7	-	.0	.0	.0	-	.1	.2	.4	.6	.7	.9	1.1	1.0	1.0	.9	.7	.5	.4
1952	.7	-	-	-	-	-	.1	.2	.4	.6	.8	.9	1.1	1.0	.9	.8	.7	.6	.3
1953	.7	-	.0	.0	.0	-	.1	.3	.4	.6	.8	.9	1.0	1.1	1.0	.9	.8	.6	.3
1954	.8	-	-	.0	.0	.1	.1	.3	.4	.7	.9	1.0	1.2	1.1	1.1	1.0	.8	.6	.4
1955	.8	-	.0	.0	.0	-	.1	.2	.5	.7	.9	1.0	1.1	1.2	1.1	1.0	.8	.6	.4
1956	.8	-	.0	-	.0	-	.1	.3	.5	.7	.9	1.1	1.2	1.3	1.1	1.0	.9	.7	.4
1957	.8	-	.0	.1	.0	-	.1	.2	.5	.7	.9	1.0	1.2	1.2	1.1	1.0	.8	.6	.4
1958	.8	-	.0	.0	.1	.1	.1	.3	.5	.7	1.0	1.2	1.1	1.2	1.1	1.0	.8	.6	.4
1959	.9	-	.0	-	.0	-	.1	.3	.4	.7	1.0	1.1	1.2	1.2	1.2	1.1	.8	.7	.4
1960	.8	-	-	.0	-	-	.1	.3	.6	.6	.9	1.1	1.2	1.2	1.1	1.1	.9	.7	.4
1961	.9	.0	-	.0	.1	-	.1	.3	.5	.7	.9	1.1	1.3	1.3	1.3	1.1	.9	.7	.4
1962	.9	.0	.0	.1	-	.0	.2	.3	.5	.8	1.0	1.2	1.3	1.3	1.2	1.1	.9	.7	.4
1963	.9	.0	.0	-	-	.1	.1	.2	.4	.7	1.1	1.1	1.2	1.3	1.2	1.1	.9	.7	.5
1964	.9	-	.0	-	-	.1	.2	.3	.6	.8	1.0	1.1	1.3	1.3	1.3	1.1	.9	.7	.4
1965	.9	-	.0	-	.0	.0	.1	.3	.6	.8	1.0	1.1	1.2	1.3	1.2	1.1	1.0	.7	.5
1966	.9	.0	.0	.0	.0	-	.1	.3	.6	.8	.9	1.2	1.2	1.3	1.2	1.1	.9	.7	.5
1967	.9	.0	.0	-	-	-	.2	.3	.5	.9	1.0	1.2	1.3	1.3	1.3	1.2	1.0	.7	.5
1968	.9	-	.0	-	-	-	.1	.3	.5	.8	1.0	1.1	1.3	1.3	1.3	1.1	1.0	.8	.5
1969	.9	.0	.0	.0	-	-	.1	.2	.6	.7	1.1	1.1	1.3	1.3	1.3	1.2	1.0	.8	.5
1970	1.0	.0	.0	.0	-	-	.1	.3	.6	.7	1.0	1.2	1.3	1.3	1.3	1.2	1.0	.8	.5
1971	.9	-	-	-	-	-	.1	.3	.5	.8	1.0	1.2	1.3	1.3	1.3	1.2	1.0	.8	.5
1972	.9	.0	.0	-	.0	.1	.1	.3	.4	.7	.9	1.1	1.3	1.3	1.3	1.2	.9	.7	.5
1973	1.0	.0	.0	.0	-	-	.1	.3	.6	.7	1.0	1.2	1.3	1.3	1.3	1.2	1.0	.8	.5
1974	1.0	-	.0	.0	-	-	.1	.2	.5	.7	1.1	1.2	1.4	1.4	1.3	1.2	1.0	.8	.5
1975	1.0	-	-	.0	.0	-	.1	.2	.7	.7	.9	1.3	1.3	1.4	1.4	1.3	1.1	.9	.6
1976	1.0	.0	.0	-	.0	-	.1	.2	.4	.9	1.2	1.2	1.3	1.4	1.4	1.3	1.1	.9	.5
1977	1.1	.0	.0	.0	-	-	.1	.2	.5	.9	1.0	1.3	1.5	1.5	1.4	1.3	1.1	.9	.6

Pancreas


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.2	.0	.0	-	-	-	.1	.3	.5	1.3	3.6	5.9	10.7	17.5	24.2	36.8	45.6	52.2	54.4
1951	5.1	.0	.0	.0	-	.1	.1	.2	.6	1.5	3.0	6.0	10.5	16.4	23.7	36.2	44.6	46.2	54.6
1952	5.4	-	.0	-	-	-	.1	.3	.7	1.5	2.9	6.0	11.4	16.4	24.5	34.9	50.4	54.9	59.0
1953	5.4	.0	-	.0	-	.1	-	.2	.5	1.5	3.0	5.8	11.0	16.4	25.7	36.1	48.5	55.0	60.2
1954	5.7	-	-	.0	-	.0	.1	.3	.7	1.7	3.3	6.4	11.3	17.0	25.9	37.6	46.9	54.5	62.3
1955	5.7	.0	-	.0	.0	-	.1	.2	.6	1.8	3.1	6.2	11.0	17.8	24.6	37.9	48.5	53.2	64.7
1956	6.2	.0	-	.0	-	-	.1	.2	.6	1.7	3.6	6.8	11.4	19.9	27.7	38.3	50.4	63.1	68.3
1957	6.1	.0	.0	.0	-	-	.0	.4	.9	1.9	3.3	6.6	10.7	18.2	27.9	37.0	49.2	59.5	65.9
1958	6.2	-	.0	.0	-	-	.1	.3	.7	1.8	3.4	6.1	11.0	18.1	27.9	37.2	48.0	61.8	71.7
1959	6.3	.0	-	-	.0	.1	.1	.4	.7	1.4	3.6	6.4	11.2	19.1	27.7	37.4	51.3	60.7	63.8
1960	6.5	.0	-	-	.0	.0	.1	.3	.9	1.4	3.7	6.9	11.2	17.7	28.0	37.3	50.7	66.9	71.9
1961	6.5	.0	-	.0	.0	-	-	.3	.7	1.8	3.2	6.4	10.5	18.8	27.9	39.2	49.6	62.9	77.7
1962	6.8	-	-	-	.0	-	.1	.3	.7	1.7	3.7	7.0	11.5	20.7	28.4	37.9	53.6	63.7	77.8
1963	6.9	-	.0	.0	-	.1	.1	.2	.7	1.7	3.7	6.4	11.7	18.7	27.4	40.0	54.3	65.3	80.0
1964	6.9	.0	.0	.0	-	-	.2	.3	.7	1.6	3.6	7.1	12.0	17.0	28.1	39.0	51.3	67.5	77.3
1965	7.1	.0	.0	-	-	-	.1	.2	.6	1.7	3.3	7.0	11.4	20.5	28.3	39.9	53.3	67.2	75.4
1966	7.2	-	-	.0	-	.1	.1	.5	.7	1.9	3.8	6.9	12.6	18.3	27.7	39.7	50.7	65.9	83.3
1967	7.3	.0	-	.0	-	.0	.1	.2	.8	1.7	3.5	7.5	11.5	20.1	29.6	38.7	55.7	63.8	76.6
1968	7.5	-	-	.0	.0	-	.1	.2	.6	1.6	3.6	7.9	12.3	19.5	29.5	39.9	59.2	62.4	74.3
1969	7.7	-	-	.0	-	-	.1	.3	.7	1.5	3.7	6.3	12.2	20.2	30.2	43.3	53.8	70.1	81.0
1970	7.7	-	.0	.0	-	.1	.1	.1	.7	2.0	3.9	7.7	12.1	19.6	28.5	38.8	56.0	66.9	77.0
1971	7.7	.0	.0	-	.0	-	-	.3	.7	1.8	3.6	6.9	12.2	18.1	29.4	41.8	56.0	64.5	69.8
1972	7.8	.0	.0	.0	.0	.1	.1	.2	.7	1.6	3.9	6.3	12.6	17.5	30.7	39.8	57.6	64.8	70.4
1973	7.9	.0	-	.0	.0	-	.1	.1	.7	1.6	3.6	6.9	12.9	20.3	28.8	40.7	56.0	62.8	68.5
1974	8.2	-	.0	.0	.0	-	.1	.3	.7	1.6	3.6	7.2	13.6	21.0	29.1	42.5	57.1	64.9	69.4
1975	8.3	.0	.0	.0	-	-	.1	.2	.6	1.4	3.3	6.5	12.8	21.3	29.5	42.5	56.8	67.3	69.3
1976	8.5	.0	.0	-	.0	-	.1	.2	.7	1.6	3.7	6.6	13.4	20.3	27.8	44.5	58.9	66.3	69.9
1977	8.9	.0	.0	.0	-	-	.1	.1	.8	1.7	3.5	6.7	12.3	20.9	31.2	43.3	62.8	70.4	71.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3520	0	0	2	1	1	8	16	27	59	148	224	360	496	577	619	495	313	174
1951	3511	0	0	0	2	5	6	12	33	70	124	230	363	478	582	629	506	286	185
1952	3786	1	0	1	1	1	5	19	39	71	127	227	397	493	616	630	595	352	211
1953	3896	0	1	0	2	3	1	12	24	74	133	223	387	508	664	677	593	367	227
1954	4140	1	1	0	1	0	8	17	37	86	151	248	403	541	685	737	595	381	248
1955	4247	0	1	0	0	1	7	12	34	89	145	246	396	578	667	774	637	389	271
1956	4707	0	1	0	1	1	6	10	34	86	170	276	418	660	768	810	684	483	299
1957	4689	0	0	0	1	1	0	22	50	99	158	274	396	612	797	808	694	474	303
1958	4817	2	0	0	1	2	5	18	39	94	167	257	412	610	819	837	703	507	344
1959	5004	0	2	1	0	4	4	19	42	76	178	279	429	651	830	869	785	513	322
1960	5214	0	1	1	0	0	5	14	50	76	185	308	437	609	859	893	809	584	383
1961	5342	0	1	0	0	2	1	18	39	97	161	290	421	648	870	969	821	576	428
1962	5700	1	1	1	0	2	6	13	40	91	188	323	477	721	897	970	916	612	441
1963	5802	2	0	0	2	6	4	10	37	95	188	299	497	657	870	1055	957	656	467
1964	5878	0	0	0	2	1	8	17	36	90	187	336	524	606	902	1056	933	710	470
1965	6150	0	0	2	1	2	3	12	33	98	173	339	508	745	918	1100	999	738	479
1966	6280	1	1	0	2	4	3	22	35	109	204	335	572	685	907	1111	981	753	555
1967	6502	0	1	0	2	0	3	10	40	95	190	373	529	774	981	1092	1115	758	539
1968	6736	1	1	0	0	1	4	9	33	91	196	396	568	774	993	1133	1220	767	549
1969	7006	2	2	0	1	2	3	13	36	83	207	323	569	828	1035	1238	1137	893	634
1970	7039	1	0	0	1	5	8	7	36	106	218	398	571	820	999	1120	1193	891	665
1971	7085	0	0	1	0	3	3	15	36	94	199	363	581	771	1054	1219	1218	894	634
1972	3616	0	0	0	0	3	3	5	18	42	108	171	302	378	568	583	632	468	335
1973	7393	0	1	0	0	2	7	7	37	82	198	380	622	890	1099	1213	1225	944	686
1974	7755	2	0	0	0	3	5	17	38	79	193	401	661	929	1143	1288	1259	992	745
1975	7876	0	0	0	2	4	7	13	30	69	177	361	636	946	1196	1305	1278	1050	802
1976	8093	0	0	3	0	2	9	15	35	81	192	365	677	909	1148	1399	1342	1064	852
1977	8502	0	0	0	1	1	6	8	44	82	183	367	637	939	1309	1410	1443	1149	923

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.0	.1	-	-	.1	.2	.3	.4	.8	.9	1.1	1.1	1.0	.9	.7	.5	.3
1951	.6	.0	.0	.0	.1	.1	.1	.2	.3	.5	.7	.9	1.1	1.0	1.0	.9	.6	.4	.3
1952	.7	-	.0	-	-	-	.1	.3	.4	.5	.7	.9	1.2	1.1	1.0	.9	.8	.5	.3
1953	.7	.0	-	.0	.1	.1	-	.2	.3	.6	.7	.9	1.1	1.1	1.1	.9	.7	.5	.3
1954	.7	-	-	.0	-	.0	.2	.3	.4	.7	.9	1.1	1.3	1.2	1.1	1.0	.7	.5	.3
1955	.7	.0	-	.0	.0	-	.2	.2	.4	.7	.8	1.1	1.2	1.3	1.1	1.0	.8	.5	.3
1956	.8	.0	-	.0	-	-	.2	.2	.4	.7	1.0	1.2	1.3	1.5	1.2	1.0	.8	.6	.4
1957	.8	.0	.0	.0	-	-	.0	.4	.6	.8	.9	1.1	1.2	1.3	1.2	1.0	.8	.6	.3
1958	.8	-	.0	.0	-	.1	.1	.3	.5	.8	.9	1.1	1.3	1.3	1.2	1.0	.8	.6	.4
1959	.8	.0	.1	-	.0	.1	.1	.3	.5	.6	1.0	1.2	1.3	1.4	1.3	1.1	.8	.6	.3
1960	.8	.0	-	-	.0	.0	.1	.3	.6	.6	1.0	1.2	1.4	1.3	1.3	1.1	.8	.6	.4
1961	.8	.0	-	.0	.0	.1	-	.4	.5	.8	.9	1.2	1.3	1.4	1.3	1.1	.9	.6	.4
1962	.9	-	-	-	.0	.1	.2	.3	.5	.7	1.0	1.3	1.4	1.6	1.4	1.1	.9	.6	.4
1963	.9	-	.0	.0	.1	.2	.1	.2	.4	.7	1.0	1.1	1.4	1.4	1.3	1.2	1.0	.6	.4
1964	.9	.0	.0	.0	.1	-	.2	.3	.4	.7	1.0	1.2	1.5	1.3	1.4	1.2	.9	.7	.4
1965	.9	.0	.0	.1	-	.1	.1	.2	.4	.7	.9	1.2	1.4	1.6	1.4	1.2	.9	.7	.4
1966	.9	-	-	.0	-	.1	.1	.4	.5	.8	1.0	1.2	1.6	1.5	1.4	1.2	.9	.7	.4
1967	.9	.0	-	.0	-	.0	.1	.2	.5	.7	.9	1.4	1.4	1.6	1.5	1.2	1.0	.7	.4
1968	.9	-	-	.0	.0	-	.1	.2	.4	.7	.9	1.4	1.5	1.5	1.5	1.2	1.1	.7	.4
1969	.9	-	.1	.0	-	-	.1	.3	.5	.6	1.0	1.1	1.5	1.7	1.5	1.4	1.0	.8	.4
1970	1.0	-	.0	.0	-	.1	.2	.1	.5	.8	1.0	1.4	1.5	1.6	1.5	1.2	1.1	.8	.5
1971	.9	.0	.0	-	.0	.1	.1	.3	.5	.8	1.0	1.3	1.5	1.5	1.6	1.4	1.1	.7	.4
1972	.9	.0	.0	.0	.0	.1	.1	.2	.5	.7	1.1	1.2	1.5	1.5	1.6	1.3	1.1	.8	.4
1973	1.0	.0	-	.0	.0	-	.1	.1	.5	.7	1.0	1.3	1.6	1.7	1.6	1.4	1.1	.7	.4
1974	1.0	-	.0	.0	.0	.1	.1	.3	.6	.7	1.0	1.4	1.7	1.8	1.7	1.5	1.1	.8	.4
1975	1.1	.0	.0	.0	-	.1	.1	.3	.5	.7	1.0	1.3	1.7	1.9	1.8	1.5	1.2	.9	.5
1976	1.1	.0	.0	.2	.0	-	.2	.3	.6	.8	1.1	1.3	1.8	1.8	1.7	1.6	1.2	.9	.5
1977	1.1	.0	.0	.0	-	-	.1	.2	.7	.9	1.1	1.4	1.7	1.8	1.9	1.6	1.4	.9	.5

Age-specific Graphs for White Females


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.4	.0	.0	.0	.0	.0	.3	1.6	1.8	3.8	8.1	11.2	24.5	22.0	25.2	25.7	20.0	26.9	43.2
1951	4.7	.0	.0	.0	.0	.0	.2	.5	.7	1.8	6.7	15.8	20.3	33.7	26.6	37.3	29.5	28.9	15.4
1952	5.7	.0	.0	.0	.0	.2	.3	.0	1.4	4.5	9.4	18.0	24.7	35.2	29.9	33.7	49.4	30.8	53.7
1953	5.4	.0	.0	.0	.0	.2	.3	.7	1.2	3.2	7.6	16.3	23.5	30.8	35.3	44.4	34.7	37.5	14.0
1954	5.7	.0	.0	.0	.0	.0	.3	.7	1.2	3.9	7.2	18.6	23.0	32.6	31.7	44.6	59.6	26.9	21.4
1955	6.9	.0	.0	.0	.0	.3	.3	.3	1.7	4.0	11.7	17.3	32.7	37.7	47.9	45.2	44.7	35.8	53.3
1956	6.8	.0	.0	.0	.0	.2	.0	.8	1.2	5.1	10.8	16.2	27.5	42.7	43.3	42.2	55.3	70.1	39.5
1957	7.0	.0	.0	.0	.0	.0	.0	.8	2.0	4.7	8.8	14.5	29.4	45.7	52.3	46.0	43.6	45.7	68.4
1958	7.2	.0	.1	.2	.0	.2	.0	1.0	1.1	3.5	10.8	19.7	31.1	38.6	56.1	45.8	47.5	55.9	46.0
1959	7.5	.1	.0	.0	.0	.3	.3	.8	2.2	6.4	9.1	17.9	24.7	49.9	54.6	50.3	52.6	74.3	47.8
1960	7.4	.0	.0	.0	.0	.2	.5	.5	2.4	6.0	10.9	16.8	25.0	44.8	55.4	60.7	50.5	42.6	25.8
1961	7.9	.1	.0	.0	.0	.0	.0	1.1	3.1	3.9	9.8	20.7	31.2	47.8	55.3	59.8	49.5	57.7	73.3
1962	7.6	.0	.0	.0	.0	.1	.2	.6	1.9	4.1	11.7	21.8	26.8	39.8	51.1	55.0	70.4	57.1	53.3
1963	7.9	.0	.0	.0	.0	.0	.3	.8	2.6	4.6	8.1	17.8	29.9	46.0	54.8	63.0	67.9	72.9	66.7
1964	7.7	.0	.0	.0	.1	.0	.3	.3	2.0	5.3	10.6	18.8	22.5	45.2	54.8	69.3	62.2	54.1	68.8
1965	8.7	.0	.0	.0	.1	.1	.2	.3	2.2	3.8	9.0	21.7	29.4	53.6	57.3	79.2	77.9	84.1	58.8
1966	8.4	.0	.0	.1	.1	.0	.2	.5	1.4	6.0	11.0	21.7	29.4	44.8	56.2	74.2	68.7	60.9	83.3
1967	8.3	.0	.0	.0	.0	.1	.0	1.6	1.6	6.1	8.8	20.3	27.8	48.1	53.5	71.6	75.4	71.2	82.1
1968	8.9	.0	.0	.0	.0	.1	.1	1.2	1.7	4.7	10.9	21.6	28.2	51.0	59.5	69.5	90.8	88.1	82.9
1969	9.1	.0	.0	.0	.0	.2	.4	.6	1.6	5.3	10.7	20.9	37.7	42.7	64.5	75.4	86.7	94.1	75.0
1970	8.3	.0	.0	.0	.0	.0	.1	.7	1.1	3.7	9.7	17.9	30.6	40.6	56.8	78.4	85.4	95.7	63.8
1971	8.6	.0	.0	.0	.0	.0	.3	.9	1.4	6.6	8.3	16.4	34.0	44.9	59.8	71.2	93.8	74.3	70.8
1972	8.4	.0	.0	.0	.0	.2	.5	.5	2.8	5.4	14.3	18.1	32.6	35.1	57.0	69.2	87.0	64.1	84.0
1973	8.7	.0	.0	.0	.0	.2	.3	.4	1.1	4.2	11.4	17.0	26.6	46.5	62.1	94.4	78.5	65.1	76.9
1974	8.3	.0	.0	.0	.0	.2	.1	.4	1.4	3.3	8.5	16.0	30.0	48.1	53.9	76.0	89.3	78.8	59.6
1975	9.1	.0	.0	.0	.0	.0	.3	.2	3.0	4.1	8.5	18.2	34.0	55.3	59.5	78.1	102.9	73.3	52.3
1976	8.9	.0	.0	.0	.0	.1	.3	.7	.7	3.1	9.4	17.4	31.1	45.7	57.2	95.9	97.2	69.2	69.1
1977	9.3	.1	.0	.0	.0	.0	.2	.5	1.3	5.3	8.5	18.4	31.4	49.4	59.8	84.1	102.8	89.2	79.2

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	345	0	0	0	0	0	2	9	10	19	36	42	69	46	51	30	13	10	8
1951	374	0	0	0	0	0	1	3	4	9	30	61	59	73	55	45	20	11	3
1952	462	0	0	0	0	1	2	0	8	23	42	71	74	78	63	42	35	12	11
1953	451	0	0	0	0	1	2	4	7	17	34	66	73	70	76	57	26	15	3
1954	485	0	0	0	0	0	2	4	7	21	32	77	74	76	70	59	47	11	5
1955	599	0	0	0	0	2	2	2	10	22	53	73	109	91	108	62	37	15	13
1956	608	0	0	0	0	1	0	5	7	28	50	69	95	106	99	60	48	30	10
1957	636	0	0	0	0	0	0	5	12	26	42	62	105	117	121	68	40	20	18
1958	674	0	1	2	0	1	0	6	7	19	53	84	115	102	131	70	45	25	13
1959	723	1	0	0	0	2	2	5	14	35	46	77	94	137	130	80	52	34	14
1960	741	0	0	0	0	1	3	3	15	34	58	76	100	130	138	102	53	20	8
1961	817	1	0	0	0	0	0	7	20	22	52	96	126	142	142	104	53	30	22
1962	796	0	0	0	0	1	1	4	12	24	62	103	110	121	135	99	76	32	16
1963	848	0	0	0	0	0	2	5	17	27	43	86	125	142	148	116	74	43	20
1964	844	0	0	0	1	0	2	2	13	32	56	92	96	142	153	131	69	33	22
1965	973	0	0	0	1	1	1	2	14	23	48	107	127	172	164	152	88	53	20
1966	953	0	0	1	1	0	1	3	9	37	60	108	129	148	164	144	79	39	30
1967	964	0	0	0	0	1	0	10	10	38	49	101	123	164	159	141	89	47	32
1968	1045	0	0	0	0	1	1	8	11	29	62	108	126	180	179	139	108	59	34
1969	1094	0	0	0	0	2	3	4	10	33	62	105	169	156	196	153	104	64	33
1970	1017	0	0	0	0	0	1	5	7	23	57	92	137	154	176	163	105	67	30
1971	1070	0	0	0	0	0	2	6	9	41	50	87	149	177	186	153	121	55	34
1972	534	0	0	0	0	1	2	2	9	17	43	50	71	71	92	73	57	25	21
1973	1121	0	0	0	0	2	3	3	7	27	69	97	116	191	208	202	102	54	40
1974	1085	0	0	0	0	2	1	3	9	21	52	93	134	200	187	165	117	67	34
1975	1225	0	0	0	0	0	3	2	20	26	53	106	160	228	217	171	142	63	34
1976	1215	0	0	0	0	2	3	6	5	20	59	103	152	184	219	212	140	63	47
1977	1289	1	0	0	0	0	2	4	9	34	54	110	160	198	237	195	145	83	57


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.0	.0	.1	.3	.3	.4	.6	.5	.8	.5	.5	.4	.2	.3	.3
1951	.4	.0	.0	.0	.0	.0	-	.1	.1	.2	.5	.7	.6	.8	.6	.6	.4	.3	.1
1952	.5	.0	.0	.0	.0	-	.1	.0	.2	.4	.7	.8	.8	.8	.7	.5	.6	.3	.4
1953	.5	.0	.0	.0	.0	.1	.1	.1	.2	.3	.5	.7	.8	.7	.8	.7	.5	.4	.1
1954	.5	.0	.0	.0	.0	.0	.1	.1	.2	.4	.5	.9	.8	.8	.7	.7	.8	.3	.2
1955	.6	.0	.0	.0	.0	.1	.1	.1	.3	.5	.9	.9	1.2	1.0	1.1	.7	.6	.4	.4
1956	.6	.0	.0	.0	.0	.1	.0	.2	.2	.6	.8	.9	1.0	1.1	.9	.7	.8	.7	.3
1957	.6	.0	.0	.0	.0	.0	.0	.2	.3	.5	.7	.8	1.1	1.1	1.0	.7	.6	.5	.4
1958	.6	.0	.1	.3	.0	.1	.0	.2	.2	.4	.8	1.0	1.2	1.0	1.1	.7	.6	.5	.3
1959	.7	-	.0	.0	.0	.1	.1	.2	.4	.7	.7	1.0	.9	1.3	1.1	.8	.7	.7	.3
1960	.6	.0	.0	.0	.0	.1	.1	.1	.4	.7	.9	.9	1.0	1.1	1.1	.9	.7	.4	.2
1961	.7	-	.0	.0	.0	.0	.0	.3	.5	.4	.8	1.1	1.3	1.2	1.1	1.0	.7	.6	.5
1962	.7	.0	.0	.0	.0	.1	-	.1	.3	.5	1.0	1.2	1.1	1.0	1.0	.9	.9	.6	.3
1963	.7	.0	.0	.0	.0	.0	.1	.2	.4	.5	.6	.9	1.2	1.1	1.1	.9	.8	.7	.4
1964	.7	.0	.0	.0	.1	.0	.1	.1	.3	.6	.8	1.0	.9	1.1	1.2	1.1	.8	.6	.4
1965	.8	.0	.0	.0	.1	-	-	.1	.3	.4	.7	1.1	1.2	1.4	1.2	1.2	1.0	.9	.4
1966	.7	.0	.0	.1	-	.0	-	.1	.2	.6	.8	1.1	1.1	1.2	1.1	1.1	.8	.6	.5
1967	.8	.0	.0	.0	.0	-	.0	.3	.2	.6	.7	1.1	1.1	1.3	1.1	1.1	.9	.8	.6
1968	.8	.0	.0	.0	.0	-	-	.2	.2	.4	.8	1.1	1.0	1.3	1.2	1.0	1.0	.9	.5
1969	.8	.0	.0	.0	.0	.1	.1	.1	.2	.5	.8	1.1	1.4	1.2	1.3	1.1	1.0	.9	.5
1970	.7	.0	.0	.0	.0	.0	-	.1	.2	.4	.7	.9	1.1	1.1	1.2	1.2	1.0	1.0	.5
1971	.8	.0	.0	.0	.0	.0	.1	.2	.2	.7	.6	.9	1.3	1.3	1.3	1.1	1.1	.8	.5
1972	.8	.0	.0	.0	.0	-	.1	.1	.4	.6	1.0	1.0	1.2	1.0	1.2	1.0	1.0	.7	.6
1973	.8	.0	.0	.0	.0	-	.1	.1	.2	.5	.8	.9	1.0	1.3	1.4	1.4	.9	.7	.6
1974	.8	.0	.0	.0	.0	-	-	.1	.2	.4	.7	.9	1.2	1.4	1.3	1.1	1.1	.9	.5
1975	.9	.0	.0	.0	.0	.0	.1	.1	.5	.5	.7	1.1	1.4	1.7	1.5	1.2	1.2	.8	.5
1976	.9	.0	.0	.0	.0	.1	.1	.2	.1	.4	.8	1.0	1.3	1.4	1.4	1.5	1.2	.8	.6
1977	1.0	-	.0	.0	.0	.0	-	.1	.2	.7	.8	1.1	1.4	1.5	1.6	1.4	1.2	1.0	.7


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.7	.0	.0	.0	.0	.0	.1	.3	.8	1.7	3.5	9.2	13.6	21.0	16.1	13.8	20.7	19.3	7.5
1951	3.2	.0	.0	.0	.0	.1	.1	.6	1.4	3.4	4.4	11.6	16.3	16.2	16.2	19.5	27.3	9.0	22.5
1952	3.3	.0	.0	.1	.0	.1	.0	.5	.6	2.6	5.2	8.2	16.2	18.7	18.9	26.9	29.1	25.3	17.4
1953	3.0	.1	.0	.0	.0	.0	.3	.4	.3	3.2	5.0	7.9	14.2	16.1	14.7	19.7	27.9	28.4	16.3
1954	3.7	.1	.0	.0	.0	.3	.0	.4	1.7	2.3	6.2	9.9	15.1	25.5	22.0	18.1	30.0	23.9	15.3
1955	3.7	.0	.0	.0	.0	.0	.6	.0	.9	2.0	6.7	12.3	16.6	19.6	23.2	21.2	28.2	27.3	17.3
1956	4.2	.0	.0	.0	.0	.0	.3	.4	1.4	2.2	6.1	12.5	18.5	28.7	21.0	23.0	28.6	29.3	33.7
1957	4.0	.0	.1	.0	.0	.1	.3	.3	1.4	2.2	4.3	10.8	21.3	22.9	21.0	31.4	24.4	32.6	16.0
1958	4.6	.0	.0	.1	.0	.0	.6	.4	.7	2.7	4.6	11.8	22.6	24.9	24.5	31.5	41.4	55.7	18.2
1959	4.5	.0	.0	.0	.0	.0	.0	.0	.7	4.0	6.1	12.5	18.5	24.7	25.2	31.5	36.9	37.6	37.9
1960	4.5	.0	.0	.0	.0	.1	.3	.5	.7	2.7	6.5	12.6	17.4	26.1	23.3	32.6	36.5	52.7	20.0
1961	5.1	.1	.0	.0	.0	.0	.1	.3	2.4	2.7	7.0	13.3	13.7	30.8	36.7	34.5	34.5	47.5	47.5
1962	5.3	.0	.0	.0	.0	.1	.1	.3	1.4	2.8	6.4	12.8	17.4	35.7	28.6	44.1	43.1	34.8	48.8
1963	5.1	.0	.0	.0	.0	.0	.3	.7	1.4	2.0	6.4	12.3	17.1	28.0	29.4	39.9	44.9	48.6	34.9
1964	5.2	.0	.0	.0	.0	.0	.1	.4	1.1	2.3	6.9	13.0	18.0	34.4	30.1	34.7	40.5	44.6	24.4
1965	5.2	.0	.0	.0	.0	.3	.1	.3	.8	1.7	5.7	11.4	16.6	32.0	30.9	31.9	44.1	67.5	38.8
1966	5.5	.0	.0	.0	.0	.0	.1	.3	.5	3.3	6.9	11.9	17.1	31.4	36.7	28.9	58.9	50.0	47.2
1967	5.5	.0	.0	.0	.0	.0	.0	.5	.8	2.5	6.8	14.1	19.4	25.9	36.3	34.6	49.0	53.6	35.1
1968	5.7	.0	.0	.0	.0	.1	.0	.4	.5	2.6	4.7	12.0	20.6	27.0	43.7	40.8	51.3	36.8	45.9
1969	5.5	.0	.0	.0	.0	.1	.0	.5	.9	3.1	5.8	10.5	18.3	21.4	36.1	50.4	43.6	46.2	44.6
1970	6.0	.0	.0	.0	.0	.2	.1	.1	.9	3.5	4.3	10.8	19.8	28.5	36.0	47.3	56.9	47.9	54.9
1971	6.4	.0	.0	.0	.0	.0	.1	.5	1.7	2.6	6.8	9.4	19.0	28.2	39.5	57.6	59.9	50.0	55.3
1972	5.8	.0	.1	.0	.0	.0	.0	.0	1.0	2.4	6.6	11.5	18.8	25.3	31.8	48.8	50.3	48.2	61.0
1973	6.3	.0	.0	.0	.0	.0	.0	.2	1.3	3.6	5.4	10.9	22.8	29.1	30.0	56.2	68.4	49.6	36.4
1974	6.5	.0	.0	.1	.0	.0	.5	.1	1.3	2.4	6.2	12.1	18.9	32.6	31.0	62.5	64.7	58.7	35.7
1975	6.5	.0	.0	.0	.0	.0	.2	.5	1.0	2.4	4.6	10.9	22.1	31.1	33.8	58.2	71.8	50.4	37.3
1976	6.7	.0	.0	.0	.0	.0	.2	.2	.7	2.0	6.1	11.1	18.0	31.9	35.5	63.4	71.7	49.6	50.8
1977	6.8	.0	.0	.0	.0	.0	.2	.6	1.2	2.7	6.1	11.7	20.2	30.1	33.5	58.4	68.3	57.1	43.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	219	0	0	0	0	0	1	2	5	9	16	34	36	42	35	16	13	8	2
1951	264	0	0	0	0	1	1	4	9	18	20	44	45	34	36	24	18	4	6
1952	282	0	0	1	0	1	0	3	4	14	24	32	47	41	43	35	20	12	5
1953	261	1	0	0	0	0	2	3	2	18	23	32	43	37	34	27	20	14	5
1954	327	1	0	0	0	2	0	3	11	13	29	41	48	61	52	26	23	12	5
1955	341	0	0	0	0	0	4	0	6	12	32	52	55	49	56	32	23	14	6
1956	390	0	0	0	0	0	2	3	9	13	30	54	64	75	52	36	25	15	12
1957	386	0	1	0	0	1	2	2	9	13	22	47	77	62	53	51	23	17	6
1958	454	0	0	1	0	0	4	3	5	16	24	52	85	70	63	53	42	29	7
1959	458	0	0	0	0	0	0	0	5	24	33	56	72	72	66	55	40	20	15
1960	479	0	0	0	0	1	2	4	5	17	37	59	71	80	64	60	42	29	8
1961	558	1	0	0	0	0	1	2	17	17	40	64	57	97	106	67	41	29	19
1962	594	0	0	0	0	1	1	2	10	18	37	64	74	115	86	90	53	23	20
1963	580	0	0	0	0	0	2	5	10	13	37	63	75	92	92	85	57	34	15
1964	605	0	0	0	0	0	1	3	8	16	40	68	81	116	98	77	53	33	11
1965	615	0	0	0	0	3	1	2	6	12	34	61	77	111	104	73	60	52	19
1966	674	0	0	0	0	0	1	2	4	23	42	65	81	113	127	68	83	40	25
1967	688	0	0	0	0	0	0	4	6	18	42	78	94	98	128	83	72	45	20
1968	728	0	0	0	0	1	0	3	4	19	30	67	102	107	157	100	78	32	28
1969	711	0	0	0	0	1	0	4	7	23	38	60	92	89	133	125	68	42	29
1970	785	0	0	0	0	2	1	1	7	26	29	63	100	124	135	121	91	46	39
1971	859	0	0	0	0	0	1	4	13	19	47	57	95	128	149	152	100	52	42
1972	400	0	1	0	0	0	0	0	4	9	23	36	47	59	63	63	43	27	25
1973	880	0	0	0	0	0	0	2	10	27	38	71	114	139	125	145	117	60	32
1974	933	0	0	1	0	0	5	1	10	18	44	80	97	158	136	162	112	74	35
1975	955	0	0	0	0	0	2	5	8	18	33	73	120	150	157	152	130	66	41
1976	1004	0	0	0	0	0	3	2	6	15	44	76	101	152	174	168	134	68	61
1977	1025	0	0	0	0	0	2	6	10	21	45	81	118	145	170	164	125	80	58


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.5	.5	.6	.5	.3	.3	.3	.1
1951	.3	.0	.0	.0	.0	.1	-	.2	.2	.4	.4	.6	.7	.5	.5	.4	.4	.1	.2
1952	.3	.0	.0	.2	.0	.1	.0	.1	.1	.3	.4	.4	.7	.6	.6	.6	.4	.4	.1
1953	.3	-	.0	.0	.0	.0	.1	.1	.1	.4	.4	.4	.6	.5	.4	.4	.4	.4	.1
1954	.4	-	.0	.0	.0	.2	.0	.1	.4	.3	.6	.6	.7	.9	.7	.4	.5	.4	.1
1955	.4	.0	.0	.0	.0	.0	.3	.0	.2	.3	.6	.8	.8	.7	.7	.5	.5	.4	.2
1956	.5	.0	.0	.0	.0	.0	.1	.1	.3	.3	.6	.8	.8	1.0	.6	.5	.5	.4	.3
1957	.4	.0	.1	.0	.0	.1	.1	.1	.3	.3	.4	.7	1.0	.8	.6	.7	.4	.4	.1
1958	.5	.0	.0	.3	.0	.0	.3	.1	.2	.4	.5	.8	1.1	.8	.7	.7	.7	.7	.2
1959	.5	.0	.0	.0	.0	.0	.0	.0	.2	.6	.7	.9	.9	.9	.7	.7	.7	.5	.3
1960	.5	.0	.0	.0	.0	.1	.1	.2	.2	.4	.7	.9	.9	.9	.7	.7	.6	.6	.2
1961	.6	-	.0	.0	.0	.0	.1	.1	.6	.4	.8	1.0	.8	1.0	1.1	.8	.6	.6	.4
1962	.6	.0	.0	.0	.0	.1	.1	.1	.3	.4	.7	1.0	1.0	1.1	.9	1.0	.7	.4	.3
1963	.6	.0	.0	.0	.0	.0	.1	.2	.3	.3	.7	.9	.9	.9	.9	.8	.7	.6	.3
1964	.6	.0	.0	.0	.0	.0	.1	.1	.2	.4	.8	1.0	1.1	1.1	1.0	.8	.7	.6	.2
1965	.6	.0	.0	.0	.0	.3	.1	.1	.2	.3	.7	.9	1.0	1.1	1.0	.7	.8	.9	.3
1966	.7	.0	.0	.0	.0	.0	.1	.1	.1	.5	.8	1.0	1.0	1.2	1.1	.7	1.0	.6	.4
1967	.7	.0	.0	.0	.0	.0	.0	.2	.2	.4	.8	1.2	1.2	1.1	1.1	.8	.9	.7	.3
1968	.7	.0	.0	.0	.0	.1	.0	.1	.1	.4	.5	1.0	1.2	1.1	1.2	.9	.8	.5	.4
1969	.7	.0	.0	.0	.0	.1	.0	.2	.2	.5	.7	.9	1.1	.9	1.1	1.2	.8	.6	.4
1970	.8	.0	.0	.0	.0	.1	.1	.1	.2	.6	.5	.9	1.2	1.3	1.1	1.1	1.0	.7	.5
1971	.8	.0	.0	.0	.0	.0	.1	.2	.4	.5	.8	.8	1.2	1.3	1.3	1.3	1.1	.7	.5
1972	.8	.0	.3	.0	.0	.0	.0	.0	.3	.4	.8	1.1	1.2	1.2	1.1	1.0	.9	.7	.6
1973	.8	.0	.0	.0	.0	.0	.0	.1	.4	.7	.7	1.0	1.5	1.4	1.1	1.1	1.1	.7	.3
1974	.9	.0	.0	.2	.0	.0	.3	.1	.4	.5	.9	1.2	1.3	1.6	1.2	1.3	1.1	.9	.3
1975	1.0	.0	.0	.0	.0	.0	.1	.3	.3	.5	.7	1.2	1.6	1.6	1.5	1.2	1.2	.8	.4
1976	1.0	.0	.0	.0	.0	.0	.2	.1	.3	.5	1.0	1.2	1.4	1.7	1.6	1.4	1.2	.8	.5
1977	1.0	.0	.0	.0	.0	.0	.1	.3	.5	.7	1.0	1.3	1.5	1.6	1.5	1.4	1.1	.9	.5

Pancreas


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	332	0.49	0.52	0.31	374	0.55	0.57	0.39	33	0.42	0.57	0.38	21	0.26	0.34	0.23
1951	353	0.51	0.54	0.32	402	0.58	0.59	0.41	31	0.39	0.50	0.33	29	0.35	0.43	0.30
1952	365	0.52	0.55	0.32	370	0.53	0.54	0.37	28	0.35	0.41	0.26	27	0.32	0.35	0.24
1953	363	0.51	0.55	0.32	379	0.53	0.54	0.38	22	0.27	0.33	0.21	25	0.29	0.33	0.23
1954	388	0.54	0.57	0.33	387	0.53	0.53	0.37	34	0.40	0.51	0.30	38	0.43	0.57	0.40
1955	335	0.46	0.49	0.28	364	0.49	0.49	0.34	32	0.37	0.48	0.29	22	0.24	0.35	0.25
1956	371	0.50	0.53	0.30	391	0.52	0.51	0.36	38	0.43	0.51	0.29	34	0.36	0.44	0.30
1957	373	0.49	0.51	0.28	392	0.51	0.50	0.36	28	0.31	0.42	0.23	33	0.34	0.43	0.30
1958	359	0.47	0.49	0.28	363	0.47	0.45	0.33	31	0.33	0.43	0.24	33	0.33	0.40	0.28
1959	349	0.45	0.48	0.27	367	0.46	0.45	0.33	35	0.36	0.50	0.26	33	0.33	0.45	0.32
1960	331	0.42	0.44	0.24	363	0.45	0.43	0.32	30	0.30	0.39	0.20	28	0.26	0.33	0.23
1961	355	0.44	0.47	0.26	390	0.48	0.45	0.34	30	0.29	0.38	0.20	33	0.30	0.38	0.26
1962	377	0.46	0.49	0.27	382	0.46	0.43	0.33	36	0.34	0.44	0.23	35	0.31	0.39	0.28
1963	395	0.48	0.51	0.27	356	0.42	0.40	0.30	24	0.22	0.31	0.15	31	0.27	0.35	0.25
1964	348	0.42	0.45	0.24	390	0.45	0.42	0.32	29	0.26	0.33	0.16	45	0.39	0.48	0.34
1965	362	0.43	0.46	0.24	353	0.41	0.38	0.29	34	0.30	0.43	0.21	33	0.28	0.36	0.25
1966	374	0.44	0.47	0.25	361	0.41	0.38	0.29	34	0.30	0.38	0.17	46	0.38	0.47	0.33
1967	343	0.40	0.43	0.22	384	0.43	0.39	0.30	36	0.31	0.43	0.20	35	0.28	0.35	0.25
1968	376	0.43	0.46	0.23	411	0.46	0.41	0.32	39	0.33	0.48	0.21	36	0.28	0.36	0.25
1969	379	0.43	0.46	0.24	393	0.43	0.38	0.30	27	0.23	0.31	0.14	47	0.36	0.47	0.33
1970	371	0.42	0.45	0.23	402	0.44	0.39	0.30	38	0.31	0.43	0.19	47	0.36	0.46	0.33
1971	316	0.36	0.38	0.19	365	0.40	0.35	0.27	35	0.28	0.42	0.18	45	0.33	0.41	0.29
1972	161	0.36	0.38	0.19	175	0.38	0.33	0.25	16	0.25	0.33	0.14	17	0.25	0.32	0.23
1973	328	0.36	0.38	0.19	345	0.37	0.31	0.24	40	0.31	0.46	0.19	39	0.28	0.34	0.23
1974	326	0.36	0.38	0.19	361	0.38	0.32	0.25	35	0.27	0.37	0.15	32	0.22	0.29	0.20
1975	359	0.40	0.41	0.20	332	0.35	0.29	0.22	36	0.27	0.36	0.15	41	0.28	0.36	0.25
1976	350	0.38	0.39	0.19	350	0.37	0.30	0.23	24	0.18	0.24	0.09	41	0.28	0.33	0.23
1977	345	0.38	0.38	0.18	340	0.35	0.29	0.22	35	0.25	0.34	0.13	42	0.28	0.34	0.23


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Retroperitoneal tissue, mesentery, mesocolon, omentum, and peritoneum (NOS).
(ICD 158 [6th]; ICD 158 [7th]; ICD 158-158.9 [8th])


Peritoneum

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.1	.1	-	.1	.2	.1	.2	.1	.4	.3	.7	1.1	1.6	2.7	3.2	2.0	2.3	.4
1951	.5	.1	-	-	-	.1	.1	.3	.3	.2	.5	1.0	1.1	1.3	2.7	2.8	3.7	1.6	2.1
1952	.5	.1	-	-	.1	-	.1	.1	.3	.4	.7	.9	1.3	1.9	2.1	2.4	3.3	2.4	1.9
1953	.5	.1	.1	-	.1	.2	.2	.1	.2	.3	.6	.9	1.4	1.3	2.3	2.6	3.8	2.8	2.2
1954	.5	.1	-	-	-	.1	.3	.1	.3	.3	.6	.9	1.2	1.9	2.1	2.9	3.1	2.7	3.2
1955	.5	.1	.1	.0	.1	.1	.1	.1	.3	.3	.3	.7	1.0	1.3	2.2	2.1	3.2	2.6	3.4
1956	.5	.1	-	-	.1	.1	.1	.1	.2	.4	.4	.7	1.0	2.0	2.2	3.0	2.9	3.4	2.3
1957	.5	.1	.1	-	-	.1	.1	.2	.2	.5	.5	.8	1.4	1.3	2.5	2.7	2.7	1.5	.6
1958	.5	.1	-	.0	-	.2	.1	.1	.3	.3	.4	.7	.9	1.9	2.3	2.7	2.1	2.5	2.5
1959	.4	.1	-	-	.0	.1	.1	.2	.2	.2	.4	.9	1.0	1.5	1.8	2.2	3.1	3.3	2.4
1960	.4	.1	-	-	-	-	.1	.2	.2	.3	.5	.6	.9	1.8	1.6	2.0	2.6	3.2	1.5
1961	.4	.1	-	-	.0	.1	.1	.1	.2	.3	.5	.8	.8	1.7	2.1	2.3	2.2	3.1	2.3
1962	.5	.1	-	-	-	.1	.1	.2	.2	.3	.4	.8	1.1	1.8	2.0	2.0	2.6	2.3	4.4
1963	.5	-	.1	-	.1	.1	.2	.1	.2	.2	.5	.8	1.3	1.4	2.4	2.4	3.3	2.8	1.4
1964	.4	-	-	-	.1	.1	.1	.1	.1	.2	.4	.7	.9	1.5	2.1	2.7	2.0	2.4	2.5
1965	.4	.1	-	-	.1	.1	-	.1	.2	.3	.5	.7	1.0	1.4	1.9	2.1	3.0	1.8	3.3
1966	.4	.1	.1	-	-	.1	.1	.2	.3	.4	.5	.5	.8	1.3	2.0	2.0	3.1	2.9	2.7
1967	.4	-	-	-	.1	.1	.1	.1	.1	.3	.3	.7	.8	1.2	1.8	2.0	3.1	2.5	3.1
1968	.4	.1	-	-	-	.1	-	.2	.2	.3	.5	.8	.9	1.5	1.7	2.6	3.1	1.8	1.0
1969	.4	-	-	-	.1	.1	.1	.2	.2	.2	.4	.9	.8	1.4	1.7	2.3	3.4	3.1	2.2
1970	.4	-	-	.0	-	.1	.1	.2	.1	.2	.3	.8	.8	1.7	1.5	2.3	2.7	3.2	3.1
1971	.4	-	-	-	-	.1	-	.2	.1	.2	.4	.5	.9	1.0	1.4	2.5	2.4	2.5	1.9
1972	.4	-	.0	-	-	.1	-	.1	.1	.3	.3	.8	.8	1.0	1.5	1.9	3.2	1.9	1.7
1973	.4	-	.0	-	-	.1	-	.1	.1	.2	.3	.4	.7	1.2	1.8	2.0	2.2	3.5	2.4
1974	.4	-	-	.0	-	-	.1	.1	.1	.2	.3	.7	.6	.8	1.9	1.6	4.1	2.2	2.5
1975	.4	-	-	.0	-	.1	-	.1	.1	.2	.5	.5	.9	1.1	1.9	2.0	2.7	3.1	2.5
1976	.4	-	-	.0	-	.1	.1	.1	.2	.2	.3	.5	1.0	1.1	1.5	2.1	2.4	3.4	2.5
1977	.4	-	.0	-	.1	-	.1	.1	.1	.1	.3	.4	.8	1.1	2.1	2.2	2.3	3.0	2.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	332	6	3	2	4	9	8	10	7	20	14	28	36	45	60	49	19	11	1
1951	353	11	3	2	2	6	5	14	14	9	19	36	39	37	63	44	36	8	5
1952	365	10	2	1	4	2	7	7	13	17	29	33	45	57	50	38	33	12	5
1953	363	5	7	1	3	8	9	8	8	12	26	33	48	38	54	44	39	14	6
1954	388	8	3	1	2	5	14	8	13	15	26	36	43	57	51	50	33	14	9
1955	335	9	4	0	4	5	6	7	16	17	15	26	36	39	55	37	35	14	10
1956	371	6	2	1	4	3	7	5	13	19	18	27	36	61	55	56	32	19	7
1957	373	7	4	2	2	3	7	9	13	23	23	31	49	42	64	52	31	9	2
1958	359	5	2	0	2	9	5	8	14	15	18	30	32	59	59	53	25	15	8
1959	349	5	2	1	0	3	6	10	12	11	20	36	38	48	47	44	38	20	8
1960	331	6	3	1	2	1	4	11	9	17	24	26	32	55	42	40	33	20	5
1961	355	5	1	2	0	3	5	7	10	16	25	37	30	53	57	48	28	20	8
1962	377	5	2	2	2	5	6	10	13	18	19	34	42	56	54	43	35	16	15
1963	395	4	5	1	5	4	8	5	9	13	26	34	50	46	65	52	44	19	5
1964	348	4	1	3	5	7	4	5	5	12	18	31	37	49	55	58	28	17	9
1965	362	5	4	1	5	6	2	4	12	14	25	32	42	46	52	46	41	13	12
1966	374	5	6	2	2	8	5	8	15	24	24	24	35	44	54	42	44	22	10
1967	343	3	4	2	4	4	5	4	7	14	18	35	34	40	50	43	45	19	12
1968	376	5	3	2	2	5	2	8	12	14	27	38	38	54	47	56	45	14	4
1969	379	3	2	3	7	6	6	8	9	9	22	42	35	49	46	48	50	25	9
1970	371	3	2	0	3	9	4	11	7	9	17	40	34	63	42	48	39	26	14
1971	316	3	1	1	2	6	2	9	4	8	20	24	40	39	40	52	35	21	9
1972	161	1	0	1	2	2	1	2	3	7	8	20	18	18	23	20	23	8	4
1973	328	1	0	1	4	8	2	6	5	12	16	23	33	45	54	44	32	30	12
1974	326	2	1	0	2	3	5	5	4	9	17	36	25	32	59	36	58	19	13
1975	359	3	1	0	2	6	3	6	5	10	23	28	42	44	61	45	39	27	14
1976	350	1	1	0	1	7	6	6	10	11	16	27	45	45	48	48	34	30	14
1977	345	3	0	1	5	2	4	6	3	4	16	19	40	42	70	53	33	27	17

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.1	.1	.1	.1	.1	.1	-	.1	-	.1	.1	.1	.1	.1	-	-	-
1951	-	-	.1	.1	-	.1	.1	.1	.1	-	.1	.1	.1	-	.1	-	-	-	-
1952	-	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1953	-	-	.2	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-
1954	.1	-	.1	-	-	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1955	-	-	.1	.0	.1	.1	.1	.1	.1	.1	-	.1	.1	-	.1	-	-	-	-
1956	-	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1957	-	-	.1	.1	-	-	.1	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-
1958	-	-	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1959	-	-	-	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1960	-	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-
1961	-	-	-	.1	.0	-	.1	.1	.1	.1	.1	.1	-	.1	.1	-	-	-	-
1962	-	-	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1963	-	-	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1964	-	-	-	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1965	-	-	.1	-	.1	.1	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1966	-	-	.1	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-	-	-
1967	-	-	.1	-	-	-	.1	-	.1	.1	.1	.1	-	-	-	-	-	-	-
1968	-	-	.1	-	-	-	-	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-
1969	-	-	-	.1	.1	-	.1	.1	.1	-	.1	.1	-	.1	-	-	-	-	-
1970	-	-	-	.0	-	.1	-	.1	.1	-	-	.1	-	.1	-	-	-	-	-
1971	-	-	-	-	-	-	-	.1	-	-	.1	-	.1	-	-	-	-	-	-
1972	-	-	.0	-	-	-	-	-	.1	.1	-	.1	-	-	-	-	-	-	-
1973	-	-	.0	-	-	.1	-	.1	-	.1	-	-	-	-	-	-	-	-	-
1974	-	-	-	.0	-	-	-	-	-	-	.1	.1	-	-	.1	-	-	-	-
1975	-	-	-	.0	-	-	-	.1	-	.1	.1	.1	.1	-	.1	-	-	-	-
1976	-	-	-	.0	-	-	-	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-
1977	-	-	.0	-	-	-	-	.1	-	-	.1	-	.1	-	.1	-	-	-	-

Peritoneum

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.1	.1	.0	.0	.1	.1	-	.2	.3	.5	1.0	1.5	1.9	2.3	3.4	2.8	3.0	3.1
1951	.6	.1	.1	-	-	-	.1	.2	.2	.3	.6	.9	1.4	2.3	2.0	3.1	4.0	2.4	3.5
1952	.5	.1	.0	.1	.1	-	.1	.1	.2	.2	.4	.8	1.1	1.9	2.3	3.0	3.0	3.6	3.1
1953	.5	.1	-	.1	-	-	.1	.1	.1	.3	.2	.7	1.3	2.0	2.1	2.5	4.0	4.8	3.2
1954	.5	-	-	.0	.0	.1	.1	.1	.1	.3	.4	1.0	1.4	1.6	2.1	3.0	3.0	3.3	3.0
1955	.5	.1	-	.0	.1	.1	.1	.1	.2	.2	.5	.6	1.4	1.3	2.4	2.4	2.5	3.1	2.4
1956	.5	-	.1	-	-	-	-	.1	.2	.4	.4	.7	1.0	2.0	2.4	2.3	3.2	2.6	3.0
1957	.5	.1	-	-	.1	.0	-	.1	.2	.3	.2	.7	1.4	1.7	2.4	2.4	3.0	3.0	3.5
1958	.5	.1	-	-	-	.0	-	.1	.2	.3	.4	.6	1.1	1.8	2.4	2.0	2.3	3.0	1.9
1959	.5	-	-	-	-	-	.0	.1	.2	.2	.4	.7	1.1	1.6	2.0	2.2	2.2	3.1	2.8
1960	.4	.1	-	-	.0	-	.1	.1	.1	.2	.5	.6	.9	1.2	1.9	2.8	2.8	2.1	3.0
1961	.5	.1	-	-	-	-	.1	.1	.1	.3	.5	.6	.9	1.3	1.8	2.5	2.7	3.7	2.2
1962	.5	.1	-	-	-	-	-	.1	.1	.3	.4	.7	.8	1.3	2.2	1.9	2.8	2.5	3.2
1963	.4	-	.0	-	-	-	-	-	.1	.2	.5	.6	.9	1.3	1.7	2.2	2.3	3.0	2.1
1964	.5	-	.0	.0	-	-	.1	-	.1	.3	.4	.7	1.0	1.3	1.6	2.3	3.0	2.9	2.5
1965	.4	.1	.0	-	-	-	-	.1	.1	.2	.4	.8	.7	1.0	1.4	2.2	2.3	3.3	1.6
1966	.4	.1	-	.0	.0	.0	-	.1	.1	.2	.5	.6	.6	1.1	1.4	2.0	2.6	2.2	4.2
1967	.4	.1	-	-	-	-	-	-	.1	.2	.4	.5	.8	1.4	1.7	2.1	3.0	2.2	2.6
1968	.5	-	-	-	-	.0	.0	.1	.1	.2	.6	.5	.8	1.4	1.6	2.1	2.9	2.7	3.2
1969	.4	-	-	-	.0	-	.1	.1	.1	.2	.2	.5	.8	1.0	1.7	2.0	3.1	3.3	3.1
1970	.4	.0	.0	-	-	.1	.1	.1	.1	.1	.6	.6	.8	1.0	1.8	2.3	2.3	2.9	2.2
1971	.4	.1	.0	-	.0	-	-	-	.1	.2	.2	.6	.9	.9	1.9	1.5	2.1	2.4	2.8
1972	.4	.0	.0	.0	.0	-	-	.1	.1	.3	.3	.5	.5	1.0	1.8	1.6	2.7	1.8	1.7
1973	.4	.0	.0	-	-	.0	-	.1	.1	.2	.2	.4	.7	1.0	1.6	1.9	1.7	2.4	2.0
1974	.4	-	-	-	.0	-	-	-	.1	.2	.4	.4	.7	.9	1.4	2.2	2.1	1.8	2.9
1975	.4	-	.0	.0	-	-	.0	.1	.1	.1	.1	.5	.5	.9	1.1	1.7	2.2	2.1	2.6
1976	.4	-	.0	.0	-	-	-	.1	.1	.2	.2	.4	.4	1.0	1.3	1.5	2.1	3.2	2.1
1977	.4	.0	-	-	-	-	-	.1	-	-	.2	.4	.6	1.3	1.1	1.4	2.0	2.2	2.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	374	9	3	0	0	4	3	1	8	13	21	36	52	54	55	57	30	18	10
1951	402	5	3	1	1	1	7	9	9	14	27	36	48	66	49	54	45	15	12
1952	370	7	0	3	4	2	7	5	9	11	16	32	38	56	57	54	35	23	11
1953	379	4	1	3	2	2	6	3	5	16	11	28	45	61	53	46	49	32	12
1954	387	3	3	0	0	3	3	7	6	16	18	40	51	50	55	59	38	23	12
1955	364	6	2	0	3	3	3	3	11	12	23	24	51	43	65	49	33	23	10
1956	391	2	4	2	1	1	2	5	12	21	20	30	35	66	66	48	43	20	13
1957	392	6	1	2	3	0	1	4	9	15	9	31	50	56	69	53	43	24	16
1958	363	5	1	2	1	0	2	3	9	14	19	24	41	60	69	46	33	25	9
1959	367	4	2	2	1	2	0	4	12	12	18	30	42	54	61	50	33	26	14
1960	363	5	2	1	0	1	3	4	7	11	23	27	36	41	57	67	44	18	16
1961	390	10	2	2	1	2	3	4	7	17	26	28	35	44	57	61	45	34	12
1962	382	5	4	1	2	1	2	5	6	16	19	33	32	47	70	49	48	24	18
1963	356	2	0	1	2	1	2	2	5	12	25	28	40	44	53	57	40	30	12
1964	390	1	0	0	2	1	3	2	8	15	21	33	42	48	51	63	54	31	15
1965	353	5	0	2	2	2	1	3	6	10	19	39	30	38	45	61	44	36	10
1966	361	4	2	0	0	0	2	4	7	10	25	30	29	41	46	57	51	25	28
1967	384	4	2	1	1	1	1	2	3	10	24	23	39	55	55	58	61	26	18
1968	411	1	1	2	3	0	0	3	6	13	34	26	38	56	53	59	59	33	24
1969	393	1	1	2	0	2	4	3	7	12	9	26	39	39	60	56	66	42	24
1970	402	0	0	1	3	4	4	3	7	6	31	30	36	43	62	65	50	38	19
1971	365	4	0	1	0	2	1	2	3	9	12	32	42	40	69	45	45	33	25
1972	175	0	0	0	0	1	1	2	3	7	7	13	11	22	33	24	30	13	8
1973	345	0	0	1	2	0	3	5	4	11	11	22	32	44	60	56	38	36	20
1974	361	1	2	1	0	3	2	2	3	8	19	22	33	38	54	67	47	28	31
1975	332	1	0	0	2	2	0	4	4	5	8	30	25	41	46	52	49	33	30
1976	350	1	0	0	1	3	1	4	5	9	12	20	21	47	54	47	48	52	25
1977	340	0	2	2	2	1	3	5	1	1	9	20	31	58	46	46	46	36	31

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.1	.0	.0	.1	.1	-	.1	.1	.1	.1	.2	.1	.1	.1	-	-	-
1951	.1	-	.1	.1	-	-	.1	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	-	-
1952	.1	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1953	.1	-	-	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1954	.1	-	.1	.0	.0	.1	.1	.1	.1	.1	.1	.2	.2	.1	.1	.1	-	-	-
1955	.1	-	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	-	-	-
1956	.1	-	.1	.1	-	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1	-	-
1957	.1	-	-	.1	.1	.0	-	.1	.1	.1	.1	.1	.2	.1	.1	.1	-	-	-
1958	.1	-	-	.1	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1959	.1	-	.1	.1	-	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1960	.1	-	.1	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1961	.1	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1962	.1	-	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1963	.1	-	.0	-	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1964	.1	-	.0	.0	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1965	.1	-	.0	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1966	.1	-	.1	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1967	.1	-	.1	-	-	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1968	.1	-	-	.1	.1	.0	.0	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	-	-
1969	.1	-	-	.1	.0	-	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	-	-
1970	.1	.0	.0	-	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	-	-	-
1971	-	-	.0	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1972	-	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1973	-	.0	.0	-	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1974	-	-	.1	-	.0	.1	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1975	-	-	.0	.0	-	-	.0	.1	.1	-	-	.1	.1	.1	.1	.1	-	-	-
1976	-	-	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1977	-	.0	.1	.1	-	-	.1	.1	-	-	.1	.1	.1	.1	.1	.1	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.1	.0	.0	.0	.2	.0	.2	.2	.2	.7	1.3	2.8	.5	2.5	2.6	3.1	.0	5.4
1951	.4	.2	.0	.0	.2	.0	.2	.2	.3	.2	.2	1.3	1.4	2.8	1.5	2.5	.0	.0	5.1
1952	.3	.2	.1	.0	.0	.0	.0	.2	.5	.2	.9	1.0	1.0	2.7	.9	.0	1.4	.0	.0
1953	.3	.2	.0	.0	.0	.0	.0	.3	.0	.2	.9	.5	1.0	.4	.9	3.1	.0	2.5	.0
1954	.4	.1	.0	.1	.2	.0	.0	.0	.2	.9	.7	1.7	.6	1.3	1.8	1.5	5.1	.0	.0
1955	.4	.0	.2	.0	.0	.0	.0	.2	.2	.6	.4	.7	1.8	2.1	1.8	2.2	.0	2.4	4.1
1956	.4	.2	.1	.0	.1	.0	.0	.3	.7	.4	1.1	.9	.9	2.4	2.2	.7	2.3	.0	.0
1957	.3	.1	.0	.0	.0	.0	.0	.2	.2	.2	.4	.5	1.1	2.3	2.2	.7	2.2	4.6	.0
1958	.3	.1	.1	.2	.1	.0	.0	.3	.0	.0	.6	.7	.8	.8	2.1	2.6	2.1	2.2	.0
1959	.4	.1	.0	.1	.0	.2	.0	.2	.0	.4	.2	1.6	1.3	2.2	1.7	1.3	2.0	4.4	.0
1960	.3	.0	.2	.0	.0	.0	.0	.0	.5	.4	.6	.7	1.3	1.0	1.6	1.2	1.0	4.3	.0
1961	.3	.1	.0	.0	.0	.1	.2	.2	.3	.4	.4	.4	1.0	1.3	2.3	.6	1.9	1.9	.0
1962	.3	.1	.0	.0	.0	.3	.0	.3	.3	.2	.4	1.3	.7	1.6	1.9	2.8	1.9	.0	.0
1963	.2	.0	.0	.0	.0	.1	.0	.2	.2	.0	.4	.8	.2	1.0	1.9	2.2	.9	1.7	.0
1964	.3	.1	.0	.1	.1	.3	.3	.5	.0	.0	.4	.6	1.4	1.3	1.1	.0	.0	1.6	.0
1965	.3	.0	.0	.0	.0	.0	.0	.2	.2	.7	.2	.6	.7	2.5	1.7	1.0	2.7	3.2	2.9
1966	.3	.1	.1	.1	.0	.0	.0	.0	.2	.8	.0	.8	1.6	1.8	.0	2.1	.9	1.6	.0
1967	.3	.0	.0	.0	.1	.0	.1	.2	.0	.3	.4	.8	1.1	1.8	2.0	1.5	2.5	1.5	2.6
1968	.3	.0	.0	.0	.1	.0	.0	.2	.0	.2	.5	.4	1.6	2.0	2.0	1.5	5.0	1.5	2.4
1969	.2	.0	.0	.0	.1	.1	.0	.0	.2	.6	.5	.0	.7	1.1	.7	1.5	3.3	.0	2.3
1970	.3	.1	.0	.0	.0	.2	.0	.1	.2	.3	.2	.8	1.1	1.8	1.6	1.4	1.6	1.4	6.4
1971	.3	.0	.0	.1	.0	.0	.3	.0	.0	.0	.0	.4	.5	2.0	1.6	1.9	5.4	4.1	2.1
1972	.3	.0	.0	.0	.1	.3	.0	.0	.3	.0	.0	.0	1.4	2.0	1.2	1.9	1.5	.0	.0
1973	.3	.0	.0	.0	.0	.0	.0	.1	.0	.2	.8	.2	1.4	1.0	1.5	5.1	2.3	3.6	.0
1974	.3	.1	.0	.0	.1	.0	.0	.0	.0	.5	.0	.5	.9	1.7	.9	3.2	2.3	1.2	1.8
1975	.3	.0	.0	.0	.1	.0	.1	.1	.0	.6	.3	.7	1.3	1.0	1.4	2.7	1.4	.0	.0
1976	.2	.0	.0	.0	.1	.1	.0	.0	.1	.3	.2	.3	.2	.5	1.0	1.8	2.1	.0	1.5
1977	.3	.1	.0	.0	.1	.0	.1	.0	.0	.0	.3	.8	1.2	1.0	1.8	.9	2.1	3.2	.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	33	1	0	0	0	1	0	1	1	1	3	5	8	1	5	3	2	0	1
1951	31	2	0	0	1	0	1	1	2	1	1	5	4	6	3	3	0	0	1
1952	28	2	1	0	0	0	0	1	3	1	4	4	3	6	2	0	1	0	0
1953	22	2	0	0	0	0	0	2	0	1	4	2	3	1	2	4	0	1	0
1954	34	1	0	1	1	0	0	0	1	5	3	7	2	3	4	2	4	0	0
1955	32	0	2	0	0	0	0	1	1	3	2	3	6	5	4	3	0	1	1
1956	38	2	1	0	1	0	0	2	4	2	5	4	3	6	5	1	2	0	0
1957	28	1	0	0	0	0	0	1	1	1	2	2	4	6	5	1	2	2	0
1958	31	2	1	2	1	0	0	2	0	0	3	3	3	2	5	4	2	1	0
1959	35	1	0	1	0	1	0	1	0	2	1	7	5	6	4	2	2	2	0
1960	30	0	2	0	0	0	0	0	3	2	3	3	5	3	4	2	1	2	0
1961	30	1	0	0	0	1	1	1	2	2	2	2	4	4	6	1	2	1	0
1962	36	1	0	0	0	2	0	2	2	1	2	6	3	5	5	5	2	0	0
1963	24	0	0	0	0	1	0	1	1	0	2	4	1	3	5	4	1	1	0
1964	29	1	0	1	1	2	2	3	0	0	2	3	6	4	3	0	0	1	0
1965	34	0	0	0	0	0	0	1	1	4	1	3	3	8	5	2	3	2	1
1966	34	2	2	1	0	0	0	0	1	5	0	4	7	6	0	4	1	1	0
1967	36	0	0	0	1	0	1	1	0	2	2	4	5	6	6	3	3	1	1
1968	39	0	0	0	1	0	0	1	0	1	3	2	7	7	6	3	6	1	1
1969	27	0	0	0	1	1	0	0	1	4	3	0	3	4	2	3	4	0	1
1970	38	1	0	0	0	2	0	1	1	2	1	4	5	7	5	3	2	1	3
1971	35	0	0	1	0	0	2	0	0	0	0	2	2	8	5	4	7	3	1
1972	16	0	0	0	1	2	0	0	1	0	0	0	3	4	2	2	1	0	0
1973	40	0	0	0	0	0	0	1	0	1	5	1	6	4	5	11	3	3	0
1974	35	1	0	0	2	0	0	0	0	3	0	3	4	7	3	7	3	1	1
1975	36	0	0	0	1	0	1	1	0	4	2	4	6	4	5	6	2	0	0
1976	24	0	0	0	1	2	0	0	1	2	1	2	1	2	4	4	3	0	1
1977	35	1	0	0	1	0	1	0	0	0	2	5	6	4	7	2	3	3	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.0	.0	-	.0	-	-	-	-	.1	.1	-	.1	-	-	.0	-
1951	-	-	.0	.0	.1	.0	-	-	.1	-	-	.1	-	.1	-	-	.0	.0	-
1952	-	-	.1	.0	.0	.0	.0	-	.1	-	.1	-	-	.1	-	.0	-	.0	.0
1953	-	-	.0	.0	.0	.0	.0	.1	.0	-	.1	-	-	-	-	-	.0	-	.0
1954	-	-	.0	.2	.1	.0	.0	.0	-	.1	.1	.1	-	-	-	-	.1	.0	.0
1955	-	.0	.3	.0	.0	.0	.0	-	-	.1	-	-	.1	.1	-	-	.0	-	-
1956	-	-	.1	.0	.1	.0	.0	.1	.1	-	.1	.1	-	.1	-	-	-	.0	.0
1957	-	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	.1	-	-	-	-	.0
1958	-	-	.1	.3	.1	.0	.0	.1	.0	.0	-	-	-	-	-	-	-	-	.0
1959	-	-	.0	.1	.0	.1	.0	-	.0	-	-	.1	.1	.1	-	-	-	-	.0
1960	-	.0	.2	.0	.0	.0	.0	.0	.1	-	-	-	.1	-	-	-	-	-	.0
1961	-	-	.0	.0	.0	.1	-	-	.1	-	-	-	-	-	-	-	-	-	.0
1962	-	-	.0	.0	.0	.1	.0	.1	.1	-	-	.1	-	-	-	-	-	.0	.0
1963	-	.0	.0	.0	.0	-	.0	-	-	.0	-	-	-	-	-	-	-	-	.0
1964	-	-	.0	.1	.1	.1	.1	.1	.0	.0	-	-	.1	-	-	.0	.0	-	.0
1965	-	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	.1	-	-	-	-	-
1966	-	-	.2	.1	.0	.0	.0	.0	-	.1	.0	-	.1	-	.0	-	-	-	.0
1967	-	.0	.0	.0	-	.0	-	-	.0	-	-	-	-	-	-	-	-	-	-
1968	-	.0	.0	.0	-	.0	.0	-	.0	-	-	-	.1	.1	-	-	.1	-	-
1969	-	.0	.0	.0	-	-	.0	.0	-	.1	-	.0	-	-	-	-	-	.0	-
1970	-	-	.0	.0	.0	-	.0	-	-	-	-	-	-	.1	-	-	-	-	-
1971	-	.0	.0	.1	.0	.0	.1	.0	.0	.0	.0	-	-	.1	-	-	.1	-	-
1972	-	.0	.0	.0	.1	.1	.0	.0	-	.0	.0	.0	.1	.1	-	-	-	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	.1	-	-	.1	-	-	.0
1974	-	-	.0	.0	.1	.0	.0	.0	.0	.1	.0	-	-	.1	-	-	-	-	-
1975	-	.0	.0	.0	-	.0	-	-	.0	.1	-	-	.1	-	-	-	-	.0	.0
1976	-	.0	.0	.0	-	.1	.0	.0	-	-	-	-	-	-	-	-	-	.0	-
1977	-	-	.0	.0	-	.0	-	.0	.0	.0	-	.1	.1	-	-	-	-	-	.0

Peritoneum

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.1	.0	.0	.0	.1	.0	.0	.0	.2	.9	.5	1.5	.5	1.8	2.6	.0	.0	.0
1951	.4	.0	.0	.1	.2	.3	.0	.3	.2	.2	.9	1.6	1.1	.5	1.8	2.4	.0	.0	.0
1952	.3	.1	.0	.0	.0	.1	.0	.3	1.0	.4	.9	.8	1.0	.9	.9	.0	1.5	.0	.0
1953	.3	.1	.0	.0	.0	.0	.1	.3	.3	.2	.9	1.7	.7	.9	.4	1.5	.0	.0	.0
1954	.4	.0	.0	.0	.0	.0	.0	.1	.3	.3	1.5	1.7	2.2	1.7	.4	2.1	3.9	2.0	.0
1955	.2	.0	.1	.0	.0	.0	.0	.1	.0	.0	.6	.7	.6	2.4	.0	1.3	3.7	.0	2.9
1956	.4	.0	.1	.0	.0	.0	.3	.1	.5	.3	1.4	.2	1.7	2.7	.8	.6	1.1	.0	.0
1957	.3	.0	.0	.0	.1	.0	.0	.4	.2	.5	.8	.7	1.4	1.1	2.4	.6	2.1	.0	2.7
1958	.3	.1	.0	.0	.0	.3	.0	.1	.3	.5	.8	.7	1.3	.7	2.7	.0	.0	1.9	2.6
1959	.3	.0	.0	.0	.1	.1	.1	.1	.1	.3	.2	.4	1.3	1.4	2.3	1.7	1.8	5.6	.0
1960	.3	.0	.0	.1	.0	.0	.1	.1	.3	.0	.5	1.7	1.0	1.6	.0	.5	1.7	.0	.0
1961	.3	.1	.0	.0	.0	.3	.0	.1	.3	.3	.5	1.7	.5	1.0	1.4	1.0	1.7	.0	2.5
1962	.3	.1	.0	.0	.1	.0	.3	.0	.3	.0	.9	.8	.9	2.5	.7	2.0	.0	1.5	.0
1963	.3	.0	.1	.0	.0	.1	.0	.0	.1	.2	.0	1.2	1.4	1.2	2.9	.0	.0	2.9	.0
1964	.4	.1	.0	.1	.0	.1	.0	.0	.5	.4	.7	1.5	.9	.9	1.8	.9	3.8	.0	4.4
1965	.3	.1	.0	.0	.0	.0	.0	.4	.1	.4	.2	.9	.4	2.0	.3	1.3	.7	3.9	4.1
1966	.4	.2	.0	.1	.0	.0	.1	.3	.3	.1	.3	1.3	1.3	1.9	1.2	1.7	3.5	1.3	.0
1967	.3	.0	.0	.0	.0	.0	.0	.3	.4	.3	.6	.5	.6	1.6	1.4	1.7	1.4	.0	1.8
1968	.3	.0	.0	.0	.0	.2	.0	.3	.1	.1	.3	.4	1.0	1.5	1.9	1.2	2.0	2.3	.0
1969	.4	.0	.0	.0	.0	.0	.1	.1	.3	.1	.9	1.1	.8	.5	1.6	3.2	2.6	3.3	4.6
1970	.4	.0	.0	.0	.0	.1	.1	.0	.0	.7	.4	.9	1.6	.7	1.3	3.1	3.8	2.1	.0
1971	.3	.0	.0	.0	.0	.1	.0	.0	.7	.4	.3	.7	1.8	.7	2.4	1.1	.6	3.8	1.3
1972	.2	.0	.0	.0	.0	.0	.0	.0	.3	.0	.3	1.0	.0	.9	.5	4.7	2.3	.0	2.4
1973	.3	.0	.0	.0	.0	.1	.0	.1	.1	.3	.0	.8	.4	2.3	1.9	1.9	1.8	.0	.0
1974	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.1	.5	1.4	1.0	1.4	.8	2.9	.0	.0
1975	.3	.0	.0	.0	.0	.1	.0	.0	.0	.1	.0	.6	1.7	.6	1.7	3.4	1.7	1.5	.9
1976	.3	.0	.1	.0	.0	.1	.0	.0	.0	.3	.1	.4	.9	1.5	1.8	1.1	1.6	2.9	1.7
1977	.3	.0	.0	.0	.0	.1	.0	.0	.3	.1	.3	.6	.7	1.9	.6	1.8	2.7	1.4	2.3


Number of Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	21	1	0	0	0	1	0	0	0	1	4	2	4	1	4	3	0	0	0
1951	29	0	0	1	1	2	0	2	1	1	4	6	3	1	4	3	0	0	0
1952	27	1	0	0	0	1	0	2	6	2	4	3	3	2	2	0	1	0	0
1953	25	1	0	0	0	0	1	2	2	1	4	7	2	2	1	2	0	0	0
1954	38	0	0	0	0	0	0	1	2	2	7	7	7	4	1	3	3	1	0
1955	22	0	1	0	0	0	0	1	0	0	3	3	2	6	0	2	3	0	1
1956	34	0	1	0	0	0	2	1	3	2	7	1	6	7	2	1	1	0	0
1957	33	0	0	0	1	0	0	3	1	3	4	3	5	3	6	1	2	0	1
1958	33	2	0	0	0	2	0	1	2	3	4	3	5	2	7	0	0	1	1
1959	33	0	0	0	1	1	1	1	1	2	1	2	5	4	6	3	2	3	0
1960	28	0	0	1	0	0	1	1	2	0	3	8	4	5	0	1	2	0	0
1961	33	1	0	0	0	2	0	1	2	2	3	8	2	3	4	2	2	0	1
1962	35	2	0	0	1	0	2	0	2	0	5	4	4	8	2	4	0	1	0
1963	31	0	1	0	0	1	0	0	1	1	0	6	6	4	9	0	0	2	0
1964	45	2	0	1	0	1	0	0	4	3	4	8	4	3	6	2	5	0	2
1965	33	1	0	0	0	0	0	3	1	3	1	5	2	7	1	3	1	3	2
1966	46	3	0	1	0	0	1	2	2	1	2	7	6	7	4	4	5	1	0
1967	35	0	0	0	0	0	0	2	3	2	4	3	3	6	5	4	2	0	1
1968	36	0	0	0	0	2	0	2	1	1	2	2	5	6	7	3	3	2	0
1969	47	0	0	0	0	0	1	1	2	1	6	6	4	2	6	8	4	3	3
1970	47	0	0	0	0	1	1	0	0	5	3	5	8	3	5	8	6	2	0
1971	45	0	0	0	0	1	0	0	5	3	2	4	9	3	9	3	1	4	1
1972	17	0	0	0	0	0	0	0	1	0	1	3	0	2	1	6	2	0	1
1973	39	0	0	0	0	1	0	1	1	2	0	5	2	11	8	5	3	0	0
1974	32	0	0	0	0	0	0	0	1	2	1	3	7	5	6	2	5	0	0
1975	41	0	0	0	0	1	0	0	0	1	0	4	9	3	8	9	3	2	1
1976	41	0	1	0	0	1	0	0	0	2	1	3	5	7	9	3	3	4	2
1977	42	0	0	0	0	1	0	0	3	1	2	4	4	9	3	5	5	2	3

Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.0	.0	.1	.0	.0	.0	-	.1	-	.1	-	.1	.1	.0	.0	.0
1951	-	.0	.0	.2	.1	.1	.0	.1	-	-	.1	.1	-	-	.1	-	.0	.0	.0
1952	-	-	.0	.0	.0	.1	.0	.1	.2	-	.1	-	-	-	-	.0	-	.0	.0
1953	-	-	.0	.0	.0	.0	.1	.1	.1	-	.1	.1	-	-	-	-	.0	.0	.0
1954	-	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	-	-	.1	-	.0
1955	-	.0	.2	.0	.0	.0	.0	-	.0	.0	.1	-	-	.1	.0	-	.1	.0	-
1956	-	.0	.1	.0	.0	.0	.1	-	.1	-	.1	-	.1	.1	-	-	-	.0	.0
1957	-	.0	.0	.0	.1	.0	.0	.1	-	.1	.1	-	.1	-	.1	-	-	.0	-
1958	-	-	.0	.0	.0	.2	.0	-	.1	.1	.1	-	.1	-	.1	.0	.0	-	-
1959	-	.0	.0	.0	.1	.1	.1	-	-	.1	-	-	.1	-	.1	-	-	.1	.0
1960	-	.0	.0	.2	.0	.0	.1	-	.1	.0	.1	.1	.1	.1	.0	-	-	.0	.0
1961	-	-	.0	.0	.0	.2	.0	-	.1	-	.1	.1	-	-	-	-	-	.0	-
1962	-	-	.0	.0	.1	.0	.1	.0	.1	.0	.1	.1	.1	.1	-	-	.0	-	.0
1963	-	.0	.1	.0	.0	.1	.0	.0	-	-	.0	.1	.1	-	.1	.0	.0	-	.0
1964	-	-	.0	.2	.0	.1	.0	.0	.1	.1	.1	.1	.1	-	.1	-	.1	.0	-
1965	-	-	.0	.0	.0	.0	.0	.1	-	.1	-	.1	-	.1	-	-	-	-	-
1966	-	-	.0	.2	.0	.0	.1	.1	.1	-	-	.1	.1	.1	-	-	.1	-	.0
1967	-	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	-	-	.1	-	-	-	.0	-
1968	-	.0	.0	.0	.0	.1	.0	.1	-	-	-	-	.1	.1	.1	-	-	-	.0
1969	-	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.1	-	-	-	.1	-	-	-
1970	-	.0	.0	.0	.0	.1	.1	.0	.0	.1	.1	.1	.1	-	-	.1	.1	-	.0
1971	-	.0	.0	.0	.0	.1	.0	.0	.2	.1	-	.1	.1	-	.1	-	-	.1	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	-	.1	.0	-	-	.1	-	.0	-
1973	-	.0	.0	.0	.0	.1	.0	-	-	.1	.0	.1	-	.1	.1	-	-	.0	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	.1	.1	.1	-	.1	.0	.0
1975	-	.0	.0	.0	.0	.1	.0	.0	.0	-	.0	.1	.1	-	.1	.1	-	-	-
1976	-	.0	.2	.0	.0	.1	.0	.0	.0	.1	-	-	.1	.1	.1	-	-	-	-
1977	-	.0	.0	.0	.0	.1	.0	.0	.1	-	-	.1	.1	.1	-	-	-	-	-

Age-adjusted Mortality Rates



	------WHITE MALE------				-----WHITE FEMALE-----				------OTHER MALE------				-----OTHER FEMALE-----			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	359	0.53	0.64	0.38	232	0.34	0.38	0.26	37	0.48	0.61	0.41	17	0.21	0.27	0.19
1951	300	0.44	0.51	0.30	241	0.35	0.38	0.26	49	0.62	0.92	0.61	17	0.21	0.29	0.20
1952	291	0.42	0.48	0.28	220	0.31	0.34	0.23	58	0.71	1.01	0.63	10	0.12	0.17	0.11
1953	307	0.43	0.50	0.29	203	0.28	0.30	0.21	31	0.37	0.51	0.32	8	0.09	0.12	0.08
1954	294	0.41	0.46	0.26	188	0.26	0.27	0.19	39	0.46	0.61	0.36	11	0.12	0.16	0.11
1955	346	0.47	0.54	0.31	220	0.30	0.30	0.21	40	0.46	0.61	0.36	26	0.28	0.41	0.29
1956	347	0.47	0.52	0.29	178	0.24	0.24	0.17	41	0.46	0.60	0.34	20	0.21	0.27	0.18
1957	358	0.47	0.53	0.29	212	0.28	0.28	0.20	42	0.46	0.60	0.33	15	0.16	0.19	0.13
1958	327	0.43	0.48	0.27	182	0.23	0.23	0.17	45	0.48	0.68	0.38	14	0.14	0.18	0.12
1959	301	0.39	0.43	0.24	208	0.26	0.26	0.19	45	0.47	0.64	0.34	18	0.18	0.24	0.17
1960	310	0.39	0.44	0.24	184	0.23	0.22	0.17	52	0.52	0.74	0.39	28	0.26	0.34	0.24
1961	306	0.38	0.42	0.23	201	0.24	0.24	0.18	39	0.38	0.51	0.27	23	0.21	0.28	0.20
1962	310	0.38	0.41	0.23	177	0.21	0.20	0.15	39	0.37	0.51	0.26	29	0.26	0.35	0.25
1963	284	0.34	0.38	0.21	185	0.22	0.21	0.16	39	0.36	0.47	0.23	28	0.25	0.34	0.24
1964	300	0.36	0.40	0.21	199	0.23	0.22	0.17	50	0.46	0.64	0.31	20	0.17	0.23	0.16
1965	330	0.39	0.44	0.23	223	0.26	0.24	0.18	37	0.33	0.44	0.21	27	0.23	0.29	0.21
1966	275	0.32	0.36	0.19	175	0.20	0.18	0.14	48	0.42	0.56	0.26	19	0.16	0.20	0.14
1967	301	0.35	0.38	0.20	200	0.23	0.20	0.15	50	0.43	0.63	0.29	21	0.17	0.22	0.16
1968	342	0.39	0.43	0.22	233	0.26	0.23	0.18	45	0.38	0.56	0.25	29	0.23	0.29	0.20
1969	314	0.36	0.39	0.20	197	0.22	0.19	0.15	56	0.47	0.64	0.28	20	0.15	0.20	0.14
1970	319	0.36	0.39	0.20	203	0.22	0.19	0.15	47	0.39	0.54	0.24	16	0.12	0.16	0.11
1971	271	0.31	0.33	0.17	203	0.22	0.19	0.15	46	0.37	0.50	0.22	27	0.20	0.26	0.18
1972	148	0.33	0.36	0.18	99	0.21	0.18	0.14	27	0.43	0.58	0.25	9	0.13	0.16	0.11
1973	325	0.36	0.38	0.19	198	0.21	0.18	0.13	56	0.43	0.62	0.26	26	0.19	0.24	0.16
1974	283	0.31	0.33	0.16	219	0.23	0.19	0.14	53	0.40	0.55	0.22	15	0.11	0.13	0.09
1975	332	0.37	0.38	0.19	213	0.22	0.18	0.14	63	0.47	0.65	0.26	25	0.17	0.21	0.15
1976	333	0.36	0.38	0.19	203	0.21	0.17	0.13	41	0.30	0.40	0.16	26	0.17	0.22	0.15
1977	296	0.32	0.33	0.16	188	0.20	0.15	0.11	44	0.32	0.42	0.16	24	0.16	0.19	0.13


*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Any accessory sinus, Eustachian tube, middle ear, nasal cavity and septum, and nose (NOS) (except skin and bone of nose and ear).
(ICD 160 [6th]; ICD 160-160.9 [7th]; ICD 160-160.9 [8th])


Nose

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



MUIR CS, NECTOUX J: Descriptive epidemiology of malignant neoplasms of nose, nasal cavities, middle ear and accessory sinuses. Clin Otolaryngol 5:195-211, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.0	.1	.0	.1	-	.1	.1	.2	.4	.3	.7	1.1	1.5	2.0	3.0	4.4	6.0	14.7
1951	.4	-	-	.0	-	.1	.0	.1	.1	.3	.4	.6	1.1	1.2	1.5	3.4	2.6	6.0	8.3
1952	.4	.0	.0	.0	.0	-	-	.1	-	.2	.5	.6	.8	1.3	1.5	2.7	4.2	4.7	6.6
1953	.4	-	.0	-	.0	-	-	-	.1	.3	.3	.8	1.1	1.0	1.6	2.7	3.7	6.5	6.3
1954	.4	-	-	-	.0	-	.1	.1	.1	.3	.4	.5	.8	1.1	1.6	2.8	2.5	5.0	7.0
1955	.5	.0	-	-	-	.1	.0	.1	-	.3	.2	.5	.8	1.9	2.2	3.0	4.0	4.4	9.8
1956	.5	-	-	-	-	.1	-	.1	.1	.1	.4	.5	1.2	1.3	1.9	3.1	3.9	4.9	6.9
1957	.5	-	-	-	-	.1	-	.1	.2	.2	.4	.8	1.1	1.4	2.3	2.2	3.3	4.6	8.3
1958	.4	-	-	.0	.1	.1	.0	.1	.1	.3	.3	.4	.8	1.4	1.9	2.5	2.7	5.7	6.9
1959	.4	-	.0	-	.1	.0	-	.1	.1	.3	.2	.5	.7	1.3	1.5	2.5	3.1	3.4	5.5
1960	.4	-	-	-	-	-	-	-	.1	.1	.5	.5	.9	1.4	1.6	2.3	2.5	3.8	7.2
1961	.4	-	-	.0	-	.0	-	-	.1	.3	.4	.4	.8	1.4	1.5	2.1	3.5	3.5	4.7
1962	.4	-	-	.0	-	-	.1	.2	.1	.3	.4	.6	.7	1.3	1.4	1.8	2.4	3.2	5.5
1963	.3	.0	.0	-	-	-	-	.1	.1	.2	.4	.5	.8	1.1	1.5	1.6	2.2	3.9	4.9
1964	.4	-	.0	.0	-	-	-	-	.1	.2	.3	.5	.8	1.4	1.4	1.7	2.6	3.7	5.6
1965	.4	.0	.0	.0	-	-	.1	-	.2	.2	.2	.7	.6	1.4	1.5	2.4	3.2	4.5	5.8
1966	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.3	.5	.7	1.6	1.6	1.5	2.0	2.1	4.8
1967	.4	-	.0	-	.0	-	-	.1	.1	.1	.2	.6	.7	.9	1.9	2.1	3.1	3.0	4.4
1968	.4	.0	-	-	-	.0	.1	-	.2	.3	.3	.5	.8	1.5	2.0	2.2	2.6	3.6	3.8
1969	.4	.0	-	.0	-	-	.1	-	.1	.2	.5	.5	.8	1.3	1.7	1.5	2.8	2.5	4.3
1970	.4	.0	.0	-	-	-	.1	.0	.1	.1	.5	.4	.8	1.4	1.6	1.8	2.4	3.2	6.0
1971	.3	.0	.0	.0	.0	-	-	-	-	.1	.2	.5	.7	.9	1.6	2.1	2.2	2.2	4.1
1972	.3	.0	.0	.0	.0	.0	-	.0	.1	.2	.3	.5	.8	.8	1.5	1.7	3.4	3.1	3.3
1973	.4	.0	.0	-	.0	.0	.1	-	-	.2	.4	.6	.9	1.3	1.3	2.0	2.4	3.0	4.6
1974	.3	.0	.0	-	-	.0	-	.1	.1	.2	.3	.4	.7	1.0	1.3	1.9	1.6	3.1	4.2
1975	.4	-	-	.0	-	.0	.1	-	.1	.4	.3	.4	.8	1.3	1.3	2.2	2.1	2.9	4.4
1976	.4	-	-	.0	.0	-	-	-	.1	.2	.3	.5	.7	.9	1.3	2.3	2.8	4.5	4.3
1977	.3	.0	-	.0	.0	-	.1	.1	.1	.1	.2	.4	.8	.8	1.7	1.4	2.7	3.1	3.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	359	0	4	0	3	1	4	3	12	17	13	28	38	42	45	46	41	29	33
1951	300	2	1	0	1	3	0	3	3	13	15	23	38	36	35	53	25	29	20
1952	291	0	0	0	0	1	1	6	2	10	20	22	29	39	35	44	42	23	17
1953	307	1	0	1	0	1	2	2	3	13	14	31	37	31	38	45	38	33	17
1954	294	1	1	1	0	1	5	4	7	14	18	19	29	33	40	49	26	26	20
1955	346	0	2	1	2	3	0	3	1	14	11	19	27	60	54	53	43	24	29
1956	347	1	2	1	1	3	1	6	6	7	18	19	42	42	47	58	44	28	21
1957	358	1	3	1	1	3	2	3	9	11	20	31	38	44	58	42	38	27	26
1958	327	2	1	0	3	3	0	3	6	16	15	18	30	44	50	48	32	34	22
1959	301	1	0	1	3	0	2	5	7	13	11	23	25	42	41	50	38	21	18
1960	310	1	1	1	1	2	1	2	6	7	22	20	33	44	43	46	32	24	24
1961	306	2	2	0	2	0	1	1	6	14	20	19	29	43	40	43	45	23	16
1962	310	3	3	0	1	1	3	11	5	15	19	28	29	42	39	38	32	22	19
1963	284	0	0	1	1	1	2	4	8	9	18	23	32	36	41	34	30	27	17
1964	300	1	0	0	1	2	1	2	8	12	16	25	32	44	38	37	35	26	20
1965	330	0	0	0	1	1	4	2	9	11	11	32	23	46	41	51	44	33	21
1966	275	0	0	0	0	0	2	2	6	4	16	24	31	54	42	32	28	16	18
1967	301	1	0	1	0	2	1	4	3	7	12	26	31	31	52	45	45	23	17
1968	342	0	1	1	2	0	5	2	9	15	15	24	36	52	54	46	37	28	15
1969	314	0	1	0	1	3	4	1	4	9	27	25	36	46	46	32	41	20	18
1970	319	0	0	1	1	2	4	0	3	5	26	21	33	52	45	39	34	26	27
1971	271	0	0	0	0	1	2	1	2	7	10	25	31	33	45	45	32	18	19
1972	148	0	0	0	0	0	1	0	2	6	7	12	17	16	23	18	25	13	8
1973	325	0	0	1	0	0	4	1	2	12	21	29	38	50	41	43	34	26	23
1974	283	0	0	2	1	0	2	4	3	11	16	19	31	39	42	41	23	27	22
1975	332	3	1	0	1	0	5	3	5	17	17	22	35	51	43	50	30	25	24
1976	333	1	2	0	0	2	2	1	3	10	14	28	32	37	44	52	41	40	24
1977	296	0	1	0	0	2	4	4	3	5	12	20	37	32	56	33	39	28	20

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.1	.0	-	-	-	-	.1	.1	-	.1	.1	.1	-	.1	-	-	.1
1951	-	-	-	.0	-	-	.0	-	-	.1	-	-	.1	-	-	.1	-	-	-
1952	-	.0	.0	.0	.0	-	-	.1	-	-	.1	-	-	-	-	-	-	-	-
1953	-	-	.0	-	.0	-	-	-	-	.1	-	.1	.1	-	-	-	-	-	-
1954	-	-	-	-	.0	-	.1	-	.1	.1	.1	-	-	-	-	.1	-	-	-
1955	-	.0	-	-	-	-	.0	-	-	.1	-	-	-	.1	.1	.1	-	-	-
1956	-	-	-	-	-	-	-	.1	-	-	.1	-	.1	.1	-	.1	-	-	-
1957	-	-	.1	-	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1958	-	-	-	.0	-	-	.0	-	-	.1	-	-	-	.1	-	-	-	-	-
1959	-	-	.0	-	-	.0	-	.1	.1	.1	-	-	-	-	-	-	-	-	-
1960	-	-	-	-	-	-	-	-	-	-	.1	-	-	.1	-	-	-	-	-
1961	-	-	-	.0	-	.0	-	-	-	.1	.1	-	-	.1	-	-	-	-	-
1962	-	-	.1	.0	-	-	-	.1	-	.1	.1	.1	-	-	-	-	-	-	-
1963	-	.0	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-	-	-
1964	-	-	.0	.0	-	-	-	-	.1	.1	-	-	-	-	-	-	-	-	-
1965	-	.0	.0	.0	-	-	.1	-	.1	-	-	.1	-	.1	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.1	-	-	-	-	-
1967	-	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1968	-	.0	-	-	-	.0	.1	-	.1	.1	-	-	-	.1	-	-	-	-	-
1969	-	.0	-	.0	-	-	-	-	-	-	.1	-	-	-	-	-	-	-	-
1970	-	.0	.0	-	-	-	-	.0	-	-	.1	-	-	.1	-	-	-	-	-
1971	-	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	-	-	-	-	-	-	-
1973	-	.0	.0	-	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-	-
1974	-	.0	.0	-	-	.0	-	-	-	.1	-	-	-	-	-	-	-	-	-
1975	-	-	-	.0	-	.0	-	-	-	.1	.1	-	.1	.1	-	-	-	-	-
1976	-	-	.1	.0	.0	-	-	-	-	.1	-	.1	-	-	-	-	-	-	-
1977	-	.0	-	.0	.0	-	-	-	-	-	-	-	.1	-	-	-	-	-	-

Nose

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	-	.1	.0	-	.1	.1	.2	.3	.3	.7	.7	1.0	2.0	3.1	3.0	8.8
1951	.3	-	-	-	.0	.1	-	-	.2	.2	.3	.5	.8	.7	.8	2.1	2.4	3.1	10.0
1952	.3	.0	.0	-	-	.0	-	.1	.1	.1	.2	.3	.3	.8	1.2	2.0	3.0	3.4	6.4
1953	.3	-	.0	.0	-	-	.0	-	.1	.1	.3	.2	.6	.7	.7	1.1	2.1	4.0	7.4
1954	.3	-	.0	-	.0	-	-	-	-	.1	.2	.4	.4	.5	1.0	1.2	2.4	3.0	4.3
1955	.3	.0	.0	.0	.0	-	.1	-	.1	.3	.4	.3	.4	.6	1.1	1.8	1.7	3.1	5.7
1956	.2	-	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.6	.5	.8	.8	2.0	3.8	3.4
1957	.3	.0	.0	.0	-	-	.0	.1	.1	.2	.3	.4	.2	.6	.6	1.4	2.1	3.6	5.0
1958	.2	-	-	.0	.0	-	-	-	.1	.1	.2	.3	.4	.4	.8	1.0	1.8	2.1	4.6
1959	.3	.0	.0	-	.0	-	-	.0	.1	.1	.2	.5	.6	.6	.8	1.3	1.6	1.7	4.4
1960	.2	.0	.0	-	-	.0	.1	-	.1	.1	.2	.2	.5	.5	.5	1.0	1.6	2.4	3.6
1961	.2	-	-	-	.0	-	-	.0	-	.1	.2	.4	.5	.5	.8	.9	1.9	1.7	4.0
1962	.2	.0	-	.0	-	-	-	-	-	.1	.2	.4	.4	.6	.5	.7	1.1	3.0	2.5
1963	.2	-	-	.0	-	.0	.0	.1	-	.1	.2	.4	.3	.5	.7	1.2	1.6	1.4	2.6
1964	.2	-	-	-	-	.1	-	-	.1	.2	.2	.3	.2	.6	.9	.7	1.5	2.3	3.0
1965	.3	.0	.0	-	-	.0	-	.1	.1	.1	.2	.4	.4	.5	.7	1.0	1.7	2.2	4.3
1966	.2	.0	-	.0	-	.0	-	-	.1	.1	.2	.3	.2	.4	.8	.9	1.4	1.1	2.7
1967	.2	-	.0	.0	-	-	.0	.1	-	.1	.2	.3	.4	.3	.7	1.0	1.3	2.8	2.6
1968	.3	.0	-	-	-	-	.1	-	.1	.2	.2	.4	.4	.5	.7	1.0	1.8	1.8	3.4
1969	.2	-	.0	.0	.0	-	-	-	-	.1	.3	.3	.4	.4	.5	.7	1.0	2.4	3.4
1970	.2	.0	.0	-	-	-	-	.0	-	.1	.1	.3	.5	.6	.5	.6	1.5	2.1	3.0
1971	.2	.0	-	-	-	-	-	-	-	.1	.2	.2	.4	.6	.8	.6	.9	1.1	4.3
1972	.2	.0	.0	-	.0	.0	.0	.0	.1	.1	.1	.3	.2	.8	.6	1.0	.9	2.2	2.1
1973	.2	.0	.0	-	.0	-	.1	.0	-	.1	.2	.3	.2	.5	.5	.7	1.1	1.2	3.8
1974	.2	.0	-	-	-	.0	-	-	-	.1	.1	.1	.5	.5	.6	1.1	1.6	1.6	3.2
1975	.2	.0	.0	.0	.0	-	-	-	-	.1	.2	.3	.2	.5	.6	1.2	1.1	1.6	2.7
1976	.2	.0	-	-	.0	.0	.1	-	.1	-	.1	.1	.4	.6	.8	.9	.7	1.5	2.2
1977	.2	.0	.0	.0	-	-	-	.1	.0	.1	.1	.2	.3	.4	.5	.6	.9	1.3	3.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	232	0	0	1	4	0	1	4	6	9	14	12	24	21	23	33	34	18	28
1951	241	1	1	1	0	5	2	1	8	8	12	18	27	20	20	37	27	19	34
1952	220	0	0	1	2	0	2	3	4	5	8	13	12	23	30	36	36	22	23
1953	203	1	0	0	2	2	0	1	6	7	13	9	20	23	17	21	26	27	28
1954	188	1	0	1	0	1	2	1	2	6	10	15	15	16	26	24	30	21	17
1955	220	0	0	0	0	1	3	2	5	13	17	10	14	21	29	36	22	23	24
1956	178	2	0	0	0	0	0	4	3	3	7	10	22	17	22	17	27	29	15
1957	212	0	0	0	1	1	0	3	4	10	15	18	8	21	18	31	30	29	23
1958	182	3	2	0	0	1	2	1	5	6	10	12	15	14	24	22	26	17	22
1959	208	0	0	1	0	1	2	0	7	7	9	23	23	21	23	30	25	14	22
1960	184	0	0	1	1	0	6	1	3	7	11	11	20	18	16	24	25	21	19
1961	201	1	1	2	0	1	2	0	2	7	10	17	21	19	26	23	31	16	22
1962	177	0	2	0	1	1	1	1	2	6	9	19	17	22	17	18	18	29	14
1963	185	1	1	0	3	0	0	4	1	3	10	20	13	17	22	32	29	14	15
1964	199	2	2	1	1	3	2	2	5	10	9	13	8	22	30	19	28	24	18
1965	223	0	0	4	3	0	1	3	6	3	8	21	20	20	23	28	32	24	27
1966	175	0	1	0	1	0	1	2	3	5	10	16	11	15	25	26	28	13	18
1967	200	1	0	0	1	1	0	4	1	7	11	14	20	12	23	27	27	33	18
1968	233	0	2	2	1	2	3	2	4	9	12	22	17	21	25	27	37	22	25
1969	197	1	0	0	0	1	2	2	1	6	16	14	21	15	18	21	21	31	27
1970	203	0	0	1	1	1	1	0	2	5	7	16	24	24	18	18	31	28	26
1971	203	0	2	1	1	2	1	2	1	7	10	12	19	25	29	18	19	15	39
1972	99	0	0	1	0	0	0	0	3	2	3	7	5	17	11	14	10	16	10
1973	198	0	0	1	0	3	7	0	1	7	10	15	12	20	20	21	25	18	38
1974	219	0	1	1	2	0	3	1	1	3	3	7	24	24	23	32	35	25	34
1975	213	0	0	0	0	2	2	3	2	3	13	15	10	23	24	36	24	25	31
1976	203	0	2	1	0	0	4	2	4	2	7	7	22	26	31	28	16	24	27
1977	188	0	0	0	3	2	2	4	0	4	4	9	17	16	21	21	21	21	43

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.1	.1	.0	-	.1	.1	.1	.1	-	.1	-	-	-	-	-	-
1951	-	-	-	.1	.0	.1	-	-	.1	.1	.1	.1	.1	-	-	.1	-	-	.1
1952	-	.0	.0	-	.1	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-
1953	-	-	.0	.0	.1	.1	.0	-	.1	.1	.1	-	.1	.1	-	-	-	-	-
1954	-	-	.0	.1	.0	-	-	-	-	-	.1	.1	-	-	-	-	-	-	-
1955	-	.0	.0	.0	.0	-	.1	-	.1	.1	.1	-	-	-	-	-	-	-	-
1956	-	-	.0	.0	.0	.0	.0	.1	-	-	-	-	.1	-	-	-	-	-	-
1957	-	.0	.0	.0	-	-	.0	.1	-	.1	.1	.1	-	-	-	-	-	-	-
1958	-	-	.1	.0	.0	-	.1	-	.1	-	.1	-	-	-	-	-	-	-	-
1959	-	.0	.0	-	.0	-	.1	.0	.1	.1	.1	.1	.1	-	-	-	-	-	-
1960	-	.0	.0	-	-	.0	.2	-	-	.1	.1	-	.1	-	-	-	-	-	-
1961	-	-	-	.1	.0	-	.1	.0	-	.1	.1	.1	.1	-	-	-	-	-	-
1962	-	.0	.1	.0	-	-	-	-	-	-	-	.1	.1	-	-	-	-	-	-
1963	-	-	-	.0	.1	.0	.0	.1	-	-	.1	.1	-	-	-	-	-	-	-
1964	-	-	.1	-	-	.1	.1	-	.1	.1	-	-	-	-	-	-	-	-	-
1965	-	.0	.0	.2	.1	.0	-	.1	.1	-	-	.1	.1	-	-	-	-	-	-
1966	-	.0	-	.0	-	.0	-	-	-	-	.1	.1	-	-	-	-	-	-	-
1967	-	-	.0	.0	-	-	.0	.1	-	.1	.1	.1	.1	-	-	-	-	-	-
1968	-	.0	.1	.1	-	-	.1	-	.1	.1	.1	.1	-	-	-	-	-	-	-
1969	-	-	.0	.0	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-
1970	-	.0	.0	-	-	-	-	.0	-	-	-	.1	.1	-	-	-	-	-	-
1971	-	.0	.1	-	-	-	-	-	-	.1	-	-	-	-	-	-	-	-	-
1972	-	.0	.0	.1	.0	.0	.0	.0	.1	-	-	-	-	.1	-	-	-	-	-
1973	-	.0	.0	-	.0	.1	.1	.0	-	.1	.1	.1	-	-	-	-	-	-	-
1974	-	.0	-	-	-	.0	.1	-	-	-	-	-	.1	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	-	-	.1	-	-	.1	.1	-	-	-	-	-	-	-
1976	-	.0	.1	.1	.0	.0	.1	-	.1	-	-	-	.1	.1	-	-	-	-	-
1977	-	.0	.0	.0	.1	-	-	.1	.0	-	-	-	-	-	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.5	.0	.0	.0	.0	.0	.2	.0	.4	.6	1.1	1.9	1.4	3.3	1.5	3.4	1.5	.0	.0
1951	.6	.0	.0	.0	.0	.0	.0	.0	.2	.2	1.3	1.3	3.8	1.8	3.4	5.0	8.8	.0	10.3
1952	.7	.0	.1	.0	.2	.2	.2	.2	.2	.6	1.3	1.3	1.0	7.7	3.8	4.0	4.2	2.6	4.9
1953	.4	.0	.0	.0	.0	.0	.0	.2	.0	.6	.2	1.5	1.6	2.2	.9	4.7	2.7	.0	.0
1954	.5	.0	.1	.1	.3	.2	.0	.0	.5	.6	.7	1.4	.9	1.3	3.2	1.5	1.3	.0	12.8
1955	.5	.0	.0	.0	.3	.0	.0	.2	.3	.6	.9	1.2	.9	4.1	2.7	.7	1.2	2.4	4.1
1956	.5	.0	.0	.0	.0	.2	.0	.2	.2	.7	.6	.9	2.3	3.2	2.2	3.5	1.2	.0	.0
1957	.5	.0	.0	.0	.0	.0	.2	.5	.0	.7	.8	1.9	1.4	2.3	2.6	1.4	.0	2.3	7.6
1958	.5	.0	.0	.0	.0	.2	.2	.0	.2	.5	.6	1.2	1.6	3.4	3.9	.0	3.2	8.9	.0
1959	.5	.0	.0	.0	.0	.0	.3	.2	.0	.9	.6	1.2	1.6	2.2	2.9	3.1	3.0	.0	6.8
1960	.5	.0	.0	.0	.0	.2	.2	.0	.3	1.1	.2	1.5	1.0	4.1	2.0	3.0	3.8	4.3	6.5
1961	.4	.0	.0	.0	.1	.0	.0	.2	.2	.0	.4	1.3	2.0	1.7	3.1	2.9	.9	.0	3.3
1962	.4	.0	.0	.1	.1	.0	.0	.0	.2	.2	.4	1.1	1.7	2.6	2.7	1.7	.9	.0	6.7
1963	.4	.0	.0	.0	.0	.0	.0	.3	.0	1.0	.9	1.0	1.9	1.6	.7	2.2	.9	1.7	.0
1964	.5	.0	.0	.1	.0	.0	.0	.0	.2	.8	.0	.8	2.1	2.2	3.9	3.2	2.7	3.3	3.1
1965	.3	.0	.1	.1	.2	.1	.0	.0	.0	.5	.6	1.0	.7	1.9	1.7	1.6	3.5	.0	.0
1966	.4	.0	.1	.0	.1	.1	.0	.2	.5	.8	.4	.6	1.1	1.5	3.8	3.1	1.7	1.6	2.8
1967	.4	.0	.0	.0	.0	.0	.0	.0	.2	.0	.7	1.4	1.6	2.9	1.7	4.1	4.2	4.5	.0
1968	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.6	2.0	1.7	3.3	2.0	5.0	3.0	4.9
1969	.5	.0	.0	.0	.0	.0	.0	.2	.3	.6	1.4	.2	2.5	2.2	3.6	2.0	2.5	4.4	.0
1970	.4	.0	.0	.0	.0	.0	.0	.0	.2	.5	.3	1.2	1.3	2.6	1.9	3.4	3.3	.0	4.3
1971	.4	.0	.0	.1	.1	.0	.1	.0	.2	.2	.2	1.5	1.4	1.8	2.3	2.8	.8	.0	6.3
1972	.4	.0	.0	.0	.1	.0	.0	.0	.6	.6	.7	.7	1.8	3.0	1.2	3.8	.0	2.6	4.0
1973	.4	.0	.0	.1	.1	.0	.1	.0	.2	.6	.8	1.0	1.1	1.5	1.2	4.7	5.4	1.2	7.7
1974	.4	.0	.0	.0	.0	.0	.0	.0	.2	.5	.8	.9	2.0	1.9	3.5	2.3	.0	2.4	5.3
1975	.5	.0	.0	.0	.0	.0	.1	.1	.3	.8	.6	1.0	3.0	2.2	1.9	3.2	2.2	2.3	3.1
1976	.3	.0	.0	.0	.1	.1	.0	.2	.4	.0	.3	.2	1.2	2.2	2.1	1.4	2.1	1.1	1.5
1977	.3	.0	.0	.1	.0	.1	.0	.1	.3	.5	.3	.7	1.2	.5	2.5	2.2	2.1	1.1	4.2

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	37	0	0	0	0	0	1	0	2	3	5	7	4	7	3	4	1	0	0
1951	49	0	0	0	0	0	0	0	1	1	6	5	11	4	7	6	6	0	2
1952	58	0	1	0	1	1	1	1	1	3	6	5	3	17	8	5	3	1	1
1953	31	0	0	0	0	0	0	1	0	3	1	6	5	5	2	6	2	0	0
1954	39	0	1	1	2	1	0	0	3	3	3	6	3	3	7	2	1	0	3
1955	40	0	0	0	2	0	0	1	2	3	4	5	3	10	6	1	1	1	1
1956	41	0	0	0	0	1	0	1	1	4	3	4	8	8	5	5	1	0	0
1957	42	0	0	0	0	0	1	3	0	4	4	8	5	6	6	2	0	1	2
1958	45	0	0	0	0	1	1	0	1	3	3	5	6	9	9	0	3	4	0
1959	45	0	0	0	0	0	2	1	0	5	3	5	6	6	7	5	3	0	2
1960	52	0	0	0	0	1	1	0	2	6	1	7	4	12	5	5	4	2	2
1961	39	0	0	0	1	0	0	1	1	0	2	6	8	5	8	5	1	0	1
1962	39	0	0	1	1	0	0	0	1	1	2	5	7	8	7	3	1	0	2
1963	39	0	0	0	0	0	0	2	0	6	5	5	8	5	2	4	1	1	0
1964	50	0	0	1	0	0	0	0	1	5	0	4	9	7	11	6	3	2	1
1965	37	0	1	1	2	1	0	0	0	3	3	5	3	6	5	3	4	0	0
1966	48	0	1	0	1	1	0	1	3	5	2	3	5	5	11	6	2	1	1
1967	50	0	0	0	0	0	0	0	1	0	4	7	7	10	5	8	5	3	0
1968	45	0	0	0	0	0	0	0	0	0	3	3	9	6	10	4	6	2	2
1969	56	0	0	0	0	0	0	1	2	4	8	1	11	8	11	4	3	3	0
1970	47	0	0	0	0	0	0	0	1	3	2	6	6	10	6	7	4	0	2
1971	46	0	0	2	2	0	1	0	1	1	1	8	6	7	7	6	1	0	3
1972	27	0	0	0	1	0	0	0	2	2	2	2	4	6	2	4	0	1	1
1973	56	0	0	1	1	0	1	0	1	4	5	6	5	6	4	10	7	1	4
1974	53	0	0	0	0	0	0	0	1	3	5	5	9	8	12	5	0	2	3
1975	63	0	0	0	0	0	1	1	2	5	4	6	14	9	7	7	3	2	2
1976	41	0	0	0	1	1	0	2	3	0	2	1	6	9	8	3	3	1	1
1977	44	0	0	1	0	1	0	1	2	3	2	4	6	2	10	5	3	1	3

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	-	.1	-	.1	-	.0	.0
1951	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	-	.1	.1	.1	.0	.1
1952	.1	.0	.1	.0	.1	-	-	-	-	.1	.1	.1	-	.2	.1	.1	.1	-	-
1953	-	.0	.0	.0	.0	.0	.0	-	.0	.1	-	.1	.1	.1	-	.1	-	.0	.0
1954	-	.0	.1	.2	.2	.1	.0	.0	.1	.1	.1	.1	-	-	.1	-	-	.0	.1
1955	-	.0	.0	.0	.2	.0	.0	-	.1	.1	.1	.1	-	.1	.1	-	-	-	-
1956	-	.0	.0	.0	.0	.1	.0	-	-	.1	-	.1	.1	.1	-	.1	-	.0	.0
1957	-	.0	.0	.0	.0	.0	-	.1	.0	.1	.1	.1	.1	.1	.1	-	.0	-	-
1958	-	.0	.0	.0	.0	.1	-	.0	-	.1	-	.1	.1	.1	.1	.0	-	.1	.0
1959	-	.0	.0	.0	.0	.0	.1	-	.0	.1	-	.1	.1	.1	.1	.1	-	.0	-
1960	-	.0	.0	.0	.0	.1	-	.0	.1	.1	-	.1	-	.1	-	-	.1	-	-
1961	-	.0	.0	.0	.1	.0	.0	-	-	.0	-	.1	.1	-	.1	-	-	.0	-
1962	-	.0	.0	.1	.1	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	.0	-
1963	-	.0	.0	.0	.0	.0	.0	.1	.0	.1	.1	.1	.1	-	-	-	-	-	.0
1964	-	.0	.0	.1	.0	.0	.0	.0	-	.1	.0	-	.1	.1	.1	.1	-	-	-
1965	-	.0	.1	.1	.1	-	.0	.0	.0	.1	-	.1	-	-	-	-	-	.0	.0
1966	-	.0	.1	.0	-	-	.0	-	.1	.1	-	-	-	-	.1	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.1	-	.1	.1	-	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.1	-	.1	-	-
1969	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	.1	.1	.1	-	-	-	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	.1	-	.1	-	.0	-
1971	-	.0	.0	.2	.1	.0	-	.0	-	-	-	.1	.1	.1	-	-	-	.0	-
1972	-	.0	.0	.0	.1	.0	.0	.0	.1	.1	-	-	.1	.1	-	.1	.0	-	-
1973	-	.0	.0	.1	-	.0	-	.0	-	.1	.1	.1	-	-	-	.1	.1	-	.1
1974	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	.1	.1	.1	-	.0	-	-
1975	-	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1976	-	.0	.0	.0	-	-	.0	.1	.1	.0	-	-	.1	.1	.1	-	-	-	-
1977	-	.0	.0	.1	.0	-	.0	-	.1	.1	-	-	.1	-	.1	-	-	-	-

Nose

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.1	.0	.2	.3	.4	.4	.3	.8	.5	.9	.0	1.6	2.4	3.7
1951	.2	.0	.0	.3	.0	.0	.1	.0	.0	.4	.0	.5	.7	2.4	.5	.0	1.5	.0	3.7
1952	.1	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	1.4	.5	.9	.0	1.5	.0	.0
1953	.1	.0	.0	.0	.0	.0	.1	.1	.0	.0	.0	.5	.0	.0	.4	1.5	.0	.0	3.3
1954	.1	.0	.0	.0	.0	.0	.0	.0	.2	.2	.2	.2	.9	.4	.8	.0	1.3	.0	.0
1955	.3	.0	.0	.1	.1	.0	.0	.0	.3	.2	.4	.7	.9	1.6	.8	.7	3.7	2.0	5.8
1956	.2	.0	.0	.2	.0	.0	.0	.0	.0	.5	.6	.9	.6	.8	.4	1.3	.0	.0	2.8
1957	.2	.1	.1	.0	.0	.0	.0	.0	.2	.3	.0	.0	.6	.0	1.6	1.2	.0	.0	5.3
1958	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	1.0	.0	.0	1.1	1.9	.0	.0	.0	.0
1959	.2	.0	.0	.0	.1	.1	.0	.0	.0	.0	.6	.7	.5	1.0	.8	1.1	.0	.0	2.5
1960	.3	.1	.0	.1	.0	.0	.1	.1	.1	.2	.4	.2	.7	2.0	2.5	.5	.9	1.8	.0
1961	.2	.1	.0	.0	.2	.0	.0	.1	.0	.0	.5	.6	.5	1.3	.7	.5	1.7	3.3	.0
1962	.3	.0	.0	.0	.1	.0	.0	.0	.6	.2	.0	.6	.5	.9	1.7	2.0	2.4	3.0	2.4
1963	.2	.0	.0	.0	.1	.0	.0	.1	.1	.0	.5	.8	.5	.9	1.0	1.9	2.4	2.9	2.3
1964	.2	.0	.0	.0	.0	.0	.1	.1	.0	.0	.3	.0	.9	.6	1.5	.9	.0	1.4	4.4
1965	.2	.0	.0	.0	.2	.0	.0	.0	.1	.1	.5	.7	.6	.9	1.2	1.3	.7	1.3	2.0
1966	.2	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.7	.8	.3	.6	.9	.7	1.3	.0
1967	.2	.0	.0	.0	.0	.0	.0	.0	.1	.0	.3	.5	.4	.5	1.1	.8	.0	2.4	5.3
1968	.2	.0	.0	.1	.0	.1	.0	.0	.0	.3	.5	.5	.4	1.5	1.7	.0	1.3	3.4	.0
1969	.2	.0	.0	.0	.1	.0	.1	.0	.0	.0	.3	.4	.4	1.2	.3	.8	1.9	1.1	.0
1970	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.0	.7	.8	1.2	1.3	.0	2.8
1971	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.6	.2	.4	.2	1.9	1.5	1.8	1.0	2.6
1972	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.3	.8	.0	1.5	.8	.0	.0	2.4
1973	.2	.0	.0	.1	.0	.0	.0	.0	.0	.1	.3	.2	.2	1.5	.5	1.9	2.3	1.7	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.2	.0	.4	.7	.4	.0	2.4	1.0
1975	.2	.1	.0	.0	.0	.0	.1	.0	.1	.0	.3	.3	.6	.4	.2	1.1	1.7	3.8	.9
1976	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	.9	.2	.8	.8	1.5	1.6	2.2	.0
1977	.2	.0	.0	.0	.1	.0	.1	.0	.0	.1	.3	.1	.2	.4	1.4	1.1	1.6	.0	.8


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	17	0	0	0	0	1	0	1	2	2	2	1	2	1	2	0	1	1	1
1951	17	0	0	2	0	0	1	0	0	2	0	2	2	5	1	0	1	0	1
1952	10	0	0	0	0	0	0	0	0	2	0	0	4	1	2	0	1	0	0
1953	8	0	0	0	0	0	1	1	0	0	0	2	0	0	1	2	0	0	1
1954	11	0	0	0	0	0	0	0	1	1	1	1	3	1	2	0	1	0	0
1955	26	0	0	1	1	0	0	0	2	1	2	3	3	4	2	1	3	1	2
1956	20	0	0	2	0	0	0	0	0	3	3	4	2	2	1	2	0	0	1
1957	15	1	1	0	0	0	0	0	1	2	0	0	2	0	4	2	0	0	2
1958	14	0	0	0	0	0	0	0	0	1	5	0	0	3	5	0	0	0	0
1959	18	0	0	0	1	1	0	0	0	0	3	3	2	3	2	2	0	0	1
1960	28	1	0	1	0	0	1	1	1	1	2	1	3	6	7	1	1	1	0
1961	23	1	0	0	2	0	0	1	0	0	3	3	2	4	2	1	2	2	0
1962	29	0	0	0	1	0	0	0	4	1	0	3	2	3	5	4	3	2	1
1963	28	0	0	0	1	0	0	1	1	0	3	4	2	3	3	4	3	2	1
1964	20	0	0	0	0	0	1	1	0	0	2	0	4	2	5	2	0	1	2
1965	27	0	0	0	2	0	0	0	1	1	3	4	3	3	4	3	1	1	1
1966	19	0	0	0	0	0	0	0	1	1	2	4	4	1	2	2	1	1	0
1967	21	0	0	0	0	0	0	0	1	0	2	3	2	2	4	2	0	2	3
1968	29	0	0	1	0	1	0	0	0	2	3	3	2	6	6	0	2	3	0
1969	20	0	0	0	1	0	1	0	0	0	2	2	2	5	1	2	3	1	0
1970	16	0	0	0	0	0	0	0	0	1	1	1	0	3	3	3	2	0	2
1971	27	0	0	0	0	0	0	0	0	2	4	1	2	1	7	4	3	1	2
1972	9	0	0	0	0	0	0	0	0	0	1	1	2	0	3	1	0	0	1
1973	26	0	0	1	0	0	0	0	0	1	2	1	1	7	2	5	4	2	0
1974	15	0	0	0	0	0	0	0	0	0	4	1	0	2	3	1	0	3	1
1975	25	1	0	0	0	0	1	0	1	0	2	2	3	2	1	3	3	5	1
1976	26	0	0	0	0	0	0	0	0	0	1	6	1	4	4	4	3	3	0
1977	24	0	0	0	2	0	1	0	0	1	2	1	1	2	7	3	3	0	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.1	.0	-	.1	-	-	-	-	-	-	.0	-	-	-
1951	-	.0	.0	.4	.0	.0	-	.0	.0	-	.0	-	-	.1	-	.0	-	.0	-
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.1	-	-	.0	-	.0	.0
1953	-	.0	.0	.0	.0	.0	.1	-	.0	.0	.0	-	.0	.0	-	-	.0	.0	-
1954	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	-	.0	.0
1955	-	.0	.0	.2	.2	.0	.0	.0	.1	-	-	-	-	.1	-	-	.1	-	.1
1956	-	.0	.0	.5	.0	.0	.0	.0	.0	.1	.1	.1	-	-	-	-	.0	.0	-
1957	-	-	.1	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0	-	-	.0	.0	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.0	.0	-	.1	.0	.0	.0	.0
1959	-	.0	.0	.0	.1	.1	.0	.0	.0	.0	.1	-	-	-	-	-	.0	.0	-
1960	-	-	.0	.2	.0	.0	.1	-	-	-	-	-	-	.1	.1	-	-	-	.0
1961	-	-	.0	.0	.3	.0	.0	-	.0	.0	.1	-	-	-	-	-	-	-	.0
1962	-	.0	.0	.0	.1	.0	.0	.0	.1	-	.0	-	-	-	.1	-	-	-	-
1963	-	.0	.0	.0	.1	.0	.0	-	-	.0	.1	.1	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.1	-	.0	.0	-	.0	.1	-	-	-	.0	-	-
1965	-	.0	.0	.0	.2	.0	.0	.0	-	-	.1	.1	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	-	.0
1967	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	.0	-	-
1968	-	.0	.0	.2	.0	.1	.0	.0	.0	-	.1	-	-	.1	-	.0	-	-	.0
1969	-	.0	.0	.0	.1	.0	.1	.0	.0	.0	-	-	-	.1	-	-	-	-	.0
1970	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	-	-	.0	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	.1	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.0	.1	-	.0	.0	-
1973	-	.0	.0	.2	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	.0
1974	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	.0	-	-	-	.0	-	-
1975	-	-	.0	.0	.0	.0	.1	.0	-	.0	-	-	-	-	-	-	-	.1	-
1976	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	.0
1977	-	.0	.0	.0	.2	.0	.1	.0	.0	-	-	-	-	-	.1	-	-	.0	-

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	1555	2.30	2.58	1.54	169	0.25	0.27	0.18	106	1.36	1.82	1.21	22	0.27	0.37	0.25
1951	1557	2.26	2.52	1.49	156	0.23	0.24	0.16	106	1.33	1.90	1.25	16	0.19	0.31	0.22
1952	1586	2.27	2.52	1.46	149	0.21	0.22	0.15	120	1.48	2.09	1.32	18	0.21	0.27	0.19
1953	1671	2.36	2.61	1.50	174	0.24	0.25	0.18	130	1.57	2.16	1.34	16	0.18	0.27	0.19
1954	1634	2.27	2.49	1.42	168	0.23	0.24	0.17	151	1.78	2.48	1.45	15	0.17	0.25	0.18
1955	1824	2.49	2.72	1.54	156	0.21	0.21	0.15	143	1.64	2.25	1.33	27	0.30	0.39	0.27
1956	1780	2.39	2.61	1.46	170	0.23	0.23	0.16	135	1.51	2.06	1.16	22	0.24	0.27	0.19
1957	1797	2.37	2.61	1.45	179	0.23	0.23	0.17	159	1.74	2.39	1.31	22	0.23	0.29	0.20
1958	1820	2.37	2.57	1.45	205	0.26	0.26	0.19	190	2.03	2.85	1.60	26	0.26	0.34	0.23
1959	1849	2.37	2.57	1.44	207	0.26	0.25	0.19	172	1.79	2.49	1.33	31	0.31	0.38	0.27
1960	1979	2.50	2.70	1.50	194	0.24	0.24	0.18	222	2.21	3.06	1.62	31	0.29	0.37	0.26
1961	1972	2.45	2.65	1.45	208	0.25	0.24	0.18	214	2.08	2.84	1.47	27	0.25	0.31	0.22
1962	1965	2.41	2.61	1.43	226	0.27	0.26	0.19	207	1.97	2.63	1.35	19	0.17	0.23	0.16
1963	2059	2.49	2.71	1.46	231	0.27	0.26	0.20	217	2.02	2.73	1.33	42	0.37	0.48	0.35
1964	2000	2.39	2.60	1.40	229	0.27	0.25	0.19	232	2.11	2.94	1.45	33	0.28	0.36	0.25
1965	2073	2.46	2.67	1.41	268	0.31	0.29	0.22	253	2.26	3.15	1.53	35	0.29	0.37	0.26
1966	2097	2.46	2.66	1.40	232	0.26	0.25	0.19	254	2.23	3.10	1.44	40	0.33	0.41	0.29
1967	2187	2.54	2.75	1.42	281	0.32	0.29	0.22	281	2.42	3.37	1.54	48	0.39	0.49	0.35
1968	2226	2.57	2.76	1.42	255	0.28	0.26	0.20	307	2.60	3.62	1.60	48	0.38	0.47	0.33
1969	2330	2.67	2.87	1.47	288	0.32	0.29	0.22	287	2.39	3.36	1.47	65	0.50	0.61	0.43
1970	2347	2.67	2.85	1.45	295	0.32	0.29	0.22	298	2.44	3.41	1.48	49	0.37	0.46	0.33
1971	2253	2.54	2.70	1.36	341	0.37	0.33	0.25	327	2.63	3.63	1.58	49	0.36	0.45	0.31
1972	1160	2.60	2.76	1.37	180	0.39	0.34	0.26	159	2.51	3.52	1.50	31	0.45	0.56	0.39
1973	2290	2.55	2.69	1.34	338	0.36	0.32	0.25	366	2.84	3.99	1.65	50	0.36	0.44	0.30
1974	2430	2.69	2.81	1.38	372	0.39	0.34	0.26	395	3.01	4.19	1.70	64	0.45	0.54	0.37
1975	2359	2.60	2.70	1.33	421	0.44	0.39	0.30	380	2.83	3.92	1.58	77	0.53	0.65	0.46
1976	2408	2.64	2.72	1.32	468	0.49	0.42	0.32	400	2.93	4.07	1.61	75	0.50	0.62	0.43
1977	2452	2.67	2.73	1.32	447	0.47	0.39	0.30	415	2.98	4.12	1.59	76	0.50	0.61	0.41

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Cricoid cartilage, arytenoid cartilage, glottis, and false vocal cords.
(ICD 161 [6th]; ICD 161 [7th]; ICD 161–161.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



ROTHMAN KJ, CANN CI, FLANDERS D, et al : Epidemiology of laryngeal cancer. Epidemiol Rev 2:195-209, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.3	-	.0	.0	.0	-	.0	.0	.2	.7	1.9	4.1	6.2	10.0	12.9	14.8	15.6	18.8	18.3
1951	2.3	.0	-	.0	.0	.0	.0	-	.1	.8	2.0	4.0	6.0	9.6	11.7	16.3	16.4	14.8	16.2
1952	2.3	.0	.0	.0	-	.0	-	.1	.3	.5	2.0	3.7	6.7	9.7	12.1	13.8	16.4	18.0	16.0
1953	2.4	.0	.0	-	.0	.0	.0	-	.3	.7	2.0	3.7	6.5	10.5	12.1	15.2	17.2	16.6	19.6
1954	2.3	.0	.0	.0	.0	-	.0	.0	.2	.6	2.0	3.3	6.5	9.1	13.4	13.3	16.4	18.5	14.7
1955	2.5	.0	.0	.0	.0	-	-	.1	.2	.6	2.0	4.3	6.7	10.4	14.5	14.1	18.5	19.1	17.2
1956	2.4	.0	.0	.0	.0	.0	-	-	.1	.6	1.9	3.8	7.4	9.4	13.1	15.4	16.3	18.5	17.1
1957	2.4	.0	.0	.0	.0	-	-	.1	.2	.7	1.8	4.1	7.1	8.8	12.2	14.9	16.2	22.4	18.6
1958	2.4	-	.0	.0	.0	-	.1	-	.2	.6	2.1	4.3	6.8	9.4	12.5	14.7	17.9	14.9	14.8
1959	2.4	.0	.0	.0	.0	.0	.0	-	.2	.5	2.2	3.8	6.9	10.0	12.5	15.4	14.3	16.2	19.6
1960	2.5	-	.0	.0	-	.0	-	.1	.2	.6	2.0	4.2	7.4	10.2	13.6	15.3	16.3	18.5	17.0
1961	2.5	.0	.0	.0	.0	.0	.0	.1	.1	.7	1.4	4.4	8.2	10.2	13.5	14.8	15.4	16.8	16.4
1962	2.4	.0	.0	.0	.0	.0	-	-	.2	.8	1.8	4.0	6.5	11.4	12.3	14.3	17.0	16.7	15.7
1963	2.5	.0	.0	.0	.0	.0	.0	-	.1	.6	1.9	4.5	7.6	11.0	13.1	15.3	16.1	17.6	17.1
1964	2.4	.0	.0	.0	.0	.0	-	.0	.1	.6	1.9	3.9	7.0	11.2	12.9	14.0	16.1	15.4	18.3
1965	2.5	.0	.0	.0	.0	.0	.0	-	.1	.6	2.1	3.9	6.8	10.9	13.5	15.0	18.1	15.8	17.1
1966	2.5	.0	.0	.0	.0	-	.0	-	.2	.8	1.9	4.0	7.0	11.9	13.5	14.1	15.8	15.8	16.9
1967	2.5	.0	.0	.0	.0	.0	.0	-	.1	.8	1.7	4.7	7.1	10.9	13.1	15.4	18.3	17.6	17.1
1968	2.6	.0	.0	.0	.0	.0	.0	-	.1	.7	1.7	4.3	8.2	11.6	14.0	14.9	15.9	16.2	18.3
1969	2.7	.0	.0	.0	.0	.0	.0	.1	.3	.8	1.7	3.9	8.3	12.3	13.8	16.0	16.4	19.2	19.5
1970	2.7	.0	.0	.0	.0	.0	.0	-	.1	.6	1.9	4.5	8.6	11.0	13.8	16.8	17.2	18.1	16.4
1971	2.5	.0	.0	.0	.0	-	.0	.1	-	.7	1.8	3.6	7.5	11.5	13.9	15.0	18.3	14.3	15.9
1972	2.6	.0	.0	.0	.0	.0	.0	-	.2	.6	1.3	3.7	7.1	11.0	13.7	17.5	20.4	16.1	18.0
1973	2.5	.0	.0	.0	.0	.0	.0	.1	.1	.8	2.0	3.6	7.3	10.6	13.1	15.4	16.9	18.4	17.9
1974	2.7	.0	.0	.0	.0	.0	.0	.1	.2	.5	1.7	4.2	7.5	11.2	14.6	16.4	18.4	16.4	18.4
1975	2.6	.0	.0	.0	-	.0	-	-	.1	.5	1.8	3.6	7.0	10.7	12.6	16.3	18.8	20.2	16.7
1976	2.6	.0	.0	.0	.0	.0	-	.0	.2	.5	1.5	3.4	6.7	11.1	14.0	15.7	18.3	18.3	22.2
1977	2.7	.0	.0	.0	.0	.0	.0	.0	.1	.4	1.7	4.0	6.3	11.2	13.2	16.1	20.0	19.1	19.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1555	1	0	0	0	2	0	0	9	30	76	155	208	284	288	225	146	90	41
1951	1557	0	1	0	0	0	0	2	6	39	83	150	205	277	269	255	159	72	39
1952	1586	0	0	0	1	0	1	4	14	24	87	138	232	286	283	222	164	89	41
1953	1671	0	0	1	0	0	0	1	13	34	86	141	224	315	290	252	177	84	53
1954	1634	0	0	0	0	1	0	0	11	31	90	127	226	278	327	230	174	97	42
1955	1824	0	0	0	0	1	2	4	8	31	89	167	234	319	361	252	201	104	51
1956	1780	0	0	0	0	0	1	2	5	28	89	151	260	292	330	283	182	105	52
1957	1797	0	0	0	0	1	1	4	9	34	83	165	254	274	315	282	186	131	58
1958	1820	1	0	0	0	1	4	1	12	32	98	176	244	292	327	285	211	89	47
1959	1849	0	0	0	0	0	0	2	9	26	107	161	255	312	332	306	176	99	64
1960	1979	1	0	0	1	0	1	3	12	33	99	179	277	319	365	310	206	116	57
1961	1972	0	0	0	0	0	0	4	3	37	69	194	311	320	363	306	200	109	56
1962	1965	0	0	0	0	0	1	2	10	43	90	179	255	358	332	301	225	115	54
1963	2059	0	0	0	0	0	0	1	7	33	93	201	302	348	351	327	216	121	59
1964	2000	0	0	0	0	0	1	0	7	33	94	176	287	359	345	302	221	110	65
1965	2073	0	0	0	0	0	0	2	6	30	104	181	281	355	362	323	251	116	62
1966	2097	0	0	0	0	1	0	1	10	44	95	185	293	396	364	304	222	119	63
1967	2187	0	0	0	0	0	0	2	7	44	89	223	302	371	357	329	262	135	66
1968	2226	0	0	0	0	0	0	2	5	37	88	205	350	409	383	317	230	127	73
1969	2330	0	0	0	0	0	0	3	15	43	88	189	356	441	384	338	239	153	81
1970	2347	0	0	0	0	0	0	1	4	33	98	218	373	405	390	355	249	147	74
1971	2253	0	0	0	0	1	0	3	2	37	93	180	330	428	402	318	267	118	74
1972	1160	0	0	0	0	0	0	1	4	16	34	93	157	208	203	185	148	68	43
1973	2290	0	0	0	0	0	0	3	7	38	103	187	324	408	400	331	241	159	89
1974	2430	0	0	0	0	0	0	4	10	23	89	218	334	436	456	360	262	142	96
1975	2359	0	0	0	1	0	1	1	5	25	91	188	319	419	406	364	270	177	92
1976	2408	0	0	0	0	0	1	0	9	24	77	177	311	440	458	359	264	163	125
1977	2452	0	0	0	0	0	0	0	3	17	84	207	301	446	440	380	290	171	113

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.0	.0	.0	-	.0	.0	.1	.1	.2	.3	.3	.4	.3	.2	.2	.1	.1
1951	.2	.0	-	.0	.0	.0	.0	-	-	.2	.3	.3	.3	.3	.3	.2	.2	.1	.1
1952	.2	.0	.0	.0	-	.0	-	-	.1	.1	.3	.3	.4	.4	.3	.2	.2	.1	.1
1953	.2	.0	.0	-	.0	.0	.0	-	.1	.2	.3	.3	.4	.4	.3	.3	.2	.1	.1
1954	.2	.0	.0	.0	.0	-	.0	.0	.1	.2	.3	.3	.4	.3	.3	.2	.2	.1	.1
1955	.2	.0	.0	.0	.0	-	-	-	.1	.2	.3	.4	.4	.4	.4	.2	.2	.1	.1
1956	.2	.0	.0	.0	.0	.0	-	-	-	.1	.3	.3	.4	.3	.3	.3	.2	.1	.1
1957	.2	.0	.0	.0	.0	-	-	-	.1	.2	.3	.3	.4	.3	.3	.3	.2	.2	.1
1958	.2	-	.0	.0	.0	-	.1	-	.1	.2	.3	.4	.4	.3	.3	.3	.2	.1	.1
1959	.2	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.3	.4	.4	.3	.3	.2	.1	.1
1960	.2	-	.0	.0	-	.0	-	-	.1	.2	.3	.4	.4	.4	.3	.3	.2	.1	.1
1961	.2	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.4	.5	.4	.3	.3	.2	.1	.1
1962	.2	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.3	.4	.4	.3	.3	.2	.1	.1
1963	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.4	.4	.3	.3	.2	.1	.1
1964	.2	.0	.0	.0	.0	.0	-	.0	.1	.1	.3	.3	.4	.4	.3	.2	.2	.1	.1
1965	.2	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.3	.4	.4	.3	.3	.2	.1	.1
1966	.2	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.3	.4	.4	.3	.2	.2	.1	.1
1967	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.4	.4	.3	.3	.2	.1	.1
1968	.2	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.4	.5	.4	.3	.2	.2	.1	.1
1969	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.4	.5	.5	.3	.3	.2	.1	.1
1970	.2	.0	.0	.0	.0	.0	.0	-	-	.2	.3	.4	.5	.4	.3	.3	.2	.1	.1
1971	.2	.0	.0	.0	.0	-	.0	-	-	.2	.3	.3	.4	.4	.4	.3	.2	.1	.1
1972	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.4	.4	.3	.3	.2	.1	.1
1973	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.4	.4	.3	.3	.2	.1	.1
1974	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.4	.5	.4	.4	.3	.2	.1	.1
1975	.3	.0	.0	.0	-	.0	-	-	-	.1	.3	.4	.5	.4	.4	.3	.2	.2	.1
1976	.3	.0	.0	.0	.0	.0	-	.0	.1	.1	.3	.4	.4	.5	.4	.3	.2	.2	.1
1977	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.4	.4	.5	.4	.3	.2	.2	.1

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	-	.0	-	.1	.1	.2	.4	.6	.8	1.0	1.5	1.5	2.3	4.4
1951	.2	.0	.0	-	.0	.0	-	-	-	.2	.2	.3	.4	.7	.9	1.0	2.4	2.1	2.1
1952	.2	.0	.0	-	.0	-	.0	-	.1	.1	.3	.3	.3	.5	1.0	1.3	1.8	1.7	1.7
1953	.2	-	.0	.0	.0	.0	.0	-	-	.2	.2	.3	.5	.6	1.0	1.4	2.0	2.5	2.9
1954	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.5	1.2	1.2	2.5	2.3	2.3
1955	.2	.0	.0	.0	.0	.0	-	-	-	.1	.1	.3	.5	.5	1.0	1.0	1.1	2.3	4.1
1956	.2	.0	.0	.0	-	.0	.0	.0	.1	.1	.2	.4	.7	.5	.8	1.0	1.9	2.0	2.3
1957	.2	.0	.0	.0	.0	.0	-	-	-	.2	.3	.6	.6	.5	.8	1.0	1.6	1.8	2.6
1958	.3	.0	.0	-	.0	-	.0	-	.1	.2	.4	.7	.7	.7	.6	.9	1.1	2.7	2.5
1959	.3	.0	.0	-	.0	.0	.0	-	-	.2	.3	.4	.7	.7	.9	.9	1.9	1.3	2.8
1960	.2	-	.0	.0	-	-	.0	.0	.0	.1	.4	.5	.8	1.0	.6	.7	.9	2.1	1.9
1961	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.4	.7	.8	.7	1.0	.8	.5	1.2	3.3
1962	.3	.0	.0	.0	-	.0	.0	-	.1	.2	.4	.7	.5	.9	1.0	1.2	1.0	1.8	2.1
1963	.3	.0	.0	.0	-	-	.0	.0	.1	.1	.3	.7	.7	1.0	.8	1.1	1.4	1.9	1.5
1964	.3	.0	-	.0	.0	.0	.0	-	.1	.1	.2	.8	.9	.8	.8	.8	.9	1.9	2.5
1965	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.5	.7	.8	1.1	1.0	1.3	1.2	1.7	2.0
1966	.3	.0	.0	.0	.0	.0	.0	.0	-	.1	.5	.8	.9	.7	.9	.8	1.1	1.2	1.8
1967	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.4	1.0	1.1	1.2	1.1	1.0	1.1	.9	1.4
1968	.3	.0	.0	.0	.0	.0	-	-	-	.1	.3	.7	.9	.6	.8	1.6	1.2	1.3	2.2
1969	.3	.0	.0	.0	.0	.0	.0	.0	.1	.2	.3	1.0	1.1	1.1	1.0	1.1	1.0	.9	1.0
1970	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.4	.9	.8	1.3	1.3	1.0	1.4	1.1	1.5
1971	.4	.0	.0	.0	.0	.0	-	.0	.0	.1	.5	.9	1.1	1.4	1.5	1.2	1.2	1.2	1.8
1972	.4	.0	.0	.0	.0	.0	.0	-	.0	.2	.6	.6	1.7	1.0	1.4	1.4	1.5	1.2	2.1
1973	.4	.0	.0	.0	.0	.0	.0	.0	.1	.2	.3	.6	1.4	1.4	1.6	1.0	1.1	1.1	1.1
1974	.4	.0	.0	.0	-	.0	-	-	-	.1	.3	.9	1.0	1.7	1.7	1.6	1.4	1.0	1.2
1975	.4	.0	.0	-	.0	.0	.0	.0	-	.1	.5	.8	1.3	2.1	1.6	1.7	1.3	1.4	1.2
1976	.5	-	.0	.0	.0	-	.0	.0	.1	.2	.3	.9	1.7	2.2	1.8	1.5	1.8	1.3	1.8
1977	.5	.0	.0	.0	.0	.0	.0	-	-	.1	.5	.8	1.4	2.0	1.7	1.7	1.5	1.8	1.5

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	169	0	0	0	0	1	0	2	4	6	7	14	20	22	24	25	16	14	14
1951	156	0	0	1	0	0	2	2	1	10	8	11	14	21	21	18	27	13	7
1952	149	0	0	1	0	1	0	2	3	5	13	13	10	14	26	23	21	11	6
1953	174	1	0	0	0	0	0	2	2	8	7	12	18	18	26	27	25	17	11
1954	168	0	0	0	0	0	0	0	1	6	11	9	12	17	31	24	32	16	9
1955	156	0	0	0	0	0	1	1	1	6	6	10	19	16	26	21	15	17	17
1956	170	0	0	0	1	0	0	0	4	6	8	16	25	15	22	22	26	15	10
1957	179	0	0	0	0	0	1	1	2	8	14	23	21	18	22	21	22	14	12
1958	205	0	0	1	0	1	0	1	4	11	18	28	26	25	19	21	16	22	12
1959	207	0	0	1	0	0	0	2	2	13	16	19	26	25	27	22	29	11	14
1960	194	1	0	0	1	1	0	0	0	6	20	21	30	35	19	17	15	18	10
1961	208	0	0	0	0	0	0	1	3	7	18	31	34	25	32	20	8	11	18
1962	226	0	0	0	1	0	0	1	3	12	19	31	20	32	31	30	17	17	12
1963	231	0	0	0	1	1	0	0	3	4	17	33	28	36	26	29	25	19	9
1964	229	0	1	0	0	0	0	1	5	5	11	38	41	27	27	22	16	20	15
1965	268	0	0	0	0	0	0	1	4	6	24	34	35	41	32	37	22	19	13
1966	232	0	0	0	0	0	0	0	1	3	24	39	39	28	29	22	21	14	12
1967	281	0	0	0	0	0	0	1	2	3	24	48	50	46	36	28	22	11	10
1968	255	0	0	0	0	0	1	2	2	7	14	34	41	24	28	45	25	16	16
1969	288	0	0	0	0	0	0	0	6	9	19	50	52	43	36	32	21	12	8
1970	295	0	0	0	0	0	0	1	1	3	20	45	40	54	46	28	30	14	13
1971	341	0	0	0	0	0	1	0	0	7	27	49	53	59	53	34	26	16	16
1972	180	0	0	0	0	0	0	1	0	4	17	16	41	21	25	20	16	9	10
1973	338	0	0	0	0	0	0	0	6	11	14	33	68	61	62	30	25	17	11
1974	372	0	0	0	1	0	1	1	1	7	16	50	49	75	65	47	30	16	13
1975	421	0	0	1	0	0	0	0	2	7	25	46	65	93	63	53	30	22	14
1976	468	1	0	0	0	1	0	0	3	10	18	48	85	98	75	46	40	21	22
1977	447	0	0	0	0	0	0	1	1	3	24	42	75	90	73	55	34	30	19

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	-	.0	-	-	-	-	.1	.1	-	-	-	-	-	-
1951	-	.0	.0	.1	.0	.0	-	-	-	.1	-	-	-	-	-	-	-	-	-
1952	-	.0	.0	-	.0	-	.0	-	-	-	.1	.1	-	-	-	-	-	-	-
1953	-	-	.0	.0	.0	.0	.0	-	-	.1	-	-	.1	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	.1	-	-	-	-
1955	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	.1	-	-	-	-	-	-
1956	-	.0	.0	.0	-	.0	.0	.0	-	-	-	.1	.1	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-	-
1958	-	.0	.0	-	.0	-	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1959	-	.0	.0	-	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1960	-	-	.0	.0	-	-	.0	.0	.0	-	.1	.1	.1	.1	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1962	-	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	-	-	-	-	-
1963	-	.0	.0	.0	-	-	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1964	-	.0	-	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.2	.1	.1	.1	-	-	-	-
1968	-	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.1	.1	.1	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	.2	.1	.1	.1	-	-	-	-
1971	-	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.2	.1	.1	.1	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.1	.2	.1	.1	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.1	.1	-	-	-	-
1974	-	.0	.0	.0	-	.0	-	-	-	.1	.1	.2	.1	.1	.1	.1	-	-	-
1975	.1	.0	.0	-	.0	.0	.0	.0	-	.1	.1	.2	.2	.2	.1	.1	-	-	-
1976	.1	-	.0	.0	.0	-	.0	.0	-	.1	.1	.2	.2	.2	.1	.1	-	-	-
1977	.1	.0	.0	.0	.0	.0	.0	-	-	-	.2	.2	.2	.2	.1	.1	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	.0	.0	.0	.0	.0	.0	.0	.7	1.8	2.5	6.9	4.6	6.7	5.4	10.3	4.6	5.4	5.4
1951	1.3	.0	.0	.0	.0	.0	.2	.0	.2	1.0	1.3	3.9	7.6	8.3	6.8	13.3	8.8	5.3	.0
1952	1.5	.0	.0	.0	.2	.0	.0	.2	.0	1.4	2.9	3.5	6.3	9.0	9.0	12.9	11.3	2.6	4.9
1953	1.6	.0	.0	.0	.0	.0	.2	.0	.2	1.7	3.1	4.7	5.2	11.4	9.7	11.7	5.3	7.5	4.7
1954	1.8	.0	.0	.0	.0	.0	.0	.0	.5	2.8	2.5	5.5	7.8	12.0	5.9	13.6	11.4	7.3	12.8
1955	1.6	.0	.0	.0	.0	.2	.0	.0	.7	1.5	3.1	5.2	7.8	7.9	11.1	7.3	6.0	19.1	4.1
1956	1.5	.1	.0	.0	.0	.0	.0	.2	.5	.9	1.7	3.5	8.7	10.5	11.8	6.3	9.2	2.3	3.9
1957	1.7	.0	.0	.0	.0	.0	.3	.0	.3	1.1	4.0	4.5	10.1	13.3	8.6	5.4	4.4	9.1	19.0
1958	2.0	.0	.0	.0	.0	.0	.0	.3	.2	.7	4.1	5.6	7.6	15.1	13.3	16.4	8.4	11.2	7.1
1959	1.8	.0	.0	.0	.0	.0	.0	.0	.2	2.0	3.2	7.7	6.6	9.8	8.0	11.3	16.2	10.9	3.4
1960	2.2	.0	.0	.0	.1	.0	.0	.0	.9	1.8	3.8	6.6	9.8	12.4	12.4	13.7	15.2	8.5	19.4
1961	2.1	.0	.0	.0	.0	.0	.2	.3	1.6	1.6	4.3	6.3	8.7	12.5	8.9	14.4	9.3	11.5	13.3
1962	2.0	.0	.0	.0	.0	.0	.0	.2	.8	1.0	4.0	8.9	8.0	14.8	11.4	7.2	7.4	5.4	.0
1963	2.0	.0	.0	.0	.0	.0	.2	.0	.9	2.2	3.6	8.3	8.1	12.3	9.6	15.2	8.3	3.4	3.3
1964	2.1	.0	.0	.0	.0	.1	.2	.0	.6	1.2	3.0	6.5	11.0	12.1	13.3	13.2	14.4	9.8	6.3
1965	2.3	.0	.0	.0	.0	.0	.0	.0	.6	2.3	4.9	7.1	8.3	14.0	12.6	17.7	9.7	14.3	8.8
1966	2.2	.0	.0	.0	.0	.0	.0	.0	.5	2.0	3.5	8.7	9.3	15.5	12.0	12.9	13.9	12.5	2.8
1967	2.4	.0	.0	.0	.0	.0	.0	.2	1.4	1.8	4.1	7.6	11.1	14.7	14.5	15.2	8.5	19.7	10.3
1968	2.6	.0	.0	.0	.0	.0	.0	.0	.8	2.7	6.3	7.4	9.2	15.0	18.6	17.0	10.9	16.4	9.8
1969	2.4	.0	.0	.0	.0	.0	.0	.2	.3	2.9	5.9	7.6	10.3	12.3	13.5	11.8	16.7	16.2	15.9
1970	2.4	.0	.0	.0	.0	.0	.0	.1	1.1	2.4	5.1	7.4	11.0	12.7	13.5	16.8	17.1	10.0	10.6
1971	2.6	.0	.0	.0	.0	.0	.0	.0	.3	2.2	5.5	10.2	13.0	13.7	16.4	17.2	13.2	4.1	10.4
1972	2.5	.0	.0	.0	.0	.0	.2	.3	.0	2.9	6.0	6.9	11.0	13.9	14.9	12.3	19.8	10.3	20.0
1973	2.8	.0	.0	.0	.0	.0	.0	.1	.3	2.2	4.8	10.0	14.4	16.5	13.7	21.0	16.2	15.7	13.5
1974	3.0	.0	.0	.0	.0	.0	.0	.0	.5	2.3	7.7	9.5	15.7	17.8	15.0	19.8	14.5	12.9	10.5
1975	2.8	.0	.0	.0	.0	.0	.0	.0	.8	3.0	5.6	8.6	12.5	16.0	19.2	17.4	18.8	8.1	7.7
1976	2.9	.0	.0	.0	.0	.0	.1	.1	1.3	2.7	6.7	9.6	14.1	12.9	14.6	23.1	15.3	18.7	8.8
1977	3.0	.0	.0	.0	.0	.0	.0	.6	.6	2.0	4.9	10.5	15.5	18.0	15.2	14.7	17.0	17.2	19.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	106	0	0	0	0	0	0	0	4	9	11	26	13	14	11	12	3	2	1
1951	106	0	0	0	0	0	1	0	1	5	6	15	22	18	14	16	6	2	0
1952	120	0	0	0	1	0	0	1	0	7	13	14	19	20	19	16	8	1	1
1953	130	0	0	0	0	0	1	0	1	9	14	19	16	26	21	15	4	3	1
1954	151	0	0	0	0	0	0	0	3	15	11	23	25	28	13	18	9	3	3
1955	143	0	0	0	0	1	0	0	4	8	14	22	26	19	25	10	5	8	1
1956	135	1	0	0	0	0	0	1	3	5	8	15	30	26	27	9	8	1	1
1957	159	0	0	0	0	0	2	0	2	6	19	19	36	34	20	8	4	4	5
1958	190	0	0	0	0	0	0	2	1	4	20	24	28	40	31	25	8	5	2
1959	172	0	0	0	0	0	0	0	1	11	16	33	25	27	19	18	16	5	1
1960	222	0	0	0	1	0	0	0	6	10	20	30	39	36	31	23	16	4	6
1961	214	0	0	0	0	0	1	2	10	9	23	29	35	37	23	25	10	6	4
1962	207	0	0	0	0	0	0	1	5	6	21	42	33	45	30	13	8	3	0
1963	217	0	0	0	0	0	1	0	6	13	19	40	34	38	26	28	9	2	1
1964	232	0	0	0	0	1	1	0	4	7	16	32	47	38	37	25	16	6	2
1965	253	0	0	0	0	0	0	0	4	14	26	35	36	45	36	34	11	9	3
1966	254	0	0	0	0	0	0	0	3	12	19	43	41	51	35	25	16	8	1
1967	281	0	0	0	0	0	0	1	9	11	23	38	49	50	43	30	10	13	4
1968	307	0	0	0	0	0	0	0	5	17	36	37	41	53	56	34	13	11	4
1969	287	0	0	0	0	0	0	1	2	18	34	38	46	45	41	24	20	11	7
1970	298	0	0	0	0	0	0	1	7	15	30	38	49	48	42	35	21	7	5
1971	327	0	0	0	0	0	0	0	2	14	33	54	57	54	51	37	17	3	5
1972	159	0	0	0	0	0	1	1	0	9	18	19	24	28	24	13	13	4	5
1973	366	0	0	0	0	0	0	1	2	14	29	57	63	68	46	45	21	13	7
1974	395	0	0	0	0	0	0	0	3	15	47	55	70	74	52	43	19	11	6
1975	380	0	0	0	0	0	0	0	5	19	35	50	59	66	70	38	26	7	5
1976	400	0	0	0	0	0	1	1	9	17	42	57	69	52	56	51	22	17	6
1977	415	0	0	0	0	0	0	5	4	13	31	63	79	72	60	34	24	16	14

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.3	.1	.2	.1	.2	.1	.1	-
1951	.1	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.2	.2	.2	.1	.2	.1	.1	.0
1952	.1	.0	.0	.0	.1	.0	.0	-	.0	.1	.2	.2	.2	.2	.2	.2	.1	-	-
1953	.1	.0	.0	.0	.0	.0	-	.0	-	.2	.2	.2	.2	.3	.2	.2	.1	.1	-
1954	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.2	.3	.3	.3	.1	.2	.2	.1	.1
1955	.1	.0	.0	.0	.0	.1	.0	.0	.1	.2	.2	.3	.3	.2	.2	.1	.1	.2	-
1956	.1	-	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.3	.3	.3	.1	.1	-	-
1957	.1	.0	.0	.0	.0	.0	.1	.0	.1	.1	.3	.2	.4	.3	.2	.1	.1	.1	.1
1958	.2	.0	.0	.0	.0	.0	.0	.1	-	.1	.3	.3	.3	.4	.3	.3	.1	.1	-
1959	.2	.0	.0	.0	.0	.0	.0	.0	-	.2	.3	.4	.3	.3	.2	.2	.2	.1	-
1960	.2	.0	.0	.0	.1	.0	.0	.0	.2	.2	.3	.3	.4	.3	.2	.2	.2	.1	.1
1961	.2	.0	.0	.0	.0	.0	-	.1	.3	.2	.4	.3	.4	.3	.2	.2	.1	.1	.1
1962	.2	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.5	.3	.4	.2	.1	.1	.1	.0
1963	.2	.0	.0	.0	.0	.0	-	.0	.2	.2	.3	.4	.3	.3	.2	.2	.1	-	-
1964	.2	.0	.0	.0	.0	-	-	.0	.1	.1	.2	.3	.4	.3	.3	.2	.2	.1	-
1965	.2	.0	.0	.0	.0	.0	.0	.0	.1	.2	.4	.4	.3	.4	.3	.3	.1	.1	.1
1966	.2	.0	.0	.0	.0	.0	.0	.0	.1	.2	.3	.5	.4	.4	.2	.2	.2	.1	-
1967	.2	.0	.0	.0	.0	.0	.0	-	.2	.2	.3	.4	.4	.4	.3	.2	.1	.2	.1
1968	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.4	.4	.3	.4	.4	.2	.1	.2	.1
1969	.2	.0	.0	.0	.0	.0	.0	-	-	.3	.4	.4	.4	.3	.3	.2	.2	.2	.1
1970	.2	.0	.0	.0	.0	.0	.0	-	.2	.2	.4	.4	.4	.4	.3	.3	.2	.1	.1
1971	.2	.0	.0	.0	.0	.0	.0	.0	-	.2	.4	.6	.5	.4	.4	.3	.2	-	.1
1972	.2	.0	.0	.0	.0	.0	.1	-	.0	.3	.4	.4	.4	.4	.4	.3	.2	.2	.1	.1
1973	.3	.0	.0	.0	.0	.0	.0	-	-	.2	.4	.5	.5	.5	.5	.3	.3	.2	.2	.1
1974	.3	.0	.0	.0	.0	.0	.0	.0	.1	.3	.6	.5	.6	.5	.3	.3	.2	.1	.1
1975	.3	.0	.0	.0	.0	.0	.0	.0	.1	.4	.5	.5	.5	.5	.5	.3	.2	.1	.1
1976	.3	.0	.0	.0	.0	.0	-	-	.2	.3	.6	.6	.6	.4	.4	.4	.2	.2	.1
1977	.3	.0	.0	.0	.0	.0	.0	.1	.1	.3	.4	.6	.7	.5	.4	.2	.2	.2	.2

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.1	.0	.0	.3	.4	.4	.5	1.9	1.5	1.4	.0	.0	4.8	.0
1951	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.5	.7	.5	.0	4.1	1.5	4.5	.0
1952	.2	.0	.0	.0	.0	.0	.1	.0	.2	.5	.2	.8	1.0	1.8	.4	.8	.0	.0	.0
1953	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.5	1.0	1.3	.9	.7	1.4	.0	3.3
1954	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.7	.3	.4	.8	1.4	2.6	.0	6.1
1955	.3	.0	.0	.0	.0	.0	.0	.0	.3	.3	.6	.7	1.8	1.2	1.2	2.0	1.2	.0	2.9
1956	.2	.0	.0	.0	.0	.0	.1	.1	.3	.3	.6	.9	1.4	.0	.8	1.3	.0	.0	.0
1957	.2	.0	.0	.0	.1	.0	.0	.0	.0	.7	.2	1.4	.3	1.1	.8	2.5	.0	.0	.0
1958	.3	.0	.0	.0	.0	.0	.0	.0	.1	.7	.8	.5	.8	2.5	.8	1.2	.0	.0	2.6
1959	.3	.0	.0	.0	.0	.0	.0	.1	.3	.5	.9	1.3	1.0	1.0	1.5	.6	.9	1.9	.0
1960	.3	.0	.0	.0	.0	.0	.0	.1	.3	.3	1.1	1.1	1.2	1.3	.7	.0	.9	.0	7.5
1961	.2	.0	.0	.0	.0	.0	.0	.1	.0	.3	.7	1.4	1.0	1.0	.7	1.5	.8	.0	.0
1962	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.3	.8	.9	.9	.3	.5	1.6	.0	2.4
1963	.4	.0	.0	.0	.0	.0	.0	.0	.4	.6	1.2	.6	1.1	2.4	1.3	.5	3.9	2.9	.0
1964	.3	.0	.0	.0	.0	.0	.0	.0	.4	.4	.5	1.1	1.6	.9	.6	.9	1.5	1.4	2.2
1965	.3	.0	.0	.0	.0	.0	.0	.3	.0	.3	1.0	1.5	.9	1.4	.6	1.7	.7	1.3	.0
1966	.3	.0	.1	.0	.0	.0	.0	.1	.3	.1	1.2	1.1	1.3	1.4	1.2	1.3	1.4	1.3	1.9
1967	.4	.0	.0	.0	.0	.0	.0	.1	.1	.3	1.6	.7	2.7	1.6	.8	1.3	2.7	1.2	.0
1968	.4	.0	.0	.0	.0	.0	.0	.0	.0	.6	1.4	2.3	1.0	1.0	1.7	2.0	.7	.0	1.6
1969	.5	.0	.0	.0	.0	.0	.0	.0	.4	1.5	.9	1.2	2.6	1.7	2.4	2.0	1.3	1.1	1.5
1970	.4	.0	.0	.0	.0	.0	.0	.0	.1	1.4	.7	1.2	1.0	1.8	.5	2.3	2.5	1.0	.0
1971	.4	.0	.0	.0	.0	.0	.0	.0	.3	.8	1.2	1.2	2.2	1.5	1.1	.0	1.8	.0	1.3
1972	.5	.0	.0	.0	.0	.0	.0	.0	.0	.3	1.7	2.2	2.4	2.1	2.0	1.6	.0	.0	.0
1973	.4	.0	.0	.0	.0	.0	.0	.0	.0	1.1	.7	1.7	2.0	1.0	1.0	2.3	.6	.0	.0
1974	.4	.0	.0	.0	.0	.0	.0	.0	.4	.9	1.1	2.0	1.6	2.3	1.4	1.2	.6	2.4	1.0
1975	.5	.0	.0	.0	.0	.0	.0	.0	.0	.5	1.8	1.9	2.9	2.7	1.3	1.5	.6	4.6	.9
1976	.5	.0	.0	.0	.0	.0	.0	.0	.0	.1	1.2	2.2	2.1	2.7	3.1	3.0	.5	.0	.8
1977	.5	.0	.0	.0	.0	.0	.0	.2	.0	1.3	.5	2.6	2.2	2.3	2.2	1.8	.5	.7	.0


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	22	0	0	0	0	1	0	0	2	2	2	2	5	3	3	0	0	2	0
1951	16	0	0	0	0	0	0	0	0	0	3	2	2	1	0	5	1	2	0
1952	18	0	0	0	0	0	1	0	1	3	1	3	3	4	1	1	0	0	0
1953	16	0	0	0	0	0	0	0	0	0	3	2	3	3	2	1	1	0	1
1954	15	0	0	0	0	0	0	0	0	2	0	3	1	1	2	2	2	0	2
1955	27	0	0	0	0	0	0	0	2	2	3	3	6	3	3	3	1	0	1
1956	22	0	0	0	0	0	1	1	2	2	3	4	5	0	2	2	0	0	0
1957	22	0	0	0	1	0	0	0	0	4	1	6	1	3	2	4	0	0	0
1958	26	0	0	0	0	0	0	0	1	4	4	2	3	7	2	2	0	0	1
1959	31	0	0	0	0	0	0	1	2	3	5	6	4	3	4	1	1	1	0
1960	31	0	0	0	0	0	0	1	2	2	6	5	5	4	2	0	1	0	3
1961	27	0	0	0	0	0	0	1	0	2	4	7	4	3	2	3	1	0	0
1962	19	0	0	0	0	0	0	0	0	1	2	4	4	3	1	1	2	0	1
1963	42	0	0	0	0	0	0	0	3	4	7	3	5	8	4	1	5	2	0
1964	33	0	0	0	0	0	0	0	3	3	3	6	7	3	2	2	2	1	1
1965	35	0	0	0	0	0	0	2	0	2	6	8	4	5	2	4	1	1	0
1966	40	0	1	0	0	0	0	1	2	1	7	6	6	5	4	3	2	1	1
1967	48	0	0	0	0	0	0	1	1	2	10	4	13	6	3	3	4	1	0
1968	48	0	0	0	0	0	0	0	0	4	9	13	5	4	6	5	1	0	1
1969	65	0	0	0	0	0	0	0	3	11	6	7	13	7	9	5	2	1	1
1970	49	0	0	0	0	0	0	0	1	10	5	7	5	8	2	6	4	1	0
1971	49	0	0	0	0	0	0	0	2	6	8	7	11	7	4	0	3	0	1
1972	31	0	0	0	0	0	0	0	0	1	6	7	6	5	4	2	0	0	0
1973	50	0	0	0	0	0	0	0	0	8	5	11	10	5	4	6	1	0	0
1974	64	0	0	0	0	0	0	0	3	7	8	13	8	11	6	3	1	3	1
1975	77	0	0	0	0	0	0	0	0	4	13	13	16	13	6	4	1	6	1
1976	75	0	0	0	0	0	0	0	0	1	9	15	12	13	15	8	1	0	1
1977	76	0	0	0	0	0	0	2	0	10	4	18	13	11	11	5	1	1	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.1	.0	.0	.1	-	-	-	.1	-	-	.0	.0	.1	.0
1951	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	.0	.1	-	.1	.0
1952	-	.0	.0	.0	.0	.0	.1	.0	-	.1	-	-	-	.1	-	-	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	.0	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	.0	.1
1955	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	-	.1	-	-	-	-	.0	-
1956	-	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.1	.1	.0	-	-	.0	.0	.0
1957	-	.0	.0	.0	.1	.0	.0	.0	.0	.1	-	.1	-	-	-	.1	.0	.0	.0
1958	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	-	-	.1	-	-	.0	.0	-
1959	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-	-	.0
1960	-	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	-	-	.0	-	.0	.1
1961	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	-	-	-	-	.0	.0
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	-	-	.0	-
1963	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	-	.1	.1	-	-	.1	-	.0
1964	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	.0	.1	.0	-	.1	.1	.1	.1	-	-	-	-	.0
1966	-	.0	.1	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	-	-	-	.2	.1	.2	.1	-	-	-	-	.0
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.1	-	-	-	-	.0	-
1969	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.1	.2	.1	.1	-	-	-	-
1970	-	.0	.0	.0	.0	.0	.0	.0	-	.2	.1	.1	.1	.1	-	.1	-	-	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	-	.0	-	.0	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.2	.2	.2	.1	.1	-	.0	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.2	.1	-	-	-	-	.0	.0
1974	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.2	.1	.1	.1	-	-	-	-
1975	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.2	.2	.1	.1	-	-	.1	-
1976	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.2	.2	.2	.1	.1	.1	-	.0	-
1977	.1	.0	.0	.0	.0	.0	.0	.1	.0	.3	.1	.3	.2	.1	.1	-	-	-	.0

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	13981	20.64	21.89	13.04	3162	4.65	4.86	3.33	941	12.10	16.02	10.62	229	2.83	3.99	2.70
1951	15131	22.00	23.25	13.77	3247	4.69	4.87	3.36	1086	13.67	18.25	12.03	259	3.13	4.23	2.94
1952	16615	23.78	25.11	14.59	3492	4.96	5.08	3.51	1204	14.84	19.61	12.37	268	3.16	4.28	2.96
1953	18352	25.87	27.27	15.67	3475	4.85	4.92	3.42	1387	16.72	22.35	13.86	287	3.31	4.38	3.06
1954	19441	26.97	28.41	16.24	3589	4.93	4.95	3.49	1471	17.32	23.28	13.65	288	3.24	4.21	2.94
1955	21125	28.84	30.38	17.21	3777	5.10	5.06	3.59	1579	18.14	24.11	14.27	345	3.78	5.11	3.60
1956	22971	30.86	32.48	18.14	4025	5.34	5.25	3.77	1846	20.70	27.93	15.67	338	3.61	4.83	3.30
1957	24277	32.08	33.81	18.80	4128	5.38	5.26	3.79	2010	21.99	29.88	16.40	361	3.76	4.97	3.45
1958	25414	33.09	34.89	19.69	4392	5.63	5.46	4.01	2113	22.57	30.26	16.96	397	4.03	5.35	3.71
1959	26988	34.58	36.51	20.42	4516	5.69	5.48	4.08	2347	24.40	33.09	17.69	451	4.45	5.89	4.21
1960	28508	35.97	38.02	21.03	4709	5.83	5.58	4.17	2749	27.32	37.27	19.67	454	4.29	5.86	4.06
1961	30366	37.75	40.04	21.94	5243	6.39	6.08	4.56	2845	27.63	37.72	19.47	475	4.37	5.71	3.97
1962	32216	39.50	41.92	22.92	5555	6.66	6.31	4.76	3096	29.41	40.40	20.70	509	4.58	5.94	4.21
1963	33482	40.56	43.27	23.30	5996	7.09	6.68	5.04	3498	32.54	44.87	21.88	592	5.20	6.72	4.83
1964	35476	42.47	45.31	24.32	6310	7.36	6.88	5.26	3433	31.27	42.83	21.11	619	5.31	6.94	4.93
1965	37184	44.05	47.07	24.81	6927	7.98	7.43	5.65	3695	33.02	45.66	22.16	677	5.69	7.29	5.17
1966	38944	45.70	48.88	25.61	7534	8.58	7.92	6.05	4230	37.10	51.24	23.81	770	6.33	8.03	5.62
1967	40959	47.65	50.92	26.36	8217	9.26	8.49	6.47	4424	38.13	53.08	24.24	807	6.50	8.26	5.81
1968	44193	51.01	54.41	27.90	9669	10.79	9.80	7.50	4824	40.90	57.14	25.35	970	7.66	9.74	6.80
1969	45474	52.09	55.47	28.39	10403	11.50	10.40	8.00	5184	43.26	60.30	26.43	1069	8.28	10.48	7.42
1970	47584	54.03	57.48	29.18	11276	12.33	11.08	8.48	5421	44.42	62.06	26.92	1173	8.90	11.19	8.05
1971	49558	55.79	59.32	29.82	12450	13.49	12.02	9.25	5594	44.94	63.06	27.47	1319	9.80	12.27	8.53
1972	25864	57.86	61.23	30.43	6840	14.71	13.04	9.97	3064	48.32	68.07	28.93	667	9.71	12.18	8.58
1973	52885	58.84	61.95	30.80	14322	15.30	13.44	10.32	6479	50.21	70.73	29.19	1515	10.82	13.58	9.23
1974	54946	60.83	63.63	31.20	15720	16.69	14.53	11.06	6862	52.28	73.69	29.85	1626	11.40	14.27	9.81
1975	56540	62.26	64.61	31.78	17013	17.95	15.50	11.85	7080	52.81	74.09	29.89	1716	11.77	14.67	10.25
1976	58686	64.30	66.24	32.11	18725	19.64	16.76	12.64	7429	54.39	76.52	30.25	1868	12.56	15.62	10.81
1977	60706	66.14	67.64	32.54	20007	20.85	17.66	13.28	8012	57.61	80.90	31.33	2103	13.87	17.10	11.54

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: From 1950–1957, bronchus, lung, pleura, and pulmonary, specified as primary, and trachea, specified as primary or not otherwise specified; From 1958–1967, lung, pleura, and pulmonary, specified as primary, and trachea and bronchus, specified as primary or not otherwise specified; From 1968–1977, pulmonary, trachea, and pleura with bronchus, and lung, specified as primary or not otherwise specified.
(ICD 162–163 [6th]; ICD 162–163 [7th]; ICD 162–163.0 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Workshop on Lung Cancer: Lung cancer. II. Epidemiology. UICC Tech Rep Ser No. 25. Geneva: UICC, 1977, pp 3-41

FRAUMENI JF JR: Respiratory carcinogenesis: An epidemiologic appraisal (and addendum). Natl Cancer Inst Monogr 52:107-114, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	20.6	-	.1	.1	.2	.2	.3	1.7	4.0	10.3	24.7	46.2	74.1	98.0	100.7	101.1	91.0	72.8	68.8
1951	22.0	-	-	.1	.1	.4	.6	1.3	4.1	10.4	25.2	49.5	76.1	105.1	113.2	109.4	94.8	75.4	64.8
1952	23.8	.1	-	-	.1	.3	.6	1.4	4.1	11.6	25.3	50.3	85.1	113.1	125.1	117.0	105.9	84.7	71.7
1953	25.9	.1	.1	-	.1	.3	.6	1.7	4.4	12.1	27.0	55.7	92.4	123.3	135.3	125.8	114.8	97.7	73.5
1954	27.0	-	-	.0	.2	.3	.6	1.7	3.8	12.7	28.7	55.0	92.2	126.4	147.3	139.7	119.5	102.2	78.7
1955	28.8	-	.1	.1	.1	.2	.6	1.7	4.9	11.6	30.4	58.2	95.9	135.5	157.8	148.9	138.6	116.8	78.8
1956	30.9	.1	.1	-	.1	.3	.5	1.8	5.0	13.2	30.8	60.6	104.2	143.9	173.4	161.4	146.2	119.1	88.2
1957	32.1	.1	-	-	.1	.3	.6	1.9	4.6	13.3	29.7	62.3	107.0	153.0	181.0	172.6	153.6	122.0	94.6
1958	33.1	.1	-	.1	.1	.2	.6	2.0	5.1	13.1	30.5	64.6	106.0	160.9	190.1	178.6	156.8	130.3	93.2
1959	34.6	-	-	-	.1	.1	.5	2.1	5.7	13.1	31.4	64.7	111.5	165.7	196.8	195.9	165.8	135.4	113.2
1960	36.0	-	.0	-	.1	.1	.6	2.0	5.7	13.9	31.7	68.3	114.4	168.0	202.8	212.5	177.9	150.8	109.3
1961	37.7	-	-	-	.1	.2	.6	2.3	5.5	15.2	33.5	68.2	115.0	177.5	222.1	220.2	190.6	160.5	133.3
1962	39.5	-	-	-	-	.2	.5	2.1	6.1	15.5	35.2	72.3	121.0	184.3	232.1	229.9	208.8	164.2	130.2
1963	40.6	.1	-	-	-	.2	.5	2.3	6.3	15.3	35.9	70.0	119.1	189.1	242.0	244.4	224.5	178.9	146.2
1964	42.5	-	-	-	-	.1	.5	2.0	6.7	16.4	37.2	73.7	126.1	197.5	250.5	255.9	247.0	183.1	138.6
1965	44.0	.1	-	.0	.1	.2	.5	2.0	7.0	17.2	38.5	76.7	127.5	199.9	257.1	275.9	253.7	206.3	157.3
1966	45.7	-	.0	-	.1	.2	.4	2.3	6.6	17.2	37.6	78.1	128.1	209.9	267.0	287.8	280.0	222.6	159.5
1967	47.6	.1	.0	-	.1	.1	.3	2.1	7.3	17.8	39.1	79.3	131.7	210.0	279.9	301.9	304.3	245.5	173.6
1968	51.0	-	-	-	.1	.2	.5	2.2	7.4	19.6	41.7	82.9	141.7	222.3	292.5	337.1	320.1	260.4	197.5
1969	52.1	.0	-	.1	.1	.2	.3	1.9	7.4	21.6	42.4	82.5	144.2	224.3	300.0	339.5	332.0	271.7	208.9
1970	54.0	.1	.0	-	.1	.2	.5	2.0	7.3	21.6	43.9	84.2	151.9	227.3	306.1	349.3	357.1	299.0	217.3
1971	55.8	-	-	.1	.1	.2	.5	2.2	7.3	20.2	45.8	82.7	149.5	225.5	321.7	366.7	382.7	333.1	247.5
1972	57.9	.1	.0	.1	.1	.1	.3	1.5	7.3	20.5	47.9	86.2	154.2	235.7	321.5	386.1	406.6	339.9	236.8
1973	58.8	.1	-	-	.1	.1	.3	1.6	8.3	19.2	47.6	84.3	152.6	240.2	327.9	391.5	412.2	352.0	258.3
1974	60.8	-	-	-	.1	.1	.3	1.7	6.9	20.1	49.2	89.1	154.6	246.8	327.5	395.6	440.6	375.5	268.3
1975	62.3	.1	-	.0	.1	.2	.4	1.8	6.2	19.3	47.9	90.8	151.1	247.6	332.2	418.6	441.6	405.8	274.5
1976	64.3	-	-	.0	.1	.2	.3	1.6	6.4	19.5	47.7	90.7	155.4	250.1	337.9	425.3	474.7	418.8	299.8
1977	66.1	.0	-	-	.1	.1	.5	1.6	6.4	18.0	47.2	93.2	152.9	253.2	344.0	437.8	502.0	436.7	316.1

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13981	3	4	3	8	10	16	90	202	472	1013	1736	2495	2780	2254	1539	853	349	154
1951	15131	1	3	7	5	18	35	69	208	483	1052	1865	2601	3031	2600	1711	920	366	156
1952	16615	8	2	2	4	17	33	74	210	549	1081	1898	2929	3326	2935	1886	1059	418	184
1953	18352	7	4	2	7	13	34	89	225	577	1181	2120	3184	3696	3245	2092	1182	495	199
1954	19441	3	3	0	8	14	30	91	196	615	1281	2120	3193	3844	3608	2412	1264	535	224
1955	21125	4	4	4	5	11	33	94	256	568	1386	2268	3350	4171	3930	2663	1508	636	234
1956	22971	5	5	2	3	12	25	100	263	652	1422	2400	3674	4481	4379	2975	1630	675	268
1957	24277	5	2	3	5	14	30	105	250	667	1389	2528	3803	4777	4659	3266	1766	713	295
1958	25414	5	2	7	3	8	30	109	275	662	1449	2671	3825	5001	4976	3463	1852	780	296
1959	26988	3	3	1	3	7	24	113	310	671	1509	2735	4104	5154	5221	3897	2033	830	370
1960	28508	2	0	1	6	7	29	103	312	716	1535	2945	4285	5248	5448	4310	2251	944	366
1961	30366	4	1	1	9	8	31	122	305	794	1634	2997	4389	5560	5989	4552	2474	1040	456
1962	32216	1	1	3	1	10	23	108	335	826	1727	3223	4724	5809	6246	4837	2764	1130	448
1963	33482	7	1	3	3	12	23	117	343	824	1773	3158	4762	6002	6488	5210	3019	1231	506
1964	35476	3	3	1	2	8	24	100	357	889	1849	3360	5146	6342	6711	5504	3381	1304	492
1965	37184	6	2	0	6	14	23	96	366	935	1930	3534	5292	6520	6907	5953	3519	1510	571
1966	38944	1	0	1	4	12	19	113	339	936	1907	3633	5385	6991	7199	6194	3943	1672	595
1967	40959	7	0	1	7	10	15	103	370	965	2014	3722	5592	7175	7602	6464	4352	1888	672
1968	44193	2	3	3	8	14	26	108	370	1050	2177	3929	6060	7806	8018	7160	4632	2039	788
1969	45474	0	3	5	6	13	20	94	361	1140	2232	3957	6202	8070	8329	7178	4834	2163	867
1970	47584	5	0	2	8	15	32	100	353	1126	2321	4097	6577	8341	8657	7384	5160	2428	978
1971	49558	3	3	6	6	19	28	113	352	1041	2409	4092	6533	8405	9296	7766	5580	2755	1151
1972	25864	4	0	3	5	5	11	39	176	523	1247	2181	3387	4464	4776	4089	2952	1436	566
1973	52885	4	1	4	8	9	22	92	403	960	2467	4323	6743	9210	9997	8429	5891	3041	1281
1974	54946	3	1	1	5	11	23	98	340	990	2525	4614	6905	9579	10239	8680	6270	3259	1403
1975	56540	5	1	0	5	13	30	110	309	933	2445	4702	6882	9675	10702	9326	6341	3551	1510
1976	58686	1	1	0	8	18	20	100	329	939	2407	4687	7213	9885	11086	9717	6850	3740	1685
1977	60706	0	2	1	5	6	35	106	339	868	2348	4766	7275	10075	11498	10353	7269	3917	1843


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.9	-	.1	.1	.1	.1	.2	.9	1.4	2.2	3.2	3.8	4.0	3.5	2.5	1.7	1.0	.5	.3
1951	2.0	-	.1	.2	.1	.2	.4	.7	1.4	2.2	3.3	4.0	4.0	3.8	2.8	1.8	1.1	.6	.3
1952	2.2	-	-	.1	.1	.2	.4	.7	1.5	2.5	3.3	4.1	4.5	4.1	3.1	2.0	1.2	.6	.4
1953	2.4	-	.1	.1	.1	.2	.4	.9	1.6	2.6	3.6	4.6	5.0	4.4	3.3	2.2	1.3	.7	.4
1954	2.6	-	.1	.0	.1	.2	.4	.9	1.5	3.0	4.0	4.8	5.3	4.8	3.7	2.5	1.4	.8	.4
1955	2.7	-	.1	.1	.1	.1	.4	1.0	1.9	2.8	4.4	5.0	5.4	5.1	4.0	2.6	1.6	.9	.4
1956	2.9	-	.1	.1	-	.1	.3	1.1	2.0	3.1	4.4	5.3	5.9	5.4	4.3	2.8	1.7	.9	.4
1957	3.0	-	-	.1	.1	.2	.4	1.1	1.8	3.1	4.2	5.3	6.0	5.5	4.4	2.9	1.8	.9	.4
1958	3.1	-	-	.2	-	.1	.4	1.2	2.0	3.1	4.4	5.5	6.0	5.9	4.7	3.1	1.8	1.0	.4
1959	3.2	-	.1	-	-	.1	.3	1.2	2.3	3.2	4.5	5.6	6.3	6.1	4.9	3.4	2.0	1.0	.5
1960	3.3	-	.0	-	.1	.1	.4	1.1	2.3	3.4	4.5	5.8	6.4	6.1	5.0	3.6	2.1	1.1	.5
1961	3.6	-	-	-	.1	.1	.5	1.4	2.3	3.7	4.9	6.0	6.7	6.5	5.6	3.9	2.2	1.2	.6
1962	3.7	-	-	.1	-	.1	.3	1.2	2.4	3.8	5.1	6.3	6.9	6.8	5.7	4.0	2.4	1.3	.6
1963	3.7	-	-	.1	-	.1	.3	1.4	2.5	3.8	5.1	6.0	6.7	6.8	5.8	4.1	2.5	1.3	.6
1964	4.0	-	.1	-	-	.1	.3	1.1	2.6	4.0	5.4	6.5	7.2	7.1	6.2	4.5	2.9	1.4	.6
1965	4.1	-	-	.0	.1	.1	.3	1.1	2.7	4.2	5.6	6.6	7.3	7.1	6.3	4.8	2.9	1.6	.7
1966	4.2	-	.0	-	-	.1	.2	1.3	2.6	4.2	5.4	6.7	7.2	7.5	6.5	4.9	3.2	1.7	.7
1967	4.5	-	.0	-	.1	.1	.2	1.2	2.8	4.4	5.7	7.0	7.5	7.6	7.0	5.2	3.5	1.9	.8
1968	4.6	-	.1	.1	.1	.1	.3	1.2	2.8	4.7	6.0	7.2	7.9	7.9	7.1	5.6	3.6	2.0	.9
1969	4.8	.0	.1	.1	-	.1	.2	1.0	2.8	5.1	6.2	7.4	8.1	8.2	7.4	5.8	3.8	2.1	1.0
1970	5.1	-	.0	-	.1	.1	.3	1.1	2.8	5.2	6.4	7.7	8.6	8.4	7.6	6.0	4.1	2.4	1.1
1971	5.3	-	.1	.1	-	.1	.3	1.2	2.9	5.0	6.9	7.8	8.7	8.6	8.2	6.4	4.4	2.7	1.2
1972	5.4	-	.0	.1	.1	.1	.2	.8	3.0	5.2	7.1	8.2	9.0	8.8	8.2	6.6	4.6	2.7	1.2
1973	5.5	-	-	.1	.1	.1	.2	.9	3.3	4.9	7.2	8.3	9.0	9.2	8.5	6.8	4.7	2.8	1.3
1974	5.9	-	-	-	-	.1	.2	1.0	2.9	5.4	7.6	9.0	9.6	9.8	8.8	7.1	5.2	3.1	1.4
1975	6.2	-	-	.0	-	.1	.2	1.1	2.7	5.3	7.9	9.3	9.8	10.1	9.3	7.7	5.4	3.4	1.5
1976	6.4	-	-	.0	.1	.1	.2	1.0	2.9	5.6	8.1	9.6	10.4	10.4	9.5	8.0	5.8	3.6	1.6
1977	6.7	.0	.1	-	-	-	.3	1.0	2.9	5.3	8.4	10.1	10.6	10.8	10.0	8.4	6.2	3.8	1.8


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.6	.1	-	.1	.1	.1	.2	.7	1.2	2.6	4.5	6.9	10.8	17.1	20.6	27.7	32.9	35.0	29.1
1951	4.7	.1	-	-	.1	.3	.3	.6	1.2	2.8	4.4	8.0	10.9	15.1	19.6	27.4	33.8	36.2	31.9
1952	5.0	.1	-	.1	.1	.2	.2	.6	1.4	2.7	4.8	7.6	11.1	17.3	21.0	30.4	35.8	33.1	30.5
1953	4.9	-	-	-	.1	.2	.3	.6	1.4	3.0	4.9	7.4	10.8	15.5	20.9	28.4	33.8	34.2	30.3
1954	4.9	.1	-	-	.1	.1	.2	.6	1.5	2.7	5.2	7.3	11.0	15.6	20.5	27.0	34.3	38.5	33.2
1955	5.1	.1	-	-	.1	.2	.4	.6	1.7	3.0	5.0	7.8	11.5	15.9	22.1	26.5	34.7	35.4	31.3
1956	5.3	-	.1	-	-	.1	.2	.7	1.7	3.1	5.8	8.4	11.8	17.6	22.6	27.2	33.2	37.4	32.2
1957	5.4	-	-	.0	.1	.1	.2	.7	1.7	3.5	5.6	9.0	12.0	16.1	21.3	28.3	34.7	36.3	36.8
1958	5.6	.1	-	-	.1	-	.2	.8	1.9	3.8	6.7	9.3	11.9	16.2	22.0	28.4	36.1	38.0	37.9
1959	5.7	-	.0	-	.1	.1	.4	.7	1.8	3.9	6.9	9.8	13.3	17.2	21.4	27.7	32.6	39.3	32.3
1960	5.8	.1	-	-	.0	-	.2	.8	1.9	4.5	7.6	10.4	13.3	17.1	22.2	27.7	28.6	39.1	38.6
1961	6.4	.1	.0	-	-	.1	.2	.7	2.2	4.6	7.9	11.3	15.1	19.2	24.0	28.2	36.3	38.9	41.2
1962	6.7	-	-	-	.1	-	.3	.7	2.2	4.7	8.7	12.3	15.5	21.5	24.6	28.4	36.3	36.8	41.8
1963	7.1	-	-	.0	-	.1	.2	.9	2.5	5.3	9.7	14.1	17.3	21.9	25.4	29.6	35.4	36.1	44.2
1964	7.4	-	.0	-	-	.1	.3	.9	2.4	5.8	9.5	14.5	18.3	22.0	25.8	30.8	36.6	42.9	39.1
1965	8.0	-	-	.0	.1	.1	.1	1.0	2.5	5.9	11.5	16.3	19.8	24.1	29.0	32.8	36.7	38.7	44.6
1966	8.6	-	.0	.0	.1	.1	.1	.9	2.6	6.5	11.1	17.0	21.8	26.7	30.2	33.4	40.4	44.1	51.5
1967	9.3	-	-	-	-	.1	.2	.8	2.5	6.6	13.7	19.0	24.4	27.9	31.7	37.4	40.4	45.9	44.5
1968	10.8	.1	-	-	.1	.1	.2	.8	3.3	7.6	13.2	22.7	27.5	32.7	38.6	41.2	48.4	54.8	56.3
1969	11.5	.1	-	-	.1	.2	.3	1.0	3.3	7.9	14.9	22.9	32.5	35.7	41.1	44.9	46.4	50.7	53.1
1970	12.3	-	-	-	-	.1	.2	.9	3.9	7.6	15.9	26.3	35.1	39.6	42.4	43.9	51.9	53.7	52.9
1971	13.5	.1	.0	.0	.1	.1	.2	1.2	3.1	8.5	17.2	27.9	37.2	42.6	47.3	50.7	56.3	56.1	61.6
1972	14.7	-	.1	.0	-	.1	.2	1.0	3.8	9.4	17.4	31.4	42.9	46.3	52.1	56.2	54.6	60.4	58.4
1973	15.3	-	-	-	.1	.1	.3	1.1	3.5	8.7	19.1	28.1	43.2	52.3	54.9	56.2	62.8	60.2	59.9
1974	16.7	-	-	-	-	.1	.2	1.1	3.3	9.3	19.7	29.7	47.6	58.0	60.4	62.4	67.2	62.3	65.7
1975	18.0	-	.0	-	-	.1	.2	.8	3.5	10.3	20.6	32.5	50.3	63.6	64.7	66.1	67.2	69.2	67.5
1976	19.6	-	.0	-	-	.1	.3	1.0	3.4	9.7	21.1	35.0	52.0	69.7	72.8	73.8	78.7	72.8	71.3
1977	20.9	-	-	-	.1	-	.3	.9	3.6	10.6	22.1	37.1	53.4	73.9	77.4	79.2	82.8	76.5	72.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3162	6	2	4	6	4	11	35	63	122	185	261	362	485	491	465	357	210	93
1951	3247	4	1	2	4	14	15	30	63	133	185	305	377	441	481	476	384	224	108
1952	3492	4	1	3	4	10	11	33	74	128	209	289	387	520	527	548	423	212	109
1953	3475	2	1	1	4	8	14	34	76	145	218	286	379	480	539	532	414	228	114
1954	3589	5	1	2	3	5	11	36	79	134	237	283	392	495	542	528	435	269	132
1955	3777	6	2	2	7	11	20	36	91	149	230	308	413	517	599	541	455	259	131
1956	4025	2	6	1	1	5	13	40	92	158	275	339	432	583	626	575	450	286	141
1957	4128	3	2	0	5	4	11	37	93	178	267	373	442	541	607	617	490	289	169
1958	4392	6	1	3	4	2	11	42	108	197	323	394	448	546	645	639	529	312	182
1959	4516	3	0	1	3	4	19	40	103	203	338	425	512	584	643	644	499	332	163
1960	4709	5	1	3	0	2	12	42	110	241	376	463	520	587	682	662	456	341	206
1961	5243	6	0	1	1	5	10	36	126	250	394	513	606	664	750	697	601	356	227
1962	5555	1	2	3	7	2	12	35	124	258	438	567	642	750	775	728	620	354	237
1963	5996	3	1	0	1	5	11	46	141	296	495	660	734	770	809	780	624	362	258
1964	6310	4	0	2	3	3	14	44	130	327	492	691	801	784	827	834	665	451	238
1965	6927	2	1	0	6	7	7	47	133	335	601	786	881	879	940	905	689	425	283
1966	7534	3	0	0	5	4	6	43	140	369	593	833	989	996	990	934	782	504	343
1967	8217	2	2	3	2	6	9	39	130	373	744	939	1118	1075	1053	1056	808	545	313
1968	9669	8	2	3	4	5	11	41	170	424	726	1141	1276	1301	1301	1169	998	673	416
1969	10403	4	1	2	5	14	18	49	164	431	829	1171	1520	1459	1410	1283	981	646	416
1970	11276	3	3	2	3	5	15	48	190	412	889	1366	1654	1655	1487	1267	1105	715	457
1971	12450	6	0	0	6	10	12	61	153	452	959	1474	1769	1816	1695	1476	1224	778	559
1972	6840	1	2	0	1	3	8	27	94	245	481	851	1024	1003	965	822	599	436	278
1973	14322	3	1	2	7	4	20	65	173	449	1043	1543	2077	2290	2095	1674	1372	904	600
1974	15720	2	1	2	2	8	14	63	166	469	1063	1644	2319	2563	2371	1892	1483	953	705
1975	17013	1	0	1	2	6	16	50	182	511	1101	1801	2498	2822	2619	2031	1512	1079	781
1976	18725	2	0	2	3	9	23	65	181	477	1111	1938	2633	3123	3005	2321	1794	1169	869
1977	20007	2	1	1	5	3	20	63	197	527	1139	2030	2768	3325	3252	2582	1902	1249	941


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	-	.1	.2	.2	.1	.2	.5	.7	.9	1.0	1.0	1.1	1.1	.8	.7	.5	.3	.2
1951	.6	-	-	.1	.1	.4	.3	.4	.7	1.0	1.0	1.2	1.1	1.0	.8	.7	.5	.3	.2
1952	.6	-	-	.1	.1	.3	.2	.5	.8	1.0	1.2	1.2	1.1	1.1	.9	.7	.5	.3	.2
1953	.6	-	-	-	.1	.2	.3	.6	.9	1.1	1.2	1.2	1.1	1.0	.9	.7	.5	.3	.2
1954	.6	-	-	.1	.1	.2	.3	.6	.9	1.1	1.4	1.2	1.2	1.1	.9	.7	.5	.4	.2
1955	.7	-	.1	.1	.3	.4	.5	.6	1.1	1.2	1.3	1.4	1.3	1.1	1.0	.7	.5	.3	.2
1956	.7	-	.2	.1	-	.2	.3	.7	1.1	1.3	1.6	1.5	1.4	1.3	1.0	.7	.5	.4	.2
1957	.7	-	.1	.0	.2	.1	.3	.6	1.1	1.4	1.5	1.6	1.4	1.2	.9	.8	.6	.3	.2
1958	.7	-	-	.1	.1	.1	.3	.8	1.3	1.6	1.8	1.6	1.4	1.2	1.0	.8	.6	.4	.2
1959	.7	-	.0	-	.1	.1	.5	.7	1.3	1.7	1.9	1.8	1.6	1.3	1.0	.8	.5	.4	.2
1960	.7	-	-	.1	.0	.1	.3	.8	1.3	1.9	2.1	1.9	1.6	1.3	1.0	.8	.5	.4	.2
1961	.8	-	.0	-	-	.2	.3	.7	1.5	2.0	2.2	2.0	1.9	1.5	1.2	.8	.6	.4	.2
1962	.8	-	.1	.1	.2	.1	.3	.7	1.5	2.0	2.3	2.2	1.9	1.6	1.2	.8	.6	.4	.2
1963	.9	-	-	.0	-	.1	.3	.9	1.7	2.3	2.6	2.5	2.1	1.6	1.2	.9	.6	.4	.2
1964	.9	-	.0	.1	.1	.1	.4	.9	1.6	2.5	2.6	2.6	2.3	1.7	1.3	.9	.6	.4	.2
1965	1.0	-	-	.0	.2	.2	.2	.9	1.6	2.5	3.1	2.9	2.5	1.9	1.4	1.0	.6	.4	.2
1966	1.1	-	.0	.0	.1	.1	.2	.9	1.8	2.8	3.0	3.0	2.7	2.1	1.5	1.0	.7	.5	.3
1967	1.2	-	.1	.1	-	.1	.2	.8	1.7	2.8	3.7	3.4	3.0	2.3	1.6	1.2	.7	.5	.2
1968	1.3	-	.1	.1	.1	.1	.3	.9	2.2	3.2	3.5	4.0	3.3	2.6	1.9	1.3	.9	.6	.3
1969	1.4	-	-	.1	.1	.3	.4	1.0	2.2	3.3	4.0	4.2	4.0	2.9	2.1	1.4	.9	.6	.3
1970	1.5	-	.1	.1	.1	.1	.3	1.0	2.6	3.3	4.3	4.7	4.2	3.3	2.2	1.4	1.0	.6	.3
1971	1.7	-	.0	.0	.1	.2	.3	1.2	2.2	3.6	4.7	5.1	4.6	3.5	2.6	1.7	1.1	.7	.4
1972	1.8	-	.2	.0	-	.1	.3	1.1	2.7	4.1	4.8	6.0	5.2	3.9	2.8	1.8	1.0	.7	.4
1973	1.9	-	-	.1	.1	.1	.4	1.2	2.5	3.9	5.4	5.4	5.3	4.4	3.0	1.9	1.2	.7	.4
1974	2.1	-	-	.1	-	.2	.3	1.2	2.5	4.3	5.8	5.8	6.1	4.9	3.5	2.1	1.3	.8	.4
1975	2.3	-	.0	-	-	.1	.3	1.0	2.9	5.0	6.3	6.5	6.6	5.5	3.9	2.4	1.4	.9	.5
1976	2.5	-	.0	.1	.1	.2	.5	1.3	2.9	5.0	6.6	7.2	6.9	6.0	4.4	2.7	1.7	.9	.5
1977	2.7	-	.1	.1	.1	.1	.4	1.2	3.1	5.5	7.1	7.7	7.4	6.5	4.7	3.0	1.8	1.0	.5


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	12.1	.0	.0	.1	.5	.3	1.1	2.2	4.4	10.6	23.0	46.9	61.3	77.3	60.2	49.7	44.7	37.7	5.4
1951	13.7	.0	.0	.3	.0	.5	1.0	.9	5.4	8.1	23.4	54.2	79.9	79.0	75.5	60.5	51.6	28.9	30.8
1952	14.8	.0	.0	.1	.0	.2	.8	2.6	6.2	17.0	32.7	48.1	81.3	80.8	74.6	57.0	57.9	41.0	68.4
1953	16.7	.2	.0	.0	.2	.2	.5	2.0	5.5	15.9	34.6	59.6	86.9	105.6	74.7	77.9	69.5	57.5	46.7
1954	17.3	.1	.1	.0	.2	.5	1.2	3.1	5.9	14.3	33.8	60.1	82.9	112.7	84.8	85.4	67.2	70.9	64.1
1955	18.1	.0	.0	.0	.3	.0	1.3	2.6	6.2	16.9	36.9	65.8	89.3	109.0	92.7	81.6	68.9	71.7	45.1
1956	20.7	.0	.1	.0	.0	.2	1.0	2.6	6.9	17.9	39.8	69.5	97.4	137.0	105.0	116.8	83.0	86.4	47.4
1957	22.0	.1	.0	.0	.3	.3	.0	1.4	4.9	16.6	43.7	72.0	102.6	148.4	124.4	129.7	97.0	61.7	64.6
1958	22.6	.0	.0	.0	.1	.0	1.0	3.6	9.5	24.1	40.1	78.2	95.4	136.3	145.1	113.8	88.7	71.6	70.7
1959	24.4	.1	.0	.1	.0	.0	.7	2.7	10.7	23.5	45.5	69.3	117.5	148.7	153.8	120.7	108.3	105.0	99.0
1960	27.3	.1	.0	.1	.0	.0	1.0	3.6	9.6	26.8	46.9	83.8	116.8	171.7	167.5	164.9	120.0	131.9	100.0
1961	27.6	.0	.0	.0	.1	.1	.5	3.8	9.5	26.4	45.0	87.3	114.9	179.1	187.9	146.6	125.2	115.4	110.0
1962	29.4	.0	.0	.2	.0	.3	1.0	4.3	9.8	27.0	51.7	84.8	118.5	179.6	195.1	193.9	150.0	130.4	103.3
1963	32.5	.1	.0	.0	.0	.4	.5	4.5	12.1	32.4	57.8	99.4	131.6	187.7	207.4	214.1	187.2	133.9	133.3
1964	31.3	.1	.1	.1	.1	.3	.8	3.6	12.6	33.2	50.8	105.1	134.5	197.1	189.6	177.8	153.2	111.5	125.0
1965	33.0	.1	.1	.0	.2	.2	.6	2.3	12.4	32.8	60.2	95.1	143.1	179.8	220.3	228.1	181.4	131.7	138.2
1966	37.1	.1	.0	.0	.2	.6	1.7	4.8	14.0	39.3	76.2	107.4	150.1	217.0	234.6	238.7	209.6	132.8	141.7
1967	38.1	.0	.0	.0	.0	.1	.9	3.9	13.1	37.5	69.2	119.3	160.9	224.3	226.3	251.8	234.7	160.6	176.9
1968	40.9	.0	.0	.0	.0	.1	1.7	2.5	12.7	38.6	82.9	124.4	166.9	244.5	237.9	276.5	258.0	183.6	185.4
1969	43.3	.0	.0	.1	.1	.1	.9	3.2	14.9	35.7	79.2	140.0	201.6	227.7	281.6	285.7	250.8	183.8	181.8
1970	44.4	.1	.1	.0	.0	.5	.8	3.7	12.6	41.7	77.3	139.7	200.9	241.4	280.0	290.4	272.4	242.9	170.2
1971	44.9	.1	.0	.2	.0	.1	.6	2.9	13.5	37.7	77.6	134.4	203.7	250.3	286.5	295.8	307.8	250.0	158.3
1972	48.3	.1	.0	.0	.0	.0	.5	3.8	12.3	38.5	85.0	131.3	227.1	271.8	309.6	353.6	320.6	251.3	172.0
1973	50.2	.0	.0	.1	.2	.3	.8	2.6	13.2	33.6	85.1	159.3	238.3	276.9	298.2	363.6	350.0	250.6	200.0
1974	52.3	.0	.1	.0	.1	.0	.5	2.7	12.8	35.9	81.9	156.7	241.4	288.0	320.5	416.1	352.7	281.2	203.5
1975	52.8	.1	.0	.0	.1	.2	.7	2.3	12.4	37.4	83.5	148.3	234.0	315.0	331.0	395.4	362.3	275.6	204.6
1976	54.4	.1	.0	.0	.1	.1	.7	2.0	7.7	35.6	87.2	154.8	238.2	328.3	323.2	433.5	379.9	304.4	213.2
1977	57.6	.1	.1	.0	.0	.4	.5	3.0	10.0	36.9	84.9	162.4	248.4	335.4	353.0	454.3	450.4	304.3	229.2

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	941	0	0	1	3	2	7	12	25	53	103	176	173	162	122	58	29	14	1
1951	1086	0	0	2	0	3	6	5	31	41	105	209	232	171	156	73	35	11	6
1952	1204	0	0	1	0	1	5	15	36	88	146	190	244	179	157	71	41	16	14
1953	1387	2	0	0	1	1	3	12	32	84	154	242	270	240	161	100	52	23	10
1954	1471	1	1	0	1	3	7	19	35	77	151	249	267	263	187	113	53	29	15
1955	1579	0	0	0	2	0	8	16	37	92	167	277	298	263	209	112	57	30	11
1956	1846	0	1	0	0	1	6	16	42	98	184	295	336	340	240	166	72	37	12
1957	2010	1	0	0	2	2	0	9	30	91	208	307	367	380	288	192	89	27	17
1958	2113	0	0	0	1	0	6	22	59	132	197	334	353	360	339	174	84	32	20
1959	2347	2	0	1	0	0	4	17	67	129	230	299	448	408	366	192	107	48	29
1960	2749	1	0	1	0	0	6	23	61	151	249	379	467	498	417	277	126	62	31
1961	2845	0	0	0	1	1	3	24	61	151	239	404	464	532	483	255	134	60	33
1962	3096	0	0	2	0	2	6	28	63	157	274	401	487	546	515	349	162	73	31
1963	3498	2	0	0	0	3	3	29	78	192	305	479	550	580	560	394	204	79	40
1964	3433	1	1	1	1	2	5	23	81	200	269	514	573	619	529	336	170	68	40
1965	3695	1	1	0	2	2	4	15	80	200	322	470	618	577	630	438	205	83	47
1966	4230	1	0	0	2	5	11	31	90	242	414	534	659	716	685	463	241	85	51
1967	4424	0	0	0	0	1	6	25	84	232	384	594	713	765	672	496	277	106	69
1968	4824	0	0	0	0	1	12	16	81	239	470	621	746	863	716	553	307	123	76
1969	5184	0	0	1	1	1	7	21	94	221	458	704	903	831	856	580	301	125	80
1970	5421	1	2	0	0	5	6	25	79	259	456	718	898	915	868	604	335	170	80
1971	5594	2	0	3	0	1	5	20	85	235	465	715	892	986	891	636	397	185	76
1972	3064	1	0	0	0	0	2	14	39	121	256	363	495	549	500	373	210	98	43
1973	6479	0	0	1	3	3	7	20	84	214	515	911	1039	1138	999	778	455	208	104
1974	6862	0	2	0	2	0	5	21	83	230	501	909	1079	1198	1112	903	462	239	116
1975	7080	1	0	0	1	2	7	19	82	238	523	863	1102	1298	1208	866	500	237	133
1976	7429	1	0	0	1	1	7	17	53	228	550	918	1165	1323	1238	958	547	277	145
1977	8012	2	2	0	0	6	6	27	71	239	541	971	1267	1345	1398	1054	635	283	165


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	.0	.0	.1	.2	.1	.3	.4	.6	1.0	1.6	2.0	1.9	1.8	1.3	.8	.5	.4	-
1951	1.1	.0	.0	.3	.0	.1	.2	.2	.8	.8	1.7	2.3	2.5	1.9	1.6	1.0	.6	.3	.2
1952	1.2	.0	.0	.1	.0	-	.2	.5	.9	1.7	2.3	2.1	2.6	1.9	1.6	.9	.7	.4	.4
1953	1.4	-	.0	.0	.1	.1	.4	.9	1.6	2.5	2.7	2.9	2.5	1.6	1.2	.9	.6	.3	
1954	1.5	-	.1	.0	.1	.2	.3	.7	1.1	1.6	2.6	3.0	3.1	2.8	2.0	1.4	.9	.8	.5
1955	1.6	.0	.0	.0	.2	.0	.4	.6	1.1	1.9	2.8	3.5	3.3	2.8	2.0	1.3	1.0	.7	.3
1956	1.8	.0	.1	.0	.0	.1	.3	.6	1.2	2.1	3.1	3.8	3.5	3.4	2.3	1.9	1.1	.9	.3
1957	1.9	-	.0	.0	.2	.1	.0	.3	.8	1.9	3.2	3.8	3.7	3.5	2.5	2.0	1.3	.6	.4
1958	2.0	.0	.0	.0	.1	.0	.3	.8	1.7	2.8	3.1	4.1	3.6	3.4	2.8	1.8	1.2	.7	.5
1959	2.2	-	.0	.1	.0	.0	.2	.6	1.8	2.7	3.6	3.8	4.5	3.9	3.1	1.9	1.5	1.1	.7
1960	2.4	-	.0	.1	.0	.0	.3	.9	1.6	3.1	3.8	4.4	4.7	4.3	3.3	2.6	1.6	1.2	.6
1961	2.5	.0	.0	.0	.1	.1	.1	.9	1.6	3.1	3.8	4.8	4.9	4.6	3.8	2.4	1.7	1.2	.7
1962	2.6	.0	.0	.2	.0	.1	.3	1.0	1.6	3.1	4.2	4.5	5.0	4.5	3.9	3.0	2.0	1.3	.6
1963	2.8	-	.0	.0	.0	.1	.1	1.1	2.0	3.6	4.6	5.2	5.3	4.6	4.0	3.1	2.3	1.3	.7
1964	2.8	-	.1	.1	.1	.1	.2	.8	1.9	3.5	4.0	5.6	5.4	4.9	4.0	2.8	2.0	1.2	.8
1965	3.0	-	.1	.0	.1	.1	.2	.5	1.9	3.5	4.6	5.1	5.7	4.6	4.5	3.5	2.2	1.4	.9
1966	3.3	-	.0	.0	.1	.2	.4	1.0	2.1	4.0	5.5	5.7	5.8	5.7	4.7	3.6	2.5	1.3	.9
1967	3.5	.0	.0	.0	.0	-	.2	.8	2.0	3.8	5.2	6.3	6.3	6.3	4.8	3.9	2.9	1.7	1.2
1968	3.5	.0	.0	.0	.0	-	.4	.4	1.7	3.7	5.7	6.3	6.0	6.3	4.7	4.0	2.9	1.8	1.2
1969	3.8	.0	.0	.1	-	-	.2	.6	2.0	3.4	5.5	7.1	7.4	6.3	5.6	4.3	2.9	1.8	1.3
1970	4.0	-	.2	.0	.0	.1	.2	.7	1.7	4.1	5.5	7.2	7.5	6.8	5.8	4.4	3.2	2.5	1.3
1971	4.1	-	.0	.3	.0	-	.1	.5	1.9	3.9	5.8	7.3	7.8	7.2	6.3	4.5	3.7	2.6	1.2
1972	4.4	-	.0	.0	.0	.0	.1	.7	1.7	3.9	6.0	7.0	8.5	7.8	6.7	5.2	3.7	2.7	1.3
1973	4.7	.0	.0	.1	.1	.1	.2	.5	1.9	3.7	6.3	8.7	9.0	7.9	6.6	5.2	4.0	2.7	1.4
1974	5.1	.0	.2	.0	.1	.0	.1	.5	2.0	4.1	6.5	8.9	9.5	8.6	7.5	6.0	4.2	3.2	1.6
1975	5.3	-	.0	.0	-	-	.2	.5	2.0	4.5	7.2	8.8	9.8	9.6	8.2	6.1	4.4	3.0	1.8
1976	5.6	-	.0	.0	-	-	.2	.5	1.3	4.4	7.7	9.2	10.1	9.8	8.2	6.8	4.5	3.4	1.9
1977	6.0	-	.3	.0	.0	.2	.1	.7	1.8	4.7	7.7	10.0	10.8	10.0	9.3	7.3	5.2	3.4	2.0


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.8	.0	.0	.0	.0	.1	.7	1.3	1.0	3.1	4.4	11.2	12.1	14.0	12.9	19.8	22.2	4.8	18.7
1951	3.1	.0	.1	.0	.0	.1	.1	.9	1.9	4.1	7.0	10.8	15.5	13.8	14.9	12.2	16.7	15.7	18.7
1952	3.2	.0	.0	.0	.5	.3	.1	.8	2.4	2.7	5.9	9.7	15.9	10.5	19.8	20.0	14.5	19.0	10.5
1953	3.3	.1	.0	.0	.1	.0	.6	1.2	1.7	5.0	7.8	9.6	14.8	13.5	13.8	20.5	15.3	12.2	19.6
1954	3.2	.1	.0	.0	.0	.1	.4	.9	2.1	4.2	9.9	10.8	10.1	9.6	18.2	18.8	18.3	9.9	15.3
1955	3.8	.0	.0	.0	.0	.1	.3	.7	1.7	3.7	7.8	11.6	13.9	20.4	21.9	23.9	19.6	21.5	14.4
1956	3.6	.1	.0	.0	.0	.1	.3	.8	2.5	4.7	7.8	7.0	15.9	18.8	17.8	19.8	26.3	15.6	16.9
1957	3.8	.1	.0	.1	.3	.1	.1	2.0	1.4	4.7	5.9	12.6	11.4	19.2	21.8	24.6	19.1	21.1	5.3
1958	4.0	.1	.1	.0	.1	.0	.1	.7	2.7	5.2	6.3	13.0	14.4	20.3	22.9	20.8	22.7	25.0	18.2
1959	4.5	.0	.0	.0	.0	.1	.3	1.0	2.3	5.2	9.7	14.3	16.7	20.2	21.7	27.5	30.4	16.9	15.2
1960	4.3	.0	.0	.2	.0	.0	.3	.7	1.5	4.7	9.9	12.4	13.8	23.1	18.2	22.8	32.2	38.2	35.0
1961	4.4	.1	.0	.0	.0	.0	.1	1.4	1.7	6.2	7.5	14.7	20.7	19.7	21.5	25.8	13.4	21.3	22.5
1962	4.6	.0	.1	.2	.0	.3	.4	.8	3.2	6.2	9.6	13.8	17.6	26.7	22.9	12.3	21.1	28.8	19.5
1963	5.2	.1	.0	.1	.0	.0	.3	1.8	3.3	8.9	10.2	12.7	16.4	26.7	28.4	24.9	29.1	21.4	32.6
1964	5.3	.0	.0	.1	.0	.1	.3	.7	3.8	6.7	8.7	17.6	17.7	32.3	22.4	24.8	28.2	31.1	35.6
1965	5.7	.1	.0	.0	.0	.1	.4	1.1	4.3	7.5	11.8	17.6	20.5	28.2	22.8	32.8	26.5	24.7	32.7
1966	6.3	.0	.0	.0	.0	.3	1.1	.7	4.6	8.2	16.2	17.1	23.4	24.4	34.4	29.4	29.1	27.5	39.6
1967	6.5	.1	.0	.1	.0	.3	.5	1.1	4.6	7.8	13.5	18.8	23.3	27.8	35.1	28.3	27.9	47.6	36.8
1968	7.7	.1	.0	.1	.1	.2	.4	.9	3.6	11.2	15.5	19.8	28.1	34.8	38.4	33.9	41.4	49.4	54.1
1969	8.3	.1	.0	.1	.1	.2	.6	2.0	4.6	7.9	18.1	22.6	34.9	32.3	39.4	45.6	47.4	45.1	33.8
1970	8.9	.1	.0	.0	.0	.3	.2	.6	5.6	11.8	18.4	26.1	34.4	31.5	40.3	52.0	50.6	47.9	47.9
1971	9.8	.0	.0	.1	.0	.0	.1	1.2	4.9	13.1	20.2	33.6	36.1	37.4	44.8	59.5	44.9	49.0	38.2
1972	9.7	.1	.1	.0	.0	.0	.2	.9	3.1	14.2	17.9	34.1	32.0	42.8	41.4	55.0	57.3	44.6	46.3
1973	10.8	.1	.0	.0	.0	.3	.2	1.0	4.9	11.2	26.9	32.0	47.4	40.4	46.0	64.0	57.3	43.0	48.9
1974	11.4	.0	.0	.1	.0	.1	.3	1.0	3.8	12.1	24.9	35.0	47.5	54.5	46.0	62.9	61.3	50.0	40.8
1975	11.8	.0	.0	.0	.0	.1	.4	.9	4.2	12.1	24.9	32.2	44.9	52.8	50.6	77.8	64.6	51.9	52.7
1976	12.6	.0	.0	.1	.0	.0	.5	1.1	4.3	12.0	25.6	38.9	48.4	54.5	49.0	83.4	72.2	56.9	53.3
1977	13.9	.0	.0	.0	.0	.1	.5	1.2	5.1	15.0	24.8	44.3	55.5	66.7	60.2	76.5	78.7	44.3	48.5

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	229	0	0	0	0	1	5	8	6	16	20	41	32	28	28	23	14	2	5
1951	259	0	1	0	0	1	1	6	12	22	32	41	43	29	33	15	11	7	5
1952	268	0	0	0	3	2	1	5	15	15	27	38	46	23	45	26	10	9	3
1953	287	1	0	0	1	0	4	8	11	28	36	39	45	31	32	28	11	6	6
1954	288	1	0	0	0	1	3	6	13	24	46	45	32	23	43	27	14	5	5
1955	345	0	0	0	0	1	2	5	11	22	37	49	46	51	53	36	16	11	5
1956	338	1	0	0	0	1	2	6	16	28	38	30	55	49	44	31	23	8	6
1957	361	1	0	1	2	1	1	14	9	28	30	55	41	52	55	40	18	11	2
1958	397	2	1	0	1	0	1	5	18	31	33	57	54	57	59	35	23	13	7
1959	451	0	0	0	0	1	2	7	16	31	53	64	65	59	57	48	33	9	6
1960	454	0	0	2	0	0	2	5	11	29	56	58	56	71	50	42	37	21	14
1961	475	1	0	0	0	0	1	10	12	39	43	71	86	62	62	50	16	13	9
1962	509	0	1	2	0	2	3	6	23	40	55	69	75	86	69	25	26	19	8
1963	592	1	0	1	0	0	2	13	24	59	59	65	72	88	89	53	37	15	14
1964	619	0	0	1	0	1	2	5	28	46	51	92	80	109	73	55	37	23	16
1965	677	1	0	0	0	1	3	8	32	52	70	94	95	98	77	75	36	19	16
1966	770	0	0	0	0	3	8	5	34	58	98	93	111	88	119	69	41	22	21
1967	807	1	0	1	0	3	4	8	34	56	84	104	113	105	124	68	41	40	21
1968	970	1	0	1	1	2	3	7	27	81	99	111	139	138	138	83	63	43	33
1969	1069	1	0	1	1	2	5	15	34	58	119	129	175	134	145	113	74	41	22
1970	1173	1	0	0	0	3	2	5	42	87	124	153	174	137	151	133	81	46	34
1971	1319	0	0	1	0	0	1	10	37	97	139	203	180	170	169	157	75	51	29
1972	667	1	1	0	0	0	1	4	12	53	62	107	80	100	82	71	49	25	19
1973	1515	1	0	0	0	4	2	9	38	85	188	208	237	193	192	165	98	52	43
1974	1626	0	0	1	0	1	3	9	30	92	176	232	244	264	202	163	106	63	40
1975	1716	0	0	0	0	1	5	9	34	92	180	215	244	255	235	203	117	68	58
1976	1868	0	0	1	0	0	6	11	36	92	186	266	272	260	240	221	135	78	64
1977	2103	0	0	0	0	1	6	12	44	117	182	306	324	321	305	215	144	62	64


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.1	.2	.3	.2	.3	.4	.6	.5	.4	.4	.4	.3	.1	.1
1951	.3	.0	.2	.0	.0	.1	-	.2	.3	.5	.6	.6	.6	.4	.4	.2	.2	.2	.1
1952	.3	.0	.0	.0	.3	.1	.1	.2	.4	.3	.5	.5	.7	.3	.6	.4	.2	.3	.1
1953	.4	-	.0	.0	.1	.0	.2	.3	.3	.6	.7	.5	.7	.4	.4	.4	.2	.2	.2
1954	.4	-	.0	.0	.0	.1	.2	.3	.4	.6	.9	.6	.5	.3	.6	.4	.3	.2	.1
1955	.4	.0	.0	.0	.0	.1	.1	.2	.4	.5	.7	.7	.7	.7	.7	.5	.3	.3	.1
1956	.4	-	.0	.0	.0	.1	.1	.3	.5	.7	.7	.5	.7	.6	.5	.4	.4	.2	.1
1957	.4	-	.0	.2	.3	.1	.1	.6	.3	.7	.6	.8	.5	.6	.6	.5	.3	.3	-
1958	.4	-	.1	.0	.2	.0	.1	.2	.6	.8	.6	.8	.7	.7	.7	.4	.4	.3	.2
1959	.5	.0	.0	.0	.0	.1	.1	.3	.5	.8	1.0	1.0	.8	.7	.6	.6	.5	.2	.1
1960	.5	.0	.0	.4	.0	.0	.1	.2	.3	.7	1.1	.9	.7	.8	.5	.5	.6	.5	.3
1961	.5	-	.0	.0	.0	.0	.1	.5	.4	1.0	.9	1.1	1.2	.6	.7	.6	.2	.3	.2
1962	.5	.0	.1	.4	.0	.2	.2	.3	.7	1.0	1.1	1.0	1.0	.9	.7	.3	.4	.4	.1
1963	.6	-	.0	.2	.0	.0	.1	.6	.7	1.3	1.1	.9	.9	.8	.9	.5	.5	.3	.2
1964	.6	.0	.0	.2	.0	.1	.1	.2	.9	1.1	1.0	1.3	1.1	1.1	.7	.6	.5	.4	.3
1965	.7	-	.0	.0	.0	.1	.2	.4	1.0	1.2	1.4	1.4	1.2	1.0	.7	.8	.5	.3	.3
1966	.8	.0	.0	.0	.0	.3	.6	.2	1.1	1.3	1.8	1.4	1.4	.9	1.0	.7	.5	.3	.3
1967	.8	-	.0	.2	.0	.2	.3	.4	1.1	1.3	1.6	1.6	1.4	1.1	1.1	.7	.5	.7	.3
1968	.9	-	.0	.2	.1	.1	.2	.3	.8	1.8	1.7	1.6	1.6	1.4	1.1	.8	.7	.6	.4
1969	1.0	-	.0	.2	.1	.1	.3	.7	1.1	1.3	2.1	1.9	2.1	1.4	1.2	1.1	.8	.6	.3
1970	1.1	-	.0	.0	.0	.2	.1	.3	1.4	2.0	2.2	2.3	2.1	1.4	1.3	1.2	.9	.7	.4
1971	1.3	.0	.0	.2	.0	.0	.1	.5	1.2	2.3	2.5	3.0	2.3	1.7	1.5	1.3	.8	.7	.3
1972	1.3	-	.3	.0	.0	.0	.1	.4	.9	2.6	2.3	3.2	2.1	2.0	1.4	1.1	1.0	.6	.4
1973	1.4	-	.0	.0	.0	.2	.1	.4	1.4	2.1	3.4	3.0	3.0	1.9	1.7	1.3	1.0	.6	.4
1974	1.6	.0	.0	.2	.0	.1	.2	.5	1.2	2.4	3.6	3.5	3.3	2.7	1.8	1.3	1.1	.8	.4
1975	1.7	.0	.0	.0	.0	.1	.3	.5	1.5	2.8	3.8	3.5	3.3	2.7	2.2	1.7	1.1	.8	.6
1976	1.8	.0	.0	.2	.0	.0	.4	.6	1.7	2.8	4.1	4.2	3.7	2.8	2.2	1.9	1.2	.9	.6
1977	2.1	.0	.0	.0	.0	.1	.4	.7	2.0	3.7	4.1	4.8	4.2	3.5	2.8	1.8	1.2	.7	.6


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	216	0.32	0.37	0.22	17445	25.63	26.22	17.94	23	0.30	0.44	0.29	1289	15.93	21.03	14.24
1951	201	0.29	0.32	0.19	17624	25.47	25.90	17.90	20	0.25	0.31	0.20	1334	16.11	21.00	14.57
1952	201	0.29	0.34	0.20	18287	25.97	26.09	18.01	27	0.33	0.51	0.32	1375	16.22	21.14	14.64
1953	201	0.28	0.32	0.18	18929	26.44	26.43	18.41	23	0.28	0.37	0.23	1413	16.28	20.90	14.60
1954	196	0.27	0.30	0.17	19152	26.29	26.08	18.39	34	0.40	0.62	0.36	1527	17.17	21.67	15.13
1955	221	0.30	0.34	0.19	20150	27.19	26.76	19.01	16	0.18	0.29	0.17	1558	17.07	21.71	15.27
1956	181	0.24	0.28	0.15	20392	27.04	26.43	18.96	26	0.29	0.46	0.26	1661	17.75	22.55	15.41
1957	230	0.30	0.34	0.19	20805	27.10	26.37	19.01	31	0.34	0.48	0.26	1654	17.21	21.96	15.24
1958	195	0.25	0.29	0.16	20809	26.66	25.78	18.94	20	0.21	0.31	0.17	1651	16.75	21.24	14.73
1959	189	0.24	0.27	0.15	21148	26.63	25.63	19.07	25	0.26	0.41	0.22	1723	17.01	21.69	15.52
1960	186	0.23	0.26	0.14	21858	27.06	25.93	19.35	29	0.29	0.41	0.22	1897	17.92	22.74	15.76
1961	212	0.26	0.29	0.16	22380	27.26	25.98	19.51	19	0.18	0.29	0.15	1931	17.78	22.70	15.79
1962	203	0.25	0.27	0.15	22808	27.36	25.96	19.58	22	0.21	0.30	0.15	1925	17.30	22.06	15.63
1963	235	0.28	0.32	0.17	23091	27.31	25.79	19.47	27	0.25	0.37	0.18	2048	17.99	22.81	16.40
1964	195	0.23	0.26	0.14	23833	27.80	26.12	19.95	31	0.28	0.41	0.20	2103	18.05	22.93	16.29
1965	221	0.26	0.29	0.15	24627	28.38	26.47	20.13	22	0.20	0.29	0.14	2178	18.29	23.07	16.34
1966	197	0.23	0.26	0.13	25111	28.61	26.53	20.25	32	0.28	0.43	0.20	2193	18.03	22.67	15.88
1967	209	0.24	0.27	0.14	25589	28.84	26.53	20.23	23	0.20	0.28	0.13	2396	19.30	24.21	17.05
1968	226	0.26	0.29	0.15	26321	29.37	26.80	20.51	39	0.33	0.50	0.22	2495	19.70	24.53	17.11
1969	223	0.26	0.28	0.14	26334	29.11	26.37	20.30	30	0.25	0.37	0.16	2496	19.33	23.87	16.91
1970	232	0.26	0.29	0.15	27217	29.77	26.76	20.50	33	0.27	0.39	0.17	2430	18.44	22.77	16.38
1971	279	0.31	0.34	0.17	27362	29.64	26.45	20.35	29	0.23	0.34	0.15	2604	19.34	23.91	16.62
1972	122	0.27	0.30	0.15	14219	30.57	27.08	20.69	27	0.43	0.60	0.25	1360	19.79	24.35	17.16
1973	255	0.28	0.30	0.15	29009	30.99	27.19	20.87	38	0.29	0.42	0.18	2841	20.28	24.94	16.95
1974	252	0.28	0.30	0.15	29155	30.96	26.91	20.48	40	0.30	0.44	0.18	2976	20.86	25.50	17.53
1975	248	0.27	0.29	0.14	29313	30.93	26.63	20.37	29	0.22	0.30	0.12	2845	19.51	23.95	16.74
1976	239	0.26	0.28	0.13	30200	31.68	27.01	20.38	45	0.33	0.47	0.19	2918	19.62	23.87	16.52
1977	247	0.27	0.28	0.13	31207	32.52	27.43	20.63	34	0.24	0.36	0.14	3271	21.57	26.14	17.65

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Breast, mammary gland, nipple, and Paget's disease of the breast or nipple.
(ICD 170 [6th]; ICD 170 [7th]; ICD 174 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



KELSEY JL: A review of the epidemiology of human breast cancer. Epidemiol Rev 1:74-109, 1979

MILLER AB, BULBROOK RD: The epidemiology and etiology of breast cancer. N Engl J Med 303:1246-1248, 1980

MOOLGAVKAR SH, DAY NE, STEVENS RG: Two-stage model for carcinogenesis: Epidemiology of breast cancer in females. JNCI 65:559-569, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	-	-	-	.3	.4	.5	.5	1.1	1.8	2.1	2.0	4.4	3.6
1951	.3	.0	.0	.0	-	.0	.0	.1	.1	.1	.2	.4	.7	1.2	1.7	1.7	1.6	2.3	3.3
1952	.3	-	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.6	.8	.6	2.7	3.2	3.4	4.7
1953	.3	-	.0	.0	-	.0	-	-	.1	.1	.4	.3	.8	1.0	1.3	1.4	2.2	2.6	3.7
1954	.3	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.4	.5	.8	1.5	1.5	2.5	2.5	3.9
1955	.3	-	.0	.0	.0	.0	.0	.1	.1	.1	.2	.4	.9	1.0	1.2	1.9	2.0	2.9	4.7
1956	.2	-	.0	.0	-	.0	.0	.0	.1	.2	.2	.3	.6	.8	.7	1.6	1.9	3.4	4.0
1957	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.5	.6	.9	1.8	2.0	2.5	3.1	3.5
1958	.3	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.2	.8	.9	.9	1.5	2.3	2.0	5.4
1959	.2	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.5	.7	1.1	1.4	1.8	2.1	3.4
1960	.2	-	.0	.0	-	.0	.0	.0	.1	.1	.1	.3	.8	1.1	.9	1.5	1.4	2.1	2.4
1961	.3	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.5	.7	.6	1.3	1.5	1.6	2.6	4.1
1962	.2	.0	.0	.0	.0	.0	-	.0	-	.1	.2	.5	.6	.9	1.0	1.7	2.0	2.5	1.7
1963	.3	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.4	.6	.9	1.4	1.8	2.1	2.5	5.2
1964	.2	.0	.0	.0	.0	.0	.0	-	-	.1	.4	.3	.4	.7	1.0	1.5	2.1	2.4	2.8
1965	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.5	.5	.8	1.7	1.2	1.9	2.2	3.3
1966	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.4	.8	1.2	1.2	2.3	2.5	2.4
1967	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.7	.8	1.1	1.5	1.7	2.2	3.1
1968	.3	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.4	.6	.7	1.1	1.6	1.5	3.4	3.3
1969	.3	.0	.0	.0	-	-	-	-	.1	.1	.1	.4	.4	.9	1.3	1.6	2.4	2.1	3.4
1970	.3	.0	.0	.0	.0	.0	-	-	-	.1	.2	.5	.5	.7	1.4	1.3	2.5	3.0	3.3
1971	.3	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.7	.8	1.0	1.3	1.7	3.3	2.2	3.0
1972	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.4	1.1	.9	2.5	2.1	3.3	2.9
1973	.3	.0	.0	.0	.0	.0	.0	.1	-	.2	.3	.3	.7	.8	1.1	1.9	2.6	2.8	2.6
1974	.3	.0	.0	-	.0	-	.0	-	-	.1	.2	.3	.6	1.0	1.0	1.7	1.7	3.7	4.6
1975	.3	.0	.0	.0	.0	.0	-	.0	.1	.1	.1	.3	.7	.8	1.0	1.9	2.5	1.9	4.5
1976	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.5	.6	1.2	2.0	2.5	2.4	3.9
1977	.3	.0	.0	-	.0	-	.0	.0	.1	.1	.2	.4	.6	.9	1.0	1.6	2.0	2.3	3.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	216	0	0	0	0	0	1	1	1	12	15	19	17	30	40	32	19	21	8
1951	201	0	0	0	1	0	0	4	5	6	9	16	24	36	38	27	16	11	8
1952	201	1	0	0	0	0	1	2	6	5	9	12	20	25	15	44	32	17	12
1953	201	1	0	0	1	0	1	1	6	6	18	12	26	29	30	24	23	13	10
1954	196	0	0	0	0	0	2	2	4	10	7	17	18	24	36	26	26	13	11
1955	221	1	0	0	0	0	0	3	4	7	10	17	32	31	30	34	22	16	14
1956	181	1	0	0	1	0	0	0	3	9	11	11	22	25	17	29	21	19	12
1957	230	0	0	0	0	0	0	1	4	5	9	19	22	29	46	37	29	18	11
1958	195	0	0	0	0	0	0	2	4	9	7	10	28	27	23	29	27	12	17
1959	189	0	0	0	0	0	1	3	3	10	14	14	17	23	30	28	22	13	11
1960	186	1	0	0	1	0	0	0	5	3	7	12	30	34	23	31	18	13	8
1961	212	0	0	0	0	0	0	3	3	7	8	24	27	20	36	32	21	17	14
1962	203	0	0	0	0	0	1	0	1	7	9	24	23	27	26	35	27	17	6
1963	235	0	0	0	1	0	1	3	5	6	9	20	23	28	38	38	28	17	18
1964	195	0	0	0	0	0	0	1	2	4	19	12	17	24	28	32	29	17	10
1965	221	0	0	0	0	0	1	1	5	3	12	24	20	27	47	26	27	16	12
1966	197	0	0	0	0	0	0	4	4	5	9	14	15	28	32	26	32	19	9
1967	209	0	0	0	0	0	0	0	2	6	12	12	30	29	31	33	25	17	12
1968	226	0	0	0	0	0	1	2	7	6	13	21	24	26	29	35	22	27	13
1969	223	0	0	0	1	1	1	1	4	5	6	20	16	34	35	33	35	17	14
1970	232	0	0	0	0	0	1	1	1	4	12	24	22	25	39	28	36	24	15
1971	279	0	0	0	0	0	0	1	2	8	10	34	33	37	37	37	48	18	14
1972	122	0	0	0	0	0	0	1	1	2	6	6	9	21	13	27	15	14	7
1973	255	0	0	0	0	0	0	4	2	8	14	17	30	32	33	41	37	24	13
1974	252	0	0	2	0	1	0	2	2	6	9	15	27	39	31	38	24	32	24
1975	248	0	0	0	0	0	2	0	4	7	7	13	30	33	32	42	36	17	25
1976	239	0	0	0	0	0	0	2	2	7	9	12	21	24	38	45	36	21	22
1977	247	0	0	1	0	1	0	0	3	5	9	21	30	35	33	39	29	21	20


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-	-	-	-
1951	-	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1952	-	-	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1953	-	-	.0	.0	-	.0	-	-	-	-	.1	-	-	-	-	-	-	-	-
1954	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1955	-	-	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-	-
1956	-	-	.0	.0	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1959	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1960	-	-	.0	.0	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1962	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1963	-	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-	-	-
1965	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1968	-	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	-	-	-	-	-
1969	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1970	-	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1973	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	.0	.0	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	.0	.0	-	.0	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	25.6	.0	.0	-	.1	.3	1.5	6.0	14.3	27.9	40.8	53.6	64.8	77.1	84.3	111.6	137.2	151.2	204.8
1951	25.5	.0	.0	-	.1	.1	1.6	5.4	13.5	25.9	39.6	52.3	64.9	75.9	85.5	105.3	136.3	169.7	202.7
1952	26.0	.1	-	-	-	.2	1.7	6.0	13.9	27.4	41.3	54.7	68.5	77.0	83.0	109.0	131.1	146.7	193.4
1953	26.4	.0	-	-	-	.2	1.4	5.8	14.0	27.4	42.6	55.3	66.3	74.6	88.0	108.0	132.0	166.5	204.1
1954	26.3	-	.0	-	-	.2	1.5	5.9	13.0	26.0	42.7	55.1	64.9	75.8	86.8	107.2	130.4	158.0	201.6
1955	27.2	-	-	.0	.1	.3	1.6	5.4	13.8	28.7	43.4	57.8	66.5	77.8	89.3	102.3	137.9	157.0	209.4
1956	27.0	.1	-	.0	-	.2	1.6	5.7	13.6	28.3	43.4	54.7	66.7	77.3	88.3	105.8	131.5	154.6	205.1
1957	27.1	-	.0	.0	-	.2	1.7	6.1	13.2	25.8	44.2	56.9	64.0	79.4	89.3	102.8	126.4	161.8	208.4
1958	26.7	-	.0	-	-	.3	1.4	5.5	14.0	27.1	42.8	57.1	66.6	73.5	87.5	99.5	121.2	153.8	188.6
1959	26.6	-	-	.0	.0	.2	1.5	6.5	13.4	25.5	42.1	56.4	67.3	76.3	86.4	97.3	117.5	150.3	197.7
1960	27.1	-	-	.0	-	.2	1.6	5.3	13.6	26.1	42.6	60.4	66.2	77.6	85.1	98.5	119.9	152.2	197.6
1961	27.3	-	-	.0	.0	.2	1.4	6.1	13.3	25.9	42.4	60.5	65.0	76.6	86.1	100.1	123.5	150.7	201.5
1962	27.4	.0	.0	-	.1	.2	1.5	6.1	13.1	24.9	44.7	59.8	67.2	77.7	88.3	97.6	116.3	149.2	192.9
1963	27.3	-	.0	.0	-	.3	1.6	5.0	13.5	25.3	43.5	60.5	68.5	79.2	87.5	98.0	111.5	139.5	187.5
1964	27.8	.0	.0	.0	-	.4	1.9	6.4	14.0	25.9	44.1	63.5	68.2	78.2	86.9	96.7	114.1	137.8	193.8
1965	28.4	.0	-	.0	-	.2	1.4	5.7	13.1	27.0	42.8	62.9	71.9	81.1	87.4	98.8	120.9	144.9	185.0
1966	28.6	.0	.0	.0	-	.3	1.5	5.4	13.1	26.8	43.4	63.0	72.2	85.0	87.8	97.9	118.1	138.7	183.3
1967	28.8	-	.0	.0	-	.2	1.6	5.5	13.6	26.1	44.0	62.3	72.5	84.2	88.2	97.9	117.4	138.6	186.9
1968	29.4	-	.0	-	-	.1	1.7	5.7	14.0	26.4	44.8	62.0	75.2	80.9	90.4	101.9	121.2	135.2	183.9
1969	29.1	.0	.0	-	-	.2	1.5	5.1	11.9	26.7	44.1	60.3	74.2	84.4	88.9	100.8	114.7	135.7	177.1
1970	29.8	.0	.0	.0	.0	.2	1.5	6.1	13.8	26.0	45.1	61.2	77.6	80.3	91.7	99.9	123.3	136.7	166.8
1971	29.6	-	.0	.0	.1	.3	1.7	5.2	12.2	25.9	42.3	59.7	76.5	83.2	90.4	99.1	123.2	135.4	175.7
1972	30.6	.0	.0	.0	.0	.2	2.1	5.6	11.1	25.3	45.1	60.7	76.7	87.3	91.4	109.0	121.4	137.4	175.4
1973	31.0	.0	.0	-	-	.3	1.4	5.5	13.6	23.4	43.6	59.8	77.3	86.8	96.1	109.2	126.5	138.3	173.6
1974	31.0	.0	.0	.0	-	.1	1.7	5.5	12.6	23.1	43.5	58.9	77.4	86.6	92.4	105.8	128.3	140.7	173.0
1975	30.9	-	.0	-	-	.2	1.5	5.4	11.8	24.6	42.3	58.6	73.9	85.9	91.1	108.3	129.2	139.6	166.2
1976	31.7	.0	.0	.0	-	.1	1.4	5.4	11.4	22.6	41.6	60.9	76.7	90.6	94.5	109.5	126.5	140.3	168.0
1977	32.5	.0	.0	.0	.0	.1	1.4	5.9	11.3	23.1	41.8	60.9	77.5	90.0	98.6	109.8	129.0	148.6	175.5

Number of Deaths


		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	17445	0	0	1	3	14	81	317	729	1293	1676	2027	2181	2190	2006	1876	1489	907	655
1951	17624	0	0	1	6	6	91	291	695	1223	1663	1990	2237	2209	2097	1832	1546	1050	687
1952	18287	5	1	1	1	9	93	331	723	1315	1781	2086	2394	2313	2088	1967	1547	940	692
1953	18929	0	2	1	2	12	74	318	738	1335	1886	2128	2334	2309	2271	2025	1615	1110	769
1954	19152	2	0	1	1	9	79	329	689	1283	1938	2150	2308	2407	2298	2099	1653	1104	802
1955	20150	2	1	0	3	14	86	303	739	1432	2015	2287	2396	2527	2421	2088	1810	1149	877
1956	20392	6	2	0	1	7	83	317	742	1430	2046	2205	2437	2563	2449	2239	1783	1184	898
1957	20805	2	0	0	1	7	89	335	732	1324	2115	2353	2361	2665	2548	2244	1782	1289	958
1958	20809	1	0	1	1	12	70	304	785	1406	2077	2420	2503	2481	2567	2240	1774	1262	905
1959	21148	2	1	0	0	8	73	352	758	1342	2070	2444	2583	2593	2593	2260	1800	1271	998
1960	21858	1	1	0	1	9	77	286	777	1392	2115	2676	2595	2664	2611	2358	1913	1329	1053
1961	22380	1	1	0	0	9	69	320	758	1400	2126	2743	2609	2647	2687	2477	2043	1380	1110
1962	22808	0	0	1	4	8	72	315	736	1372	2258	2763	2774	2705	2787	2497	1988	1434	1094
1963	23091	1	0	0	3	15	75	251	752	1412	2220	2836	2912	2787	2781	2585	1965	1401	1095
1964	23833	0	0	0	2	24	91	313	765	1461	2276	3020	2979	2793	2790	2616	2075	1450	1178
1965	24627	0	1	0	1	12	70	279	703	1531	2241	3036	3207	2952	2835	2725	2268	1591	1175
1966	25111	0	0	0	1	17	75	263	692	1517	2310	3081	3274	3176	2876	2736	2287	1585	1221
1967	25589	1	0	0	3	15	86	268	705	1471	2382	3086	3330	3244	2924	2762	2349	1647	1316
1968	26321	3	0	1	3	8	96	282	714	1470	2466	3117	3486	3218	3043	2895	2498	1662	1359
1969	26334	0	0	1	1	13	85	256	591	1468	2455	3080	3465	3451	3052	2879	2423	1727	1387
1970	27217	0	0	0	0	12	92	311	680	1408	2525	3181	3658	3360	3220	2884	2626	1819	1441
1971	27362	2	0	0	5	22	103	272	602	1377	2364	3159	3637	3542	3237	2888	2680	1877	1595
1972	14219	0	0	0	0	6	68	150	275	662	1247	1643	1833	1891	1692	1594	1331	992	835
1973	29009	0	0	2	2	24	92	313	676	1200	2389	3289	3718	3802	3667	3254	2766	2077	1738
1974	29155	0	0	0	1	9	123	327	639	1168	2347	3263	3773	3827	3630	3209	2831	2152	1856
1975	29313	2	0	1	3	14	114	332	610	1219	2256	3251	3671	3815	3689	3329	2907	2177	1923
1976	30200	0	0	0	2	10	110	333	601	1114	2189	3371	3881	4059	3902	3444	2883	2253	2048
1977	31207	0	0	0	0	12	104	397	618	1144	2157	3334	4014	4052	4142	3578	2961	2427	2267

Percent of All Deaths


		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.2	.0	.0	.1	.1	.3	1.5	4.7	7.6	9.7	9.2	8.2	6.4	4.8	3.4	2.6	2.0	1.4	1.1
1951	3.2	.0	.0	.1	.2	.2	1.7	4.3	7.4	9.2	9.3	7.9	6.5	4.8	3.5	2.6	2.0	1.5	1.1
1952	3.3	-	-	-	-	.2	1.8	5.1	7.7	10.0	9.9	8.5	7.0	5.0	3.4	2.7	2.0	1.3	1.0
1953	3.3	.0	.1	-	.1	.4	1.6	5.2	8.4	10.4	10.6	8.7	6.9	5.0	3.6	2.7	2.0	1.5	1.1
1954	3.4	-	.0	.1	-	.3	1.9	5.7	8.2	10.4	11.2	9.1	7.3	5.4	3.8	2.8	2.1	1.5	1.1
1955	3.5	-	-	.0	.1	.5	2.2	5.4	8.9	11.6	11.8	10.0	7.6	5.6	3.9	2.8	2.2	1.5	1.1
1956	3.5	-	.1	.0	-	.2	2.2	5.6	9.2	11.8	11.8	9.7	7.6	5.6	3.9	2.9	2.1	1.5	1.1
1957	3.4	-	.0	.0	-	.2	2.3	5.7	8.6	10.8	11.9	9.8	7.3	5.7	3.9	2.8	2.0	1.5	1.1
1958	3.3	-	.0	-	-	.4	1.9	5.6	9.5	11.6	11.6	10.0	7.8	5.4	3.9	2.7	1.9	1.4	1.0
1959	3.4	-	-	.0	.0	.3	2.1	6.4	9.2	11.2	11.6	10.1	8.1	5.7	4.0	2.7	1.9	1.4	1.0
1960	3.4	-	-	.0	-	.3	2.2	5.5	9.3	11.0	11.6	10.8	8.0	5.7	4.0	2.8	2.0	1.4	1.0
1961	3.5	-	-	.0	.0	.3	2.0	6.3	9.1	11.4	11.6	11.0	8.2	5.8	4.1	2.9	2.1	1.5	1.1
1962	3.4	.0	.0	-	.1	.3	2.1	6.3	8.7	10.8	12.1	10.7	8.4	5.9	4.2	2.9	2.0	1.5	1.0
1963	3.4	-	.0	.0	.1	.4	2.2	5.1	8.9	10.9	11.6	10.8	8.4	6.0	4.2	2.9	2.0	1.4	.9
1964	3.5	.0	.0	.0	.1	.7	2.6	6.2	9.2	11.0	11.9	11.2	8.5	6.0	4.3	2.9	2.0	1.4	1.0
1965	3.5	.0	-	.0	-	.3	2.0	5.6	8.7	11.5	11.4	11.1	9.0	6.3	4.3	3.1	2.1	1.5	1.0
1966	3.5	.0	.0	.0	-	.4	2.0	5.4	8.9	11.3	11.6	11.1	9.0	6.8	4.3	3.0	2.1	1.5	1.0
1967	3.6	-	.0	.0	.1	.4	2.3	5.8	9.1	11.2	11.8	11.2	9.0	6.8	4.5	3.1	2.1	1.5	1.0
1968	3.6	-	.0	-	.1	.2	2.4	6.0	9.3	11.0	11.8	10.9	9.1	6.4	4.5	3.2	2.2	1.4	1.0
1969	3.6	.0	.0	-	-	.3	2.0	5.2	7.8	11.1	12.0	10.9	9.1	7.0	4.6	3.2	2.1	1.5	1.0
1970	3.7	.0	.0	.0	.0	.2	2.1	6.3	9.1	11.2	12.1	11.0	9.4	6.6	4.8	3.2	2.3	1.6	1.0
1971	3.7	-	.0	.0	.1	.4	2.3	5.5	8.6	11.1	11.7	11.0	9.4	6.9	4.9	3.2	2.3	1.6	1.1
1972	3.7	.0	.0	.0	.0	.2	3.0	5.9	7.8	11.1	12.4	11.5	9.4	7.3	4.9	3.5	2.3	1.6	1.1
1973	3.8	.0	.0	.1	-	.5	2.0	6.0	9.6	10.5	12.3	11.4	9.4	7.2	5.3	3.7	2.4	1.6	1.0
1974	3.8	.0	.0	.0	-	.2	2.6	6.4	9.7	10.8	12.7	11.6	9.9	7.3	5.3	3.6	2.5	1.7	1.1
1975	3.9	-	.0	-	.1	.3	2.4	6.4	9.6	11.9	12.9	11.7	9.7	7.5	5.5	3.9	2.7	1.8	1.1
1976	4.0	.0	.0	.0	-	.2	2.3	6.6	9.6	11.6	13.1	12.5	10.2	7.8	5.7	4.0	2.7	1.8	1.1
1977	4.2	.0	.0	.0	.0	.2	2.2	7.5	9.8	12.0	13.5	12.7	10.7	7.9	6.0	4.2	2.8	2.0	1.2

Age-specific Graphs for White Females


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.0	.0	.0	.0	.0	.2	.0	.4	.2	.4	.3	.4	3.8	.5	3.4	1.5	.0	5.4
1951	.3	.0	.0	.0	.0	.0	.0	.2	.2	.2	.7	1.8	1.0	.5	.5	.8	1.5	.0	.0
1952	.3	.0	.0	.0	.0	.0	.0	.2	.3	.0	.4	.8	1.0	1.8	.9	4.0	2.8	5.1	4.9
1953	.3	.1	.0	.0	.0	.0	.0	.0	.2	.9	.2	.5	1.0	.0	1.9	3.1	.0	2.5	4.7
1954	.4	.0	.0	.0	.0	.0	.0	.0	.3	.6	.2	1.2	1.2	2.1	.5	3.0	5.1	4.9	12.8
1955	.2	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.7	.3	.8	.9	2.9	1.2	.0	8.2
1956	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.9	1.2	.4	.9	2.8	4.6	2.3	11.8
1957	.3	.0	.0	.0	.0	.0	.0	.0	.0	.5	.4	.5	2.0	1.2	3.5	1.4	2.2	2.3	3.8
1958	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.4	.5	.5	1.1	.9	2.6	2.1	.0	3.5
1959	.3	.0	.0	.0	.0	.0	.0	.0	.3	.2	.0	.7	1.0	1.1	1.3	.6	2.0	4.4	13.7
1960	.3	.1	.0	.0	.0	.0	.0	.0	.2	.5	.4	.0	1.0	2.4	.4	3.0	2.9	2.1	3.2
1961	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.4	.5	.7	1.2	1.7	.9	5.8	3.3
1962	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.6	.4	.5	1.6	1.5	2.2	1.9	.0	.0
1963	.3	.0	.0	.0	.0	.0	.0	.0	.0	.3	.2	.8	.7	1.6	1.5	1.6	2.8	1.7	3.3
1964	.3	.0	.0	.0	.0	.0	.0	.0	.2	.0	.2	.6	1.4	1.9	2.2	1.6	.9	4.9	3.1
1965	.2	.0	.0	.0	.0	.0	.0	.0	.3	.2	.2	.6	.7	.9	.7	.5	2.7	3.2	2.9
1966	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.7	.4	.9	1.5	1.0	2.6	3.5	3.1	5.6
1967	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.6	1.1	1.2	1.3	1.0	1.7	.0	2.6
1968	.3	.0	.0	.0	.0	.0	.0	.0	.0	.6	.2	.4	1.3	1.1	2.3	1.5	3.4	4.5	12.2
1969	.3	.0	.0	.0	.0	.0	.0	.0	.3	.2	.3	.6	.7	.5	2.0	2.0	3.3	1.5	4.5
1970	.3	.1	.0	.0	.0	.0	.0	.0	.0	.3	.2	1.2	.4	1.3	1.0	2.9	3.3	2.9	2.1
1971	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.5	.6	.7	.5	2.3	2.3	1.6	4.1	2.1
1972	.4	.0	.0	.0	.0	.0	.0	.0	.0	.6	1.0	.7	.9	4.0	1.9	4.7	3.1	.0	.0
1973	.3	.0	.0	.0	.0	.0	.0	.1	.0	.2	.3	.9	1.6	1.5	1.5	1.4	3.1	.0	7.7
1974	.3	.0	.0	.0	.1	.0	.0	.0	.0	.5	.7	.2	1.3	.7	2.0	.9	3.1	4.7	8.8
1975	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.6	.3	.8	1.5	1.6	.5	1.4	2.3	1.5
1976	.3	.1	.0	.0	.0	.0	.0	.2	.0	.0	.5	.7	1.2	1.2	1.6	2.7	6.3	1.1	2.9
1977	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.0	.8	1.0	1.0	.8	.4	5.0	5.4	1.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	23	0	0	0	0	0	1	0	2	1	2	1	1	8	1	4	1	0	1
1951	20	0	0	0	0	0	0	1	1	1	3	7	3	1	1	1	1	0	0
1952	27	0	0	0	0	0	0	1	2	0	2	3	3	4	2	5	2	2	1
1953	23	1	0	0	0	0	0	0	1	5	1	2	3	0	4	4	0	1	1
1954	34	0	0	0	0	0	0	0	2	3	1	5	4	5	1	4	4	2	3
1955	16	0	0	0	0	0	0	0	1	0	0	3	1	2	2	4	1	0	2
1956	26	0	0	0	0	0	0	0	0	1	2	4	4	1	2	4	4	1	3
1957	31	0	0	0	0	0	0	0	0	3	2	2	7	3	8	2	2	1	1
1958	20	0	0	0	0	0	0	0	0	2	2	2	2	3	2	4	2	0	1
1959	25	0	0	0	0	0	0	0	2	1	0	3	4	3	3	1	2	2	4
1960	29	1	0	0	0	0	0	0	1	3	2	0	4	7	1	5	3	1	1
1961	19	0	0	0	0	0	0	0	0	0	2	2	2	2	3	3	1	3	1
1962	22	0	0	0	0	0	0	0	0	0	3	2	2	5	4	4	2	0	0
1963	27	0	0	0	0	0	0	0	0	2	1	4	3	5	4	3	3	1	1
1964	31	0	0	0	0	0	0	0	1	0	1	3	6	6	6	3	1	3	1
1965	22	0	0	0	0	0	0	0	2	1	1	3	3	3	2	1	3	2	1
1966	32	0	0	0	0	0	0	0	0	1	4	2	4	5	3	5	4	2	2
1967	23	0	0	0	0	0	0	0	0	0	2	3	5	4	4	2	2	0	1
1968	39	0	0	0	0	0	0	0	0	4	1	2	6	4	7	3	4	3	5
1969	30	0	0	0	0	0	0	0	2	1	2	3	3	2	6	4	4	1	2
1970	33	1	0	0	0	0	0	0	0	2	1	6	2	5	3	6	4	2	1
1971	29	0	0	0	0	0	0	0	0	0	3	3	3	2	7	5	2	3	1
1972	27	0	0	0	0	0	0	0	0	2	3	2	2	8	3	5	2	0	0
1973	38	0	0	0	0	0	0	1	0	1	2	5	7	6	5	3	4	0	4
1974	40	0	0	0	1	0	0	0	0	3	4	1	6	3	7	2	4	4	5
1975	29	0	0	0	0	0	0	0	0	1	4	2	4	6	6	1	2	2	1
1976	45	1	0	0	0	0	0	2	0	0	3	4	6	5	6	6	9	1	2
1977	34	0	0	0	0	0	0	0	1	2	0	5	5	4	3	1	7	5	1


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	-	.0	.1	-	-	-	-	.1	-	.1	-	.0	-
1951	-	.0	.0	.0	.0	.0	.0	-	-	-	-	.1	-	-	-	-	-	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	-	.1	.0	-	-	-	-	-	.1	-	.1	-
1953	-	-	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	.0	-	-	.0	-	-
1954	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	-	.1	-	-	.1	.1	.1
1955	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	.0	.1
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	.1	-	.1
1957	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	.1	-	.1	-	-	-	-
1958	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.0	-
1959	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.0	-	-	-	-	-	-	-	.1
1960	-	-	.0	.0	.0	.0	.0	.0	-	.1	-	.0	-	.1	-	-	-	-	-
1961	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.1	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	.0
1963	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-
1964	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	.1	-
1965	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	-	-
1967	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	-
1968	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	-	-	.1
1969	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1970	-	-	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	-	-	.1	-	.1	-	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.1	-	-	-	-	.0	.1
1974	-	.0	.0	.0	-	.0	.0	.0	.0	.1	.1	-	.1	-	-	-	-	.1	.1
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	-	-
1976	-	-	.0	.0	.0	.0	.0	.1	.0	.0	-	-	.1	-	-	-	.1	-	-
1977	-	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.1	-	-	-	-	.1	.1	-


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	15.9	.0	.0	.0	.0	.3	1.7	8.1	14.8	27.9	40.6	50.6	65.6	59.9	56.6	81.8	81.1	69.9	93.4
1951	16.1	.0	.0	.0	.0	.4	2.3	6.9	17.1	27.3	37.7	58.5	57.1	68.5	57.6	63.4	80.5	67.5	119.7
1952	16.2	.0	.0	.1	.0	1.2	3.3	6.7	18.1	29.9	32.1	53.4	59.1	70.8	54.2	67.0	111.9	61.2	80.1
1953	16.3	.0	.0	.0	.1	.7	3.2	9.3	16.2	27.7	38.6	56.1	51.1	60.1	57.4	65.0	86.5	81.1	137.0
1954	17.2	.0	.0	.0	.1	.7	2.7	10.7	18.2	32.2	44.6	47.9	58.0	67.6	57.5	79.3	82.2	67.6	85.8
1955	17.1	.1	.0	.0	.0	.3	2.8	8.1	18.4	31.1	42.9	49.3	62.0	58.7	58.4	83.6	95.6	78.1	80.9
1956	17.7	.0	.0	.0	.0	.4	1.8	6.3	17.3	34.1	50.1	52.0	66.2	63.5	61.4	72.2	64.0	113.3	123.7
1957	17.2	.0	.0	.1	.0	.3	1.8	7.3	16.6	28.5	45.5	54.1	60.7	66.4	65.4	68.9	80.5	103.5	90.5
1958	16.8	.1	.0	.0	.1	.6	2.7	7.7	16.4	31.7	40.3	47.5	62.6	68.0	58.7	65.9	76.0	84.4	106.4
1959	17.0	.0	.0	.1	.0	.3	2.6	8.3	15.7	28.5	42.0	50.4	63.4	71.6	54.9	81.9	72.9	80.9	111.3
1960	17.9	.1	.0	.0	.0	.7	2.6	9.0	18.0	30.9	46.3	61.0	54.1	69.4	68.4	72.8	82.6	94.5	92.5
1961	17.8	.0	.0	.0	.2	.1	2.1	6.9	19.0	33.9	39.9	56.9	57.3	72.4	66.1	67.5	88.2	103.3	127.5
1962	17.3	.1	.0	.1	.0	.4	1.3	8.7	18.6	28.8	38.5	55.7	58.2	64.3	62.5	77.5	81.3	103.0	136.6
1963	18.0	.1	.1	.1	.0	.3	2.8	7.7	17.5	32.0	45.6	53.3	61.0	76.0	63.6	70.9	81.1	90.0	130.2
1964	18.0	.0	.0	.0	.0	.4	2.4	8.6	17.8	25.5	45.5	61.1	58.8	80.4	62.6	71.6	76.3	100.0	126.7
1965	18.3	.0	.0	.0	.0	.3	2.6	9.1	17.7	30.8	45.2	58.3	62.0	75.8	59.1	70.7	80.9	96.1	140.8
1966	18.0	.0	.0	.0	.2	.6	2.5	9.1	14.1	28.5	47.0	56.3	62.4	78.1	65.3	69.8	81.6	78.8	109.4
1967	19.3	.0	.0	.0	.1	.3	2.4	8.7	15.8	26.9	49.0	64.7	64.1	86.2	71.1	75.0	82.3	92.9	121.1
1968	19.7	.0	.0	.0	.0	.3	2.4	8.8	16.6	30.3	51.1	60.4	68.3	67.9	80.5	80.4	94.1	90.8	134.4
1969	19.3	.0	.0	.0	.1	.6	1.8	8.6	17.1	33.0	49.8	56.7	66.1	71.8	80.4	77.8	84.0	89.0	89.2
1970	18.4	.0	.0	.0	.0	.5	3.8	7.9	15.3	29.7	40.9	59.0	60.3	63.9	71.7	75.4	95.0	97.9	114.1
1971	19.3	.0	.0	.0	.0	.3	2.9	7.7	14.5	27.5	47.2	61.0	71.9	70.9	68.2	92.8	89.8	84.6	109.2
1972	19.8	.0	.0	.0	.1	.2	3.8	5.9	17.6	31.1	42.1	64.1	62.0	72.8	86.4	89.1	94.7	92.9	100.0
1973	20.3	.0	.1	.0	.0	.4	2.4	6.9	17.8	29.1	48.1	59.3	75.2	66.9	83.9	107.4	87.1	81.8	113.6
1974	20.9	.0	.0	.0	.0	1.0	1.5	8.0	16.4	29.5	45.9	67.1	71.8	78.5	79.0	105.0	92.5	86.5	115.3
1975	19.5	.0	.0	.0	.0	.5	1.7	5.3	16.2	26.4	43.2	54.7	72.7	77.8	68.5	105.0	103.9	84.0	90.0
1976	19.6	.0	.0	.0	.0	.3	2.2	5.0	13.9	27.0	40.9	54.8	66.4	79.5	70.0	96.2	110.7	105.8	118.3
1977	21.6	.0	.0	.0	.0	.2	1.6	8.4	15.0	22.9	44.2	67.0	77.6	82.1	77.9	111.0	125.1	97.9	109.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1289	0	0	0	0	2	12	50	93	145	185	186	173	120	123	95	51	29	25
1951	1334	0	0	0	0	3	16	44	108	145	173	222	158	144	128	78	53	30	32
1952	1375	0	0	1	0	8	23	44	114	163	148	209	171	155	123	87	77	29	23
1953	1413	0	0	0	1	5	22	63	102	156	178	227	155	138	133	89	62	40	42
1954	1527	0	0	0	1	5	18	74	115	186	208	199	184	162	136	114	63	34	28
1955	1558	1	0	0	0	2	19	57	117	183	204	209	206	147	141	126	78	40	28
1956	1661	0	0	0	0	3	12	45	112	202	245	224	229	166	152	113	56	58	44
1957	1654	0	0	1	0	2	12	52	110	170	231	236	219	180	165	112	76	54	34
1958	1651	2	0	0	1	4	18	55	111	189	212	209	235	191	151	111	77	44	41
1959	1723	0	0	1	0	2	18	59	108	171	229	226	247	209	144	143	79	43	44
1960	1897	2	0	0	0	5	18	66	128	192	262	285	220	213	188	134	95	52	37
1961	1931	0	0	0	2	1	15	51	137	215	228	275	238	228	191	131	105	63	51
1962	1925	2	0	1	0	3	9	64	135	187	221	278	248	207	188	158	100	68	56
1963	2048	1	1	1	0	2	20	57	128	213	263	273	267	250	199	151	103	63	56
1964	2103	0	0	0	0	3	17	63	131	174	265	320	265	271	204	159	100	74	57
1965	2178	0	0	0	0	3	19	67	131	214	268	312	287	263	199	162	110	74	69
1966	2193	0	0	0	2	5	19	67	105	201	285	306	296	281	226	164	115	63	58
1967	2396	0	0	0	1	3	19	64	118	193	305	357	311	326	251	180	121	78	69
1968	2495	0	0	0	0	3	20	66	124	220	327	338	338	269	289	197	143	79	82
1969	2496	0	0	0	1	6	15	66	127	242	327	323	332	298	296	193	131	81	58
1970	2430	0	0	0	0	6	34	62	114	220	276	346	305	278	269	193	152	94	81
1971	2604	0	0	0	0	4	26	63	109	204	325	369	359	322	257	245	150	88	83
1972	1360	0	0	0	1	1	18	25	67	116	146	201	155	170	171	115	81	52	41
1973	2841	0	1	0	0	5	24	61	137	220	336	386	376	320	350	277	149	99	100
1974	2976	0	0	0	0	14	16	74	128	225	324	445	369	380	347	272	160	109	113
1975	2845	0	0	0	0	7	19	51	130	201	312	365	395	376	318	274	188	110	99
1976	2918	0	0	0	0	4	27	49	115	208	297	374	373	379	343	255	207	145	142
1977	3271	0	0	0	0	3	20	87	129	179	324	463	453	395	395	312	229	137	145


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.6	.0	.0	.0	.0	.1	.5	1.8	2.4	3.0	3.3	2.6	2.5	1.7	1.7	1.6	1.2	1.0	.7
1951	1.7	.0	.0	.0	.0	.2	.7	1.7	3.0	3.1	3.2	3.0	2.3	2.0	1.7	1.3	1.1	1.0	.9
1952	1.7	.0	.0	.2	.0	.5	1.2	1.6	3.2	3.6	2.7	2.8	2.5	2.2	1.6	1.4	1.7	.9	.6
1953	1.7	.0	.0	.0	.1	.4	1.2	2.5	3.1	3.5	3.4	3.1	2.3	1.9	1.7	1.3	1.3	1.2	1.1
1954	2.0	.0	.0	.0	.1	.4	1.1	3.1	3.8	4.3	4.1	2.8	2.8	2.3	1.8	1.8	1.4	1.0	.8
1955	2.0	-	.0	.0	.0	.2	1.2	2.5	3.8	4.5	4.1	3.1	2.9	2.0	1.7	1.9	1.6	1.1	.7
1956	2.0	.0	.0	.0	.0	.3	.8	2.0	3.6	4.8	4.7	3.5	2.9	2.2	1.9	1.5	1.1	1.6	1.1
1957	1.9	.0	.0	.2	.0	.2	.8	2.2	3.4	4.1	4.3	3.5	2.7	2.2	1.8	1.5	1.4	1.4	.8
1958	1.9	-	.0	.0	.2	.4	1.2	2.3	3.6	4.7	4.1	3.1	3.0	2.3	1.7	1.4	1.3	1.0	.9
1959	2.0	.0	.0	.2	.0	.2	1.3	2.7	3.5	4.3	4.5	3.6	3.1	2.6	1.6	1.8	1.3	1.0	.9
1960	2.1	-	.0	.0	.0	.5	1.2	2.9	4.0	4.7	5.0	4.3	2.8	2.3	2.0	1.6	1.4	1.1	.7
1961	2.1	.0	.0	.0	.3	.1	1.1	2.4	4.5	5.3	4.7	4.2	3.2	2.4	2.0	1.5	1.5	1.3	.9
1962	2.0	-	.0	.2	.0	.3	.7	3.0	4.1	4.5	4.4	4.2	3.2	2.1	1.9	1.7	1.4	1.3	1.0
1963	2.1	-	.1	.2	.0	.2	1.4	2.6	3.9	4.8	5.1	3.9	3.4	2.4	1.9	1.5	1.3	1.1	1.0
1964	2.2	.0	.0	.0	.0	.3	1.2	3.0	4.0	4.1	5.2	4.5	3.5	2.6	2.0	1.6	1.3	1.3	.9
1965	2.2	.0	.0	.0	.0	.3	1.4	3.2	4.1	4.8	5.2	4.7	3.7	2.7	1.8	1.7	1.4	1.2	1.1
1966	2.2	.0	.0	.0	.2	.4	1.3	3.2	3.3	4.5	5.2	4.7	3.8	2.9	1.9	1.6	1.3	1.0	.8
1967	2.5	.0	.0	.0	.1	.2	1.3	3.0	3.7	4.6	5.7	5.4	3.9	3.5	2.2	1.8	1.5	1.3	1.0
1968	2.4	.0	.0	.0	.0	.2	1.3	3.1	3.8	4.8	5.7	5.0	4.0	2.7	2.3	1.8	1.5	1.2	1.0
1969	2.4	.0	.0	.0	.1	.4	1.0	3.1	4.1	5.5	5.8	4.9	4.0	3.1	2.4	1.8	1.5	1.2	.7
1970	2.4	.0	.0	.0	.0	.4	2.1	3.1	3.8	5.0	4.9	5.1	3.7	2.9	2.3	1.7	1.7	1.3	1.0
1971	2.5	.0	.0	.0	.0	.2	1.6	3.0	3.6	4.9	5.9	5.4	4.7	3.3	2.3	2.0	1.6	1.2	1.0
1972	2.6	.0	.0	.0	.2	.1	2.1	2.4	4.9	5.6	5.3	5.9	4.0	3.4	3.0	1.8	1.7	1.3	.9
1973	2.7	.0	.2	.0	.0	.3	1.5	3.0	5.0	5.5	6.1	5.5	4.8	3.2	3.0	2.1	1.5	1.2	1.0
1974	2.9	.0	.0	.0	.0	.9	.9	3.7	5.2	6.0	6.5	6.6	5.1	3.8	3.1	2.1	1.6	1.3	1.1
1975	2.9	.0	.0	.0	.0	.5	1.2	2.9	5.6	6.1	6.6	6.0	5.3	4.0	2.9	2.2	1.8	1.4	1.0
1976	2.9	.0	.0	.0	.0	.3	1.6	2.8	5.3	6.3	6.5	5.9	5.1	4.1	3.1	2.2	1.8	1.7	1.3
1977	3.2	.0	.0	.0	.0	.2	1.2	5.1	5.9	5.7	7.4	7.3	5.9	4.3	3.6	2.6	1.9	1.6	1.3


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	0	0.00	0.00	0.00	6885	10.12	9.89	6.77	0	0.00	0.00	0.00	1450	17.92	21.59	14.62
1951	0	0.00	0.00	0.00	6673	9.64	9.43	6.51	0	0.00	0.00	0.00	1448	17.48	21.36	14.81
1952	0	0.00	0.00	0.00	6819	9.69	9.43	6.51	0	0.00	0.00	0.00	1510	17.81	21.41	14.83
1953	0	0.00	0.00	0.00	6953	9.71	9.40	6.54	0	0.00	0.00	0.00	1557	17.94	21.76	15.20
1954	0	0.00	0.00	0.00	6986	9.59	9.27	6.53	0	0.00	0.00	0.00	1573	17.69	21.41	14.95
1955	0	0.00	0.00	0.00	7108	9.59	9.20	6.53	0	0.00	0.00	0.00	1696	18.58	22.35	15.72
1956	0	0.00	0.00	0.00	6815	9.04	8.64	6.20	0	0.00	0.00	0.00	1739	18.58	22.67	15.50
1957	0	0.00	0.00	0.00	6924	9.02	8.61	6.20	0	0.00	0.00	0.00	1673	17.41	21.14	14.66
1958	0	0.00	0.00	0.00	6918	8.86	8.45	6.21	0	0.00	0.00	0.00	1663	16.88	20.55	14.25
1959	0	0.00	0.00	0.00	6738	8.48	8.06	5.99	0	0.00	0.00	0.00	1645	16.24	19.79	14.16
1960	0	0.00	0.00	0.00	6819	8.44	8.01	5.97	0	0.00	0.00	0.00	1668	15.76	19.27	13.36
1961	0	0.00	0.00	0.00	6774	8.25	7.80	5.86	0	0.00	0.00	0.00	1730	15.93	19.82	13.78
1962	0	0.00	0.00	0.00	6681	8.02	7.57	5.71	0	0.00	0.00	0.00	1668	14.99	18.42	13.05
1963	0	0.00	0.00	0.00	6548	7.74	7.30	5.51	0	0.00	0.00	0.00	1702	14.95	18.47	13.28
1964	0	0.00	0.00	0.00	6470	7.55	7.09	5.42	0	0.00	0.00	0.00	1641	14.08	17.56	12.47
1965	0	0.00	0.00	0.00	6392	7.37	6.90	5.25	0	0.00	0.00	0.00	1661	13.95	17.17	12.16
1966	0	0.00	0.00	0.00	5981	6.81	6.35	4.84	0	0.00	0.00	0.00	1684	13.85	17.13	12.00
1967	0	0.00	0.00	0.00	5834	6.57	6.09	4.65	0	0.00	0.00	0.00	1577	12.70	15.66	11.02
1968	0	0.00	0.00	0.00	5548	6.19	5.71	4.37	0	0.00	0.00	0.00	1560	12.32	15.07	10.51
1969	0	0.00	0.00	0.00	5440	6.01	5.52	4.25	0	0.00	0.00	0.00	1500	11.62	14.12	10.00
1970	0	0.00	0.00	0.00	5135	5.62	5.12	3.92	0	0.00	0.00	0.00	1412	10.71	13.11	9.43
1971	0	0.00	0.00	0.00	5085	5.51	5.00	3.85	0	0.00	0.00	0.00	1503	11.16	13.59	9.45
1972	0	0.00	0.00	0.00	2532	5.44	4.91	3.75	0	0.00	0.00	0.00	652	9.49	11.45	8.07
1973	0	0.00	0.00	0.00	4610	4.92	4.40	3.38	0	0.00	0.00	0.00	1428	10.19	12.42	8.44
1974	0	0.00	0.00	0.00	4630	4.92	4.35	3.31	0	0.00	0.00	0.00	1332	9.34	11.27	7.74
1975	0	0.00	0.00	0.00	4272	4.51	3.96	3.03	0	0.00	0.00	0.00	1278	8.76	10.61	7.42
1976	0	0.00	0.00	0.00	4271	4.48	3.89	2.93	0	0.00	0.00	0.00	1253	8.42	10.13	7.01
1977	0	0.00	0.00	0.00	3953	4.12	3.53	2.66	0	0.00	0.00	0.00	1212	7.99	9.63	6.50

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Uterine cervix and external os of the uterus.
(ICD 171 [6th]; ICD 171 [7th]; ICD 180 [8th])

Age-specific Rates

White Females



Nonwhite Females



TERRIS M, WILSON F, NELSON JH JR: Comparative epidemiology of invasive carcinoma of the cervix, carcinoma in situ, and cervical dysplasia. Am J Epidemiol 112:253-257, 1980

HARRIS RWC, BRINTON LA, COWDELL RM, et al: Characteristics of women with dysplasia or carcinoma in situ of the cervix uteri. Br J Cancer 42:359-369, 1980

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	10.1	.0	.0	.0	.1	.4	1.9	4.7	9.0	15.4	21.8	23.2	25.6	28.7	29.2	31.0	36.0	33.2	25.3
1951	9.6	-	.0	.0	-	.4	1.4	3.8	9.0	14.0	19.5	22.7	25.0	27.3	27.0	29.3	35.9	32.8	36.9
1952	9.7	.0	.0	.0	-	.5	2.3	4.1	9.0	13.4	18.7	23.5	24.1	24.6	27.0	31.4	38.0	35.0	33.8
1953	9.7	-	.0	-	-	.4	1.7	4.5	8.5	14.2	18.7	22.7	24.5	26.3	28.7	29.8	33.5	36.9	31.8
1954	9.6	-	.0	-	-	.4	1.6	4.1	8.2	13.7	18.1	23.0	23.9	25.2	27.5	30.0	37.5	33.9	35.2
1955	9.6	-	.0	.0	-	.3	1.7	4.8	8.6	13.6	18.7	22.1	23.2	25.3	26.7	31.2	33.1	33.6	36.3
1956	9.0	.0	.0	.0	-	.3	1.8	4.7	8.3	12.4	16.8	20.4	23.7	23.9	24.1	27.8	33.9	29.6	33.1
1957	9.0	-	.0	.0	.0	.3	1.8	5.1	8.0	12.4	16.8	21.2	22.9	23.6	25.2	26.1	30.7	31.5	34.4
1958	8.9	-	.0	.0	.0	.3	1.3	4.4	8.0	11.6	16.1	19.9	21.6	23.9	26.3	27.5	29.8	33.9	40.4
1959	8.5	-	.0	.0	-	.3	1.1	4.1	8.1	11.4	15.2	18.4	19.9	22.5	25.2	27.0	30.4	34.5	34.9
1960	8.4	-	.0	.0	-	.3	1.4	3.9	7.7	11.5	15.6	18.6	19.7	22.3	24.1	26.8	29.3	34.9	34.5
1961	8.3	-	.0	.0	.0	.2	1.2	4.0	7.4	11.6	15.7	18.4	19.8	21.7	23.8	25.7	26.4	33.5	28.5
1962	8.0	-	.0	.0	.0	.3	1.6	3.7	7.6	11.1	14.2	17.6	17.8	22.7	22.1	25.7	27.5	32.5	28.9
1963	7.7	-	.0	.0	-	.3	1.6	3.6	7.1	10.6	13.9	16.5	18.2	21.0	21.6	22.5	27.8	32.4	32.9
1964	7.5	.0	-	.0	-	.2	1.2	4.0	6.1	10.9	13.0	16.8	17.2	20.1	21.7	22.5	27.0	29.9	32.9
1965	7.4	-	.0	.0	-	.3	1.7	3.7	6.4	10.4	14.2	16.0	15.8	19.7	20.7	23.4	23.9	27.8	26.5
1966	6.8	-	.0	-	-	.2	1.3	3.5	5.9	9.2	12.3	14.3	15.3	16.7	19.3	21.4	24.1	27.6	31.2
1967	6.6	-	.0	.0	-	.2	1.0	2.6	5.4	9.3	11.7	14.1	14.4	17.4	19.3	20.9	22.3	24.3	28.6
1968	6.2	.0	.0	.0	-	.3	1.1	2.8	5.1	7.9	11.4	12.9	14.5	16.2	17.7	17.7	22.1	22.4	28.0
1969	6.0	-	.0	.0	-	.2	1.1	2.7	4.8	8.0	10.6	12.2	14.5	15.3	16.7	18.3	21.3	21.3	26.4
1970	5.6	.0	.0	.0	.0	.1	1.1	2.6	4.4	7.0	10.4	11.9	11.9	13.8	16.0	17.2	20.4	21.3	24.5
1971	5.5	.0	.0	.0	-	.1	.9	2.4	4.5	6.8	10.2	11.0	12.7	13.8	14.9	17.2	19.4	20.1	25.2
1972	5.4	.0	.0	.0	-	.1	.9	2.4	4.1	6.5	10.2	10.6	13.1	12.7	15.0	17.2	20.8	19.7	22.7
1973	4.9	.0	-	.0	.0	.1	.5	2.3	3.9	5.6	8.5	10.3	11.3	12.8	12.8	14.7	16.7	19.8	22.9
1974	4.9	.0	.0	.0	.0	.2	.9	1.9	3.6	5.9	7.6	10.0	10.5	13.0	13.4	15.3	17.4	19.9	20.7
1975	4.5	.0	.0	.0	-	.2	.9	1.7	3.2	5.4	7.2	8.7	10.0	11.4	11.8	13.2	17.3	18.3	20.1
1976	4.5	.0	.0	.0	-	.2	.8	1.9	3.3	4.9	6.6	8.6	10.3	10.7	11.2	13.7	16.5	19.4	20.5
1977	4.1	.0	.0	.0	.0	.1	.8	1.7	3.0	4.4	5.3	7.5	8.9	10.6	11.5	13.3	15.0	17.3	16.6

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	6885	0	0	0	3	21	105	247	460	712	894	878	863	814	696	521	391	199	81
1951	6673	1	0	0	1	18	80	205	463	661	818	862	863	796	661	509	407	203	125
1952	6819	0	0	0	2	24	126	226	471	642	807	898	843	739	680	567	449	224	121
1953	6953	1	0	1	1	17	92	249	449	691	826	875	862	814	741	558	410	246	120
1954	6986	2	0	1	1	18	88	229	435	675	823	898	850	800	727	587	475	237	140
1955	7108	2	0	0	2	15	89	267	460	680	869	874	836	822	723	637	434	246	152
1956	6815	0	0	0	2	15	92	262	452	626	793	824	867	794	667	589	460	227	145
1957	6924	1	0	0	0	16	93	280	443	637	805	879	846	791	720	571	433	251	158
1958	6918	2	0	0	0	13	66	243	447	604	781	843	813	805	773	619	437	278	194
1959	6738	1	0	0	1	14	54	220	459	598	748	796	765	764	757	628	465	292	176
1960	6819	1	0	0	1	14	67	210	438	611	776	823	773	767	740	642	467	305	184
1961	6774	2	0	0	0	12	58	212	419	626	785	833	795	751	743	637	437	307	157
1962	6681	3	0	0	0	15	78	191	426	610	718	813	734	791	698	657	471	312	164
1963	6548	1	0	0	1	14	77	183	397	595	709	774	772	738	686	594	490	325	192
1964	6470	0	1	0	1	14	59	195	336	616	671	798	750	718	696	610	490	315	200
1965	6392	2	0	0	2	16	85	181	342	592	741	772	706	717	671	644	448	305	168
1966	5981	1	0	1	3	11	66	171	310	524	656	700	695	625	631	597	467	315	208
1967	5834	1	0	0	1	16	53	128	281	526	633	700	660	670	639	590	446	289	201
1968	5548	0	0	0	1	18	62	136	257	440	628	650	674	646	596	502	456	275	207
1969	5440	1	0	0	1	13	67	133	241	437	593	625	679	627	574	522	449	271	207
1970	5135	0	0	0	0	11	65	130	218	380	583	618	563	577	563	496	435	284	212
1971	5085	0	0	0	1	8	58	125	219	363	569	584	603	589	535	501	422	279	229
1972	2532	0	0	0	1	5	30	64	100	171	281	286	312	275	277	252	228	142	108
1973	4610	0	1	0	0	10	36	130	194	289	466	567	542	559	487	438	364	298	229
1974	4630	0	0	0	0	12	63	114	184	299	413	557	511	575	528	464	384	304	222
1975	4272	0	0	0	3	17	65	103	164	266	384	481	496	504	476	406	390	285	232
1976	4271	0	0	0	3	14	62	121	173	243	347	477	521	478	464	432	375	311	250
1977	3953	0	0	0	0	11	60	117	166	219	274	411	462	476	484	432	344	283	214


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	.0	.0	.0	.1	.5	1.9	3.6	4.8	5.3	4.9	3.5	2.5	1.8	1.2	.7	.5	.3	.1
1951	1.2	-	.0	.0	-	.5	1.5	3.0	4.9	5.0	4.6	3.4	2.5	1.7	1.1	.7	.5	.3	.2
1952	1.2	.0	.0	.0	.1	.7	2.5	3.5	5.0	4.9	4.5	3.7	2.5	1.6	1.1	.8	.6	.3	.2
1953	1.2	-	.0	-	-	.5	2.0	4.0	5.1	5.4	4.6	3.6	2.5	1.8	1.2	.7	.5	.3	.2
1954	1.3	-	.0	.1	-	.6	2.2	4.0	5.2	5.5	4.7	3.8	2.7	1.8	1.2	.8	.6	.3	.2
1955	1.2	-	.0	.0	.1	.5	2.3	4.7	5.5	5.5	5.1	3.8	2.6	1.8	1.2	.8	.5	.3	.2
1956	1.2	.0	.0	.0	.1	.5	2.4	4.7	5.6	5.2	4.6	3.6	2.7	1.7	1.1	.8	.5	.3	.2
1957	1.1	-	.0	.0	.0	.5	2.4	4.8	5.2	5.2	4.5	3.7	2.6	1.7	1.1	.7	.5	.3	.2
1958	1.1	-	.0	.0	.0	.5	1.8	4.5	5.4	5.0	4.4	3.5	2.5	1.7	1.2	.8	.5	.3	.2
1959	1.1	-	.0	.0	-	.5	1.5	4.0	5.6	5.0	4.2	3.3	2.4	1.7	1.2	.8	.5	.3	.2
1960	1.1	-	.0	.0	-	.5	1.9	4.0	5.2	4.8	4.2	3.3	2.4	1.6	1.1	.8	.5	.3	.2
1961	1.1	-	.0	.0	.0	.4	1.7	4.1	5.0	5.1	4.3	3.3	2.5	1.7	1.1	.8	.5	.3	.1
1962	1.0	-	.0	.0	.0	.5	2.2	3.8	5.1	4.8	3.8	3.2	2.2	1.7	1.1	.8	.5	.3	.1
1963	1.0	-	.0	.0	-	.4	2.2	3.7	4.7	4.6	3.7	2.9	2.2	1.6	1.0	.7	.5	.3	.2
1964	.9	.0	-	.0	-	.4	1.7	3.8	4.0	4.6	3.5	3.0	2.1	1.6	1.1	.7	.5	.3	.2
1965	.9	-	.0	.0	.1	.4	2.4	3.7	4.2	4.4	3.8	2.8	2.0	1.5	1.0	.7	.4	.3	.1
1966	.8	-	.0	-	.1	.3	1.8	3.5	4.0	3.9	3.3	2.5	1.9	1.3	1.0	.7	.4	.3	.2
1967	.8	-	.0	.0	-	.4	1.4	2.8	3.6	4.0	3.1	2.5	1.8	1.4	1.0	.7	.4	.3	.2
1968	.8	.0	.0	.0	-	.4	1.5	2.9	3.3	3.3	3.0	2.3	1.8	1.3	.9	.5	.4	.2	.1
1969	.7	-	.0	.0	-	.3	1.6	2.7	3.2	3.3	2.9	2.2	1.8	1.3	.9	.6	.4	.2	.1
1970	.7	.0	.0	.0	.0	.2	1.5	2.7	2.9	3.0	2.8	2.1	1.4	1.1	.8	.6	.4	.2	.1
1971	.7	.0	.0	.0	-	.2	1.3	2.5	3.1	2.9	2.8	2.0	1.6	1.1	.8	.6	.4	.2	.2
1972	.7	.0	.0	.0	-	.2	1.3	2.5	2.8	2.9	2.8	2.0	1.6	1.1	.8	.6	.4	.2	.1
1973	.6	.0	-	.0	.0	.2	.8	2.5	2.8	2.5	2.4	2.0	1.4	1.1	.7	.5	.3	.2	.1
1974	.6	.0	.0	.0	.0	.3	1.3	2.2	2.8	2.8	2.2	2.0	1.3	1.1	.8	.5	.3	.2	.1
1975	.6	.0	.0	.0	.1	.3	1.4	2.0	2.6	2.6	2.2	1.7	1.3	1.0	.7	.5	.4	.2	.1
1976	.6	.0	.0	.0	.1	.3	1.3	2.4	2.8	2.5	2.1	1.8	1.4	.9	.7	.5	.3	.3	.1
1977	.5	.0	.0	.0	.0	.2	1.3	2.2	2.6	2.3	1.7	1.6	1.2	.9	.7	.5	.3	.2	.1


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	17.9	.1	.0	.0	.5	1.1	5.5	13.5	25.5	38.7	49.6	55.2	60.6	63.4	49.2	57.7	54.0	31.3	67.3
1951	17.5	.1	.0	.0	.3	1.5	4.9	10.5	24.5	40.5	42.5	54.8	64.3	63.3	48.6	43.1	75.9	51.7	59.9
1952	17.8	.1	.1	.0	.2	1.2	4.2	12.2	26.3	33.2	51.4	58.8	63.2	58.9	52.4	60.0	43.6	40.1	62.7
1953	17.9	.0	.0	.0	.0	.7	5.4	13.4	18.7	38.4	47.0	65.5	57.7	55.7	58.7	57.7	69.7	40.5	65.2
1954	17.7	.0	.0	.0	.0	1.5	4.9	11.4	21.9	38.1	48.5	58.5	56.1	67.6	47.3	56.3	54.8	51.7	70.5
1955	18.6	.1	.0	.0	.0	1.8	5.9	10.5	25.9	35.4	52.3	65.1	63.2	55.1	60.0	53.1	69.9	42.9	54.9
1956	18.6	.0	.0	.0	.0	.6	4.5	12.2	25.8	33.0	52.4	54.1	65.6	63.9	65.1	59.4	77.7	64.5	47.8
1957	17.4	.0	.0	.0	.0	.9	4.3	12.2	20.4	33.7	44.9	62.9	64.3	55.3	53.1	57.8	54.0	51.8	66.6
1958	16.9	.0	.0	.0	.1	.7	4.6	12.9	22.6	29.9	41.6	57.7	55.7	58.0	62.2	49.3	59.2	61.4	59.7
1959	16.2	.0	.0	.0	.3	.7	5.1	9.1	23.4	31.2	42.8	46.6	60.5	46.9	64.4	49.8	56.3	56.5	70.8
1960	15.8	.0	.0	.1	.1	.6	4.0	13.2	20.8	29.6	40.6	48.8	48.9	57.0	60.0	52.2	45.2	63.6	62.5
1961	15.9	.0	.0	.0	.4	1.0	3.6	9.5	19.7	28.7	38.9	49.3	47.0	70.5	63.3	55.2	57.1	62.3	70.0
1962	15.0	.0	.0	.0	.0	.8	4.1	10.4	20.4	31.0	34.0	50.9	44.6	59.9	47.5	48.5	59.3	50.0	65.9
1963	14.9	.1	.0	.0	.1	.4	4.8	10.8	17.6	28.7	35.5	42.6	49.8	67.5	50.5	52.6	55.1	50.0	58.1
1964	14.1	.0	.0	.0	.1	.6	2.8	8.3	15.1	26.1	35.8	42.6	39.9	64.1	55.2	51.8	48.9	64.9	66.7
1965	13.9	.0	.0	.0	.0	.5	3.5	11.4	18.7	24.5	33.2	36.1	43.0	53.9	54.3	56.8	66.2	45.5	51.0
1966	13.8	.0	.0	.0	.0	.7	3.7	8.7	17.6	25.2	33.8	36.2	41.4	51.7	53.2	54.9	66.7	61.3	69.8
1967	12.7	.0	.0	.1	.0	.5	3.7	8.5	13.7	25.4	29.7	36.2	34.6	48.9	45.9	50.8	53.1	57.1	82.5
1968	12.3	.0	.0	.0	.0	.6	3.0	8.4	13.9	21.2	30.2	34.3	41.0	52.3	47.4	41.6	44.1	42.5	60.7
1969	11.6	.0	.0	.0	.0	.3	2.2	6.7	14.5	21.0	29.2	31.9	41.4	41.9	50.0	35.9	41.0	45.1	47.7
1970	10.7	.0	.0	.0	.1	.5	2.7	5.6	11.0	19.6	24.9	30.4	34.8	34.3	39.2	56.3	48.1	44.8	39.4
1971	11.2	.1	.0	.0	.0	.2	3.1	5.5	14.0	19.5	25.9	28.8	33.1	43.4	46.4	51.5	44.9	46.2	38.2
1972	9.5	.0	.0	.0	.1	.6	2.1	8.0	13.6	16.6	22.5	23.9	28.8	28.3	36.9	48.1	37.4	32.1	31.7
1973	10.2	.0	.0	.0	.0	.4	2.1	6.4	10.5	16.4	23.9	30.4	27.2	38.3	35.3	52.7	50.3	44.6	37.5
1974	9.3	.0	.0	.0	.0	.7	2.5	5.1	12.5	15.7	19.0	22.9	30.7	32.0	32.1	47.1	41.6	38.1	49.0
1975	8.8	.0	.0	.0	.0	.3	1.8	4.5	8.5	15.0	20.6	25.2	24.5	32.7	26.7	41.8	48.6	42.0	40.9
1976	8.4	.0	.0	.0	.0	.6	1.4	4.9	6.4	14.2	14.2	28.6	27.0	28.9	28.0	35.8	46.5	49.6	35.8
1977	8.0	.0	.0	.0	.0	.1	1.1	4.1	8.6	11.8	17.2	19.7	26.9	28.9	25.2	38.1	50.8	40.7	33.3

Number of Deaths


		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1450	1	0	0	3	8	38	84	160	201	226	203	160	127	107	67	34	13	18
1951	1448	1	0	0	2	10	34	67	155	215	195	208	178	133	108	53	50	23	16
1952	1510	1	1	0	1	8	29	80	166	181	237	230	183	129	119	78	30	19	18
1953	1557	0	0	0	0	5	37	91	118	216	217	265	175	128	136	79	50	20	20
1954	1573	0	0	0	0	10	33	79	138	220	226	243	178	162	112	81	42	26	23
1955	1696	1	0	0	0	12	40	74	165	208	249	276	210	138	145	80	57	22	19
1956	1739	0	0	0	0	4	30	87	167	196	256	233	227	167	161	93	68	33	17
1957	1673	0	0	0	0	6	29	87	135	201	228	274	232	150	134	94	51	27	25
1958	1663	0	0	0	1	5	31	92	153	178	219	254	209	163	160	83	60	32	23
1959	1645	0	0	0	2	5	35	65	161	187	233	209	236	137	169	87	61	30	28
1960	1668	0	0	1	1	4	28	97	148	184	230	228	199	175	165	96	52	35	25
1961	1730	0	0	0	3	7	25	70	142	182	222	238	195	222	183	107	68	38	28
1962	1668	0	0	0	0	6	29	77	148	201	195	254	190	193	143	99	73	33	27
1963	1702	1	0	0	1	3	34	80	129	191	205	218	218	222	158	112	70	35	25
1964	1641	0	0	0	1	5	20	61	111	178	209	223	180	216	180	115	64	48	30
1965	1661	0	0	0	0	4	26	84	138	170	197	193	199	187	183	130	90	35	25
1966	1684	0	0	0	0	6	28	64	131	178	205	197	196	186	184	129	94	49	37
1967	1577	0	0	1	0	5	29	63	102	182	185	200	168	185	162	122	78	48	47
1968	1560	0	0	0	0	6	25	63	104	154	193	192	203	207	170	102	67	37	37
1969	1500	0	0	0	0	3	19	51	108	154	192	182	208	174	184	89	64	41	31
1970	1412	0	0	0	1	6	24	44	82	145	168	178	176	149	147	144	77	43	28
1971	1503	1	0	0	0	2	28	45	105	145	178	174	165	197	175	136	75	48	29
1972	652	0	0	0	1	4	10	34	52	62	78	75	72	66	73	62	32	18	13
1973	1428	0	0	0	0	5	21	57	81	124	167	198	136	183	147	136	86	54	33
1974	1332	0	0	0	0	10	27	47	98	120	134	152	158	155	141	122	72	48	48
1975	1278	0	0	0	0	4	20	43	68	114	149	168	133	158	124	109	88	55	45
1976	1253	0	0	0	0	8	17	48	53	109	103	195	152	138	137	95	87	68	43
1977	1212	0	0	0	0	2	14	43	74	92	126	136	157	139	128	107	93	57	44


Percent of All Deaths

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.8	-	.0	.0	.3	.5	1.7	3.0	4.2	4.2	4.0	2.9	2.3	1.8	1.5	1.1	.8	.5	.5
1951	1.8	-	.0	.0	.2	.6	1.5	2.6	4.3	4.5	3.6	2.8	2.6	1.9	1.4	.9	1.1	.7	.4
1952	1.9	-	.2	.0	.1	.5	1.5	2.9	4.7	4.0	4.4	3.1	2.6	1.8	1.5	1.2	.7	.6	.5
1953	1.9	.0	.0	.0	.0	.4	2.1	3.7	3.6	4.8	4.1	3.6	2.5	1.8	1.7	1.2	1.0	.6	.5
1954	2.0	.0	.0	.0	.0	.9	2.0	3.3	4.5	5.1	4.5	3.4	2.7	2.3	1.5	1.3	.9	.8	.7
1955	2.1	-	.0	.0	.0	1.1	2.5	3.3	5.4	5.1	5.0	4.2	3.0	1.9	1.8	1.2	1.1	.6	.5
1956	2.1	.0	.0	.0	.0	.4	2.0	3.8	5.4	4.7	4.9	3.7	2.9	2.2	2.0	1.3	1.3	.9	.4
1957	1.9	.0	.0	.0	.0	.6	1.9	3.7	4.2	4.9	4.2	4.0	2.9	1.9	1.5	1.2	.9	.7	.6
1958	1.9	.0	.0	.0	.2	.5	2.1	3.9	5.0	4.5	4.2	3.8	2.6	2.0	1.8	1.0	1.0	.8	.5
1959	1.9	.0	.0	.0	.3	.5	2.6	2.9	5.3	4.7	4.6	3.3	3.0	1.7	1.9	1.1	1.0	.7	.6
1960	1.8	.0	.0	.2	.2	.4	1.9	4.3	4.7	4.5	4.4	3.5	2.5	1.9	1.7	1.1	.8	.8	.5
1961	1.9	.0	.0	.0	.4	.7	1.9	3.2	4.6	4.5	4.5	3.7	2.6	2.3	2.0	1.2	1.0	.8	.5
1962	1.8	.0	.0	.0	.0	.6	2.1	3.6	4.5	4.8	3.9	3.8	2.5	1.9	1.4	1.0	1.0	.6	.5
1963	1.7	-	.0	.0	.1	.3	2.3	3.7	3.9	4.3	4.0	3.1	2.7	2.1	1.5	1.1	.9	.6	.4
1964	1.7	.0	.0	.0	.1	.5	1.4	2.9	3.4	4.2	4.1	3.2	2.4	2.1	1.8	1.2	.8	.9	.5
1965	1.7	.0	.0	.0	.0	.4	1.9	4.0	4.3	3.8	3.8	2.9	2.6	1.9	1.7	1.3	1.2	.6	.4
1966	1.7	.0	.0	.0	.0	.5	2.0	3.0	4.1	4.0	3.7	3.0	2.5	1.9	1.6	1.3	1.1	.8	.5
1967	1.6	.0	.0	.2	.0	.4	2.0	3.0	3.2	4.3	3.5	3.0	2.1	2.0	1.4	1.2	.9	.8	.7
1968	1.5	.0	.0	.0	.0	.4	1.6	2.9	3.2	3.3	3.4	2.8	2.4	2.1	1.3	.9	.7	.5	.5
1969	1.5	.0	.0	.0	.0	.2	1.2	2.4	3.5	3.5	3.4	2.7	2.5	1.8	1.5	.8	.7	.6	.4
1970	1.4	.0	.0	.0	.1	.4	1.5	2.2	2.7	3.3	3.0	2.6	2.1	1.6	1.2	1.3	.8	.6	.3
1971	1.5	-	.0	.0	.0	.1	1.7	2.1	3.5	3.5	3.2	2.6	2.1	2.0	1.6	1.1	.8	.7	.3
1972	1.3	.0	.0	.0	.2	.5	1.2	3.3	3.8	3.0	2.8	2.2	1.9	1.3	1.3	1.0	.7	.5	.3
1973	1.4	.0	.0	.0	.0	.3	1.3	2.8	3.0	3.1	3.0	2.8	1.7	1.8	1.3	1.0	.8	.7	.3
1974	1.3	.0	.0	.0	.0	.6	1.6	2.4	4.0	3.2	2.7	2.3	2.2	1.6	1.3	.9	.7	.6	.5
1975	1.3	.0	.0	.0	.0	.3	1.2	2.4	2.9	3.5	3.1	2.8	1.8	1.7	1.1	.9	.8	.7	.4
1976	1.2	.0	.0	.0	.0	.5	1.0	2.7	2.4	3.3	2.3	3.1	2.1	1.5	1.3	.8	.8	.8	.4
1977	1.2	.0	.0	.0	.0	.1	.8	2.5	3.4	2.9	2.9	2.2	2.1	1.5	1.2	.9	.8	.6	.4


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths







Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	0	0.00	0.00	0.00	980	1.44	1.51	1.03	0	0.00	0.00	0.00	80	0.99	1.36	0.92
1951	0	0.00	0.00	0.00	953	1.38	1.42	0.98	0	0.00	0.00	0.00	87	1.05	1.47	1.02
1952	0	0.00	0.00	0.00	1015	1.44	1.48	1.02	0	0.00	0.00	0.00	97	1.14	1.59	1.10
1953	0	0.00	0.00	0.00	1103	1.54	1.56	1.09	0	0.00	0.00	0.00	107	1.23	1.71	1.19
1954	0	0.00	0.00	0.00	1052	1.44	1.45	1.02	0	0.00	0.00	0.00	91	1.02	1.42	0.99
1955	0	0.00	0.00	0.00	1062	1.43	1.42	1.01	0	0.00	0.00	0.00	99	1.08	1.49	1.05
1956	0	0.00	0.00	0.00	1027	1.36	1.35	0.97	0	0.00	0.00	0.00	109	1.16	1.60	1.09
1957	0	0.00	0.00	0.00	1122	1.46	1.43	1.03	0	0.00	0.00	0.00	131	1.36	1.88	1.30
1958	0	0.00	0.00	0.00	1116	1.43	1.39	1.02	0	0.00	0.00	0.00	127	1.29	1.76	1.22
1959	0	0.00	0.00	0.00	1138	1.43	1.38	1.03	0	0.00	0.00	0.00	123	1.21	1.68	1.20
1960	0	0.00	0.00	0.00	1252	1.55	1.49	1.11	0	0.00	0.00	0.00	121	1.14	1.58	1.09
1961	0	0.00	0.00	0.00	1266	1.54	1.47	1.10	0	0.00	0.00	0.00	155	1.43	2.00	1.39
1962	0	0.00	0.00	0.00	1298	1.56	1.47	1.11	0	0.00	0.00	0.00	169	1.52	2.09	1.48
1963	0	0.00	0.00	0.00	1267	1.50	1.40	1.06	0	0.00	0.00	0.00	178	1.56	2.07	1.49
1964	0	0.00	0.00	0.00	1407	1.64	1.53	1.16	0	0.00	0.00	0.00	163	1.40	1.90	1.35
1965	0	0.00	0.00	0.00	1489	1.72	1.58	1.20	0	0.00	0.00	0.00	191	1.60	2.15	1.53
1966	0	0.00	0.00	0.00	1641	1.87	1.70	1.30	0	0.00	0.00	0.00	229	1.88	2.51	1.75
1967	0	0.00	0.00	0.00	1498	1.69	1.52	1.16	0	0.00	0.00	0.00	245	1.97	2.57	1.81
1968	0	0.00	0.00	0.00	1521	1.70	1.51	1.16	0	0.00	0.00	0.00	235	1.86	2.47	1.72
1969	0	0.00	0.00	0.00	1623	1.79	1.58	1.21	0	0.00	0.00	0.00	228	1.77	2.31	1.63
1970	0	0.00	0.00	0.00	1724	1.89	1.65	1.26	0	0.00	0.00	0.00	218	1.65	2.14	1.54
1971	0	0.00	0.00	0.00	1829	1.98	1.71	1.32	0	0.00	0.00	0.00	237	1.76	2.28	1.59
1972	0	0.00	0.00	0.00	955	2.05	1.75	1.34	0	0.00	0.00	0.00	129	1.88	2.41	1.70
1973	0	0.00	0.00	0.00	1944	2.08	1.75	1.34	0	0.00	0.00	0.00	287	2.05	2.63	1.79
1974	0	0.00	0.00	0.00	1972	2.09	1.75	1.33	0	0.00	0.00	0.00	279	1.96	2.54	1.75
1975	0	0.00	0.00	0.00	2113	2.23	1.82	1.39	0	0.00	0.00	0.00	284	1.95	2.52	1.76
1976	0	0.00	0.00	0.00	2330	2.44	1.99	1.50	0	0.00	0.00	0.00	297	2.00	2.52	1.75
1977	0	0.00	0.00	0.00	2375	2.48	1.98	1.49	0	0.00	0.00	0.00	342	2.26	2.89	1.95

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Fundus and body of the uterus.
(ICD 172 [6th]; ICD 172 [7th]; ICD 182.0 [8th])

Age-specific Rates

White Females



Nonwhite Females



HULKA BS: Effect of exogenous estrogen on postmenopausal women: The epidemiologic evidence. Obstet Gynecol Surv 35:389-399, 1980

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	.0	.0	.0	.0	-	.0	.1	.4	.4	1.1	2.5	4.3	6.3	6.5	8.0	8.2	9.2	10.9
1951	1.4	.0	.0	.0	.0	.0	.1	.1	.2	.6	1.2	2.3	3.9	5.4	7.7	6.7	8.6	8.9	7.7
1952	1.4	.0	.0	.0	.0	-	.0	-	.3	.6	1.1	1.9	3.6	5.9	6.7	9.7	9.5	9.5	8.4
1953	1.5	.0	.0	.0	.0	-	-	.1	.2	.6	1.2	2.4	4.1	7.2	7.3	7.8	10.5	9.4	6.1
1954	1.4	.0	.0	.0	.0	-	.0	.1	.2	.4	.9	2.6	4.6	5.4	7.4	7.7	8.0	8.3	7.0
1955	1.4	.0	.0	.0	.0	.0	.1	-	.2	.2	1.0	2.2	3.6	6.6	7.1	8.2	8.1	7.9	6.9
1956	1.4	.0	.0	.0	.0	.0	.0	.1	.2	.4	.6	2.1	3.9	5.8	6.7	6.6	7.6	10.1	9.4
1957	1.5	-	.0	.0	.0	-	.0	-	.1	.2	.9	2.1	3.9	6.1	8.0	7.6	7.7	9.3	8.3
1958	1.4	.0	.0	.0	.0	-	-	.1	.2	.3	.7	2.0	4.0	5.6	7.0	7.9	9.3	8.8	7.1
1959	1.4	.0	.0	.0	.0	.0	-	.1	.2	.3	.8	1.8	3.4	5.6	8.0	7.9	8.7	8.8	6.9
1960	1.6	.0	.0	.0	.0	.0	-	.1	.1	.3	.7	2.0	3.8	6.8	8.2	8.7	8.4	9.0	9.9
1961	1.5	.0	.0	.0	.0	-	-	.1	.1	.4	1.0	1.9	3.0	6.6	8.0	8.6	8.3	9.9	10.2
1962	1.6	.0	.0	.0	.0	.0	.0	.2	.1	.3	.7	2.1	3.5	6.2	8.6	8.6	9.3	8.0	8.3
1963	1.5	.0	.0	-	.0	-	-	-	.1	.3	.6	1.7	3.2	5.8	7.6	9.6	9.2	9.4	6.0
1964	1.6	.0	.0	.0	.0	.0	-	-	.1	.3	.8	2.1	3.0	6.3	9.2	9.0	9.9	10.2	9.7
1965	1.7	.0	.0	.0	.0	.0	.0	.1	.2	.5	1.1	2.3	3.2	6.0	8.5	9.1	10.8	10.8	10.6
1966	1.9	.0	.0	.0	-	.0	-	-	.2	.5	1.0	1.8	4.1	7.0	8.9	11.1	11.8	9.6	10.4
1967	1.7	.0	.0	.0	.0	.0	.0	.1	.2	.3	.7	1.4	3.2	5.8	8.0	10.3	11.4	9.7	12.2
1968	1.7	.0	.0	.0	.0	-	-	.1	.1	.3	.9	1.7	3.7	5.3	8.2	9.6	12.0	8.3	10.8
1969	1.8	.0	.0	.0	-	.0	-	-	.1	.4	.9	1.8	3.6	5.2	8.9	10.1	12.3	11.1	10.0
1970	1.9	.0	.0	.0	.0	-	.0	-	.2	.4	.9	2.0	3.5	6.4	8.7	10.7	11.6	11.0	10.2
1971	2.0	.0	.0	.0	.0	.0	-	.1	.2	.5	.8	2.1	3.4	6.5	8.9	11.4	12.8	11.0	11.9
1972	2.1	.0	.0	.0	.0	.0	.1	-	.1	.4	1.2	2.0	3.3	6.0	9.0	11.6	15.1	11.2	11.8
1973	2.1	-	.0	.0	.0	-	-	.1	.2	.4	.9	1.7	4.0	6.9	9.0	11.1	12.5	13.2	12.3
1974	2.1	.0	.0	-	.0	-	.0	-	.2	.4	1.0	1.9	4.0	6.9	8.8	11.1	12.8	12.0	12.3
1975	2.2	.0	.0	.0	.0	.0	-	-	.2	.2	.9	2.0	4.2	6.6	8.8	12.3	13.9	14.0	14.0
1976	2.4	.0	.0	.0	.0	.0	-	.1	.2	.5	.7	2.2	5.0	8.0	9.8	11.3	15.3	16.3	12.0
1977	2.5	.0	.0	.0	.0	.0	.0	-	.1	.4	.9	2.1	4.4	7.8	10.5	12.4	14.3	15.2	14.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	980	0	0	0	0	1	0	5	19	20	46	96	146	178	155	135	89	55	35
1951	953	0	0	0	0	0	3	3	8	26	52	86	133	158	188	117	98	55	26
1952	1015	0	0	0	0	1	0	2	14	29	46	73	126	177	169	175	112	61	30
1953	1103	0	0	0	0	1	1	4	8	27	52	93	144	223	189	147	128	63	23
1954	1052	0	0	0	0	1	0	3	10	22	43	103	163	171	197	151	102	58	28
1955	1062	0	0	0	0	0	3	2	13	12	48	87	131	213	192	168	106	58	29
1956	1027	0	0	0	0	0	0	3	9	22	26	85	142	193	186	140	103	77	41
1957	1122	1	0	0	0	2	0	2	6	12	44	88	145	206	228	167	109	74	38
1958	1116	0	0	0	0	2	1	4	9	18	32	83	152	190	205	178	136	72	34
1959	1138	0	0	0	0	0	1	5	10	18	41	76	131	192	239	183	133	74	35
1960	1252	0	0	0	0	0	1	4	5	15	34	87	148	234	251	207	134	79	53
1961	1266	0	0	0	0	2	1	3	4	24	51	84	122	227	251	212	138	91	56
1962	1298	0	0	0	0	0	0	8	7	17	33	97	145	216	272	220	159	77	47
1963	1267	0	0	1	0	1	1	1	6	18	30	81	136	205	243	253	162	94	35
1964	1407	0	0	0	0	0	2	1	7	18	43	99	129	224	294	244	180	107	59
1965	1489	0	0	0	0	0	0	4	11	26	59	110	144	219	277	251	202	119	67
1966	1641	0	0	0	2	0	1	2	10	26	52	89	186	262	293	310	229	110	69
1967	1498	0	0	0	0	0	0	4	8	17	40	71	147	224	267	291	228	115	86
1968	1521	0	0	0	0	1	2	4	5	19	47	83	171	210	276	273	248	102	80
1969	1623	0	0	0	1	0	1	1	6	23	48	90	168	213	304	289	260	141	78
1970	1724	0	0	0	0	1	0	2	8	22	53	106	167	267	307	308	248	147	88
1971	1829	0	0	0	0	0	2	4	9	26	47	113	161	278	318	331	279	153	108
1972	955	0	0	0	0	0	3	1	2	11	34	54	80	130	167	170	166	81	56
1973	1944	1	0	0	0	1	3	4	12	18	50	95	191	301	342	330	274	199	123
1974	1972	0	0	1	0	1	0	2	8	18	55	107	194	304	347	338	282	183	132
1975	2113	0	0	0	0	0	3	2	8	12	49	110	209	293	357	377	312	219	162
1976	2330	0	0	0	0	0	2	5	13	26	39	121	253	358	404	354	348	261	146
1977	2375	0	0	0	0	0	0	2	6	22	46	117	228	352	440	403	329	249	181

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	-	.0	.1	.2	.1	.3	.4	.4	.4	.3	.2	.1	.1	.1
1951	.2	.0	.0	.0	.0	.0	.1	-	.1	.2	.3	.3	.4	.3	.3	.2	.1	.1	-
1952	.2	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.3	.4	.4	.3	.2	.1	.1	-
1953	.2	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.4	.4	.5	.3	.2	.2	.1	-
1954	.2	.0	.0	.0	.0	-	.0	.1	.1	.2	.2	.4	.5	.4	.3	.2	.1	.1	-
1955	.2	.0	.0	.0	.0	.0	.1	-	.2	.1	.3	.4	.4	.5	.3	.2	.1	.1	-
1956	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.1	.4	.4	.4	.3	.2	.1	.1	-
1957	.2	-	.0	.0	.0	.1	.0	-	.1	.1	.2	.4	.4	.4	.3	.2	.1	.1	-
1958	.2	.0	.0	.0	.0	.1	-	.1	.1	.1	.2	.3	.5	.4	.3	.2	.1	.1	-
1959	.2	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.4	.4	.4	.2	.1	.1	-
1960	.2	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.4	.5	.5	.4	.2	.1	.1	.1
1961	.2	.0	.0	.0	.0	.1	-	.1	-	.2	.3	.3	.4	.5	.4	.2	.1	.1	.1
1962	.2	.0	.0	.0	.0	.0	.0	.2	.1	.1	.2	.4	.4	.5	.4	.3	.2	.1	-
1963	.2	.0	.0	-	.0	-	-	-	.1	.1	.2	.3	.4	.4	.4	.3	.2	.1	-
1964	.2	.0	.0	.0	.0	.0	.1	-	.1	.1	.2	.4	.4	.5	.4	.3	.2	.1	.1
1965	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.3	.4	.4	.5	.4	.3	.2	.1	.1
1966	.2	.0	.0	.0	-	.0	-	-	.1	.2	.3	.3	.5	.6	.4	.3	.2	.1	.1
1967	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.4	.5	.4	.3	.2	.1	.1
1968	.2	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.3	.4	.4	.4	.3	.2	.1	.1
1969	.2	.0	.0	.0	-	.0	-	-	.1	.2	.2	.3	.4	.4	.5	.3	.2	.1	.1
1970	.2	.0	.0	.0	.0	-	.0	-	.1	.2	.3	.4	.4	.5	.5	.3	.2	.1	.1
1971	.2	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.4	.4	.5	.5	.4	.2	.1	.1
1972	.3	.0	.0	.0	.0	.0	.1	-	.1	.2	.3	.4	.4	.5	.5	.4	.3	.1	.1
1973	.3	-	.0	.0	.0	-	.1	.1	.2	.2	.3	.3	.5	.6	.5	.4	.2	.2	.1
1974	.3	.0	.0	-	.0	-	.0	-	.1	.2	.3	.4	.5	.6	.5	.4	.3	.1	.1
1975	.3	.0	.0	.0	.0	.0	.1	-	.1	.1	.3	.4	.6	.6	.5	.4	.3	.2	.1
1976	.3	.0	.0	.0	.0	.0	-	.1	.2	.3	.2	.4	.7	.7	.6	.4	.3	.2	.1
1977	.3	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.4	.6	.7	.6	.5	.3	.2	.1

Body of Uterus

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	.0	.0	.0	.0	.0	.0	.0	.5	1.5	1.5	4.6	4.2	4.5	5.5	8.6	4.8	.0	.0
1951	1.1	.0	.0	.0	.0	.0	.0	.2	.2	1.5	2.4	2.9	4.3	3.8	8.1	8.1	6.1	2.2	7.5
1952	1.1	.0	.0	.0	.0	.0	.0	.2	1.0	1.1	1.7	3.3	5.5	7.3	6.2	6.2	5.8	8.4	3.5
1953	1.2	.0	.0	.0	.0	.0	.1	.1	.8	1.1	1.5	4.7	4.9	3.9	9.1	5.1	8.4	8.1	19.6
1954	1.0	.0	.0	.0	.0	.0	.1	.0	.6	.9	1.7	3.1	4.7	6.3	5.5	4.2	10.4	2.0	6.1
1955	1.1	.0	.0	.0	.0	.0	.0	.1	.5	1.4	1.3	2.8	5.4	9.6	5.0	4.0	3.7	7.8	5.8
1956	1.2	.0	.0	.0	.0	.1	.0	.0	.3	1.5	1.6	3.7	5.5	5.7	6.9	4.5	8.0	7.8	11.2
1957	1.4	.0	.0	.0	.0	.0	.1	.3	.3	.5	2.0	3.9	6.9	7.4	7.9	11.7	8.5	5.8	2.7
1958	1.3	.0	.0	.0	.0	.0	.0	.0	.4	1.2	2.3	3.0	6.1	9.3	8.6	5.3	3.9	11.5	5.2
1959	1.2	.0	.0	.0	.0	.1	.0	.0	.6	.8	1.5	3.3	4.9	8.6	6.9	6.9	7.4	7.5	10.1
1960	1.1	.0	.0	.0	.0	.1	.0	.0	.3	.5	1.9	2.1	4.7	10.1	6.2	7.6	8.7	3.6	2.5
1961	1.4	.0	.0	.0	.0	.0	.0	.1	.0	.9	1.6	2.9	6.7	9.8	8.0	8.8	12.6	9.8	12.5
1962	1.5	.0	.0	.0	.0	.0	.0	.3	.4	.5	1.2	4.0	5.9	10.9	10.0	10.8	8.1	13.6	7.3
1963	1.6	.0	.0	.0	.0	.0	.0	.1	.8	.6	1.6	5.7	8.0	10.0	8.3	8.9	9.4	2.9	4.7
1964	1.4	.0	.0	.0	.0	.0	.0	.0	.3	.4	1.4	3.1	6.2	9.8	10.1	7.2	9.2	6.8	15.6
1965	1.6	.0	.0	.0	.0	.0	.0	.1	.3	.6	1.0	2.8	6.3	10.1	15.4	7.9	8.8	16.9	8.2
1966	1.9	.0	.0	.0	.0	.1	.1	.4	.0	.4	2.1	3.7	6.3	13.1	14.2	14.9	7.1	13.8	11.3
1967	2.0	.0	.0	.0	.0	.0	.0	.1	.8	.6	1.8	3.1	9.3	11.4	15.9	14.6	8.2	10.7	10.5
1968	1.9	.0	.0	.0	.0	.0	.0	.0	.0	.3	.6	2.1	6.7	12.4	16.7	13.9	15.1	10.3	14.8
1969	1.8	.0	.0	.0	.0	.0	.0	.3	.3	.4	1.4	3.3	7.4	9.2	13.3	11.7	14.1	9.9	13.8
1970	1.7	.0	.0	.0	.1	.0	.1	.1	.3	.4	1.6	2.7	6.3	9.2	9.6	16.0	10.0	9.4	12.7
1971	1.8	.0	.0	.0	.0	.0	.0	.0	.4	.7	1.9	2.6	6.4	9.3	11.4	18.2	10.8	14.4	2.6
1972	1.9	.0	.0	.0	.0	.0	.0	.0	.5	.0	.9	3.2	6.0	10.7	17.7	20.9	7.0	7.1	4.9
1973	2.0	.0	.0	.0	.0	.0	.0	.0	.3	.1	1.6	2.8	5.4	14.9	14.6	19.4	12.9	12.4	10.2
1974	2.0	.0	.0	.0	.0	.1	.0	.0	.3	.1	1.1	2.0	7.8	11.2	12.5	22.8	14.5	12.7	5.1
1975	1.9	.0	.0	.0	.0	.0	.0	.0	.0	.1	.8	2.7	6.3	11.0	12.5	23.0	17.1	10.7	8.2
1976	2.0	.0	.0	.0	.0	.1	.1	.0	.1	.0	1.4	2.0	6.8	14.0	12.7	15.8	16.6	13.1	10.0
1977	2.3	.0	.0	.0	.1	.0	.0	.0	.2	.4	.7	1.7	5.0	13.3	12.8	24.9	26.8	19.3	11.4


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	80	0	0	0	0	0	0	0	3	8	7	17	11	9	12	10	3	0	0
1951	87	0	0	0	0	0	0	1	1	8	11	11	12	8	18	10	4	1	2
1952	97	0	0	0	0	0	0	1	6	6	8	13	16	16	14	8	4	4	1
1953	107	0	0	0	0	0	1	1	5	6	7	19	15	9	21	7	6	4	6
1954	91	0	0	0	0	0	1	0	4	5	8	13	15	15	13	6	8	1	2
1955	99	0	0	0	0	0	0	1	3	8	6	12	18	24	12	6	3	4	2
1956	109	0	0	0	0	1	0	0	2	9	8	16	19	15	17	7	7	4	4
1957	131	0	0	0	0	0	1	2	2	3	10	17	25	20	20	19	8	3	1
1958	127	0	0	0	0	0	0	0	3	7	12	13	23	26	22	9	4	6	2
1959	123	0	0	0	0	1	0	0	4	5	8	15	19	25	18	12	8	4	4
1960	121	0	0	0	0	1	0	0	2	3	11	10	19	31	17	14	10	2	1
1961	155	0	0	0	0	0	0	1	0	6	9	14	28	31	23	17	15	6	5
1962	169	0	0	0	0	0	0	2	3	3	7	20	25	35	30	22	10	9	3
1963	178	0	0	0	0	0	0	1	6	4	9	29	35	33	26	19	12	2	2
1964	163	0	0	0	0	0	0	0	2	3	8	16	28	33	33	16	12	5	7
1965	191	0	0	0	0	0	0	1	2	4	6	15	29	35	52	18	12	13	4
1966	229	0	0	0	0	1	1	3	0	3	13	20	30	47	49	35	10	11	6
1967	245	0	0	0	0	0	0	1	6	4	11	17	45	43	56	35	12	9	6
1968	235	0	0	0	0	0	0	0	0	2	4	12	33	49	60	34	23	9	9
1969	228	0	0	0	0	0	0	2	2	3	9	19	37	38	49	29	22	9	9
1970	218	0	0	0	1	0	1	1	2	3	11	16	32	40	36	41	16	9	9
1971	237	0	0	0	0	0	0	0	3	5	13	16	32	42	43	48	18	15	2
1972	129	0	0	0	0	0	0	0	2	0	3	10	15	25	35	27	6	4	2
1973	287	0	0	0	0	0	0	0	2	1	11	18	27	71	61	50	22	15	9
1974	279	0	0	0	0	1	0	0	2	1	8	13	40	54	55	59	25	16	5
1975	284	0	0	0	0	0	0	0	0	1	6	18	34	53	58	60	31	14	9
1976	297	0	0	0	0	1	1	0	1	0	10	14	38	67	62	42	31	18	12
1977	342	0	0	0	1	0	0	0	2	3	5	12	29	64	65	70	49	27	15

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.2	.2	.1	.2	.2	.1	.0	.0
1951	.1	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.1	.2	.1	.2	.2	.1	-	.1
1952	.1	.0	.0	.0	.0	.0	.0	-	.2	.1	.1	.2	.2	.2	.2	.1	.1	.1	-
1953	.1	.0	.0	.0	.0	.0	.1	-	.2	.1	.1	.3	.2	.1	.3	.1	.1	.1	.2
1954	.1	.0	.0	.0	.0	.0	.1	.0	.1	.1	.2	.2	.2	.2	.2	.1	.2	-	.1
1955	.1	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.2	.3	.3	.1	.1	.1	.1	.1
1956	.1	.0	.0	.0	.0	.1	.0	.0	.1	.2	.2	.3	.2	.2	.2	.1	.1	.1	.1
1957	.1	.0	.0	.0	.0	.0	.1	.1	.1	.1	.2	.3	.3	.2	.2	.2	.1	.1	-
1958	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.2	.3	.3	.2	.1	.1	.1	-
1959	.1	.0	.0	.0	.0	.1	.0	.0	.1	.1	.2	.2	.2	.3	.2	.2	.1	.1	.1
1960	.1	.0	.0	.0	.0	.1	.0	.0	.1	.1	.2	.2	.2	.3	.2	.2	.1	-	-
1961	.2	.0	.0	.0	.0	.0	.0	-	.0	.1	.2	.2	.4	.3	.2	.2	.2	.1	.1
1962	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.3	.3	.3	.3	.2	.1	.2	.1
1963	.2	.0	.0	.0	.0	.0	.0	-	.2	.1	.2	.4	.4	.3	.2	.2	.2	-	-
1964	.2	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.3	.3	.2	.2	.1	.1
1965	.2	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.4	.4	.5	.2	.2	.2	.1
1966	.2	.0	.0	.0	.0	.1	.1	.1	.0	.1	.2	.3	.4	.5	.4	.3	.1	.2	.1
1967	.3	.0	.0	.0	.0	.0	.0	-	.2	.1	.2	.3	.6	.5	.5	.3	.1	.1	.1
1968	.2	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.4	.5	.5	.3	.2	.1	.1
1969	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.4	.4	.4	.3	.2	.1	.1
1970	.2	.0	.0	.0	.1	.0	.1	.1	.1	.1	.2	.2	.4	.4	.3	.4	.2	.1	.1
1971	.2	.0	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.4	.4	.4	.2	.2	-
1972	.2	.0	.0	.0	.0	.0	.0	.0	.1	.0	.1	.3	.4	.5	.6	.4	.1	.1	-
1973	.3	.0	.0	.0	.0	.0	.0	.0	.1	-	.2	.3	.3	.7	.5	.4	.2	.2	.1
1974	.3	.0	.0	.0	.0	.1	.0	.0	.1	-	.2	.2	.5	.5	.5	.5	.3	.2	-
1975	.3	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	.3	.5	.6	.5	.5	.3	.2	.1
1976	.3	.0	.0	.0	.0	.1	.1	.0	-	.0	.2	.2	.5	.7	.6	.4	.3	.2	.1
1977	.3	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	.2	.4	.7	.6	.6	.4	.3	.1

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	0	0.00	0.00	0.00	5329	7.83	7.88	5.39	0	0.00	0.00	0.00	323	3.99	5.12	3.46
1951	0	0.00	0.00	0.00	5595	8.08	8.07	5.57	0	0.00	0.00	0.00	332	4.01	5.01	3.48
1952	0	0.00	0.00	0.00	5898	8.38	8.34	5.76	0	0.00	0.00	0.00	379	4.47	5.65	3.91
1953	0	0.00	0.00	0.00	6100	8.52	8.43	5.87	0	0.00	0.00	0.00	383	4.41	5.56	3.89
1954	0	0.00	0.00	0.00	6408	8.80	8.67	6.11	0	0.00	0.00	0.00	430	4.83	6.09	4.25
1955	0	0.00	0.00	0.00	6620	8.93	8.75	6.21	0	0.00	0.00	0.00	440	4.82	5.96	4.19
1956	0	0.00	0.00	0.00	6755	8.96	8.75	6.27	0	0.00	0.00	0.00	485	5.18	6.58	4.50
1957	0	0.00	0.00	0.00	7081	9.22	8.97	6.47	0	0.00	0.00	0.00	486	5.06	6.41	4.45
1958	0	0.00	0.00	0.00	7071	9.06	8.77	6.45	0	0.00	0.00	0.00	507	5.15	6.46	4.48
1959	0	0.00	0.00	0.00	7355	9.26	8.93	6.65	0	0.00	0.00	0.00	545	5.38	6.86	4.91
1960	0	0.00	0.00	0.00	7496	9.28	8.89	6.64	0	0.00	0.00	0.00	550	5.20	6.61	4.58
1961	0	0.00	0.00	0.00	7525	9.17	8.75	6.57	0	0.00	0.00	0.00	591	5.44	6.93	4.82
1962	0	0.00	0.00	0.00	7726	9.27	8.81	6.65	0	0.00	0.00	0.00	614	5.52	7.07	5.01
1963	0	0.00	0.00	0.00	7912	9.36	8.86	6.69	0	0.00	0.00	0.00	595	5.23	6.60	4.74
1964	0	0.00	0.00	0.00	7961	9.29	8.75	6.68	0	0.00	0.00	0.00	610	5.23	6.52	4.63
1965	0	0.00	0.00	0.00	8281	9.54	8.93	6.79	0	0.00	0.00	0.00	652	5.48	6.88	4.87
1966	0	0.00	0.00	0.00	8485	9.67	8.97	6.85	0	0.00	0.00	0.00	678	5.58	7.00	4.90
1967	0	0.00	0.00	0.00	8511	9.59	8.84	6.74	0	0.00	0.00	0.00	657	5.29	6.63	4.67
1968	0	0.00	0.00	0.00	8761	9.78	8.93	6.83	0	0.00	0.00	0.00	728	5.75	7.24	5.05
1969	0	0.00	0.00	0.00	9057	10.01	9.08	6.99	0	0.00	0.00	0.00	731	5.66	7.06	5.00
1970	0	0.00	0.00	0.00	9214	10.08	9.06	6.94	0	0.00	0.00	0.00	742	5.63	6.96	5.01
1971	0	0.00	0.00	0.00	9221	9.99	8.93	6.87	0	0.00	0.00	0.00	756	5.61	6.97	4.84
1972	0	0.00	0.00	0.00	4693	10.09	8.95	6.83	0	0.00	0.00	0.00	392	5.70	7.13	5.03
1973	0	0.00	0.00	0.00	9212	9.84	8.66	6.65	0	0.00	0.00	0.00	789	5.63	7.04	4.78
1974	0	0.00	0.00	0.00	9536	10.13	8.85	6.74	0	0.00	0.00	0.00	799	5.60	6.92	4.76
1975	0	0.00	0.00	0.00	9710	10.25	8.83	6.75	0	0.00	0.00	0.00	755	5.18	6.40	4.47
1976	0	0.00	0.00	0.00	10029	10.52	8.95	6.75	0	0.00	0.00	0.00	841	5.65	7.03	4.86
1977	0	0.00	0.00	0.00	9862	10.28	8.65	6.50	0	0.00	0.00	0.00	790	5.21	6.41	4.33

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Broad ligament, fallopian tube, ovary, oviduct, and uterine ligament.
(ICD 175 [6th]; ICD 175–175.9 [7th]; ICD 183–183.9 [8th])

Age-specific Rates

White Females



Nonwhite Females



CAMPBELL H: The epidemiology of ovarian cancer. *In* Gynecological Malignancy: Clinical and Experimental Studies (Brush MG, Taylor RW, eds). Baltimore: Williams & Wilkins, 1975, pp 111-132

LINGEMAN CH: Etiology of cancer of the human ovary: A review. JNCI 53:1603-1618, 1974

MUIR CS, NECTOUX J: Ovarian cancer. Some epidemiological features. World Health Stat Rep 31:51-61, 1978

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7.8	-	.1	.4	.5	.5	.8	1.4	3.8	8.0	13.5	19.9	23.8	27.8	25.6	30.6	29.7	26.0	24.1
1951	8.1	-	-	.3	.6	.6	.9	1.7	3.7	8.2	14.2	19.6	24.5	26.0	29.6	30.9	30.3	29.4	20.7
1952	8.4	.1	.1	.2	.3	.6	.9	1.8	3.3	7.4	13.1	20.1	25.8	28.3	30.8	34.0	34.1	29.8	26.5
1953	8.5	-	-	.1	.3	.5	.7	1.6	3.5	8.3	13.2	21.5	24.5	29.7	30.3	33.3	34.3	33.6	23.9
1954	8.8	.1	-	.2	.5	.6	.8	1.3	3.9	8.2	14.2	20.4	24.4	30.2	31.3	35.8	35.0	38.4	24.4
1955	8.9	-	.1	.2	.4	.7	.7	1.4	3.7	8.1	14.1	20.2	26.2	29.6	34.2	33.8	38.4	30.5	30.8
1956	9.0	.1	.1	.3	.3	.4	.7	1.7	3.4	7.4	13.7	22.1	24.8	29.8	32.8	35.2	34.9	39.6	32.2
1957	9.2	-	.1	.2	.5	.4	1.1	1.5	3.5	7.4	14.4	22.4	27.2	31.0	34.2	34.2	34.6	35.3	33.5
1958	9.1	.0	.1	.3	.5	.5	.8	1.4	3.3	8.1	13.8	20.3	26.0	30.4	33.2	34.5	36.1	39.0	30.4
1959	9.3	-	.1	.2	.5	.5	.8	1.6	3.3	7.5	13.8	20.8	26.3	31.0	35.2	35.6	35.7	38.2	33.3
1960	9.3	-	.1	.2	.5	.4	.7	1.2	3.4	8.0	14.3	19.9	26.8	30.0	34.8	38.0	38.2	35.2	27.0
1961	9.2	.1	-	.2	.3	.4	.6	.9	3.3	7.3	15.2	20.1	23.8	30.9	36.5	36.1	36.2	31.8	31.9
1962	9.3	-	.1	.3	.5	.5	.8	1.4	3.4	7.6	14.1	20.5	24.3	30.4	33.6	36.0	37.4	40.0	33.7
1963	9.4	-	.1	.4	.5	.6	.8	1.3	3.3	6.6	13.8	20.1	24.1	31.9	36.1	36.9	39.6	34.6	31.7
1964	9.3	-	.1	.2	.4	.6	.7	1.3	3.3	6.8	13.7	20.1	25.0	31.0	35.1	34.8	38.2	39.5	29.4
1965	9.5	-	.1	.2	.4	.6	.6	1.5	2.9	7.0	13.8	20.0	25.7	30.9	36.0	37.1	39.1	37.4	36.5
1966	9.7	.1	-	.3	.2	.5	.7	1.3	3.3	6.7	14.4	21.1	24.8	29.9	36.0	38.5	39.0	40.4	35.9
1967	9.6	.1	.1	.2	.5	.5	.7	1.4	3.2	6.7	13.9	19.0	26.5	30.3	34.8	38.4	37.7	39.1	33.9
1968	9.8	-	.1	.3	.3	.5	.5	1.3	3.3	7.7	13.8	20.0	24.0	31.0	34.1	39.7	41.5	38.4	36.8
1969	10.0	-	.0	.2	.4	.4	.6	1.2	3.3	7.2	13.6	21.8	26.0	29.6	35.7	38.1	42.4	41.6	36.9
1970	10.1	-	-	.2	.2	.4	.6	1.0	3.2	6.7	13.1	19.8	26.1	31.0	36.0	42.2	43.6	39.1	36.0
1971	10.0	.0	-	.2	.2	.6	.5	1.1	2.4	6.6	13.4	19.4	25.1	32.0	36.9	36.7	46.1	38.7	35.7
1972	10.1	.0	.1	.2	.3	.4	.6	1.2	2.6	6.5	13.1	19.3	26.1	30.7	34.9	41.4	42.7	42.5	36.6
1973	9.8	-	-	.1	.3	.3	.5	1.0	2.6	6.5	12.8	19.0	25.4	29.9	35.1	36.6	44.2	38.1	35.0
1974	10.1	-	-	.2	.2	.4	.6	.9	2.9	7.1	12.7	19.3	26.0	32.0	34.7	37.2	42.1	42.2	34.9
1975	10.2	-	-	.1	.3	.4	.5	.9	2.4	5.8	12.9	19.3	25.1	30.2	35.2	40.9	43.0	44.9	38.2
1976	10.5	.0	.1	.1	.3	.2	.4	1.1	2.5	5.5	12.0	19.0	25.2	30.9	36.7	41.3	46.5	49.3	37.2
1977	10.3	-	-	.1	.1	.4	.5	.9	1.9	4.5	10.9	18.0	25.0	33.1	35.1	39.7	44.6	45.7	39.7

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5329	1	7	19	24	24	44	72	193	369	555	752	801	788	610	515	322	156	77
1951	5595	2	2	13	29	28	49	92	192	386	596	746	843	757	727	537	344	182	70
1952	5898	5	4	10	15	31	47	100	174	354	564	765	902	850	774	614	403	191	95
1953	6100	1	2	8	15	26	38	88	184	404	583	828	863	920	782	624	420	224	90
1954	6408	4	3	14	22	28	42	75	209	403	646	797	868	958	830	700	444	268	97
1955	6620	1	6	12	19	32	39	81	196	403	655	799	943	961	927	690	504	223	129
1956	6755	4	4	15	16	20	38	92	186	375	648	892	907	987	909	745	473	303	141
1957	7081	3	5	15	24	18	54	85	194	378	690	928	1004	1039	975	746	488	281	154
1958	7071	0	4	18	25	22	40	78	187	421	672	858	977	1024	975	776	528	320	146
1959	7355	4	6	11	29	26	40	88	189	395	677	904	1008	1055	1057	828	547	323	168
1960	7496	2	5	18	28	17	33	62	196	424	713	882	1050	1029	1068	909	609	307	144
1961	7525	5	4	19	18	22	29	49	189	397	763	913	954	1067	1138	893	598	291	176
1962	7726	4	10	20	30	24	38	73	190	417	713	949	1003	1058	1060	922	640	384	191
1963	7912	3	7	27	33	34	39	65	186	370	707	943	1025	1123	1149	972	697	347	185
1964	7961	3	8	16	26	33	32	66	178	382	708	955	1090	1106	1127	941	695	416	179
1965	8281	4	5	19	32	35	32	72	157	397	725	965	1145	1127	1167	1023	733	411	232
1966	8485	8	4	22	19	29	37	64	172	382	764	1029	1126	1116	1180	1076	756	462	239
1967	8511	4	5	17	36	31	36	66	165	377	755	940	1218	1168	1153	1083	754	464	239
1968	8761	1	5	23	26	33	29	62	169	428	758	1004	1114	1234	1147	1128	856	472	272
1969	9057	3	0	18	34	30	33	59	162	394	757	1114	1215	1211	1224	1088	896	530	289
1970	9214	1	3	21	18	29	36	50	160	362	736	1028	1232	1297	1262	1218	929	521	311
1971	9221	0	3	16	17	43	33	59	117	351	746	1025	1194	1363	1322	1069	1002	537	324
1972	4693	0	2	7	13	15	19	32	63	171	361	522	623	664	646	606	468	307	174
1973	9212	1	1	11	26	23	37	57	128	333	702	1045	1221	1308	1339	1091	966	573	350
1974	9536	2	2	13	19	28	44	53	145	356	687	1068	1268	1413	1362	1127	929	646	374
1975	9710	1	3	10	28	33	34	57	124	286	688	1069	1245	1340	1424	1257	968	701	442
1976	10029	0	4	7	29	20	33	67	133	272	631	1054	1274	1385	1517	1297	1060	792	454
1977	9862	1	3	5	13	30	37	59	106	221	563	986	1296	1489	1475	1294	1025	746	513


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	-	.3	1.0	.8	.6	.8	1.1	2.0	2.8	3.1	3.0	2.4	1.7	1.0	.7	.4	.2	.1
1951	1.0	-	.1	.7	1.0	.7	.9	1.4	2.0	2.9	3.3	2.9	2.5	1.6	1.2	.7	.4	.3	.1
1952	1.1	-	.1	.5	.5	.9	.9	1.5	1.9	2.7	3.1	3.1	2.6	1.8	1.3	.8	.5	.3	.1
1953	1.1	-	.1	.4	.5	.8	.8	1.4	2.1	3.1	3.3	3.4	2.6	2.0	1.3	.8	.5	.3	.1
1954	1.2	-	.1	.7	.9	.9	1.0	1.3	2.5	3.3	3.7	3.4	2.7	2.1	1.4	.9	.6	.4	.1
1955	1.1	-	.2	.6	.7	1.1	1.0	1.4	2.4	3.3	3.8	3.5	3.0	2.1	1.5	.9	.6	.3	.2
1956	1.1	-	.1	.8	.6	.7	1.0	1.6	2.3	3.1	3.7	3.9	2.8	2.2	1.4	1.0	.6	.4	.2
1957	1.2	-	.2	.7	.9	.6	1.4	1.4	2.3	3.1	3.9	3.9	3.1	2.2	1.5	.9	.5	.3	.2
1958	1.1	.0	.1	.9	.9	.8	1.1	1.4	2.3	3.5	3.8	3.6	3.1	2.2	1.5	.9	.6	.4	.2
1959	1.2	-	.2	.5	1.0	.9	1.1	1.6	2.3	3.3	3.8	3.7	3.1	2.3	1.6	1.0	.6	.4	.2
1960	1.2	-	.2	.8	1.0	.6	1.0	1.2	2.3	3.4	3.9	3.6	3.2	2.2	1.6	1.1	.6	.3	.1
1961	1.2	-	.1	.8	.6	.8	.9	1.0	2.3	3.2	4.2	3.6	3.0	2.4	1.7	1.1	.6	.3	.2
1962	1.2	-	.3	.9	1.0	.8	1.1	1.4	2.3	3.3	3.8	3.7	3.0	2.3	1.6	1.1	.6	.4	.2
1963	1.2	-	.2	1.2	1.0	1.0	1.1	1.3	2.2	2.8	3.7	3.6	2.9	2.4	1.7	1.1	.7	.3	.2
1964	1.2	-	.3	.7	.7	.9	.9	1.3	2.1	2.9	3.7	3.5	3.1	2.4	1.7	1.1	.7	.4	.2
1965	1.2	-	.2	.8	.9	.9	.9	1.5	1.9	3.0	3.7	3.5	3.2	2.4	1.8	1.1	.7	.4	.2
1966	1.2	-	.1	.9	.4	.8	1.0	1.3	2.2	2.8	3.9	3.7	3.1	2.4	1.8	1.2	.7	.4	.2
1967	1.2	-	.2	.7	.9	.7	1.0	1.4	2.1	2.9	3.7	3.4	3.3	2.5	1.8	1.2	.7	.4	.2
1968	1.2	-	.2	1.0	.6	.7	.7	1.3	2.2	3.2	3.6	3.5	2.9	2.5	1.7	1.2	.7	.4	.2
1969	1.2	-	.0	.7	.7	.6	.8	1.2	2.1	3.0	3.7	3.9	3.2	2.4	1.8	1.2	.8	.5	.2
1970	1.2	-	.1	.9	.4	.6	.8	1.0	2.1	2.9	3.5	3.6	3.2	2.6	1.9	1.4	.8	.4	.2
1971	1.2	.0	.1	.6	.4	.9	.7	1.2	1.7	2.8	3.7	3.6	3.1	2.6	2.0	1.2	.9	.5	.2
1972	1.2	.0	.2	.6	.5	.6	.8	1.3	1.8	2.9	3.6	3.7	3.2	2.5	1.9	1.3	.8	.5	.2
1973	1.2	-	-	.5	.5	.5	.8	1.1	1.8	2.9	3.6	3.6	3.1	2.5	1.9	1.2	.8	.5	.2
1974	1.3	-	.1	.6	.4	.6	.9	1.0	2.2	3.3	3.7	3.8	3.3	2.7	2.0	1.3	.8	.5	.2
1975	1.3	-	.2	.5	.6	.7	.7	1.1	1.9	2.8	3.9	3.9	3.3	2.6	2.1	1.5	.9	.6	.3
1976	1.3	.0	.2	.4	.6	.4	.7	1.3	2.1	2.8	3.8	3.9	3.4	2.7	2.2	1.5	1.0	.6	.3
1977	1.3	-	.2	.3	.3	.6	.8	1.1	1.7	2.3	3.5	3.8	3.4	2.9	2.2	1.5	1.0	.6	.3


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4.0	.0	.0	.1	.8	.3	.9	1.9	4.3	6.6	8.8	13.9	18.9	17.5	12.4	14.6	17.5	9.6	3.7
1951	4.0	.0	.0	.1	.3	.3	1.2	2.2	2.7	7.5	10.7	18.2	11.9	19.5	13.1	9.8	18.2	6.7	.0
1952	4.5	.0	.0	.1	.3	.3	.9	2.7	3.5	6.8	12.2	18.1	14.9	17.8	16.3	17.7	17.4	12.7	13.9
1953	4.4	.1	.2	.1	.6	.3	.3	1.8	5.2	7.8	10.2	14.6	17.1	18.3	14.2	19.7	20.9	8.1	9.8
1954	4.8	.0	.2	.2	.6	.6	.6	1.6	3.5	8.3	13.1	16.1	21.4	22.5	17.3	15.3	17.0	9.9	6.1
1955	4.8	.0	.2	.2	.9	.6	1.8	2.0	4.4	7.7	13.2	16.3	19.0	18.8	15.7	15.9	17.2	9.8	11.6
1956	5.2	.0	.0	.2	.4	.9	1.2	2.4	3.9	7.2	12.3	15.3	25.2	21.8	16.6	26.8	21.7	7.8	14.1
1957	5.1	.1	.0	.4	1.1	1.2	.9	1.8	2.7	6.7	13.2	19.3	20.0	22.1	16.6	22.2	15.9	13.4	13.3
1958	5.1	.1	.1	.3	.5	1.2	.7	2.4	2.7	8.6	13.7	19.3	18.4	21.0	19.4	20.2	16.8	17.3	10.4
1959	5.4	.0	.2	.7	.4	.6	1.3	1.7	2.5	7.2	12.7	19.0	22.6	27.4	20.6	20.0	20.3	16.9	12.6
1960	5.2	.1	.2	.1	.6	.7	2.1	1.9	3.4	8.7	11.0	15.6	20.4	23.1	20.4	25.5	16.5	23.6	12.5
1961	5.4	.0	.1	.3	.5	.3	.7	1.8	4.0	7.6	14.7	17.6	19.8	26.7	20.8	25.8	12.6	19.7	32.5
1962	5.5	.0	.0	.5	.2	.3	.7	2.2	4.3	6.3	12.5	17.8	21.4	28.3	21.6	24.5	22.8	21.2	26.8
1963	5.2	.0	.1	.4	.6	.4	1.4	1.6	4.5	7.2	11.1	16.2	20.1	26.4	20.8	23.5	11.0	21.4	25.6
1964	5.2	.0	.0	.5	.7	.8	.6	1.4	4.5	6.6	13.7	17.7	21.7	19.3	23.9	20.7	16.8	16.2	8.9
1965	5.5	.1	.1	.6	.6	.5	1.4	2.3	3.1	6.8	15.2	17.0	18.8	29.7	19.6	22.7	17.6	10.4	28.6
1966	5.6	.1	.1	.2	.8	1.1	.9	1.8	2.7	7.6	13.0	16.0	21.3	25.0	24.0	28.1	17.0	23.8	18.9
1967	5.3	.1	.1	.1	.4	1.2	.1	1.8	2.7	6.3	11.3	15.4	20.8	23.5	26.6	27.5	19.7	19.0	12.3
1968	5.7	.0	.1	.3	.8	.4	1.1	1.7	3.6	5.0	10.5	16.4	19.4	32.6	26.5	26.5	27.6	25.3	23.0
1969	5.7	.1	.1	.3	.5	.6	.9	2.0	2.3	4.1	12.2	15.6	24.5	28.4	31.3	21.0	23.1	18.7	20.0
1970	5.6	.1	.1	.3	.5	.7	.7	.8	3.8	6.9	11.6	16.2	24.9	24.6	22.9	27.3	22.5	19.8	18.3
1971	5.6	.1	.0	.1	.6	.8	.9	1.7	2.7	5.8	12.4	14.9	20.6	23.3	25.7	29.9	25.7	26.0	27.6
1972	5.7	.0	.0	.1	.5	.2	.4	1.2	2.9	3.7	12.1	15.3	20.8	29.1	28.3	27.1	35.1	23.2	24.4
1973	5.6	.1	.1	.1	.7	.1	.7	.9	2.7	4.2	9.6	15.1	20.4	25.7	28.8	35.7	35.1	17.4	23.9
1974	5.6	.0	.1	.1	.6	.2	.3	1.1	2.9	5.0	9.3	14.9	21.0	26.4	28.5	29.7	28.3	28.6	23.5
1975	5.2	.0	.0	.2	.0	.4	1.1	1.0	1.6	3.8	8.9	14.7	18.6	26.7	23.9	31.8	28.2	19.1	18.2
1976	5.7	.0	.0	.1	.4	.3	.7	1.3	1.7	3.5	9.1	11.9	21.7	27.9	25.3	37.0	38.5	37.2	16.7
1977	5.2	.0	.0	.3	.3	.2	.6	.5	2.3	4.5	7.1	11.6	18.3	26.8	23.5	32.4	38.3	20.7	25.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	323	0	0	1	5	2	6	12	27	34	40	51	50	35	27	17	11	4	1
1951	332	0	0	1	2	2	8	14	17	40	49	69	33	41	29	12	12	3	0
1952	379	0	0	1	2	2	6	18	22	37	56	71	43	39	37	23	12	6	4
1953	383	1	2	1	4	2	2	12	33	44	47	59	52	42	33	27	15	4	3
1954	430	0	2	2	4	4	4	11	22	48	61	67	68	54	41	22	13	5	2
1955	440	0	2	2	6	4	12	14	28	45	63	69	63	47	38	24	14	5	4
1956	485	0	0	2	3	6	8	17	25	43	60	66	87	57	41	42	19	4	5
1957	486	1	0	4	8	8	6	13	18	40	67	84	72	60	42	36	15	7	5
1958	507	1	1	3	4	8	5	17	18	51	72	85	69	59	50	34	17	9	4
1959	545	0	3	7	3	4	9	12	17	43	69	85	88	80	54	35	22	9	5
1960	550	1	2	1	5	5	15	14	24	54	62	73	83	71	56	47	19	13	5
1961	591	0	2	3	4	2	5	13	29	48	84	85	82	84	60	50	15	12	13
1962	614	0	0	6	2	2	5	16	31	41	72	89	91	91	65	50	28	14	11
1963	595	0	1	5	6	3	10	12	33	48	64	83	88	87	65	50	14	15	11
1964	610	0	0	6	7	7	4	10	33	45	80	93	98	65	78	46	22	12	4
1965	652	1	1	8	6	4	10	17	23	47	90	91	87	103	66	52	24	8	14
1966	678	1	2	3	9	10	7	13	20	54	79	87	101	90	83	66	24	19	10
1967	657	1	2	2	5	11	1	13	20	45	70	85	101	89	94	66	29	16	7
1968	728	0	2	5	10	4	9	13	27	36	67	92	96	129	95	65	42	22	14
1969	731	1	1	4	6	6	8	15	17	30	80	89	123	118	115	52	36	17	13
1970	742	1	1	4	7	8	6	6	28	51	78	95	126	107	86	70	36	19	13
1971	756	1	0	2	8	9	8	14	20	43	85	90	103	106	97	79	43	27	21
1972	392	0	0	1	4	1	2	5	11	14	42	48	52	68	56	35	30	13	10
1973	789	1	2	2	11	1	7	8	21	32	67	98	102	123	120	92	60	21	21
1974	799	0	1	1	9	3	3	10	23	38	66	99	108	128	125	77	49	36	23
1975	755	0	0	3	0	6	12	10	13	29	64	98	101	129	111	83	51	25	20
1976	841	0	0	2	6	4	8	13	14	27	66	81	122	133	124	98	72	51	20
1977	790	0	0	4	5	3	7	5	20	35	52	80	107	129	119	91	70	29	34


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.2	.4	.1	.3	.4	.7	.7	.7	.7	.7	.5	.4	.3	.3	.1	-
1951	.4	.0	.0	.2	.2	.1	.4	.5	.5	.8	.9	.9	.5	.6	.4	.2	.3	.1	.0
1952	.5	.0	.0	.2	.2	.1	.3	.7	.6	.8	1.0	1.0	.6	.6	.5	.4	.3	.2	.1
1953	.5	-	.3	.2	.4	.2	.1	.5	1.0	1.0	.9	.8	.8	.6	.4	.4	.3	.1	.1
1954	.6	.0	.3	.5	.6	.4	.2	.5	.7	1.1	1.2	1.0	1.0	.8	.5	.3	.3	.2	.1
1955	.6	.0	.3	.5	.9	.4	.8	.6	.9	1.1	1.3	1.0	.9	.7	.5	.4	.3	.1	.1
1956	.6	.0	.0	.5	.5	.6	.5	.8	.8	1.0	1.2	1.0	1.1	.8	.5	.6	.4	.1	.1
1957	.6	-	.0	.9	1.1	.7	.4	.5	.6	1.0	1.2	1.2	.9	.7	.5	.5	.3	.2	.1
1958	.6	-	.1	.8	.6	.8	.3	.7	.6	1.3	1.4	1.3	.9	.7	.6	.4	.3	.2	.1
1959	.6	.0	.4	1.5	.4	.4	.7	.5	.6	1.1	1.4	1.3	1.1	1.0	.6	.4	.4	.2	.1
1960	.6	-	.3	.2	.8	.5	1.0	.6	.8	1.3	1.2	1.1	1.0	.8	.6	.5	.3	.3	.1
1961	.7	.0	.3	.7	.6	.2	.4	.6	.9	1.2	1.7	1.3	1.1	.9	.6	.6	.2	.3	.2
1962	.6	.0	.0	1.2	.3	.2	.4	.8	.9	1.0	1.4	1.3	1.2	.9	.7	.5	.4	.3	.2
1963	.6	.0	.1	.9	.8	.3	.7	.6	1.0	1.1	1.2	1.2	1.1	.8	.6	.5	.2	.3	.2
1964	.6	.0	.0	1.1	.9	.7	.3	.5	1.0	1.1	1.6	1.3	1.3	.6	.8	.5	.3	.2	.1
1965	.7	-	.1	1.5	.7	.4	.7	.8	.7	1.1	1.7	1.4	1.1	1.0	.6	.5	.3	.1	.2
1966	.7	-	.3	.5	1.0	.9	.5	.6	.6	1.2	1.4	1.3	1.3	.9	.7	.6	.3	.3	.1
1967	.7	-	.3	.3	.5	.9	.1	.6	.6	1.1	1.3	1.3	1.3	1.0	.8	.7	.3	.3	.1
1968	.7	.0	.3	.8	1.0	.3	.6	.6	.8	.8	1.2	1.4	1.1	1.3	.7	.6	.5	.3	.2
1969	.7	-	.1	.6	.5	.4	.5	.7	.5	.7	1.4	1.3	1.5	1.2	.9	.5	.4	.2	.2
1970	.7	-	.1	.7	.6	.5	.4	.3	.9	1.2	1.4	1.4	1.5	1.1	.7	.6	.4	.3	.2
1971	.7	-	.0	.3	.6	.5	.5	.7	.7	1.0	1.5	1.3	1.3	1.1	.9	.7	.5	.4	.2
1972	.8	.0	.0	.3	.7	.1	.2	.5	.8	.7	1.5	1.4	1.3	1.4	1.0	.6	.6	.3	.2
1973	.7	-	.3	.4	.9	.1	.4	.4	.8	.8	1.2	1.4	1.3	1.2	1.0	.7	.6	.3	.2
1974	.8	.0	.2	.2	.8	.2	.2	.5	.9	1.0	1.3	1.5	1.5	1.3	1.1	.6	.5	.4	.2
1975	.8	.0	.0	.6	.0	.4	.7	.6	.6	.9	1.3	1.6	1.4	1.4	1.0	.7	.5	.3	.2
1976	.8	.0	.0	.4	.7	.3	.5	.7	.6	.8	1.5	1.3	1.7	1.5	1.1	.8	.6	.6	.2
1977	.8	.0	.0	.9	.5	.2	.4	.3	.9	1.1	1.2	1.3	1.4	1.4	1.1	.8	.6	.3	.3


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths







Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	10268	15.16	20.15	12.00	0	0.00	0.00	0.00	1069	13.75	23.74	15.73	0	0.00	0.00	0.00
1951	10374	15.08	19.83	11.75	0	0.00	0.00	0.00	1118	14.07	23.76	15.67	0	0.00	0.00	0.00
1952	11010	15.76	20.51	11.91	0	0.00	0.00	0.00	1176	14.49	24.55	15.48	0	0.00	0.00	0.00
1953	11341	15.99	20.56	11.81	0	0.00	0.00	0.00	1254	15.12	25.03	15.53	0	0.00	0.00	0.00
1954	11811	16.39	20.84	11.91	0	0.00	0.00	0.00	1407	16.56	27.39	16.06	0	0.00	0.00	0.00
1955	12044	16.44	20.60	11.67	0	0.00	0.00	0.00	1441	16.55	27.46	16.25	0	0.00	0.00	0.00
1956	12453	16.73	20.93	11.69	0	0.00	0.00	0.00	1541	17.28	28.71	16.11	0	0.00	0.00	0.00
1957	12644	16.71	20.70	11.51	0	0.00	0.00	0.00	1651	18.06	29.52	16.21	0	0.00	0.00	0.00
1958	12452	16.21	19.94	11.25	0	0.00	0.00	0.00	1619	17.30	28.49	15.97	0	0.00	0.00	0.00
1959	12279	15.73	19.24	10.76	0	0.00	0.00	0.00	1757	18.27	29.97	16.03	0	0.00	0.00	0.00
1960	12634	15.94	19.37	10.71	0	0.00	0.00	0.00	1818	18.07	29.78	15.72	0	0.00	0.00	0.00
1961	13044	16.22	19.70	10.79	0	0.00	0.00	0.00	1897	18.42	30.32	15.65	0	0.00	0.00	0.00
1962	13063	16.02	19.30	10.55	0	0.00	0.00	0.00	2110	20.04	32.73	16.77	0	0.00	0.00	0.00
1963	13404	16.24	19.64	10.58	0	0.00	0.00	0.00	2042	18.99	31.17	15.19	0	0.00	0.00	0.00
1964	13479	16.13	19.35	10.39	0	0.00	0.00	0.00	2069	18.85	31.14	15.35	0	0.00	0.00	0.00
1965	13819	16.37	19.63	10.35	0	0.00	0.00	0.00	2092	18.69	30.57	14.84	0	0.00	0.00	0.00
1966	13828	16.23	19.37	10.15	0	0.00	0.00	0.00	2113	18.53	30.46	14.15	0	0.00	0.00	0.00
1967	14017	16.31	19.36	10.02	0	0.00	0.00	0.00	2328	20.06	32.64	14.90	0	0.00	0.00	0.00
1968	14364	16.58	19.56	10.03	0	0.00	0.00	0.00	2484	21.06	33.93	15.05	0	0.00	0.00	0.00
1969	14366	16.46	19.30	9.88	0	0.00	0.00	0.00	2470	20.61	33.49	14.68	0	0.00	0.00	0.00
1970	14679	16.67	19.35	9.82	0	0.00	0.00	0.00	2570	21.06	33.95	14.73	0	0.00	0.00	0.00
1971	15085	16.98	19.59	9.85	0	0.00	0.00	0.00	2682	21.54	34.35	14.96	0	0.00	0.00	0.00
1972	7699	17.22	19.75	9.81	0	0.00	0.00	0.00	1414	22.30	35.63	15.14	0	0.00	0.00	0.00
1973	15969	17.77	20.19	10.04	0	0.00	0.00	0.00	2859	22.15	35.33	14.58	0	0.00	0.00	0.00
1974	16200	17.93	20.15	9.88	0	0.00	0.00	0.00	2980	22.70	35.85	14.52	0	0.00	0.00	0.00
1975	16340	17.99	19.96	9.82	0	0.00	0.00	0.00	3086	23.02	35.87	14.47	0	0.00	0.00	0.00
1976	17144	18.78	20.59	9.98	0	0.00	0.00	0.00	3206	23.47	36.07	14.26	0	0.00	0.00	0.00
1977	17481	19.04	20.64	9.93	0	0.00	0.00	0.00	3308	23.78	36.55	14.15	0	0.00	0.00	0.00

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Prostate only.
(ICD 177 [6th]; ICD 177 [7th]; ICD 185 [8th])

Age-specific Rates

White Males



Nonwhite Males



ROTKIN ID: Epidemiologic factors associated with prostatic cancer. *In* Prostate Cancer (Coffey DS, Isaacs JT, eds). UICC Tech Rep Ser No. 48. Geneva: UICC, 1980, pp 56-80

KING H, DIAMOND E, LILIENFELD AM: Some epidemiological aspects of cancer of the prostate. J Chronic Dis 16:117-153, 1963

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	15.2	.1	.1	-	.1	-	.1	-	.2	.4	.9	4.4	12.7	32.6	67.8	141.7	243.8	364.4	427.6
1951	15.1	-	-	.1	-	-	-	-	.1	.3	1.2	3.9	12.3	30.8	68.9	134.5	239.3	375.6	416.5
1952	15.8	.1	-	-	.1	-	.1	.1	-	.3	.9	4.3	12.6	32.5	69.4	141.3	248.0	366.9	461.8
1953	16.0	.1	-	-	.1	.1	.1	-	.1	.4	.9	4.0	11.9	30.2	72.1	137.6	255.9	378.6	449.8
1954	16.4	.1	-	.0	.1	-	-	.1	-	.3	1.3	3.2	12.5	30.8	70.6	139.5	257.1	393.8	459.6
1955	16.4	.1	-	-	-	-	.0	-	.1	.3	1.1	3.9	12.2	32.0	69.3	141.7	246.4	382.7	460.3
1956	16.7	-	.0	-	.0	-	-	-	-	.3	1.1	3.8	11.2	30.8	68.6	138.3	250.2	409.8	488.2
1957	16.7	.1	-	-	.0	-	-	.1	.1	.4	.7	4.0	10.5	32.1	68.7	139.3	241.3	402.2	482.4
1958	16.2	.1	-	.0	.1	-	-	-	.1	.2	.9	4.1	11.0	30.4	68.2	133.1	232.1	379.7	467.0
1959	15.7	-	-	-	.1	-	-	.0	.1	.3	.9	3.2	11.5	28.1	65.8	127.5	221.7	368.5	463.5
1960	15.9	.1	-	.0	.0	-	-	-	.1	.2	.8	3.6	10.5	29.1	63.9	130.8	229.5	369.5	455.8
1961	16.2	.1	-	-	-	.0	-	.0	.1	.2	.6	3.8	10.3	28.4	64.7	129.2	228.7	373.8	505.8
1962	16.0	-	-	.0	-	-	.0	.1	.1	.2	.8	3.5	9.9	28.5	66.1	121.0	235.3	349.9	497.1
1963	16.2	-	-	-	.0	-	.0	.0	.1	.2	.9	3.5	10.6	28.2	65.5	128.6	233.9	354.9	511.3
1964	16.1	.1	.0	.0	-	.1	-	-	.1	.2	.9	3.3	10.5	29.1	64.0	130.9	231.0	349.6	481.7
1965	16.4	-	.0	.0	.1	.0	.0	-	-	.2	1.2	3.5	11.2	29.5	65.1	123.0	237.7	354.5	511.0
1966	16.2	.1	.0	.0	-	-	-	.1	-	.2	.7	3.6	9.8	29.8	65.1	124.7	229.5	354.9	498.4
1967	16.3	.1	-	.0	-	-	.0	.0	-	.2	.7	3.2	9.8	28.9	63.2	125.3	231.1	356.8	505.7
1968	16.6	-	-	-	-	-	-	-	.1	.1	.9	3.7	10.1	29.2	66.2	129.8	227.4	355.2	506.0
1969	16.5	-	-	-	-	-	.1	-	.1	.2	.9	3.2	10.3	28.3	65.9	125.7	230.4	352.6	488.7
1970	16.7	-	-	.0	-	-	-	-	-	.3	.9	3.1	10.3	29.0	63.7	126.5	236.1	364.2	466.9
1971	17.0	-	.0	.0	-	-	-	.1	.1	.2	.9	3.6	11.0	29.4	64.2	127.7	235.5	364.8	483.9
1972	17.2	.0	.0	.0	-	.0	.0	.1	-	.1	.5	3.4	11.2	28.8	65.2	133.1	235.5	373.0	475.7
1973	17.8	.0	-	-	.1	-	.0	.1	.1	.2	.8	3.7	11.4	30.1	67.3	130.7	240.9	379.1	498.8
1974	17.9	-	-	-	-	-	-	-	-	.3	1.1	3.5	11.6	29.7	66.7	133.7	249.8	365.2	482.0
1975	18.0	.0	.0	.0	-	-	.0	-	.1	.2	.8	2.9	10.8	28.9	64.2	133.7	236.3	390.2	482.9
1976	18.8	-	.0	.0	-	.0	-	.0	.1	.2	.7	4.0	11.1	29.9	66.7	134.0	250.4	388.5	508.2
1977	19.0	.0	-	-	-	-	-	-	.1	.1	.8	3.0	11.1	31.5	66.0	132.4	251.3	386.3	521.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	10268	4	3	1	5	1	4	2	8	20	38	166	427	924	1517	2158	2285	1748	957
1951	10374	2	1	3	2	2	2	2	6	15	49	147	419	889	1582	2104	2322	1824	1003
1952	11010	5	1	1	3	1	3	3	2	16	40	161	434	956	1628	2278	2481	1811	1186
1953	11341	6	3	1	4	3	5	2	5	17	40	154	410	904	1730	2287	2634	1918	1218
1954	11811	4	2	0	3	2	1	4	1	15	60	123	431	936	1729	2408	2721	2062	1309
1955	12044	9	2	2	2	1	0	2	5	16	49	151	428	986	1726	2534	2681	2084	1366
1956	12453	4	0	2	0	1	2	1	2	15	49	150	394	958	1731	2549	2790	2322	1483
1957	12644	5	1	2	0	2	2	4	3	18	35	162	374	1001	1769	2636	2775	2351	1504
1958	12452	9	1	0	4	1	1	2	4	9	42	170	397	946	1786	2582	2741	2273	1484
1959	12279	2	2	2	3	2	2	0	4	13	41	137	423	874	1745	2537	2719	2258	1515
1960	12634	5	3	0	0	2	1	2	3	10	38	154	392	910	1718	2653	2903	2313	1527
1961	13044	7	1	1	3	0	1	0	5	11	29	166	393	891	1745	2671	2968	2422	1730
1962	13063	4	1	0	3	2	0	3	3	11	40	155	387	897	1779	2546	3115	2407	1710
1963	13404	3	1	3	0	2	0	0	6	12	44	159	425	894	1756	2742	3146	2442	1769
1964	13479	5	0	0	3	3	1	1	6	9	46	149	430	936	1714	2815	3162	2489	1710
1965	13819	4	0	0	4	0	0	1	1	13	61	161	463	961	1749	2654	3297	2595	1855
1966	13828	6	0	0	3	2	1	3	1	10	36	166	414	993	1755	2683	3231	2665	1859
1967	14017	5	2	0	2	3	0	0	1	9	36	152	416	987	1716	2682	3305	2744	1957
1968	14364	1	2	2	3	1	1	1	3	7	47	174	433	1027	1814	2758	3290	2781	2019
1969	14366	1	3	2	1	2	3	2	6	10	50	152	441	1019	1828	2657	3354	2807	2028
1970	14679	2	2	0	2	2	2	2	2	14	45	150	445	1065	1801	2675	3412	2957	2101
1971	15085	2	0	0	1	2	2	3	3	11	47	179	480	1096	1855	2704	3433	3017	2250
1972	7699	0	0	0	1	0	0	2	1	3	13	86	247	546	968	1409	1710	1576	1137
1973	15969	0	2	1	5	1	0	3	4	8	42	188	502	1154	2053	2815	3442	3275	2474
1974	16200	2	2	1	2	1	2	1	2	13	54	183	519	1154	2085	2934	3554	3170	2521
1975	16340	0	0	0	1	1	0	3	3	8	42	151	494	1128	2068	2978	3393	3414	2656
1976	17144	1	0	0	1	0	1	0	6	10	34	206	517	1180	2188	3062	3613	3469	2856
1977	17481	0	1	1	2	1	1	2	3	7	41	153	530	1255	2207	3131	3639	3465	3042

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.4	-	.1	-	.1	-	-	-	.1	.1	.1	.4	.7	1.2	1.7	2.4	2.7	2.7	2.0
1951	1.4	-	-	.1	-	-	-	-	-	.1	.2	.3	.6	1.1	1.7	2.3	2.7	2.8	2.0
1952	1.5	-	-	-	-	-	-	-	-	.1	.1	.3	.7	1.2	1.7	2.4	2.8	2.7	2.3
1953	1.5	-	.1	-	.1	-	.1	-	-	.1	.1	.3	.6	1.1	1.8	2.4	2.9	2.8	2.2
1954	1.6	-	-	.0	.1	-	-	-	-	.1	.2	.3	.7	1.2	1.8	2.5	3.1	3.0	2.4
1955	1.6	-	-	.1	-	-	.0	-	-	.1	.2	.3	.7	1.2	1.7	2.5	2.8	2.9	2.3
1956	1.6	-	.0	.1	.0	-	-	-	-	.1	.2	.3	.6	1.1	1.7	2.4	2.9	3.1	2.4
1957	1.5	-	-	.1	.0	-	-	-	-	.1	.1	.3	.6	1.2	1.7	2.4	2.8	3.0	2.3
1958	1.5	-	-	.0	.1	-	-	-	-	-	.1	.4	.6	1.1	1.7	2.3	2.7	2.8	2.2
1959	1.5	-	-	-	-	-	-	.0	-	.1	.1	.3	.7	1.0	1.6	2.2	2.6	2.8	2.2
1960	1.5	-	.1	.0	.0	-	-	-	-	-	.1	.3	.6	1.1	1.6	2.2	2.7	2.8	2.1
1961	1.5	-	-	-	-	.0	-	.0	-	.1	.1	.3	.6	1.0	1.6	2.3	2.7	2.9	2.3
1962	1.5	-	-	.0	-	-	.0	-	-	.1	.1	.3	.6	1.0	1.6	2.1	2.7	2.7	2.2
1963	1.5	-	-	.1	.0	-	.0	.0	-	.1	.1	.3	.6	1.0	1.6	2.2	2.6	2.7	2.2
1964	1.5	-	.0	.0	-	-	-	-	-	-	.1	.3	.6	1.0	1.6	2.3	2.7	2.7	2.2
1965	1.5	-	.0	.0	-	.0	.0	-	-	.1	.2	.3	.6	1.1	1.6	2.1	2.7	2.7	2.2
1966	1.5	-	.0	.0	-	-	-	-	-	-	.1	.3	.6	1.1	1.6	2.1	2.6	2.7	2.2
1967	1.5	-	-	.0	-	-	.0	.0	-	-	.1	.3	.6	1.0	1.6	2.1	2.7	2.8	2.3
1968	1.5	-	-	-	-	-	-	-	-	-	.1	.3	.6	1.0	1.6	2.1	2.6	2.7	2.3
1969	1.5	-	.1	-	-	-	-	-	-	-	.1	.3	.6	1.0	1.6	2.1	2.7	2.7	2.3
1970	1.6	-	-	.0	-	-	-	-	-	.1	.1	.3	.6	1.1	1.6	2.2	2.7	2.9	2.3
1971	1.6	-	.0	.0	-	-	-	-	-	.1	.1	.3	.6	1.1	1.6	2.2	2.7	2.9	2.4
1972	1.6	.0	.0	.0	-	.0	.0	-	-	-	.1	.3	.7	1.1	1.7	2.3	2.7	3.0	2.4
1973	1.7	.0	.1	-	-	-	.0	-	-	-	.1	.4	.7	1.2	1.7	2.3	2.7	3.0	2.5
1974	1.7	-	.1	-	-	-	-	-	-	.1	.2	.4	.7	1.2	1.8	2.4	2.9	3.0	2.5
1975	1.8	.0	.0	.0	-	-	.0	-	-	-	.1	.3	.7	1.2	1.8	2.4	2.9	3.3	2.6
1976	1.9	-	.0	.0	-	.0	-	.0	.1	.1	.1	.4	.7	1.2	1.9	2.5	3.0	3.3	2.7
1977	1.9	.0	-	-	-	-	-	-	-	-	.1	.3	.8	1.3	1.9	2.5	3.1	3.3	2.9

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13.8	.0	.0	.0	.0	.0	.2	.0	.7	1.6	4.7	23.2	38.6	77.3	96.7	146.6	231.0	261.3	339.9
1951	14.1	.0	.0	.0	.3	.0	.2	.2	.5	1.4	5.6	20.5	41.3	75.8	107.5	164.2	222.4	215.4	323.1
1952	14.5	.1	.0	.0	.0	.0	.2	.2	.3	1.0	7.4	18.7	37.7	87.6	101.6	159.9	259.6	238.4	302.9
1953	15.1	.0	.0	.0	.2	.0	.3	.3	.3	1.9	4.7	16.5	41.2	82.2	122.9	194.7	225.8	215.2	298.6
1954	16.6	.1	.0	.0	.2	.0	.0	.0	.2	.7	6.3	18.1	46.6	103.7	114.2	210.9	242.4	285.9	282.0
1955	16.6	.1	.0	.0	.2	.0	.2	.2	.2	1.3	4.9	15.9	45.6	86.2	129.4	186.6	254.9	327.2	344.7
1956	17.3	.0	.1	.0	.0	.0	.0	.2	.2	1.6	4.3	14.1	42.3	101.1	128.6	209.0	251.3	373.6	327.6
1957	18.1	.0	.0	.0	.0	.0	.0	.0	.7	1.3	4.6	16.4	35.2	92.5	153.3	247.3	264.9	297.0	346.0
1958	17.3	.1	.0	.0	.0	.0	.0	.2	.3	1.3	3.5	12.4	36.8	89.0	149.8	202.1	265.1	333.2	382.0
1959	18.3	.1	.0	.0	.0	.0	.0	.0	.3	1.3	4.0	16.2	40.4	76.2	158.5	229.5	272.2	363.0	399.6
1960	18.1	.1	.0	.0	.0	.0	.0	.0	.5	2.7	2.8	15.7	30.8	80.7	146.2	223.2	298.1	361.7	429.0
1961	18.4	.0	.0	.0	.0	.0	.0	.2	.2	1.1	3.6	13.6	36.4	88.6	142.8	208.0	318.7	355.8	473.3
1962	20.0	.0	.0	.0	.0	.1	.2	.0	.3	.7	3.6	11.2	36.5	91.1	175.4	249.4	299.1	380.4	516.7
1963	19.0	.0	.0	.0	.0	.0	.0	.0	.2	1.0	2.8	11.6	31.6	84.5	149.6	264.7	306.4	339.0	486.7
1964	18.8	.1	.0	.0	.0	.0	.2	.0	.3	1.2	4.5	13.1	25.1	88.2	143.0	213.2	327.9	406.6	537.5
1965	18.7	.0	.0	.0	.0	.0	.0	.2	.2	1.0	2.4	13.4	30.3	83.2	140.6	226.0	317.7	404.8	461.8
1966	18.5	.1	.0	.0	.0	.0	.0	.0	.2	1.1	3.3	11.1	35.3	67.3	130.5	232.0	341.7	375.0	527.8
1967	20.1	.0	.0	.0	.0	.0	.1	.0	.0	.8	3.2	11.2	31.4	73.3	149.8	266.5	344.9	419.7	525.6
1968	21.1	.1	.0	.0	.0	.0	.1	.2	.2	1.0	2.8	15.6	36.9	81.6	162.5	258.5	368.1	423.9	485.4
1969	20.6	.1	.0	.0	.0	.1	.1	.0	.0	1.1	3.1	10.5	33.0	82.2	143.4	249.8	392.5	467.6	472.7
1970	21.1	.0	.1	.1	.1	.0	.0	.1	.0	.6	3.6	12.1	30.4	68.3	151.0	276.0	400.0	470.0	466.0
1971	21.5	.1	.0	.1	.1	.1	.0	.1	.3	.6	1.8	11.8	31.3	80.7	151.4	262.3	386.8	485.1	518.8
1972	22.3	.1	.0	.0	.0	.0	.0	.3	.0	1.3	3.0	12.3	37.6	70.8	142.4	305.2	429.0	443.6	536.0
1973	22.2	.0	.0	.1	.0	.1	.1	.0	.0	.3	3.1	10.0	32.8	77.9	141.5	282.2	448.5	438.6	557.7
1974	22.7	.0	.0	.0	.0	.0	.0	.0	.2	.6	2.9	9.3	30.9	77.9	144.7	312.4	408.4	511.8	510.5
1975	23.0	.0	.1	.0	.0	.0	.0	.0	.3	.8	2.1	10.7	29.1	74.0	140.8	308.2	431.9	502.3	529.2
1976	23.5	.0	.0	.1	.0	.0	.1	.1	.0	.8	2.2	9.3	33.1	81.1	144.9	293.7	458.3	475.8	504.4
1977	23.8	.0	.0	.0	.1	.0	.0	.1	.0	1.1	2.4	9.5	32.5	80.8	132.3	307.8	466.7	496.8	526.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1069	0	0	0	0	0	1	0	4	8	21	87	109	162	196	171	150	97	63
1951	1118	0	0	0	2	0	1	1	3	7	25	79	120	164	222	198	151	82	63
1952	1176	1	0	0	0	0	1	1	2	5	33	74	113	194	214	199	184	93	62
1953	1254	0	0	0	1	0	2	2	2	10	21	67	128	187	265	250	169	86	64
1954	1407	1	0	0	1	0	0	0	1	4	28	75	150	242	252	279	191	117	66
1955	1441	1	0	0	1	0	1	1	1	7	22	67	152	208	292	256	211	137	84
1956	1541	0	1	0	0	0	0	1	1	9	20	60	146	251	294	297	218	160	83
1957	1651	0	0	0	0	0	0	0	4	7	22	70	126	237	355	366	243	130	91
1958	1619	1	0	0	0	0	0	1	2	7	17	53	136	235	350	309	251	149	108
1959	1757	1	0	0	0	0	0	0	2	7	20	70	154	209	377	365	269	166	117
1960	1818	2	0	0	0	0	0	0	3	15	15	71	123	234	364	375	313	170	133
1961	1897	0	0	0	0	0	0	1	1	6	19	63	147	263	367	362	341	185	142
1962	2110	0	0	0	0	1	1	0	2	4	19	53	150	277	463	449	323	213	155
1963	2042	0	0	0	0	0	0	0	1	6	15	56	132	261	404	487	334	200	146
1964	2069	1	0	0	0	0	1	0	2	7	24	64	107	277	399	403	364	248	172
1965	2092	0	0	0	0	0	0	1	1	6	13	66	131	267	402	434	359	255	157
1966	2113	1	0	0	0	0	0	0	1	7	18	55	155	222	381	450	393	240	190
1967	2328	0	0	0	0	0	1	0	0	5	18	56	139	250	445	525	407	277	205
1968	2484	1	0	0	0	0	1	1	1	6	16	78	165	288	489	517	438	284	199
1969	2470	2	0	0	0	1	1	0	0	7	18	53	148	300	436	507	471	318	208
1970	2570	0	2	1	2	0	0	1	0	4	21	62	136	259	468	574	492	329	219
1971	2682	1	0	1	1	1	0	1	2	4	11	63	137	318	471	564	499	359	249
1972	1414	1	0	0	0	0	0	1	0	4	9	34	82	143	230	322	281	173	134
1973	2859	0	0	1	0	1	1	0	0	2	19	57	143	320	474	604	583	364	290
1974	2980	0	0	0	0	0	0	0	1	4	18	54	138	324	502	678	535	435	291
1975	3086	0	1	0	0	0	0	0	2	5	13	62	137	305	514	675	596	432	344
1976	3206	0	0	1	0	0	1	1	0	5	14	55	162	327	555	649	660	433	343
1977	3308	0	0	0	1	0	0	1	0	7	15	57	166	324	524	714	658	462	379


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.0	.0	.0	.0	.0	-	.0	.1	.2	.3	1.0	1.2	1.8	2.1	2.3	2.6	2.8	2.1
1951	1.1	.0	.0	.0	.2	.0	-	-	.1	.1	.4	.9	1.3	1.8	2.3	2.6	2.7	2.3	2.1
1952	1.2	-	.0	.0	.0	.0	-	-	.1	.1	.5	.8	1.2	2.1	2.2	2.5	3.2	2.4	2.0
1953	1.3	.0	.0	.0	.1	.0	.1	.1	.1	.2	.3	.7	1.4	1.9	2.6	3.0	2.9	2.2	1.9
1954	1.5	-	.0	.0	.1	.0	.0	.0	-	.1	.5	.9	1.7	2.6	2.6	3.5	3.3	3.1	2.1
1955	1.5	-	.0	.0	.1	.0	-	-	-	.1	.4	.8	1.7	2.2	2.9	3.0	3.5	3.4	2.5
1956	1.5	.0	.1	.0	.0	.0	.0	-	-	.2	.3	.8	1.5	2.5	2.8	3.4	3.5	3.8	2.3
1957	1.5	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.9	1.3	2.2	3.1	3.9	3.6	3.0	2.3
1958	1.5	-	.0	.0	.0	.0	.0	-	.1	.2	.3	.7	1.4	2.2	2.9	3.2	3.5	3.3	2.6
1959	1.6	-	.0	.0	.0	.0	.0	.0	.1	.1	.3	.9	1.5	2.0	3.2	3.7	3.7	3.7	2.8
1960	1.6	-	.0	.0	.0	.0	.0	.0	.1	.3	.2	.8	1.2	2.0	2.9	3.5	3.9	3.4	2.8
1961	1.7	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.8	1.5	2.3	2.9	3.4	4.4	3.7	2.9
1962	1.8	.0	.0	.0	.0	.1	-	.0	.1	.1	.3	.6	1.5	2.3	3.5	3.9	3.9	3.8	3.0
1963	1.7	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.6	1.3	2.0	2.9	3.9	3.7	3.2	2.7
1964	1.7	-	.0	.0	.0	.0	-	.0	-	.1	.4	.7	1.0	2.2	3.0	3.4	4.2	4.2	3.5
1965	1.7	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.7	1.2	2.1	2.9	3.5	3.9	4.2	2.9
1966	1.6	-	.0	.0	.0	.0	.0	.0	-	.1	.2	.6	1.4	1.8	2.6	3.5	4.1	3.8	3.3
1967	1.8	.0	.0	.0	.0	.0	-	.0	.0	.1	.2	.6	1.2	2.0	3.2	4.1	4.2	4.4	3.6
1968	1.8	-	.0	.0	.0	.0	-	-	-	.1	.2	.8	1.3	2.1	3.2	3.8	4.2	4.2	3.1
1969	1.8	-	.0	.0	.0	-	-	.0	.0	.1	.2	.5	1.2	2.3	2.9	3.8	4.6	4.6	3.4
1970	1.9	.0	.2	.1	.1	.0	.0	-	.0	.1	.3	.6	1.1	1.9	3.1	4.2	4.7	4.8	3.5
1971	2.0	-	.0	.1	-	-	.0	-	-	.1	.1	.6	1.2	2.3	3.3	4.0	4.7	5.1	3.8
1972	2.0	-	.0	.0	.0	.0	.0	-	.0	.1	.2	.7	1.4	2.0	3.1	4.5	4.9	4.7	3.9
1973	2.1	.0	.0	.1	.0	-	-	.0	.0	-	.2	.5	1.2	2.2	3.1	4.0	5.2	4.7	4.0
1974	2.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.5	1.2	2.3	3.4	4.5	4.8	5.8	4.0
1975	2.3	.0	.1	.0	.0	.0	.0	.0	-	.1	.2	.6	1.2	2.3	3.5	4.7	5.2	5.5	4.6
1976	2.4	.0	.0	.1	.0	.0	-	-	.0	.1	.2	.6	1.4	2.4	3.7	4.6	5.4	5.3	4.4
1977	2.5	.0	.0	.0	-	.0	.0	-	.0	.1	.2	.6	1.4	2.4	3.5	5.0	5.4	5.5	4.7


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	614	0.91	0.85	0.51	0	0.00	0.00	0.00	18	0.23	0.27	0.18	0	0.00	0.00	0.00
1951	663	0.96	0.91	0.54	0	0.00	0.00	0.00	27	0.34	0.36	0.24	0	0.00	0.00	0.00
1952	588	0.84	0.80	0.47	0	0.00	0.00	0.00	25	0.31	0.40	0.25	0	0.00	0.00	0.00
1953	601	0.85	0.82	0.47	0	0.00	0.00	0.00	15	0.18	0.25	0.16	0	0.00	0.00	0.00
1954	672	0.93	0.91	0.52	0	0.00	0.00	0.00	18	0.21	0.26	0.15	0	0.00	0.00	0.00
1955	647	0.88	0.87	0.49	0	0.00	0.00	0.00	25	0.29	0.36	0.21	0	0.00	0.00	0.00
1956	632	0.85	0.84	0.47	0	0.00	0.00	0.00	24	0.27	0.32	0.18	0	0.00	0.00	0.00
1957	612	0.81	0.80	0.45	0	0.00	0.00	0.00	26	0.28	0.35	0.19	0	0.00	0.00	0.00
1958	673	0.88	0.87	0.49	0	0.00	0.00	0.00	24	0.26	0.31	0.17	0	0.00	0.00	0.00
1959	623	0.80	0.80	0.45	0	0.00	0.00	0.00	27	0.28	0.33	0.18	0	0.00	0.00	0.00
1960	614	0.77	0.79	0.44	0	0.00	0.00	0.00	25	0.25	0.31	0.16	0	0.00	0.00	0.00
1961	630	0.78	0.80	0.44	0	0.00	0.00	0.00	34	0.33	0.42	0.22	0	0.00	0.00	0.00
1962	626	0.77	0.79	0.43	0	0.00	0.00	0.00	24	0.23	0.28	0.14	0	0.00	0.00	0.00
1963	636	0.77	0.79	0.43	0	0.00	0.00	0.00	26	0.24	0.33	0.16	0	0.00	0.00	0.00
1964	654	0.78	0.81	0.43	0	0.00	0.00	0.00	30	0.27	0.33	0.16	0	0.00	0.00	0.00
1965	688	0.81	0.84	0.44	0	0.00	0.00	0.00	23	0.21	0.24	0.12	0	0.00	0.00	0.00
1966	710	0.83	0.86	0.45	0	0.00	0.00	0.00	28	0.25	0.30	0.14	0	0.00	0.00	0.00
1967	650	0.76	0.77	0.40	0	0.00	0.00	0.00	32	0.28	0.33	0.15	0	0.00	0.00	0.00
1968	669	0.77	0.79	0.40	0	0.00	0.00	0.00	28	0.24	0.28	0.13	0	0.00	0.00	0.00
1969	722	0.83	0.83	0.43	0	0.00	0.00	0.00	19	0.16	0.19	0.08	0	0.00	0.00	0.00
1970	720	0.82	0.82	0.42	0	0.00	0.00	0.00	40	0.33	0.39	0.17	0	0.00	0.00	0.00
1971	772	0.87	0.86	0.43	0	0.00	0.00	0.00	25	0.20	0.24	0.11	0	0.00	0.00	0.00
1972	338	0.76	0.74	0.37	0	0.00	0.00	0.00	15	0.24	0.29	0.12	0	0.00	0.00	0.00
1973	766	0.85	0.83	0.41	0	0.00	0.00	0.00	32	0.25	0.30	0.12	0	0.00	0.00	0.00
1974	732	0.81	0.77	0.38	0	0.00	0.00	0.00	23	0.18	0.22	0.09	0	0.00	0.00	0.00
1975	710	0.78	0.73	0.36	0	0.00	0.00	0.00	23	0.17	0.20	0.08	0	0.00	0.00	0.00
1976	699	0.77	0.71	0.34	0	0.00	0.00	0.00	28	0.21	0.24	0.09	0	0.00	0.00	0.00
1977	673	0.73	0.67	0.32	0	0.00	0.00	0.00	23	0.17	0.18	0.07	0	0.00	0.00	0.00


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Testis only.
(ICD 178 [6th]; ICD 178 [7th]; ICD 186 [8th])


Testis

Age-specific Rates

White Males



Nonwhite Males



ROSS RK, MCCURTIS JW, HENDERSON BE, et al: Descriptive epidemiology of testicular and prostatic cancer in Los Angeles. Br J Cancer 39:284-292, 1979

SCHOTTENFELD D, WARSHAUER ME, SHERLOCK S, et al : The epidemiology of testicular cancer in young adults. Am J Epidemiol 112:232-246, 1980

FRALEY EE, LANGE PH, KENNEDY BJ: Germ-cell testicular cancer in adults. N Engl J Med 30:1370-1377, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.9	.1	.1	-	.3	1.2	2.0	2.1	1.3	1.2	.8	.6	.9	1.0	1.0	1.2	2.1	1.7	2.2
1951	1.0	.1	-	-	.5	1.3	2.3	1.9	1.5	1.4	1.1	.8	1.0	.9	.6	1.7	1.3	1.9	3.3
1952	.8	.1	.1	.0	.4	1.3	1.5	1.8	1.6	1.1	.9	.7	.8	.8	.8	1.3	1.4	1.8	2.7
1953	.8	-	-	.1	.3	1.2	1.8	1.8	1.6	1.2	.7	.6	.8	.4	1.0	1.4	2.3	2.2	2.2
1954	.9	.1	-	-	.6	1.5	2.2	1.9	1.6	1.3	.8	.7	.9	.8	1.3	.8	1.6	2.3	3.2
1955	.9	.1	-	-	.4	1.5	2.0	1.9	1.5	1.2	.9	.7	.8	1.0	.8	1.0	1.5	2.9	2.4
1956	.8	.1	-	.1	.3	1.3	2.1	2.0	1.3	1.4	.8	.7	.5	.5	1.1	1.2	1.1	2.1	3.3
1957	.8	.1	-	-	.5	1.2	1.8	1.8	1.5	1.2	.9	.7	.5	.7	1.1	.6	1.2	2.6	1.9
1958	.9	.1	-	-	.5	1.6	1.8	2.0	1.9	1.4	1.1	.6	.6	.6	1.0	.8	.8	1.5	1.6
1959	.8	.1	-	-	.6	1.1	1.7	1.8	1.8	1.3	.9	.6	.8	.5	.9	.8	1.1	1.0	2.1
1960	.8	.1	-	-	.5	1.3	1.8	1.7	1.4	1.3	1.1	.9	.7	.5	.6	.4	1.2	.8	2.7
1961	.8	.1	-	.1	.4	1.4	1.8	1.8	1.7	1.3	.8	.8	.6	.6	.6	1.2	1.2	1.7	.6
1962	.8	.1	-	.1	.5	1.3	1.8	1.8	1.7	.8	1.0	.8	.6	.5	.9	1.3	.6	2.3	1.7
1963	.8	.1	-	.1	.6	1.4	1.8	1.7	1.5	1.3	.9	.7	.6	.5	.6	.8	.7	1.2	1.4
1964	.8	.1	-	.1	.5	1.2	2.1	1.7	1.7	1.0	.9	.8	.5	.7	.7	.9	.9	1.3	2.5
1965	.8	.1	-	.1	.5	1.4	1.9	1.7	1.7	1.4	.8	.9	.5	.9	1.1	.9	1.2	.8	1.4
1966	.8	.1	-	-	.7	1.4	2.0	1.7	1.4	1.5	.9	.7	.7	.8	.8	1.0	1.2	1.6	1.3
1967	.8	.1	-	-	.5	1.5	1.8	1.9	1.4	.9	.9	.8	.6	.5	.7	.8	.8	1.2	1.3
1968	.8	.1	-	.1	.5	1.3	2.1	1.7	1.4	1.1	1.0	.5	.6	.7	.8	.7	.9	1.8	1.5
1969	.8	.1	-	-	.7	1.6	2.2	1.6	1.7	1.0	.8	.8	.5	.7	.9	1.1	1.3	1.1	1.0
1970	.8	.1	-	.1	.8	1.6	2.0	1.6	1.3	1.1	.8	.6	.5	.7	.7	1.0	1.2	1.5	1.3
1971	.9	.1	-	-	.6	1.6	2.1	2.1	1.5	1.4	.6	.9	.5	.5	.6	.8	1.3	2.2	1.3
1972	.8	.1	-	.1	.5	1.9	1.8	1.6	1.0	.7	.7	.5	.5	.6	.5	.6	.7	1.2	1.7
1973	.9	.1	-	-	.6	1.7	2.0	1.4	1.5	1.1	.9	.8	.7	.3	.8	.8	1.1	2.0	3.0
1974	.8	.1	-	-	.6	1.8	1.9	1.6	1.2	1.0	.9	.6	.7	.5	.4	.8	.9	1.0	1.3
1975	.8	.1	.0	-	.6	1.4	1.8	1.5	1.2	.9	.9	.8	.6	.6	.7	.9	.8	.7	1.5
1976	.8	-	.1	.1	.5	1.5	1.8	1.3	1.1	.7	.8	.6	.6	.7	.4	.8	.6	.9	1.6
1977	.7	.1	-	-	.5	1.7	1.7	1.4	1.0	.7	.5	.6	.7	.7	.4	.7	.6	1.0	1.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	614	8	4	1	13	63	108	106	65	57	34	23	30	28	22	19	20	8	5
1951	663	5	2	1	21	68	123	101	76	65	44	29	33	26	13	26	13	9	8
1952	588	7	4	0	18	65	82	98	79	50	39	26	28	23	18	21	14	9	7
1953	601	3	3	4	16	60	97	97	80	57	30	24	27	13	25	24	24	11	6
1954	672	7	2	1	29	71	114	103	81	61	37	28	30	24	33	13	17	12	9
1955	647	7	3	2	18	70	103	105	80	59	39	27	28	30	19	18	16	16	7
1956	632	6	2	5	15	62	110	109	69	71	35	28	18	16	29	23	12	12	10
1957	612	12	3	3	26	57	92	96	79	62	40	27	19	21	28	12	14	15	6
1958	673	5	1	3	27	77	87	108	105	73	53	25	23	20	26	16	10	9	5
1959	623	5	4	2	35	53	81	96	101	68	43	26	28	17	23	15	13	6	7
1960	614	7	1	3	30	65	87	89	75	69	54	38	26	16	16	9	15	5	9
1961	630	12	1	4	22	70	87	93	91	69	37	33	22	20	16	24	16	11	2
1962	626	6	1	5	32	67	86	92	91	44	47	36	22	17	23	27	8	16	6
1963	636	11	2	5	44	78	89	87	82	70	44	30	24	16	16	16	9	8	5
1964	654	10	3	5	35	70	105	84	93	54	47	35	21	22	20	19	13	9	9
1965	688	8	1	5	39	84	95	84	89	78	39	41	20	29	29	20	16	6	5
1966	710	8	1	4	54	88	101	83	75	84	46	34	28	26	22	22	17	12	5
1967	650	10	3	2	37	103	95	93	72	49	44	38	26	16	19	18	11	9	5
1968	669	4	1	5	43	92	119	84	69	59	50	23	26	25	22	14	13	14	6
1969	722	5	2	1	54	114	127	77	85	52	42	37	22	25	24	23	19	9	4
1970	720	7	3	5	69	122	118	82	61	60	40	29	22	25	21	21	17	12	6
1971	772	9	1	1	56	127	130	108	72	73	34	43	22	19	18	16	19	18	6
1972	338	5	1	5	23	77	61	42	24	19	18	13	10	12	8	6	5	5	4
1973	766	8	3	1	54	138	137	78	71	53	45	43	33	12	24	18	16	17	15
1974	732	5	1	4	50	144	137	95	61	48	47	31	31	19	12	18	13	9	7
1975	710	6	0	1	50	119	133	90	62	44	46	42	26	24	22	20	11	6	8
1976	699	3	5	9	44	132	143	82	59	35	42	33	28	26	14	18	9	8	9
1977	673	4	1	3	42	147	131	92	52	36	24	29	31	27	14	17	8	9	6


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.1	-	.2	.7	1.2	1.0	.4	.3	.1	.1	-	-	-	-	-	-	-
1951	.1	-	-	-	.3	.8	1.3	1.0	.5	.3	.1	.1	.1	-	-	-	-	-	-
1952	.1	-	.1	.0	.3	.8	.9	1.0	.6	.2	.1	.1	-	-	-	-	-	-	-
1953	.1	-	.1	.1	.3	.7	1.1	1.0	.6	.3	.1	.1	-	-	-	-	-	-	-
1954	.1	-	-	-	.5	.9	1.4	1.1	.6	.3	.1	.1	-	-	-	-	-	-	-
1955	.1	-	.1	.1	.3	.9	1.3	1.1	.6	.3	.1	.1	-	-	-	-	-	-	-
1956	.1	-	-	.1	.2	.8	1.4	1.1	.5	.3	.1	.1	-	-	-	-	-	-	-
1957	.1	-	.1	.1	.4	.7	1.2	1.0	.6	.3	.1	.1	-	-	-	-	-	-	-
1958	.1	-	-	.1	.4	1.0	1.2	1.2	.8	.3	.2	.1	-	-	-	-	-	-	-
1959	.1	-	.1	-	.5	.7	1.1	1.0	.7	.3	.1	.1	-	-	-	-	-	-	-
1960	.1	-	-	.1	.4	.8	1.2	1.0	.5	.3	.2	.1	-	-	-	-	-	-	-
1961	.1	-	-	.1	.3	.9	1.3	1.1	.7	.3	.1	.1	-	-	-	-	-	-	-
1962	.1	-	-	.1	.4	.8	1.3	1.1	.7	.2	.1	.1	-	-	-	-	-	-	-
1963	.1	-	-	.1	.5	.9	1.2	1.0	.6	.3	.1	.1	-	-	-	-	-	-	-
1964	.1	-	.1	.1	.4	.7	1.4	1.0	.7	.2	.1	.1	-	-	-	-	-	-	-
1965	.1	-	-	.1	.4	.8	1.2	1.0	.7	.3	.1	.1	-	-	-	-	-	-	-
1966	.1	-	-	.1	.5	.8	1.3	1.0	.6	.4	.1	.1	-	-	-	-	-	-	-
1967	.1	-	.1	-	.3	.9	1.1	1.1	.5	.2	.1	.1	-	-	-	-	-	-	-
1968	.1	-	-	.1	.4	.7	1.3	1.0	.5	.3	.1	-	-	-	-	-	-	-	-
1969	.1	-	-	-	.4	.8	1.3	.9	.7	.2	.1	.1	-	-	-	-	-	-	-
1970	.1	-	.1	.1	.6	.9	1.2	.9	.5	.3	.1	.1	-	-	-	-	-	-	-
1971	.1	-	-	-	.4	.9	1.3	1.2	.6	.3	.1	.1	-	-	-	-	-	-	-
1972	.1	-	.1	.2	.3	1.0	1.1	.9	.4	.2	.1	-	-	-	-	-	-	-	-
1973	.1	-	.1	-	.4	.9	1.2	.8	.6	.3	.1	.1	-	-	-	-	-	-	-
1974	.1	-	-	.1	.4	.9	1.2	.9	.5	.3	.1	.1	-	-	-	-	-	-	-
1975	.1	-	.0	-	.4	.8	1.1	.9	.5	.3	.1	.1	-	-	-	-	-	-	-
1976	.1	-	.2	.2	.3	.9	1.2	.8	.5	.2	.1	.1	-	-	-	-	-	-	-
1977	.1	-	-	.1	.3	.9	1.0	.8	.4	.2	.1	.1	-	-	-	-	-	-	-

Testis


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.1	.0	.0	.0	.5	.2	.5	.2	.0	.2	.5	.7	1.4	.0	.0	.0	2.7	.0
1951	.3	.3	.0	.0	.6	.5	.6	.5	.3	.2	.2	.0	.7	.5	1.0	.0	.0	2.6	.0
1952	.3	.1	.0	.1	.2	.5	.3	.7	.2	.4	.0	.0	.3	1.8	.0	.0	5.6	2.6	.0
1953	.2	.0	.0	.0	.3	.2	.2	.0	.0	.2	.4	.2	.3	.4	.9	.8	1.3	.0	4.7
1954	.2	.0	.0	.0	.3	.0	.5	.2	.5	.0	.0	.0	.3	.4	2.3	.8	.0	2.4	.0
1955	.3	.0	.0	.0	.2	.2	.5	.3	.5	.2	.2	.5	.3	.8	1.8	1.5	1.2	2.4	.0
1956	.3	.0	.0	.0	.0	.5	.7	.3	.0	.5	1.1	.0	.0	1.6	.9	.0	1.2	.0	.0
1957	.3	.1	.1	.0	.3	.0	.3	.0	.3	.5	.4	.7	.8	.8	.4	1.4	1.1	.0	3.8
1958	.3	.0	.0	.0	.1	.2	.5	.3	.5	.5	.0	.5	.5	.8	.4	2.0	1.1	.0	.0
1959	.3	.2	.0	.1	.3	.3	.3	.3	.3	.7	.2	.0	.3	1.1	.4	.0	1.0	4.4	.0
1960	.2	.1	.0	.0	.4	.5	.3	.3	.0	.4	.0	.7	.5	1.0	.0	.6	.0	.0	6.5
1961	.3	.0	.0	.1	.2	.6	.3	.6	.5	.9	.2	.2	.2	.0	.4	2.3	2.8	.0	6.7
1962	.2	.1	.0	.0	.0	.1	.6	.2	.3	.5	.2	.4	.0	1.3	.0	2.8	.0	.0	.0
1963	.2	.0	.0	.0	.1	.0	.3	.2	.3	.5	.4	.4	.2	1.0	.7	1.1	1.8	5.1	.0
1964	.3	.1	.0	.0	.2	.1	.2	.6	.9	.3	.2	.0	.2	.6	1.4	1.1	2.7	.0	.0
1965	.2	.0	.1	.2	.2	.1	.6	.0	.3	.2	.6	.4	.2	.3	.3	.5	.0	.0	2.9
1966	.2	.1	.0	.0	.0	.1	.6	.3	.5	.3	.6	.6	.7	.6	.3	1.5	.0	.0	.0
1967	.3	.0	.1	.0	.2	.8	.7	.3	.2	.0	.7	.4	.5	.6	.7	.0	.8	1.5	.0
1968	.2	.1	.0	.0	.2	.1	.6	.8	.5	.2	.4	.4	.4	.6	.0	.5	.0	1.5	2.4
1969	.2	.0	.1	.1	.1	.3	.5	.2	.2	.2	.2	.0	.0	.0	.0	1.5	.8	.0	2.3
1970	.3	.0	.0	.1	.4	.6	.8	.3	.2	.2	.7	.4	.4	.0	.6	1.4	.8	1.4	4.3
1971	.2	.0	.0	.0	.1	.1	.5	.1	.3	.6	.5	.4	.2	.3	.3	.5	.8	1.4	.0
1972	.2	.0	.0	.0	.4	.0	.2	.5	.0	.3	.0	.4	.0	1.5	1.2	.0	1.5	.0	4.0
1973	.2	.1	.0	.0	.1	.5	.2	.5	.3	.5	.7	.2	.5	.0	.0	.5	1.5	2.4	1.9
1974	.2	.1	.0	.0	.1	.3	.0	.3	.2	.0	.3	.3	.4	.2	.0	1.4	1.5	.0	1.8
1975	.2	.0	.1	.0	.1	.2	.2	.5	.2	.2	.2	.3	.4	.2	.5	.0	1.4	.0	.0
1976	.2	.0	.0	.1	.1	.1	.5	.2	.1	.5	.2	.0	.0	.5	.3	.9	.7	1.1	4.4
1977	.2	.1	.0	.1	.0	.3	.2	.2	.4	.2	.5	.0	.4	.7	.0	.4	.0	.0	.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	18	1	0	0	0	3	1	3	1	0	1	2	2	3	0	0	0	1	0
1951	27	3	0	0	4	3	4	3	2	1	1	0	2	1	2	0	0	1	0
1952	25	1	0	1	1	3	2	4	1	2	0	0	1	4	0	0	4	1	0
1953	15	0	0	0	2	1	1	0	0	1	2	1	1	1	2	1	1	0	1
1954	18	0	0	0	2	0	3	1	3	0	0	0	1	1	5	1	0	1	0
1955	25	0	0	0	1	1	3	2	3	1	1	2	1	2	4	2	1	1	0
1956	24	0	0	0	0	3	4	2	0	3	5	0	0	4	2	0	1	0	0
1957	26	1	1	0	2	0	2	0	2	3	2	3	3	2	1	2	1	0	1
1958	24	0	0	0	1	1	3	2	3	3	0	2	2	2	1	3	1	0	0
1959	27	3	0	1	2	2	2	2	2	4	1	0	1	3	1	0	1	2	0
1960	25	2	0	0	3	3	2	2	0	2	0	3	2	3	0	1	0	0	2
1961	34	0	0	1	2	4	2	4	3	5	1	1	1	0	1	4	3	0	2
1962	24	1	0	0	0	1	4	1	2	3	1	2	0	4	0	5	0	0	0
1963	26	0	0	0	1	0	2	1	2	3	2	2	1	3	2	2	2	3	0
1964	30	1	0	0	2	1	1	4	6	2	1	0	1	2	4	2	3	0	0
1965	23	0	1	2	2	1	4	0	2	1	3	2	1	1	1	1	0	0	1
1966	28	1	0	0	0	1	4	2	3	2	3	3	3	2	1	3	0	0	0
1967	32	0	1	0	2	7	5	2	1	0	4	2	2	2	2	0	1	1	0
1968	28	1	0	0	2	1	4	5	3	1	2	2	2	2	0	1	0	1	1
1969	19	0	1	1	1	3	4	1	1	1	1	0	0	0	0	3	1	0	1
1970	40	0	0	1	6	6	6	2	1	1	4	2	2	0	2	3	1	1	2
1971	25	0	0	0	2	1	4	1	2	4	3	2	1	1	1	1	1	1	0
1972	15	0	0	0	3	0	1	2	0	1	0	1	0	3	2	0	1	0	1
1973	32	1	0	0	1	6	2	4	2	3	4	1	2	0	0	1	2	2	1
1974	23	1	0	0	2	4	0	2	1	0	2	2	2	1	0	3	2	0	1
1975	23	0	1	0	2	2	2	4	1	1	1	2	2	1	2	0	2	0	0
1976	28	0	0	2	2	2	5	2	1	3	1	0	0	2	1	2	1	1	3
1977	23	1	0	1	0	4	2	2	3	1	3	0	2	3	0	1	0	0	0


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.0	.0	.1	-	.1	-	.0	-	-	-	-	.0	.0	.0	-	.0
1951	-	-	.0	.0	.3	.1	.1	.1	.1	-	-	.0	-	-	-	.0	.0	-	.0
1952	-	-	.0	.1	.1	.1	.1	.1	-	-	.0	.0	-	-	.0	.0	.1	-	.0
1953	-	.0	.0	.0	.2	.1	-	.0	.0	-	-	-	-	-	-	-	-	.0	-
1954	-	.0	.0	.0	.2	.0	.1	-	.1	.0	.0	.0	-	-	.1	-	.0	-	.0
1955	-	.0	.0	.0	.1	.1	.1	.1	.1	-	-	-	-	-	-	-	-	-	.0
1956	-	.0	.0	.0	.0	.2	.2	.1	.0	.1	.1	.0	.0	-	-	.0	-	.0	.0
1957	-	-	.1	.0	.2	.0	.1	.0	.1	.1	-	-	-	-	-	-	-	.0	-
1958	-	.0	.0	.0	.1	.1	.1	.1	.1	.1	.0	-	-	-	-	-	-	.0	.0
1959	-	-	.0	.1	.2	.1	.1	.1	.1	.1	-	.0	-	-	-	.0	-	-	.0
1960	-	-	.0	.0	.2	.2	.1	.1	.0	-	.0	-	-	-	.0	-	.0	.0	-
1961	-	.0	.0	.1	.2	.2	.1	.1	.1	.1	-	-	-	.0	-	-	-	.0	-
1962	-	-	.0	.0	.0	.1	.2	-	.1	.1	-	-	.0	-	.0	-	.0	.0	.0
1963	-	.0	.0	.0	.1	.0	.1	-	.1	.1	-	-	-	-	-	-	-	-	.0
1964	-	-	.0	.0	.1	-	-	.1	.1	-	-	.0	-	-	-	-	-	.0	.0
1965	-	.0	.1	.2	.1	-	.2	.0	-	-	-	-	-	-	-	-	.0	.0	-
1966	-	-	.0	.0	.0	-	.2	.1	.1	-	-	-	-	-	-	-	.0	.0	.0
1967	-	.0	.1	.0	.1	.3	.2	.1	-	.0	.1	-	-	-	-	.0	-	-	.0
1968	-	-	.0	.0	.1	-	.1	.1	.1	-	-	-	-	-	.0	-	.0	-	-
1969	-	.0	.1	.1	-	.1	.1	-	-	-	-	.0	.0	.0	.0	-	-	.0	-
1970	-	.0	.0	.1	.2	.1	.2	.1	-	-	-	-	-	.0	-	-	-	-	-
1971	-	.0	.0	.0	.1	-	.1	-	-	.1	-	-	-	-	-	-	-	-	.0
1972	-	.0	.0	.0	.2	.0	.1	.1	.0	-	.0	-	.0	-	-	.0	-	.0	-
1973	-	-	.0	.0	-	.1	-	.1	-	.1	-	-	-	.0	.0	-	-	-	-
1974	-	-	.0	.0	.1	.1	.0	.1	-	.0	-	-	-	-	.0	-	-	.0	-
1975	-	.0	.1	.0	.1	-	-	.1	-	-	-	-	-	-	-	.0	-	.0	.0
1976	-	.0	.0	.2	.1	.1	.1	.1	-	.1	-	.0	.0	-	-	-	-	-	-
1977	-	-	.0	.1	.0	.1	-	.1	.1	-	-	.0	-	-	.0	-	.0	.0	.0


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	2124	3.14	3.37	2.01	1310	1.92	2.00	1.37	120	1.54	1.91	1.26	89	1.10	1.34	0.90
1951	2157	3.14	3.34	1.98	1338	1.93	1.99	1.37	117	1.47	1.85	1.22	87	1.05	1.23	0.85
1952	2317	3.32	3.54	2.06	1377	1.96	1.99	1.37	145	1.79	2.24	1.42	90	1.06	1.37	0.95
1953	2391	3.37	3.56	2.05	1398	1.95	1.97	1.37	135	1.63	1.98	1.23	90	1.04	1.28	0.90
1954	2453	3.40	3.60	2.06	1466	2.01	2.02	1.42	155	1.82	2.22	1.30	88	0.99	1.23	0.86
1955	2551	3.48	3.68	2.08	1561	2.11	2.09	1.49	145	1.67	2.08	1.23	91	1.00	1.24	0.87
1956	2628	3.53	3.74	2.09	1544	2.05	2.01	1.44	169	1.90	2.38	1.33	111	1.19	1.40	0.96
1957	2720	3.59	3.80	2.11	1653	2.15	2.10	1.51	190	2.08	2.61	1.43	98	1.02	1.26	0.87
1958	2761	3.60	3.79	2.14	1668	2.14	2.07	1.52	201	2.15	2.73	1.53	113	1.15	1.36	0.94
1959	2875	3.68	3.91	2.19	1668	2.10	2.02	1.50	190	1.98	2.63	1.40	120	1.18	1.38	0.99
1960	2946	3.72	3.93	2.17	1669	2.07	1.97	1.47	199	1.98	2.58	1.36	125	1.18	1.46	1.01
1961	3045	3.79	4.03	2.21	1802	2.20	2.08	1.56	228	2.21	2.87	1.48	140	1.29	1.61	1.12
1962	3015	3.70	3.93	2.15	1821	2.18	2.06	1.55	228	2.17	2.84	1.46	154	1.38	1.65	1.17
1963	3219	3.90	4.17	2.24	1843	2.18	2.04	1.54	215	2.00	2.55	1.24	117	1.03	1.28	0.92
1964	3250	3.89	4.15	2.23	1893	2.21	2.06	1.57	252	2.30	3.04	1.50	137	1.18	1.43	1.02
1965	3266	3.87	4.13	2.18	1981	2.28	2.11	1.60	242	2.16	2.91	1.41	145	1.22	1.50	1.06
1966	3457	4.06	4.36	2.28	2004	2.28	2.09	1.59	234	2.05	2.80	1.30	146	1.20	1.51	1.05
1967	3401	3.96	4.24	2.20	2046	2.31	2.08	1.59	292	2.52	3.41	1.56	155	1.25	1.53	1.07
1968	3577	4.13	4.42	2.27	2079	2.32	2.08	1.59	315	2.67	3.65	1.62	146	1.15	1.40	0.98
1969	3641	4.17	4.47	2.29	2100	2.32	2.06	1.59	278	2.32	3.19	1.40	168	1.30	1.59	1.12
1970	3701	4.20	4.50	2.28	2168	2.37	2.08	1.59	296	2.43	3.39	1.47	160	1.21	1.46	1.05
1971	3790	4.27	4.56	2.29	2135	2.31	2.01	1.55	287	2.31	3.22	1.40	181	1.34	1.61	1.12
1972	1961	4.39	4.67	2.32	1086	2.34	2.02	1.55	163	2.57	3.65	1.55	89	1.30	1.58	1.11
1973	3819	4.25	4.49	2.23	2248	2.40	2.04	1.57	301	2.33	3.22	1.33	173	1.24	1.52	1.03
1974	4025	4.46	4.68	2.29	2369	2.52	2.12	1.61	309	2.35	3.24	1.31	176	1.23	1.52	1.05
1975	3994	4.40	4.58	2.25	2457	2.59	2.16	1.65	330	2.46	3.42	1.38	192	1.32	1.61	1.13
1976	4086	4.48	4.62	2.24	2467	2.59	2.13	1.60	352	2.58	3.55	1.40	209	1.41	1.70	1.18
1977	4234	4.61	4.74	2.28	2587	2.70	2.18	1.64	341	2.45	3.37	1.31	211	1.39	1.67	1.13

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Kidney and ureter.
(ICD 180 [6th]; ICD 180 [7th]; ICD 189–189.2 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



BLOT WJ, FRAUMENI JF JR: Geographic patterns of renal cancer in the United States. JNCI 63:363-366, 1979

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.1	1.0	.4	.1	.1	.2	.2	.3	.8	1.6	3.1	6.3	9.7	11.9	13.6	17.8	16.4	17.7	14.3
1951	3.1	1.2	.4	.1	-	.2	.3	.3	.7	1.5	3.3	5.9	9.0	12.3	14.5	16.6	17.9	14.8	13.3
1952	3.3	.7	.3	.1	.1	.1	.1	.3	.9	1.6	3.6	6.2	9.5	13.9	16.4	15.9	17.3	19.2	15.6
1953	3.4	1.0	.5	.1	.1	.1	.1	.3	1.0	1.7	3.9	5.3	10.3	13.6	16.2	17.5	17.2	14.6	17.0
1954	3.4	1.1	.4	-	.1	-	.2	.5	.7	2.1	3.2	5.8	8.8	13.9	17.1	16.0	21.9	18.0	14.0
1955	3.5	.9	.5	-	.1	-	.2	.3	.8	1.5	3.0	6.7	9.5	14.3	16.4	20.0	18.7	17.3	16.5
1956	3.5	1.0	.4	.1	-	.1	.1	.3	.7	1.6	3.5	6.2	9.6	13.9	17.7	19.7	18.7	22.2	15.8
1957	3.6	.9	.4	.1	.1	.1	.2	.4	.8	1.8	3.4	6.5	9.4	14.3	17.8	19.0	20.8	20.0	17.3
1958	3.6	1.0	.4	.1	.1	.1	.2	.3	.7	1.8	3.8	6.4	9.7	12.8	19.1	18.9	21.3	19.5	15.7
1959	3.7	1.1	.4	.1	.1	.1	.1	.3	.6	1.6	3.8	6.8	10.4	12.9	17.0	20.5	21.9	24.8	19.3
1960	3.7	.9	.4	.1	.1	.1	.2	.4	.9	2.0	3.3	6.2	10.3	14.1	18.5	19.8	23.5	21.2	17.0
1961	3.8	.6	.4	.1	.1	.1	.1	.4	.9	1.8	3.1	6.6	9.8	14.2	19.4	21.8	23.9	24.8	19.9
1962	3.7	.7	.5	.1	.1	.1	.2	.3	.8	1.6	3.8	6.5	9.4	13.4	19.4	20.5	22.7	22.4	20.6
1963	3.9	.7	.4	.1	-	.1	.2	.4	.8	1.5	3.8	6.8	10.4	13.9	19.0	22.5	27.3	25.7	19.4
1964	3.9	.6	.3	.1	.1	.1	.2	.4	.7	1.8	3.9	7.2	9.5	15.0	20.1	21.9	26.5	19.4	20.6
1965	3.9	.6	.4	-	-	.1	.1	.2	.7	2.0	3.8	6.5	9.9	15.0	19.3	23.7	24.2	24.6	18.2
1966	4.1	.5	.3	.1	.1	.2	.1	.4	1.0	1.9	3.7	7.0	10.1	15.3	20.4	23.6	27.3	26.5	26.5
1967	4.0	.4	.3	-	.1	-	.1	.3	.9	1.9	3.9	6.6	10.6	14.0	18.2	25.5	26.1	27.2	24.5
1968	4.1	.4	.5	.1	.1	.1	.1	.2	.8	1.9	3.6	6.9	10.7	14.7	20.7	24.6	27.9	30.0	24.1
1969	4.2	.4	.3	-	-	-	.2	.3	.8	1.9	4.1	7.2	11.0	15.0	19.2	22.8	30.2	33.5	27.0
1970	4.2	.4	.3	.1	.1	.1	.1	.3	.7	2.0	4.3	5.9	10.7	15.8	20.2	24.5	29.6	31.7	29.3
1971	4.3	.4	.2	.1	.1	.1	.1	.3	.7	1.7	3.9	6.8	10.4	15.2	21.5	25.1	30.9	33.9	29.2
1972	4.4	.5	.3	.1	-	.2	-	.2	.6	1.8	3.6	6.7	12.2	14.5	21.1	26.7	32.8	34.3	28.0
1973	4.2	.4	.2	.1	-	.1	.1	.4	.8	1.8	4.0	6.3	11.3	15.8	19.2	25.9	30.6	26.4	31.0
1974	4.5	.3	.2	-	.1	-	.2	.3	.7	2.1	4.0	7.3	10.6	16.3	21.2	25.0	33.0	33.1	28.7
1975	4.4	.3	.2	-	-	.1	.1	.2	.8	2.0	4.2	7.0	10.7	15.9	20.4	25.7	32.2	27.9	30.5
1976	4.5	.3	.2	-	.1	.1	.1	.2	.7	1.7	4.1	7.0	11.4	15.3	21.7	24.6	29.9	34.8	31.9
1977	4.6	.2	.1	-	-	-	.1	.3	.7	2.2	4.4	7.4	10.9	15.6	20.2	26.6	32.3	36.2	34.5

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2124	76	21	3	5	8	11	13	38	75	126	238	326	337	305	271	154	85	32
1951	2157	92	22	7	1	9	15	15	33	71	139	222	308	354	332	259	174	72	32
1952	2317	56	21	6	4	5	8	18	44	77	155	234	328	410	386	257	173	95	40
1953	2391	76	33	6	6	5	7	14	52	82	170	201	354	408	389	291	177	74	46
1954	2453	91	27	2	3	2	9	25	37	103	142	225	305	422	418	276	232	94	40
1955	2551	77	41	3	4	2	12	18	42	72	137	260	331	441	408	357	203	94	49
1956	2628	83	29	7	2	3	6	15	35	80	160	246	337	434	446	363	208	126	48
1957	2720	78	30	7	6	6	8	19	42	92	159	263	333	448	459	360	239	117	54
1958	2761	86	34	4	5	3	8	14	40	90	179	266	350	397	499	367	252	117	50
1959	2875	100	30	7	4	5	6	18	33	81	180	286	384	400	450	407	269	152	63
1960	2946	77	35	7	5	4	9	19	48	102	160	266	386	441	498	402	297	133	57
1961	3045	56	32	6	6	6	6	20	48	92	152	289	374	445	524	450	310	161	68
1962	3015	63	41	5	5	4	8	14	43	84	189	291	366	423	522	432	300	154	71
1963	3219	64	38	8	1	3	8	19	41	79	190	309	416	442	510	480	367	177	67
1964	3250	55	29	9	8	4	10	18	40	100	196	328	387	481	539	472	363	138	73
1965	3266	53	38	3	2	5	7	9	38	110	192	299	409	489	518	512	336	180	66
1966	3457	38	27	7	6	10	5	19	52	103	190	326	423	510	551	507	385	199	99
1967	3401	35	24	4	7	2	4	16	48	102	202	311	449	479	494	547	373	209	95
1968	3577	31	41	8	9	9	7	12	41	103	190	329	456	516	567	523	404	235	96
1969	3641	31	28	3	4	2	10	13	37	102	216	346	475	541	533	482	439	267	112
1970	3701	27	28	8	5	9	8	14	35	105	227	287	462	581	570	518	428	257	132
1971	3790	26	20	8	8	5	8	15	34	86	203	336	455	566	622	531	451	280	136
1972	1961	18	11	4	2	6	1	5	15	46	94	169	269	275	313	283	238	145	67
1973	3819	25	19	11	4	6	9	20	41	89	205	324	500	604	585	558	437	228	154
1974	4025	22	14	2	7	4	11	16	37	101	206	380	475	633	662	549	469	287	150
1975	3994	21	15	3	1	11	4	15	38	96	215	362	487	623	656	573	462	244	168
1976	4086	19	14	3	6	5	10	15	36	82	206	361	529	604	711	563	432	311	179
1977	4234	10	9	4	3	4	8	19	37	106	220	377	521	619	674	629	468	325	201


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.1	.5	.1	.1	.1	.1	.1	.3	.3	.4	.5	.5	.4	.3	.3	.2	.1	.1
1951	.3	.2	.5	.2	-	.1	.2	.1	.2	.3	.4	.5	.5	.4	.4	.3	.2	.1	.1
1952	.3	.1	.5	.2	.1	.1	.1	.2	.3	.4	.5	.5	.5	.5	.4	.3	.2	.1	.1
1953	.3	.1	.8	.2	.1	.1	.1	.1	.4	.4	.5	.4	.6	.5	.4	.3	.2	.1	.1
1954	.3	.2	.7	.1	.1	-	.1	.3	.3	.5	.4	.5	.5	.5	.4	.3	.3	.1	.1
1955	.3	.1	1.0	.1	.1	-	.1	.2	.3	.3	.4	.6	.5	.5	.4	.3	.2	.1	.1
1956	.3	.2	.7	.2	-	-	.1	.2	.3	.4	.5	.5	.5	.5	.4	.3	.2	.2	.1
1957	.3	.1	.7	.2	.1	.1	.1	.2	.3	.4	.5	.6	.5	.5	.4	.3	.2	.1	.1
1958	.3	.2	.8	.1	.1	-	.1	.2	.3	.4	.5	.5	.5	.5	.5	.3	.2	.1	.1
1959	.3	.2	.7	.2	.1	.1	.1	.2	.2	.4	.5	.6	.6	.5	.4	.4	.3	.2	.1
1960	.3	.1	.8	.2	.1	.1	.1	.2	.3	.5	.5	.5	.6	.5	.5	.3	.3	.2	.1
1961	.4	.1	.8	.2	.1	.1	.1	.2	.4	.4	.5	.6	.6	.5	.5	.4	.3	.2	.1
1962	.3	.1	1.0	.1	.1	-	.1	.2	.3	.4	.6	.6	.5	.5	.5	.4	.3	.2	.1
1963	.4	.1	.9	.2	-	-	.1	.2	.3	.4	.5	.6	.6	.5	.5	.4	.3	.2	.1
1964	.4	.1	.7	.2	.1	-	.1	.2	.3	.4	.6	.6	.5	.5	.5	.4	.3	.2	.1
1965	.4	.1	.9	.1	-	.1	.1	.1	.3	.5	.6	.6	.6	.5	.5	.4	.3	.2	.1
1966	.4	.1	.6	.2	.1	.1	.1	.2	.4	.5	.5	.6	.6	.5	.5	.4	.3	.2	.1
1967	.4	.1	.6	.1	.1	-	-	.2	.4	.5	.6	.6	.6	.5	.5	.4	.3	.2	.1
1968	.4	.1	.9	.2	.1	.1	.1	.1	.3	.5	.5	.6	.6	.5	.5	.4	.3	.2	.1
1969	.4	.1	.7	.1	-	-	.1	.1	.3	.5	.6	.7	.6	.6	.5	.4	.3	.3	.1
1970	.4	.1	.7	.2	-	.1	.1	.2	.3	.5	.6	.5	.6	.6	.5	.4	.3	.3	.1
1971	.4	.1	.5	.2	.1	-	.1	.2	.3	.4	.6	.6	.6	.6	.5	.4	.4	.3	.1
1972	.4	.1	.6	.2	-	.1	-	.1	.3	.5	.5	.6	.7	.5	.5	.5	.4	.3	.1
1973	.4	.1	.5	.3	-	-	.1	.2	.3	.5	.6	.6	.7	.6	.5	.4	.3	.2	.2
1974	.4	.1	.4	-	.1	-	.1	.2	.3	.6	.6	.7	.7	.6	.6	.4	.4	.3	.1
1975	.4	.1	.5	.1	-	.1	-	.1	.3	.5	.7	.7	.7	.7	.6	.5	.4	.2	.2
1976	.4	.1	.5	.1	-	-	.1	.1	.3	.5	.7	.7	.8	.6	.6	.5	.4	.3	.2
1977	.5	-	.3	.1	-	-	.1	.2	.3	.6	.8	.8	.8	.7	.6	.5	.4	.3	.2


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.9	1.1	.7	.1	.1	.1	.1	.1	.4	.7	1.3	2.7	4.7	6.0	8.9	10.2	11.9	13.2	10.0
1951	1.9	.9	.6	-	.1	.1	.1	.2	.5	.7	1.6	2.6	4.3	6.3	8.1	11.2	11.3	14.2	10.9
1952	2.0	1.1	.5	.1	-	.2	.2	.3	.5	.6	1.1	2.4	3.9	6.6	9.2	10.9	12.8	11.1	12.9
1953	2.0	.8	.6	-	.1	.1	.2	.3	.4	1.0	1.3	3.1	4.3	5.9	8.2	10.6	12.3	12.6	10.6
1954	2.0	.9	.5	.1	-	.1	.1	.1	.4	.8	1.6	2.8	4.1	6.5	8.3	10.8	13.0	15.6	12.1
1955	2.1	.9	.6	-	.1	-	.2	.1	.4	.8	1.5	2.7	3.9	6.6	8.7	10.2	15.2	15.7	13.8
1956	2.0	1.0	.6	.1	-	-	-	.3	.4	.8	1.4	3.0	4.1	6.6	7.7	10.3	13.8	12.5	15.5
1957	2.2	1.1	.5	.1	-	-	.1	.3	.4	.9	1.6	2.9	4.2	5.8	8.7	10.9	12.6	18.1	16.1
1958	2.1	.8	.6	.1	-	.1	.1	.2	.6	.7	1.7	2.7	4.0	5.5	9.2	11.1	13.5	15.1	16.3
1959	2.1	.9	.5	.1	-	.1	.1	.3	.4	.6	1.3	2.5	4.4	6.1	8.8	10.9	13.3	13.7	13.1
1960	2.1	.8	.4	.1	.1	.1	.1	.1	.3	.7	1.4	2.5	3.9	6.0	9.1	10.4	13.7	13.3	14.6
1961	2.2	1.1	.6	.1	-	-	.1	.2	.4	.9	1.3	3.0	3.9	6.6	8.5	10.9	12.5	15.3	18.0
1962	2.2	.7	.6	.1	-	-	.1	.3	.5	.7	1.3	2.8	4.1	6.3	9.4	11.2	12.0	16.5	14.6
1963	2.2	.5	.5	-	.1	.1	.2	.1	.4	.7	1.5	2.8	3.8	6.2	8.6	12.4	12.7	14.5	17.5
1964	2.2	.6	.5	.1	-	.2	.2	.1	.5	1.0	1.6	2.8	4.0	6.4	8.1	10.9	12.8	17.0	16.6
1965	2.3	.6	.5	.1	.1	.1	.1	.2	.5	1.0	1.4	3.1	3.9	6.3	9.4	10.9	13.4	15.7	17.5
1966	2.3	.7	.4	.1	.1	-	.2	.2	.5	.9	1.6	2.8	4.3	6.0	9.1	11.1	13.4	17.5	14.4
1967	2.3	.6	.5	.1	-	.1	.2	.2	.3	.9	1.4	2.2	4.5	5.6	8.4	12.8	14.3	17.0	17.0
1968	2.3	.5	.5	.1	.1	.1	.1	.3	.4	.9	1.4	2.7	4.6	5.9	8.3	12.7	14.1	14.6	16.9
1969	2.3	.5	.4	-	.1	-	.2	.2	.4	.8	1.5	2.5	3.9	6.7	9.4	11.6	14.3	13.5	17.9
1970	2.4	.3	.2	.1	.1	.1	.1	.3	.3	1.0	1.6	2.7	4.5	6.5	8.5	10.7	15.4	17.7	15.2
1971	2.3	.3	.3	.1	-	.1	.1	.2	.3	.6	1.8	2.9	4.6	5.8	9.0	10.3	14.6	14.9	15.4
1972	2.3	.3	.3	-	.1	.1	.1	.1	.3	1.0	1.7	2.5	4.0	6.4	10.6	10.6	12.2	14.1	14.9
1973	2.4	.3	.3	.1	-	.1	.1	.1	.4	.7	1.8	2.4	3.9	6.8	8.9	10.7	15.5	15.7	16.6
1974	2.5	.3	.2	-	-	.1	.1	.2	.3	.8	1.4	2.7	4.7	7.2	9.7	11.8	15.3	16.0	15.0
1975	2.6	.3	.2	-	-	.2	.1	.1	.4	.9	1.9	2.7	4.6	6.3	8.7	12.6	15.8	18.3	15.0
1976	2.6	.2	.3	-	-	.1	.1	.2	.4	.6	1.9	2.9	4.2	6.7	9.6	11.4	16.3	14.9	16.8
1977	2.7	.2	.1	.1	.1	.1	.1	.2	.4	.8	1.5	3.2	4.9	6.9	9.7	12.5	14.3	18.4	16.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1310	78	41	5	4	6	6	7	23	31	54	103	157	171	212	172	129	79	32
1951	1338	70	34	2	4	7	8	11	25	34	67	98	148	184	198	195	128	88	37
1952	1377	78	31	3	2	9	12	14	25	30	48	93	138	198	231	197	151	71	46
1953	1398	56	39	2	3	6	9	14	23	48	59	121	151	183	212	198	150	84	40
1954	1466	65	31	5	2	4	6	6	22	38	71	108	147	207	220	212	165	109	48
1955	1561	74	44	2	7	2	9	8	23	42	68	108	141	215	236	209	200	115	58
1956	1544	76	43	3	2	2	2	15	24	39	68	119	151	218	214	217	187	96	68
1957	1653	88	36	5	2	2	6	16	20	47	78	118	156	196	248	239	178	144	74
1958	1668	70	45	6	2	4	7	9	34	36	84	113	152	187	271	249	197	124	78
1959	1668	78	39	9	2	4	6	18	25	34	65	110	167	208	265	253	203	116	66
1960	1669	72	35	5	4	6	4	7	17	39	70	113	151	205	280	248	219	116	78
1961	1802	92	46	11	2	2	5	11	21	48	67	134	155	229	264	269	207	140	99
1962	1821	61	48	7	2	2	3	15	28	36	66	130	171	221	296	287	206	159	83
1963	1843	46	40	3	10	5	10	7	21	41	78	131	163	218	273	326	223	146	102
1964	1893	50	41	8	3	11	8	5	27	54	83	133	175	229	260	294	232	179	101
1965	1981	50	45	6	8	7	3	12	29	56	74	149	174	229	305	300	251	172	111
1966	2004	56	36	6	7	2	8	9	26	49	87	137	193	224	298	311	259	200	96
1967	2046	47	45	9	3	8	8	9	18	50	74	108	205	215	277	362	286	202	120
1968	2079	34	41	7	4	5	7	13	18	52	76	138	211	236	281	361	290	180	125
1969	2100	36	32	2	4	3	10	12	20	42	82	130	182	276	323	332	302	172	140
1970	2168	24	20	5	7	7	5	14	17	54	87	141	212	273	299	308	329	235	131
1971	2135	19	23	7	2	8	7	10	16	34	102	154	218	249	321	300	318	207	140
1972	1086	12	13	2	5	4	2	3	8	27	48	68	96	139	197	155	134	102	71
1973	2248	18	21	8	3	6	9	8	21	36	101	131	189	298	339	320	338	236	166
1974	2369	19	15	3	4	4	5	14	16	38	74	150	229	316	380	359	337	245	161
1975	2457	20	15	4	3	13	11	8	23	46	102	152	228	278	353	387	355	285	174
1976	2467	14	18	4	4	8	7	14	21	32	100	160	215	300	396	357	372	240	205
1977	2587	11	8	4	5	7	8	12	22	40	77	175	253	309	407	407	329	301	212


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.2	1.5	.3	.1	.1	.1	.1	.2	.2	.3	.4	.5	.4	.4	.2	.2	.1	.1
1951	.2	.2	1.2	.1	.1	.2	.2	.2	.3	.3	.4	.4	.4	.4	.3	.3	.2	.1	.1
1952	.2	.2	1.0	.1	.1	.2	.2	.2	.3	.2	.3	.4	.4	.4	.4	.3	.2	.1	.1
1953	.2	.1	1.4	.1	.1	.2	.2	.2	.3	.4	.3	.5	.4	.4	.3	.3	.2	.1	.1
1954	.3	.2	1.1	.3	.1	.1	.1	.1	.3	.3	.4	.5	.5	.5	.4	.3	.2	.2	.1
1955	.3	.2	1.6	.1	.3	.1	.2	.1	.3	.3	.4	.5	.4	.5	.4	.3	.2	.1	.1
1956	.3	.2	1.5	.2	.1	.1	.1	.3	.3	.3	.4	.5	.5	.5	.3	.3	.2	.1	.1
1957	.3	.2	1.3	.2	.1	.1	.2	.3	.2	.4	.4	.5	.5	.4	.4	.3	.2	.2	.1
1958	.3	.2	1.6	.3	.1	.1	.2	.2	.4	.3	.5	.5	.5	.4	.4	.3	.2	.1	.1
1959	.3	.2	1.3	.4	.1	.1	.2	.3	.3	.3	.4	.5	.5	.5	.4	.3	.2	.1	.1
1960	.3	.2	1.2	.2	.1	.2	.1	.1	.2	.3	.4	.5	.5	.4	.4	.3	.2	.1	.1
1961	.3	.2	1.6	.5	.1	.1	.1	.2	.3	.4	.4	.5	.5	.5	.4	.3	.2	.2	.1
1962	.3	.2	1.6	.3	.1	.1	.1	.3	.3	.3	.4	.5	.5	.5	.4	.3	.2	.2	.1
1963	.3	.1	1.4	.1	.3	.1	.3	.1	.2	.3	.4	.5	.5	.5	.4	.4	.2	.1	.1
1964	.3	.1	1.4	.4	.1	.3	.2	.1	.3	.4	.4	.5	.5	.5	.4	.3	.2	.2	.1
1965	.3	.2	1.6	.3	.2	.2	.1	.2	.4	.4	.4	.5	.5	.5	.5	.3	.2	.2	.1
1966	.3	.2	1.2	.3	.2	.1	.2	.2	.3	.4	.4	.5	.5	.5	.5	.3	.2	.2	.1
1967	.3	.2	1.6	.4	.1	.2	.2	.2	.2	.4	.4	.4	.6	.5	.4	.4	.3	.2	.1
1968	.3	.1	1.4	.3	.1	.1	.2	.3	.2	.4	.4	.5	.5	.5	.4	.4	.3	.2	.1
1969	.3	.1	1.1	.1	.1	.1	.2	.2	.3	.3	.4	.5	.5	.6	.5	.4	.3	.1	.1
1970	.3	.1	.8	.2	.1	.1	.1	.3	.2	.4	.4	.5	.5	.5	.4	.3	.3	.2	.1
1971	.3	.1	.9	.3	-	.2	.2	.2	.2	.3	.5	.5	.6	.5	.5	.3	.3	.2	.1
1972	.3	.1	1.0	.2	.2	.2	.1	.1	.2	.5	.5	.5	.5	.5	.6	.3	.2	.2	.1
1973	.3	.1	.9	.3	.1	.1	.2	.2	.3	.3	.5	.5	.5	.6	.5	.4	.3	.2	.1
1974	.3	.1	.7	.1	.1	.1	.1	.3	.2	.4	.4	.5	.6	.6	.6	.4	.3	.2	.1
1975	.3	.1	.8	.2	.1	.3	.2	.2	.4	.4	.6	.5	.6	.5	.5	.5	.3	.2	.1
1976	.3	.1	.9	.2	.1	.2	.1	.3	.3	.3	.6	.6	.6	.6	.6	.4	.3	.2	.1
1977	.3	.1	.4	.2	.1	.1	.2	.2	.3	.4	.5	.7	.7	.6	.6	.5	.3	.2	.1


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.5	1.2	.6	.0	.2	.0	.0	.5	.7	1.4	4.5	3.2	5.7	5.7	6.4	6.0	9.2	2.7	5.4
1951	1.5	.8	.2	.0	.3	.3	.2	.5	.5	1.8	2.2	3.4	3.4	10.6	8.2	7.5	5.9	.0	.0
1952	1.8	.9	.3	.0	.2	.5	.8	.5	.9	2.1	3.4	3.8	6.3	10.8	5.7	8.0	11.3	2.6	.0
1953	1.6	1.1	.2	.3	.0	.0	.2	.5	1.2	1.3	3.1	4.2	5.5	8.4	8.3	7.8	5.3	2.5	.0
1954	1.8	.8	.6	.1	.2	.3	.0	1.0	1.5	1.1	3.8	4.3	8.1	9.0	8.2	6.8	2.5	7.3	.0
1955	1.7	1.0	.5	.0	.0	.2	.3	.6	.8	1.5	3.1	3.3	7.2	10.8	6.6	4.4	4.8	7.2	8.2
1956	1.9	1.0	.6	.1	.0	.0	.2	.5	1.3	1.5	3.5	4.7	8.7	7.3	7.9	7.0	12.7	4.7	11.8
1957	2.1	1.0	.4	.2	.3	.3	.2	.3	.8	2.7	3.8	6.1	6.4	10.9	10.4	8.8	6.5	9.1	3.8
1958	2.1	.8	.5	.1	.3	.2	.5	.8	.8	2.2	3.9	7.3	7.8	6.8	8.6	13.1	14.8	6.7	3.5
1959	2.0	.8	.5	.0	.1	.3	.2	.8	.8	1.6	1.2	3.9	5.2	13.1	13.0	13.8	10.1	8.7	10.2
1960	2.0	.7	.3	.1	.1	.2	.2	.3	.9	1.6	2.6	7.5	6.0	7.9	14.1	8.9	9.5	8.5	12.9
1961	2.2	.9	.4	.2	.0	.1	.0	.6	1.7	3.2	3.0	3.9	6.9	14.5	11.3	9.2	12.1	5.8	20.0
1962	2.2	.4	.4	.3	.0	.4	.3	.3	1.6	2.1	4.5	6.8	6.8	8.6	10.6	15.0	9.3	8.9	13.3
1963	2.0	.7	.3	.1	.4	.0	.2	.2	.8	2.5	4.0	6.8	9.8	6.8	10.7	8.7	8.3	6.8	.0
1964	2.3	.9	.5	.2	.0	.3	.5	.3	.9	1.5	4.2	7.2	7.3	10.5	11.5	16.4	10.8	9.8	15.6
1965	2.2	.9	.2	.2	.2	.0	.6	.5	.8	2.8	2.8	3.6	9.3	8.1	10.8	16.7	15.0	19.0	5.9
1966	2.1	.5	.1	.0	.1	.1	.2	.3	.8	1.5	4.2	6.8	8.7	9.4	9.2	13.4	17.4	4.7	11.1
1967	2.5	.7	.5	.1	.2	.1	.1	.6	.5	1.9	4.7	5.8	8.8	13.2	15.8	15.7	17.8	10.6	12.8
1968	2.7	.6	.2	.1	.0	.1	.1	.6	1.1	2.3	4.9	7.8	10.5	12.5	16.6	15.0	22.7	10.4	7.3
1969	2.3	.2	.4	.1	.0	.1	.4	.6	.6	1.6	4.0	5.2	9.8	13.4	15.5	13.3	10.8	17.6	11.4
1970	2.4	.4	.1	.1	.2	.2	.1	.0	1.0	2.1	3.9	7.6	9.8	9.5	14.8	14.4	19.5	20.0	14.9
1971	2.3	.2	.1	.0	.3	.2	.5	.3	1.4	1.3	3.0	5.5	9.1	11.4	15.4	14.4	13.2	20.3	22.9
1972	2.6	.1	.3	.0	.1	.0	.2	.5	1.3	2.5	4.0	5.4	7.3	13.9	13.0	21.8	32.1	10.3	16.0
1973	2.3	.4	.2	.1	.1	.1	.1	.3	.6	1.4	4.1	7.0	10.8	10.5	14.9	14.0	14.6	13.3	13.5
1974	2.4	.2	.2	.1	.1	.6	.6	.5	.3	3.3	2.3	6.7	8.9	12.3	9.8	17.5	15.3	18.8	12.3
1975	2.5	.1	.1	.1	.3	.1	.2	1.3	.5	1.9	3.0	5.5	10.6	9.2	14.0	23.7	15.9	18.6	18.5
1976	2.6	.1	.5	.0	.2	.1	.3	.2	.4	2.0	4.6	6.4	9.2	13.6	15.4	19.9	17.4	12.1	16.2
1977	2.5	.3	.1	.0	.1	.2	.2	.7	1.1	1.4	3.9	6.7	8.4	13.0	14.9	16.4	20.6	15.1	8.3

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	120	12	5	0	1	0	0	3	4	7	20	12	16	12	13	7	6	1	1
1951	117	9	2	0	2	2	1	3	3	9	10	13	10	23	17	9	4	0	0
1952	145	10	3	0	1	3	5	3	5	11	15	15	19	24	12	10	8	1	0
1953	135	13	2	2	0	0	1	3	7	7	14	17	17	19	18	10	4	1	0
1954	155	10	6	1	1	2	0	6	9	6	17	18	26	21	18	9	2	3	0
1955	145	12	5	0	0	1	2	4	5	8	14	14	24	26	15	6	4	3	2
1956	169	13	7	1	0	0	1	3	8	8	16	20	30	18	18	10	11	2	3
1957	190	14	4	2	2	2	1	2	5	15	18	26	23	28	24	13	6	4	1
1958	201	11	6	1	2	1	3	5	5	12	19	31	29	18	20	20	14	3	1
1959	190	12	6	0	1	2	1	5	5	9	6	17	20	36	31	22	10	4	3
1960	199	11	4	1	1	1	1	2	6	9	14	34	24	23	35	15	10	4	4
1961	228	14	6	2	0	1	0	4	11	18	16	18	28	43	29	16	13	3	6
1962	228	6	6	3	0	3	2	2	10	12	24	32	28	26	28	27	10	5	4
1963	215	10	4	1	4	0	1	1	5	15	21	33	41	21	29	16	9	4	0
1964	252	14	7	2	0	2	3	2	6	9	22	35	31	33	32	31	12	6	5
1965	242	13	3	2	2	0	4	3	5	17	15	18	40	26	31	32	17	12	2
1966	234	7	2	0	1	1	1	2	5	9	23	34	38	31	27	26	20	3	4
1967	292	10	8	1	2	1	1	4	3	12	26	29	39	45	47	31	21	7	5
1968	315	9	3	1	0	1	1	4	7	14	28	39	47	44	50	30	27	7	3
1969	278	3	6	1	0	1	3	4	4	10	23	26	44	49	47	27	13	12	5
1970	296	5	2	1	3	2	1	0	6	13	23	39	44	36	46	30	24	14	7
1971	287	3	1	0	4	2	4	2	9	8	18	29	40	45	48	31	17	15	11
1972	163	1	2	0	1	0	1	2	4	8	12	15	16	28	21	23	21	4	4
1973	301	6	3	1	2	1	1	2	4	9	25	40	47	43	50	30	19	11	7
1974	309	3	3	1	2	8	6	4	2	21	14	39	40	51	34	38	20	16	7
1975	330	2	1	2	4	1	2	11	3	12	19	32	50	38	51	52	22	16	12
1976	352	2	7	0	3	2	3	2	3	13	29	38	45	55	59	44	25	11	11
1977	341	4	2	0	1	3	2	6	8	9	25	40	43	52	59	38	29	14	6


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.1	.6	.0	.1	.0	.0	.1	.1	.1	.3	.1	.2	.1	.1	.1	.1	-	-
1951	.1	.1	.2	.0	.2	.1	-	.1	.1	.2	.2	.1	.1	.3	.2	.1	.1	.0	.0
1952	.1	.1	.4	.0	.1	.1	.2	.1	.1	.2	.2	.2	.2	.3	.1	.1	.1	-	.0
1953	.1	.1	.3	.3	.0	.0	-	.1	.2	.1	.2	.2	.2	.2	.2	.1	.1	-	.0
1954	.2	.1	.8	.2	.1	.1	.0	.2	.3	.1	.3	.2	.3	.2	.2	.1	-	.1	.0
1955	.1	.1	.6	.0	.0	.1	.1	.2	.1	.2	.2	.2	.3	.3	.1	.1	.1	.1	.1
1956	.2	.1	.8	.1	.0	.0	-	.1	.2	.2	.3	.3	.3	.2	.2	.1	.2	-	.1
1957	.2	.1	.5	.3	.2	.1	-	.1	.1	.3	.3	.3	.2	.3	.2	.1	.1	.1	-
1958	.2	.1	.7	.1	.2	.1	.1	.2	.1	.3	.3	.4	.3	.2	.2	.2	.2	.1	-
1959	.2	.1	.6	.0	.1	.1	-	.2	.1	.2	.1	.2	.2	.3	.3	.2	.1	.1	.1
1960	.2	.1	.4	.1	.1	.1	-	.1	.2	.2	.2	.4	.2	.2	.3	.1	.1	.1	.1
1961	.2	.1	.7	.2	.0	.1	.0	.1	.3	.4	.3	.2	.3	.4	.2	.2	.2	.1	.1
1962	.2	-	.6	.4	.0	.2	.1	.1	.3	.2	.4	.4	.3	.2	.2	.2	.1	.1	.1
1963	.2	.1	.4	.1	.3	.0	-	-	.1	.3	.3	.4	.4	.2	.2	.1	.1	.1	.0
1964	.2	.1	.7	.2	.0	.1	.1	.1	.1	.2	.3	.4	.3	.3	.2	.3	.1	.1	.1
1965	.2	.1	.3	.2	.1	.0	.2	.1	.1	.3	.2	.2	.4	.2	.2	.3	.2	.2	-
1966	.2	-	.2	.0	-	-	-	.1	.1	.1	.3	.4	.3	.2	.2	.2	.2	-	.1
1967	.2	.1	.8	.1	.1	-	-	.1	.1	.2	.4	.3	.3	.4	.3	.2	.2	.1	.1
1968	.2	.1	.3	.1	.0	-	-	.1	.2	.2	.3	.4	.4	.3	.3	.2	.3	.1	-
1969	.2	-	.6	.1	.0	-	.1	.1	.1	.2	.3	.3	.4	.4	.3	.2	.1	.2	.1
1970	.2	-	.2	.1	.1	-	-	.0	.1	.2	.3	.4	.4	.3	.3	.2	.2	.2	.1
1971	.2	-	.1	.0	.1	-	.1	.1	.2	.1	.2	.3	.4	.3	.3	.2	.2	.2	.2
1972	.2	-	.5	.0	.1	.0	.1	.1	.2	.3	.3	.3	.3	.4	.3	.3	.4	.1	.1
1973	.2	.1	.3	.1	.1	-	-	.1	.1	.2	.3	.4	.4	.3	.3	.2	.2	.1	.1
1974	.2	-	.4	.1	.1	.2	.2	.1	-	.4	.2	.4	.4	.4	.2	.3	.2	.2	.1
1975	.2	-	.1	.2	.2	-	-	.3	.1	.2	.3	.3	.4	.3	.3	.4	.2	.2	.2
1976	.3	-	.9	.0	.1	.1	.1	.1	.1	.3	.4	.4	.4	.4	.4	.3	.2	.1	.1
1977	.3	-	.3	.0	-	.1	-	.2	.2	.2	.4	.4	.4	.4	.4	.3	.2	.2	.1


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.9	.5	.0	.2	.3	.6	1.0	.8	.8	1.5	1.9	3.4	6.0	5.5	.9	3.2	2.4	11.2
1951	1.1	1.1	.7	.0	.0	.0	.3	.6	.6	1.1	1.5	4.5	2.9	2.4	3.2	3.3	4.6	2.2	3.7
1952	1.1	.6	.9	.3	.2	.0	.1	.0	.5	1.1	1.5	2.8	3.5	4.1	4.0	6.9	2.9	2.1	13.9
1953	1.0	.6	.7	.0	.0	.1	.1	.1	.5	1.6	2.0	3.5	3.0	3.0	4.3	5.1	8.4	.0	.0
1954	1.0	.5	.5	.2	.0	.1	.4	.3	.8	.9	1.3	4.1	2.8	2.9	3.0	1.4	10.4	6.0	.0
1955	1.0	.4	.3	.2	.1	.3	.3	.7	.8	.7	1.9	2.8	2.7	4.0	2.1	6.0	4.9	5.9	2.9
1956	1.2	.9	.8	.2	.0	.0	.3	.7	.9	1.3	2.0	1.4	2.9	5.4	3.6	6.4	2.3	7.8	5.6
1957	1.0	.7	.4	.1	.0	.3	.1	.1	.5	1.2	1.2	1.8	5.0	3.3	5.5	4.9	3.2	5.8	2.7
1958	1.1	.9	.7	.2	.1	.4	.4	.1	.0	1.5	1.9	2.5	4.5	2.8	4.3	5.3	3.0	3.8	5.2
1959	1.2	1.0	.6	.3	.1	.0	.1	.4	.7	1.3	1.3	3.8	3.1	5.5	3.4	4.6	3.7	1.9	7.6
1960	1.2	.9	.7	.0	.0	.1	.1	.3	.4	1.1	1.8	2.4	4.7	3.6	4.7	5.4	5.2	9.1	10.0
1961	1.3	.7	.2	.1	.4	.1	.1	1.1	.6	1.6	1.9	2.5	3.1	7.0	4.5	5.7	4.2	8.2	15.0
1962	1.4	.9	.9	.2	.1	.1	.0	.4	.8	1.4	1.6	3.0	5.4	6.2	5.3	4.4	6.5	4.5	4.9
1963	1.0	.4	.6	.1	.0	.0	.0	.1	.4	.8	2.4	2.3	2.5	4.9	3.8	7.0	5.5	2.9	7.0
1964	1.2	.3	.7	.2	.3	.1	.1	.3	.8	1.3	1.5	2.9	4.9	3.6	3.7	4.5	6.1	8.1	4.4
1965	1.2	.7	.4	.1	.4	.5	.1	.5	.5	.7	.5	3.7	2.8	4.9	5.3	6.1	10.3	5.2	4.1
1966	1.2	.5	.3	.0	.2	.2	.3	.3	.5	.7	2.0	2.6	5.3	3.1	5.2	7.2	7.1	8.8	7.5
1967	1.2	1.0	.5	.1	.0	.0	.0	.0	.1	.8	2.4	1.3	3.5	5.6	6.8	8.8	2.7	10.7	8.8
1968	1.2	.6	.4	.2	.2	.3	.2	.3	.4	1.0	1.7	2.0	3.6	3.5	5.8	4.9	4.6	10.3	9.8
1969	1.3	.3	.5	.1	.4	.0	.5	.3	1.1	1.1	1.7	3.2	3.0	5.1	7.1	4.0	6.4	9.9	12.3
1970	1.2	.7	.3	.1	.1	.3	.1	.1	.5	1.4	2.5	3.4	4.2	3.9	5.1	3.5	7.5	4.2	5.6
1971	1.3	.6	.5	.2	.1	.3	.7	.4	.8	1.2	.9	3.3	3.2	6.4	4.2	9.5	6.6	2.9	9.2
1972	1.3	.7	.5	.0	.0	.2	.2	.0	1.3	.3	1.2	3.2	2.8	4.7	7.1	9.3	5.8	10.7	7.3
1973	1.2	.5	.5	.3	.0	.1	.0	.2	.3	.7	1.7	2.0	4.8	5.2	6.2	7.4	7.6	6.6	4.5
1974	1.2	.1	.5	.0	.3	.1	.3	.4	.6	.5	1.8	2.4	4.1	4.1	5.5	7.3	10.4	8.7	5.1
1975	1.3	.4	.2	.0	.1	.3	.4	.5	.2	1.3	1.4	2.1	3.3	4.6	5.6	9.6	11.6	9.9	6.4
1976	1.4	.4	.3	.2	.1	.1	.0	.5	.5	.8	1.5	3.4	3.0	3.6	6.7	10.2	9.1	17.5	5.8
1977	1.4	.4	.2	.2	.2	.0	.6	.0	.7	1.4	1.5	2.7	2.4	5.6	5.5	8.9	11.5	10.7	9.1

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	89	9	4	0	1	2	4	6	5	4	7	7	9	12	12	1	2	1	3
1951	87	12	6	0	0	0	2	4	4	6	7	17	8	5	7	4	3	1	1
1952	90	7	8	2	1	0	1	0	3	6	7	11	10	9	9	9	2	1	4
1953	90	7	6	0	0	1	1	1	3	9	9	14	9	7	10	7	6	0	0
1954	88	6	5	2	0	1	3	2	5	5	6	17	9	7	7	2	8	3	0
1955	91	5	3	2	1	2	2	5	5	4	9	12	9	10	5	9	4	3	1
1956	111	12	9	2	0	0	2	5	6	8	10	6	10	14	9	10	2	4	2
1957	98	9	4	1	0	2	1	1	3	7	6	8	18	9	14	8	3	3	1
1958	113	13	8	2	1	3	3	1	0	9	10	11	17	8	11	9	3	2	2
1959	120	15	7	3	1	0	1	3	5	8	7	17	12	16	9	8	4	1	3
1960	125	13	9	0	0	1	1	2	3	7	10	11	19	11	13	10	6	5	4
1961	140	11	3	1	3	1	1	8	4	10	11	12	13	22	13	11	5	5	6
1962	154	14	13	2	1	1	0	3	6	9	9	15	23	20	16	9	8	3	2
1963	117	6	9	1	0	0	0	1	3	5	14	12	11	16	12	15	7	2	3
1964	137	5	11	3	3	1	1	2	6	9	9	15	22	12	12	10	8	6	2
1965	145	11	6	1	4	4	1	4	4	5	3	20	13	17	18	14	14	4	2
1966	146	7	4	0	2	2	2	2	4	5	12	14	25	11	18	17	10	7	4
1967	155	15	8	2	0	0	0	0	1	6	15	7	17	21	24	21	4	9	5
1968	146	9	6	3	2	3	2	2	3	7	11	11	18	14	21	12	7	9	6
1969	168	4	7	2	5	0	4	2	8	8	11	18	15	21	26	10	10	9	8
1970	160	10	5	1	2	3	1	1	4	10	17	20	21	17	19	9	12	4	4
1971	181	8	7	3	2	4	6	3	6	9	6	20	16	29	16	25	11	3	7
1972	89	5	4	0	0	1	1	0	5	1	4	10	7	11	14	12	5	6	3
1973	173	7	7	5	0	1	0	2	2	5	12	13	24	25	26	19	13	8	4
1974	176	1	7	0	4	1	3	4	5	4	13	16	21	20	24	19	18	11	5
1975	192	6	3	0	2	4	4	5	2	10	10	14	18	22	26	25	21	13	7
1976	209	6	5	3	2	2	0	5	4	6	11	23	17	17	33	27	17	24	7
1977	211	6	3	3	3	0	7	0	6	11	11	19	14	27	28	25	21	15	12


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.1	.6	.0	.1	.1	.2	.2	.1	.1	.1	.1	.1	.2	.2	-	-	-	.1
1951	.1	.1	.9	.0	.0	.0	.1	.2	.1	.1	.1	.2	.1	.1	.1	.1	.1	-	-
1952	.1	.1	1.2	.4	.1	.0	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	-	.1
1953	.1	.1	1.0	.0	.0	.1	.1	-	.1	.2	.2	.2	.1	.1	.1	.1	.1	.0	.0
1954	.1	-	.8	.5	.0	.1	.2	.1	.2	.1	.1	.2	.1	.1	.1	-	.2	.1	.0
1955	.1	-	.5	.5	.2	.2	.1	.2	.2	.1	.2	.2	.1	.1	.1	.1	.1	.1	-
1956	.1	.1	1.3	.5	.0	.0	.1	.2	.2	.2	.2	.1	.1	.2	.1	.1	-	.1	-
1957	.1	.1	.5	.2	.0	.2	.1	-	.1	.2	.1	.1	.2	.1	.2	.1	.1	.1	-
1958	.1	.1	1.1	.5	.2	.3	.2	-	.0	.2	.2	.2	.2	.1	.1	.1	.1	-	-
1959	.1	.1	.9	.6	.1	.0	.1	.1	.2	.2	.1	.3	.2	.2	.1	.1	.1	-	.1
1960	.1	.1	1.1	.0	.0	.1	.1	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1
1961	.2	.1	.4	.2	.4	.1	.1	.4	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1
1962	.2	.1	1.6	.4	.1	.1	.0	.1	.2	.2	.2	.2	.3	.2	.2	.1	.1	.1	-
1963	.1	-	1.1	.2	.0	.0	.0	-	.1	.1	.3	.2	.1	.2	.1	.1	.1	-	.1
1964	.1	-	1.5	.5	.4	.1	.1	.1	.2	.2	.2	.2	.3	.1	.1	.1	.1	.1	-
1965	.1	.1	.7	.2	.5	.4	.1	.2	.1	.1	.1	.3	.2	.2	.2	.1	.2	.1	-
1966	.1	.1	.5	.0	.2	.2	.1	.1	.1	.1	.2	.2	.3	.1	.2	.2	.1	.1	.1
1967	.2	.1	1.1	.3	.0	.0	.0	.0	-	.1	.3	.1	.2	.2	.2	.2	-	.1	.1
1968	.1	.1	.8	.5	.2	.2	.1	.1	.1	.2	.2	.2	.2	.1	.2	.1	.1	.1	.1
1969	.2	-	.9	.3	.4	.0	.3	.1	.3	.2	.2	.3	.2	.2	.2	.1	.1	.1	.1
1970	.2	.1	.7	.2	.2	.2	.1	.1	.1	.2	.3	.3	.3	.2	.2	.1	.1	.1	-
1971	.2	.1	1.1	.5	.2	.2	.4	.1	.2	.2	.1	.3	.2	.3	.1	.2	.1	-	.1
1972	.2	.1	1.3	.0	.0	.1	.1	.0	.4	-	.1	.3	.2	.2	.2	.2	.1	.2	.1
1973	.2	.1	1.1	.9	.0	.1	.0	.1	.1	.1	.2	.2	.3	.2	.2	.1	.1	.1	-
1974	.2	-	1.3	.0	.4	.1	.2	.2	.2	.1	.3	.2	.3	.2	.2	.1	.2	.1	-
1975	.2	.1	.6	.0	.2	.3	.2	.3	.1	.3	.2	.2	.2	.2	.2	.2	.2	.2	.1
1976	.2	.1	1.0	.6	.2	.1	.0	.3	.2	.2	.2	.4	.2	.2	.3	.2	.1	.3	.1
1977	.2	.1	.6	.7	.3	.0	.4	.0	.3	.3	.3	.3	.2	.3	.3	.2	.2	.2	.1


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	4101	6.06	7.33	4.36	1871	2.75	3.05	2.09	249	3.20	4.93	3.27	179	2.21	3.16	2.14
1951	4136	6.01	7.26	4.30	1889	2.73	3.02	2.08	272	3.42	5.04	3.32	162	1.96	2.84	1.97
1952	4339	6.21	7.40	4.30	1971	2.80	3.03	2.09	267	3.29	4.91	3.10	173	2.04	3.02	2.09
1953	4401	6.20	7.35	4.22	2010	2.81	3.01	2.09	283	3.41	5.04	3.12	207	2.39	3.43	2.40
1954	4536	6.29	7.41	4.24	2000	2.75	2.89	2.04	290	3.41	5.08	2.98	205	2.30	3.34	2.33
1955	4597	6.28	7.31	4.14	2124	2.87	2.97	2.11	260	2.99	4.42	2.62	173	1.90	2.79	1.96
1956	4687	6.30	7.35	4.10	2070	2.74	2.82	2.02	302	3.39	5.15	2.89	207	2.21	3.04	2.08
1957	4787	6.33	7.34	4.08	2137	2.78	2.82	2.03	326	3.57	5.23	2.87	236	2.46	3.49	2.42
1958	4750	6.18	7.17	4.05	2079	2.66	2.66	1.96	324	3.46	5.11	2.87	226	2.29	3.18	2.20
1959	4944	6.33	7.32	4.09	2127	2.68	2.63	1.96	344	3.58	5.28	2.82	225	2.22	3.10	2.22
1960	5080	6.41	7.36	4.07	2156	2.67	2.60	1.94	360	3.58	5.24	2.77	269	2.54	3.54	2.45
1961	5029	6.25	7.17	3.93	2195	2.67	2.57	1.93	376	3.65	5.39	2.78	225	2.07	2.90	2.02
1962	5202	6.38	7.28	3.98	2233	2.68	2.54	1.91	373	3.54	5.22	2.67	273	2.45	3.43	2.43
1963	5281	6.40	7.36	3.96	2255	2.67	2.50	1.89	407	3.79	5.67	2.76	246	2.16	3.01	2.16
1964	5115	6.12	7.05	3.79	2227	2.60	2.40	1.83	375	3.42	4.96	2.45	266	2.28	3.17	2.25
1965	5187	6.14	7.02	3.70	2398	2.76	2.51	1.91	399	3.57	5.31	2.58	283	2.38	3.28	2.32
1966	5342	6.27	7.21	3.78	2274	2.59	2.31	1.77	436	3.82	5.86	2.72	273	2.24	3.10	2.17
1967	5574	6.48	7.37	3.82	2406	2.71	2.38	1.82	445	3.84	5.73	2.62	337	2.71	3.64	2.56
1968	5631	6.50	7.40	3.79	2315	2.58	2.23	1.71	442	3.75	5.62	2.49	287	2.27	3.02	2.11
1969	5579	6.39	7.22	3.70	2377	2.63	2.23	1.71	473	3.95	6.02	2.64	281	2.18	2.92	2.07
1970	5860	6.65	7.50	3.81	2564	2.80	2.33	1.79	477	3.91	5.90	2.56	285	2.16	2.86	2.06
1971	5665	6.38	7.15	3.59	2448	2.65	2.16	1.66	478	3.84	5.82	2.53	303	2.25	2.94	2.05
1972	2942	6.58	7.37	3.66	1208	2.60	2.08	1.59	248	3.91	5.91	2.51	172	2.50	3.24	2.28
1973	6009	6.69	7.41	3.69	2529	2.70	2.13	1.64	471	3.65	5.55	2.29	326	2.33	3.00	2.04
1974	6162	6.82	7.49	3.67	2591	2.75	2.13	1.63	489	3.73	5.58	2.26	335	2.35	3.03	2.08
1975	6225	6.86	7.45	3.66	2532	2.67	2.02	1.55	465	3.47	5.21	2.10	338	2.32	2.95	2.06
1976	6309	6.91	7.43	3.60	2681	2.81	2.08	1.57	535	3.92	5.78	2.29	340	2.29	2.86	1.98
1977	6349	6.92	7.36	3.54	2793	2.91	2.12	1.59	517	3.72	5.63	2.18	348	2.30	2.83	1.91

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Bladder, urachus, urethra, and other urinary organs (NOS).
(ICD 181 [6th]; ICD 181-181.8 [7th]; ICD 188, 189.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



COLE P: Lower urinary tract. *In* Cancer Epidemiology and Prevention: Current Concepts (Schottenfeld D, ed). Springfield, Ill: Charles C Thomas, 1975, pp 233-262

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	6.1	.1	-	.0	.0	-	-	.1	.3	1.0	2.6	5.6	13.4	20.9	30.7	48.6	61.6	88.0	104.6
1951	6.0	.1	-	.0	-	-	-	.1	.3	.7	2.6	6.5	11.8	20.9	30.3	43.0	66.0	88.7	111.3
1952	6.2	.1	-	.0	-	.0	.1	.1	.1	1.2	2.4	6.1	11.8	20.5	32.9	47.2	67.5	89.7	102.0
1953	6.2	.1	.0	-	.0	-	.0	.1	.4	.9	2.6	5.4	12.4	20.6	32.0	46.3	66.2	90.6	105.6
1954	6.3	.1	.0	.0	.0	.0	-	.2	.4	.8	2.3	5.7	11.0	20.5	33.6	45.4	68.8	94.7	107.5
1955	6.3	.1	-	.0	.0	.0	.0	.1	.2	.8	2.5	5.1	9.5	19.8	35.2	46.4	72.0	89.1	99.7
1956	6.3	-	-	.0	.0	-	.1	-	.2	.8	2.3	5.1	11.5	20.3	31.4	45.9	68.6	94.2	112.3
1957	6.3	-	-	-	-	.0	-	.1	.2	.8	2.2	5.3	11.2	19.4	32.5	46.4	70.4	90.1	113.5
1958	6.2	.1	-	-	-	.0	-	.1	.3	.8	1.7	4.5	10.1	17.8	32.4	46.7	70.7	91.4	111.4
1959	6.3	-	-	.0	.0	.0	.0	.1	.2	.9	1.9	4.9	9.5	20.4	31.9	47.0	69.6	95.6	115.3
1960	6.4	.1	-	-	.0	-	.0	.1	.3	.8	2.0	4.8	10.1	18.8	31.1	50.9	70.7	97.6	109.3
1961	6.3	-	-	.0	.0	.0	-	.1	.3	.6	2.3	4.8	9.5	19.4	31.0	48.4	65.0	93.4	113.5
1962	6.4	-	-	.0	.0	.0	.0	.1	.2	.8	1.8	4.7	9.8	18.2	34.2	49.8	70.3	82.0	122.7
1963	6.4	.1	.0	.0	.0	-	.0	.1	.2	.6	1.8	4.7	9.1	19.8	34.0	48.4	68.9	92.7	122.5
1964	6.1	-	.0	-	.0	-	-	.1	.1	.6	1.7	3.9	8.7	17.2	32.3	45.7	68.6	94.4	120.8
1965	6.1	.1	-	.0	-	.0	-	.1	.3	.7	1.6	4.3	9.0	19.2	31.5	47.5	67.4	86.2	113.2
1966	6.3	-	-	-	.0	.0	-	.1	.1	.8	1.8	4.3	9.0	17.1	30.7	45.7	70.5	99.9	130.0
1967	6.5	-	-	.0	-	.0	-	.1	.3	.6	1.7	4.5	8.9	18.2	30.9	53.2	75.0	92.5	118.9
1968	6.5	-	-	.0	.0	-	-	.1	.3	.6	1.6	4.6	8.8	17.9	31.8	49.8	73.8	93.6	134.1
1969	6.4	-	-	-	.0	-	-	-	.2	.5	1.7	4.0	8.6	18.1	32.0	50.5	70.9	94.7	117.3
1970	6.7	-	-	.0	.0	-	-	.1	.1	.8	1.7	3.7	9.3	18.5	31.4	49.8	75.4	102.1	131.3
1971	6.4	.1	-	.0	-	.0	-	-	.3	.6	1.7	4.0	7.8	17.0	29.9	50.3	70.4	100.1	120.4
1972	6.6	.0	.0	.0	.0	-	.0	.0	.4	.6	1.6	3.5	8.2	15.5	29.6	54.5	75.1	102.0	134.7
1973	6.7	-	.1	.0	.0	-	-	.1	.3	.6	1.6	3.5	8.2	16.4	31.0	49.6	77.8	105.6	131.5
1974	6.8	-	-	.0	.0	.0	-	.1	.2	.4	1.9	4.0	8.1	16.8	30.5	51.3	79.6	106.0	127.9
1975	6.9	.0	.0	.0	.0	-	.0	-	.1	.7	1.4	3.9	8.1	16.2	28.0	53.8	75.9	109.5	138.4
1976	6.9	-	.0	.0	-	-	-	.1	.2	.6	1.4	3.9	8.5	15.9	28.2	48.8	81.8	107.7	137.5
1977	6.9	.1	.0	.0	-	-	-	-	.3	.5	1.3	4.0	7.1	16.0	28.0	49.5	79.3	112.3	135.5

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4101	7	1	0	0	2	2	6	15	46	107	212	450	594	686	740	577	422	234
1951	4136	10	2	0	1	1	2	3	16	34	109	245	404	602	696	672	640	431	268
1952	4339	8	3	0	1	0	4	3	7	57	102	232	406	603	773	760	675	443	262
1953	4401	7	0	1	0	1	0	4	21	41	114	205	426	617	768	770	681	459	286
1954	4536	4	0	0	0	0	2	12	19	37	101	220	382	622	823	784	728	496	306
1955	4597	11	1	0	0	0	0	5	10	40	115	200	333	611	876	830	784	485	296
1956	4687	4	1	0	0	1	3	1	12	40	106	201	404	633	794	847	765	534	341
1957	4787	4	1	1	2	0	1	3	9	38	102	216	397	606	837	879	810	527	354
1958	4750	5	2	1	1	0	2	6	15	43	83	185	365	554	847	905	835	547	354
1959	4944	4	3	0	0	0	0	4	9	44	93	205	349	636	846	934	854	586	377
1960	5080	10	2	1	0	1	0	3	14	40	97	207	379	588	835	1032	894	611	366
1961	5029	3	4	0	0	0	2	4	16	31	113	212	363	608	836	1000	844	605	388
1962	5202	2	2	0	0	0	0	6	11	45	86	209	382	574	921	1047	931	564	422
1963	5281	5	0	0	0	2	0	5	11	32	87	214	362	630	912	1032	927	638	424
1964	5115	3	0	1	0	1	1	7	7	33	85	179	356	553	865	984	939	672	429
1965	5187	6	1	0	1	0	1	4	15	36	81	197	373	625	846	1024	935	631	411
1966	5342	4	2	2	0	0	2	4	7	41	92	201	380	568	827	984	993	750	485
1967	5574	1	1	0	2	0	1	4	14	30	89	210	378	622	838	1140	1073	711	460
1968	5631	2	2	0	0	1	1	6	13	32	86	216	375	630	873	1058	1068	733	535
1969	5579	3	1	1	0	1	2	2	9	28	89	191	371	651	889	1068	1032	754	487
1970	5860	2	2	0	0	1	2	4	6	41	89	182	402	679	888	1053	1089	829	591
1971	5665	5	1	0	1	0	3	2	14	32	87	198	342	634	865	1066	1027	828	560
1972	2942	0	0	0	0	1	0	0	9	15	41	89	180	293	439	577	545	431	322
1973	6009	3	4	0	0	1	3	6	14	30	83	182	364	630	946	1067	1112	912	652
1974	6162	2	2	0	0	0	2	7	12	21	95	208	363	651	952	1126	1132	920	669
1975	6225	0	0	0	0	2	0	2	4	35	71	201	368	634	901	1198	1090	958	761
1976	6309	1	0	0	1	1	3	8	8	31	72	204	395	630	925	1115	1180	962	773
1977	6349	4	0	0	1	1	2	2	14	25	67	206	339	638	935	1170	1148	1007	790

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	-	-	.0	.0	-	-	.1	.1	.2	.3	.5	.7	.7	.8	.8	.7	.7	.5
1951	.6	-	-	.0	-	-	-	-	.1	.2	.3	.5	.6	.8	.7	.7	.7	.7	.5
1952	.6	-	.1	.0	-	.0	-	-	-	.3	.3	.5	.6	.7	.8	.8	.8	.7	.5
1953	.6	-	.0	-	.0	-	.0	-	.2	.2	.3	.4	.7	.7	.8	.8	.8	.7	.5
1954	.6	-	.0	.0	.0	.0	-	.1	.1	.2	.3	.5	.6	.8	.9	.8	.8	.7	.6
1955	.6	-	-	.0	.0	.0	.0	.1	.1	.2	.4	.4	.5	.8	.9	.8	.8	.7	.5
1956	.6	-	-	.0	.0	-	-	-	.1	.2	.3	.4	.6	.8	.8	.8	.8	.7	.6
1957	.6	-	-	-	-	.0	-	-	.1	.2	.3	.5	.6	.7	.8	.8	.8	.7	.5
1958	.6	-	-	-	-	.0	-	.1	.1	.2	.3	.4	.6	.7	.8	.8	.8	.7	.5
1959	.6	-	.1	.0	.0	.0	.0	-	.1	.2	.3	.4	.5	.8	.8	.8	.8	.7	.5
1960	.6	-	-	-	.0	-	.0	-	.1	.2	.3	.4	.6	.7	.8	.9	.8	.7	.5
1961	.6	-	.1	.0	.0	.0	-	-	.1	.1	.3	.4	.6	.7	.8	.9	.8	.7	.5
1962	.6	-	-	.0	.0	.0	.0	.1	.1	.2	.3	.4	.6	.7	.8	.9	.8	.6	.5
1963	.6	-	.0	.0	.0	-	.0	.1	.1	.1	.3	.4	.5	.7	.8	.8	.8	.7	.5
1964	.6	-	.0	-	.0	-	-	.1	.1	.1	.2	.3	.5	.6	.8	.8	.8	.7	.5
1965	.6	-	-	.0	-	.0	-	-	.1	.2	.2	.4	.5	.7	.8	.8	.8	.7	.5
1966	.6	-	-	-	.0	.0	-	-	.1	.2	.3	.4	.5	.6	.8	.8	.8	.8	.6
1967	.6	-	-	.0	-	.0	-	-	.1	.1	.3	.4	.5	.7	.8	.9	.9	.7	.5
1968	.6	-	-	.0	.0	-	-	.1	.1	.1	.2	.4	.5	.6	.8	.8	.8	.7	.6
1969	.6	-	-	-	.0	-	-	-	.1	.1	.2	.4	.5	.7	.8	.9	.8	.7	.5
1970	.6	-	-	.0	.0	-	-	-	-	.2	.2	.3	.5	.7	.8	.9	.9	.8	.7
1971	.6	-	-	.0	-	.0	-	-	.1	.2	.2	.4	.5	.6	.8	.9	.8	.8	.6
1972	.6	.0	.0	.0	.0	-	.0	.0	.2	.1	.2	.3	.5	.6	.8	.9	.8	.8	.7
1973	.6	-	.1	.0	.0	-	-	.1	.1	.2	.2	.3	.5	.6	.8	.9	.9	.8	.6
1974	.7	-	.1	.0	.0	.0	-	.1	.1	.1	.3	.4	.5	.7	.8	.9	.9	.9	.7
1975	.7	.0	.0	.0	.0	-	.0	-	-	.2	.2	.4	.5	.7	.8	1.0	.9	.9	.8
1976	.7	-	.0	.0	-	-	-	.1	.1	.2	.2	.4	.6	.7	.8	.9	1.0	.9	.7
1977	.7	-	.0	.0	-	-	-	-	.1	.2	.2	.4	.5	.7	.8	.9	1.0	1.0	.8

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.7	-	-	.0	-	.0	.1	.1	.3	.6	1.1	2.0	4.4	7.1	11.7	20.1	31.5	43.9	38.8
1951	2.7	-	.0	.0	.0	.0	.1	.1	.1	.5	1.1	1.7	4.0	6.7	10.4	21.0	32.4	35.1	57.8
1952	2.8	-	.0	.0	.0	.0	.1	.1	.4	.6	1.1	2.4	3.8	6.8	10.9	19.2	30.6	42.6	51.1
1953	2.8	-	-	.0	.0	-	-	.1	.2	.5	1.3	2.1	3.4	5.7	11.5	20.1	28.6	45.3	53.3
1954	2.7	-	-	-	.0	.1	.1	.1	.2	.5	.8	2.0	2.9	5.9	10.9	19.3	29.4	42.8	50.5
1955	2.9	-	-	.0	.0	.0	.1	.1	.3	.3	1.0	1.8	3.9	6.6	10.4	18.9	30.2	42.1	56.6
1956	2.7	-	.0	.0	-	.0	-	-	.2	.6	.7	1.7	2.9	5.9	10.4	17.6	28.7	43.2	55.7
1957	2.8	-	-	.0	-	.0	-	.1	.3	.6	.9	2.0	3.9	6.0	9.4	16.6	27.7	41.9	56.1
1958	2.7	-	-	.0	.0	.0	.0	-	.3	.3	.9	1.7	3.6	5.2	9.6	16.3	26.0	39.7	54.8
1959	2.7	-	-	.0	.0	.0	.0	.1	.2	.4	1.0	1.6	2.9	5.7	9.7	16.5	26.6	37.5	52.1
1960	2.7	-	-	.0	.0	.0	.0	.1	.2	.2	.9	1.3	3.2	4.8	9.0	15.4	26.8	43.4	53.7
1961	2.7	-	.0	.0	.0	.0	-	.2	.1	.4	.8	1.4	2.5	5.3	9.1	15.0	24.8	42.7	57.4
1962	2.7	-	-	.0	.0	.0	-	.1	.1	.5	1.0	1.4	2.3	5.0	10.1	14.4	24.2	38.7	60.0
1963	2.7	-	.0	.0	.0	.0	-	-	.2	.4	1.0	1.9	2.8	4.6	8.2	14.7	23.6	39.1	58.0
1964	2.6	-	.0	.0	.0	.0	.0	-	.2	.4	.8	1.8	2.7	5.5	8.3	13.6	22.9	36.5	51.2
1965	2.8	-	.0	.0	.0	.0	.0	.1	.1	.4	.8	1.6	3.0	5.1	8.4	14.3	25.4	38.8	56.2
1966	2.6	-	-	.0	.0	-	-	.1	.2	.4	.8	1.7	2.5	4.7	7.7	14.9	21.2	36.6	48.8
1967	2.7	.1	-	.0	.0	.0	-	-	.1	.4	.8	1.6	2.5	4.9	8.2	14.5	22.8	36.1	54.4
1968	2.6	.0	.0	.0	-	.0	-	-	.2	.3	.7	1.4	2.4	5.4	7.5	13.0	21.9	34.7	46.8
1969	2.6	-	.0	.0	.0	.0	-	.0	.2	.3	.8	1.3	2.6	4.3	7.3	12.7	22.8	35.3	50.4
1970	2.8	.0	.0	.0	.0	.0	.0	.1	.2	.3	.7	1.7	2.7	5.1	8.7	12.3	23.2	36.2	49.4
1971	2.7	-	.0	.0	-	-	.0	.1	-	.4	.6	1.2	2.6	4.9	7.1	13.2	19.9	33.1	51.0
1972	2.6	-	.0	.0	.0	.0	.0	.1	.1	.2	.6	.9	2.8	4.1	6.2	12.2	20.9	31.4	51.9
1973	2.7	.0	.0	.0	-	-	-	.1	.1	.2	.4	1.3	3.0	4.9	7.4	11.8	21.5	31.3	47.9
1974	2.8	.0	.0	.0	-	.0	-	.1	.1	.3	.7	1.0	2.4	4.5	7.2	13.9	21.4	32.4	44.7
1975	2.7	-	.0	.0	.0	.0	.0	-	.1	.2	.7	1.2	2.3	4.6	6.7	12.5	19.2	31.4	44.9
1976	2.8	-	-	.0	.0	.0	-	.1	.2	.3	.6	1.1	2.5	4.2	6.7	12.6	20.1	32.6	47.8
1977	2.9	-	.0	.0	.0	.0	-	.1	.1	.3	.5	1.4	2.3	4.7	7.0	13.2	20.2	33.1	46.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1871	1	1	0	1	0	3	3	16	29	46	74	149	202	279	338	342	263	124
1951	1889	2	0	0	0	0	3	3	6	23	48	66	139	196	256	366	368	217	196
1952	1971	2	0	0	0	0	5	4	22	27	47	91	133	203	273	347	361	273	183
1953	2010	2	1	0	0	1	2	6	12	26	56	80	121	178	296	376	350	302	201
1954	2000	3	1	1	0	3	3	7	9	27	36	79	104	188	289	377	373	299	201
1955	2124	1	1	0	0	0	3	8	14	17	45	72	142	214	281	385	396	308	237
1956	2070	2	0	0	2	0	1	1	10	28	33	69	105	195	287	373	389	331	244
1957	2137	1	1	0	1	0	1	5	16	29	43	81	143	203	267	363	391	334	258
1958	2079	1	2	0	0	0	0	1	15	13	45	71	136	175	282	368	381	326	263
1959	2127	2	1	0	0	0	0	6	10	23	47	70	112	193	292	383	408	317	263
1960	2156	2	1	0	0	0	0	6	11	9	44	58	125	164	276	368	427	379	286
1961	2195	1	0	0	0	0	1	8	6	21	38	65	100	182	285	370	411	391	316
1962	2233	1	1	0	0	0	1	5	7	26	49	63	95	173	318	368	414	372	340
1963	2255	2	0	0	0	0	2	2	10	21	53	89	117	163	262	387	415	393	339
1964	2227	2	0	0	0	0	0	1	11	22	42	87	119	196	267	369	416	384	311
1965	2398	1	0	0	0	0	0	4	5	20	44	79	132	187	271	395	477	426	357
1966	2274	1	1	0	0	1	2	3	10	21	42	81	112	175	253	418	411	418	325
1967	2406	4	1	0	0	0	1	2	4	21	44	78	114	188	271	410	456	429	383
1968	2315	0	0	0	1	0	2	1	8	15	41	70	112	216	254	370	452	427	346
1969	2377	2	0	0	0	0	1	0	12	19	42	65	120	174	252	363	482	450	395
1970	2564	0	0	0	0	0	0	3	10	15	40	90	129	214	306	354	494	482	427
1971	2448	1	0	0	1	1	0	3	1	23	35	61	123	207	253	384	433	459	463
1972	1208	1	0	0	0	0	0	3	3	6	17	25	68	89	114	179	229	227	247
1973	2529	0	0	0	1	2	1	4	4	12	22	72	142	216	281	352	471	470	479
1974	2591	0	0	0	1	0	1	4	7	15	39	55	118	199	284	421	472	495	480
1975	2532	1	0	0	0	0	0	2	4	12	35	68	112	202	271	384	431	490	520
1976	2681	2	1	0	0	0	2	5	10	17	34	60	127	187	275	397	458	523	583
1977	2793	1	0	0	0	0	1	4	3	15	25	75	120	211	296	431	464	541	606

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	-	-	.0	-	.0	.1	-	.2	.2	.3	.3	.4	.4	.5	.5	.5	.4	.2
1951	.3	-	.0	.0	.0	.0	.1	-	.1	.2	.3	.3	.4	.4	.4	.5	.5	.3	.3
1952	.4	-	.0	.0	.0	.0	.1	.1	.2	.2	.3	.4	.4	.4	.4	.5	.5	.4	.3
1953	.4	-	-	.0	.0	-	-	.1	.1	.2	.3	.3	.4	.4	.5	.5	.4	.4	.3
1954	.4	-	-	.1	.0	.1	.1	.1	.1	.2	.2	.3	.3	.4	.5	.5	.5	.4	.3
1955	.4	-	-	.0	.0	.0	.1	.1	.2	.1	.3	.3	.4	.5	.4	.5	.5	.4	.3
1956	.4	-	.0	.0	.1	.0	-	-	.1	.2	.2	.3	.3	.4	.5	.5	.5	.4	.3
1957	.3	-	-	.0	-	.0	-	.1	.2	.2	.2	.3	.4	.4	.4	.4	.4	.4	.3
1958	.3	-	.1	.0	.0	.0	.0	-	.2	.1	.3	.3	.4	.4	.4	.4	.4	.4	.3
1959	.3	-	-	.0	.0	.0	.0	.1	.1	.2	.3	.3	.3	.4	.4	.5	.4	.4	.3
1960	.3	-	-	.0	.0	.0	.0	.1	.1	.1	.2	.2	.4	.4	.4	.4	.4	.4	.3
1961	.3	-	.0	.0	.0	.0	-	.2	.1	.2	.2	.3	.3	.4	.4	.4	.4	.4	.3
1962	.3	-	-	.0	.0	.0	-	.1	.1	.2	.3	.2	.3	.4	.5	.4	.4	.4	.3
1963	.3	-	.0	.0	.0	.0	.1	-	.1	.2	.3	.3	.3	.3	.4	.4	.4	.4	.3
1964	.3	-	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.3	.4	.4	.4	.4	.4	.3
1965	.3	-	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.4	.4	.4	.4	.4	.4	.3
1966	.3	-	-	.0	.0	-	.1	.1	.1	.2	.2	.3	.3	.4	.4	.5	.4	.4	.3
1967	.3	-	-	.0	.0	.0	-	-	.1	.2	.2	.3	.3	.4	.4	.5	.4	.4	.3
1968	.3	.0	.0	.0	-	.0	-	-	.1	.1	.2	.2	.3	.4	.4	.4	.4	.4	.2
1969	.3	-	.0	.0	.0	.0	-	.0	.2	.1	.2	.2	.3	.4	.4	.4	.4	.4	.3
1970	.3	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.3	.4	.5	.4	.4	.4	.3
1971	.3	-	.0	.0	-	-	.0	.1	-	.2	.2	.2	.3	.4	.4	.4	.4	.4	.3
1972	.3	-	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.3	.3	.3	.4	.4	.4	.3
1973	.3	.0	.0	.0	-	-	-	.1	.1	.1	.1	.3	.4	.4	.4	.4	.4	.4	.3
1974	.3	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.2	.3	.4	.4	.5	.4	.4	.3
1975	.3	-	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.4	.4	.4	.4	.4	.3
1976	.4	-	.1	.0	.0	.0	-	.1	.2	.2	.2	.2	.3	.4	.4	.5	.4	.4	.3
1977	.4	-	.0	.0	.0	.0	-	.1	-	.2	.2	.3	.3	.4	.4	.5	.4	.4	.3

Age-specific Graphs for White Females


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.2	.1	.0	.0	.0	.2	.0	.5	1.2	2.2	3.1	7.2	11.0	17.2	18.3	32.6	40.0	18.9	54.0
1951	3.4	.0	.1	.0	.0	.0	.3	.2	1.4	1.8	4.9	10.1	15.8	12.5	20.3	29.9	30.9	18.4	56.4
1952	3.3	.1	.0	.0	.0	.0	.0	.0	1.0	1.5	3.6	6.8	17.0	18.1	18.5	32.1	31.0	38.4	9.8
1953	3.4	.0	.0	.0	.0	.0	.0	.2	.2	2.3	3.6	9.9	11.3	21.1	21.3	38.2	29.4	20.0	23.3
1954	3.4	.1	.0	.0	.0	.0	.3	.0	1.2	1.3	4.5	9.2	13.4	20.1	16.3	33.3	25.4	29.3	55.6
1955	3.0	.0	.0	.0	.0	.0	.0	.0	1.0	1.5	4.4	5.5	11.1	19.5	19.1	23.3	33.8	21.5	28.7
1956	3.4	.0	.0	.0	.0	.0	.0	.6	.7	1.3	4.5	6.1	11.0	20.5	20.1	29.6	39.2	44.4	39.5
1957	3.6	.0	.1	.0	.0	.0	.0	.5	.7	1.3	4.8	8.4	10.9	23.8	28.1	24.3	28.3	36.6	34.2
1958	3.5	.0	.0	.0	.0	.0	.2	.2	.3	2.0	3.7	10.1	11.4	17.8	24.8	29.4	31.7	33.5	38.9
1959	3.6	.1	.0	.0	.0	.0	.2	.2	.5	2.0	4.3	9.7	10.8	20.4	25.2	30.2	28.3	45.9	30.7
1960	3.6	.0	.0	.0	.0	.0	.0	.2	1.1	1.4	5.1	7.3	11.8	22.4	25.7	28.0	31.4	31.9	41.9
1961	3.7	.0	.0	.0	.0	.0	.3	.2	.2	2.6	3.8	9.9	10.4	17.8	25.3	39.7	27.1	36.5	46.7
1962	3.5	.1	.0	.0	.1	.0	.0	.2	.5	1.0	4.5	9.3	10.2	18.8	26.1	34.4	27.8	35.7	43.3
1963	3.8	.0	.0	.0	.0	.0	.0	.2	1.1	1.3	3.8	9.1	10.3	21.7	28.5	31.0	42.2	32.2	60.0
1964	3.4	.1	.0	.0	.0	.3	.3	.2	.2	2.0	3.6	8.4	12.7	21.3	21.5	28.0	30.6	32.8	21.9
1965	3.6	.1	.1	.0	.0	.0	.0	.3	.2	.8	2.6	7.9	13.7	21.8	22.0	34.9	38.1	33.3	38.2
1966	3.8	.0	.0	.0	.0	.2	.0	.0	.9	1.0	1.7	7.4	10.9	20.3	25.7	42.3	41.7	43.8	77.8
1967	3.8	.0	.0	.0	.0	.1	.0	.0	.3	.5	2.9	7.4	13.8	21.1	31.3	32.5	44.9	39.4	43.6
1968	3.7	.1	.0	.0	.0	.0	.3	.2	.5	1.9	2.8	7.2	11.0	18.1	28.6	35.0	38.7	50.7	53.7
1969	3.9	.1	.0	.0	.0	.0	.0	.0	.2	1.1	1.9	5.6	14.3	19.5	31.6	32.0	47.5	58.8	72.7
1970	3.9	.0	.0	.0	.0	.0	.0	.4	.5	1.0	2.4	6.8	11.9	17.4	30.3	37.5	47.2	50.0	68.1
1971	3.8	.0	.0	.0	.0	.0	.1	.1	.2	.2	2.5	7.5	9.8	17.3	28.3	39.5	57.4	47.3	54.2
1972	3.9	.1	.1	.0	.1	.0	.0	.0	.3	1.9	3.0	5.4	15.1	16.8	22.3	34.1	56.5	56.4	64.0
1973	3.6	.1	.0	.0	.0	.1	.0	.0	.2	.5	1.3	4.5	12.6	14.6	27.8	40.2	56.9	48.2	42.3
1974	3.7	.0	.0	.1	.0	.0	.0	.0	.2	1.3	2.3	5.5	9.2	15.6	28.0	45.2	45.0	51.8	50.9
1975	3.5	.0	.0	.0	.0	.0	.0	.1	.2	.8	1.6	3.1	9.6	18.4	22.5	35.2	55.1	48.8	49.2
1976	3.9	.0	.0	.0	.0	.0	.0	.1	.1	.3	1.6	4.7	12.9	20.6	25.3	35.3	56.9	47.3	69.1
1977	3.7	.0	.0	.0	.0	.0	.0	.0	.1	.3	1.3	4.3	6.9	14.0	24.5	38.8	75.9	61.3	52.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	249	1	0	0	0	1	0	3	7	11	14	27	31	36	37	38	26	7	10
1951	272	0	1	0	0	0	2	1	8	9	22	39	46	27	42	36	21	7	11
1952	267	1	0	0	0	0	0	0	6	8	16	27	51	40	39	40	22	15	2
1953	283	0	0	0	0	0	0	1	1	12	16	40	35	48	46	49	22	8	5
1954	290	1	0	0	0	0	2	0	7	7	20	38	43	47	36	44	20	12	13
1955	260	0	0	0	0	0	0	0	6	8	20	23	37	47	43	32	28	9	7
1956	302	0	0	0	0	0	0	4	4	7	21	26	38	51	46	42	34	19	10
1957	326	0	1	0	0	0	0	3	4	7	23	36	39	61	65	36	26	16	9
1958	324	0	0	0	0	0	1	1	2	11	18	43	42	47	58	45	30	15	11
1959	344	1	0	0	0	0	1	1	3	11	22	42	41	56	60	48	28	21	9
1960	360	0	0	0	0	0	0	1	7	8	27	33	47	65	64	47	33	15	13
1961	376	0	0	0	0	0	2	1	1	15	20	46	42	53	65	69	29	19	14
1962	373	1	0	0	1	0	0	1	3	6	24	44	42	57	69	62	30	20	13
1963	407	0	0	0	0	0	0	1	7	8	20	44	43	67	77	57	46	19	18
1964	375	2	0	0	0	2	2	1	1	12	19	41	54	67	60	53	34	20	7
1965	399	1	1	0	0	0	0	2	1	5	14	39	59	70	63	67	43	21	13
1966	436	0	0	0	0	2	0	0	6	6	9	37	48	67	75	82	48	28	28
1967	445	0	0	0	0	1	0	0	2	3	16	37	61	72	93	64	53	26	17
1968	442	1	0	0	0	0	0	2	1	3	12	16	36	49	64	86	70	46	34	22
1969	473	1	0	0	0	0	0	0	0	1	7	11	28	64	71	96	65	57	40	32
1970	477	0	0	0	0	0	0	0	3	3	6	14	35	53	66	94	78	58	35	32
1971	478	0	0	0	0	0	0	1	1	1	1	15	40	43	68	88	85	74	35	26
1972	248	1	1	0	1	0	0	0	1	6	9	15	33	34	36	36	36	37	22	16
1973	471	2	0	0	0	1	0	0	1	3	8	26	55	60	93	86	74	40	22
1974	489	0	0	1	0	0	0	0	1	8	14	32	41	65	97	98	59	44	29
1975	465	0	0	0	0	0	0	1	1	5	10	18	45	76	82	77	76	42	32
1976	535	0	0	0	0	0	0	1	1	2	10	28	63	83	97	78	82	43	47
1977	517	0	0	0	0	0	0	0	1	2	8	26	35	56	97	90	107	57	38


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	-	.0	.0	.0	-	.0	.1	.2	.2	.2	.3	.3	.4	.4	.5	.5	.2	.3
1951	.3	.0	.1	.0	.0	.0	.1	-	.2	.2	.4	.4	.5	.3	.4	.5	.4	.2	.4
1952	.3	-	.0	.0	.0	.0	.0	.0	.2	.2	.3	.3	.5	.4	.4	.5	.4	.4	.1
1953	.3	.0	.0	.0	.0	.0	.0	-	-	.2	.3	.4	.4	.5	.5	.6	.4	.2	.2
1954	.3	-	.0	.0	.0	.0	.1	.0	.2	.1	.3	.5	.5	.5	.4	.5	.3	.3	.4
1955	.3	.0	.0	.0	.0	.0	.0	.0	.2	.2	.3	.3	.4	.5	.4	.4	.5	.2	.2
1956	.3	.0	.0	.0	.0	.0	.0	.1	.1	.2	.3	.3	.4	.5	.4	.5	.5	.4	.3
1957	.3	.0	.1	.0	.0	.0	.0	.1	.1	.1	.4	.4	.4	.6	.6	.4	.4	.4	.2
1958	.3	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.5	.4	.4	.5	.5	.4	.3	.3
1959	.3	-	.0	.0	.0	.0	-	-	.1	.2	.3	.5	.4	.5	.5	.5	.4	.5	.2
1960	.3	.0	.0	.0	.0	.0	.0	-	.2	.2	.4	.4	.5	.6	.5	.4	.4	.3	.3
1961	.3	.0	.0	.0	.0	.0	.1	-	-	.3	.3	.6	.4	.5	.5	.6	.4	.4	.3
1962	.3	-	.0	.0	.1	.0	.0	-	.1	.1	.4	.5	.4	.5	.5	.5	.4	.4	.3
1963	.3	.0	.0	.0	.0	.0	.0	-	.2	.1	.3	.5	.4	.5	.6	.5	.5	.3	.3
1964	.3	-	.0	.0	.0	.1	.1	-	-	.2	.3	.4	.5	.5	.5	.4	.4	.3	.1
1965	.3	-	.1	.0	.0	.0	.0	.1	-	.1	.2	.4	.5	.6	.5	.5	.5	.3	.2
1966	.3	.0	.0	.0	.0	.1	.0	.0	.1	.1	.1	.4	.4	.5	.5	.6	.5	.4	.5
1967	.4	.0	.0	.0	.0	-	.0	.0	-	-	.2	.4	.5	.6	.7	.5	.5	.4	.3
1968	.3	-	.0	.0	.0	.0	.1	-	.1	.2	.2	.4	.4	.5	.6	.5	.4	.5	.3
1969	.3	-	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.5	.5	.6	.5	.6	.6	.5
1970	.4	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.4	.4	.5	.6	.6	.6	.5	.5
1971	.4	.0	.0	.0	.0	.0	-	-	-	-	.2	.4	.4	.5	.6	.6	.7	.5	.4
1972	.4	-	.2	.0	.1	.0	.0	.0	-	.2	.2	.3	.6	.5	.5	.5	.7	.6	.5
1973	.3	-	.0	.0	.0	-	.0	.0	-	.1	.1	.2	.5	.4	.6	.6	.7	.5	.3
1974	.4	.0	.0	.1	.0	.0	.0	.0	-	.1	.2	.3	.4	.5	.7	.7	.5	.6	.4
1975	.3	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.4	.6	.6	.5	.7	.5	.4
1976	.4	.0	.0	.0	.0	.0	.0	-	-	-	.1	.3	.5	.6	.6	.6	.7	.5	.6
1977	.4	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.3	.3	.4	.6	.6	.9	.7	.5


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.2	.1	.0	.0	.0	.0	.0	.2	1.3	2.9	2.9	6.0	10.6	11.0	14.3	20.7	4.8	16.9	15.0
1951	2.0	.0	.0	.0	.0	.0	.1	.5	.5	2.1	3.5	5.8	7.2	11.4	10.8	15.4	15.2	11.2	15.0
1952	2.0	.0	.0	.0	.0	.0	.0	.0	1.3	1.3	2.4	6.9	7.6	9.6	11.5	17.7	21.8	21.1	10.5
1953	2.4	.0	.0	.0	.0	.0	.0	.1	.8	2.0	5.6	6.4	9.9	10.4	12.9	14.6	18.1	26.3	26.1
1954	2.3	.0	.0	.0	.0	.1	.0	.3	.6	1.4	3.9	5.5	8.2	11.3	15.2	18.8	22.2	13.9	27.6
1955	1.9	.0	.0	.0	.0	.0	.0	.1	.2	1.4	1.9	4.2	7.2	7.2	13.7	17.3	20.8	11.7	34.7
1956	2.2	.0	.0	.0	.0	.0	.1	.3	1.7	1.3	3.7	7.2	9.3	8.4	13.3	11.5	16.0	21.5	16.9
1957	2.5	.0	.1	.0	.0	.0	.0	.6	.6	1.7	3.7	6.0	8.9	14.0	13.9	13.5	21.2	26.8	29.3
1958	2.3	.0	.0	.0	.0	.0	.0	.4	.4	2.2	3.2	8.9	7.2	9.6	12.8	19.0	15.8	19.2	15.6
1959	2.2	.0	.0	.0	.0	.0	.1	.1	.9	1.8	2.8	5.4	9.7	9.6	13.7	14.3	21.2	18.8	17.7
1960	2.5	.1	.0	.0	.0	.0	.0	.1	1.4	1.3	4.2	6.6	10.1	10.7	12.7	21.2	20.0	20.0	30.0
1961	2.1	.0	.1	.0	.0	.0	.0	.1	.3	1.4	2.6	6.8	4.8	10.5	13.1	18.0	14.3	24.6	15.0
1962	2.5	.0	.1	.0	.0	.0	.3	.0	.3	1.8	2.8	6.4	7.3	14.3	14.3	17.6	17.1	34.8	19.5
1963	2.2	.0	.0	.0	.0	.0	.0	.4	.3	1.1	2.6	4.7	8.4	12.8	11.5	13.1	22.0	18.6	25.6
1964	2.3	.0	.0	.0	.0	.0	.1	.0	.5	1.6	1.0	4.8	10.0	11.6	12.0	15.3	24.4	21.6	31.1
1965	2.4	.0	.0	.0	.1	.0	.0	.4	.1	.6	2.7	4.9	8.6	10.1	14.5	17.0	22.1	32.5	28.6
1966	2.2	.0	.0	.0	.0	.0	.0	.1	.5	.6	2.6	3.3	6.3	10.0	14.7	14.9	28.4	30.0	26.4
1967	2.7	.0	.1	.0	.1	.0	.0	.1	.5	1.0	2.7	6.2	6.4	13.5	19.3	17.9	19.0	33.3	40.4
1968	2.3	.0	.0	.0	.0	.0	.1	.0	.7	1.1	1.4	4.5	5.9	9.3	16.2	18.4	19.7	23.0	32.8
1969	2.2	.0	.0	.1	.0	.0	.0	.1	.1	.3	1.4	4.6	8.2	10.1	10.9	17.3	23.1	27.5	21.5
1970	2.2	.1	.0	.0	.0	.0	.1	.0	.0	.5	1.6	3.4	5.9	6.4	17.1	17.6	21.3	30.2	25.4
1971	2.3	.0	.0	.0	.0	.1	.0	.0	.1	.4	1.9	5.5	6.4	11.7	12.5	16.7	23.4	22.1	18.4
1972	2.5	.0	.0	.0	.0	.0	.2	.0	.0	1.1	2.0	4.5	4.4	10.3	17.7	25.6	24.6	14.3	34.1
1973	2.3	.0	.0	.0	.0	.0	.0	.1	.1	.1	1.9	4.1	6.2	6.7	14.1	23.6	20.5	25.6	38.6
1974	2.3	.0	.0	.0	.0	.0	.0	.1	.3	.5	.7	2.6	4.7	11.4	13.9	23.2	26.0	29.4	24.5
1975	2.3	.0	.0	.0	.0	.0	.1	.0	.2	.4	1.9	1.8	6.6	8.5	11.2	21.5	28.7	24.4	33.6
1976	2.3	.0	.0	.0	.0	.0	.0	.2	.2	.7	1.1	2.8	3.6	8.8	11.6	20.0	28.9	32.8	27.5
1977	2.3	.0	.0	.0	.0	.0	.0	.0	.5	.6	.5	3.8	4.6	8.3	11.8	22.8	26.2	20.0	31.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	179	1	0	0	0	0	0	1	8	15	13	22	28	22	31	24	3	7	4
1951	162	0	0	0	0	0	1	3	3	11	16	22	20	24	24	19	10	5	4
1952	173	0	0	0	0	0	0	0	8	7	11	27	22	21	26	23	15	10	3
1953	207	0	0	0	0	0	0	1	5	11	26	26	30	24	30	20	13	13	8
1954	205	0	0	0	0	1	0	2	4	8	18	23	26	27	36	27	17	7	9
1955	173	0	0	0	0	0	0	1	1	8	9	18	24	18	33	26	17	6	12
1956	207	0	0	0	0	0	1	2	11	8	18	31	32	22	33	18	14	11	6
1957	236	0	1	0	0	0	0	4	4	10	19	26	32	38	35	22	20	14	11
1958	226	0	0	0	0	0	0	3	3	13	17	39	27	27	33	32	16	10	6
1959	225	0	0	0	0	0	1	1	6	11	15	24	38	28	36	25	23	10	7
1960	269	1	0	0	0	0	0	1	10	8	24	31	41	33	35	39	23	11	12
1961	225	0	1	0	0	0	0	1	2	9	15	33	20	33	38	35	17	15	6
1962	273	0	1	0	0	0	2	0	2	12	16	32	31	46	43	36	21	23	8
1963	246	0	0	0	0	0	0	3	2	7	15	24	37	42	36	28	28	13	11
1964	266	0	0	0	0	0	1	0	4	11	6	25	45	39	39	34	32	16	14
1965	283	0	0	0	1	0	0	3	1	4	16	26	40	35	49	39	30	25	14
1966	273	0	0	0	0	0	0	1	4	4	16	18	30	36	51	35	40	24	14
1967	337	0	1	0	1	0	0	1	4	7	17	34	31	51	68	43	28	28	23
1968	287	0	0	0	0	0	1	0	5	8	9	25	29	37	58	45	30	20	20
1969	281	0	0	1	0	0	0	1	1	2	9	26	41	42	40	43	36	25	14
1970	285	1	0	0	0	0	1	0	0	4	11	20	30	28	64	45	34	29	18
1971	303	0	0	0	0	1	0	0	1	3	13	33	32	53	47	44	39	23	14
1972	172	0	0	0	0	0	1	0	0	4	7	14	11	24	35	33	21	8	14
1973	326	0	0	0	0	0	0	1	1	1	13	27	31	32	59	61	35	31	34
1974	335	0	0	0	0	0	0	1	2	4	5	17	24	55	61	60	45	37	24
1975	338	0	0	0	0	0	1	0	2	3	14	12	36	41	52	56	52	32	37
1976	340	0	0	0	0	0	0	2	2	5	8	19	20	42	57	53	54	45	33
1977	348	0	0	0	0	0	0	0	4	5	4	26	27	40	60	64	48	28	42


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.0	.0	.0	.0	.0	-	.2	.3	.2	.3	.4	.3	.4	.4	.1	.2	.1
1951	.2	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.3	.3	.3	.3	.2	.2	.1
1952	.2	.0	.0	.0	.0	.0	.0	.0	.2	.2	.2	.4	.3	.3	.3	.4	.3	.3	.1
1953	.3	.0	.0	.0	.0	.0	.0	-	.2	.2	.5	.4	.4	.3	.4	.3	.3	.4	.2
1954	.3	.0	.0	.0	.0	.1	.0	.1	.1	.2	.4	.3	.4	.4	.5	.4	.4	.2	.3
1955	.2	.0	.0	.0	.0	.0	.0	-	-	.2	.2	.3	.3	.3	.4	.4	.3	.2	.3
1956	.3	.0	.0	.0	.0	.0	.1	.1	.4	.2	.3	.5	.4	.3	.4	.2	.3	.3	.1
1957	.3	.0	.1	.0	.0	.0	.0	.2	.1	.2	.4	.4	.4	.5	.4	.3	.4	.4	.2
1958	.3	.0	.0	.0	.0	.0	.0	.1	.1	.3	.3	.6	.3	.3	.4	.4	.3	.2	.1
1959	.3	.0	.0	.0	.0	.0	.1	-	.2	.3	.3	.4	.5	.3	.4	.3	.4	.2	.1
1960	.3	-	.0	.0	.0	.0	.0	-	.3	.2	.5	.5	.5	.4	.4	.5	.3	.2	.2
1961	.2	.0	.1	.0	.0	.0	.0	-	.1	.2	.3	.5	.3	.3	.4	.4	.2	.3	.1
1962	.3	.0	.1	.0	.0	.0	.1	.0	.1	.3	.3	.5	.4	.5	.4	.4	.3	.4	.1
1963	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.3	.3	.5	.4	.3	.3	.4	.2	.2
1964	.3	.0	.0	.0	.0	.0	.1	.0	.1	.3	.1	.4	.6	.4	.4	.4	.4	.3	.2
1965	.3	.0	.0	.0	.1	.0	.0	.1	-	.1	.3	.4	.5	.4	.5	.4	.4	.4	.2
1966	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.3	.3	.4	.4	.4	.3	.5	.4	.2
1967	.3	.0	.1	.0	.1	.0	.0	-	.1	.2	.3	.5	.4	.6	.6	.4	.3	.5	.3
1968	.3	.0	.0	.0	.0	.0	.1	.0	.2	.2	.2	.4	.3	.4	.5	.4	.3	.3	.3
1969	.3	.0	.0	.2	.0	.0	.0	-	-	-	.2	.4	.5	.4	.3	.4	.4	.4	.2
1970	.3	-	.0	.0	.0	.0	.1	.0	.0	.1	.2	.3	.4	.3	.5	.4	.4	.4	.2
1971	.3	.0	.0	.0	.0	.1	.0	.0	-	.1	.2	.5	.4	.5	.4	.4	.4	.3	.2
1972	.3	.0	.0	.0	.0	.0	.1	.0	.0	.2	.3	.4	.3	.5	.6	.5	.4	.2	.3
1973	.3	.0	.0	.0	.0	.0	.0	-	-	-	.2	.4	.4	.3	.5	.5	.3	.4	.3
1974	.3	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.3	.3	.6	.5	.5	.5	.5	.2
1975	.3	.0	.0	.0	.0	.0	.1	.0	.1	.1	.3	.2	.5	.4	.5	.5	.5	.4	.4
1976	.3	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.3	.3	.5	.5	.4	.5	.5	.3
1977	.3	.0	.0	.0	.0	.0	.0	.0	.2	.2	.1	.4	.4	.4	.5	.5	.4	.3	.4


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	684	1.01	1.04	0.62	572	0.84	0.83	0.57	11	0.14	0.21	0.14	13	0.16	0.26	0.18
1951	752	1.09	1.12	0.67	619	0.89	0.88	0.61	10	0.13	0.17	0.11	19	0.23	0.33	0.23
1952	781	1.12	1.14	0.66	642	0.91	0.89	0.61	19	0.23	0.32	0.20	13	0.15	0.19	0.13
1953	884	1.25	1.27	0.73	710	0.99	0.96	0.67	13	0.16	0.20	0.12	13	0.15	0.20	0.14
1954	935	1.30	1.32	0.76	762	1.05	1.01	0.71	21	0.25	0.36	0.21	21	0.24	0.33	0.23
1955	942	1.29	1.31	0.74	822	1.11	1.07	0.76	25	0.29	0.46	0.27	17	0.19	0.23	0.16
1956	955	1.28	1.32	0.74	788	1.04	1.00	0.72	29	0.33	0.44	0.25	14	0.15	0.19	0.13
1957	1027	1.36	1.40	0.78	856	1.12	1.07	0.77	24	0.26	0.39	0.21	25	0.26	0.37	0.26
1958	1059	1.38	1.43	0.80	868	1.11	1.07	0.78	19	0.20	0.27	0.15	26	0.26	0.35	0.24
1959	1071	1.37	1.42	0.79	930	1.17	1.12	0.83	27	0.28	0.40	0.22	24	0.24	0.33	0.23
1960	1164	1.47	1.51	0.84	961	1.19	1.14	0.85	30	0.30	0.41	0.21	28	0.26	0.33	0.23
1961	1201	1.49	1.55	0.85	1009	1.23	1.17	0.88	31	0.30	0.43	0.22	21	0.19	0.26	0.18
1962	1266	1.55	1.62	0.88	1026	1.23	1.17	0.88	19	0.18	0.25	0.13	28	0.25	0.34	0.24
1963	1341	1.62	1.69	0.91	1083	1.28	1.21	0.92	27	0.25	0.36	0.17	29	0.25	0.35	0.25
1964	1494	1.79	1.87	1.00	1091	1.27	1.21	0.92	33	0.30	0.44	0.22	24	0.21	0.28	0.20
1965	1489	1.76	1.84	0.97	1131	1.30	1.23	0.94	40	0.36	0.49	0.24	27	0.23	0.29	0.21
1966	1469	1.72	1.81	0.95	1180	1.34	1.26	0.96	35	0.31	0.40	0.19	32	0.26	0.35	0.25
1967	1591	1.85	1.93	1.00	1211	1.36	1.28	0.97	39	0.34	0.49	0.22	31	0.25	0.31	0.22
1968	1663	1.92	2.00	1.03	1227	1.37	1.27	0.97	46	0.39	0.58	0.26	37	0.29	0.37	0.26
1969	1655	1.90	1.98	1.01	1378	1.52	1.40	1.08	59	0.49	0.69	0.30	45	0.35	0.44	0.31
1970	1683	1.91	1.99	1.01	1372	1.50	1.37	1.05	52	0.43	0.60	0.26	39	0.30	0.38	0.27
1971	1760	1.98	2.06	1.04	1469	1.59	1.44	1.11	36	0.29	0.40	0.18	37	0.27	0.35	0.24
1972	894	2.00	2.07	1.03	710	1.53	1.38	1.05	35	0.55	0.81	0.34	16	0.23	0.29	0.21
1973	1916	2.13	2.19	1.09	1425	1.52	1.37	1.05	48	0.37	0.53	0.22	40	0.29	0.35	0.24
1974	2164	2.40	2.46	1.20	1499	1.59	1.42	1.08	37	0.28	0.37	0.15	35	0.25	0.29	0.20
1975	2147	2.36	2.39	1.18	1559	1.65	1.44	1.10	46	0.34	0.46	0.18	43	0.29	0.37	0.26
1976	2324	2.55	2.57	1.24	1763	1.85	1.60	1.21	58	0.42	0.58	0.23	36	0.24	0.27	0.19
1977	2421	2.64	2.64	1.27	1774	1.85	1.59	1.20	50	0.36	0.51	0.20	37	0.24	0.30	0.20


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Malignant melanoma of all sites (except breast and genital organs) malignant mole, melanotic sarcoma (except of the eye), and melanoma (NOS).
(ICD 190 [6th]; ICD 190-190.9 [7th]; ICD 172-172.4, 172.6-172.9 [8th])


Melanoma

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



GREENE MH, CLARK WH JR, TUCKER MA, et al: Precursor nevi in cutaneous malignant melanoma: A proposed nomenclature. Lancet 2:1024, 1980

JENSEN OM, BOLANDER AM: Trends in malignant melanoma of the skin. World Health Stat Q 33:2-26, 1980

ARIEL IM: Theories regarding the cause of malignant melanoma. Surg Gynecol Obstet 150:907-917, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	-	.0	-	.1	.5	.6	.9	1.0	1.2	1.4	1.5	2.7	2.3	3.0	3.5	4.6	5.0	6.3
1951	1.1	.0	.0	.0	.2	.5	.7	.8	1.3	1.1	1.7	2.1	2.3	3.1	2.7	3.6	4.9	6.2	5.0
1952	1.1	-	.0	-	.1	.3	.7	1.0	1.3	1.4	1.7	1.7	2.0	3.1	3.7	4.1	4.1	5.9	6.2
1953	1.2	.0	.0	-	.1	.3	.8	1.1	1.6	1.6	1.8	2.0	2.4	3.7	3.5	3.5	5.6	5.5	7.4
1954	1.3	.0	-	-	.2	.3	.9	1.0	1.7	1.4	1.9	2.3	2.8	3.3	3.8	4.6	5.2	6.9	6.0
1955	1.3	-	.0	-	.1	.3	.7	1.0	1.6	1.5	2.1	2.6	2.6	3.0	4.0	4.6	4.6	6.8	7.1
1956	1.3	-	.0	-	-	.4	.7	1.0	1.7	1.7	1.7	2.3	2.9	3.2	3.8	3.7	5.5	7.6	8.9
1957	1.4	-	-	-	.1	.3	1.0	1.3	1.2	1.9	1.9	2.6	2.8	3.4	4.0	4.5	6.3	6.8	7.7
1958	1.4	.0	-	-	.2	.4	.7	1.3	1.2	1.9	2.3	2.9	2.5	3.1	3.9	4.7	7.0	6.5	7.6
1959	1.4	.0	.0	.0	.3	.4	.7	1.3	1.6	1.8	2.4	2.7	2.5	3.4	3.7	4.4	6.0	7.5	7.6
1960	1.5	.0	.0	.1	.2	.4	.9	1.5	1.6	2.1	2.4	2.7	3.6	3.3	4.1	4.2	6.6	6.5	6.6
1961	1.5	-	.0	.0	.2	.6	.9	1.4	1.9	1.9	2.2	2.7	2.8	3.9	5.0	5.1	5.9	6.6	8.5
1962	1.6	-	-	-	.2	.5	.7	1.6	1.8	2.3	2.6	2.8	3.1	3.3	4.3	5.8	5.1	7.8	14.2
1963	1.6	.0	-	-	.1	.4	1.0	1.6	1.9	2.2	2.6	3.6	3.5	4.1	4.3	5.6	5.7	7.4	11.6
1964	1.8	-	-	-	.2	.6	1.1	1.7	1.9	2.4	2.7	3.4	4.2	4.7	5.2	6.3	6.1	7.6	12.1
1965	1.8	-	-	.0	.2	.3	.9	1.5	2.2	2.5	3.2	3.8	3.8	3.9	4.7	6.1	6.9	9.2	11.6
1966	1.7	.0	.0	.0	.2	.4	.9	1.4	2.2	2.1	3.1	3.0	3.6	4.6	4.9	6.1	7.7	9.9	9.4
1967	1.9	.0	-	-	.2	.5	1.1	1.8	2.4	2.6	3.5	3.9	3.5	4.1	5.1	6.2	7.8	7.4	10.9
1968	1.9	-	-	-	.1	.4	.7	1.3	2.2	2.8	3.4	4.1	4.0	4.9	6.0	5.7	9.3	8.8	11.8
1969	1.9	.0	.0	-	.2	.4	1.0	1.6	2.1	2.8	3.0	3.6	4.5	4.9	5.9	5.6	8.5	8.5	12.3
1970	1.9	.0	-	-	.1	.5	.8	1.3	1.8	2.6	3.3	4.2	4.0	5.2	5.9	6.8	7.9	10.2	10.7
1971	2.0	-	-	-	.1	.6	1.0	1.6	2.3	2.8	3.0	3.6	4.3	5.0	6.6	6.3	8.6	9.3	12.5
1972	2.0	.0	.0	.0	.1	.6	1.1	1.6	1.8	1.9	3.5	4.0	4.4	5.4	6.8	6.9	8.7	9.9	10.9
1973	2.1	.0	.0	-	.2	.5	1.0	1.7	1.9	2.8	3.7	4.2	4.8	5.3	6.5	6.7	10.2	8.6	14.7
1974	2.4	.0	.0	-	.2	.7	.9	1.4	2.5	3.0	4.6	4.7	5.6	5.7	7.0	7.9	11.1	10.6	15.3
1975	2.4	-	.0	-	.1	.5	1.1	1.7	2.4	2.7	3.8	5.0	5.7	6.0	7.0	8.3	9.7	9.6	12.7
1976	2.5	-	.0	.0	.2	.4	1.2	1.7	2.3	2.7	4.1	4.8	6.1	7.1	7.2	9.1	11.4	11.9	15.8
1977	2.6	.0	-	.0	.1	.5	1.1	1.5	2.6	2.8	4.5	4.8	6.0	7.7	7.6	9.6	11.3	13.5	13.6

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	684	1	0	1	4	25	32	45	48	56	57	58	90	65	67	54	43	24	14
1951	752	0	0	0	7	28	38	42	63	51	69	78	80	88	62	56	48	30	12
1952	781	3	0	1	5	17	38	51	64	65	73	64	70	92	86	66	41	29	16
1953	884	0	0	1	4	17	45	59	83	77	79	77	81	111	85	59	58	28	20
1954	935	0	1	1	9	16	50	55	86	67	84	90	97	99	93	79	55	36	17
1955	942	1	0	1	3	16	36	53	85	75	95	103	91	93	100	82	50	37	21
1956	955	1	0	1	2	17	38	53	91	86	79	90	101	100	97	68	61	43	27
1957	1027	1	2	3	6	15	49	70	62	93	91	105	99	107	102	86	72	40	24
1958	1059	0	3	1	10	21	35	72	66	95	108	121	91	96	103	91	83	39	24
1959	1071	0	0	0	15	20	32	69	86	90	114	115	92	107	99	87	74	46	25
1960	1164	0	0	4	9	22	42	79	89	109	116	115	135	102	110	85	84	41	22
1961	1201	2	0	0	10	30	41	75	102	102	107	118	105	121	134	105	77	43	29
1962	1266	2	1	1	14	24	35	82	98	124	128	123	121	104	116	123	67	54	49
1963	1341	0	1	1	5	25	46	81	102	119	128	163	141	129	114	119	76	51	40
1964	1494	1	1	2	13	35	56	84	104	131	136	155	172	151	138	135	83	54	43
1965	1489	1	1	0	14	18	43	74	118	135	163	174	157	127	127	132	96	67	42
1966	1469	0	0	0	13	28	46	68	115	115	157	141	152	152	133	131	109	74	35
1967	1591	0	1	1	16	32	59	86	123	141	180	183	148	141	138	132	111	57	42
1968	1663	1	2	2	11	31	41	64	111	152	175	193	173	172	164	121	134	69	47
1969	1655	0	0	1	13	28	57	80	104	146	159	173	193	177	163	118	124	68	51
1970	1683	0	2	1	10	38	50	64	86	134	173	203	174	192	167	144	114	83	48
1971	1760	1	1	3	11	48	59	85	112	145	158	177	187	187	191	134	126	77	58
1972	894	0	0	0	4	23	36	42	44	48	92	102	96	102	101	73	63	42	26
1973	1916	0	0	2	14	39	72	96	94	141	194	216	212	202	197	144	146	74	73
1974	2164	0	0	3	16	56	64	82	123	147	236	241	251	223	219	173	158	92	80
1975	2147	1	0	3	9	40	83	105	119	133	194	258	261	236	226	186	139	84	70
1976	2324	1	0	0	16	37	92	105	119	130	207	250	283	279	236	209	165	106	89
1977	2421	0	2	0	13	40	84	102	138	135	222	247	286	308	254	227	163	121	79


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	-	.1	.3	.4	.4	.3	.3	.2	.1	.1	.1	.1	.1	.1	-	-
1951	.1	.0	.0	.0	.1	.3	.4	.4	.4	.2	.2	.2	.1	.1	.1	.1	.1	-	-
1952	.1	-	.0	-	.1	.2	.4	.5	.5	.3	.2	.1	.1	.1	.1	.1	-	-	-
1953	.1	.0	.0	-	.1	.2	.5	.6	.6	.4	.2	.2	.1	.1	.1	.1	.1	-	-
1954	.1	.0	-	-	.2	.2	.6	.6	.7	.3	.3	.2	.2	.1	.1	.1	.1	.1	-
1955	.1	-	.0	-	-	.2	.4	.6	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	-
1956	.1	-	.0	-	-	.2	.5	.6	.7	.4	.2	.2	.2	.1	.1	.1	.1	.1	-
1957	.1	-	-	.1	.1	.2	.6	.7	.5	.4	.3	.2	.2	.1	.1	.1	.1	.1	-
1958	.1	.0	.1	-	.1	.3	.5	.8	.5	.4	.3	.2	.1	.1	.1	.1	.1	-	-
1959	.1	.0	.0	.0	.2	.3	.5	.7	.6	.4	.3	.2	.1	.1	.1	.1	.1	.1	-
1960	.1	.0	.0	.1	.1	.3	.6	.9	.6	.5	.3	.2	.2	.1	.1	.1	.1	-	-
1961	.1	-	.0	.0	.1	.4	.6	.9	.8	.5	.3	.2	.2	.1	.1	.1	.1	.1	-
1962	.1	-	-	-	.2	.3	.5	.9	.7	.6	.4	.2	.2	.1	.1	.1	.1	.1	.1
1963	.1	.0	-	-	.1	.3	.6	.9	.7	.5	.4	.3	.2	.1	.1	.1	.1	.1	-
1964	.2	-	-	-	.1	.4	.7	1.0	.8	.6	.4	.3	.2	.2	.1	.1	.1	.1	.1
1965	.2	-	-	.0	.1	.2	.6	.9	.9	.6	.5	.3	.2	.1	.1	.1	.1	.1	.1
1966	.2	.0	.0	.0	.1	.3	.6	.8	.9	.5	.4	.3	.2	.2	.1	.1	.1	.1	-
1967	.2	.0	-	-	.1	.3	.7	1.0	.9	.6	.5	.3	.2	.1	.1	.1	.1	.1	-
1968	.2	-	-	-	.1	.2	.4	.7	.9	.7	.5	.4	.2	.2	.1	.1	.1	.1	.1
1969	.2	.0	.0	-	.1	.2	.6	.9	.8	.7	.4	.3	.3	.2	.1	.1	.1	.1	.1
1970	.2	.0	-	-	.1	.3	.5	.7	.7	.6	.5	.4	.2	.2	.1	.1	.1	.1	.1
1971	.2	-	-	.1	.1	.3	.6	.9	.9	.7	.5	.3	.2	.2	.2	.1	.1	.1	.1
1972	.2	.0	.0	.0	.1	.3	.7	.9	.7	.5	.5	.4	.3	.2	.2	.1	.1	.1	.1
1973	.2	.0	.0	-	.1	.3	.6	.9	.8	.7	.6	.4	.3	.2	.2	.1	.1	.1	.1
1974	.2	.0	.0	.1	.1	.4	.5	.8	1.1	.8	.7	.5	.4	.2	.2	.1	.1	.1	.1
1975	.2	-	.0	.1	.1	.3	.7	1.0	1.0	.8	.6	.5	.4	.2	.2	.2	.1	.1	.1
1976	.3	-	.0	.0	.1	.2	.7	1.0	1.1	.8	.7	.5	.4	.3	.2	.2	.1	.1	.1
1977	.3	.0	.1	.0	.1	.2	.7	.9	1.2	.8	.8	.5	.4	.3	.2	.2	.1	.1	.1


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	.0	.0	.0	-	.5	.6	.7	.8	1.0	1.1	1.5	1.4	2.0	1.8	3.5	4.0	3.8	4.7
1951	.9	-	-	.0	.1	.5	.6	.7	.8	1.2	1.4	1.4	1.4	2.1	2.2	3.2	4.1	3.9	4.1
1952	.9	.0	.0	-	.2	.2	.4	.7	1.2	1.1	1.3	2.0	2.1	2.2	1.9	2.6	3.5	3.7	5.3
1953	1.0	-	.0	-	.1	.4	.7	.9	1.0	1.1	1.3	1.4	2.1	2.4	2.8	3.3	3.7	3.6	6.4
1954	1.0	-	-	-	.1	.6	.8	1.1	1.2	1.4	1.3	1.4	2.1	2.4	2.3	3.0	4.3	4.3	7.3
1955	1.1	-	.0	.0	.1	.4	.7	.8	1.2	1.6	1.6	1.6	2.2	2.1	3.2	3.1	5.6	3.7	7.6
1956	1.0	-	-	-	.1	.3	.7	1.0	1.1	1.1	2.1	1.8	2.0	2.0	2.5	3.4	3.4	4.6	5.3
1957	1.1	.0	-	.0	-	.5	.5	1.0	1.3	1.4	1.7	2.2	2.0	2.8	3.0	2.8	4.0	3.8	6.5
1958	1.1	.0	-	.1	.1	.2	.8	.8	1.2	1.5	1.7	1.9	1.8	2.3	2.8	3.8	4.6	6.9	5.4
1959	1.2	-	-	-	.1	.4	.8	1.1	1.6	1.3	1.7	1.8	2.3	2.7	3.2	3.0	4.1	4.8	7.5
1960	1.2	-	.0	.0	.2	.3	.6	1.2	1.1	1.4	1.8	1.8	2.2	2.9	3.6	3.8	4.2	4.5	7.9
1961	1.2	.0	.0	.0	.1	.3	.9	1.0	1.6	1.5	2.1	1.8	2.0	2.5	3.6	3.9	4.7	5.6	6.2
1962	1.2	.0	-	.1	.1	.3	.8	1.2	1.5	1.9	1.7	2.1	1.8	2.3	3.5	3.6	4.3	6.0	6.9
1963	1.3	.0	-	-	.1	.3	.7	1.1	1.5	1.6	2.1	2.1	2.5	3.0	3.1	4.5	4.6	4.7	7.2
1964	1.3	-	.0	-	.1	.3	.8	1.2	1.5	1.8	2.0	1.7	2.7	2.9	3.3	3.5	4.1	4.9	9.2
1965	1.3	.0	.0	-	.1	.4	.8	1.3	1.2	1.7	1.8	2.3	2.7	2.8	2.9	4.2	4.4	6.0	7.1
1966	1.3	-	.0	-	.1	.2	.7	1.1	1.3	2.0	1.6	2.4	2.7	2.5	3.9	4.0	5.4	5.7	8.0
1967	1.4	.0	.0	-	.1	.4	.7	1.2	1.5	1.8	1.9	2.2	2.6	3.4	3.4	3.8	4.5	6.4	6.7
1968	1.4	.0	.0	-	.1	.4	.6	1.0	1.4	1.9	2.3	2.2	2.5	3.2	3.3	3.8	5.2	6.1	7.3
1969	1.5	.0	-	-	.2	.3	.6	1.2	1.9	2.2	2.4	2.6	2.6	3.1	3.8	3.9	5.6	6.4	9.7
1970	1.5	-	.0	-	-	.3	.7	.6	1.9	2.1	2.2	2.8	2.8	3.4	3.6	4.1	5.9	5.4	9.6
1971	1.6	.0	.0	.0	.1	.3	.8	1.1	1.4	2.3	2.0	2.6	2.8	3.6	4.2	5.0	6.7	6.6	8.0
1972	1.5	.0	.0	.0	.1	.2	.5	1.0	1.7	2.1	2.6	2.3	3.0	3.0	3.1	5.1	5.7	6.9	8.6
1973	1.5	.0	.0	-	.1	.3	.6	1.1	1.2	2.4	2.7	2.3	3.3	3.0	4.0	3.7	5.3	6.2	6.7
1974	1.6	.0	.0	-	.1	.3	.9	1.2	1.4	2.1	2.4	2.8	2.9	2.9	4.0	4.9	5.7	6.3	6.5
1975	1.6	.0	.0	.0	.1	.4	.7	1.1	1.8	1.8	2.5	2.3	2.9	3.4	3.6	5.6	6.1	7.0	7.9
1976	1.8	.0	.0	.0	-	.4	.8	1.3	1.9	2.0	2.7	2.8	3.3	3.6	4.9	5.5	6.5	8.4	8.6
1977	1.8	-	.0	.0	.1	.4	.5	.9	1.9	2.2	2.9	2.7	3.5	3.7	4.8	6.0	6.3	7.0	9.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	572	0	0	0	2	24	32	39	43	47	45	55	46	57	42	59	43	23	15
1951	619	1	1	0	6	24	34	40	41	57	59	53	48	60	55	55	47	24	14
1952	642	0	0	1	8	11	21	38	61	53	55	76	73	65	49	47	41	24	19
1953	710	2	0	2	5	17	37	50	55	55	59	54	74	75	71	61	45	24	24
1954	762	1	1	1	3	27	41	60	63	70	59	54	75	75	60	59	54	30	29
1955	822	2	0	0	7	20	36	45	67	78	72	62	80	69	87	64	74	27	32
1956	788	3	1	1	6	13	39	55	58	56	101	74	72	66	68	71	46	35	23
1957	856	0	1	0	2	21	28	56	74	72	81	89	73	93	87	62	57	30	30
1958	868	0	1	4	5	10	41	45	65	77	81	80	66	77	81	85	67	57	26
1959	930	2	1	1	5	17	40	58	91	67	83	78	87	92	97	69	63	41	38
1960	961	2	0	0	11	13	31	63	65	72	88	82	85	100	111	90	67	39	42
1961	1009	0	0	0	5	13	42	53	91	81	104	83	81	85	113	96	77	51	34
1962	1026	0	1	4	7	14	36	61	86	102	87	97	76	81	112	92	73	58	39
1963	1083	0	1	1	4	17	36	57	82	89	105	97	105	104	97	118	81	47	42
1964	1091	1	0	1	10	15	38	60	82	100	101	80	116	104	106	95	74	52	56
1965	1131	0	0	2	4	25	42	62	67	95	94	113	121	102	95	116	82	66	45
1966	1180	2	0	1	10	14	38	53	71	111	84	116	123	93	128	113	105	65	53
1967	1211	0	0	2	7	29	35	59	80	103	105	108	120	131	113	106	90	76	47
1968	1227	0	0	2	7	26	32	51	71	105	125	110	115	126	112	108	108	75	54
1969	1378	0	1	1	12	18	36	62	94	122	132	133	123	126	130	112	118	82	76
1970	1372	1	0	2	4	20	42	32	96	112	123	144	130	141	127	117	126	72	83
1971	1469	0	0	0	10	20	49	56	70	121	113	136	135	153	151	145	146	91	73
1972	710	0	0	0	5	9	16	26	42	55	72	62	71	66	58	75	62	50	41
1973	1425	0	0	1	6	22	39	64	60	124	147	128	161	133	154	110	116	93	67
1974	1499	0	0	1	7	24	63	72	73	108	129	154	141	126	159	150	126	96	70
1975	1559	0	0	0	10	31	55	68	95	88	134	129	142	150	147	172	138	109	91
1976	1763	0	0	0	4	35	59	80	98	101	142	154	165	161	204	173	147	135	105
1977	1774	1	0	0	9	30	36	58	102	110	150	150	179	167	201	195	144	115	127

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.1	.6	.6	.6	.4	.4	.2	.2	.1	.1	.1	.1	.1	-	-
1951	.1	-	-	.0	.2	.6	.7	.6	.4	.4	.3	.2	.1	.1	.1	.1	.1	-	-
1952	.1	.0	.0	-	.3	.3	.4	.6	.7	.4	.3	.3	.2	.1	.1	.1	.1	-	-
1953	.1	-	.0	.1	.2	.5	.8	.8	.6	.4	.3	.2	.2	.2	.1	.1	.1	-	-
1954	.1	-	-	.1	.1	.9	1.0	1.0	.8	.6	.3	.2	.2	.2	.1	.1	.1	-	-
1955	.1	-	.0	.0	.3	.7	.9	.8	.8	.6	.4	.3	.3	.2	.1	.1	.1	-	-
1956	.1	-	-	.1	.2	.4	1.0	1.0	.7	.5	.6	.3	.2	.1	.1	.1	.1	-	-
1957	.1	.0	-	.0	.1	.7	.7	1.0	.9	.6	.5	.4	.2	.2	.1	.1	.1	-	-
1958	.1	.0	-	.2	.2	.4	1.1	.8	.8	.6	.5	.3	.2	.2	.1	.1	.1	.1	-
1959	.1	-	-	-	.2	.6	1.1	1.1	1.1	.6	.5	.3	.3	.2	.1	.1	.1	-	-
1960	.1	-	.0	.0	.4	.4	.9	1.2	.8	.6	.5	.3	.3	.2	.2	.1	.1	-	-
1961	.2	.0	.0	.0	.2	.5	1.2	1.0	1.1	.7	.6	.3	.3	.2	.2	.1	.1	.1	-
1962	.2	.0	-	.2	.2	.4	1.0	1.2	1.0	.8	.5	.4	.2	.2	.2	.1	.1	.1	-
1963	.2	.0	-	-	.1	.5	1.0	1.2	1.0	.7	.6	.4	.3	.2	.1	.1	.1	-	-
1964	.2	-	.0	-	.3	.4	1.1	1.2	1.0	.8	.5	.3	.3	.2	.2	.1	.1	.1	-
1965	.2	.0	.0	.1	.1	.7	1.2	1.3	.8	.7	.5	.4	.3	.2	.1	.1	.1	.1	-
1966	.2	-	.0	-	.2	.4	1.0	1.1	.9	.8	.4	.4	.3	.2	.2	.1	.1	.1	-
1967	.2	.0	.0	.1	.2	.7	.9	1.3	1.0	.8	.5	.4	.3	.3	.2	.1	.1	.1	-
1968	.2	.0	.0	.1	.2	.6	.8	1.1	.9	.8	.6	.4	.3	.3	.2	.1	.1	.1	-
1969	.2	.0	-	-	.3	.4	.9	1.3	1.2	.9	.6	.5	.3	.3	.2	.1	.1	.1	.1
1970	.2	-	.0	.1	.1	.4	1.0	.7	1.3	.9	.6	.5	.3	.3	.2	.1	.1	.1	.1
1971	.2	.0	.0	.0	.2	.4	1.1	1.1	1.0	1.0	.6	.5	.3	.3	.2	.2	.1	.1	-
1972	.2	.0	.0	.0	.2	.4	.7	1.0	1.2	.9	.7	.4	.4	.3	.2	.2	.1	.1	.1
1973	.2	.0	.0	-	.1	.5	.8	1.2	.9	1.1	.8	.4	.4	.3	.2	.1	.1	.1	-
1974	.2	.0	.0	-	.1	.5	1.3	1.4	1.1	1.0	.7	.5	.4	.2	.2	.2	.1	.1	-
1975	.2	.0	.0	.0	.2	.6	1.2	1.3	1.5	.9	.8	.5	.4	.3	.2	.2	.1	.1	.1
1976	.2	.0	.0	.0	.1	.7	1.2	1.6	1.6	1.1	.8	.6	.4	.3	.3	.2	.1	.1	.1
1977	.2	-	.0	.0	.2	.6	.8	1.1	1.6	1.2	.9	.6	.5	.3	.3	.2	.1	.1	.1

Age-specific Graphs for White Females


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.2	.2	.0	.0	.2	.0	.5	.7	.0	.5	.9	1.5	.0	5.4
1951	.1	.0	.0	.0	.0	.0	.0	.2	.2	.2	.2	.3	.3	.9	.5	.0	.0	.0	5.1
1952	.2	.0	.0	.0	.0	.0	.0	.2	.2	.2	.4	.8	.3	.9	1.4	2.4	1.4	2.6	.0
1953	.2	.0	.0	.0	.0	.2	.3	.0	.2	.0	.0	.7	.3	.4	.9	.8	.0	2.5	.0
1954	.2	.0	.0	.0	.2	.0	.0	.0	.0	.4	.2	1.0	.9	.9	.5	1.5	5.1	2.4	.0
1955	.3	.0	.1	.0	.0	.0	.0	.2	.0	.0	.0	.5	.6	2.1	1.8	2.2	3.6	4.8	8.2
1956	.3	.0	.0	.0	.0	.0	.0	.5	.3	.2	.9	.9	.6	1.2	.9	2.8	2.3	2.3	3.9
1957	.3	.0	.0	.0	.0	.0	.0	.0	.3	.2	.4	.2	1.1	.8	1.3	3.4	1.1	2.3	7.6
1958	.2	.0	.0	.0	.0	.0	.2	.0	.0	.4	.6	.5	.8	1.1	.4	1.3	2.1	.0	.0
1959	.3	.0	.1	.0	.0	.2	.0	.0	.0	.0	.8	.2	1.0	.7	2.9	1.3	3.0	2.2	3.4
1960	.3	.0	.0	.0	.1	.3	.3	.2	.0	.4	.6	.0	1.5	1.0	.4	3.6	1.9	.0	3.2
1961	.3	.0	.0	.0	.0	.0	.2	.3	.0	.2	.2	.6	1.5	.7	1.6	4.6	.0	3.8	3.3
1962	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.8	.7	.7	1.1	1.7	.0	.0	3.3
1963	.3	.0	.1	.0	.0	.0	.0	.0	.2	.0	.0	.6	.7	1.0	3.3	1.6	.9	5.1	.0
1964	.3	.1	.0	.0	.0	.0	.2	.0	.2	.2	.2	1.0	1.2	1.6	.7	1.1	3.6	6.6	3.1
1965	.4	.0	.0	.0	.0	.0	.2	.2	.0	.5	.6	.2	1.2	1.6	4.9	2.1	2.7	.0	.0
1966	.3	.1	.0	.0	.0	.1	.2	.3	.5	.3	.2	1.2	1.6	.9	1.0	1.0	.0	3.1	2.8
1967	.3	.0	.0	.0	.0	.0	.1	.0	.3	.3	.5	.6	.9	.9	2.7	2.0	5.1	4.5	.0
1968	.4	.0	.0	.0	.0	.1	.0	.3	.3	.2	.2	.8	.7	2.5	2.0	3.0	3.4	7.5	4.9
1969	.5	.0	.0	.0	.0	.0	.0	.3	.3	.2	.5	1.8	1.6	2.7	3.6	3.9	1.7	2.9	4.5
1970	.4	.0	.0	.0	.0	.1	.0	.0	.5	.6	.7	1.2	1.1	2.1	2.6	1.0	6.5	1.4	4.3
1971	.3	.0	.0	.0	.0	.0	.3	.4	.2	.0	1.0	.4	.7	.5	2.6	.9	1.6	5.4	2.1
1972	.6	.1	.0	.0	.0	.0	.0	.8	.3	1.0	.3	.4	1.4	1.5	1.9	4.7	12.2	5.1	4.0
1973	.4	.1	.0	.0	.0	.0	.2	.1	.0	.5	.7	.5	.7	1.0	2.7	3.3	4.6	3.6	3.8
1974	.3	.0	.0	.0	.0	.1	.2	.3	.5	.0	.7	.7	.4	1.0	1.7	1.8	1.5	1.2	3.5
1975	.3	.1	.0	.0	.0	.0	.3	.1	.6	.0	.5	1.0	.8	1.7	1.9	1.8	2.2	2.3	1.5
1976	.4	.0	.0	.0	.1	.0	.0	.1	.0	.8	.6	1.2	.4	2.7	2.9	2.3	2.8	4.4	2.9
1977	.4	.0	.0	.1	.0	.0	.0	.1	.1	.6	.3	1.0	.8	1.5	1.8	2.2	4.3	4.3	4.2

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	11	0	0	0	0	1	1	0	0	1	0	2	2	0	1	1	1	0	1
1951	10	0	0	0	0	0	0	1	1	1	1	1	1	2	1	0	0	0	1
1952	19	0	0	0	0	0	0	1	1	1	2	3	1	2	3	3	1	1	0
1953	13	0	0	0	0	1	2	0	1	0	0	3	1	1	2	1	0	1	0
1954	21	0	0	0	1	0	0	0	0	2	1	4	3	2	1	2	4	1	0
1955	25	0	1	0	0	0	0	1	0	0	0	2	2	5	4	3	3	2	2
1956	29	0	0	0	0	0	0	3	2	1	4	4	2	3	2	4	2	1	1
1957	24	0	0	0	0	0	0	0	2	1	2	1	4	2	3	5	1	1	2
1958	19	0	0	0	0	0	1	0	0	2	3	2	3	3	1	2	2	0	0
1959	27	0	1	0	0	1	0	0	0	0	4	1	4	2	7	2	3	1	1
1960	30	0	0	0	1	2	2	1	0	2	3	0	6	3	1	6	2	0	1
1961	31	0	0	0	0	0	1	2	0	1	1	3	6	2	4	8	0	2	1
1962	19	0	0	0	0	0	0	0	0	1	2	4	3	2	3	3	0	0	1
1963	27	0	1	0	0	0	0	0	1	0	0	3	3	3	9	3	1	3	0
1964	33	1	0	0	0	0	1	0	1	1	1	5	5	5	2	2	4	4	1
1965	40	0	0	0	0	0	1	1	0	3	3	1	5	5	14	4	3	0	0
1966	35	1	0	0	0	1	1	2	3	2	1	6	7	3	3	2	0	2	1
1967	39	0	0	0	0	0	1	0	2	2	3	3	4	3	8	4	6	3	0
1968	46	0	0	0	0	1	0	2	2	1	1	4	3	9	6	6	4	5	2
1969	59	0	0	0	0	0	0	2	2	1	3	9	7	10	11	8	2	2	2
1970	52	0	0	0	0	1	0	0	3	4	4	6	5	8	8	2	8	1	2
1971	36	0	0	0	0	0	2	3	1	0	6	2	3	2	8	2	2	4	1
1972	35	1	0	0	0	0	0	3	1	3	1	1	3	3	3	5	8	2	1
1973	48	1	0	0	0	0	2	1	0	3	4	3	3	4	9	7	6	3	2
1974	37	0	0	0	0	1	2	2	3	0	4	4	2	4	6	4	2	1	2
1975	46	1	0	0	0	0	3	1	4	0	3	6	4	7	7	4	3	2	1
1976	58	0	0	0	2	0	0	1	0	5	4	7	2	11	11	5	4	4	2
1977	50	0	0	1	0	0	0	1	1	4	2	6	4	6	7	5	6	4	3


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	-	-	.0	.0	-	.0	-	-	.0	-	-	-	.0	-
1951	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	.0	.0	.0	-
1952	-	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	.0
1953	-	.0	.0	.0	.0	.1	.1	.0	-	.0	.0	-	-	-	-	-	.0	-	.0
1954	-	.0	.0	.0	.1	.0	.0	.0	.0	-	-	-	-	-	-	-	.1	-	.0
1955	-	.0	.1	.0	.0	.0	.0	-	.0	.0	.0	-	-	.1	-	-	.1	-	.1
1956	-	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	.1	-	-	-	-	-	-	-
1957	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	-	-	.1	-	-	-
1958	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	-	-	.0	.0
1959	-	.0	.1	.0	.0	.1	.0	.0	.0	.0	.1	-	-	-	.1	-	-	-	-
1960	-	.0	.0	.0	.1	.1	.1	-	.0	-	-	.0	.1	-	-	.1	-	.0	-
1961	-	.0	.0	.0	.0	.0	-	.1	.0	-	-	-	.1	-	-	.1	.0	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	.0	-
1963	-	.0	.1	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	.1	-	-	-	.0
1964	-	-	.0	.0	.0	.0	-	.0	-	-	-	.1	-	-	-	-	-	.1	-
1965	-	.0	.0	.0	.0	.0	-	-	.0	.1	-	-	-	-	.1	-	-	.0	.0
1966	-	-	.0	.0	.0	-	-	.1	.1	-	-	.1	.1	-	-	-	.0	-	-
1967	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	-	.1	-	.1	-	.0
1968	-	.0	.0	.0	.0	-	.0	.1	-	-	-	-	-	.1	-	-	-	.1	-
1969	-	.0	.0	.0	.0	.0	.0	.1	-	-	-	.1	.1	.1	.1	.1	-	-	-
1970	-	.0	.0	.0	.0	-	.0	.0	.1	.1	-	.1	-	.1	.1	-	.1	-	-
1971	-	.0	.0	.0	.0	.0	.1	.1	-	.0	.1	-	-	-	.1	-	-	.1	-
1972	.1	-	.0	.0	.0	.0	.0	.1	-	.1	-	-	.1	-	-	.1	.1	.1	-
1973	-	-	.0	.0	.0	.0	-	-	.0	.1	-	-	-	-	.1	-	.1	-	-
1974	-	.0	.0	.0	.0	-	.1	.1	.1	.0	.1	-	-	-	-	-	-	-	-
1975	-	-	.0	.0	.0	.0	.1	-	.1	.0	-	.1	-	.1	-	-	-	-	-
1976	-	.0	.0	.0	.1	.0	.0	-	.0	.1	.1	.1	-	.1	.1	-	-	-	-
1977	-	.0	.0	.1	.0	.0	.0	-	-	.1	-	.1	-	-	-	-	-	-	-


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.0	.0	.0	.0	.0	.2	.3	.0	.2	.0	.0	1.5	.0	1.7	3.2	.0	7.5
1951	.2	.0	.0	.0	.0	.0	.0	.0	.3	.2	.4	.5	.7	.0	2.3	.0	3.0	2.2	7.5
1952	.2	.0	.0	.0	.0	.0	.0	.0	.5	.0	.4	.8	.0	.5	.9	.8	1.5	.0	.0
1953	.1	.1	.0	.0	.0	.1	.0	.1	.2	.0	.4	.2	.3	.9	.0	.0	.0	4.1	3.3
1954	.2	.0	.0	.0	.0	.0	.0	.1	.0	.2	.9	.7	.6	.8	.8	2.1	1.3	.0	6.1
1955	.2	.0	.0	.0	.1	.1	.0	.1	.0	.5	.4	.2	.0	1.2	1.7	.0	1.2	.0	.0
1956	.1	.1	.0	.0	.0	.0	.1	.0	.0	.0	.2	.5	1.4	.0	1.2	.0	.0	.0	2.8
1957	.3	.0	.0	.1	.0	.1	.0	.0	.2	.2	.4	.9	.6	1.1	.8	1.2	3.2	1.9	5.3
1958	.3	.1	.0	.0	.0	.0	.0	.1	.1	.0	.2	.9	1.1	.7	2.3	1.8	1.0	.0	5.2
1959	.2	.0	.0	.0	.0	.0	.0	.3	.0	.2	.2	.2	1.5	1.0	.8	1.1	5.5	.0	.0
1960	.3	.0	.1	.0	.0	.0	.0	.4	.1	.2	.5	1.1	.7	.3	1.8	1.1	2.6	.0	.0
1961	.2	.0	.0	.0	.0	.0	.0	.1	.1	.3	.0	.2	.7	1.9	1.0	.5	1.7	.0	2.5
1962	.3	.0	.0	.0	.0	.0	.0	.0	.4	.5	.0	.4	.9	1.6	1.0	1.5	2.4	1.5	2.4
1963	.3	.0	.0	.0	.0	.1	.0	.0	.0	.3	.2	.6	.9	1.5	1.0	3.3	.8	2.9	.0
1964	.2	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.4	1.3	.9	1.5	.9	1.5	.0	4.4
1965	.2	.0	.0	.1	.0	.0	.0	.1	.0	.0	.8	.9	.4	1.2	.3	2.6	1.5	.0	.0
1966	.3	.0	.0	.0	.0	.0	.0	.0	.1	.1	.3	.6	.6	1.9	1.4	1.7	2.8	1.3	1.9
1967	.2	.1	.0	.0	.0	.1	.3	.0	.0	.1	.8	1.1	.8	.3	1.1	.4	3.4	.0	.0
1968	.3	.0	.0	.0	.0	.1	.1	.0	.4	.1	.6	.0	.8	1.0	2.5	1.2	2.6	1.1	3.3
1969	.3	.0	.0	.0	.0	.1	.0	.0	.0	.5	.6	.7	1.0	1.7	1.9	4.0	1.9	.0	.0
1970	.3	.0	.0	.0	.1	.0	.0	.0	.4	.3	.3	.3	1.2	.9	.8	2.7	3.8	1.0	2.8
1971	.3	.0	.0	.0	.0	.0	.1	.0	.1	.0	.4	.8	1.0	1.8	.8	1.1	2.4	1.0	3.9
1972	.2	.0	.0	.0	.0	.2	.0	.0	.0	.3	.6	.3	.0	3.0	.0	2.3	1.2	.0	.0
1973	.3	.1	.0	.0	.1	.0	.0	.3	.3	.1	.0	.3	1.4	1.3	1.0	1.6	1.8	2.5	2.3
1974	.2	.0	.0	.1	.1	.1	.2	.0	.1	.3	.3	.3	.0	1.4	.5	2.3	1.7	.8	3.1
1975	.3	.1	.0	.1	.0	.0	.0	.0	.0	.1	.4	.3	.9	1.0	1.5	2.7	3.3	1.5	2.7
1976	.2	.0	.0	.0	.0	.1	.0	.0	.0	.1	.1	.4	.0	.4	2.4	1.5	.0	3.6	5.0
1977	.2	.1	.0	.0	.0	.1	.0	.0	.2	.1	.1	.4	.7	.4	1.0	.4	4.9	2.9	2.3

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13	0	0	0	0	0	0	1	2	0	1	0	0	3	0	2	2	0	2
1951	19	0	0	0	0	0	0	0	2	1	2	2	2	0	5	0	2	1	2
1952	13	0	0	0	0	0	0	0	3	0	2	3	0	1	2	1	1	0	0
1953	13	1	0	0	0	1	0	1	1	0	2	1	1	2	0	0	0	2	1
1954	21	0	0	0	0	0	0	1	0	1	4	3	2	2	2	3	1	0	2
1955	17	0	0	0	1	1	0	1	0	3	2	1	0	3	4	0	1	0	0
1956	14	1	0	0	0	0	1	0	0	0	1	2	5	0	3	0	0	0	1
1957	25	0	0	1	0	1	0	0	1	1	2	4	2	3	2	2	3	1	2
1958	26	1	0	0	0	0	0	1	1	0	1	4	4	2	6	3	1	0	2
1959	24	0	0	0	0	0	0	2	0	1	1	1	6	3	2	2	6	0	0
1960	28	0	1	0	0	0	0	3	1	1	3	5	3	1	5	2	3	0	0
1961	21	0	0	0	0	0	0	1	1	2	0	1	3	6	3	1	2	0	1
1962	28	0	0	0	0	0	0	0	3	3	0	2	4	5	3	3	3	1	1
1963	29	0	0	0	0	1	0	0	0	2	1	3	4	5	3	7	1	2	0
1964	24	0	0	0	0	0	0	0	0	2	0	2	6	3	5	2	2	0	2
1965	27	0	0	1	0	0	0	1	0	0	5	5	2	4	1	6	2	0	0
1966	32	0	0	0	0	0	0	0	1	1	2	3	3	7	5	4	4	1	1
1967	31	1	0	0	0	1	2	0	0	1	5	6	4	1	4	1	5	0	0
1968	37	0	0	0	0	1	1	0	3	1	4	0	4	4	9	3	4	1	2
1969	45	0	0	0	0	1	0	0	0	4	4	4	5	7	7	10	3	0	0
1970	39	0	0	0	1	0	0	0	3	2	2	2	6	4	3	7	6	1	2
1971	37	0	0	0	0	0	1	0	1	0	3	5	5	8	3	3	4	1	3
1972	16	0	0	0	0	1	0	0	0	1	2	1	0	7	0	3	1	0	0
1973	40	1	0	0	2	0	0	3	2	1	0	2	7	6	4	4	3	3	2
1974	35	0	0	1	1	2	2	0	1	2	2	2	0	7	2	6	3	1	3
1975	43	1	0	1	0	0	0	0	0	1	3	2	5	5	7	7	6	2	3
1976	36	0	0	0	0	2	0	0	0	1	1	3	0	2	12	4	0	5	6
1977	37	1	0	0	0	1	0	0	2	1	1	3	4	2	5	1	9	4	3


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.0	.0	.0	-	.1	.0	-	.0	.0	-	.0	-	-	.0	.1
1951	-	.0	.0	.0	.0	.0	.0	.0	.1	-	-	-	-	.0	.1	.0	-	-	.1
1952	-	.0	.0	.0	.0	.0	.0	.0	.1	.0	-	-	.0	-	-	-	-	.0	.0
1953	-	-	.0	.0	.0	.1	.0	-	-	.0	-	-	-	-	.0	.0	.0	.1	-
1954	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	-	-	-	-	.0	.1
1955	-	.0	.0	.0	.2	.1	.0	-	.0	.1	-	-	.0	-	-	.0	-	.0	.0
1956	-	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	.1	.0	-	.0	.0	.0	-
1957	-	.0	.0	.2	.0	.1	.0	.0	-	-	-	.1	-	-	-	-	.1	-	-
1958	-	-	.0	.0	.0	.0	.0	-	-	.0	-	.1	.1	-	.1	-	-	.0	-
1959	-	.0	.0	.0	.0	.0	.0	.1	.0	-	-	-	.1	-	-	-	.1	.0	.0
1960	-	.0	.1	.0	.0	.0	.0	.1	-	-	.1	.1	-	-	.1	-	-	.0	.0
1961	-	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	.1	-	-	-	.0	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.1	.1	.0	-	.1	-	-	-	-	-	-
1963	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	-	.1	-	-	.1	-	-	.0
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	-	-	.0	-
1965	-	.0	.0	.2	.0	.0	.0	-	.0	.0	.1	.1	-	-	-	.1	-	.0	.0
1966	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-
1967	-	-	.0	.0	.0	.1	.1	.0	.0	-	.1	.1	.1	-	-	-	.1	.0	.0
1968	-	.0	.0	.0	.0	.1	.1	.0	.1	-	.1	.0	-	-	.1	-	-	-	-
1969	-	.0	.0	.0	.0	.1	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	-	.0	.0
1970	-	.0	.0	.0	.1	.0	.0	.0	.1	-	-	-	.1	-	-	.1	.1	-	-
1971	-	.0	.0	.0	.0	.0	.1	.0	-	.0	.1	.1	.1	.1	-	-	-	-	-
1972	-	.0	.0	.0	.0	.1	.0	.0	.0	-	.1	-	.0	.1	.0	-	-	.0	.0
1973	-	-	.0	.0	.2	.0	.0	.1	.1	-	.0	-	.1	.1	-	-	-	-	-
1974	-	.0	.0	.2	.1	.1	.1	.0	-	.1	-	-	.0	.1	-	-	-	-	-
1975	-	-	.0	.2	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	-	-
1976	-	.0	.0	.0	.0	.1	.0	.0	.0	-	-	-	.0	-	.1	-	.0	.1	.1
1977	-	-	.0	.0	.0	.1	.0	.0	.1	-	-	-	.1	-	-	-	.1	-	-


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	1257	1.86	2.43	1.45	816	1.20	1.43	0.98	49	0.63	0.91	0.60	51	0.63	0.89	0.60
1951	1088	1.58	2.09	1.24	669	0.97	1.12	0.77	49	0.62	0.95	0.63	50	0.60	0.75	0.52
1952	1124	1.61	2.05	1.19	712	1.01	1.16	0.80	48	0.59	0.83	0.52	34	0.40	0.58	0.40
1953	1134	1.60	2.02	1.16	725	1.01	1.12	0.78	64	0.77	1.07	0.66	37	0.43	0.63	0.44
1954	1150	1.60	1.97	1.13	689	0.95	1.03	0.73	61	0.72	0.97	0.57	42	0.47	0.62	0.43
1955	1079	1.47	1.78	1.01	643	0.87	0.93	0.66	59	0.68	0.95	0.56	51	0.56	0.78	0.55
1956	1096	1.47	1.81	1.01	730	0.97	1.02	0.73	58	0.65	0.90	0.51	45	0.48	0.64	0.44
1957	1131	1.49	1.82	1.01	696	0.91	0.94	0.68	53	0.58	0.79	0.43	57	0.59	0.81	0.56
1958	1047	1.36	1.65	0.93	659	0.84	0.87	0.64	70	0.75	1.11	0.62	57	0.58	0.76	0.53
1959	1149	1.47	1.77	0.99	637	0.80	0.80	0.60	65	0.68	0.92	0.49	43	0.42	0.56	0.40
1960	1090	1.38	1.65	0.91	616	0.76	0.76	0.56	66	0.66	0.96	0.51	54	0.51	0.72	0.50
1961	1054	1.31	1.57	0.86	644	0.78	0.77	0.57	57	0.55	0.75	0.39	53	0.49	0.67	0.46
1962	1131	1.39	1.63	0.89	567	0.68	0.66	0.49	71	0.67	0.94	0.48	50	0.45	0.59	0.42
1963	1148	1.39	1.65	0.89	642	0.76	0.72	0.54	73	0.68	0.97	0.47	50	0.44	0.58	0.42
1964	1098	1.31	1.54	0.83	626	0.73	0.68	0.52	72	0.66	0.89	0.44	63	0.54	0.72	0.51
1965	1103	1.31	1.54	0.81	674	0.78	0.72	0.55	79	0.71	0.99	0.48	62	0.52	0.69	0.49
1966	1114	1.31	1.52	0.80	607	0.69	0.63	0.48	71	0.62	0.85	0.40	52	0.43	0.58	0.40
1967	1102	1.28	1.47	0.76	621	0.70	0.63	0.48	67	0.58	0.81	0.37	62	0.50	0.64	0.45
1968	856	0.99	1.15	0.59	482	0.54	0.47	0.36	53	0.45	0.67	0.30	33	0.26	0.34	0.24
1969	807	0.92	1.08	0.55	484	0.53	0.46	0.35	53	0.44	0.65	0.28	47	0.36	0.49	0.35
1970	765	0.87	0.99	0.50	511	0.56	0.46	0.35	42	0.34	0.48	0.21	47	0.36	0.45	0.32
1971	777	0.87	0.99	0.50	497	0.54	0.44	0.34	45	0.36	0.53	0.23	41	0.30	0.39	0.27
1972	390	0.87	0.98	0.49	254	0.55	0.44	0.33	24	0.38	0.53	0.22	29	0.42	0.54	0.38
1973	787	0.88	0.97	0.48	522	0.56	0.44	0.34	60	0.46	0.67	0.27	40	0.29	0.36	0.25
1974	805	0.89	0.97	0.48	508	0.54	0.41	0.32	58	0.44	0.62	0.25	37	0.26	0.33	0.22
1975	828	0.91	0.99	0.49	553	0.58	0.43	0.33	54	0.40	0.55	0.22	40	0.27	0.34	0.24
1976	862	0.94	1.01	0.49	572	0.60	0.44	0.33	53	0.39	0.54	0.21	41	0.28	0.34	0.24
1977	953	1.04	1.08	0.52	587	0.61	0.45	0.34	52	0.37	0.53	0.20	44	0.29	0.37	0.25

*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: All sites (except breast and genital organs) and skin (NOS).
(ICD 191 [6th]; ICD 191-191.9 [7th]; ICD 173-173.4, 173.6-173.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



HELM F (ed): Etiology of neoplasms of skin. *In* Dermatology. Philadelphia: Lea & Febiger, 1979, pp 3-55

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.9	-	-	-	-	.1	.1	.1	.1	.4	.8	1.8	2.8	4.1	7.8	12.0	22.4	37.9	69.7
1951	1.6	-	-	.0	-	.0	.1	.1	.2	.2	.9	1.1	2.3	3.2	5.7	10.3	19.4	30.5	73.5
1952	1.6	-	-	-	-	-	.1	-	.2	.4	.7	1.6	2.1	4.1	5.3	11.5	18.6	33.0	55.7
1953	1.6	-	-	-	.1	-	.1	.1	.2	.4	1.1	1.6	2.8	3.4	5.4	9.0	16.2	30.4	65.4
1954	1.6	-	-	.0	-	.1	-	.1	.3	.4	.8	1.4	2.4	4.3	6.2	9.0	15.7	33.6	51.6
1955	1.5	-	-	-	.0	.0	.1	.1	.2	.6	.9	1.5	2.1	3.8	5.9	8.9	14.4	25.5	46.5
1956	1.5	.0	-	-	.0	-	-	.1	.1	.3	.8	1.1	2.6	3.2	5.8	8.9	14.4	29.7	52.0
1957	1.5	-	-	.0	-	-	.1	.1	.1	.3	.8	1.5	2.3	3.6	4.9	8.7	14.5	29.9	52.6
1958	1.4	-	.0	.0	-	.0	-	.1	.2	.2	.9	1.2	1.6	3.7	4.8	8.2	13.4	25.9	48.5
1959	1.5	.0	-	-	-	-	.1	.1	.1	.4	1.0	1.8	2.4	3.2	5.4	7.9	13.6	25.0	53.2
1960	1.4	.0	-	.0	.0	-	.1	.1	.1	.3	.5	1.2	2.4	4.0	4.4	8.0	13.1	24.0	49.3
1961	1.3	-	.0	.0	.1	-	-	.1	.1	.4	.8	1.0	1.8	3.3	4.7	7.3	12.8	21.8	50.9
1962	1.4	-	-	.0	.0	-	-	.1	.2	.4	.7	1.3	2.4	3.3	5.4	8.0	12.8	25.6	41.0
1963	1.4	-	-	.0	-	-	-	.1	.1	.4	.7	1.4	2.5	4.3	3.9	7.7	13.9	21.7	49.7
1964	1.3	-	.0	.0	-	-	.1	.1	.2	.3	.8	1.4	2.4	3.4	4.9	6.5	13.3	21.6	39.2
1965	1.3	-	.0	.0	-	.0	-	.1	.2	.4	.7	1.3	2.2	3.8	5.0	6.6	11.9	19.8	46.0
1966	1.3	-	.0	.0	-	.0	.0	.1	.1	.3	.6	1.3	2.6	3.7	4.4	7.7	13.0	18.2	40.8
1967	1.3	.0	-	.0	-	-	-	.1	.2	.4	.6	1.6	2.3	3.5	5.0	7.3	10.8	19.9	35.4
1968	1.0	.0	.0	-	.0	-	.0	-	.1	.2	.4	.8	1.6	2.3	4.3	5.5	8.8	14.6	37.6
1969	.9	.0	.0	-	.0	.0	-	-	.2	.2	.4	.9	1.3	2.0	3.0	5.5	8.9	14.3	37.1
1970	.9	.0	-	-	.0	-	-	-	.1	.3	.5	.9	1.5	2.1	3.1	4.2	6.9	15.3	28.4
1971	.9	-	.0	.0	-	-	-	.1	.2	.3	.4	.7	1.1	2.3	3.2	4.6	8.0	12.1	31.6
1972	.9	.0	-	.0	.0	-	-	.0	.1	.5	.3	.6	1.5	1.6	3.2	5.3	8.4	14.0	24.7
1973	.9	-	.0	-	-	.0	-	.1	.1	.3	.4	1.0	1.2	1.8	3.1	5.2	7.6	12.5	28.6
1974	.9	-	.0	-	-	-	-	.1	.1	.2	.3	1.0	1.5	2.0	3.2	4.7	6.9	12.6	29.4
1975	.9	.0	.0	.0	.0	-	.1	-	.1	.2	.5	.9	1.4	2.1	3.0	4.5	9.5	12.2	26.4
1976	.9	.0	-	.0	-	-	.1	-	.1	.3	.6	.9	1.6	2.6	3.0	4.9	9.1	11.2	24.6
1977	1.0	.0	-	.0	-	-	.1	-	.2	.3	.7	.9	1.7	2.6	4.2	6.3	7.6	11.4	24.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1257	2	1	1	1	3	4	4	7	20	34	66	95	115	174	182	210	182	156
1951	1088	3	1	0	1	0	3	4	12	8	39	41	78	92	132	161	188	148	177
1952	1124	1	3	2	1	2	4	2	8	17	30	59	73	120	124	186	186	163	143
1953	1134	2	2	1	3	2	3	6	12	21	46	60	96	103	129	150	167	154	177
1954	1150	3	2	0	1	4	2	6	13	19	36	52	83	132	152	156	166	176	147
1955	1079	1	1	1	0	0	3	6	9	28	40	58	75	117	146	160	157	139	138
1956	1096	0	1	1	0	1	2	3	5	16	35	43	92	100	146	164	161	168	158
1957	1131	4	2	0	2	2	5	6	8	13	37	61	82	113	125	165	167	175	164
1958	1047	3	0	0	2	0	1	7	9	11	41	51	56	115	125	159	158	155	154
1959	1149	0	1	2	1	2	5	4	8	19	46	75	90	101	144	157	167	153	174
1960	1090	0	1	0	0	1	5	5	5	17	26	53	90	126	118	162	166	150	165
1961	1054	4	0	0	4	1	2	4	5	21	40	42	69	104	126	151	166	141	174
1962	1131	2	1	0	0	1	2	7	11	19	33	59	92	103	145	169	170	176	141
1963	1148	1	1	0	1	1	2	3	8	23	36	62	99	135	104	164	187	149	172
1964	1098	1	0	0	3	1	5	3	13	16	38	63	99	109	132	140	182	154	139
1965	1103	1	0	0	1	0	1	5	8	22	37	60	93	123	133	142	165	145	167
1966	1114	1	0	0	1	0	0	4	7	19	32	60	111	123	119	165	183	137	152
1967	1102	0	1	0	1	3	1	6	8	22	31	77	96	120	135	156	155	153	137
1968	856	0	0	1	0	1	0	2	5	11	23	38	68	81	118	116	128	114	150
1969	807	0	0	1	0	0	1	1	8	12	19	41	56	72	82	117	129	114	154
1970	765	0	1	2	0	2	1	1	3	14	24	44	67	78	87	89	100	124	128
1971	777	2	0	0	1	1	1	5	8	18	19	34	50	84	93	98	116	100	147
1972	390	0	2	0	0	1	1	0	3	13	9	15	32	31	48	56	61	59	59
1973	787	1	0	1	1	0	3	3	4	16	20	50	52	69	96	113	108	108	142
1974	805	1	0	1	3	3	2	3	7	10	14	53	66	79	99	103	98	109	154
1975	828	0	0	0	0	2	4	2	6	10	25	47	64	82	97	100	137	107	145
1976	862	0	1	0	1	4	5	2	7	14	28	46	74	101	98	111	132	100	138
1977	953	0	1	0	3	2	5	3	9	13	36	48	83	103	141	149	110	102	145

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	-	-	-	-	-	-	-	.1	.1	.1	.2	.1	.2	.2	.2	.3	.3
1951	.1	-	-	.0	-	.0	-	-	.1	-	.1	.1	.1	.1	.1	.2	.2	.2	.4
1952	.1	-	.1	.1	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2	.3
1953	.1	-	-	-	-	-	-	.1	.1	.1	.1	.1	.2	.1	.1	.2	.2	.2	.3
1954	.2	-	-	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.2	.2	.2	.2	.3	.3
1955	.1	-	-	-	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2	.2
1956	.1	.0	-	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.2	.2	.2	.3
1957	.1	-	-	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2
1958	.1	-	.0	.0	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2
1959	.1	.0	-	-	-	-	.1	-	.1	.1	.1	.2	.1	.1	.1	.1	.2	.2	.3
1960	.1	.0	-	.0	.0	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2
1961	.1	-	.0	.0	.1	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2
1962	.1	-	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1963	.1	-	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.2	.1	.1	.2	.2	.2
1964	.1	-	.0	.0	-	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2
1965	.1	-	.0	.0	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1966	.1	-	.0	.0	-	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1967	.1	.0	-	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1968	.1	.0	.0	-	.0	-	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.2
1969	.1	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1970	.1	.0	-	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1971	.1	-	.0	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1972	.1	.0	.1	.0	.0	-	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1973	.1	-	.0	-	-	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1974	.1	-	.0	-	-	-	-	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.2
1975	.1	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1976	.1	.0	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1977	.1	.0	-	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.2	-	-	-	-	-	.1	.1	.1	.4	.5	.6	1.5	2.3	3.2	5.8	10.2	22.5	62.8
1951	1.0	-	-	-	.0	.1	-	.2	.1	.4	.3	.7	.9	1.6	2.5	4.6	8.5	18.7	44.9
1952	1.0	.1	-	-	.0	-	.1	.1	.2	.2	.3	.6	1.0	1.4	2.6	5.0	10.4	18.4	47.5
1953	1.0	-	.0	.0	.0	-	.1	-	.1	.4	.5	.8	1.3	1.7	2.7	4.7	8.8	17.1	42.7
1954	.9	.0	-	-	-	-	.1	.1	.2	.4	.3	.6	1.3	1.9	1.7	4.1	8.9	16.0	38.2
1955	.9	-	.0	-	-	-	.1	.1	.1	.2	.3	.7	.7	1.6	2.1	3.6	7.7	14.5	35.3
1956	1.0	.1	-	-	-	.0	.1	.1	.1	.3	.2	.7	.9	1.1	2.8	4.5	7.0	18.0	40.7
1957	.9	-	.0	.0	-	-	-	.1	.1	.3	.4	.8	.7	1.4	2.0	3.4	7.8	14.1	40.2
1958	.8	-	-	-	-	.0	-	.0	.1	.1	.2	.7	1.2	1.7	1.7	3.4	6.8	14.3	31.7
1959	.8	-	-	-	.0	-	.0	.1	.1	.2	.3	.6	.8	1.1	2.0	3.8	6.5	12.1	30.9
1960	.8	.0	.0	.0	-	.1	.0	-	.1	.2	.4	.7	1.0	.9	1.5	3.3	5.1	10.5	31.9
1961	.8	.0	-	-	.0	-	-	.1	.1	.2	.3	.6	.7	1.2	2.1	3.2	5.5	12.2	29.6
1962	.7	-	.0	-	.0	-	.0	-	.1	.3	.3	.8	.8	1.3	1.2	2.6	4.7	8.9	25.4
1963	.8	-	.0	.0	-	.0	.0	.1	.1	.2	.4	.6	.9	1.1	1.9	3.5	4.7	10.6	25.9
1964	.7	.0	.0	.0	-	.0	.0	-	.1	.2	.4	.6	.8	1.2	1.9	2.4	5.1	8.7	28.1
1965	.8	-	-	.0	-	.1	.0	.1	.1	.1	.4	.8	1.0	1.6	2.3	2.9	5.3	7.7	22.8
1966	.7	-	.0	-	-	.0	-	-	.1	.2	.3	.8	1.1	1.5	1.7	2.3	4.2	6.8	21.8
1967	.7	-	-	.0	-	.0	-	.1	.2	.2	.4	.9	.8	1.4	1.7	2.7	3.3	8.0	20.3
1968	.5	-	.0	-	-	.0	-	-	.1	.1	.2	.4	.7	.8	1.3	2.1	3.1	6.1	17.2
1969	.5	-	.0	.0	-	-	-	-	-	.1	.3	.4	.7	.4	1.4	2.0	3.4	7.1	15.1
1970	.6	-	.0	.0	-	-	.0	-	.2	.1	.2	.3	.7	.8	1.1	1.8	3.0	8.0	15.0
1971	.5	-	.0	.0	.0	.0	-	.0	.1	.1	.3	.5	.5	.9	1.3	1.7	3.2	6.2	15.0
1972	.5	.0	.0	.0	-	.0	.0	-	.1	.1	.4	.3	.6	.6	.9	2.1	4.0	6.0	14.1
1973	.6	-	-	-	.0	-	-	-	-	.1	.1	.3	.9	1.1	1.3	1.5	3.7	5.1	14.3
1974	.5	-	.0	.0	.0	.0	.0	-	.1	.1	.3	.4	.7	.7	.9	2.1	2.8	6.0	13.3
1975	.6	.0	.0	-	.0	-	-	-	.1	.1	.2	.3	.7	.9	1.3	1.9	3.0	5.4	14.9
1976	.6	.0	.0	-	.0	-	-	.1	.1	.1	.4	.4	.7	.9	1.5	1.6	2.5	4.9	15.5
1977	.6	-	.0	-	-	-	-	-	-	.1	.3	.3	.8	1.2	1.1	2.1	3.2	5.6	12.7

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	816	1	1	1	2	2	3	4	3	20	22	22	50	66	75	97	111	135	201
1951	669	2	2	1	0	4	1	10	7	17	14	27	31	47	61	80	97	116	152
1952	712	4	1	1	0	1	3	4	8	10	13	22	36	41	66	91	123	118	170
1953	725	1	0	0	0	2	8	1	5	18	20	29	45	54	70	89	108	114	161
1954	689	0	2	1	2	1	3	7	8	20	13	22	48	59	46	80	113	112	152
1955	643	3	0	1	2	1	3	6	8	11	16	29	27	52	56	73	101	106	148
1956	730	5	1	1	1	0	5	3	6	14	10	27	33	38	79	96	95	138	178
1957	696	2	0	0	2	2	2	4	8	14	18	34	27	46	56	74	110	112	185
1958	659	2	1	2	1	0	2	0	5	7	12	30	45	59	49	76	99	117	152
1959	637	2	1	1	0	2	0	5	5	8	17	24	29	36	61	89	99	102	156
1960	616	0	0	0	1	3	0	1	7	13	19	31	39	32	46	80	82	92	170
1961	644	0	1	1	0	2	1	4	6	9	13	26	28	43	65	79	91	112	163
1962	567	1	0	2	0	1	0	2	7	15	13	35	32	45	37	67	80	86	144
1963	642	1	0	0	1	0	0	3	7	12	22	30	37	39	60	91	82	106	151
1964	626	0	0	0	1	0	0	2	4	12	22	29	33	42	61	66	92	91	171
1965	674	2	1	0	1	3	0	5	8	8	19	39	45	57	75	81	100	85	145
1966	607	1	0	1	1	0	2	2	6	9	16	39	49	56	57	63	82	78	145
1967	621	1	2	0	1	0	2	4	8	11	23	44	35	53	58	75	66	95	143
1968	482	1	0	2	1	0	1	1	4	6	13	18	34	33	44	59	63	75	127
1969	484	1	0	0	1	1	2	1	2	6	15	19	35	18	47	57	71	90	118
1970	511	3	0	0	1	1	0	1	8	3	14	18	35	33	40	53	64	107	130
1971	497	1	0	0	0	0	1	0	4	3	15	25	23	38	45	50	70	86	136
1972	254	0	0	0	1	0	0	1	2	2	10	8	15	14	17	30	44	43	67
1973	522	1	1	1	0	2	2	1	2	5	6	17	41	49	48	46	80	77	143
1974	508	3	0	0	0	0	0	2	6	3	15	22	33	30	34	65	61	91	143
1975	553	0	0	1	0	2	1	3	5	3	10	19	33	42	52	57	68	85	172
1976	572	0	0	1	0	2	3	5	5	5	19	21	35	42	60	50	56	79	189
1977	587	1	0	1	2	1	3	2	2	3	16	19	40	56	45	68	73	91	164

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	-	.1	.1	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.2	.3
1951	.1	-	.1	.1	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1952	.1	-	-	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.3
1953	.1	-	.0	.0	.0	.1	.2	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1954	.1	.0	.1	.1	.1	-	.1	.1	.1	.2	.1	.1	.2	.1	.1	.1	.1	.2	.2
1955	.1	-	.0	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1956	.1	-	-	.1	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2
1957	.1	-	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1958	.1	-	-	.1	-	.0	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1959	.1	-	-	-	.0	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1960	.1	.0	.0	.0	-	.1	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1961	.1	.0	-	-	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2
1962	.1	-	.0	.1	.0	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1963	.1	-	.0	.0	-	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1964	.1	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1965	.1	-	-	.0	-	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1966	.1	-	.0	-	-	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1967	.1	-	.1	.0	-	.0	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1
1968	.1	-	.0	.1	-	.0	-	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1969	.1	-	.0	.0	-	-	-	-	-	-	.1	.1	.1	-	.1	.1	.1	.1	.1
1970	.1	-	.0	.0	-	-	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1971	.1	-	.0	.0	.0	.0	-	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1972	.1	.0	.0	.0	-	.0	.0	-	.1	-	.1	.1	.1	.1	-	.1	.1	.1	.1
1973	.1	-	-	-	.0	-	-	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1
1974	.1	-	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	-	.1	.1	.1	.1
1975	.1	.0	.0	-	.0	-	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1976	.1	.0	.0	.1	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1977	.1	-	.0	.1	-	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.1	.0	.0	.0	.2	.0	.0	1.2	1.1	1.3	1.8	1.9	4.4	6.0	4.6	.0	16.2
1951	.6	.0	.0	.0	.2	.0	.0	.0	.2	.4	.9	1.3	1.7	3.2	4.4	5.8	1.5	10.5	15.4
1952	.6	.1	.0	.0	.0	.0	.0	.0	.5	.4	1.6	1.0	2.7	4.1	1.9	3.2	7.1	.0	4.9
1953	.8	.0	.0	.0	.0	.0	.0	.5	.7	.8	1.6	1.5	3.5	3.5	4.2	3.1	4.0	2.5	18.7
1954	.7	.1	.1	.0	.3	.0	.0	.3	.8	.7	.0	1.4	2.2	4.3	5.0	4.5	5.1	.0	8.5
1955	.7	.0	.0	.0	.2	.0	.3	.2	.3	1.1	.9	1.2	2.7	2.1	4.4	3.6	4.8	4.8	12.3
1956	.7	.0	.0	.0	.1	.2	.2	.2	.5	.5	.6	2.1	2.3	4.0	1.7	6.3	1.2	7.0	3.9
1957	.6	.1	.0	.0	.1	.0	.2	.0	.2	.9	1.7	1.2	1.7	2.7	4.3	.7	3.3	4.6	7.6
1958	.7	.0	.0	.0	.0	.3	.5	.3	.3	.4	.8	1.6	2.4	2.3	3.4	4.6	10.6	8.9	14.1
1959	.7	.0	.0	.0	.0	.0	.3	.3	.5	.5	1.4	.7	2.6	4.0	4.6	4.4	4.0	2.2	3.4
1960	.7	.1	.0	.0	.0	.0	.0	.3	.2	1.1	1.5	1.1	1.0	2.4	2.4	6.5	6.7	4.3	19.4
1961	.6	.0	.0	.0	.0	.0	.0	.5	.3	1.2	.9	1.9	1.0	3.0	1.6	3.4	4.7	3.8	3.3
1962	.7	.0	.0	.1	.0	.1	.2	.0	.2	.7	.9	3.2	1.9	4.3	2.3	3.3	6.5	3.6	3.3
1963	.7	.0	.0	.1	.0	.1	.5	.2	.3	.5	.8	1.9	1.7	2.6	4.1	6.0	7.3	3.4	6.7
1964	.7	.1	.0	.1	.0	.0	.2	.2	.5	1.0	1.1	2.0	1.4	3.5	4.3	3.2	5.4	1.6	3.1
1965	.7	.0	.0	.1	.1	.0	.3	.0	.3	1.0	.9	2.2	2.8	4.0	3.8	2.6	2.7	3.2	14.7
1966	.6	.0	.0	.0	.1	.0	.0	.2	.5	.7	1.7	1.6	2.1	2.4	4.5	4.6	1.7	3.1	5.6
1967	.6	.0	.0	.0	.0	.0	.1	.5	.2	.6	.9	1.2	2.0	2.6	3.4	6.1	2.5	4.5	2.6
1968	.4	.0	.0	.0	.0	.0	.1	.0	.3	.3	.5	.6	1.3	3.4	2.0	1.5	5.9	7.5	7.3
1969	.4	.0	.0	.0	.1	.0	.3	.2	.0	.6	.5	1.0	1.1	2.2	1.6	2.5	6.7	2.9	9.1
1970	.3	.0	.0	.1	.0	.0	.0	.1	.5	.5	.5	1.4	.9	.8	1.6	2.9	2.4	4.3	.0
1971	.4	.0	.0	.1	.0	.0	.1	.0	.2	.2	.3	.4	.9	2.5	1.9	3.3	2.3	4.1	8.3
1972	.4	.0	.0	.0	.0	.2	.0	.0	.9	.3	.7	.7	.9	2.0	1.2	2.8	6.1	.0	.0
1973	.5	.0	.0	.0	.0	.0	.0	.0	.3	.9	.7	1.6	1.4	1.5	2.7	1.9	6.9	3.6	3.8
1974	.4	.1	.0	.0	.0	.1	.1	.0	.0	.0	1.0	1.6	1.8	1.7	2.3	3.7	3.1	4.7	1.8
1975	.4	.0	.0	.0	.1	.1	.0	.1	.5	.6	.3	1.5	2.1	1.9	.8	2.7	3.6	1.2	.0
1976	.4	.0	.0	.0	.0	.0	.0	.0	.1	.6	1.3	1.0	1.4	2.5	1.6	2.3	2.1	3.3	.0
1977	.4	.1	.0	.0	.0	.0	.0	.0	.1	.3	1.1	.8	.6	1.2	2.0	3.4	2.8	5.4	4.2

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	49	0	1	0	0	0	1	0	0	6	5	5	5	4	9	7	3	0	3
1951	49	0	0	0	1	0	0	0	1	2	4	5	5	7	9	7	1	4	3
1952	48	1	0	0	0	0	0	0	3	2	7	4	8	9	4	4	5	0	1
1953	64	0	0	0	0	0	0	3	4	4	7	6	11	8	9	4	3	1	4
1954	61	1	1	0	2	0	0	2	5	4	0	6	7	10	11	6	4	0	2
1955	59	0	0	0	1	0	2	1	2	6	4	5	9	5	10	5	4	2	3
1956	58	0	0	0	1	1	1	1	3	3	3	9	8	10	4	9	1	3	1
1957	53	1	0	0	1	0	1	0	1	5	8	5	6	7	10	1	3	2	2
1958	70	0	0	0	0	2	3	2	2	2	4	7	9	6	8	7	10	4	4
1959	65	0	0	0	0	0	2	2	3	3	7	3	10	11	11	7	4	1	1
1960	66	1	0	0	0	0	0	2	1	6	8	5	4	7	6	11	7	2	6
1961	57	0	0	0	0	0	0	3	2	7	5	9	4	9	4	6	5	2	1
1962	71	0	0	1	0	1	1	0	1	4	5	15	8	13	6	6	7	2	1
1963	73	0	0	1	0	1	3	1	2	3	4	9	7	8	11	11	8	2	2
1964	72	1	0	1	0	0	1	1	3	6	6	10	6	11	12	6	6	1	1
1965	79	0	0	1	1	0	2	0	2	6	5	11	12	13	11	5	3	2	5
1966	71	0	0	0	1	0	0	1	3	4	9	8	9	8	13	9	2	2	2
1967	67	0	0	0	0	0	1	3	1	4	5	6	9	9	10	12	3	3	1
1968	53	0	0	0	0	0	1	0	2	2	3	3	6	12	6	3	7	5	3
1969	53	0	0	0	1	0	2	1	0	4	3	5	5	8	5	5	8	2	4
1970	42	0	0	1	0	0	0	1	3	3	3	7	4	3	5	6	3	3	0
1971	45	0	0	1	0	0	1	0	1	1	2	2	4	10	6	7	3	3	4
1972	24	0	0	0	0	1	0	0	3	1	2	2	2	4	2	3	4	0	0
1973	60	0	0	0	0	0	0	0	2	6	4	9	6	6	9	4	9	3	2
1974	58	1	0	0	0	1	1	0	0	0	6	9	8	7	8	8	4	4	1
1975	54	0	0	0	1	1	0	1	3	4	2	9	10	8	3	6	5	1	0
1976	53	0	0	0	0	0	0	0	1	4	8	6	7	10	6	5	3	3	0
1977	52	1	0	0	0	0	0	0	1	2	7	5	3	5	8	8	4	5	3

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.1	.0	.0	.0	-	.0	.0	.1	.1	.1	.1	-	.1	.1	.1	.0	.1
1951	.1	.0	.0	.0	.1	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	-	.1	.1
1952	-	-	.0	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.1	-	.1	.1	.0	-
1953	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-	.1
1954	.1	-	.1	.0	.2	.0	.0	.1	.2	.1	.0	.1	.1	.1	.1	.1	.1	.0	.1
1955	.1	.0	.0	.0	.1	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1956	.1	.0	.0	.0	.1	.1	-	-	.1	.1	-	.1	.1	.1	-	.1	-	.1	-
1957	-	-	.0	.0	.1	.0	-	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	-
1958	.1	.0	.0	.0	.0	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1959	.1	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	-	-
1960	.1	-	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	-	.1	-	.1	.1	-	.1
1961	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	-	.1	-	.1	.1	-	-
1962	.1	.0	.0	.1	.0	.1	-	.0	-	.1	.1	.2	.1	.1	-	.1	.1	-	-
1963	.1	.0	.0	.1	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1964	.1	-	.0	.1	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1965	.1	.0	.0	.1	.1	.0	.1	.0	-	.1	.1	.1	.1	.1	.1	-	-	-	.1
1966	.1	.0	.0	.0	-	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1967	.1	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1968	-	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	.1	-	-	.1	.1	-
1969	-	.0	.0	.0	-	.0	.1	-	.0	.1	-	.1	-	.1	-	-	.1	-	.1
1970	-	.0	.0	.1	.0	.0	.0	-	.1	-	-	.1	-	-	-	-	-	-	.0
1971	-	.0	.0	.1	.0	.0	-	.0	-	-	-	-	-	.1	-	-	-	-	.1
1972	-	.0	.0	.0	.0	-	.0	.0	.1	-	-	-	-	.1	-	-	.1	.0	.0
1973	-	.0	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	-	.1	-	.1	-	-
1974	-	-	.0	.0	.0	-	-	.0	.0	.0	.1	.1	.1	.1	.1	.1	-	.1	-
1975	-	.0	.0	.0	-	-	.0	-	.1	.1	-	.1	.1	.1	-	-	-	-	.0
1976	-	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	-	-	-	-	.0
1977	-	-	.0	.0	.0	.0	.0	.0	-	-	.1	.1	-	-	.1	.1	-	.1	-

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.0	.0	.2	.4	.0	.5	.2	.8	1.1	1.6	2.3	1.5	3.2	3.4	7.9	4.8	3.7
1951	.6	.0	.1	.0	.0	.4	.1	.3	.8	.9	1.7	1.1	1.4	2.9	2.3	2.4	1.5	2.2	3.7
1952	.4	.0	.1	.0	.0	.0	.0	.0	.5	.2	.7	1.5	1.7	.5	1.8	.0	4.4	6.3	13.9
1953	.4	.0	.0	.0	.1	.0	.1	.4	.0	.2	.2	1.5	.7	1.3	2.2	3.7	7.0	4.1	6.5
1954	.5	.0	.0	.0	.0	.1	.0	.1	.3	.7	.9	1.4	1.6	3.3	2.1	2.8	1.3	.0	3.1
1955	.6	.1	.0	.0	.0	.0	.0	.4	.2	1.0	.4	1.2	1.2	2.8	2.5	3.3	6.1	7.8	5.8
1956	.5	.0	.0	.1	.0	.0	.3	.0	.8	.2	.8	1.9	.6	.8	3.6	1.9	4.6	3.9	5.6
1957	.6	.0	.0	.0	.1	.0	.4	.0	.5	.3	1.6	1.8	1.4	2.2	2.4	3.1	3.2	7.7	8.0
1958	.6	.0	.0	.1	.0	.0	.1	.6	.3	.5	.8	.9	2.1	3.2	4.7	1.2	3.0	3.8	5.2
1959	.4	.0	.0	.1	.0	.0	.0	.4	.3	.8	.9	.9	.5	1.7	1.5	2.3	4.6	3.8	2.5
1960	.5	.0	.0	.0	.0	.0	.0	.1	.0	.2	.7	1.1	1.7	2.9	4.7	3.3	1.7	7.3	5.0
1961	.5	.0	.1	.0	.0	.0	.1	.0	.3	.2	.9	.8	1.9	3.5	2.1	4.1	.8	3.3	7.5
1962	.4	.1	.1	.0	.0	.1	.1	.0	.3	.2	.3	1.0	1.6	1.9	2.7	4.9	2.4	1.5	2.4
1963	.4	.0	.0	.0	.0	.0	.0	.0	.0	1.2	.7	1.4	1.1	1.5	2.2	2.8	5.5	.0	2.3
1964	.5	.0	.0	.0	.0	.0	.0	.0	.3	1.0	1.0	1.0	1.6	1.8	3.1	4.1	2.3	6.8	6.7
1965	.5	.0	.0	.0	.0	.0	.0	.3	.3	.4	.7	1.9	1.7	2.3	2.1	3.1	2.9	3.9	8.2
1966	.4	.0	.0	.0	.0	.0	.0	.0	.1	.3	.5	1.8	1.7	1.4	1.2	2.6	5.0	3.8	5.7
1967	.5	.0	.0	.0	.0	.1	.1	.3	.5	.4	1.4	1.6	1.4	2.1	.6	2.1	2.7	6.0	3.5
1968	.3	.0	.0	.0	.0	.0	.1	.0	.0	.1	.2	.7	.8	1.8	1.4	1.6	2.0	.0	4.9
1969	.4	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	1.2	1.4	1.0	2.2	2.8	4.5	6.6	.0
1970	.4	.0	.1	.0	.0	.0	.1	.0	.0	.4	.3	.5	1.4	1.4	2.7	2.0	1.9	2.1	5.6
1971	.3	.0	.0	.0	.0	.0	.0	.0	.1	.3	.3	.5	.6	1.1	1.6	2.3	1.2	6.7	5.3
1972	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.3	.8	3.0	2.0	3.1	3.5	3.6	12.2
1973	.3	.0	.0	.0	.0	.0	.1	.0	.1	.1	.9	.2	.4	1.9	.5	1.9	2.3	5.0	2.3
1974	.3	.0	.0	.0	.0	.0	.2	.1	.0	.1	.7	.0	.4	1.7	.9	2.3	2.9	.0	3.1
1975	.3	.0	.0	.0	.0	.0	.0	.0	.0	.1	.3	.9	.7	1.0	1.5	1.5	1.7	3.1	3.6
1976	.3	.0	.0	.0	.0	.0	.0	.2	.1	.1	.4	.3	1.2	.6	.6	3.8	1.1	2.2	3.3
1977	.3	.0	.0	.0	.1	.0	.1	.0	.1	.3	.4	1.0	1.7	1.2	.0	1.4	3.8	.0	.8


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	51	0	0	0	1	3	0	3	1	4	5	6	6	3	7	4	5	2	1
1951	50	0	1	0	0	3	1	2	5	5	8	4	4	6	5	3	1	1	1
1952	34	0	1	0	0	0	0	0	3	1	3	6	5	1	4	0	3	3	4
1953	37	0	0	0	1	0	1	3	0	1	1	6	2	3	5	5	5	2	2
1954	42	0	0	0	0	1	0	1	2	4	4	6	5	8	5	4	1	0	1
1955	51	1	0	0	0	0	0	3	1	6	2	5	4	7	6	5	5	4	2
1956	45	0	0	1	0	0	2	0	5	1	4	8	2	2	9	3	4	2	2
1957	57	0	0	0	1	0	3	0	3	2	8	8	5	6	6	5	3	4	3
1958	57	0	0	1	0	0	1	4	2	3	4	4	8	9	12	2	3	2	2
1959	43	0	0	1	0	0	0	3	2	5	5	4	2	5	4	4	5	2	1
1960	54	0	0	0	0	0	0	1	0	1	4	5	7	9	13	6	2	4	2
1961	53	0	1	0	0	0	1	0	2	1	5	4	8	11	6	8	1	2	3
1962	50	1	1	0	0	1	1	0	2	1	2	5	7	6	8	10	3	1	1
1963	50	0	0	0	0	0	0	0	0	8	4	7	5	5	7	6	7	0	1
1964	63	0	0	0	0	0	0	0	2	7	6	5	7	6	10	9	3	5	3
1965	62	0	0	0	0	0	0	2	2	3	4	10	8	8	7	7	4	3	4
1966	52	0	0	0	0	0	0	0	1	2	3	10	8	5	4	6	7	3	3
1967	62	0	0	0	0	1	1	2	4	3	9	9	7	8	2	5	4	5	2
1968	33	0	0	0	0	0	1	0	0	1	1	4	4	7	5	4	3	0	3
1969	47	0	0	0	0	0	0	0	0	1	0	7	7	4	8	7	7	6	0
1970	47	0	1	0	0	0	1	0	0	3	2	3	7	6	10	5	3	2	4
1971	41	0	0	0	0	0	0	0	1	2	2	3	3	5	6	6	2	7	4
1972	29	0	0	0	0	0	0	0	0	0	1	1	2	7	4	4	3	2	5
1973	40	0	0	0	0	0	1	0	1	1	6	1	2	9	2	5	4	6	2
1974	37	0	0	0	0	0	2	1	0	1	5	0	2	8	4	6	5	0	3
1975	40	0	0	0	0	0	0	0	0	1	2	6	4	5	7	4	3	4	4
1976	41	0	0	0	0	0	0	2	1	1	3	2	7	3	3	10	2	3	4
1977	44	0	0	0	2	0	1	0	1	2	3	7	10	6	0	4	7	0	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.1	.2	.0	.1	-	.1	.1	.1	.1	-	.1	.1	.1	.1	-
1951	.1	.0	.2	.0	.0	.2	-	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1952	-	.0	.2	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	-	.1	.0	.1	.1	.1
1953	-	.0	.0	.0	.1	.0	.1	.1	.0	-	-	.1	-	-	.1	.1	.1	.1	.1
1954	.1	.0	.0	.0	.0	.1	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	-	.0	-
1955	.1	-	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.1
1956	.1	.0	.0	.3	.0	.0	.1	.0	.2	-	.1	.1	-	-	.1	-	.1	.1	-
1957	.1	.0	.0	.0	.1	.0	.2	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1
1958	.1	.0	.0	.3	.0	.0	.1	.2	.1	.1	.1	.1	.1	.1	.1	-	.1	-	-
1959	-	.0	.0	.2	.0	.0	.0	.1	.1	.1	.1	.1	-	.1	-	.1	.1	-	-
1960	.1	.0	.0	.0	.0	.0	.0	-	.0	-	.1	.1	.1	.1	.1	.1	-	.1	-
1961	.1	.0	.1	.0	.0	.0	.1	.0	.1	-	.1	.1	.1	.1	.1	.1	-	-	.1
1962	.1	-	.1	.0	.0	.1	.1	.0	.1	-	-	.1	.1	.1	.1	.1	-	-	-
1963	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.1	.1	.1	-	.1	.1	.1	.0	-
1964	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.1	.1	.1	.1	.1	.1	-	.1	-
1965	.1	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1966	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.2	.1	.1	-	.1	.1	-	-
1967	.1	.0	.0	.0	.0	.1	.1	.1	.1	.1	.2	.1	.1	.1	-	-	-	.1	-
1968	-	.0	.0	.0	.0	.0	.1	.0	.0	-	-	.1	-	.1	-	-	-	.0	-
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.1	.1	-	.1	.1	.1	.1	.0
1970	-	.0	.1	.0	.0	.0	.1	.0	.0	.1	-	-	.1	.1	.1	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	.1	-	-	.1	-
1972	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1
1973	-	.0	.0	.0	.0	.0	.1	.0	-	-	.1	-	-	.1	-	-	-	.1	-
1974	-	.0	.0	.0	.0	.0	.1	.1	.0	-	.1	.0	-	.1	-	-	.1	.0	-
1975	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.1	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	.1	-	-	.1	-	.1	-	-	.1	-	-	-
1977	-	.0	.0	.0	.2	.0	.1	.0	-	.1	.1	.1	.1	.1	.0	-	.1	.0	-

Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	170	0.25	0.29	0.17	156	0.23	0.24	0.17	8	0.10	0.12	0.08	7	0.09	0.08	0.06
1951	178	0.26	0.30	0.18	143	0.21	0.21	0.14	14	0.18	0.16	0.10	9	0.11	0.13	0.09
1952	186	0.27	0.29	0.17	157	0.22	0.23	0.16	8	0.10	0.11	0.07	6	0.07	0.07	0.05
1953	174	0.25	0.27	0.15	174	0.24	0.24	0.17	10	0.12	0.12	0.07	6	0.07	0.08	0.05
1954	170	0.24	0.26	0.15	157	0.22	0.22	0.15	10	0.12	0.10	0.06	9	0.10	0.09	0.06
1955	166	0.23	0.24	0.14	158	0.21	0.21	0.15	14	0.16	0.17	0.10	13	0.14	0.16	0.11
1956	165	0.22	0.24	0.13	173	0.23	0.23	0.16	13	0.15	0.14	0.08	15	0.16	0.16	0.11
1957	190	0.25	0.27	0.15	162	0.21	0.21	0.15	12	0.13	0.09	0.05	12	0.12	0.12	0.08
1958	178	0.23	0.25	0.14	151	0.19	0.19	0.14	7	0.07	0.07	0.04	10	0.10	0.07	0.05
1959	173	0.22	0.23	0.13	162	0.20	0.20	0.15	7	0.07	0.07	0.04	13	0.13	0.14	0.10
1960	209	0.26	0.28	0.15	179	0.22	0.21	0.16	11	0.11	0.10	0.05	18	0.17	0.15	0.10
1961	164	0.20	0.22	0.12	148	0.18	0.17	0.13	10	0.10	0.12	0.06	12	0.11	0.12	0.09
1962	176	0.22	0.23	0.13	178	0.21	0.20	0.15	12	0.11	0.10	0.05	9	0.08	0.07	0.05
1963	183	0.22	0.23	0.13	159	0.19	0.18	0.13	11	0.10	0.10	0.05	6	0.05	0.04	0.03
1964	158	0.19	0.20	0.11	183	0.21	0.20	0.15	14	0.13	0.13	0.07	6	0.05	0.05	0.04
1965	161	0.19	0.21	0.11	154	0.18	0.16	0.13	11	0.10	0.10	0.05	12	0.10	0.10	0.07
1966	167	0.20	0.21	0.11	181	0.21	0.19	0.15	3	0.03	0.03	0.01	7	0.06	0.06	0.04
1967	152	0.18	0.19	0.10	174	0.20	0.18	0.14	12	0.10	0.12	0.06	6	0.05	0.04	0.03
1968	174	0.20	0.22	0.11	173	0.19	0.18	0.13	5	0.04	0.04	0.02	11	0.09	0.10	0.07
1969	158	0.18	0.20	0.10	169	0.19	0.17	0.13	8	0.07	0.06	0.03	8	0.06	0.07	0.05
1970	163	0.19	0.20	0.10	164	0.18	0.16	0.12	14	0.11	0.12	0.05	11	0.08	0.08	0.06
1971	170	0.19	0.21	0.10	151	0.16	0.14	0.11	6	0.05	0.07	0.03	14	0.10	0.11	0.08
1972	88	0.20	0.21	0.11	82	0.18	0.15	0.12	4	0.06	0.07	0.03	6	0.09	0.10	0.07
1973	134	0.15	0.16	0.08	164	0.18	0.15	0.12	13	0.10	0.11	0.05	9	0.06	0.07	0.05
1974	163	0.18	0.19	0.09	152	0.16	0.14	0.11	13	0.10	0.13	0.05	3	0.02	0.02	0.02
1975	140	0.15	0.16	0.08	153	0.16	0.13	0.10	14	0.10	0.11	0.05	12	0.08	0.08	0.06
1976	180	0.20	0.21	0.10	158	0.17	0.14	0.11	7	0.05	0.06	0.02	6	0.04	0.05	0.03
1977	145	0.16	0.17	0.08	158	0.16	0.14	0.10	3	0.02	0.03	0.01	4	0.03	0.03	0.02


*Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Glioma, retinoblastoma, melanoma of the eye, any neoplasm of the retina, optic nerve (from 1950–1967 only), and any part of the eye (except the eyelid).
(ICD 192 [6th]; ICD 192 [7th]; ICD 190 [8th])


Eye

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



PENDERGRASS TW, DAVID S: Incidence of retinoblastoma in the United States. Arch Ophthalmol 98:1204-1210, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.3	-	-	-	-	.0	-	-	-	.1	.3	.5	.8	1.1	1.2	1.3	3.8	4.0
1951	.3	.4	-	-	.0	.0	-	-	-	-	.1	.2	.4	.7	1.3	1.0	1.8	3.9	5.8
1952	.3	.2	.1	-	-	.0	.0	-	-	.1	.2	.5	.7	.8	.8	1.2	1.7	1.6	4.7
1953	.2	.3	-	-	.0	-	-	-	.1	.1	.1	.4	.5	.8	.8	.8	1.7	1.8	4.1
1954	.2	.2	.1	-	.0	-	.0	-	-	-	.2	.3	.5	.5	1.1	1.3	2.1	1.9	2.8
1955	.2	.2	-	-	.0	.0	-	.1	-	.1	.2	.2	.4	.6	1.2	.9	1.8	1.8	1.7
1956	.2	.1	.1	-	-	.0	.0	-	.1	.1	.1	.2	.5	1.1	1.1	1.0	1.3	1.4	2.3
1957	.3	.2	-	-	.0	.0	.0	-	.1	.1	.3	.3	.7	1.0	.9	1.1	2.0	1.9	2.6
1958	.2	.1	.1	-	.0	-	-	.1	.1	.1	.3	.2	.4	.7	1.0	1.4	1.1	1.8	1.9
1959	.2	.3	-	-	.0	-	-	.0	.1	.1	.2	.1	.3	.7	.8	.9	1.8	1.6	2.8
1960	.3	.2	.1	-	-	.0	.0	.1	.1	.3	.2	.3	.5	.8	1.1	1.5	1.7	1.1	3.0
1961	.2	.2	.1	-	-	-	.0	.0	.1	.1	.2	.3	.3	.8	.7	.9	1.4	1.7	2.6
1962	.2	.1	-	-	.0	-	-	-	-	.1	.1	.4	.2	.9	1.2	.9	1.2	2.5	2.6
1963	.2	.1	-	-	.0	.0	.0	-	.1	.1	.2	.4	.5	.8	1.3	.7	1.1	1.9	1.4
1964	.2	.1	.1	-	.0	.1	.0	.1	-	.1	.1	.3	.4	.4	.8	1.1	.8	2.1	2.3
1965	.2	.1	.1	-	-	-	-	-	.1	.1	.1	.1	.4	.5	1.2	1.0	1.3	1.5	1.9
1966	.2	.2	.1	-	-	-	-	.0	.1	-	-	.2	.6	.5	.7	1.3	1.6	1.7	1.1
1967	.2	.1	-	-	-	-	.0	.0	-	.1	.1	.3	.4	.7	.6	1.0	1.4	.8	1.0
1968	.2	.1	-	-	.0	-	.0	-	.1	.1	.2	.2	.4	.5	.6	1.1	1.4	2.3	3.5
1969	.2	.1	-	-	.0	-	-	.0	-	.1	.2	.1	.3	.8	.9	.8	.8	1.5	2.9
1970	.2	.1	-	-	-	.0	-	-	.0	.1	.2	.2	.3	.6	.7	1.1	1.6	2.0	1.1
1971	.2	.1	-	-	-	-	.0	-	.0	.1	.1	.3	.4	.4	.9	1.1	1.4	1.8	2.6
1972	.2	.1	.0	-	-	.0	.1	-	.0	-	.2	.2	.4	.5	.6	1.4	1.1	1.7	5.0
1973	.1	.1	-	.0	-	-	-	-	.1	.1	.2	.1	.3	.4	.6	.5	1.5	1.3	2.4
1974	.2	.2	-	.0	.0	-	-	-	.1	.1	.0	.2	.3	.4	.8	1.0	1.1	1.4	3.3
1975	.2	-	.1	-	-	.0	-	-	-	-	.1	.2	.3	.4	1.0	.7	1.3	.8	2.0
1976	.2	.1	-	-	-	-	.1	-	.1	-	.1	.2	.3	.6	1.1	.9	1.2	2.8	2.1
1977	.2	.1	-	-	.0	.0	.0	.0	.1	-	.1	.2	.2	.6	.6	.5	1.1	1.6	2.7

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	170	19	1	2	2	2	0	2	2	1	5	11	18	23	24	19	12	18	9
1951	178	32	2	1	0	0	1	1	1	1	4	7	14	19	30	15	17	19	14
1952	186	17	4	2	2	0	0	2	2	6	10	19	23	25	18	19	17	8	12
1953	174	23	2	2	0	1	2	1	4	6	4	17	17	24	20	14	17	9	11
1954	170	17	4	1	0	1	0	1	2	2	7	11	19	15	28	22	22	10	8
1955	166	17	3	1	0	0	1	3	2	7	11	8	15	17	30	16	20	10	5
1956	165	12	4	1	2	0	0	1	3	4	4	9	16	33	28	19	14	8	7
1957	190	14	2	2	0	0	0	2	3	3	13	11	24	30	24	20	23	11	8
1958	178	7	9	2	0	2	1	3	4	6	14	10	13	23	27	27	13	11	6
1959	173	25	3	1	0	2	1	0	8	7	10	6	10	21	21	17	22	10	9
1960	209	14	6	2	2	0	0	4	5	14	10	11	19	25	29	30	21	7	10
1961	164	14	6	2	1	1	0	0	3	4	9	12	11	26	18	19	18	11	9
1962	176	13	4	2	0	1	1	1	1	3	5	16	9	27	33	18	16	17	9
1963	183	12	3	3	0	0	0	2	4	6	11	17	18	25	34	15	15	13	5
1964	158	13	6	2	0	3	0	6	2	3	3	13	16	13	21	23	11	15	8
1965	161	5	8	2	1	1	1	1	5	3	6	5	17	16	32	22	18	11	7
1966	167	14	5	2	1	2	2	0	3	1	2	8	25	17	19	27	22	13	4
1967	152	11	1	3	1	2	0	0	1	4	7	15	15	24	16	22	20	6	4
1968	174	5	3	2	0	1	0	2	6	5	12	11	16	19	17	23	20	18	14
1969	158	8	4	1	0	2	1	0	1	5	9	6	14	30	24	17	12	12	12
1970	163	8	4	1	1	0	1	1	0	6	9	8	15	22	20	23	23	16	5
1971	170	8	4	2	1	1	0	2	0	3	7	13	17	14	26	24	21	15	12
1972	88	2	0	2	1	0	2	1	0	1	5	5	8	10	9	15	8	7	12
1973	134	6	3	0	1	1	1	1	3	7	10	4	12	14	17	10	21	11	12
1974	163	17	3	0	0	3	3	1	3	4	0	8	13	15	25	23	16	12	17
1975	140	2	4	1	4	0	2	2	1	1	5	8	13	14	31	16	18	7	11
1976	180	5	2	2	1	1	4	2	4	1	3	8	13	24	35	20	18	25	12
1977	145	8	1	2	0	0	0	0	3	1	5	9	11	25	21	13	16	14	16

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	-	.1	-	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1951	-	.1	-	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1952	-	-	.1	.1	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1953	-	-	-	.1	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1954	-	-	.1	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1955	-	-	.1	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1956	-	-	.1	-	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1957	-	-	-	.1	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1958	-	-	.2	.1	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1959	-	-	.1	-	.0	-	-	.0	.1	-	-	-	-	-	-	-	-	-	-
1960	-	-	.1	.1	-	.0	.0	-	-	.1	-	-	-	-	-	-	-	-	-
1961	-	-	.1	.1	-	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1962	-	-	.1	.1	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1963	-	-	.1	.1	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-	-
1964	-	-	.1	-	.0	-	.0	.1	-	-	-	-	-	-	-	-	-	-	-
1965	-	-	.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1966	-	-	.1	-	-	-	-	.0	-	-	-	-	-	-	-	-	-	-	-
1967	-	-	-	.1	-	-	.0	.0	-	-	-	-	-	-	-	-	-	-	-
1968	-	-	.1	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1969	-	-	.1	-	.0	-	-	.0	-	-	-	-	-	-	-	-	-	-	-
1970	-	-	.1	-	-	.0	-	-	.0	-	-	-	-	-	-	-	-	-	-
1971	-	-	.1	-	-	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-
1972	-	-	.0	.1	-	.0	-	-	.0	-	-	-	-	-	-	-	-	-	-
1973	-	-	.1	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	.1	.1	.0	.0	-	-	-	-	-	.0	-	-	-	-	-	-	-	-
1975	-	-	.1	-	-	.0	-	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	.1	.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1977	-	-	-	.1	.0	.0	.0	.0	-	-	-	-	-	-	-	-	-	-	-

Eye

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.2	-	-	.0	.0	-	.1	.1	.2	.2	.2	.5	.5	.5	.8	1.4	2.2	5.9
1951	.2	.3	-	-	-	.0	.1	-	.1	.1	.1	.1	.4	.6	.7	.8	1.4	1.1	1.8
1952	.2	.2	.1	.0	.0	.1	.0	.1	.1	.1	.3	.3	.3	.6	.6	1.0	1.1	1.2	3.1
1953	.2	.2	-	-	.0	.0	-	-	.1	.2	.2	.3	.5	.7	.8	1.3	1.0	1.0	3.7
1954	.2	.3	.1	-	-	-	.0	-	.1	.1	.2	.3	.4	.4	.6	.8	1.5	1.4	3.0
1955	.2	.2	.1	-	-	.0	-	.1	.1	.1	.1	.2	.2	.7	1.1	.7	.8	1.8	1.9
1956	.2	.2	-	-	-	-	-	.0	-	.1	.1	.3	.6	.5	.8	1.0	1.2	1.2	3.2
1957	.2	.2	.1	-	-	-	.0	-	-	.1	.1	.4	.4	.3	.8	.7	1.2	1.9	1.7
1958	.2	.1	-	-	-	.0	-	.1	-	.1	.1	.2	.3	.4	.7	.9	.8	1.7	3.1
1959	.2	.1	.1	-	.0	.0	.0	-	-	.1	.1	.3	.3	.8	.9	.9	.7	.9	2.4
1960	.2	.2	-	.0	.1	.0	.0	.0	.1	.1	.2	.2	.4	.7	.6	.8	1.2	1.9	2.6
1961	.2	.1	-	.1	-	-	.0	-	-	.1	.1	.1	.4	.5	.5	.8	.8	.9	2.7
1962	.2	.3	.1	.0	-	-	-	.0	.1	.1	.1	.3	.3	.6	.8	.6	.9	1.8	1.6
1963	.2	.2	.1	-	-	.0	.0	-	.1	.1	.1	.3	.3	.4	.6	.6	1.0	1.2	1.7
1964	.2	.1	.1	-	-	-	.0	.0	-	.1	.2	.3	.3	.4	.4	1.0	1.2	1.9	3.0
1965	.2	.1	.1	-	-	-	.0	-	-	.1	.2	.2	.4	.4	.5	.7	.9	.7	2.0
1966	.2	.2	.1	-	.0	-	.0	-	-	.1	.1	.3	.4	.6	.8	.7	.9	1.5	.9
1967	.2	.2	-	-	-	-	-	-	.1	.1	.1	.2	.6	.6	.5	.7	.7	.8	2.3
1968	.2	.1	-	-	-	-	.0	-	.1	-	.1	.3	.3	.5	.7	1.0	.8	.8	2.0
1969	.2	.1	-	.0	.0	.0	.1	.0	.1	-	.2	.2	.4	.3	.7	.8	1.1	1.3	1.4
1970	.2	.1	-	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.7	.8	.9	.7	1.0	.8
1971	.2	-	-	-	.0	-	.0	-	.1	.1	.1	.2	.3	.4	.6	.6	.9	1.0	2.0
1972	.2	.1	.0	.0	.0	-	.1	-	.0	.2	.1	.1	.3	.5	.6	.6	1.1	.3	2.1
1973	.2	.1	-	-	.0	-	-	-	.1	-	.2	.2	.2	.5	.6	.6	1.2	1.0	1.6
1974	.2	.1	-	-	-	-	.0	-	-	.1	.2	.1	.2	.5	.6	.6	.8	1.1	1.4
1975	.2	-	-	.0	.0	-	.0	-	-	.1	.1	.2	.1	.4	.4	1.0	.9	.9	1.6
1976	.2	.1	-	.0	-	-	-	-	.1	.1	.1	.2	.3	.4	.4	.7	1.0	1.0	1.1
1977	.2	.1	-	-	-	.0	-	.0	.1	-	.2	.1	.2	.4	.6	.7	.9	.9	1.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	156	13	1	1	0	0	2	4	4	7	10	9	18	15	12	13	15	13	19
1951	143	21	2	2	2	0	3	2	4	6	6	5	13	18	16	14	16	7	6
1952	157	16	6	0	0	4	0	4	3	7	11	13	11	17	15	18	13	8	11
1953	174	15	3	1	0	0	1	2	3	9	10	10	19	23	20	25	12	7	14
1954	157	24	4	1	1	1	0	1	3	4	9	10	14	14	15	15	19	10	12
1955	158	17	5	2	1	0	1	3	4	6	6	6	9	23	30	14	10	13	8
1956	173	19	3	1	2	2	2	0	1	3	6	12	23	16	23	21	16	9	14
1957	162	16	5	1	1	2	0	1	2	5	7	16	16	10	24	16	17	15	8
1958	151	11	2	3	1	0	1	5	1	7	5	8	11	14	21	21	11	14	15
1959	162	11	4	2	0	0	0	1	2	5	6	15	12	26	26	21	11	8	12
1960	179	17	3	0	3	0	0	0	5	4	9	10	14	25	19	20	19	17	14
1961	148	8	4	4	1	1	0	1	1	7	6	5	18	18	16	21	14	8	15
1962	178	24	8	0	1	1	1	0	7	5	6	12	12	20	25	15	15	17	9
1963	159	16	5	3	1	0	0	1	3	4	6	16	14	15	19	16	18	12	10
1964	183	9	6	1	3	2	0	0	1	8	10	14	14	14	13	28	22	20	18
1965	154	12	7	1	1	1	0	1	1	5	8	12	18	14	15	20	17	8	13
1966	181	15	5	3	0	1	0	1	2	4	7	13	19	23	27	20	18	17	6
1967	174	12	1	2	2	1	2	1	3	7	6	10	26	22	17	21	15	10	16
1968	173	11	4	3	1	1	0	1	4	1	6	14	14	21	23	27	17	10	15
1969	169	8	2	0	0	0	3	0	3	2	10	8	21	14	23	24	23	17	11
1970	164	10	1	0	0	0	0	0	2	2	5	11	15	28	29	27	14	13	7
1971	151	3	1	1	0	1	0	2	3	4	5	12	15	15	20	18	19	14	18
1972	82	3	0	0	0	1	2	1	0	4	4	4	8	10	12	9	12	2	10
1973	164	5	2	1	0	1	1	2	3	1	9	9	10	20	23	19	27	15	16
1974	152	7	1	2	1	2	0	1	1	4	9	5	8	22	22	17	18	17	15
1975	153	3	3	0	0	1	0	1	1	3	4	11	7	18	15	32	21	14	19
1976	158	7	2	0	2	2	1	1	4	3	4	9	15	18	16	22	22	16	14
1977	158	5	2	1	1	0	3	0	3	1	8	7	10	17	24	23	21	14	18

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	-	.1	.0	.0	-	.1	-	.1	.1	-	.1	-	-	-	-	-	-
1951	-	.1	.1	.1	.1	.0	.1	-	-	-	-	-	-	-	-	-	-	-	-
1952	-	-	.2	.0	.0	.1	.0	.1	-	.1	.1	.1	-	-	-	-	-	-	-
1953	-	-	.1	-	.0	.0	-	-	-	.1	.1	-	.1	.1	-	-	-	-	-
1954	-	.1	.1	.1	-	-	.0	-	-	-	.1	-	-	-	-	-	-	-	-
1955	-	-	.2	.1	-	.0	-	.1	-	-	-	-	-	.1	-	-	-	-	-
1956	-	-	.1	.1	.1	.1	.1	.0	-	-	-	.1	.1	-	-	-	-	-	-
1957	-	-	.2	-	-	.1	.0	-	-	-	-	.1	-	-	-	-	-	-	-
1958	-	-	.1	.1	-	.0	-	.1	-	.1	-	-	-	-	-	-	-	-	-
1959	-	-	.1	.1	.0	.0	.0	-	-	-	-	.1	-	.1	-	-	-	-	-
1960	-	-	.1	.0	.1	.0	.0	.0	.1	-	-	-	-	.1	-	-	-	-	-
1961	-	-	.1	.2	-	-	.0	-	-	.1	-	-	.1	-	-	-	-	-	-
1962	-	.1	.3	.0	-	-	-	.0	.1	-	-	-	-	-	-	-	-	-	-
1963	-	-	.2	.1	-	.0	.0	-	-	-	-	.1	-	-	-	-	-	-	-
1964	-	-	.2	-	.1	.1	.0	.0	-	.1	.1	.1	-	-	-	-	-	-	-
1965	-	-	.2	-	-	-	.0	-	-	-	-	-	.1	-	-	-	-	-	-
1966	-	-	.2	.1	.0	-	.0	-	-	-	-	-	.1	-	-	-	-	-	-
1967	-	-	-	.1	-	-	.1	-	-	.1	-	-	.1	-	-	-	-	-	-
1968	-	-	.1	.1	-	-	.0	-	.1	-	-	-	-	-	-	-	-	-	-
1969	-	-	.1	.0	.0	.0	.1	.0	-	-	-	-	.1	-	-	-	-	-	-
1970	-	-	-	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-
1971	-	-	-	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1972	-	-	.0	.0	.0	-	.1	-	.0	.1	-	-	-	-	-	-	-	-	-
1973	-	-	.1	-	.0	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1974	-	-	-	.1	-	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1975	-	-	.2	.0	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-	-
1976	-	-	.1	.0	-	-	-	-	.1	-	-	-	-	-	-	-	-	-	-
1977	-	-	.1	.1	-	.0	.1	.0	-	-	.1	-	-	-	-	-	-	-	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.4	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.0	.0	.0	.0	1.5	2.7	.0
1951	.2	.8	.1	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	1.0	.0	.0	2.6	.0
1952	.1	.2	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.3	.5	.5	.8	.0	.0	.0
1953	.1	.5	.0	.0	.2	.0	.0	.0	.0	.0	.0	.2	.0	.4	.0	.0	.0	2.5	.0
1954	.1	.5	.0	.0	.0	.0	.0	.2	.0	.0	.0	.2	.3	.4	.0	.0	.0	.0	.0
1955	.2	.5	.1	.1	.0	.0	.0	.0	.0	.2	.0	.2	.0	.4	.0	.7	1.2	.0	4.1
1956	.1	.4	.1	.0	.0	.0	.2	.0	.3	.0	.2	.0	.0	.0	.4	.0	2.3	.0	.0
1957	.1	.6	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	.0	.0	.0
1958	.1	.1	.2	.0	.1	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	1.1	.0	.0
1959	.1	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.3	.0	.0	.6	.0	.0	.0
1960	.1	.5	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	1.0	2.1	.0
1961	.1	.1	.0	.0	.1	.0	.0	.2	.0	.0	.4	.2	.0	.3	.4	.6	.9	.0	.0
1962	.1	.4	.1	.0	.0	.0	.0	.0	.0	.0	.2	.2	.2	.0	.0	.0	.9	.0	.0
1963	.1	.3	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.5	.0	.0	3.3
1964	.1	.4	.1	.0	.0	.0	.0	.0	.2	.0	.2	.0	.0	.3	.7	.0	.9	1.6	.0
1965	.1	.3	.1	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.6	.3	.0	.0	.0	2.9
1966	-	.0	.0	.1	.0	.0	.0	.0	.0	.0	.4	.0	.0	.0	.0	.0	.0	.0	.0
1967	.1	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	1.5	.8	.0	2.6
1968	-	.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.0	.0	.0
1969	.1	.4	.0	.0	.0	.0	.1	.0	.0	.0	.2	.0	.2	.0	.0	.0	.0	.0	.0
1970	.1	.4	.1	.0	.1	.0	.0	.0	.0	.2	.2	.0	.7	.3	.0	.0	.8	.0	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.6	.0	.8	1.4	.0
1972	.1	.1	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.0	1.0	.0	.0	.0	.0	.0
1973	.1	.2	.1	.1	.0	.0	.1	.0	.0	.0	.0	.0	.7	.2	.3	.0	.0	1.2	.0
1974	.1	.1	.1	.0	.0	.0	.0	.0	.0	.2	.0	.2	.4	.7	.0	.0	.0	.0	5.3
1975	.1	.4	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.2	.0	.5	.7	.0	1.5
1976	.1	.1	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.5	.0	.0	.7	.0	.0
1977	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.0	.4	.0	.0	.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	8	4	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	1	0
1951	14	9	1	0	0	0	1	0	0	0	0	0	0	0	2	0	0	1	0
1952	8	2	0	0	0	0	0	0	0	1	0	1	1	1	1	1	0	0	0
1953	10	6	0	0	1	0	0	0	0	0	0	1	0	1	0	0	0	1	0
1954	10	6	0	0	0	0	0	1	0	0	0	1	1	1	0	0	0	0	0
1955	14	6	1	1	0	0	0	0	0	1	0	1	0	1	0	1	1	0	1
1956	13	5	1	0	0	0	1	0	2	0	1	0	0	0	1	0	2	0	0
1957	12	8	2	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1958	7	2	2	0	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0
1959	7	3	0	0	0	0	0	0	0	0	2	0	1	0	0	1	0	0	0
1960	11	8	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0
1961	10	1	0	0	1	0	0	1	0	0	2	1	0	1	1	1	1	0	0
1962	12	6	2	0	0	0	0	0	0	0	1	1	1	0	0	0	1	0	0
1963	11	5	2	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1
1964	14	6	1	0	0	0	0	0	1	0	1	0	0	1	2	0	1	1	0
1965	11	5	1	0	0	0	0	0	1	0	0	0	0	2	1	0	0	0	1
1966	3	0	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0	0	0
1967	12	5	1	0	0	0	0	0	0	0	0	0	1	0	0	3	1	0	1
1968	5	4	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
1969	8	5	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0
1970	14	5	1	0	1	0	0	0	0	1	1	0	3	1	0	0	1	0	0
1971	6	0	0	0	0	0	0	0	0	0	0	1	1	0	2	0	1	1	0
1972	4	1	0	0	0	0	0	0	0	1	0	0	0	2	0	0	0	0	0
1973	13	3	2	1	0	0	1	0	0	0	0	0	3	1	1	0	0	1	0
1974	13	2	1	0	0	0	0	0	0	1	0	1	2	3	0	0	0	0	3
1975	14	6	3	0	0	0	0	0	0	0	0	1	0	1	0	1	1	0	1
1976	7	2	0	1	0	0	0	0	0	0	0	0	1	2	0	0	1	0	0
1977	3	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0	.0	-	-	.0
1951	-	.1	.1	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0
1952	-	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	-	-	.0	.0	.0
1953	-	-	.0	.0	.1	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0	-	.0
1954	-	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	.0	.0	.0	.0	.0
1955	-	-	.1	.2	.0	.0	.0	.0	.0	-	.0	-	.0	-	.0	-	-	.0	-
1956	-	-	.1	.0	.0	.0	-	.0	.1	.0	-	.0	.0	.0	-	.0	-	.0	.0
1957	-	-	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0
1958	-	-	.2	.0	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	.0	.0
1959	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	-	.0	.0	.0
1960	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	-	.0
1961	-	-	.0	.0	.1	.0	.0	-	.0	.0	-	-	.0	-	-	-	-	.0	.0
1962	-	-	.2	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0	.0	-	.0	.0
1963	-	-	.2	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-
1964	-	-	.1	.0	.0	.0	.0	.0	-	.0	-	.0	.0	-	-	.0	-	-	.0
1965	-	-	.1	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	-	.0	.0	.0	-
1966	-	.0	.0	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0
1967	-	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	.0	-
1968	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0
1969	-	-	.0	.0	.0	.0	-	.0	.0	.0	-	.0	-	.0	.0	.0	.0	.0	.0
1970	-	-	.1	.0	-	.0	.0	.0	.0	-	-	.0	-	-	.0	.0	-	.0	.0
1971	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	-	-	.0
1972	-	-	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	.0	.0	.0	.0	.0
1973	-	-	.2	.1	.0	.0	-	.0	.0	.0	.0	.0	-	-	-	.0	.0	-	.0
1974	-	-	.1	.0	.0	.0	.0	.0	.0	-	.0	-	-	-	.0	.0	.0	.0	-
1975	-	.1	.4	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	-	.0	-
1976	-	-	.0	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	-	.0	.0
1977	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	.0	.0	.0

Eye

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.4	.1	.0	.0	.0	.0	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	2.4	.0
1951	.1	.3	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.0	.5	.9	.8	1.5	.0	.0
1952	.1	.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.9	.0	.0	.0	.0
1953	.1	.1	.0	.0	.0	.0	.0	.0	.3	.0	.0	.0	.0	.4	.4	.7	.0	.0	.0
1954	.1	.4	.1	.0	.0	.1	.0	.0	.0	.0	.0	.0	.6	.0	.0	.0	.0	.0	.0
1955	.1	.5	.1	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	.4	.7	1.2	3.9	.0
1956	.2	.5	.0	.0	.0	.0	.0	.0	.0	.2	.4	.2	.0	.4	1.6	.0	.0	.0	.0
1957	.1	.4	.1	.0	.0	.0	.0	.0	.0	.0	.0	.5	.0	.0	.8	.0	.0	1.9	.0
1958	.1	.5	.1	.0	.0	.0	.0	.0	.0	.2	.0	.0	.3	.0	.0	.0	.0	.0	.0
1959	.1	.3	.1	.1	.0	.0	.0	.1	.0	.0	.2	.4	.0	.3	.0	.0	.0	1.9	2.5
1960	.2	.7	.1	.0	.0	.0	.0	.0	.1	.2	.0	.2	.5	.3	.0	.0	.0	.0	2.5
1961	.1	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.0	.0	1.0	.8	.0	5.0
1962	.1	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.3	.0	.0	.0	.0	.0
1963	.1	.2	.1	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1964	.1	.1	.0	.0	.1	.0	.0	.0	.1	.0	.0	.2	.0	.0	.0	.0	.0	1.4	.0
1965	.1	.3	.1	.0	.0	.0	.0	.1	.1	.0	.0	.0	.0	.6	.0	.0	.0	1.3	2.0
1966	.1	.3	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	1.4	.0	.0
1967	-	.3	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.7	.0	.0
1968	.1	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.5	.0	.0	.7	1.1	1.6
1969	.1	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	.0	.0	.0	.0	.0	1.1	1.5
1970	.1	.4	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.8	.0	.0	.0
1971	.1	.4	.1	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	1.1	.4	.6	.0	.0
1972	.1	.3	.0	.0	.0	.0	.0	.0	.0	.0	.3	.0	.0	.0	.5	.8	1.2	.0	.0
1973	.1	.1	.0	.0	.0	.0	.0	.1	.0	.0	.0	.5	.4	.0	.2	.0	.0	.0	.0
1974	-	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.4	.0	.0	.0
1975	.1	.3	.3	.0	.0	.1	.0	.1	.0	.0	.0	.0	.0	.0	.0	.4	.0	.8	.0
1976	-	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	1.1	.0	.0
1977	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	.0	.5	.0	.8


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7	4	1	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	
1951	9	3	0	0	0	0	1	0	0	0	0	0	0	1	2	1	1	0	0
1952	6	3	0	0	0	0	0	0	0	0	0	1	0	0	2	0	0	0	0
1953	6	1	0	0	0	0	0	0	2	0	0	0	0	1	1	1	0	0	0
1954	9	5	1	0	0	1	0	0	0	0	0	0	2	0	0	0	0	0	0
1955	13	6	1	0	0	0	0	0	0	0	1	0	0	0	1	1	1	2	0
1956	15	6	0	0	0	0	0	0	0	1	2	1	0	1	4	0	0	0	0
1957	12	6	1	0	0	0	0	0	0	0	0	2	0	0	2	0	0	1	0
1958	10	7	1	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
1959	13	4	1	1	0	0	0	1	0	0	1	2	0	1	0	0	0	1	1
1960	18	10	1	0	0	0	0	0	1	1	0	1	2	1	0	0	0	0	1
1961	12	6	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	2
1962	9	6	0	0	0	0	0	0	0	0	0	2	0	1	0	0	0	0	0
1963	6	3	1	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
1964	6	2	0	0	1	0	0	0	1	0	0	1	0	0	0	0	0	1	0
1965	12	5	1	0	0	0	0	1	1	0	0	0	0	2	0	0	0	1	1
1966	7	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0
1967	6	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
1968	11	4	0	0	0	0	0	0	0	0	1	1	0	2	0	0	1	1	1
1969	8	4	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	1
1970	11	6	1	0	0	0	0	0	0	0	0	0	1	0	1	2	0	0	0
1971	14	5	2	0	0	0	0	0	0	1	0	0	0	0	4	1	1	0	0
1972	6	2	0	0	0	0	0	0	0	0	1	0	0	0	1	1	1	0	0
1973	9	2	0	0	0	0	0	1	0	0	0	3	2	0	1	0	0	0	0
1974	3	1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
1975	12	4	4	0	0	1	0	1	0	0	0	0	0	0	0	1	0	1	0
1976	6	1	1	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	0
1977	4	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.2	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0
1951	-	-	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0	-	-	-	-	.0	.0
1952	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	.0	.0
1953	-	-	.0	.0	.0	.0	.0	.0	.1	.0	.0	.0	.0	-	-	-	.0	.0	.0
1954	-	-	.2	.0	.0	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	.0
1955	-	-	.2	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	.1	.0
1956	-	-	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	-	-	.0	.0	.0	.0
1957	-	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	-	.0
1958	-	-	.1	.0	.0	.0	.0	.0	.0	-	.0	.0	-	.0	.0	.0	.0	.0	.0
1959	-	-	.1	.2	.0	.0	.0	-	.0	.0	-	-	.0	-	.0	.0	.0	-	-
1960	-	.1	.1	.0	.0	.0	.0	.0	-	-	.0	-	-	-	.0	.0	.0	.0	-
1961	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	.0	-
1962	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	.0	.0	.0	.0
1963	-	-	.1	.4	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0
1964	-	-	.0	.0	.1	.0	.0	.0	-	.0	.0	-	.0	.0	.0	.0	.0	-	.0
1965	-	-	.1	.0	.0	.0	.0	-	-	.0	.0	.0	.0	-	.0	.0	.0	-	-
1966	-	-	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0
1967	-	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0
1968	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	-	.0	.0	-	-	-
1969	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.0	.0	.0	.0	.0	-	-
1970	-	.1	.1	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.0	.0	.0
1971	-	.1	.3	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	-	-	-	.0	.0
1972	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	-	.0	.0
1973	-	-	.0	.0	.0	.0	.0	-	.0	.0	.0	-	-	.0	-	.0	.0	.0	.0
1974	-	-	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0
1975	-	.1	.8	.0	.0	.1	.0	.1	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0
1976	-	-	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.0	.0
1977	-	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	.0	.0	.0	.0	-	.0	-

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	2431	3.59	3.49	2.08	1611	2.37	2.31	1.58	124	1.59	1.62	1.07	86	1.06	1.04	0.71
1951	2590	3.77	3.68	2.18	1741	2.52	2.42	1.67	111	1.40	1.36	0.90	101	1.22	1.27	0.88
1952	2789	3.99	3.90	2.27	1822	2.59	2.50	1.73	146	1.80	1.82	1.15	112	1.32	1.36	0.94
1953	2827	3.99	3.89	2.23	1998	2.79	2.69	1.88	163	1.96	2.07	1.28	95	1.09	1.09	0.76
1954	3051	4.23	4.14	2.36	1983	2.72	2.63	1.86	160	1.88	2.01	1.18	126	1.42	1.37	0.96
1955	2934	4.01	3.94	2.23	2136	2.88	2.77	1.97	162	1.86	2.08	1.23	131	1.44	1.48	1.04
1956	3201	4.30	4.23	2.36	2157	2.86	2.77	1.98	174	1.95	2.07	1.16	117	1.25	1.28	0.88
1957	3264	4.31	4.25	2.36	2235	2.91	2.79	2.01	212	2.32	2.46	1.35	108	1.12	1.19	0.82
1958	3085	4.02	3.94	2.22	2164	2.77	2.67	1.96	218	2.33	2.43	1.36	139	1.41	1.46	1.01
1959	3393	4.35	4.30	2.40	2316	2.92	2.80	2.08	200	2.08	2.26	1.21	123	1.21	1.19	0.85
1960	3485	4.40	4.36	2.41	2318	2.87	2.77	2.07	215	2.14	2.27	1.20	166	1.57	1.63	1.13
1961	3506	4.36	4.34	2.38	2479	3.02	2.91	2.18	212	2.06	2.28	1.18	190	1.75	1.78	1.24
1962	3618	4.44	4.45	2.43	2524	3.03	2.92	2.20	214	2.03	2.21	1.13	156	1.40	1.45	1.03
1963	3765	4.56	4.58	2.47	2693	3.19	3.07	2.32	252	2.34	2.55	1.24	178	1.56	1.68	1.21
1964	3717	4.45	4.47	2.40	2599	3.03	2.92	2.23	271	2.47	2.67	1.32	202	1.73	1.80	1.28
1965	3859	4.57	4.63	2.44	2734	3.15	3.03	2.30	249	2.23	2.55	1.24	172	1.44	1.49	1.06
1966	3990	4.68	4.76	2.49	2869	3.27	3.14	2.40	303	2.66	3.01	1.40	193	1.59	1.67	1.17
1967	3899	4.54	4.60	2.38	2827	3.19	3.04	2.32	266	2.29	2.61	1.19	161	1.30	1.39	0.98
1968	4115	4.75	4.84	2.48	2919	3.26	3.11	2.38	247	2.09	2.36	1.05	227	1.79	1.94	1.35
1969	4244	4.86	4.95	2.53	3089	3.41	3.24	2.50	237	1.98	2.32	1.02	215	1.67	1.77	1.26
1970	4219	4.79	4.89	2.48	3182	3.48	3.28	2.52	288	2.36	2.69	1.17	187	1.42	1.55	1.11
1971	4283	4.82	4.93	2.48	3258	3.53	3.32	2.55	293	2.35	2.78	1.21	260	1.93	2.11	1.47
1972	2183	4.88	4.98	2.48	1615	3.47	3.26	2.49	142	2.24	2.63	1.12	113	1.64	1.87	1.31
1973	4329	4.82	4.90	2.44	3402	3.63	3.39	2.60	321	2.49	2.98	1.23	258	1.84	2.03	1.38
1974	4453	4.93	5.01	2.46	3416	3.63	3.37	2.56	287	2.19	2.57	1.04	243	1.70	1.91	1.31
1975	4430	4.88	4.94	2.43	3620	3.82	3.51	2.68	331	2.47	3.00	1.21	236	1.62	1.81	1.26
1976	4721	5.17	5.23	2.54	3784	3.97	3.61	2.72	371	2.72	3.30	1.30	273	1.84	2.04	1.41
1977	4895	5.33	5.37	2.58	3861	4.02	3.62	2.72	332	2.39	2.89	1.12	297	1.96	2.22	1.50

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Malignant neoplasms of the brain, spinal cord, cauda equina, and any nerve (except optic from 1950–1967)
(ICD 193 [6th]; ICD 193–193.9 [7th]; ICD 191–192.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



FAN KJ, KOVI J, EARLE KM: The ethnic distribution of primary central nervous system tumors: AFIP, 1958 to 1970. J Neuropathol Exp Neurol 36:41-49, 1977

SCHOENBERG BS: Epidemiology of primary nervous system neuroplasms. Adv Neurol 19:475-495, 1978

NEIDHARDT MK: Brain tumors in children. Med Klin 74:710-717, 1979

SCHOENBERG BS: Nervous system. *In* Cancer Epidemiology and Prevention (Schottenfeld D, Fraumeni JF Jr, eds). Philadelphia: Saunders, 1982, pp 968-983

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.6	2.2	1.9	1.2	1.2	1.0	1.1	2.3	3.4	4.2	6.5	7.9	9.2	11.2	6.9	4.2	2.9	1.9	1.3
1951	3.8	2.3	1.7	1.2	1.1	1.2	1.7	2.2	2.9	4.6	6.9	8.6	10.7	9.7	7.7	4.0	4.5	3.1	2.5
1952	4.0	2.2	2.0	1.1	1.1	1.4	1.6	2.6	2.9	4.6	6.8	9.9	11.0	10.9	9.6	5.0	2.5	2.4	4.7
1953	4.0	2.2	2.0	1.2	.9	1.2	1.4	2.1	3.4	4.9	7.5	9.7	11.6	11.0	8.6	3.8	3.3	2.4	3.7
1954	4.2	2.6	2.1	1.6	1.1	1.2	1.4	2.4	3.5	4.5	7.6	9.6	12.5	12.0	10.2	5.0	3.4	2.1	.7
1955	4.0	2.3	2.1	1.5	1.0	1.4	1.5	2.2	3.2	3.8	6.7	9.1	11.9	12.0	9.0	5.9	3.9	2.2	2.4
1956	4.3	2.3	2.1	1.4	1.3	1.0	1.8	2.4	3.3	5.1	6.3	10.0	11.7	14.1	10.5	6.8	4.2	3.0	1.3
1957	4.3	2.4	1.8	1.2	1.2	1.3	1.5	2.9	3.3	4.5	6.7	10.3	13.2	13.3	9.7	7.6	3.9	3.1	1.0
1958	4.0	2.4	1.8	1.2	1.1	1.0	1.4	2.6	3.7	4.7	5.6	9.8	11.0	12.5	10.0	6.7	4.0	1.0	1.6
1959	4.3	2.2	2.2	1.6	1.1	1.0	1.7	2.5	3.5	5.7	6.6	9.9	12.0	12.9	10.9	7.8	4.0	2.9	1.2
1960	4.4	2.4	2.0	1.1	1.0	1.2	1.5	2.2	3.3	5.0	7.7	9.8	12.9	14.7	12.0	6.7	5.4	1.9	1.8
1961	4.4	2.4	1.9	1.5	1.2	.9	1.7	3.0	3.5	4.3	6.6	9.8	12.0	13.8	12.5	8.6	5.1	3.1	2.6
1962	4.4	2.3	1.7	1.4	1.3	1.3	1.4	2.4	3.1	4.9	7.0	9.6	12.9	14.2	13.7	8.6	6.0	3.3	1.5
1963	4.6	2.4	1.9	1.4	1.2	.9	1.8	2.3	3.3	5.0	7.5	10.4	12.6	15.3	13.3	9.1	6.9	3.1	1.4
1964	4.4	2.5	1.7	1.4	1.3	.9	1.7	2.2	3.1	5.1	6.9	10.7	12.4	14.9	12.0	9.7	7.3	1.8	2.0
1965	4.6	2.2	1.8	1.4	1.2	1.1	1.7	2.5	3.6	4.4	6.4	9.7	12.9	14.7	15.3	11.8	7.9	3.8	2.5
1966	4.7	2.2	1.9	1.1	1.2	1.1	1.4	2.0	3.1	4.6	7.0	10.5	12.8	16.3	15.7	13.4	8.0	5.3	3.8
1967	4.5	2.4	1.8	1.2	1.1	1.1	1.6	1.8	3.1	4.8	7.2	9.2	13.0	14.6	14.8	13.2	8.7	3.1	2.3
1968	4.8	2.3	1.7	1.3	1.3	1.1	1.5	1.9	3.5	4.3	6.4	10.1	14.0	16.8	15.4	13.1	10.7	5.9	2.8
1969	4.9	2.3	2.1	1.3	1.4	1.0	1.3	2.3	3.2	4.6	6.9	10.4	13.4	16.1	16.7	14.5	10.2	4.5	3.1
1970	4.8	2.2	1.9	1.2	1.0	1.4	1.3	1.7	3.3	4.7	6.7	10.0	14.0	15.9	16.1	14.8	11.1	6.3	2.7
1971	4.8	2.1	1.7	1.5	1.1	1.1	1.5	2.3	3.4	3.9	6.2	9.3	14.0	15.9	18.1	15.1	11.8	9.2	2.8
1972	4.9	1.9	1.7	1.3	1.2	1.0	1.3	2.0	3.1	4.4	6.5	9.2	14.0	17.4	18.0	17.0	12.1	5.9	5.0
1973	4.8	2.3	1.4	.9	1.0	1.2	1.5	2.0	3.5	5.0	6.3	9.2	13.2	16.4	16.4	16.9	13.6	7.9	3.8
1974	4.9	1.9	1.8	1.0	.9	1.2	1.3	1.9	2.4	4.3	7.1	10.7	12.8	16.0	18.3	17.1	14.5	9.1	5.2
1975	4.9	2.1	1.5	1.3	.8	1.0	1.4	2.1	3.0	3.9	6.8	9.3	12.0	16.5	17.9	18.0	16.3	8.2	5.5
1976	5.2	2.0	1.6	1.3	.9	1.0	1.3	2.0	3.0	4.4	7.0	8.8	13.4	17.2	20.2	19.3	18.2	9.9	6.6
1977	5.3	2.4	1.7	1.0	1.1	1.0	1.3	2.1	2.8	4.4	5.8	9.3	13.7	17.6	19.9	21.4	19.2	13.5	9.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2431	162	111	61	56	49	60	117	172	194	267	297	310	317	155	64	27	9	3
1951	2590	176	106	62	53	63	94	116	145	215	287	324	367	279	176	62	44	15	6
1952	2789	171	130	60	49	70	87	136	150	218	290	373	379	322	225	80	25	12	12
1953	2827	173	135	66	43	57	77	112	175	234	327	371	400	331	206	64	34	12	10
1954	3051	203	148	91	55	59	74	130	181	217	339	370	433	365	251	86	36	11	2
1955	2934	188	158	92	48	66	77	118	165	188	303	356	415	369	224	106	42	12	7
1956	3201	192	163	86	67	47	91	130	174	253	293	395	413	439	265	125	47	17	4
1957	3264	206	141	80	65	61	76	158	178	224	313	418	470	415	250	143	45	18	3
1958	3085	206	141	81	60	48	68	141	198	237	265	405	396	390	262	129	47	6	5
1959	3393	190	176	118	64	50	83	133	192	290	319	419	441	402	290	155	49	18	4
1960	3485	210	169	81	58	58	73	115	180	260	372	423	484	459	322	135	68	12	6
1961	3506	215	162	117	72	44	81	154	190	224	321	429	456	432	336	178	66	20	9
1962	3618	208	143	110	86	69	69	124	169	261	345	426	504	448	368	180	80	23	5
1963	3765	208	165	115	84	50	87	115	178	267	369	470	502	486	357	193	93	21	5
1964	3717	218	150	113	91	50	83	110	163	275	342	488	507	477	321	209	100	13	7
1965	3859	192	164	114	93	67	86	123	189	241	322	445	534	478	410	254	110	28	9
1966	3990	179	168	97	99	67	71	96	160	249	353	490	540	544	422	288	113	40	14
1967	3899	192	159	101	89	74	84	86	158	260	369	432	553	499	403	283	124	24	9
1968	4115	181	147	114	101	76	82	92	174	231	336	477	599	591	423	279	155	46	11
1969	4244	175	182	119	119	70	76	115	156	245	362	501	576	580	464	306	149	36	13
1970	4219	165	163	108	85	106	77	86	158	248	355	485	608	582	456	313	161	51	12
1971	4283	158	140	134	91	89	93	118	166	201	325	462	612	592	522	319	172	76	13
1972	2183	68	67	61	54	38	44	54	75	111	169	233	307	329	268	180	88	25	12
1973	4329	164	108	83	88	94	102	114	170	249	328	472	584	627	501	363	195	68	19
1974	4453	132	139	90	80	101	92	113	121	210	367	556	573	620	571	375	207	79	27
1975	4430	140	113	112	77	81	102	129	152	189	347	482	546	645	578	401	234	72	30
1976	4721	131	117	114	82	82	98	126	156	214	352	454	624	679	662	442	263	88	37
1977	4895	152	124	83	101	87	102	141	150	212	290	476	653	699	664	505	278	121	57

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.3	2.8	1.8	.9	.6	.7	1.1	1.2	.9	.8	.7	.5	.4	.2	.1	-	-	-
1951	.3	.3	2.6	1.8	.9	.7	1.0	1.1	1.0	1.0	.9	.7	.6	.4	.2	.1	.1	-	-
1952	.4	.3	2.9	1.7	.8	.9	1.0	1.3	1.1	1.0	.9	.8	.6	.4	.2	.1	-	-	-
1953	.4	.3	3.1	1.9	.7	.7	.9	1.1	1.3	1.1	1.0	.8	.6	.4	.2	.1	-	-	-
1954	.4	.4	3.6	2.7	.9	.8	.9	1.3	1.4	1.1	1.1	.8	.7	.5	.3	.1	-	-	-
1955	.4	.3	3.7	2.7	.8	.8	1.0	1.2	1.2	.9	1.0	.8	.7	.5	.2	.1	-	-	-
1956	.4	.4	3.9	2.5	1.0	.6	1.2	1.4	1.3	1.2	.9	.9	.7	.5	.3	.1	-	-	-
1957	.4	.4	3.3	2.2	.9	.8	1.0	1.7	1.3	1.0	1.0	.9	.7	.5	.2	.1	-	-	-
1958	.4	.4	3.4	2.2	.9	.6	.9	1.5	1.4	1.1	.8	.8	.6	.5	.2	.1	-	-	-
1959	.4	.3	4.0	2.9	.9	.6	1.2	1.4	1.4	1.4	1.0	.9	.7	.5	.3	.1	-	-	-
1960	.4	.4	3.8	2.1	.8	.7	1.0	1.3	1.3	1.2	1.1	.8	.7	.5	.3	.1	.1	-	-
1961	.4	.4	3.8	3.0	1.0	.6	1.2	1.8	1.4	1.1	1.0	.9	.7	.5	.3	.2	.1	-	-
1962	.4	.4	3.4	2.8	1.1	.8	1.0	1.4	1.2	1.2	1.0	.8	.7	.5	.3	.1	.1	-	-
1963	.4	.4	3.9	3.0	1.0	.6	1.2	1.3	1.3	1.2	1.1	.9	.7	.5	.3	.2	.1	-	-
1964	.4	.4	3.5	2.8	1.0	.5	1.1	1.2	1.2	1.2	1.0	.9	.7	.5	.3	.2	.1	-	-
1965	.4	.4	3.9	2.8	.9	.7	1.1	1.4	1.4	1.1	.9	.8	.7	.5	.4	.2	.1	-	-
1966	.4	.4	3.9	2.3	.9	.6	.9	1.1	1.2	1.1	1.0	.9	.7	.6	.4	.2	.1	-	-
1967	.4	.5	3.8	2.4	.8	.7	1.0	1.0	1.2	1.2	1.0	.8	.7	.5	.4	.2	.1	-	-
1968	.4	.5	3.4	2.6	.9	.6	.9	1.1	1.3	1.0	.9	.9	.8	.6	.4	.2	.1	-	-
1969	.4	.5	4.3	2.8	1.0	.5	.8	1.3	1.2	1.1	1.0	.9	.8	.6	.4	.2	.1	-	-
1970	.4	.5	4.0	2.5	.7	.8	.8	.9	1.3	1.1	1.0	.9	.8	.6	.4	.3	.1	.1	-
1971	.5	.5	3.7	3.1	.7	.6	.9	1.3	1.4	1.0	.9	.9	.8	.6	.5	.3	.1	.1	-
1972	.5	.4	3.7	2.7	.8	.5	.8	1.1	1.3	1.1	1.0	.9	.8	.7	.5	.3	.1	-	-
1973	.5	.6	3.1	1.9	.6	.6	.9	1.1	1.4	1.3	1.0	.9	.8	.6	.4	.3	.2	.1	-
1974	.5	.5	4.4	2.1	.6	.7	.8	1.1	1.0	1.1	1.1	1.1	.8	.6	.5	.3	.2	.1	-
1975	.5	.6	3.9	2.9	.6	.5	.8	1.3	1.3	1.1	1.1	1.0	.8	.7	.5	.3	.2	.1	-
1976	.5	.6	4.1	3.1	.7	.5	.8	1.2	1.4	1.3	1.2	.9	.9	.7	.6	.4	.2	.1	-
1977	.5	.7	4.4	2.4	.8	.5	.8	1.3	1.3	1.3	1.0	1.0	1.0	.8	.6	.4	.2	.1	.1

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths



YEAR AGE

CANCER MORTALITY IN THE U.S., 1950-1977

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.4	1.8	1.8	1.2	.9	.8	1.3	1.3	2.4	2.4	3.8	4.4	6.7	5.1	4.3	2.1	1.6	1.7	1.6
1951	2.5	1.7	1.3	1.0	.6	.9	1.1	1.6	2.6	3.0	4.3	6.0	6.8	5.6	4.1	2.4	2.5	1.0	2.4
1952	2.6	1.7	1.2	1.3	1.0	1.0	1.4	2.0	2.3	2.9	4.4	5.4	6.3	6.0	4.8	3.0	2.0	1.6	1.1
1953	2.8	2.2	1.7	1.3	1.0	1.0	1.3	1.6	2.3	3.2	4.6	5.7	7.4	6.9	5.0	3.5	1.9	.7	.3
1954	2.7	2.0	1.3	1.2	.9	.8	1.2	1.3	2.3	3.2	4.4	6.1	7.3	6.6	5.5	3.6	2.3	1.7	2.0
1955	2.9	1.9	1.9	1.2	.7	.9	1.0	1.8	2.5	3.3	4.3	6.3	8.3	6.9	6.1	3.3	2.1	1.8	1.4
1956	2.9	2.1	1.7	1.5	.8	1.1	1.2	1.5	2.3	3.0	4.6	6.1	7.7	6.7	6.3	3.0	2.5	1.7	2.3
1957	2.9	1.9	1.4	.8	.9	.8	1.4	1.9	2.5	3.0	4.9	6.1	7.7	8.0	6.2	4.0	2.8	1.6	2.2
1958	2.8	1.9	1.4	1.1	1.0	.9	1.0	1.5	2.1	3.1	4.7	5.4	7.3	7.2	7.1	3.5	1.8	1.7	1.7
1959	2.9	2.0	1.6	1.2	.9	.7	1.2	1.7	2.6	2.9	4.1	6.6	7.5	7.9	7.2	4.0	2.5	1.5	1.6
1960	2.9	1.8	1.8	1.2	.8	1.0	1.2	1.4	2.4	3.0	4.9	5.2	7.6	7.7	6.4	4.0	3.0	1.9	1.5
1961	3.0	1.8	1.6	1.2	1.1	.8	1.3	1.8	2.9	3.2	4.8	6.2	7.0	8.6	7.1	4.8	2.3	1.4	1.5
1962	3.0	1.8	1.6	1.1	1.0	.9	1.2	2.0	2.2	2.9	4.8	6.8	7.1	8.5	8.1	5.0	3.5	1.8	.4
1963	3.2	2.0	1.7	1.1	1.0	1.0	1.3	1.4	2.4	3.4	4.4	7.2	8.4	9.2	8.3	5.3	3.5	1.2	.9
1964	3.0	1.8	1.5	1.2	.9	.7	1.1	1.6	2.3	3.2	4.2	6.4	7.8	9.5	7.4	5.8	3.0	1.8	1.5
1965	3.2	2.1	1.5	1.1	.8	.7	1.2	1.7	2.4	3.0	4.7	5.8	7.6	10.4	9.0	6.3	3.1	2.5	.9
1966	3.3	2.0	1.4	1.1	1.1	1.2	1.0	1.5	2.3	2.9	4.5	6.3	8.5	9.9	9.1	6.8	5.1	2.1	2.3
1967	3.2	1.8	1.2	1.2	.8	.7	1.0	1.3	2.3	3.1	4.7	6.5	8.0	9.6	9.5	6.9	4.8	3.4	2.0
1968	3.3	1.9	1.5	1.1	.8	.9	.9	1.5	2.2	2.9	4.5	6.5	8.5	9.1	9.5	7.6	5.6	4.0	1.1
1969	3.4	1.8	1.3	1.1	.6	1.0	1.0	1.7	2.5	3.4	4.4	6.6	8.6	9.9	10.5	8.9	5.7	3.2	2.0
1970	3.5	1.8	1.4	1.0	.9	.8	1.0	1.3	2.1	3.0	4.7	6.1	8.2	10.7	11.7	9.5	7.9	3.8	2.3
1971	3.5	1.6	1.4	.9	.7	.9	1.2	1.5	1.7	3.0	4.5	6.5	8.9	11.1	11.2	9.3	8.6	4.1	2.8
1972	3.5	1.8	1.2	1.1	1.0	.9	.7	1.5	1.9	3.2	3.9	5.9	9.0	10.1	10.4	11.4	8.2	4.0	1.5
1973	3.6	1.9	1.3	.9	.8	.8	1.1	1.5	2.1	2.8	4.5	6.8	9.4	10.2	11.5	10.8	8.1	4.9	3.1
1974	3.6	1.9	1.4	.9	.8	.7	.8	1.3	2.1	2.9	4.3	6.1	9.0	10.6	11.6	10.7	9.9	5.8	2.8
1975	3.8	1.6	1.4	.9	.9	.5	1.0	1.6	2.1	2.9	4.3	6.5	8.8	11.6	12.7	12.9	9.5	5.4	3.8
1976	4.0	1.9	1.3	.9	.7	.7	1.3	1.6	2.3	2.6	4.4	6.5	8.6	12.1	12.5	12.9	12.1	7.7	4.1
1977	4.0	1.5	1.0	1.0	.8	.4	.9	1.5	1.9	3.1	4.4	6.7	8.8	11.6	13.6	13.1	12.6	9.5	5.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1611	127	102	55	43	43	75	71	121	112	155	167	227	144	102	35	17	10	5
1951	1741	124	76	49	28	48	60	86	135	141	181	230	234	164	101	42	28	6	8
1952	1822	126	76	68	46	51	77	108	122	137	190	205	220	181	122	55	24	10	4
1953	1998	162	111	68	46	48	71	91	122	158	204	219	262	213	129	65	23	5	1
1954	1983	151	89	65	44	39	62	75	122	160	201	238	260	211	146	71	29	12	8
1955	2136	146	135	70	34	44	55	103	132	164	198	251	300	224	166	68	27	13	6
1956	2157	170	126	87	38	53	64	83	124	153	217	245	280	222	174	64	34	13	10
1957	2235	157	108	54	48	37	72	103	138	155	233	251	285	267	177	87	40	13	10
1958	2164	158	109	76	55	41	51	83	120	162	228	229	275	242	207	79	27	14	8
1959	2316	169	121	81	51	35	59	91	146	152	201	288	286	267	217	93	38	13	8
1960	2318	157	143	85	48	47	60	77	139	159	244	232	297	266	196	95	48	17	8
1961	2479	156	129	92	65	40	64	97	162	173	243	280	281	298	222	118	38	13	8
1962	2524	155	128	80	63	45	58	103	126	158	242	312	295	295	257	128	60	17	2
1963	2693	169	139	82	65	53	62	72	132	192	225	337	357	325	264	141	61	12	5
1964	2599	154	128	97	63	40	55	78	128	183	215	304	339	340	237	156	54	19	9
1965	2734	171	127	91	56	44	61	82	130	168	246	280	341	380	293	173	58	27	6
1966	2869	157	120	91	87	73	53	71	122	167	240	309	385	369	298	189	99	24	15
1967	2827	138	106	97	59	47	51	65	118	172	253	322	369	370	315	194	97	40	14
1968	2919	143	130	94	60	60	49	72	111	161	246	326	395	363	320	217	115	49	8
1969	3089	129	112	97	50	70	56	84	125	185	246	336	404	403	360	255	120	41	16
1970	3182	125	114	87	74	57	60	68	102	160	264	315	387	446	409	275	168	51	20
1971	3258	113	110	78	60	67	71	80	85	162	254	344	424	471	401	270	186	57	25
1972	1615	62	46	49	42	34	24	41	48	83	108	160	214	219	192	167	90	29	7
1973	3402	127	98	80	66	63	74	85	107	144	246	375	450	445	438	322	178	73	31
1974	3416	128	100	74	73	59	58	77	104	146	233	340	439	468	456	323	219	89	30
1975	3620	103	101	78	76	43	74	96	106	145	229	362	438	513	516	397	214	85	44
1976	3784	119	90	72	61	56	99	98	120	128	229	361	436	544	515	407	275	124	50
1977	3861	90	73	80	73	38	72	103	103	152	226	366	457	522	572	426	289	155	64

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.3	3.7	2.8	1.5	1.0	1.4	1.0	1.3	.8	.9	.7	.7	.3	.2	-	-	-	-
1951	.3	.3	2.7	2.6	1.0	1.2	1.2	1.3	1.4	1.1	1.0	.9	.7	.4	.2	.1	-	-	-
1952	.3	.3	2.4	3.2	1.5	1.4	1.5	1.7	1.3	1.0	1.1	.8	.6	.4	.2	.1	-	-	-
1953	.4	.4	3.9	3.4	1.7	1.5	1.6	1.5	1.4	1.2	1.1	.9	.8	.5	.2	.1	-	-	-
1954	.4	.4	3.1	3.4	1.8	1.3	1.5	1.3	1.5	1.3	1.2	1.0	.8	.5	.2	.1	-	-	-
1955	.4	.4	4.8	3.8	1.3	1.5	1.4	1.8	1.6	1.3	1.2	1.1	.9	.5	.3	.1	-	-	-
1956	.4	.4	4.5	4.5	1.4	1.8	1.7	1.5	1.5	1.3	1.2	1.1	.9	.5	.3	.1	-	-	-
1957	.4	.4	3.8	2.5	1.7	1.3	1.9	1.8	1.6	1.3	1.3	1.0	.9	.6	.3	.1	-	-	-
1958	.3	.4	3.8	3.6	2.0	1.5	1.4	1.5	1.4	1.3	1.3	1.0	.9	.5	.3	.1	-	-	-
1959	.4	.4	4.1	3.8	1.8	1.2	1.7	1.7	1.8	1.3	1.1	1.2	.9	.6	.3	.1	-	-	-
1960	.4	.4	4.7	3.8	1.7	1.6	1.7	1.5	1.7	1.3	1.3	.9	.9	.6	.3	.1	-	-	-
1961	.4	.4	4.4	4.1	2.3	1.4	1.9	1.9	1.9	1.4	1.3	1.1	.9	.7	.3	.1	-	-	-
1962	.4	.4	4.3	3.7	2.0	1.4	1.7	2.0	1.5	1.2	1.3	1.2	.9	.6	.4	.1	.1	-	-
1963	.4	.5	4.7	3.7	1.9	1.5	1.8	1.5	1.6	1.5	1.2	1.3	1.0	.7	.4	.2	.1	-	-
1964	.4	.4	4.3	4.3	1.8	1.1	1.6	1.5	1.5	1.4	1.1	1.1	1.0	.7	.4	.2	.1	-	-
1965	.4	.5	4.4	4.0	1.5	1.2	1.7	1.7	1.6	1.3	1.2	1.0	1.0	.8	.4	.2	.1	-	-
1966	.4	.5	4.0	3.9	2.0	1.9	1.4	1.5	1.6	1.2	1.2	1.1	1.1	.8	.5	.2	.1	-	-
1967	.4	.5	3.7	4.1	1.4	1.1	1.4	1.4	1.5	1.3	1.3	1.2	1.0	.8	.5	.2	.1	-	-
1968	.4	.5	4.5	3.9	1.4	1.4	1.2	1.5	1.4	1.2	1.2	1.1	1.0	.7	.5	.2	.1	-	-
1969	.4	.5	4.0	3.9	1.1	1.5	1.3	1.7	1.6	1.4	1.2	1.2	1.1	.8	.5	.3	.1	-	-
1970	.4	.5	4.3	3.6	1.6	1.2	1.4	1.4	1.4	1.3	1.3	1.1	1.0	.9	.6	.3	.1	-	-
1971	.4	.5	4.2	3.1	1.3	1.4	1.6	1.6	1.2	1.3	1.3	1.2	1.1	.9	.6	.3	.2	-	-
1972	.4	.6	3.6	3.9	1.7	1.4	1.0	1.6	1.4	1.4	1.1	1.1	1.1	.8	.6	.4	.2	-	-
1973	.4	.6	4.0	3.3	1.3	1.3	1.6	1.6	1.5	1.3	1.3	1.3	1.1	.8	.6	.4	.2	.1	-
1974	.4	.7	4.9	3.2	1.6	1.3	1.2	1.5	1.6	1.3	1.3	1.2	1.1	.9	.7	.4	.2	.1	-
1975	.5	.6	5.2	3.8	1.7	.9	1.6	1.9	1.7	1.4	1.3	1.3	1.2	1.0	.8	.5	.2	.1	-
1976	.5	.7	4.7	3.7	1.3	1.2	2.1	2.0	1.9	1.3	1.4	1.3	1.1	1.0	.8	.5	.3	.1	-
1977	.5	.5	4.1	4.1	1.5	.8	1.5	2.0	1.6	1.6	1.4	1.4	1.2	1.0	.8	.5	.3	.1	-

Age-specific Graphs for White Females


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.6	1.5	2.1	1.3	.5	1.0	.6	.5	2.5	1.6	1.1	5.9	3.2	2.9	1.0	.0	.0	.0	5.4
1951	1.4	1.6	.9	.4	.3	1.0	1.6	.9	1.7	2.2	3.1	2.3	3.1	.5	2.4	.8	1.5	.0	.0
1952	1.8	1.6	2.0	.8	.8	1.8	.7	.9	2.1	2.5	4.0	3.8	2.3	4.5	1.9	.8	.0	.0	.0
1953	2.0	1.3	1.2	1.3	1.1	1.7	1.2	.7	2.9	3.0	2.2	5.7	3.9	4.0	2.8	3.9	1.3	.0	.0
1954	1.9	1.3	1.5	1.0	1.1	1.0	1.0	1.1	1.7	2.8	3.4	4.3	4.0	6.0	4.1	1.5	1.3	.0	.0
1955	1.9	1.1	.7	.8	.8	1.0	1.0	1.4	.3	2.2	3.8	6.2	6.0	8.3	3.5	1.5	1.2	.0	.0
1956	2.0	1.2	1.7	.5	.9	1.0	.5	1.6	2.0	3.3	4.1	4.5	5.5	3.6	3.5	3.5	2.3	.0	.0
1957	2.3	1.9	1.5	1.2	.7	.5	1.9	2.4	2.1	2.4	4.2	5.4	6.2	7.4	3.0	3.4	3.3	.0	.0
1958	2.3	2.0	1.9	1.3	1.2	1.1	1.3	1.5	1.9	2.7	4.1	6.6	6.2	5.3	2.6	2.6	1.1	.0	.0
1959	2.1	1.4	1.1	1.0	1.4	1.1	.5	1.8	2.4	3.1	3.4	4.6	4.7	6.6	5.0	5.0	.0	.0	.0
1960	2.1	2.0	1.4	.7	1.0	.8	1.8	.9	2.7	2.5	4.5	3.8	4.5	6.9	4.8	3.6	.0	2.1	.0
1961	2.1	1.5	1.6	.7	1.5	1.2	1.1	.6	1.7	1.9	3.8	5.2	4.5	7.7	5.1	2.3	.9	5.8	.0
1962	2.0	1.1	1.9	.8	.5	.8	1.5	1.2	2.9	2.6	3.6	4.4	6.1	5.6	3.0	3.3	2.8	.0	3.3
1963	2.3	1.9	1.3	1.2	.8	1.1	1.6	1.9	1.7	3.2	4.7	6.8	6.7	6.5	2.2	4.9	.9	.0	.0
1964	2.5	2.3	1.3	1.3	.9	1.6	2.2	1.6	2.5	3.2	4.7	5.7	6.6	6.4	3.2	4.2	2.7	.0	.0
1965	2.2	1.2	1.4	.7	1.1	.7	1.6	1.2	2.5	3.4	4.3	5.7	5.8	6.9	5.2	3.6	1.8	4.8	8.8
1966	2.7	1.7	1.5	1.6	.9	1.3	.5	1.2	2.2	3.9	5.9	6.8	10.0	5.5	5.8	5.2	5.2	1.6	2.8
1967	2.3	1.7	1.6	1.3	.6	.8	.7	1.3	1.4	1.8	4.5	7.8	6.5	7.0	5.7	6.1	3.4	1.5	.0
1968	2.1	2.1	1.5	.7	.6	.5	.6	1.2	1.1	3.9	3.4	6.0	6.7	5.9	5.3	3.5	2.5	3.0	2.4
1969	2.0	1.3	1.0	.5	.7	.4	1.1	1.1	2.5	1.9	4.0	4.8	8.5	4.4	8.9	3.4	4.2	1.5	.0
1970	2.4	2.3	1.7	1.0	.8	.6	.5	1.6	1.3	3.2	4.2	6.8	6.3	8.2	6.5	4.3	3.3	2.9	2.1
1971	2.4	1.2	1.9	.8	.6	.7	1.5	1.3	2.4	2.1	4.5	6.2	6.6	6.6	9.3	7.0	7.8	.0	2.1
1972	2.2	1.9	1.6	.6	.8	.3	1.7	1.6	2.5	2.9	3.3	4.3	7.3	5.9	5.6	7.6	9.2	2.6	.0
1973	2.5	1.7	1.4	1.2	.5	.7	.8	1.2	1.9	2.8	5.5	6.6	9.9	7.5	8.7	5.1	6.2	2.4	3.8
1974	2.2	1.7	2.0	.8	1.0	.7	.9	.6	2.2	1.9	2.6	4.5	6.0	11.1	4.9	5.1	4.6	8.2	5.3
1975	2.5	1.1	1.5	1.1	.6	.9	.9	.7	1.5	2.4	4.0	5.8	11.5	9.0	9.6	8.7	5.8	2.3	.0
1976	2.7	1.0	2.0	.8	1.0	1.3	.6	1.3	2.0	4.1	3.5	5.9	8.8	10.4	10.2	10.0	9.0	3.3	7.4
1977	2.4	1.4	1.6	.8	.8	.4	.9	1.6	1.3	1.2	3.5	5.5	9.2	10.7	9.8	8.6	5.7	4.3	1.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	124	15	17	9	3	6	4	3	14	8	5	22	9	6	2	0	0	0	1
1951	111	17	7	3	2	6	10	5	10	11	14	9	9	1	5	1	1	0	0
1952	146	18	17	6	5	11	4	5	12	13	18	15	7	10	4	1	0	0	0
1953	163	15	11	10	7	10	7	4	17	16	10	23	12	9	6	5	1	0	0
1954	160	15	14	8	7	6	6	7	10	15	15	18	13	14	9	2	1	0	0
1955	162	14	7	7	5	6	6	9	2	12	17	26	20	20	8	2	1	0	0
1956	174	15	19	4	6	6	3	10	12	18	19	19	19	9	8	5	2	0	0
1957	212	25	17	11	5	3	11	15	13	13	20	23	22	19	7	5	3	0	0
1958	218	28	22	12	9	7	8	9	12	15	20	28	23	14	6	4	1	0	0
1959	200	20	13	10	11	7	3	11	15	17	17	20	18	18	12	8	0	0	0
1960	215	30	18	8	8	5	11	6	17	14	24	17	18	20	12	6	0	1	0
1961	212	23	22	8	12	8	7	4	11	11	20	24	18	23	13	4	1	3	0
1962	214	17	26	10	4	6	9	8	19	15	19	21	25	17	8	6	3	0	1
1963	252	29	19	15	7	8	10	12	11	19	25	33	28	20	6	9	1	0	0
1964	271	35	19	16	9	12	14	10	16	19	25	28	28	20	9	8	3	0	0
1965	249	18	21	9	12	6	10	8	16	21	23	28	25	22	15	7	2	3	3
1966	303	25	23	22	10	11	3	8	14	24	32	34	44	18	17	10	6	1	1
1967	266	25	25	18	7	7	5	8	9	11	25	39	29	24	17	12	4	1	0
1968	247	30	23	10	7	5	4	8	7	24	19	30	30	21	16	7	3	2	1
1969	237	18	15	7	9	4	8	7	16	12	23	24	38	16	27	7	5	1	0
1970	288	31	26	16	11	6	4	11	8	20	25	35	28	31	20	9	4	2	1
1971	293	17	28	12	9	8	12	9	15	13	27	33	29	26	29	15	10	0	1
1972	142	13	12	5	6	2	7	6	8	9	10	12	16	12	9	8	6	1	0
1973	321	24	20	19	7	8	7	9	12	18	33	38	43	31	29	11	8	2	2
1974	287	24	28	13	15	9	8	5	14	12	16	26	27	46	17	11	6	7	3
1975	331	15	22	18	10	12	9	6	10	15	25	34	54	37	35	19	8	2	0
1976	371	14	29	13	17	17	6	11	14	26	22	35	43	42	39	22	13	3	5
1977	332	19	23	13	13	6	10	14	9	8	22	33	47	43	39	20	8	4	1

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.1	2.2	1.3	.2	.3	.1	.1	.4	.2	.1	.3	.1	.1	-	.0	.0	.0	-
1951	.1	.1	.9	.4	.2	.3	.4	.2	.3	.2	.2	.1	.1	-	.1	-	-	.0	.0
1952	.1	.1	2.0	.9	.4	.5	.2	.2	.3	.2	.3	.2	.1	.1	-	-	.0	.0	.0
1953	.2	.1	1.4	1.4	.5	.5	.3	.1	.5	.3	.2	.3	.1	.1	.1	.1	-	.0	.0
1954	.2	.1	1.8	1.2	.6	.4	.3	.3	.3	.3	.3	.2	.1	.2	.1	-	-	.0	.0
1955	.2	.1	.9	1.1	.5	.3	.3	.3	.1	.3	.3	.3	.2	.2	.1	-	-	.0	.0
1956	.2	.1	2.3	.6	.5	.3	.1	.4	.3	.4	.3	.2	.2	.1	.1	.1	-	.0	.0
1957	.2	.1	1.9	1.4	.4	.2	.5	.5	.4	.3	.3	.3	.2	.2	.1	.1	-	.0	.0
1958	.2	.2	2.6	1.8	.8	.4	.4	.3	.3	.3	.3	.3	.2	.1	.1	-	-	.0	.0
1959	.2	.1	1.4	1.3	.9	.4	.1	.4	.4	.4	.3	.3	.2	.2	.1	.1	.0	.0	.0
1960	.2	.2	1.9	1.0	.6	.3	.5	.2	.4	.3	.4	.2	.2	.2	.1	.1	.0	-	.0
1961	.2	.1	2.5	1.0	.9	.5	.3	.1	.3	.2	.3	.3	.2	.2	.1	-	-	.1	.0
1962	.2	.1	2.7	1.2	.3	.3	.4	.3	.5	.3	.3	.2	.3	.1	.1	.1	-	.0	-
1963	.2	.2	1.9	1.8	.5	.4	.5	.4	.3	.4	.4	.4	.3	.2	-	.1	-	.0	.0
1964	.2	.2	1.8	1.8	.6	.6	.6	.3	.4	.3	.4	.3	.3	.2	.1	.1	-	.0	.0
1965	.2	.1	2.0	1.0	.7	.3	.4	.3	.4	.4	.3	.3	.2	.2	.1	.1	-	-	.1
1966	.2	.2	2.2	2.3	.5	.4	.1	.3	.3	.4	.4	.4	.4	.1	.1	.1	.1	-	-
1967	.2	.2	2.4	1.9	.3	.3	.2	.2	.2	.2	.3	.4	.3	.2	.1	.1	-	-	.0
1968	.2	.2	2.1	.9	.3	.2	.1	.2	.2	.4	.2	.3	.2	.2	.1	.1	-	-	-
1969	.2	.1	1.4	.6	.3	.1	.2	.2	.3	.2	.3	.2	.3	.1	.2	.1	-	-	.0
1970	.2	.2	2.7	1.5	.4	.1	.1	.3	.2	.3	.3	.4	.2	.2	.1	.1	-	-	-
1971	.2	.1	2.7	1.2	.3	.2	.3	.2	.3	.2	.3	.3	.3	.2	.2	.1	.1	.0	-
1972	.2	.2	2.8	1.0	.4	.1	.4	.3	.3	.3	.2	.2	.3	.2	.1	.1	.1	-	.0
1973	.2	.2	2.1	1.7	.2	.2	.2	.2	.3	.3	.4	.4	.4	.2	.2	.1	.1	-	-
1974	.2	.3	3.3	1.4	.5	.2	.2	.1	.3	.2	.2	.3	.2	.3	.1	.1	.1	.1	-
1975	.2	.2	2.8	1.9	.4	.3	.2	.2	.2	.3	.3	.3	.5	.3	.2	.1	.1	-	.0
1976	.3	.2	3.6	1.6	.7	.4	.1	.3	.4	.5	.3	.4	.4	.3	.3	.2	.1	-	.1
1977	.2	.2	3.0	1.5	.5	.2	.2	.4	.2	.2	.3	.3	.4	.3	.3	.1	.1	-	-

Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths



YEAR AGE

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	1.6	1.0	.8	.6	.1	.4	1.1	1.0	3.1	.4	1.6	2.7	.5	.5	.9	.0	2.4	.0
1951	1.2	1.3	1.7	1.0	.8	.7	1.2	.3	.9	1.9	2.2	1.3	2.2	1.4	.9	.0	3.0	.0	7.5
1952	1.3	1.3	.8	1.1	.8	.6	1.0	1.1	1.3	1.8	2.0	3.8	1.7	2.3	2.6	.0	1.5	.0	3.5
1953	1.1	.9	1.2	.9	1.3	.4	.9	1.0	1.3	2.0	.9	2.0	1.6	1.3	.4	1.5	.0	.0	.0
1954	1.4	1.3	1.2	.7	.7	.1	.9	1.7	1.9	3.5	1.3	3.1	2.5	1.7	1.3	1.4	.0	.0	.0
1955	1.4	1.3	1.2	.8	.4	.6	1.2	.9	1.6	1.7	2.7	3.5	4.5	1.2	2.1	2.7	.0	.0	.0
1956	1.2	1.3	1.2	.7	1.0	.1	.6	.8	.8	2.0	2.3	2.8	3.5	2.3	.4	2.6	.0	.0	.0
1957	1.1	.6	1.3	.4	1.1	.4	.7	.4	1.1	1.8	2.4	2.5	2.8	1.8	1.2	1.2	1.1	.0	.0
1958	1.4	1.3	1.4	1.1	.7	.6	1.6	1.1	1.2	1.0	1.5	3.2	4.3	1.4	1.6	.6	3.0	3.8	.0
1959	1.2	1.5	1.2	.7	1.0	1.2	.3	1.1	1.3	1.5	1.8	2.5	.3	2.4	1.9	.0	.9	.0	.0
1960	1.6	1.2	1.7	1.3	.6	1.1	.4	1.4	1.1	1.9	2.8	3.2	4.2	3.3	.7	2.7	.9	.0	.0
1961	1.7	1.4	2.2	1.2	.8	.7	1.3	1.8	2.1	1.4	2.3	2.3	3.6	3.5	3.8	1.5	.8	3.3	.0
1962	1.4	1.0	1.6	1.1	.9	.8	.4	.8	1.0	2.2	3.3	3.0	3.1	1.9	1.7	1.5	.0	.0	2.4
1963	1.6	1.5	1.0	1.2	1.3	.5	1.0	.7	1.1	2.1	2.4	3.7	3.4	3.3	1.6	3.3	1.6	4.3	2.3
1964	1.7	1.6	1.5	1.3	.7	1.1	1.3	.8	2.0	2.6	2.9	2.9	3.3	5.0	1.5	1.4	.8	2.7	.0
1965	1.4	1.1	1.8	.7	.9	.3	1.1	1.2	2.2	1.4	2.2	2.6	2.8	3.2	1.8	1.3	1.5	2.6	.0
1966	1.6	1.2	1.6	.9	.4	.6	1.5	1.1	2.0	2.1	2.5	3.9	2.3	4.4	2.3	2.6	1.4	1.3	.0
1967	1.3	1.0	1.3	.8	.4	.6	.5	1.2	.8	1.4	1.8	2.2	2.7	4.8	3.7	2.1	2.0	.0	.0
1968	1.8	1.4	1.6	1.0	.8	1.2	1.0	.8	1.2	2.8	3.4	3.0	4.2	5.8	2.2	2.9	3.9	.0	1.6
1969	1.7	1.6	1.6	1.2	.7	.6	1.1	.9	1.6	1.4	3.0	1.9	4.6	4.1	3.0	4.0	2.6	1.1	.0
1970	1.4	1.0	1.1	1.0	.6	.8	.6	.6	.9	1.9	1.9	2.9	3.6	3.4	4.5	3.1	3.1	1.0	.0
1971	1.9	1.8	1.9	.7	.9	.8	1.0	1.5	.9	1.8	3.1	3.0	5.8	4.0	7.4	4.2	2.4	3.8	1.3
1972	1.6	.9	1.0	.8	.5	.5	.8	.7	1.6	1.6	2.9	3.5	4.0	4.7	7.1	3.9	7.0	1.8	.0
1973	1.8	1.3	2.1	1.0	1.4	1.0	.3	.8	.7	1.6	2.7	2.8	5.8	5.0	4.3	6.2	2.9	2.5	1.1
1974	1.7	1.3	1.8	.8	1.0	.4	.4	.9	.8	2.1	2.0	3.5	4.3	6.0	4.1	5.8	4.6	.8	1.0
1975	1.6	1.3	1.3	.9	.8	.6	.4	.9	1.0	1.3	2.2	3.0	4.2	5.6	4.1	5.7	2.8	3.1	2.7
1976	1.8	1.3	1.2	1.2	.9	.9	.9	1.2	1.0	1.0	2.8	3.7	4.8	4.6	4.9	6.4	5.3	2.9	2.5
1977	2.0	1.9	1.1	1.1	.5	.5	.6	.7	1.2	2.2	2.9	4.2	4.8	6.0	7.7	6.0	6.0	4.3	.8

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	86	16	8	6	4	1	3	7	6	16	2	6	7	1	1	1	0	1	0
1951	101	14	14	7	5	5	8	2	6	10	10	5	6	3	2	0	2	0	2
1952	112	14	7	8	5	4	7	7	8	10	9	15	5	5	6	0	1	0	1
1953	95	10	11	7	9	3	6	7	8	11	4	8	5	3	1	2	0	0	0
1954	126	16	12	6	5	1	6	12	12	20	6	13	8	4	3	2	0	0	0
1955	131	16	12	7	3	4	8	6	10	10	13	15	15	3	5	4	0	0	0
1956	117	17	13	6	7	1	4	6	5	12	11	12	12	6	1	4	0	0	0
1957	108	8	15	4	8	3	5	3	7	11	12	11	10	5	3	2	1	0	0
1958	139	18	17	10	5	4	11	8	8	6	8	14	16	4	4	1	3	2	0
1959	123	22	15	7	8	8	2	8	9	9	10	11	1	7	5	0	1	0	0
1960	166	18	22	14	5	8	3	10	8	12	16	15	17	10	2	5	1	0	0
1961	190	21	30	14	7	5	9	13	15	9	13	11	15	11	11	3	1	2	0
1962	156	15	22	13	8	6	3	6	7	14	19	15	13	6	5	3	0	0	1
1963	178	22	14	15	12	4	7	5	8	14	14	19	15	11	5	7	2	3	1
1964	202	24	22	17	7	9	9	6	15	18	17	15	15	17	5	3	1	2	0
1965	172	16	27	9	10	3	8	9	16	10	13	14	13	11	6	3	2	2	0
1966	193	18	24	12	5	5	11	8	15	15	15	21	11	16	8	6	2	1	0
1967	161	14	20	12	5	6	4	9	6	10	11	12	13	18	13	5	3	0	0
1968	227	19	24	14	10	12	8	6	9	20	22	17	21	23	8	7	6	0	1
1969	215	22	25	18	9	6	9	7	12	10	20	11	23	17	11	10	4	1	0
1970	187	14	16	15	8	9	5	5	7	14	13	17	18	15	17	8	5	1	0
1971	260	24	28	11	12	10	9	12	7	13	21	18	29	18	28	11	4	4	1
1972	113	6	7	6	4	3	4	3	6	6	10	11	10	11	14	5	6	1	0
1973	258	18	30	16	21	13	3	7	5	12	19	18	29	24	18	16	5	3	1
1974	243	18	26	13	15	6	4	8	6	16	14	23	22	29	18	15	8	1	1
1975	236	17	19	15	13	9	4	9	8	10	16	20	23	27	19	15	5	4	3
1976	273	18	17	19	15	13	11	12	8	8	20	25	27	22	24	17	10	4	3
1977	297	26	16	17	8	8	7	7	10	17	21	29	28	29	39	17	11	6	1


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.1	1.2	1.2	.3	.1	.1	.2	.2	.3	-	.1	.1	-	-	-	.0	-	.0
1951	.1	.1	2.2	1.5	.5	.3	.4	.1	.2	.2	.2	.1	.1	-	-	.0	-	.0	.1
1952	.1	.1	1.1	1.7	.5	.3	.4	.3	.2	.2	.2	.2	.1	.1	.1	.0	-	.0	-
1953	.1	.1	1.8	1.6	1.0	.2	.3	.3	.2	.2	.1	.1	.1	-	-	-	.0	.0	.0
1954	.2	.1	2.0	1.5	.7	.1	.4	.5	.4	.5	.1	.2	.1	.1	-	-	.0	.0	.0
1955	.2	.1	1.9	1.7	.5	.4	.5	.3	.3	.2	.3	.2	.2	-	.1	.1	.0	.0	.0
1956	.1	.1	1.9	1.5	1.1	.1	.3	.3	.2	.3	.2	.2	.2	.1	-	.1	.0	.0	.0
1957	.1	.1	2.1	.9	1.1	.3	.3	.1	.2	.3	.2	.2	.1	.1	-	-	-	.0	.0
1958	.2	.1	2.4	2.5	.8	.4	.8	.3	.3	.2	.2	.2	.2	-	-	-	.1	-	.0
1959	.1	.1	2.0	1.5	1.1	.8	.1	.4	.3	.2	.2	.2	-	.1	.1	.0	-	.0	.0
1960	.2	.1	2.8	3.0	.8	.8	.2	.4	.3	.3	.3	.2	.2	.1	-	.1	-	.0	.0
1961	.2	.2	4.3	3.1	1.0	.5	.7	.6	.5	.2	.3	.2	.2	.1	.1	-	-	-	.0
1962	.2	.1	2.7	2.7	1.1	.6	.2	.3	.2	.3	.4	.2	.2	.1	.1	-	.0	.0	-
1963	.2	.2	1.7	2.7	1.5	.4	.5	.2	.2	.3	.3	.3	.2	.1	-	.1	-	.1	-
1964	.2	.2	2.9	3.1	.9	.9	.6	.3	.5	.4	.3	.2	.2	.2	-	-	-	-	.0
1965	.2	.1	3.3	1.7	1.2	.3	.6	.4	.5	.2	.3	.2	.2	.1	.1	-	-	-	.0
1966	.2	.1	3.1	2.1	.5	.4	.8	.4	.5	.3	.3	.3	.1	.2	.1	.1	-	-	.0
1967	.2	.1	2.7	2.1	.5	.5	.3	.4	.2	.2	.2	.2	.2	.2	.1	-	-	.0	.0
1968	.2	.2	3.2	2.3	1.0	.9	.5	.3	.3	.4	.4	.3	.2	.2	.1	.1	.1	.0	-
1969	.2	.2	3.4	2.9	.7	.4	.6	.3	.4	.2	.4	.2	.3	.2	.1	.1	-	-	.0
1970	.2	.1	2.3	2.5	.7	.6	.3	.3	.2	.3	.2	.3	.2	.2	.1	.1	.1	-	.0
1971	.3	.3	4.2	1.8	1.0	.6	.6	.6	.2	.3	.4	.3	.4	.2	.3	.1	-	.1	-
1972	.2	.1	2.2	2.0	.7	.4	.5	.3	.4	.3	.4	.3	.3	.2	.2	.1	.1	-	.0
1973	.2	.2	4.8	2.8	1.8	.8	.2	.3	.2	.3	.3	.3	.4	.2	.2	.1	-	-	-
1974	.2	.2	4.7	2.5	1.4	.4	.2	.4	.2	.4	.3	.3	.3	.3	.2	.1	.1	-	-
1975	.2	.2	3.6	3.0	1.3	.6	.2	.5	.3	.3	.3	.3	.3	.3	.2	.1	-	-	-
1976	.3	.2	3.3	4.1	1.6	.8	.6	.7	.4	.2	.4	.4	.4	.2	.2	.1	.1	-	-
1977	.3	.4	3.2	3.9	.8	.5	.4	.4	.5	.5	.5	.5	.4	.3	.4	.1	.1	.1	-


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	299	0.44	0.49	0.29	555	0.82	0.87	0.59	28	0.36	0.50	0.33	51	0.63	0.87	0.59
1951	292	0.42	0.46	0.27	547	0.79	0.83	0.57	25	0.31	0.40	0.26	35	0.42	0.65	0.45
1952	309	0.44	0.49	0.28	566	0.80	0.84	0.58	18	0.22	0.30	0.19	46	0.54	0.76	0.52
1953	344	0.48	0.54	0.31	563	0.79	0.81	0.56	19	0.23	0.29	0.18	37	0.43	0.60	0.42
1954	299	0.41	0.45	0.26	625	0.86	0.87	0.62	24	0.28	0.38	0.22	52	0.58	0.83	0.58
1955	345	0.47	0.52	0.29	642	0.87	0.88	0.62	20	0.23	0.31	0.18	57	0.62	0.83	0.59
1956	340	0.46	0.50	0.28	642	0.85	0.85	0.61	21	0.24	0.35	0.20	50	0.53	0.72	0.49
1957	353	0.47	0.51	0.28	630	0.82	0.81	0.59	24	0.26	0.33	0.18	48	0.50	0.71	0.49
1958	321	0.42	0.45	0.26	581	0.74	0.73	0.54	24	0.26	0.36	0.20	55	0.56	0.75	0.52
1959	318	0.41	0.44	0.25	616	0.78	0.75	0.56	25	0.26	0.37	0.20	61	0.60	0.84	0.60
1960	347	0.44	0.47	0.26	612	0.76	0.73	0.54	27	0.27	0.36	0.19	54	0.51	0.69	0.48
1961	311	0.39	0.42	0.23	629	0.77	0.73	0.55	28	0.27	0.39	0.20	70	0.64	0.88	0.61
1962	323	0.40	0.43	0.24	620	0.74	0.70	0.53	18	0.17	0.23	0.12	57	0.51	0.69	0.49
1963	316	0.38	0.41	0.22	611	0.72	0.68	0.51	38	0.35	0.50	0.25	56	0.49	0.65	0.47
1964	324	0.39	0.42	0.22	651	0.76	0.71	0.54	26	0.24	0.36	0.18	51	0.44	0.60	0.43
1965	335	0.40	0.43	0.23	640	0.74	0.68	0.51	25	0.22	0.31	0.15	52	0.44	0.58	0.41
1966	331	0.39	0.42	0.22	576	0.66	0.59	0.45	32	0.28	0.40	0.18	69	0.57	0.73	0.51
1967	274	0.32	0.35	0.18	598	0.67	0.60	0.46	24	0.21	0.29	0.13	83	0.67	0.89	0.63
1968	351	0.41	0.44	0.23	562	0.63	0.55	0.42	36	0.31	0.41	0.18	68	0.54	0.71	0.49
1969	306	0.35	0.38	0.19	573	0.63	0.55	0.42	37	0.31	0.45	0.20	59	0.46	0.60	0.42
1970	338	0.38	0.41	0.21	649	0.71	0.61	0.47	23	0.19	0.26	0.11	57	0.43	0.55	0.40
1971	312	0.35	0.38	0.19	590	0.64	0.54	0.41	28	0.22	0.33	0.14	68	0.51	0.64	0.45
1972	166	0.37	0.40	0.20	320	0.69	0.57	0.44	18	0.28	0.41	0.17	23	0.33	0.43	0.30
1973	279	0.31	0.33	0.16	593	0.63	0.52	0.40	36	0.28	0.41	0.17	64	0.46	0.59	0.40
1974	283	0.31	0.33	0.16	596	0.63	0.51	0.39	33	0.25	0.36	0.15	67	0.47	0.60	0.42
1975	269	0.30	0.31	0.15	602	0.64	0.51	0.39	30	0.22	0.32	0.13	58	0.40	0.50	0.35
1976	341	0.37	0.39	0.19	573	0.60	0.47	0.35	34	0.25	0.35	0.14	59	0.40	0.47	0.33
1977	332	0.36	0.38	0.18	608	0.63	0.48	0.36	44	0.32	0.43	0.17	73	0.48	0.59	0.40

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Thyroid only.
(ICD 194 [6th]; ICD 194 [7th]; ICD 193 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



ALDERSON MR: Epidemiology. Recent Results Cancer Res 73:1-22, 1980

WILLIAMS ED: The epidemiology of thyroid cancer. Ann Radiol (Paris) 20:722-724, 1977

POTTERN LM, STONE BJ, DAY NE, et al: Thyroid cancer in Connecticut, 1935-1975: An analysis by cell type. Am J Epidemiol 112:764-774, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	-	.0	.0	.0	-	-	.1	.1	.2	.4	.6	1.4	1.7	2.5	3.0	2.5	1.9	4.9
1951	.4	-	-	-	-	-	.1	.1	.2	.3	.4	.6	.9	1.8	2.0	2.4	2.7	2.7	3.3
1952	.4	.0	.0	.0	-	-	.1	.1	.1	.3	.3	.8	1.1	1.7	2.0	2.5	3.6	3.2	3.1
1953	.5	-	-	-	-	.0	.1	.0	.1	.3	.5	.7	1.4	1.3	2.3	3.0	4.2	3.8	4.1
1954	.4	-	.0	.0	-	-	-	.0	.1	.3	.6	.9	1.2	1.2	2.0	2.3	2.8	2.7	2.1
1955	.5	.0	.0	-	-	-	-	-	.1	.2	.5	.9	1.5	1.5	2.5	2.3	2.6	4.4	4.0
1956	.5	.0	-	.0	.0	.0	.0	.1	.1	.2	.4	.8	1.1	1.8	2.0	2.7	3.7	4.4	3.3
1957	.5	.0	-	.0	.0	.0	.1	-	.1	.2	.3	.7	1.0	1.6	2.4	3.1	3.9	3.6	3.5
1958	.4	.0	-	.0	.0	.0	-	.0	.1	.2	.4	.4	1.0	1.6	2.3	3.0	2.9	2.2	4.1
1959	.4	-	.0	-	-	-	-	.1	.1	.2	.3	.7	.7	1.7	1.6	2.9	2.8	3.1	2.8
1960	.4	.0	.0	.0	.0	-	.1	.1	.1	.3	.4	.3	1.1	1.6	2.4	2.7	2.6	3.7	3.9
1961	.4	.0	.0	-	-	-	.1	.1	-	.2	.3	.5	1.0	1.2	1.9	2.6	2.4	4.5	2.0
1962	.4	.0	.0	-	-	-	-	-	.1	.1	.4	.5	1.1	1.5	1.7	2.5	3.2	3.2	2.6
1963	.4	-	.0	-	-	.1	-	-	.1	.2	.2	.5	1.0	1.5	1.9	2.8	2.6	2.2	2.3
1964	.4	-	.0	-	-	.0	-	.1	.1	.3	.3	.5	.8	1.3	2.0	2.6	3.4	1.7	2.8
1965	.4	.0	.0	.0	-	.0	.0	.1	.2	.1	.4	.5	.8	1.7	2.2	2.5	3.0	2.3	2.8
1966	.4	.0	.0	-	-	.0	.1	.1	-	.2	.3	.5	.9	1.5	1.6	2.7	3.1	3.1	3.8
1967	.3	-	-	-	-	-	-	.1	.1	.1	.2	.4	.7	.9	1.6	2.4	2.6	2.9	1.8
1968	.4	.0	-	.0	.0	-	.1	.1	.1	.1	.3	.6	.9	1.5	1.8	2.5	3.0	3.4	4.5
1969	.4	.0	.0	-	-	-	.1	.1	.1	.2	.4	.5	.8	1.2	1.3	2.2	2.2	2.9	4.1
1970	.4	.0	.0	-	-	-	.1	.1	.1	.2	.3	.6	1.0	1.1	1.8	2.1	2.8	3.9	2.7
1971	.4	.0	.0	.0	-	-	-	.1	.1	.3	.2	.5	.8	1.1	1.8	2.2	2.6	3.0	2.6
1972	.4	.0	.0	.0	.0	.1	-	.1	-	.2	.3	.5	.5	1.4	1.9	2.3	3.0	4.0	2.5
1973	.3	.0	.0	.0	.0	-	.1	-	.2	.1	.2	.3	.7	1.2	1.2	2.0	1.5	3.7	3.0
1974	.3	.0	.0	-	-	.0	-	.0	.1	.1	.3	.4	.8	1.1	1.1	2.1	2.2	3.5	2.1
1975	.3	.0	.0	.0	-	.0	.0	-	.1	.1	.4	.4	.6	.8	1.4	1.5	2.4	2.4	4.0
1976	.4	.0	.0	.0	.0	-	.0	-	-	.1	.3	.6	.8	1.0	1.6	2.5	3.4	2.9	3.9
1977	.4	.0	.0	.0	-	-	.1	.1	-	.2	.4	.4	.6	.9	1.7	2.2	3.6	3.6	1.9

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	299	1	0	0	0	1	1	3	7	9	15	23	46	49	55	46	23	9	11
1951	292	1	1	1	2	1	4	3	9	13	18	24	32	52	47	37	26	13	8
1952	309	0	0	0	1	1	4	4	7	12	14	31	38	49	47	41	36	16	8
1953	344	1	2	1	1	0	4	0	7	14	21	26	48	40	56	50	43	19	11
1954	299	1	0	0	2	1	1	0	4	13	25	35	42	35	50	40	30	14	6
1955	345	0	0	1	2	1	2	2	4	9	23	35	53	45	63	41	28	24	12
1956	340	0	1	0	0	0	0	3	5	9	20	31	38	57	51	49	41	25	10
1957	353	0	2	0	0	0	6	2	8	10	14	29	36	50	61	58	45	21	11
1958	321	0	1	0	0	0	1	0	5	12	20	18	36	51	59	58	34	13	13
1959	318	1	0	3	1	1	1	5	7	12	16	29	26	54	42	58	34	19	9
1960	347	0	0	0	0	1	6	3	6	15	21	15	43	50	64	54	33	23	13
1961	311	0	0	2	1	2	3	3	2	10	17	22	37	39	52	54	31	29	7
1962	323	0	0	2	1	2	2	2	4	4	18	23	44	48	47	53	42	22	9
1963	316	1	0	1	1	3	1	2	7	10	12	22	40	47	51	60	35	15	8
1964	324	1	0	2	3	0	2	4	4	17	17	22	33	42	53	56	46	12	10
1965	335	0	0	0	1	0	0	3	9	8	21	23	33	55	58	55	42	17	10
1966	331	0	0	1	1	0	5	5	2	12	13	21	39	49	44	59	43	23	14
1967	274	1	1	3	3	1	1	4	3	6	12	17	28	32	44	52	37	22	7
1968	351	0	1	0	0	1	4	7	5	8	18	27	38	51	49	54	43	27	18
1969	306	0	0	2	1	3	3	3	7	8	21	24	35	43	37	47	32	23	17
1970	338	0	0	1	1	3	6	5	6	12	14	29	42	40	51	44	40	32	12
1971	312	0	0	0	1	2	1	3	3	13	13	23	37	41	53	47	38	25	12
1972	166	0	0	0	0	3	1	3	1	4	8	12	11	26	28	24	22	17	6
1973	279	0	0	0	0	1	4	2	9	7	10	17	33	47	37	44	21	32	15
1974	283	0	0	1	1	0	2	0	5	6	15	22	34	44	35	46	31	30	11
1975	269	0	0	0	2	0	0	1	4	4	20	22	28	32	44	34	35	21	22
1976	341	0	0	0	0	1	0	3	2	7	16	29	38	40	52	56	49	26	22
1977	332	0	0	0	1	2	4	4	2	12	18	21	28	36	57	52	52	32	11

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.0	.0	-	-	-	-	-	-	.1	.1	.1	.1	.1	-	-	-
1951	-	-	-	-	-	-	-	-	.1	.1	.1	.1	-	.1	.1	-	-	-	-
1952	-	.0	.0	.0	-	-	-	-	-	.1	-	.1	.1	.1	-	-	-	-	-
1953	-	-	-	-	-	.0	-	.0	.1	.1	.1	.1	.1	-	.1	.1	-	-	-
1954	-	-	.0	.0	-	-	-	.0	-	.1	.1	.1	.1	-	.1	-	-	-	-
1955	-	.0	.0	-	-	-	-	-	-	-	.1	.1	.1	.1	.1	-	-	-	-
1956	-	.0	-	.0	.0	.0	.0	-	-	-	.1	.1	.1	.1	.1	-	-	-	-
1957	-	.0	-	.0	.0	.0	.1	-	.1	-	-	.1	.1	.1	.1	.1	-	-	-
1958	-	.0	-	.0	.0	.0	-	.0	-	.1	.1	-	.1	.1	.1	.1	-	-	-
1959	-	-	.0	.1	-	-	-	.1	.1	.1	-	.1	-	.1	-	.1	-	-	-
1960	-	.0	.0	.0	.0	-	.1	-	-	.1	.1	-	.1	.1	.1	-	-	-	-
1961	-	.0	.0	.1	-	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-
1962	-	.0	.0	.1	-	-	-	-	-	-	.1	-	.1	.1	-	-	-	-	-
1963	-	-	.0	-	-	-	-	-	.1	-	-	-	.1	.1	-	-	-	-	-
1964	-	-	.0	-	-	.0	-	-	-	.1	-	-	-	-	-	-	-	-	-
1965	-	.0	.0	.0	-	.0	.0	-	.1	-	.1	-	-	.1	.1	-	-	-	-
1966	-	.0	.0	-	-	.0	.1	.1	-	.1	-	-	.1	.1	-	-	-	-	-
1967	-	-	-	.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1968	-	.0	-	.0	.0	-	-	.1	-	-	-	-	-	.1	-	-	-	-	-
1969	-	.0	.0	-	-	-	-	-	.1	-	.1	-	-	-	-	-	-	-	-
1970	-	.0	.0	-	-	-	.1	.1	-	.1	-	.1	.1	-	-	-	-	-	-
1971	-	.0	.0	.0	-	-	-	-	-	.1	-	-	-	-	-	-	-	-	-
1972	-	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	.1	-	-	-	-	-
1973	-	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	-	-	-	-	-
1974	-	.0	.0	-	-	.0	-	.0	-	-	-	-	-	-	-	-	-	-	-
1975	-	.0	.0	.0	-	.0	.0	-	-	-	.1	-	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	-	.0	-	-	-	.1	.1	.1	-	-	-	-	-	-
1977	-	.0	.0	.0	-	-	-	-	-	.1	.1	-	-	-	-	-	-	-	-

Thyroid

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	.0	.0	.0	.0	.0	-	.1	.1	.3	.5	.9	2.2	3.0	4.2	4.8	7.0	5.2	8.8
1951	.8	.0	-	.0	-	-	-	.1	.2	.2	.6	1.3	1.4	2.7	3.6	5.6	6.8	6.6	4.4
1952	.8	-	.0	-	-	.1	.1	.1	.2	.3	.3	.8	1.7	3.2	3.9	4.5	6.3	6.6	8.7
1953	.8	.0	.0	.0	-	.0	-	.1	.1	.4	.6	1.3	1.6	1.9	3.1	5.7	6.9	5.5	8.5
1954	.9	.0	.0	.0	-	-	.1	.1	.1	.4	.7	1.4	1.5	2.5	3.7	5.5	7.0	6.6	8.3
1955	.9	.0	-	-	-	.0	-	.1	.2	.2	.4	1.0	1.6	2.2	4.4	5.4	6.3	9.3	10.0
1956	.9	-	-	.0	-	.1	-	.1	.2	.2	.6	.9	1.9	2.5	3.9	4.5	6.0	9.5	6.9
1957	.8	.0	.0	-	-	-	.1	.1	.2	.2	.5	1.0	1.4	2.6	3.4	4.4	6.4	7.7	9.6
1958	.7	-	.0	.0	-	.0	.1	.1	.2	.3	.4	.9	1.4	2.0	3.0	4.6	5.3	7.1	7.9
1959	.8	.0	-	.0	.0	.1	-	.1	.2	.2	.5	.9	1.5	2.2	3.0	4.6	6.7	5.8	7.3
1960	.8	.0	-	.0	-	-	-	.1	.1	.3	.4	.6	1.6	2.3	3.1	4.6	6.1	7.4	4.7
1961	.8	.0	-	.0	-	-	.1	.1	.1	.2	.5	.7	1.5	2.3	3.5	4.4	5.9	7.1	4.5
1962	.7	.0	.0	-	-	.1	.1	.1	.2	.3	.3	1.0	1.4	2.0	3.1	3.6	5.6	6.7	7.8
1963	.7	-	.0	.0	-	-	.1	-	.1	.2	.4	.6	1.4	2.0	3.0	3.9	5.4	6.5	8.0
1964	.8	.0	.0	.0	.1	.1	-	.1	.1	.2	.4	.8	.9	2.4	3.0	4.2	5.4	7.8	7.9
1965	.7	.0	-	.0	.0	-	.1	.1	.2	.2	.3	.7	1.1	1.8	3.1	3.6	6.3	6.0	8.5
1966	.7	-	.0	.0	.0	-	.1	-	.1	.2	.3	.6	1.0	2.0	2.3	3.6	4.6	6.6	7.5
1967	.7	.0	-	.0	-	-	-	.1	.1	.2	.3	.6	1.2	1.4	3.0	4.4	4.8	4.6	6.4
1968	.6	.0	.0	.0	.0	.0	-	.1	.1	.3	.4	.6	1.0	1.2	2.2	3.3	4.8	6.5	6.0
1969	.6	.0	.0	-	-	-	-	.1	.1	.1	.4	.6	.9	1.4	2.2	3.6	4.4	5.5	7.0
1970	.7	.0	-	.0	-	-	-	.1	.2	.1	.3	.4	.9	1.8	2.2	4.3	5.5	6.3	7.1
1971	.6	.0	.0	.0	-	-	-	-	-	.2	.4	.6	.9	1.2	1.9	3.5	4.5	6.2	7.3
1972	.7	.0	-	.0	-	-	-	.0	.1	.2	.3	.5	.7	1.6	2.5	2.4	6.5	7.6	5.5
1973	.6	.0	.0	.0	.0	-	-	-	.1	.2	.4	.5	.9	1.4	2.1	3.0	4.6	5.8	6.3
1974	.6	.0	.0	.0	.0	-	.0	.0	-	.1	.3	.5	.6	1.7	2.0	3.3	4.5	5.5	7.5
1975	.6	.0	.0	.0	-	-	.0	-	.1	.1	.4	.5	.9	1.4	1.8	3.1	5.0	4.9	6.7
1976	.6	.0	.0	.0	-	-	.0	-	.1	.2	.2	.4	.9	1.2	1.0	3.1	3.9	5.4	6.1
1977	.6	.0	.0	.0	.0	.0	-	-	.1	.2	.1	.4	.8	1.2	2.0	3.4	4.0	6.6	6.0

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	555	0	0	0	0	0	2	6	6	14	21	34	73	84	99	81	76	31	28
1951	547	0	1	0	1	2	1	3	9	10	25	48	48	79	89	98	77	41	15
1952	566	2	0	1	2	5	4	5	9	12	15	31	59	95	97	82	74	42	31
1953	563	0	0	0	1	0	2	4	7	18	26	49	57	60	79	107	84	37	32
1954	625	0	0	0	1	1	4	4	7	18	32	54	53	78	97	108	89	46	33
1955	642	0	1	1	1	0	1	4	10	12	20	39	56	73	120	111	83	68	42
1956	642	1	2	0	2	3	2	6	9	11	27	38	68	83	109	96	82	73	30
1957	630	0	0	1	1	1	5	6	11	9	25	43	52	87	98	96	90	61	44
1958	581	1	0	0	1	0	3	7	9	17	21	37	54	66	89	103	77	58	38
1959	616	0	1	0	0	4	2	3	9	12	26	40	57	76	90	108	102	49	37
1960	612	0	1	0	1	2	2	3	8	15	19	26	62	79	95	111	98	65	25
1961	629	0	1	0	1	1	3	6	6	10	23	34	60	79	108	110	97	65	25
1962	620	0	0	1	1	4	3	5	9	16	15	45	57	69	99	93	95	64	44
1963	611	1	0	0	1	1	5	2	7	11	18	29	58	72	96	103	95	65	47
1964	651	0	0	0	4	4	1	3	5	10	20	38	40	86	97	115	98	82	48
1965	640	0	1	0	0	2	5	3	9	13	17	34	50	67	101	100	118	66	54
1966	576	1	0	0	0	1	3	1	4	13	14	29	45	74	74	101	90	76	50
1967	598	0	1	0	1	1	2	4	5	10	17	28	54	55	100	123	97	55	45
1968	562	0	0	0	0	0	2	3	5	16	23	30	48	47	73	93	98	80	44
1969	573	0	0	1	2	1	2	4	7	7	20	33	43	56	75	104	93	70	55
1970	649	0	1	0	3	3	2	4	8	7	18	22	44	74	76	125	117	84	61
1971	590	0	0	0	2	3	1	2	1	10	22	33	42	53	69	102	98	86	66
1972	320	0	1	0	2	1	1	0	2	5	9	14	17	35	46	35	71	55	26
1973	593	0	0	0	0	3	1	2	4	10	22	27	43	62	80	89	100	87	63
1974	596	0	0	0	0	2	0	0	1	5	16	25	29	75	79	101	99	84	80
1975	602	0	0	0	1	1	0	2	5	7	21	25	44	61	73	96	112	77	77
1976	573	0	0	0	1	1	0	3	6	9	11	20	46	53	75	98	89	87	74
1977	608	0	0	0	0	0	1	3	3	8	4	23	40	55	84	110	92	108	77

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	-	-
1951	.1	.0	-	.0	-	.1	-	-	.1	.1	.1	.2	.1	.2	.1	.1	.1	.1	-
1952	.1	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	-
1953	.1	.0	.0	.0	-	.0	-	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	-
1954	.1	.0	.0	.0	-	-	.1	.1	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1955	.1	.0	-	.1	-	.0	-	.1	.1	.1	.1	.2	.2	.2	.2	.1	.1	.1	.1
1956	.1	-	.1	.0	.1	.1	.1	.1	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1957	.1	.0	.0	-	-	-	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1958	.1	-	.0	.0	-	.0	.1	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	-
1959	.1	.0	-	.0	.0	.1	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1960	.1	.0	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	-
1961	.1	.0	-	.0	-	-	.1	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	-
1962	.1	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.2	.2	.2	.1	.1	.1	.1	-
1963	.1	-	.0	.0	-	-	.1	-	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	-
1964	.1	.0	.0	.0	.1	.1	-	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1	-
1965	.1	.0	-	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	-
1966	.1	-	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1	-
1967	.1	.0	-	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	-
1968	.1	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1969	.1	.0	.0	-	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1970	.1	.0	-	.0	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1971	.1	.0	.0	.0	-	.1	-	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1972	.1	.0	.1	.0	.1	-	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1973	.1	.0	.0	.0	.0	.1	-	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1974	.1	.0	.0	.0	.0	-	.0	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1	-
1975	.1	.0	.0	.0	-	-	.0	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1976	.1	.0	.0	.0	-	-	.0	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1977	.1	.0	.0	.0	.0	.0	-	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1	-

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.0	.0	.0	.2	.0	.2	.2	.0	.2	.9	1.3	1.4	1.9	.5	2.6	3.1	2.7	.0
1951	.3	.0	.0	.0	.0	.0	.0	.2	.0	.2	.7	1.3	1.0	.5	4.4	.8	1.5	.0	.0
1952	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.0	.8	1.7	1.8	1.9	.8	.0	.0	.0
1953	.2	.0	.0	.0	.0	.0	.0	.3	.3	.2	.2	.5	.3	1.3	1.9	1.6	1.3	.0	.0
1954	.3	.0	.0	.1	.0	.0	.0	.0	.0	.4	.2	1.4	1.2	.9	1.8	.8	2.5	.0	4.3
1955	.2	.0	.0	.0	.2	.0	.0	.2	.2	.0	.4	.5	1.2	1.7	1.3	.7	.0	.0	4.1
1956	.2	.0	.0	.0	.0	.0	.0	.0	.0	.4	.9	.2	.6	1.2	.4	2.1	3.5	4.7	.0
1957	.3	.0	.0	.0	.0	.0	.2	.2	.3	.0	.0	.9	2.0	2.3	.9	.7	.0	.0	.0
1958	.3	.0	.0	.0	.0	.2	.0	.2	.0	.4	.4	.5	.8	1.1	2.1	.7	2.1	4.5	.0
1959	.3	.0	.0	.0	.0	.0	.0	.0	.2	.0	.2	.5	1.6	1.5	1.7	2.5	2.0	2.2	.0
1960	.3	.0	.0	.0	.0	.0	.0	.2	.0	.2	1.1	.7	.8	2.1	.8	1.8	1.9	.0	.0
1961	.3	.0	.0	.0	.0	.0	.2	.0	.0	.2	.9	.9	.5	1.0	1.6	1.1	3.7	1.9	3.3
1962	.2	.0	.0	.0	.0	.0	.0	.0	.0	.2	.4	.4	.7	1.3	1.5	.6	.0	1.8	.0
1963	.4	.0	.0	.0	.0	.0	.0	.2	.0	.0	.9	1.0	1.0	1.6	4.1	1.1	2.8	.0	6.7
1964	.2	.0	.0	.0	.0	.0	.0	.0	.0	.0	.2	.2	1.6	1.6	.0	2.6	3.6	4.9	.0
1965	.2	.1	.0	.0	.0	.0	.0	.0	.2	.5	.0	.2	.7	1.9	1.4	2.1	.0	1.6	2.9
1966	.3	.0	.0	.0	.0	.0	.0	.0	.0	.5	.4	.2	2.1	.9	1.4	3.1	1.7	3.1	.0
1967	.2	.0	.0	.0	.1	.1	.0	.0	.0	.3	.4	.2	.9	1.5	.7	1.5	1.7	1.5	.0
1968	.3	.0	.0	.0	.0	.0	.1	.0	.0	.8	1.4	1.4	.7	1.1	.7	1.0	1.7	1.5	2.4
1969	.3	.0	.0	.0	.0	.0	.0	.0	.0	.2	.7	.8	1.1	.8	3.0	2.0	5.0	1.5	.0
1970	.2	.0	.0	.0	.1	.0	.1	.0	.3	.0	.2	.6	.2	1.1	1.3	1.0	1.6	1.4	2.1
1971	.2	.0	.0	.0	.0	.0	.0	.0	.2	.0	.3	.0	.5	2.0	1.3	3.3	1.6	2.7	.0
1972	.3	.0	.0	.0	.0	.0	.0	.3	.3	.0	.3	.4	.0	1.0	3.1	2.8	4.6	.0	4.0
1973	.3	.0	.0	.0	.0	.0	.1	.0	.0	.2	.2	.5	.9	1.2	1.8	3.7	.8	2.4	7.7
1974	.3	.0	.0	.0	.0	.0	.0	.1	.3	.0	.3	.7	.9	1.2	1.2	2.8	3.8	.0	.0
1975	.2	.0	.0	.0	.1	.0	.0	.0	.0	.0	.2	.9	1.1	1.2	1.4	.9	2.9	1.2	1.5
1976	.2	.0	.0	.0	.0	.0	.0	.1	.0	.0	.5	.5	.8	1.7	1.3	1.4	1.4	2.2	5.9
1977	.3	.0	.0	.0	.0	.0	.0	.1	.4	.3	.3	.7	1.0	1.7	2.3	2.6	2.1	1.1	1.4

Number of Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	28	0	0	0	1	0	1	1	0	1	4	5	4	4	1	3	2	1	0
1951	25	0	0	0	0	0	0	1	0	1	3	5	3	1	9	1	1	0	0
1952	18	0	0	0	0	0	0	0	0	1	0	3	5	4	4	1	0	0	0
1953	19	0	0	0	0	0	0	2	2	1	1	2	1	3	4	2	1	0	0
1954	24	0	0	1	0	0	0	0	0	2	1	6	4	2	4	1	2	0	1
1955	20	0	0	0	1	0	0	1	1	0	2	2	4	4	3	1	0	0	1
1956	21	0	0	0	0	0	0	0	0	2	4	1	2	3	1	3	3	2	0
1957	24	0	0	0	0	0	1	1	2	0	0	4	7	6	2	1	0	0	0
1958	24	0	0	0	0	1	0	1	0	2	2	2	3	3	5	1	2	2	0
1959	25	0	0	0	0	0	0	0	1	0	1	2	6	4	4	4	2	1	0
1960	27	0	0	0	0	0	0	1	0	1	6	3	3	6	2	3	2	0	0
1961	28	0	0	0	0	0	1	0	0	1	5	4	2	3	4	2	4	1	1
1962	18	0	0	0	0	0	0	0	0	1	2	2	3	4	4	1	0	1	0
1963	38	0	0	0	0	0	0	1	0	0	5	5	4	5	11	2	3	0	2
1964	26	0	0	0	0	0	0	0	0	0	1	1	7	5	0	5	4	3	0
1965	25	1	0	0	0	0	0	0	1	3	0	1	3	6	4	4	0	1	1
1966	32	0	0	0	0	0	0	0	0	3	2	1	9	3	4	6	2	2	0
1967	24	0	0	0	1	1	0	0	0	2	2	1	4	5	2	3	2	1	0
1968	36	0	0	0	0	0	1	0	0	5	8	7	3	4	2	2	2	1	1
1969	37	0	0	0	0	0	0	0	0	1	4	4	5	3	9	4	6	1	0
1970	23	0	0	0	1	0	1	0	2	0	1	3	1	4	4	2	2	1	1
1971	28	0	0	0	0	0	0	0	1	0	2	0	2	8	4	7	2	2	0
1972	18	0	0	0	0	0	0	1	1	0	1	1	0	2	5	3	3	0	1
1973	36	0	0	0	0	0	1	0	0	1	1	3	4	5	6	8	1	2	4
1974	33	0	0	0	0	0	0	1	2	0	2	4	4	5	4	6	5	0	0
1975	30	0	0	0	1	0	0	0	0	0	1	5	5	5	5	2	4	1	1
1976	34	0	0	0	0	0	0	1	0	0	3	3	4	7	5	3	2	2	4
1977	44	0	0	0	0	0	0	1	3	2	2	4	5	7	9	6	3	1	1

Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	.0	.0	.0	.1	.0	-	-	.0	-	.1	.1	-	-	-	-	-	-	.0
1951	-	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	.1	-	-	.0	.0
1952	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	-	.0	.0	.0
1953	-	.0	.0	.0	.0	.0	.0	.1	.1	-	-	-	-	-	-	-	-	.0	.0
1954	-	.0	.0	.2	.0	.0	.0	.0	.0	-	-	.1	-	-	-	-	-	.0	-
1955	-	.0	.0	.0	.1	.0	.0	-	-	.0	-	-	-	-	-	-	.0	.0	-
1956	-	.0	.0	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	-	.0
1957	-	.0	.0	.0	.0	.0	-	-	.1	.0	.0	-	.1	.1	-	-	.0	.0	.0
1958	-	.0	.0	.0	.0	.1	.0	-	.0	-	-	-	-	-	-	-	-	-	.0
1959	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	-	.1	-	-	-	-	-	.0
1960	-	.0	.0	.0	.0	.0	.0	-	.0	-	.1	-	-	.1	-	-	-	.0	.0
1961	-	.0	.0	.0	.0	.0	-	.0	.0	-	.1	-	-	-	-	-	.1	-	-
1962	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	-	-	.0	-	.0
1963	-	.0	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	-	-	.1	-	-	.0	-
1964	-	.0	.0	.0	.0	.0	.0	.0	.0	.0	-	-	.1	-	.0	-	-	.1	.0
1965	-	-	.0	.0	.0	.0	.0	.0	-	.1	.0	-	-	-	-	-	.0	-	-
1966	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	.1	-	-	-	-	-	.0
1967	-	.0	.0	.0	-	-	.0	.0	.0	-	-	-	-	-	-	-	-	-	.0
1968	-	.0	.0	.0	.0	.0	-	.0	.0	.1	.1	.1	-	-	-	-	-	-	-
1969	-	.0	.0	.0	.0	.0	.0	.0	.0	-	-	-	-	-	.1	-	.1	-	.0
1970	-	.0	.0	.0	-	.0	-	.0	-	.0	-	-	-	-	-	-	-	-	-
1971	-	.0	.0	.0	.0	.0	.0	.0	-	.0	-	.0	-	.1	-	-	-	-	.0
1972	-	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	.0	-	.1	-	.1	.0	-
1973	-	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	-	-	-	.1	-	-	.1
1974	-	.0	.0	.0	.0	.0	.0	-	-	.0	-	-	-	-	-	-	-	.0	.0
1975	-	.0	.0	.0	-	.0	.0	.0	.0	.0	-	.1	-	-	-	-	-	-	-
1976	-	.0	.0	.0	.0	.0	.0	-	.0	.0	-	-	-	.1	-	-	-	-	.1
1977	-	.0	.0	.0	.0	.0	.0	-	.1	-	-	-	-	.1	.1	-	-	-	-

Thyroid

Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.0	.1	.0	.0	.1	.3	.8	.0	1.3	1.4	3.0	2.5	3.2	6.0	.0	2.4	11.2
1951	.4	.0	.0	.0	.2	.0	.0	.0	.0	.6	.4	1.6	1.4	3.3	1.4	2.4	6.1	4.5	.0
1952	.5	.0	.0	.0	.2	.0	.1	.2	.2	.5	.4	2.3	3.1	3.7	1.8	3.1	4.4	.0	.0
1953	.4	.0	.0	.0	.0	.1	.0	.0	.2	.4	.4	1.5	2.6	2.2	2.6	.0	2.8	6.1	3.3
1954	.6	.0	.0	.0	.0	.1	.1	.4	.2	.3	.9	1.7	1.9	3.8	2.1	2.8	6.5	2.0	9.2
1955	.6	.0	.0	.0	.0	.0	.0	.1	.6	.7	1.3	2.4	2.7	2.4	2.1	4.0	6.1	2.0	.0
1956	.5	.0	.0	.0	.0	.3	.0	.0	.3	.7	.6	.7	2.0	2.7	5.3	3.2	2.3	3.9	.0
1957	.5	.0	.0	.0	.0	.1	.0	.0	.0	.2	.6	1.1	1.4	5.2	4.0	2.5	4.2	.0	2.7
1958	.6	.0	.0	.0	.0	.0	.1	.1	.4	.5	.8	.7	2.1	3.9	2.7	5.3	3.0	1.9	2.6
1959	.6	.0	.0	.0	.1	.0	.0	.1	.3	.2	1.3	.9	1.5	5.5	2.7	3.4	6.5	1.9	5.1
1960	.5	.0	.0	.0	.0	.0	.0	.1	.3	.8	.7	.6	2.2	2.0	2.9	6.0	1.7	5.5	.0
1961	.6	.0	.0	.0	.0	.0	.0	.1	.3	.3	.7	1.9	2.2	3.2	4.8	5.7	2.5	6.6	2.5
1962	.5	.0	.0	.0	.0	.0	.3	.0	.1	.3	.3	1.4	1.4	2.8	5.0	2.9	1.6	7.6	.0
1963	.5	.0	.0	.0	.1	.0	.0	.1	.4	.3	.9	1.0	2.1	2.4	2.2	3.8	4.7	.0	2.3
1964	.4	.0	.0	.0	.1	.0	.0	.0	.0	.0	.5	1.0	.9	1.8	4.0	5.0	2.3	4.1	4.4
1965	.4	.0	.0	.0	.0	.0	.0	.0	.3	.1	.8	1.3	3.0	2.0	1.8	.9	1.5	3.9	6.1
1966	.6	.0	.0	.0	.1	.1	.1	.3	.5	.4	.3	1.3	2.3	2.8	3.5	1.7	3.5	3.8	5.7
1967	.7	.0	.0	.0	.0	.0	.0	.3	.4	.3	1.0	.7	1.2	4.8	3.7	5.0	4.8	8.3	5.3
1968	.5	.0	.0	.0	.0	.0	.0	.0	.1	.3	.6	1.3	1.8	3.8	3.1	3.3	4.6	3.4	1.6
1969	.5	.0	.0	.0	.0	.0	.0	.0	.3	.4	.6	.7	.8	1.4	3.5	2.4	3.8	6.6	7.7
1970	.4	.0	.0	.0	.0	.2	.0	.1	.0	.1	.4	1.4	1.8	.9	2.7	2.7	3.1	3.1	5.6
1971	.5	.0	.0	.0	.1	.0	.0	.0	.3	.1	1.0	1.2	.6	2.4	3.7	2.3	4.2	4.8	5.3
1972	.3	.0	.0	.0	.0	.0	.0	.0	.3	.3	.9	.6	1.2	1.3	1.5	2.3	3.5	.0	2.4
1973	.5	.0	.0	.0	.0	.0	.0	.0	.3	.1	.7	.3	1.4	1.3	2.6	3.9	5.3	4.1	6.8
1974	.5	.0	.0	.0	.0	.0	.0	.0	.3	.1	.4	.3	1.6	3.1	1.8	2.7	5.2	7.1	3.1
1975	.4	.0	.0	.0	.0	.0	.0	.0	.0	.4	.6	.7	1.3	1.2	2.8	2.7	3.9	2.3	2.7
1976	.4	.0	.0	.0	.0	.0	.0	.2	.0	.3	.1	1.2	1.2	1.7	1.8	1.5	2.7	3.6	6.7
1977	.5	.0	.0	.0	.1	.0	.1	.1	.0	.1	.3	.7	.9	1.0	2.8	4.3	4.9	7.9	4.5


Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	51	0	0	1	0	0	1	2	5	0	6	5	8	5	7	7	0	1	3
1951	35	0	0	0	1	0	0	0	0	3	2	6	4	7	3	3	4	2	0
1952	46	0	0	0	1	0	1	1	1	3	2	9	9	8	4	4	3	0	0
1953	37	0	0	0	0	1	0	0	1	2	2	6	8	5	6	0	2	3	1
1954	52	0	0	0	0	1	1	3	1	2	4	7	6	9	5	4	5	1	3
1955	57	0	0	0	0	0	0	1	4	4	6	10	9	6	5	6	5	1	0
1956	50	0	0	0	0	2	0	0	2	4	3	3	7	7	13	5	2	2	0
1957	48	0	0	0	0	1	0	0	0	1	3	5	5	14	10	4	4	0	1
1958	55	0	0	0	0	0	1	1	3	3	4	3	8	11	7	9	3	1	1
1959	61	0	0	0	1	0	0	1	2	1	7	4	6	16	7	6	7	1	2
1960	54	0	0	0	0	0	0	1	2	5	4	3	9	6	8	11	2	3	0
1961	70	0	0	0	0	0	0	1	2	2	4	9	9	10	14	11	3	4	1
1962	57	0	0	0	0	0	2	0	1	2	2	7	6	9	15	6	2	5	0
1963	56	0	0	0	1	0	0	1	3	2	5	5	9	8	7	8	6	0	1
1964	51	0	0	0	1	0	0	0	0	0	3	5	4	6	13	11	3	3	2
1965	52	0	0	0	0	0	0	0	2	1	5	7	14	7	6	2	2	3	3
1966	69	0	0	0	1	1	1	2	4	3	2	7	11	10	12	4	5	3	3
1967	83	0	0	0	0	0	0	2	3	2	6	4	6	18	13	12	7	7	3
1968	68	0	0	0	0	0	0	0	1	2	4	7	9	15	11	8	7	3	1
1969	59	0	0	0	0	0	0	0	2	3	4	4	4	6	13	6	6	6	5
1970	57	0	0	0	0	2	0	1	0	1	3	8	9	4	10	7	5	3	4
1971	68	0	0	0	1	0	0	0	2	1	7	7	3	11	14	6	7	5	4
1972	23	0	0	0	0	0	0	0	1	1	3	2	3	3	3	3	3	0	1
1973	64	0	0	0	0	0	0	0	2	1	5	2	7	6	11	10	9	5	6
1974	67	0	0	0	0	0	0	0	2	1	3	2	8	15	8	7	9	9	3
1975	58	0	0	0	0	0	0	0	0	3	4	5	7	6	13	7	7	3	3
1976	59	0	0	0	0	0	0	2	0	2	1	8	7	8	9	4	5	5	8
1977	73	0	0	0	1	0	1	1	0	1	2	5	5	5	14	12	9	11	6

Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.2	.0	.0	-	.1	.1	.0	.1	.1	.1	.1	.1	.1	.0	-	.1
1951	-	.0	.0	.0	.1	.0	.0	.0	.0	.1	-	.1	.1	.1	-	-	.1	.1	.0
1952	.1	.0	.0	.0	.1	.0	.1	-	-	.1	-	.1	.1	.1	.1	.1	.1	.0	.0
1953	-	.0	.0	.0	.0	.1	.0	.0	-	-	-	.1	.1	.1	.1	.0	-	.1	-
1954	.1	.0	.0	.0	.0	.1	.1	.1	-	-	.1	.1	.1	.1	.1	.1	.1	-	.1
1955	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	-	.0
1956	.1	.0	.0	.0	.0	.2	.0	.0	.1	.1	.1	-	.1	.1	.2	.1	-	.1	.0
1957	.1	.0	.0	.0	.0	.1	.0	.0	.0	-	.1	.1	.1	.2	.1	.1	.1	.0	-
1958	.1	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	-	.1	.1	.1	.1	.1	-	-
1959	.1	.0	.0	.0	.1	.0	.0	-	.1	-	.1	.1	.1	.2	.1	.1	.1	-	-
1960	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	-	.1	.1	.1	.1	-	.1	.0
1961	.1	.0	.0	.0	.0	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	-	.1	-
1962	.1	.0	.0	.0	.0	.0	.1	.0	-	-	-	.1	.1	.1	.2	.1	-	.1	.0
1963	.1	.0	.0	.0	.1	.0	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	.0	-
1964	.1	.0	.0	.0	.1	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	-	.1	-
1965	.1	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	.2	.1	.1	-	-	-	-
1966	.1	.0	.0	.0	.1	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	-	.1	-	-
1967	.1	.0	.0	.0	.0	.0	.0	.1	.1	-	.1	.1	.1	.2	.1	.1	.1	.1	-
1968	.1	.0	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.1	.1	.1	-	-
1969	.1	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	-	.1	.1	.1	.1	.1	.1
1970	.1	.0	.0	.0	.0	.1	.0	.1	.0	-	.1	.1	.1	-	.1	.1	.1	-	-
1971	.1	.0	.0	.0	.1	.0	.0	.0	.1	-	.1	.1	-	.1	.1	-	.1	.1	-
1972	-	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	.1	.1	.1	.1	-	.1	.0	-
1973	.1	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.1	.1	.1	.1	.1	.1
1974	.1	.0	.0	.0	.0	.0	.0	.0	.1	-	.1	-	.1	.2	.1	.1	.1	.1	-
1975	.1	.0	.0	.0	.0	.0	.0	.0	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1976	.1	.0	.0	.0	.0	.0	.0	.1	.0	.1	-	.1	.1	.1	.1	-	-	.1	.1
1977	.1	.0	.0	.0	.1	.0	.1	.1	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.1

Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	1232	1.82	2.08	1.24	761	1.12	1.19	0.81	98	1.26	1.64	1.09	89	1.10	1.41	0.96
1951	1100	1.60	1.82	1.08	787	1.14	1.21	0.83	83	1.04	1.37	0.90	78	0.94	1.19	0.82
1952	1103	1.58	1.80	1.05	778	1.11	1.17	0.81	92	1.13	1.46	0.92	71	0.84	1.14	0.79
1953	1137	1.60	1.82	1.05	751	1.05	1.11	0.77	85	1.02	1.30	0.81	81	0.93	1.21	0.84
1954	1134	1.57	1.79	1.02	770	1.06	1.11	0.78	91	1.07	1.40	0.82	85	0.96	1.17	0.82
1955	1124	1.53	1.75	0.99	730	0.99	1.03	0.73	101	1.16	1.57	0.93	74	0.81	1.00	0.71
1956	1072	1.44	1.63	0.91	793	1.05	1.09	0.78	100	1.12	1.50	0.84	81	0.87	1.08	0.74
1957	1059	1.40	1.57	0.87	769	1.00	1.02	0.74	116	1.27	1.66	0.91	81	0.84	1.08	0.75
1958	1012	1.32	1.48	0.83	722	0.92	0.94	0.69	80	0.85	1.06	0.59	71	0.72	0.95	0.66
1959	992	1.27	1.41	0.79	706	0.89	0.90	0.67	107	1.11	1.46	0.78	73	0.72	0.90	0.65
1960	960	1.21	1.34	0.74	681	0.84	0.85	0.63	104	1.03	1.37	0.73	66	0.62	0.81	0.56
1961	937	1.16	1.28	0.70	690	0.84	0.83	0.63	84	0.82	1.07	0.55	58	0.53	0.64	0.45
1962	937	1.15	1.28	0.70	716	0.86	0.85	0.64	89	0.85	1.09	0.56	91	0.82	0.99	0.70
1963	939	1.14	1.24	0.67	663	0.78	0.77	0.58	98	0.91	1.16	0.57	80	0.70	0.86	0.62
1964	931	1.11	1.21	0.65	652	0.76	0.74	0.56	121	1.10	1.41	0.70	71	0.61	0.75	0.53
1965	988	1.17	1.28	0.67	646	0.74	0.72	0.54	104	0.93	1.15	0.56	75	0.63	0.79	0.56
1966	926	1.09	1.17	0.61	684	0.78	0.74	0.57	95	0.83	1.11	0.51	87	0.72	0.85	0.59
1967	942	1.10	1.17	0.61	751	0.85	0.80	0.61	89	0.77	0.97	0.44	71	0.57	0.69	0.48
1968	903	1.04	1.12	0.57	687	0.77	0.72	0.55	112	0.95	1.19	0.53	66	0.52	0.60	0.42
1969	953	1.09	1.16	0.59	681	0.75	0.69	0.53	119	0.99	1.24	0.54	73	0.57	0.65	0.46
1970	946	1.07	1.13	0.58	744	0.81	0.75	0.57	118	0.97	1.19	0.52	74	0.56	0.65	0.47
1971	930	1.05	1.10	0.55	667	0.72	0.66	0.50	105	0.84	1.05	0.46	76	0.56	0.67	0.46
1972	477	1.07	1.11	0.55	356	0.77	0.69	0.53	61	0.96	1.21	0.51	42	0.61	0.71	0.50
1973	962	1.07	1.11	0.55	686	0.73	0.65	0.50	107	0.83	1.07	0.44	85	0.61	0.69	0.47
1974	913	1.01	1.04	0.51	687	0.73	0.64	0.49	125	0.95	1.21	0.49	85	0.60	0.70	0.48
1975	809	0.89	0.91	0.45	679	0.72	0.62	0.47	99	0.74	0.87	0.35	93	0.64	0.72	0.50
1976	914	1.00	1.02	0.49	631	0.66	0.56	0.42	112	0.82	1.02	0.40	89	0.60	0.70	0.49
1977	897	0.98	0.99	0.47	607	0.63	0.54	0.40	130	0.93	1.18	0.46	87	0.57	0.64	0.43

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Cartilage (NOS), periosteum, and bone (NOS) (except bone marrow).
(ICD 196 [6th]; ICD 196-196.9 [7th]; ICD 170-170.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



MILLER RW: Contrasting epidemiology of childhood osteosarcoma, Ewing's tumor, and rhabdomyosarcoma. Natl Cancer Inst Monogr 56:9-14, 1981

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.8	.1	.2	.5	1.2	.9	.4	.3	.4	1.2	1.4	2.2	3.3	5.3	7.7	10.5	13.9	14.8	17.0
1951	1.6	.1	.3	.8	1.2	.7	.3	.4	.5	.8	1.3	2.1	2.6	4.3	6.4	9.1	13.0	9.9	14.1
1952	1.6	.1	.1	.7	1.4	.8	.4	.4	.4	.9	1.2	1.5	2.7	4.1	7.3	8.2	10.0	15.2	14.4
1953	1.6	.1	.3	.6	1.4	.9	.4	.3	.4	.8	1.6	1.8	2.1	4.5	6.4	8.5	11.9	13.4	14.8
1954	1.6	.1	.3	.7	1.4	.7	.4	.5	.3	.6	1.1	1.9	2.9	4.2	5.0	8.8	11.8	12.0	17.2
1955	1.5	-	.3	.7	1.5	1.0	.5	.3	.4	.5	1.3	2.3	2.4	4.3	5.5	6.8	9.9	13.2	16.8
1956	1.4	.2	.2	.7	1.1	.7	.4	.4	.3	.5	1.2	1.8	2.7	3.6	5.2	5.8	10.0	15.9	14.8
1957	1.4	-	.3	.9	1.4	.7	.4	.3	.4	.7	1.1	1.5	2.6	3.2	5.0	7.0	8.2	13.0	11.9
1958	1.3	.1	.2	.8	1.2	.9	.4	.2	.4	.6	1.0	1.4	2.7	3.1	4.5	5.9	8.7	11.4	11.6
1959	1.3	.1	.2	.6	1.2	.8	.4	.5	.4	.4	1.0	1.6	2.6	3.3	4.1	5.5	6.7	11.3	12.5
1960	1.2	.1	.1	.8	1.4	.8	.5	.2	.5	.7	.7	1.3	1.9	3.2	4.1	5.2	6.4	9.9	10.7
1961	1.2	-	.3	.6	1.2	.6	.5	.2	.3	.4	.8	1.8	2.1	2.9	4.3	6.0	5.9	8.3	9.1
1962	1.1	.1	.2	.5	1.4	.8	.3	.3	.3	.5	.8	1.1	2.2	2.8	3.6	5.9	5.6	7.1	16.9
1963	1.1	.1	.2	.7	1.2	.9	.2	.2	.4	.4	.6	1.3	2.3	2.7	4.4	4.7	6.2	7.6	7.8
1964	1.1	.1	.2	.7	1.1	.7	.3	.3	.1	.3	.9	1.6	1.7	3.6	4.1	4.8	5.3	6.5	9.6
1965	1.2	.1	.3	.7	1.3	.7	.3	.1	.3	.6	.6	1.1	1.9	3.6	3.0	5.9	6.9	8.5	11.8
1966	1.1	-	.2	.7	1.4	.8	.4	.2	.3	.3	.8	1.0	2.0	3.0	3.5	4.3	5.3	8.1	6.7
1967	1.1	.1	.3	.7	1.1	.7	.4	.3	.2	.4	.7	1.1	2.0	2.9	3.8	5.5	5.6	5.9	9.3
1968	1.0	.1	.3	.5	1.3	.5	.2	.3	.3	.4	.7	.9	1.6	2.8	3.8	4.2	5.4	8.4	10.8
1969	1.1	-	.2	.5	1.1	.7	.4	.3	.3	.3	.8	1.1	2.3	2.7	3.6	4.4	5.6	6.9	10.6
1970	1.1	-	.2	.6	1.4	.7	.2	.3	.3	.4	.7	1.1	1.6	2.4	3.7	4.3	5.9	8.4	8.7
1971	1.0	.1	.1	.6	1.1	.6	.3	.2	.4	.3	.5	1.1	1.7	2.4	4.9	3.8	5.6	7.4	8.4
1972	1.1	.1	.1	.6	1.4	.5	.3	.3	.4	.3	.5	1.4	1.9	2.4	2.8	4.6	6.3	5.9	10.0
1973	1.1	-	.2	.6	1.1	.9	.3	.3	.3	.4	.6	.9	1.8	2.3	3.3	5.2	5.9	5.9	10.7
1974	1.0	.1	.1	.5	1.0	.6	.5	.3	.3	.4	.4	.8	1.7	2.7	2.9	4.9	6.4	7.0	8.4
1975	.9	-	.1	.4	.8	.6	.3	.2	.3	.4	.7	1.0	1.4	2.1	2.6	3.9	4.8	6.6	6.0
1976	1.0	.1	.2	.5	1.1	.6	.4	.2	.4	.3	.4	.9	1.7	2.1	3.1	4.3	5.5	7.7	8.4
1977	1.0	.1	.2	.3	1.0	.7	.3	.4	.4	.4	.4	1.0	1.5	1.9	3.0	4.4	5.5	6.6	9.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1232	6	11	24	57	44	24	16	22	55	59	81	110	151	173	160	130	71	38
1951	1100	11	16	42	55	36	16	19	23	37	54	80	90	123	147	143	126	48	34
1952	1103	10	9	35	66	38	20	22	19	43	53	58	93	121	172	132	100	75	37
1953	1137	11	18	31	65	44	24	17	21	36	70	67	74	134	154	141	122	68	40
1954	1134	6	23	40	69	33	22	27	16	31	51	74	101	129	123	152	125	63	49
1955	1124	3	23	42	73	49	25	17	20	23	59	88	84	131	136	121	108	72	50
1956	1072	14	19	45	56	34	19	23	17	26	57	71	94	112	131	107	112	90	45
1957	1059	4	26	62	72	34	18	16	22	33	50	60	94	101	128	132	94	76	37
1958	1012	8	19	55	68	41	18	13	20	28	48	59	97	96	119	115	103	68	37
1959	992	7	20	43	70	40	18	27	24	21	46	67	94	104	110	109	82	69	41
1960	960	10	12	60	82	38	24	13	29	35	35	57	70	99	111	106	81	62	36
1961	937	3	22	47	71	31	25	11	15	19	38	81	80	91	116	125	77	54	31
1962	937	5	19	43	96	42	15	13	19	24	39	47	84	89	96	125	74	49	58
1963	939	7	20	58	86	53	12	10	23	23	29	59	92	86	118	101	83	52	27
1964	931	9	22	55	83	39	14	14	7	19	46	72	68	117	110	104	72	46	34
1965	988	7	27	61	102	43	15	7	15	31	30	49	77	116	80	127	96	62	43
1966	926	3	18	63	111	51	18	8	14	18	41	46	85	101	95	93	75	61	25
1967	942	6	24	63	90	45	19	13	12	20	34	52	86	98	102	117	80	45	36
1968	903	5	23	45	104	32	14	14	13	22	36	44	69	100	105	90	78	66	43
1969	953	3	20	47	94	54	24	14	13	18	41	53	99	98	100	94	82	55	44
1970	946	1	14	54	121	54	15	15	14	19	39	54	70	88	106	90	85	68	39
1971	930	4	11	53	92	48	18	12	21	18	27	56	76	91	141	81	81	61	39
1972	477	5	3	29	62	18	11	9	10	8	13	36	42	45	42	49	46	25	24
1973	962	2	15	52	101	70	21	17	15	18	33	44	80	90	102	113	85	51	53
1974	913	4	4	44	87	50	34	17	13	19	23	43	78	103	91	107	91	61	44
1975	809	1	6	39	76	48	23	13	16	20	36	54	63	81	85	88	69	58	33
1976	914	5	16	40	102	50	31	14	20	14	21	44	78	84	102	98	79	69	47
1977	897	6	13	25	95	63	22	24	20	19	18	49	70	77	100	103	79	59	55

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.3	.7	.9	.5	.3	.2	.2	.3	.2	.2	.2	.2	.2	.2	.2	.1	.1
1951	.1	-	.4	1.2	.9	.4	.2	.2	.2	.2	.2	.2	.1	.2	.2	.2	.1	.1	.1
1952	.1	-	.2	1.0	1.0	.5	.2	.2	.1	.2	.2	.1	.1	.1	.2	.1	.1	.1	.1
1953	.1	-	.4	.9	1.0	.5	.3	.2	.2	.2	.2	.1	.1	.2	.2	.1	.1	.1	.1
1954	.2	-	.6	1.2	1.2	.4	.3	.3	.1	.2	.2	.2	.2	.2	.1	.2	.1	.1	.1
1955	.1	-	.5	1.2	1.2	.6	.3	.2	.2	.1	.2	.2	.1	.2	.1	.1	.1	.1	.1
1956	.1	-	.5	1.3	.9	.4	.2	.2	.1	.1	.2	.2	.2	.1	.1	.1	.1	.1	.1
1957	.1	-	.6	1.7	1.1	.4	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1
1958	.1	-	.5	1.5	1.0	.5	.2	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1
1959	.1	-	.5	1.1	1.0	.5	.3	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1960	.1	-	.3	1.6	1.1	.5	.3	.1	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1
1961	.1	-	.5	1.2	1.0	.4	.4	.1	.1	.1	.1	.2	.1	.1	.1	.1	.1	.1	-
1962	.1	-	.5	1.1	1.2	.5	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1963	.1	-	.5	1.5	1.0	.6	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1964	.1	-	.5	1.4	.9	.4	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1965	.1	-	.6	1.5	1.0	.4	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1
1966	.1	-	.4	1.5	1.0	.5	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1967	.1	-	.6	1.5	.8	.4	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1968	.1	-	.5	1.0	.9	.3	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1969	.1	-	.5	1.1	.8	.4	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1970	.1	-	.3	1.2	1.0	.4	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1971	.1	-	.3	1.2	.7	.3	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1972	.1	-	.2	1.3	.9	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1973	.1	-	.4	1.2	.7	.5	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1974	.1	-	.1	1.0	.6	.3	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1975	.1	-	.2	1.0	.6	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1976	.1	-	.6	1.1	.8	.3	.3	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1977	.1	-	.5	.7	.7	.4	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths



YEAR AGE

Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.2	.2	.5	1.0	.3	.3	.3	.6	.4	1.0	1.7	2.5	2.8	3.6	5.2	4.7	6.3	10.0
1951	1.1	.2	.2	.7	.9	.4	.3	.3	.5	.7	.9	1.3	2.1	3.0	3.7	5.2	6.4	7.3	7.4
1952	1.1	.1	.4	.6	.9	.3	.5	.4	.3	.4	1.2	1.7	1.7	2.6	2.8	5.2	6.5	8.1	8.1
1953	1.0	.2	.2	.8	1.0	.4	.3	.1	.3	.4	.8	1.1	2.4	3.2	3.6	3.9	4.4	7.3	8.0
1954	1.1	.1	.3	.6	.8	.5	.2	.2	.4	.6	.8	1.1	2.2	2.2	3.2	4.2	6.2	9.0	7.5
1955	1.0	.1	.2	.6	.8	.4	.3	.2	.3	.4	.9	1.3	1.7	2.4	2.9	4.7	5.2	5.7	8.6
1956	1.1	.1	.2	.6	.9	.4	.3	.3	.3	.6	.8	1.1	1.4	2.3	3.4	4.3	7.1	6.1	11.2
1957	1.0	.1	.2	.7	.8	.4	.2	.3	.4	.6	.7	1.0	1.6	2.2	2.9	4.7	5.3	7.0	7.8
1958	.9	.1	.2	.6	.9	.4	.2	.3	.2	.4	.7	1.1	1.6	2.2	2.9	3.6	5.2	6.0	6.0
1959	.9	.2	.3	.8	.6	.4	.2	.2	.4	.3	.6	1.1	1.5	1.9	2.4	3.5	3.4	7.1	8.3
1960	.8	.1	.2	.8	.6	.4	.2	.3	.3	.5	.5	1.0	1.3	1.9	2.0	3.6	3.6	6.2	6.9
1961	.8	.1	.3	.7	.8	.2	.2	.2	.4	.4	.8	.7	1.5	1.6	2.3	3.4	4.3	4.5	5.4
1962	.9	.1	.2	.7	.7	.3	.2	.1	.3	.3	.6	1.0	1.0	2.1	2.5	3.8	3.7	5.8	6.5
1963	.8	.1	.2	.5	.7	.3	.2	.2	.2	.3	.5	.8	1.3	2.0	2.3	2.8	3.9	4.0	6.5
1964	.8	.1	.2	.6	.6	.4	.1	.3	.2	.3	.6	.7	1.3	1.2	2.2	3.1	3.9	5.3	3.9
1965	.7	-	.2	.6	.6	.3	.2	.1	.3	.3	.6	.8	1.1	1.4	2.1	2.7	3.4	4.6	5.5
1966	.8	-	.3	.6	.8	.2	.2	.2	.3	.3	.5	.7	1.3	1.2	2.2	3.0	3.7	4.4	4.7
1967	.8	.1	.1	.8	.8	.4	.2	.2	.3	.3	.5	.9	1.3	1.7	1.9	2.9	4.5	4.7	5.1
1968	.8	.1	.3	.6	.6	.3	.2	.2	.3	.2	.5	.8	1.1	1.7	2.2	2.7	3.1	4.4	5.7
1969	.8	.1	.2	.7	.6	.2	.2	.1	.2	.3	.5	.4	1.0	1.6	2.1	2.3	4.2	4.9	6.0
1970	.8	.1	.2	.6	.7	.2	.3	.1	.3	.3	.4	.7	1.4	1.4	2.1	2.7	3.4	4.7	6.4
1971	.7	.1	.2	.6	.7	.3	.2	.1	.1	.3	.4	.7	1.0	1.4	1.7	2.7	3.2	3.8	5.5
1972	.8	.1	.4	.6	.5	.3	.2	.1	.4	.2	.3	.7	1.0	1.8	1.7	2.9	3.6	3.2	6.5
1973	.7	.1	.1	.5	.6	.4	.1	.1	.1	.3	.4	.6	.6	1.2	2.4	2.7	4.3	4.2	3.7
1974	.7	-	.1	.6	.7	.3	.1	.1	.2	.2	.3	.8	.9	1.3	1.9	2.0	3.7	4.4	4.8
1975	.7	.1	.2	.4	.6	.3	.2	.2	.1	.2	.2	.5	.8	1.5	1.7	2.8	3.2	4.0	6.2
1976	.7	-	.2	.3	.4	.3	.2	.3	.2	.1	.4	.7	.8	1.1	1.4	2.3	3.0	4.3	4.8
1977	.6	.1	.1	.4	.5	.3	.2	.2	.1	.2	.3	.4	.8	1.2	1.6	2.0	2.9	4.0	4.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	761	15	14	22	47	17	18	16	30	18	40	66	85	79	85	88	51	38	32
1951	787	13	14	33	42	22	19	17	26	33	37	51	71	86	90	90	73	45	25
1952	778	10	25	28	43	16	26	20	18	17	51	63	61	77	71	94	77	52	29
1953	751	12	11	42	44	18	19	8	16	20	36	43	83	100	92	74	54	49	30
1954	770	10	23	36	39	23	12	10	19	30	38	43	77	71	85	82	79	63	30
1955	730	5	17	35	37	18	16	9	17	21	42	52	62	78	79	96	68	42	36
1956	793	11	18	35	42	18	18	14	18	30	40	46	50	75	95	91	96	47	49
1957	769	12	15	43	42	17	10	14	22	33	33	43	59	75	82	102	75	56	36
1958	722	10	14	42	47	18	9	14	12	20	35	47	60	75	85	80	76	49	29
1959	706	13	27	56	33	17	8	10	20	15	30	48	59	63	72	81	52	60	42
1960	681	9	12	56	34	20	10	16	17	25	26	43	51	65	62	86	58	54	37
1961	690	6	25	51	46	12	10	13	21	20	42	30	62	54	73	83	71	41	30
1962	716	5	20	54	45	18	11	6	18	14	29	48	43	72	80	96	64	56	37
1963	663	5	17	41	50	17	9	11	11	14	28	37	56	71	74	75	69	40	38
1964	652	8	13	47	45	26	6	13	9	15	31	35	55	43	71	84	71	56	24
1965	646	4	21	52	41	20	9	5	17	17	30	39	49	50	68	75	63	51	35
1966	684	3	24	51	63	15	9	12	14	17	28	35	57	46	73	84	72	50	31
1967	751	5	12	70	61	29	9	12	14	19	26	43	58	65	63	83	90	56	36
1968	687	4	23	49	50	22	9	8	14	11	27	40	49	68	75	78	64	54	42
1969	681	6	17	62	44	13	13	5	9	15	26	21	48	66	72	66	89	62	47
1970	744	8	18	54	57	18	21	5	16	18	25	37	65	59	73	79	73	63	55
1971	667	7	12	49	56	21	15	7	6	18	24	35	47	59	61	78	69	53	50
1972	356	4	14	26	21	11	6	4	11	4	7	20	23	39	31	42	39	23	31
1973	686	6	10	43	55	28	10	7	5	17	24	33	31	54	90	79	94	63	37
1974	687	3	9	53	65	23	9	7	11	10	18	42	43	58	75	61	81	67	52
1975	679	9	14	34	52	22	13	13	6	11	11	27	40	66	70	86	71	62	72
1976	631	1	13	26	39	23	16	16	12	5	22	39	43	50	59	71	69	69	58
1977	607	6	5	32	42	22	14	12	8	11	18	24	41	53	67	64	66	65	57


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.5	1.1	1.6	.4	.3	.2	.3	.1	.2	.3	.2	.2	.1	.1	.1	.1	.1
1951	.1	-	.5	1.8	1.5	.6	.4	.2	.3	.2	.2	.2	.2	.2	.1	.1	.1	.1	-
1952	.1	-	.8	1.3	1.4	.4	.5	.3	.2	.1	.3	.3	.2	.2	.1	.1	.1	.1	-
1953	.1	-	.4	2.1	1.6	.6	.4	.1	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	-
1954	.1	-	.8	1.9	1.6	.8	.3	.2	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	-
1955	.1	-	.6	1.9	1.4	.6	.4	.2	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	-
1956	.1	-	.6	1.8	1.6	.6	.5	.2	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1
1957	.1	-	.5	2.0	1.5	.6	.3	.2	.3	.3	.2	.2	.2	.2	.1	.1	.1	.1	-
1958	.1	-	.5	2.0	1.7	.6	.3	.3	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1	-
1959	.1	-	.9	2.6	1.2	.6	.2	.2	.2	.1	.2	.2	.2	.1	.1	.1	.1	.1	-
1960	.1	-	.4	2.5	1.2	.7	.3	.3	.2	.2	.1	.2	.2	.1	.1	.1	.1	.1	-
1961	.1	-	.8	2.3	1.6	.4	.3	.3	.3	.2	.2	.1	.2	.1	.1	.1	.1	-	-
1962	.1	-	.7	2.5	1.4	.6	.3	.1	.2	.1	.2	.2	.1	.2	.1	.1	.1	.1	-
1963	.1	-	.6	1.8	1.5	.5	.3	.2	.1	.1	.1	.1	.2	.2	.1	.1	.1	-	-
1964	.1	-	.4	2.1	1.3	.7	.2	.3	.1	.1	.2	.1	.2	.1	.1	.1	.1	.1	-
1965	.1	-	.7	2.3	1.1	.5	.3	.1	.2	.1	.2	.1	.1	.1	.1	.1	.1	-	-
1966	.1	-	.8	2.2	1.5	.4	.2	.2	.2	.1	.1	.1	.2	.1	.1	.1	.1	-	-
1967	.1	-	.4	3.0	1.5	.7	.2	.3	.2	.1	.1	.2	.2	.1	.1	.1	.1	.1	-
1968	.1	-	.8	2.0	1.1	.5	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1969	.1	-	.6	2.5	1.0	.3	.3	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1970	.1	-	.7	2.2	1.2	.4	.5	.1	.2	.1	.1	.1	.2	.1	.1	.1	.1	.1	-
1971	.1	-	.5	2.0	1.2	.4	.3	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1972	.1	-	1.1	2.1	.9	.4	.3	.2	.3	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1973	.1	-	.4	1.8	1.1	.6	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1974	.1	-	.4	2.3	1.4	.5	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1975	.1	-	.7	1.7	1.1	.5	.3	.3	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1976	.1	-	.7	1.3	.8	.5	.3	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-
1977	.1	-	.3	1.6	.9	.4	.3	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	.1	.0	.3	1.9	.8	.8	.2	.9	1.4	1.1	1.9	3.2	5.2	6.4	5.1	10.8	5.4	.0
1951	1.0	.2	.1	.4	.5	.5	.5	.4	.5	.8	1.6	2.9	3.4	4.2	3.4	6.6	2.9	13.1	.0
1952	1.1	.1	.5	.8	1.3	.2	1.1	.2	.3	.8	.7	3.3	3.0	4.5	4.7	4.8	5.6	7.7	.0
1953	1.0	.1	.1	.8	.9	.5	.7	.7	.7	.6	1.3	2.5	2.6	3.5	4.6	3.9	2.7	2.5	14.0
1954	1.1	.1	.0	.4	1.4	.7	.2	.2	1.0	.2	1.8	3.4	4.0	3.9	4.1	2.3	7.6	2.4	8.5
1955	1.2	.0	.0	.9	.9	.2	.2	.3	.5	1.7	1.8	1.9	3.3	4.1	7.1	4.4	3.6	9.6	20.5
1956	1.1	.1	.3	.5	1.6	1.0	.0	.5	.5	1.5	1.3	2.1	1.7	4.0	4.4	4.9	8.1	7.0	11.8
1957	1.3	.1	.0	.8	1.3	.8	.5	.5	.3	1.1	2.3	3.5	2.0	6.2	5.6	6.8	4.4	6.9	3.8
1958	.9	.1	.3	.2	.5	.3	.7	.5	1.0	1.1	.8	1.6	3.0	1.1	4.7	3.3	4.2	6.7	.0
1959	1.1	.0	.3	.8	1.8	1.8	.0	.5	.6	1.3	1.4	1.2	2.4	2.9	2.1	5.7	6.1	8.7	10.2
1960	1.0	.0	.2	.5	1.2	1.2	.3	.5	.6	.5	.6	2.9	2.5	3.4	4.4	4.2	5.7	10.6	3.2
1961	.8	.2	.1	.6	.8	.3	.2	.5	.3	.7	.6	1.3	1.7	3.0	3.9	6.3	2.8	5.8	6.7
1962	.8	.0	.1	.5	1.4	.4	.5	.5	.5	.7	.9	1.5	2.4	2.0	4.2	2.8	5.6	3.6	6.7
1963	.9	.1	.1	.4	1.2	.4	.3	.6	.3	.5	.8	2.9	1.9	3.9	4.4	3.8	2.8	5.1	3.3
1964	1.1	.1	.2	.4	1.6	.5	.3	.8	.3	1.5	2.1	1.4	2.1	3.8	5.0	4.2	5.4	3.3	12.5
1965	.9	.0	.3	.8	1.4	.2	.0	.3	.6	.7	.7	.8	1.9	4.4	5.2	5.7	.9	6.3	.0
1966	.8	.0	.0	.7	.6	.5	.9	.3	.2	1.0	.9	1.2	1.8	2.7	4.1	2.6	5.2	7.8	11.1
1967	.8	.0	.3	.6	1.1	.3	.0	.5	.3	.2	.7	1.4	1.4	2.9	2.4	5.6	6.8	.0	5.1
1968	.9	.0	.1	.8	1.1	1.2	.3	.0	.5	.6	.7	.8	2.7	1.7	5.3	5.5	3.4	7.5	7.3
1969	1.0	.1	.1	.5	1.1	.9	.3	.6	.2	1.1	.9	1.8	2.5	5.8	4.3	1.5	5.8	2.9	4.5
1970	1.0	.1	.1	.5	1.3	.8	.3	.4	.0	.6	.7	2.1	2.9	5.5	3.2	2.4	6.5	2.9	.0
1971	.8	.0	.1	.7	.6	.4	.3	.1	.6	.6	1.7	1.9	2.1	1.3	5.1	4.2	3.9	5.4	.0
1972	1.0	.0	.0	.4	.8	1.6	.5	.0	.3	.3	1.0	2.2	1.4	2.0	5.6	7.6	6.1	.0	8.0
1973	.8	.0	.0	.2	.9	.3	.6	.4	.3	.5	1.0	1.6	3.0	1.9	3.9	4.7	3.8	8.4	5.8
1974	1.0	.1	.1	.6	.8	.4	.4	.1	.5	.6	1.0	1.7	1.8	3.1	3.2	9.7	3.8	9.4	1.8
1975	.7	.3	.1	.2	1.1	.5	.3	.2	.8	.5	.8	1.5	1.1	2.2	3.6	2.3	5.8	1.2	.0
1976	.8	.1	.2	.5	.8	.7	.3	.1	.3	.5	1.3	1.2	1.6	3.7	.3	6.3	6.3	2.2	5.9
1977	.9	.0	.0	.9	.6	.4	.4	.3	.1	.8	1.7	1.3	2.5	4.5	2.5	4.3	8.5	1.1	5.6

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	98	1	0	2	12	5	5	1	5	7	5	7	9	11	13	6	7	2	0
1951	83	2	1	3	3	3	3	2	3	4	7	11	10	9	7	8	2	5	0
1952	92	1	4	6	8	1	7	1	2	4	3	13	9	10	10	6	4	3	0
1953	85	1	1	6	6	3	4	4	4	3	6	10	8	8	10	5	2	1	3
1954	91	1	0	3	9	4	1	1	6	1	8	14	13	9	9	3	6	1	2
1955	101	0	0	8	6	1	1	2	3	9	8	8	11	10	16	6	3	4	5
1956	100	1	3	4	11	6	0	3	3	8	6	9	6	10	10	7	7	3	3
1957	116	1	0	7	9	5	3	3	2	6	11	15	7	16	13	10	4	3	1
1958	80	2	3	2	4	2	4	3	6	6	4	7	11	3	11	5	4	3	0
1959	107	0	4	8	14	11	0	3	4	7	7	5	9	8	5	9	6	4	3
1960	104	0	3	5	10	8	2	3	4	3	3	13	10	10	11	7	6	5	1
1961	84	3	1	7	7	2	1	3	2	4	3	6	7	9	10	11	3	3	2
1962	89	0	1	6	12	3	3	3	3	4	5	7	10	6	11	5	6	2	2
1963	98	2	2	5	11	3	2	4	2	3	4	14	8	12	12	7	3	3	1
1964	121	2	3	5	16	4	2	5	2	9	11	7	9	12	14	8	6	2	4
1965	104	0	5	11	15	2	0	2	4	4	4	4	8	14	15	11	1	4	0
1966	95	0	0	9	7	4	6	2	1	6	5	6	8	9	12	5	6	5	4
1967	89	0	4	8	13	3	0	3	2	1	4	7	6	10	7	11	8	0	2
1968	112	0	1	12	14	11	2	0	3	4	4	4	12	6	16	11	4	5	3
1969	119	1	1	7	14	9	2	4	1	7	5	9	11	21	13	3	7	2	2
1970	118	1	2	7	17	8	2	3	0	4	4	11	13	21	10	5	8	2	0
1971	105	0	2	11	8	5	2	1	4	4	10	10	9	5	16	9	5	4	0
1972	61	0	0	3	6	9	2	0	1	1	3	6	3	4	9	8	4	0	2
1973	107	0	0	3	13	4	5	3	2	3	6	9	13	8	13	10	5	7	3
1974	125	2	1	10	12	5	4	1	3	4	6	10	8	13	11	21	5	8	1
1975	99	4	1	3	17	6	3	2	5	3	5	9	5	9	13	5	8	1	0
1976	112	2	3	8	13	9	3	1	2	3	8	7	8	15	1	14	9	2	4
1977	130	0	0	14	10	6	4	3	1	5	11	8	13	18	10	10	12	1	4


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	.3	.9	.2	.2	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.0
1951	.1	-	.1	.4	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	.0
1952	.1	-	.5	.9	.6	-	.3	-	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.0
1953	.1	-	.1	.8	.5	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	.1
1954	.1	-	.0	.5	.7	.2	-	-	.2	-	.1	.2	.1	.1	.1	-	.1	-	.1
1955	.1	.0	.0	1.2	.5	.1	-	.1	.1	.2	.1	.1	.1	.1	.2	.1	.1	.1	.2
1956	.1	-	.4	.6	1.0	.3	.0	.1	.1	.2	.1	.1	.1	.1	.1	.1	.1	.1	.1
1957	.1	-	.0	.9	.7	.3	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	.1	-
1958	.1	-	.4	.3	.3	.1	.2	.1	.2	.1	.1	.1	.1	-	.1	.1	.1	.1	.0
1959	.1	.0	.4	1.0	1.1	.7	.0	.1	.1	.1	.1	.1	.1	.1	-	.1	.1	.1	.1
1960	.1	.0	.3	.6	.8	.5	.1	.1	.1	.1	-	.2	.1	.1	.1	.1	.1	.1	-
1961	.1	-	.1	.9	.5	.1	-	.1	.1	.1	-	.1	.1	.1	.1	.1	-	.1	-
1962	.1	.0	.1	.7	.9	.2	.1	.1	.1	.1	.1	.1	.1	-	.1	-	.1	-	-
1963	.1	-	.2	.6	.7	.1	.1	.1	.1	.1	.1	.2	.1	.1	.1	.1	-	-	-
1964	.1	-	.3	.5	1.0	.2	.1	.2	-	.2	.2	.1	.1	.1	.1	.1	.1	-	.1
1965	.1	.0	.5	1.3	.8	.1	.0	.1	.1	.1	.1	-	.1	.1	.1	.1	-	.1	.0
1966	.1	.0	.0	1.0	.3	.2	.2	.1	-	.1	.1	.1	.1	.1	.1	-	.1	.1	.1
1967	.1	.0	.4	.9	.6	.1	.0	.1	-	-	.1	.1	.1	.1	-	.1	.1	.0	-
1968	.1	.0	.1	1.1	.5	.3	.1	.0	.1	.1	-	-	.1	-	.1	.1	-	.1	-
1969	.1	-	.1	.6	.5	.2	.1	.1	-	.1	.1	.1	.1	.2	.1	-	.1	-	-
1970	.1	-	.2	.7	.6	.2	.1	.1	.0	.1	-	.1	.1	.2	.1	-	.1	-	.0
1971	.1	.0	.2	1.1	.3	.1	.1	-	.1	.1	.1	.1	.1	-	.1	.1	-	.1	.0
1972	.1	.0	.0	.6	.4	.4	.1	.0	-	-	.1	.1	.1	.1	.1	.1	.1	.0	.1
1973	.1	.0	.0	.3	.5	.1	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	-	.1	-
1974	.1	-	.1	1.1	.4	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-
1975	.1	-	.1	.3	.7	.1	.1	.1	.1	.1	.1	.1	-	.1	.1	-	.1	-	.0
1976	.1	-	.4	1.0	.5	.2	.1	-	.1	.1	.1	.1	.1	.1	-	.1	.1	-	.1
1977	.1	.0	.0	1.6	.4	.2	.1	.1	-	.1	.2	.1	.1	.1	.1	.1	.1	-	-


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.0	.1	.3	.8	.3	.4	.3	.6	1.0	2.6	3.5	3.0	7.0	5.1	3.4	.0	7.2	.0
1951	.9	.2	.1	.3	.8	.1	.0	.3	.8	1.5	2.8	1.6	3.3	2.9	4.1	2.4	3.0	4.5	7.5
1952	.8	.1	.1	.4	.3	.1	.3	.2	.5	1.1	1.1	3.6	1.4	3.7	2.2	3.8	8.7	2.1	10.5
1953	.9	.0	.2	.6	.6	.1	.1	.3	1.6	1.1	1.3	1.5	2.6	2.6	3.0	6.6	7.0	2.0	6.5
1954	1.0	.2	.4	.6	.4	.4	.1	.7	.8	.9	1.3	2.6	2.2	4.2	3.4	3.5	2.6	2.0	6.1
1955	.8	.1	.3	.4	1.2	.0	.3	.1	.6	1.2	.2	3.3	2.1	3.2	2.5	3.3	2.5	2.0	2.9
1956	.9	.0	.1	1.3	.7	.6	.3	.6	.2	.8	1.2	1.6	2.9	3.4	2.8	3.2	2.3	2.0	2.8
1957	.8	.1	.2	.7	.4	.1	.4	.6	.6	.2	1.2	.7	3.6	4.4	4.0	3.1	4.2	5.8	.0
1958	.7	.1	.2	.6	.5	.1	.1	.0	.1	1.0	.2	1.8	2.4	3.2	2.7	3.0	4.9	3.8	7.8
1959	.7	.0	.0	.6	.5	.4	.1	.3	.9	.2	1.1	2.2	2.6	2.4	2.7	2.9	1.8	1.9	5.1
1960	.6	.1	.1	.6	.5	.3	.0	.1	.3	.2	.7	1.9	2.2	2.6	1.8	3.3	4.3	1.8	2.5
1961	.5	.1	.1	.4	.1	.3	.4	.1	.7	.0	.9	1.4	1.9	1.9	1.7	2.1	1.7	.0	2.5
1962	.8	.1	.4	.6	.7	.3	.3	.1	.7	.5	1.0	2.0	3.1	2.8	1.7	5.4	4.1	.0	.0
1963	.7	.1	.2	.7	.4	.5	.3	.3	.1	.2	1.0	2.3	1.4	2.4	1.9	2.8	3.9	2.9	2.3
1964	.6	.1	.0	.5	.7	.0	.0	.0	.1	1.0	1.0	.4	1.3	3.0	3.4	3.2	2.3	1.4	2.2
1965	.6	.0	.1	.2	.6	.3	.1	.0	.4	.7	1.2	1.1	1.3	2.6	2.1	3.5	2.2	5.2	4.1
1966	.7	.1	.3	.7	.8	.1	.1	.3	.4	.1	.7	2.0	1.3	1.7	3.2	3.4	2.1	3.8	5.7
1967	.6	.0	.1	.4	.4	.2	.0	.5	.3	.4	.8	1.3	.8	1.6	3.1	2.1	4.8	.0	5.3
1968	.5	.0	.2	.3	.6	.4	.2	.3	.3	.6	.5	.9	1.0	1.5	1.7	2.0	2.6	.0	3.3
1969	.6	.1	.1	.8	.8	.1	.0	.1	.4	.3	.8	.7	1.2	1.2	1.6	3.2	1.3	4.4	1.5
1970	.6	.1	.2	.5	.2	.3	.0	.1	.8	.9	.6	.5	1.2	1.6	1.3	5.1	2.5	.0	1.4
1971	.6	.1	.0	.3	.6	.1	.0	.4	.3	.9	.1	1.0	1.4	2.4	.5	3.4	3.0	4.8	2.6
1972	.6	.1	.1	.8	.0	.2	.2	.0	.0	.5	.3	2.6	1.2	1.7	3.5	1.6	1.2	3.6	4.9
1973	.6	.0	.1	.8	.6	.1	.2	.2	.1	.7	.6	1.7	1.6	1.0	1.4	1.9	3.5	2.5	3.4
1974	.6	.0	.1	.2	.6	.4	.3	.0	.4	.5	.7	.5	1.4	2.5	2.7	1.9	5.2	2.4	.0
1975	.6	.1	.3	.7	.4	.4	.0	.4	.5	.4	.4	1.2	1.5	2.3	.9	2.7	2.8	1.5	4.5
1976	.6	.0	.1	.5	.4	.1	.2	.3	.2	.4	1.2	1.0	1.8	2.5	.4	3.8	2.7	2.2	3.3
1977	.6	.0	.1	.2	.7	.3	.3	.1	.3	.4	.3	1.9	1.5	1.0	1.4	.7	4.9	3.6	3.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	89	0	1	2	5	2	3	2	4	5	12	13	8	14	11	4	0	3	0
1951	78	2	1	2	5	1	0	2	5	8	13	6	9	6	9	3	2	2	2
1952	71	1	1	3	2	1	2	1	3	6	5	14	4	8	5	5	6	1	3
1953	81	0	2	5	4	1	1	2	10	6	6	6	8	6	7	9	5	1	2
1954	85	2	4	5	3	3	1	5	5	5	6	11	7	10	8	5	2	1	2
1955	74	1	3	3	8	0	2	1	4	7	1	14	7	8	6	5	2	1	1
1956	81	0	1	11	5	4	2	4	1	5	6	7	10	9	7	5	2	1	1
1957	81	1	2	6	3	1	3	4	4	1	6	3	13	12	10	5	4	3	0
1958	71	1	2	6	4	1	1	0	1	6	1	8	9	9	7	5	5	2	3
1959	73	0	0	6	4	3	1	2	6	1	6	10	10	7	7	5	2	1	2
1960	66	1	1	6	4	2	0	1	2	1	4	9	9	8	5	6	5	1	1
1961	58	1	2	5	1	2	3	1	5	0	5	7	8	6	5	4	2	0	1
1962	91	1	5	7	6	2	2	1	5	3	6	10	13	9	5	11	5	0	0
1963	80	2	3	9	4	4	2	2	1	1	6	12	6	8	6	6	5	2	1
1964	71	2	0	7	7	0	0	0	1	7	6	2	6	10	11	7	3	1	1
1965	75	0	2	3	6	3	1	0	3	5	7	6	6	9	7	8	3	4	2
1966	87	1	4	10	9	1	1	2	3	1	4	11	6	6	11	8	3	3	3
1967	71	0	2	5	5	2	0	4	2	3	5	7	4	6	11	5	7	0	3
1968	66	0	3	5	8	4	2	2	2	4	3	5	5	6	6	5	4	0	2
1969	73	1	1	12	11	1	0	1	3	2	5	4	6	5	6	8	2	4	1
1970	74	1	3	7	3	3	0	1	6	7	4	3	6	7	5	13	4	0	1
1971	76	2	0	4	9	1	0	3	2	7	1	6	7	11	2	9	5	5	2
1972	42	1	1	6	0	1	1	0	0	2	1	8	3	4	7	2	1	2	2
1973	85	0	2	12	9	1	2	2	1	5	4	11	8	5	6	5	6	3	3
1974	85	0	2	3	9	5	3	0	3	4	5	3	7	12	12	5	9	3	0
1975	93	1	4	11	7	6	0	4	4	3	3	8	8	11	4	7	5	2	5
1976	89	0	1	8	6	1	3	3	2	3	9	7	10	12	2	10	5	3	4
1977	87	0	1	3	12	4	4	1	3	3	2	13	9	5	7	2	9	5	4


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.2	.4	.4	.1	.1	.1	.1	.1	.2	.2	.1	.2	.2	.1	.0	.1	.0
1951	.1	-	.2	.4	.5	.1	.0	.1	.1	.2	.2	.1	.1	.1	.1	-	-	.1	.1
1952	.1	-	.2	.6	.2	.1	.1	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	-	.1
1953	.1	.0	.3	1.2	.4	.1	.1	.1	.3	.1	.1	.1	.1	.1	.1	.1	.1	-	.1
1954	.1	-	.7	1.3	.4	.3	.1	.2	.2	.1	.1	.2	.1	.1	.1	.1	-	-	.1
1955	.1	-	.5	.7	1.3	.0	.1	-	.1	.2	-	.2	.1	.1	.1	.1	-	-	-
1956	.1	.0	.1	2.8	.8	.4	.1	.2	-	.1	.1	.1	.1	.1	.1	.1	-	-	-
1957	.1	-	.3	1.4	.4	.1	.2	.2	.1	-	.1	-	.2	.1	.1	.1	.1	.1	.0
1958	.1	-	.3	1.5	.6	.1	.1	.0	-	.2	-	.1	.1	.1	.1	.1	.1	-	.1
1959	.1	.0	.0	1.3	.6	.3	.1	.1	.2	-	.1	.2	.1	.1	.1	.1	-	-	-
1960	.1	-	.1	1.3	.6	.2	.0	-	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-
1961	.1	-	.3	1.1	.1	.2	.2	-	.2	.0	.1	.1	.1	.1	.1	-	-	.0	-
1962	.1	-	.6	1.4	.8	.2	.1	-	.2	.1	.1	.1	.2	.1	.1	.1	.1	.0	.0
1963	.1	-	.4	1.6	.5	.4	.1	.1	-	-	.1	.2	.1	.1	.1	.1	.1	-	-
1964	.1	-	.0	1.3	.9	.0	.0	.0	-	.2	.1	-	.1	.1	.1	.1	-	-	-
1965	.1	.0	.2	.6	.7	.3	.1	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-
1966	.1	-	.5	1.8	1.0	.1	.1	.1	.1	-	.1	.2	.1	.1	.1	.1	-	-	-
1967	.1	.0	.3	.9	.5	.2	.0	.2	.1	.1	.1	.1	.1	.1	.1	-	.1	.0	-
1968	.1	.0	.4	.8	.8	.3	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	.0	-
1969	.1	-	.1	1.9	.9	.1	.0	-	.1	-	.1	.1	.1	.1	-	.1	-	.1	-
1970	.1	-	.4	1.2	.3	.2	.0	.1	.2	.2	.1	-	.1	.1	-	.1	-	.0	-
1971	.1	-	.0	.6	.7	.1	.0	.1	.1	.2	-	.1	.1	.1	-	.1	.1	.1	-
1972	.1	-	.3	2.0	.0	.1	.1	.0	.0	.1	-	.2	.1	.1	.1	-	-	.1	-
1973	.1	.0	.3	2.1	.8	.1	.1	.1	-	.1	.1	.2	.1	-	.1	-	.1	-	-
1974	.1	.0	.4	.6	.8	.3	.2	.0	.1	.1	.1	-	.1	.1	.1	-	.1	-	.0
1975	.1	-	.8	2.2	.7	.4	.0	.2	.2	.1	.1	.1	.1	.1	-	.1	-	-	-
1976	.1	.0	.2	1.7	.7	.1	.2	.2	.1	.1	.2	.1	.1	.1	-	.1	-	-	-
1977	.1	.0	.2	.7	1.2	.3	.2	.1	.1	.1	-	.2	.1	.1	.1	-	.1	.1	-


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	290	0.43	0.46	0.27	227	0.33	0.34	0.23	29	0.37	0.41	0.27	13	0.16	0.17	0.12
1951	298	0.43	0.46	0.27	229	0.33	0.34	0.23	26	0.33	0.42	0.28	20	0.24	0.28	0.19
1952	315	0.45	0.49	0.28	234	0.33	0.33	0.23	25	0.31	0.36	0.23	19	0.22	0.28	0.19
1953	345	0.49	0.51	0.29	265	0.37	0.36	0.25	23	0.28	0.37	0.23	20	0.23	0.29	0.20
1954	367	0.51	0.54	0.31	313	0.43	0.43	0.30	34	0.40	0.45	0.27	23	0.26	0.30	0.21
1955	390	0.53	0.56	0.32	292	0.39	0.39	0.28	38	0.44	0.57	0.34	35	0.38	0.45	0.32
1956	399	0.54	0.58	0.32	318	0.42	0.41	0.30	36	0.40	0.59	0.33	46	0.49	0.55	0.38
1957	455	0.60	0.64	0.36	358	0.47	0.46	0.33	29	0.32	0.38	0.21	35	0.36	0.42	0.29
1958	458	0.60	0.63	0.36	372	0.48	0.47	0.34	34	0.36	0.44	0.25	26	0.26	0.32	0.22
1959	434	0.56	0.60	0.33	385	0.48	0.47	0.35	48	0.50	0.63	0.34	43	0.42	0.51	0.36
1960	574	0.72	0.76	0.42	401	0.50	0.48	0.36	56	0.56	0.67	0.35	45	0.43	0.52	0.36
1961	506	0.63	0.66	0.36	441	0.54	0.52	0.39	43	0.42	0.54	0.28	49	0.45	0.58	0.40
1962	534	0.65	0.69	0.38	451	0.54	0.52	0.39	38	0.36	0.44	0.22	64	0.58	0.71	0.50
1963	552	0.67	0.71	0.38	449	0.53	0.51	0.38	63	0.59	0.77	0.38	55	0.48	0.58	0.42
1964	575	0.69	0.72	0.39	482	0.56	0.53	0.41	58	0.53	0.64	0.31	49	0.42	0.49	0.35
1965	623	0.74	0.78	0.41	514	0.59	0.56	0.42	69	0.62	0.80	0.39	56	0.47	0.57	0.41
1966	650	0.76	0.81	0.42	543	0.62	0.58	0.44	63	0.55	0.69	0.32	62	0.51	0.61	0.42
1967	685	0.80	0.85	0.44	536	0.60	0.57	0.43	84	0.72	0.93	0.43	69	0.56	0.66	0.46
1968	691	0.80	0.84	0.43	583	0.65	0.61	0.46	74	0.63	0.78	0.35	75	0.59	0.68	0.48
1969	641	0.73	0.77	0.39	625	0.69	0.64	0.49	70	0.58	0.72	0.32	70	0.54	0.64	0.45
1970	737	0.84	0.88	0.45	636	0.70	0.63	0.49	84	0.69	0.86	0.37	70	0.53	0.62	0.45
1971	712	0.80	0.84	0.42	634	0.69	0.62	0.48	83	0.67	0.86	0.37	89	0.66	0.81	0.56
1972	368	0.82	0.86	0.43	306	0.66	0.59	0.45	37	0.58	0.74	0.31	50	0.73	0.86	0.61
1973	702	0.78	0.81	0.40	643	0.69	0.62	0.48	81	0.63	0.80	0.33	93	0.66	0.77	0.52
1974	712	0.79	0.82	0.40	613	0.65	0.58	0.44	82	0.62	0.79	0.32	75	0.53	0.64	0.44
1975	679	0.75	0.77	0.38	671	0.71	0.62	0.47	76	0.57	0.70	0.28	100	0.69	0.82	0.57
1976	644	0.71	0.73	0.35	675	0.71	0.61	0.46	78	0.57	0.72	0.29	93	0.63	0.77	0.53
1977	712	0.78	0.80	0.38	688	0.72	0.62	0.46	95	0.68	0.84	0.33	112	0.74	0.87	0.59

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Fibrosarcoma, rhabdomyosarcoma, and connective tissue and muscle (not elsewhere classified).
(ICD 197 [6th]; ICD 197-197.9 [7th]; ICD 171-171.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



MILLER RW: Contrasting epidemiology of childhood osteosarcoma, Ewing's tumor, and rhabdomyosarcoma. Natl Cancer Inst Monogr 56:9-14, 1981

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.1	.1	.1	.1	.2	.2	.2	.4	.4	.4	.7	.9	1.1	1.3	1.4	2.0	2.5	3.6
1951	.4	.1	-	.1	.2	.3	.1	.2	.2	.5	.6	.5	1.1	.8	1.8	1.6	1.5	2.9	3.3
1952	.5	.1	-	.1	.3	.1	.2	.2	.1	.4	.7	.7	1.2	1.1	1.4	1.7	2.2	2.8	4.3
1953	.5	.2	.1	.1	.1	.1	.2	.2	.3	.2	.8	.8	1.0	1.5	1.5	2.3	1.4	3.0	2.6
1954	.5	.2	.1	.1	.2	.1	.2	.3	.3	.4	.6	.6	1.1	1.3	1.7	2.3	2.6	2.9	3.5
1955	.5	.2	.1	.1	.2	.3	.2	.2	.2	.6	.5	1.0	.8	1.4	2.0	2.5	2.7	2.2	3.0
1956	.5	.2	.1	.1	.2	.3	.3	.3	.3	.4	.4	.9	1.3	1.5	1.2	1.8	2.4	4.1	4.3
1957	.6	.1	.1	-	.3	.2	.4	.2	.2	.5	.5	1.1	1.5	1.7	2.2	2.6	3.2	2.1	4.2
1958	.6	.2	.2	.1	.3	.2	.3	.3	.4	.6	.6	.7	1.1	1.8	1.8	2.6	2.6	3.2	3.8
1959	.6	.1	.1	.2	.3	.2	.1	.2	.3	.4	.8	.7	.7	1.2	2.3	2.6	2.6	4.1	4.3
1960	.7	.2	.1	.1	.3	.2	.3	.5	.6	.6	.6	.8	1.5	1.7	2.4	3.0	4.0	5.3	3.9
1961	.6	.2	.1	.1	.3	.2	.2	.2	.5	.6	.6	.5	1.6	1.5	2.3	2.7	2.5	3.1	4.1
1962	.7	.2	.2	.1	.2	.3	.3	.1	.4	.5	.6	1.1	1.5	2.0	2.2	2.2	3.7	3.5	4.1
1963	.7	.1	.2	.1	.2	.2	.2	.2	.5	.3	.7	1.2	1.5	1.7	2.3	3.0	3.4	3.8	5.5
1964	.7	.2	.1	.1	.2	.2	.4	.5	.5	.6	1.0	1.0	1.6	1.9	2.1	2.1	3.7	4.2	3.4
1965	.7	.2	.2	.1	.3	.2	.4	.5	.3	.6	.6	1.3	1.5	1.8	2.3	3.3	4.2	4.5	3.6
1966	.8	.3	.1	.2	.3	.3	.4	.4	.5	.6	.8	1.0	1.5	2.2	2.5	3.5	4.0	3.3	5.4
1967	.8	.3	.1	.2	.3	.2	.3	.3	.4	.5	.7	.8	1.8	2.4	2.8	3.5	4.8	5.1	6.7
1968	.8	.3	.2	.2	.3	.4	.4	.4	.4	.5	1.0	1.1	1.5	1.9	3.0	3.1	4.3	4.5	5.3
1969	.7	.1	.2	.2	.4	.4	.3	.2	.4	.5	.8	.9	1.4	2.3	2.7	3.6	3.0	3.3	4.8
1970	.8	.1	.3	.2	.3	.3	.4	.4	.6	.6	.9	1.4	1.3	2.1	2.8	3.1	4.4	5.9	6.0
1971	.8	.3	.2	.2	.4	.3	.2	.3	.4	.5	.9	1.1	1.8	1.7	2.4	3.5	4.8	4.8	6.2
1972	.8	.3	.1	.1	.3	.3	.3	.4	.5	.7	.8	1.1	1.5	1.5	3.6	3.9	4.5	4.0	5.4
1973	.8	.2	.1	.2	.3	.2	.5	.5	.6	.4	.9	1.0	1.5	1.8	2.3	3.3	4.1	5.1	6.0
1974	.8	.2	.1	.1	.2	.3	.2	.3	.4	.6	.6	1.0	1.5	1.9	3.1	4.1	4.8	4.6	6.1
1975	.7	.2	.1	.1	.2	.3	.2	.3	.4	.5	.8	1.0	1.6	1.7	3.0	3.2	4.1	4.9	5.8
1976	.7	.1	.2	.1	.2	.2	.2	.2	.5	.6	.5	1.0	1.3	2.0	2.0	2.9	3.9	5.5	6.2
1977	.8	.2	.3	.1	.2	.3	.3	.3	.4	.6	.7	1.0	1.4	1.6	2.3	3.1	4.8	6.2	6.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	290	6	6	7	6	11	12	11	18	17	17	28	29	32	30	21	19	12	8
1951	298	9	3	4	7	14	6	9	12	23	27	20	37	23	42	25	15	14	8
1952	315	10	3	4	12	6	9	13	7	17	28	26	41	31	34	27	22	14	11
1953	345	14	5	7	5	3	12	13	14	10	36	32	36	46	37	39	14	15	7
1954	367	18	5	6	9	5	10	18	15	18	28	22	39	40	42	39	28	15	10
1955	390	16	10	6	9	12	10	10	12	29	22	40	29	42	49	44	29	12	9
1956	399	13	5	8	12	15	17	16	17	21	20	35	46	47	31	33	27	23	13
1957	455	10	11	1	14	11	19	11	13	24	22	46	53	52	57	49	37	12	13
1958	458	14	16	6	18	11	15	17	19	29	29	28	41	56	47	50	31	19	12
1959	434	11	9	13	18	12	5	11	18	22	39	29	27	38	60	51	32	25	14
1960	574	21	5	11	19	11	16	26	32	33	31	36	57	54	65	61	50	33	13
1961	506	21	8	5	18	10	9	11	30	34	28	40	62	47	61	56	32	20	14
1962	534	22	18	7	13	16	14	5	22	24	29	49	57	64	60	47	49	24	14
1963	552	13	20	7	13	11	12	12	28	17	33	55	60	55	61	64	46	26	19
1964	575	19	13	5	13	14	18	23	26	31	48	44	66	60	57	45	51	30	12
1965	623	17	16	12	23	15	18	22	18	31	32	58	64	59	62	72	58	33	13
1966	650	21	12	15	22	16	20	18	25	35	41	46	62	72	67	76	57	25	20
1967	685	22	12	18	25	15	14	14	22	29	35	36	77	81	76	75	69	39	26
1968	691	22	16	20	21	25	22	19	20	27	51	51	64	68	82	65	62	35	21
1969	641	10	16	16	29	29	18	12	20	26	40	42	60	83	74	76	44	26	20
1970	737	11	22	18	29	25	22	19	28	29	45	70	56	78	80	66	64	48	27
1971	712	19	16	21	33	22	13	18	19	26	48	52	80	63	69	74	70	40	29
1972	368	12	4	4	14	13	11	10	12	19	22	28	34	28	53	41	33	17	13
1973	702	14	8	16	28	17	32	28	31	19	46	53	66	69	70	72	59	44	30
1974	712	17	9	12	20	26	15	20	18	28	31	51	65	73	97	90	68	40	32
1975	679	11	4	9	21	21	15	20	22	23	40	50	75	66	97	71	59	43	32
1976	644	8	15	9	21	17	16	14	24	28	27	53	59	81	65	67	56	49	35
1977	712	14	20	9	21	25	23	18	23	27	34	52	66	63	78	74	69	56	40


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-	-
1951	-	-	.1	.1	.1	.2	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-	-
1952	-	-	.1	.1	.2	.1	.1	.1	-	.1	.1	.1	.1	-	-	-	-	-	-
1953	-	-	.1	.2	.1	-	.1	.1	.1	-	.1	.1	.1	.1	-	-	-	-	-
1954	-	-	.1	.2	.2	.1	.1	.2	.1	.1	.1	-	.1	-	-	-	-	-	-
1955	.1	-	.2	.2	.1	.2	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-
1956	.1	-	.1	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1957	.1	-	.3	-	.2	.1	.3	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1958	.1	-	.4	.2	.3	.1	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-	-	-
1959	.1	-	.2	.3	.3	.2	.1	.1	.1	.1	.1	.1	-	-	.1	-	-	-	-
1960	.1	-	.1	.3	.3	.1	.2	.3	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-
1961	.1	-	.2	.1	.3	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	-	-	-	-
1962	.1	-	.4	.2	.2	.2	.2	.1	.2	.1	.1	.1	.1	.1	.1	-	-	-	-
1963	.1	-	.5	.2	.2	.1	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-
1964	.1	-	.3	.1	.1	.1	.2	.3	.2	.1	.1	.1	.1	.1	.1	-	-	-	-
1965	.1	-	.4	.3	.2	.2	.2	.3	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-
1966	.1	-	.3	.4	.2	.1	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-
1967	.1	.1	.3	.4	.2	.1	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1968	.1	.1	.4	.5	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-
1969	.1	-	.4	.4	.2	.2	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-
1970	.1	-	.5	.4	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1971	.1	.1	.4	.5	.3	.2	.1	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-
1972	.1	.1	.2	.2	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	-	-
1973	.1	-	.2	.4	.2	.1	.3	.3	.3	.1	.1	.1	.1	.1	.1	.1	-	-	-
1974	.1	.1	.3	.3	.1	.2	.1	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	-	-
1975	.1	-	.1	.2	.2	.1	.1	.2	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-
1976	.1	-	.5	.2	.2	.1	.1	.1	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-
1977	.1	.1	.7	.3	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.1	.1	.1	.1	.2	.1	.2	.3	.5	.3	.4	.7	.7	1.1	1.4	1.8	1.0	2.2
1951	.3	.1	-	.1	.1	.1	.2	.1	.2	.5	.2	.6	.6	.7	.9	1.0	1.9	2.3	2.1
1952	.3	.1	.1	.0	.0	.2	.1	.1	.1	.3	.4	.6	.5	.9	1.1	1.5	1.6	1.9	2.0
1953	.4	.1	.1	.1	.2	.1	.2	.3	.4	.2	.4	.5	.5	1.1	1.2	1.1	1.3	.9	3.2
1954	.4	.1	.1	.1	.1	.2	.1	.2	.2	.4	.5	.8	1.0	1.3	1.2	1.3	1.6	2.6	2.3
1955	.4	.1	.1	.2	.1	.1	.2	.2	.2	.5	.5	.4	.6	1.0	1.3	1.7	2.4	.8	1.9
1956	.4	.2	.1	.1	-	.2	.1	.2	.3	.3	.4	.6	1.1	.8	1.6	1.6	1.8	2.1	3.0
1957	.5	.1	-	.1	.1	.2	.3	.3	.3	.3	.6	.7	.8	1.2	1.5	1.6	1.6	3.0	3.0
1958	.5	.1	.1	.3	.1	.1	.3	.2	.1	.3	.5	.7	.9	1.2	2.0	1.3	2.1	2.6	1.9
1959	.5	.1	.1	.1	.2	.1	.2	.3	.3	.5	.5	.7	1.1	1.1	1.9	1.3	1.8	1.9	1.8
1960	.5	.1	.1	.1	.1	.1	.2	.2	.3	.6	.7	.8	.8	1.3	1.7	1.6	2.3	2.5	2.1
1961	.5	.3	.1	.1	.3	.3	.1	.2	.3	.3	.6	.7	1.1	1.3	1.7	1.5	2.1	3.3	3.6
1962	.5	.2	.1	.1	.3	.1	.2	.3	.2	.4	.5	.9	1.3	1.1	1.4	1.9	2.5	2.4	2.8
1963	.5	.1	.1	.1	.2	.2	.1	.2	.3	.3	.6	.7	1.1	1.4	1.4	2.0	2.6	2.6	3.8
1964	.6	.3	.2	.1	.2	.1	.2	.3	.4	.4	.5	.7	.9	1.3	1.6	1.8	2.3	3.4	3.6
1965	.6	.2	.2	.1	.2	.1	.1	.3	.2	.4	.6	1.0	1.1	1.5	1.4	2.2	2.8	2.9	3.0
1966	.6	.2	.2	.2	.1	.2	.2	.2	.3	.5	.6	.9	1.2	1.4	1.9	2.2	2.7	2.7	2.9
1967	.6	.2	.2	.1	.3	.2	.2	.2	.2	.5	.5	.8	1.1	1.5	1.7	2.1	2.3	3.5	3.0
1968	.7	.2	.2	.1	.2	.2	.2	.2	.4	.5	.7	.9	1.3	1.5	1.6	2.2	2.3	3.3	3.8
1969	.7	.2	.1	.2	.2	.3	.2	.3	.5	.5	.8	.9	1.2	1.5	2.3	2.3	2.5	3.0	3.4
1970	.7	.2	.1	.1	.2	.2	.1	.3	.3	.5	.9	1.1	1.0	1.4	2.0	2.6	3.5	2.8	3.7
1971	.7	.1	.2	.2	.1	.2	.2	.2	.4	.4	.7	1.1	1.3	1.5	1.8	2.5	2.4	4.4	4.0
1972	.7	.1	.2	.1	.3	.2	.1	.2	.2	.5	.7	.8	1.2	1.4	2.1	2.3	2.8	2.8	3.8
1973	.7	.3	.2	.1	.2	.2	.1	.2	.4	.7	.8	1.0	1.5	1.3	1.9	1.7	2.9	3.7	3.4
1974	.7	.2	.1	.1	.1	.2	.3	.2	.4	.5	.6	.9	1.3	1.2	2.0	2.3	2.9	2.3	3.5
1975	.7	.1	.1	.1	.2	.2	.2	.3	.3	.4	.7	1.0	1.4	1.6	1.9	2.1	2.5	3.8	4.0
1976	.7	.2	.1	.1	.2	.1	.2	.3	.2	.3	.6	.8	1.4	1.5	2.1	3.1	2.7	3.7	3.6
1977	.7	.2	.1	.2	.2	.1	.3	.2	.3	.4	.9	.8	1.4	1.6	1.7	2.4	2.6	3.8	4.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	227	6	3	3	4	9	4	8	15	22	12	16	24	21	25	23	19	6	7
1951	229	8	1	5	3	7	10	7	9	22	10	23	20	21	22	18	22	14	7
1952	234	10	7	0	0	11	5	6	7	13	18	21	17	26	28	27	19	12	7
1953	265	7	4	4	7	4	12	17	23	11	18	20	19	33	31	21	16	6	12
1954	313	6	5	6	7	8	7	11	10	18	24	32	34	41	31	26	20	18	9
1955	292	11	7	9	5	4	8	9	11	24	21	16	22	31	34	34	32	6	8
1956	318	14	7	6	1	8	6	9	16	13	17	24	40	27	43	34	24	16	13
1957	358	10	3	4	5	8	14	15	16	15	27	30	31	40	44	35	23	24	14
1958	372	12	8	17	6	5	14	11	8	16	22	30	35	39	59	29	31	21	9
1959	385	12	11	7	9	6	10	14	17	25	24	31	44	37	56	30	27	16	9
1960	401	6	6	8	7	3	10	9	17	30	33	37	33	44	51	38	36	22	11
1961	441	22	7	8	15	14	6	10	19	14	32	30	46	44	53	36	35	30	20
1962	451	16	12	10	17	7	8	14	12	24	27	40	52	37	44	49	43	23	16
1963	449	10	12	9	13	13	3	10	17	18	30	31	45	49	43	52	46	26	22
1964	482	23	14	10	14	8	10	14	23	20	27	34	38	45	52	50	42	36	22
1965	514	20	15	5	17	8	5	16	12	21	34	50	50	54	44	60	52	32	19
1966	543	17	15	19	9	10	8	10	18	29	32	44	55	52	62	61	52	31	19
1967	536	14	16	11	20	15	12	10	10	28	28	42	49	56	57	59	46	42	21
1968	583	18	18	12	15	12	14	12	18	30	38	45	60	59	54	62	48	40	28
1969	625	16	11	13	17	20	13	17	23	28	42	44	54	63	79	67	53	38	27
1970	636	17	9	12	20	13	9	16	13	25	50	59	48	58	69	74	75	37	32
1971	634	8	12	14	11	16	11	11	18	22	37	60	62	64	65	73	53	61	36
1972	306	5	8	5	11	9	4	5	5	13	20	21	28	30	39	34	31	20	18
1973	643	18	12	11	19	12	8	9	22	35	42	55	70	55	71	52	63	55	34
1974	613	16	6	9	13	19	18	11	19	23	33	49	62	52	77	70	63	35	38
1975	671	9	9	11	20	13	16	18	16	19	37	55	71	73	78	64	57	59	46
1976	675	10	6	9	17	12	17	18	10	17	33	46	70	65	85	96	61	59	44
1977	688	11	9	17	19	11	20	11	17	20	44	42	71	73	71	78	60	62	52


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.1	.2	.1	.2	.1	.1	.2	.2	.1	.1	.1	-	-	-	-	-	-
1951	-	-	-	.3	.1	.2	.2	.1	.1	.2	.1	.1	.1	-	-	-	-	-	-
1952	-	-	.2	.0	.0	.3	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-	-
1953	-	-	.1	.2	.3	.1	.3	.3	.3	.1	.1	.1	.1	.1	-	-	-	-	-
1954	.1	-	.2	.3	.3	.3	.2	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1955	.1	-	.3	.5	.2	.1	.2	.2	.1	.2	.1	.1	.1	.1	.1	-	-	-	-
1956	.1	-	.2	.3	-	.3	.2	.2	.2	.1	.1	.1	.1	.1	.1	-	-	-	-
1957	.1	-	.1	.2	.2	.3	.4	.3	.2	.1	.2	.1	.1	.1	.1	-	-	-	-
1958	.1	-	.3	.8	.2	.2	.4	.2	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1959	.1	-	.4	.3	.3	.2	.3	.3	.2	.2	.1	.1	.1	.1	.1	-	-	-	-
1960	.1	-	.2	.4	.2	.1	.3	.2	.2	.2	.2	.1	.1	.1	.1	-	-	-	-
1961	.1	.1	.2	.4	.5	.5	.2	.2	.2	.1	.2	.1	.1	.1	.1	-	-	-	-
1962	.1	-	.4	.5	.5	.2	.2	.3	.1	.2	.1	.2	.2	.1	.1	.1	-	-	-
1963	.1	-	.4	.4	.4	.4	.1	.2	.2	.1	.2	.1	.1	.1	.1	.1	-	-	-
1964	.1	.1	.5	.4	.4	.2	.3	.3	.3	.2	.1	.1	.1	.1	.1	.1	-	-	-
1965	.1	.1	.5	.2	.5	.2	.1	.3	.1	.2	.2	.2	.1	.1	.1	.1	-	-	-
1966	.1	.1	.5	.8	.2	.3	.2	.2	.2	.2	.2	.2	.2	.1	.1	.1	-	-	-
1967	.1	-	.6	.5	.5	.4	.3	.2	.1	.2	.1	.2	.1	.1	.1	.1	-	-	-
1968	.1	.1	.6	.5	.3	.3	.3	.3	.2	.2	.2	.2	.2	.1	.1	.1	-	-	-
1969	.1	.1	.4	.5	.4	.4	.3	.3	.3	.2	.2	.2	.1	.1	.1	.1	-	-	-
1970	.1	.1	.3	.5	.4	.3	.2	.3	.2	.2	.2	.2	.1	.1	.1	.1	.1	-	-
1971	.1	-	.5	.6	.2	.3	.2	.2	.3	.2	.2	.2	.2	.1	.1	.1	-	.1	-
1972	.1	-	.6	.4	.4	.4	.2	.2	.1	.2	.2	.1	.1	.1	.1	.1	.1	-	-
1973	.1	.1	.5	.5	.4	.2	.2	.2	.3	.3	.2	.2	.2	.1	.1	.1	.1	-	-
1974	.1	.1	.3	.4	.3	.4	.4	.2	.3	.2	.2	.2	.2	.1	.1	.1	.1	-	-
1975	.1	-	.5	.5	.4	.3	.3	.3	.3	.2	.2	.2	.2	.1	.1	.1	.1	-	-
1976	.1	.1	.3	.5	.4	.3	.4	.4	.2	.2	.2	.2	.2	.1	.1	.1	.1	-	-
1977	.1	.1	.5	.9	.4	.2	.4	.2	.3	.2	.3	.2	.2	.1	.1	.1	.1	.1	-


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.4	.3	.0	.1	.2	.5	.0	.2	.7	.2	.2	.8	1.4	1.4	2.0	.0	.0	.0	.0
1951	.3	.2	.0	.1	.3	.0	.3	.2	.2	.2	.2	1.0	.0	2.3	.5	3.3	.0	.0	5.1
1952	.3	.2	.0	.3	.0	.2	.2	.5	.3	.0	.9	.3	.3	.5	1.4	2.4	.0	2.6	.0
1953	.3	.1	.0	.0	.0	.2	.2	.2	.3	.4	.0	.5	.6	1.3	1.4	1.6	2.7	.0	4.7
1954	.4	.1	.0	.1	.5	.5	.0	.2	.5	.9	1.1	.7	.9	.4	1.4	1.5	.0	.0	.0
1955	.4	.1	.0	.2	.0	.5	.2	.0	.3	.4	.9	.2	1.5	2.1	2.7	2.2	2.4	2.4	.0
1956	.4	.1	.1	.0	.1	.8	.3	.2	.0	.2	.2	.9	.0	1.2	1.7	.7	9.2	4.7	3.9
1957	.3	.0	.1	.0	.0	.0	.2	.5	.5	.2	1.3	.7	.8	.4	.9	2.0	1.1	2.3	.0
1958	.4	.0	.1	.2	.3	.0	.7	.0	.2	.4	.8	1.2	1.4	1.1	.9	2.0	.0	.0	.0
1959	.5	.0	.2	.1	.0	.0	.7	.8	.3	.0	.8	.9	1.6	1.5	2.1	4.4	2.0	2.2	.0
1960	.6	.3	.1	.2	.2	.0	1.0	.3	.8	.5	.9	1.1	1.5	.7	2.0	1.8	1.9	4.3	3.2
1961	.4	.1	.1	.0	.0	.3	.5	.0	.3	.5	.6	1.1	1.2	2.0	3.1	.6	.9	1.9	3.3
1962	.4	.0	.1	.1	.3	.0	.3	.6	.3	.3	.2	1.3	.7	1.3	1.1	2.2	.0	1.8	.0
1963	.6	.1	.1	.0	.2	.3	.3	.8	.2	.7	1.1	1.0	1.2	2.6	2.6	3.3	4.6	1.7	3.3
1964	.5	.3	.0	.2	.4	.1	.6	.6	.6	.7	.8	.4	1.2	1.0	1.4	5.3	.0	1.6	3.1
1965	.6	.0	.1	.2	.4	.2	.5	.5	.5	.7	1.1	1.8	1.6	1.9	2.1	2.1	4.4	1.6	5.9
1966	.6	.2	.2	.0	.3	.2	.3	.6	.2	1.1	1.1	.8	1.8	.9	2.4	1.5	3.5	3.1	2.8
1967	.7	.1	.2	.1	.3	.1	.3	.2	.9	1.3	1.8	1.0	1.6	5.3	1.7	4.1	2.5	1.5	2.6
1968	.6	.3	.3	.2	.2	.1	.6	.6	.5	.3	.7	1.6	1.8	2.0	2.7	2.0	2.5	4.5	2.4
1969	.6	.7	.1	.1	.2	.5	.4	.6	.5	.3	.7	.8	.9	1.4	1.6	2.5	2.5	5.9	6.8
1970	.7	.2	.1	.1	.3	.3	.3	.7	1.1	.8	.7	1.2	2.7	1.8	2.9	3.4	1.6	4.3	2.1
1971	.7	.1	.2	.1	.4	.4	.0	.1	.0	1.1	1.2	.6	2.3	2.5	4.5	2.8	3.9	2.7	2.1
1972	.6	.3	.1	.3	.1	.7	.0	.0	.9	.3	.7	.4	2.8	1.0	2.5	4.7	3.1	.0	4.0
1973	.6	.1	.0	.1	.3	.4	.6	.7	.2	.8	.8	1.0	2.1	1.5	3.3	4.7	1.5	1.2	5.8
1974	.6	.2	.0	.2	.2	.5	.1	.4	.9	1.3	.7	1.2	1.3	2.2	2.3	3.7	3.8	2.4	.0
1975	.6	.1	.2	.2	.6	.3	.2	.5	.3	.8	1.1	.9	1.3	1.2	.8	3.2	4.3	1.2	4.6
1976	.6	.1	.2	.1	.2	.2	.3	.2	.9	.3	1.0	.8	2.0	2.2	1.6	3.2	4.2	2.2	.0
1977	.7	.2	.1	.1	.3	.2	.5	.7	1.1	.9	.8	.7	3.5	2.5	.8	3.0	4.3	.0	2.8

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	29	3	0	1	1	3	0	1	4	1	1	3	4	3	4	0	0	0	0
1951	26	2	0	1	2	0	2	1	1	1	1	4	0	5	1	4	0	0	1
1952	25	2	0	2	0	1	1	3	2	0	4	1	1	1	3	3	0	1	0
1953	23	1	0	0	0	1	1	1	2	2	0	2	2	3	3	2	2	0	1
1954	34	1	0	1	3	3	0	1	3	5	5	3	3	1	3	2	0	0	0
1955	38	1	0	2	0	3	1	0	2	2	4	1	5	5	6	3	2	1	0
1956	36	1	1	0	1	5	2	1	0	1	1	4	0	3	4	1	8	2	1
1957	29	0	1	0	0	0	1	3	3	1	6	3	3	1	2	3	1	1	0
1958	34	0	1	2	2	0	4	0	1	2	4	5	5	3	2	3	0	0	0
1959	48	0	3	1	0	0	4	5	2	0	4	4	6	4	5	7	2	1	0
1960	56	4	1	2	2	0	6	2	5	3	5	5	6	2	5	3	2	2	1
1961	43	1	1	0	0	2	3	0	2	3	3	5	5	6	8	1	1	1	1
1962	38	0	2	1	3	0	2	4	2	2	1	6	3	4	3	4	0	1	0
1963	63	2	1	0	2	2	2	5	1	4	6	5	5	8	7	6	5	1	1
1964	58	5	0	2	4	1	4	4	4	4	4	2	5	3	4	10	0	1	1
1965	69	0	2	2	4	2	3	3	3	4	6	9	7	6	6	4	5	1	2
1966	63	3	3	0	3	2	2	4	1	7	6	4	8	3	7	3	4	2	1
1967	84	1	3	1	3	1	2	1	6	8	10	5	7	18	5	8	3	1	1
1968	74	4	4	3	3	1	4	4	3	2	4	8	8	7	8	4	3	3	1
1969	70	9	2	2	3	5	3	4	3	2	4	4	4	5	5	5	3	4	3
1970	84	3	2	2	4	3	2	5	7	5	4	6	12	7	9	7	2	3	1
1971	83	1	3	2	6	5	0	1	0	7	7	3	10	10	14	6	5	2	1
1972	37	2	1	2	1	4	0	0	3	1	2	1	6	2	4	5	2	0	1
1973	81	2	0	1	4	5	5	5	1	5	5	6	9	6	11	10	2	1	3
1974	82	3	0	3	3	6	1	3	6	8	4	7	6	9	8	8	5	2	0
1975	76	1	3	3	9	4	2	4	2	5	7	5	6	5	3	7	6	1	3
1976	78	2	3	2	4	3	3	2	6	2	6	5	10	9	6	7	6	2	0
1977	95	3	2	2	5	3	5	6	8	6	5	4	18	10	3	7	6	0	2


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.1	.1	.1	.0	-	.1	-	-	-	-	-	-	.0	.0	.0	.0
1951	-	-	.0	.1	.2	.0	.1	-	-	-	-	-	.0	.1	-	.1	.0	.0	-
1952	-	-	.0	.3	.0	-	-	.1	.1	.0	.1	-	-	-	-	-	.0	-	.0
1953	-	-	.0	.0	.0	.1	-	-	.1	-	.0	-	-	-	-	-	-	.0	-
1954	-	-	.0	.2	.2	.2	.0	-	.1	.1	.1	-	-	-	-	-	.0	.0	.0
1955	-	-	.0	.3	.0	.2	-	.0	.1	-	.1	-	.1	.1	.1	-	-	-	.0
1956	-	-	.1	.0	.1	.3	.1	-	.0	-	-	.1	.0	-	-	-	.1	-	-
1957	-	.0	.1	.0	.0	.0	-	.1	.1	-	.1	-	-	-	-	-	-	-	.0
1958	-	.0	.1	.3	.2	.0	.2	.0	-	-	.1	.1	.1	-	-	-	.0	.0	.0
1959	-	.0	.3	.1	.0	.0	.2	.2	.1	.0	.1	.1	.1	-	-	.1	-	-	.0
1960	-	-	.1	.2	.2	.0	.3	.1	.1	.1	.1	.1	.1	-	-	-	-	-	-
1961	-	-	.1	.0	.0	.1	.1	.0	.1	.1	-	.1	.1	.1	.1	-	-	-	-
1962	-	.0	.2	.1	.2	.0	.1	.1	.1	-	-	.1	-	-	-	-	.0	-	.0
1963	.1	-	.1	.0	.1	.1	.1	.2	-	.1	.1	.1	-	.1	.1	-	.1	-	-
1964	-	-	.0	.2	.2	-	.2	.1	.1	.1	.1	-	-	-	-	.1	.0	-	-
1965	.1	.0	.2	.2	.2	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	.1	-	-
1966	-	-	.3	.0	.1	.1	.1	.1	-	.1	.1	-	.1	-	-	-	-	-	-
1967	.1	-	.3	.1	.1	-	.1	-	.1	.1	.1	.1	.1	.1	-	.1	-	-	-
1968	.1	-	.4	.3	.1	-	.1	.1	.1	-	-	.1	.1	.1	.1	-	-	-	-
1969	.1	.1	.2	.2	.1	.1	.1	.1	.1	-	-	-	-	-	-	-	-	.1	-
1970	.1	-	.2	.2	.1	.1	.1	.1	.2	.1	-	.1	.1	.1	.1	.1	-	-	-
1971	.1	-	.3	.2	.2	.1	.0	-	.0	.1	.1	-	.1	.1	.1	-	-	-	-
1972	.1	-	.2	.4	.1	.2	.0	.0	.1	-	-	-	.1	-	.1	.1	-	.0	-
1973	.1	-	.0	.1	.1	.1	.1	.1	-	.1	.1	.1	.1	-	.1	.1	-	-	-
1974	.1	-	.0	.3	.1	.1	-	.1	.1	.1	.1	.1	.1	.1	.1	.1	-	-	.0
1975	.1	-	.4	.3	.3	.1	-	.1	-	.1	.1	.1	.1	-	-	-	.1	-	-
1976	.1	-	.4	.2	.2	.1	.1	.1	.2	-	.1	.1	.1	.1	-	-	-	-	.0
1977	.1	-	.3	.2	.2	.1	.1	.2	.2	.1	.1	-	.2	.1	-	-	-	.0	-


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.2	.0	.1	.0	.3	.0	.0	.2	.4	.2	.5	.0	.0	.5	.0	1.6	.0	.0
1951	.2	.3	.0	.0	.0	.0	.1	.0	.3	.2	.2	1.3	1.4	.0	.5	1.6	.0	.0	.0
1952	.2	.0	.0	.0	.2	.0	.1	.3	.0	.4	.2	1.5	1.0	.5	.0	.8	1.5	.0	.0
1953	.2	.2	.0	.0	.1	.1	.0	.1	.3	.2	.7	.5	.3	.9	.0	.7	1.4	.0	6.5
1954	.3	.1	.2	.0	.1	.0	.1	.4	.2	.2	.0	.5	1.9	.8	.4	1.4	.0	.0	.0
1955	.4	.1	.0	.0	.1	.0	.1	.3	.3	.5	1.5	1.2	.9	.0	2.1	2.7	.0	.0	2.9
1956	.5	.4	.1	.1	.0	.1	.1	.6	.6	.8	.2	1.2	1.7	2.3	1.2	.6	2.3	.0	.0
1957	.4	.1	.0	.0	.1	.3	.3	.3	.5	.7	.2	1.4	1.7	.7	.4	.6	1.1	1.9	.0
1958	.3	.3	.0	.1	.3	.1	.0	.0	.0	.0	.2	1.1	.8	.7	1.6	1.8	.0	.0	.0
1959	.4	.0	.1	.1	.0	.1	.1	.3	.4	.3	1.3	.9	1.8	.7	3.1	1.7	.0	.0	2.5
1960	.4	.1	.0	.1	.1	.6	.4	.5	.0	.5	.7	.6	1.5	1.0	1.8	2.2	2.6	.0	.0
1961	.5	.1	.1	.1	.4	.0	.7	.3	.3	.3	.5	.8	1.0	1.6	1.4	3.1	1.7	4.9	2.5
1962	.6	.1	.1	.2	.2	.4	.3	.4	.0	.8	1.6	2.2	.9	2.2	1.0	2.0	2.4	3.0	2.4
1963	.5	.2	.2	.2	.5	.1	.3	.1	.3	.5	.3	.6	2.1	1.8	1.3	1.9	1.6	2.9	2.3
1964	.4	.3	.1	.1	.1	.1	.6	.0	.0	.4	.9	1.1	.7	1.8	2.5	1.8	.8	.0	.0
1965	.5	.1	.0	.2	.4	.1	.1	.5	.0	.7	.8	1.5	.9	1.4	1.2	2.2	3.7	1.3	.0
1966	.5	.3	.1	.1	.3	.0	.1	.1	.5	.4	.8	1.3	1.7	1.4	2.3	1.7	1.4	2.5	3.8
1967	.6	.2	.3	.0	.1	.3	.0	.3	.5	.7	1.0	1.3	2.1	1.6	2.5	.8	2.0	2.4	3.5
1968	.6	.3	.1	.1	.2	.6	.5	.4	.5	.6	1.3	1.3	1.6	1.0	2.2	1.2	2.0	2.3	1.6
1969	.5	.0	.4	.0	.2	.2	.4	.0	.7	.1	1.5	.9	.8	1.4	3.8	.8	2.6	2.2	4.6
1970	.5	.1	.1	.1	.4	.2	.1	.3	.8	.3	.1	1.7	1.6	2.8	1.6	2.0	.6	1.0	4.2
1971	.7	.2	.1	.0	.1	.1	.1	.4	.3	.7	1.2	1.8	2.4	2.2	2.7	3.0	4.8	1.0	3.9
1972	.7	.0	.0	.1	.3	.5	.6	.2	.5	.8	.3	2.2	2.8	3.0	3.0	3.1	2.3	1.8	.0
1973	.7	.1	.5	.3	.3	.2	.3	.0	.4	.3	1.1	1.7	1.2	2.1	3.1	3.9	1.8	1.7	1.1
1974	.5	.0	.1	.1	.1	.1	.0	.2	.1	.4	.8	.9	1.6	3.5	1.4	3.9	1.7	.8	5.1
1975	.7	.1	.2	.1	.2	.1	.3	.3	.6	.3	1.1	1.5	1.5	3.7	1.9	3.8	4.4	2.3	2.7
1976	.6	.1	.1	.4	.1	.1	.0	.2	.1	.9	.6	1.2	2.1	2.3	1.8	4.2	5.3	3.6	1.7
1977	.7	.1	.1	.3	.4	.1	.2	.1	.7	.6	1.6	1.7	1.7	2.7	2.4	1.4	6.0	3.6	2.3

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	13	2	0	1	0	2	0	0	1	2	1	2	0	0	1	0	1	0	0
1951	20	3	0	0	0	0	1	0	2	1	1	5	4	0	1	2	0	0	0
1952	19	0	0	0	1	0	1	2	0	2	1	6	3	1	0	1	1	0	0
1953	20	2	0	0	1	1	0	1	2	1	3	2	1	2	0	1	1	0	2
1954	23	1	2	0	1	0	1	3	1	1	0	2	6	2	1	2	0	0	0
1955	35	1	0	0	1	0	1	2	2	3	7	5	3	0	5	4	0	0	1
1956	46	5	1	1	0	1	1	4	4	5	1	5	6	6	3	1	2	0	0
1957	35	2	0	0	1	2	2	2	3	4	1	6	6	2	1	1	1	1	0
1958	26	4	0	1	2	1	0	0	0	0	1	5	3	2	4	3	0	0	0
1959	43	0	1	1	0	1	1	2	3	2	7	4	7	2	8	3	0	0	1
1960	45	1	0	1	1	4	3	4	0	3	4	3	6	3	5	4	3	0	0
1961	49	1	1	1	3	0	5	2	2	2	3	4	4	5	4	6	2	3	1
1962	64	1	2	2	2	3	2	3	0	5	9	11	4	7	3	4	3	2	1
1963	55	3	3	2	5	1	2	1	2	3	2	3	9	6	4	4	2	2	1
1964	49	4	2	1	1	1	4	0	0	3	5	6	3	6	8	4	1	0	0
1965	56	1	0	3	4	1	1	4	0	5	5	8	4	5	4	5	5	1	0
1966	62	4	1	1	4	0	1	1	4	3	5	7	8	5	8	4	2	2	2
1967	69	3	4	0	1	3	0	2	4	5	6	7	10	6	9	2	3	2	2
1968	75	4	2	2	2	6	4	3	4	4	8	7	8	4	8	3	3	2	1
1969	70	0	6	0	3	2	3	0	5	1	10	5	4	6	14	2	4	2	3
1970	70	2	2	1	5	2	1	2	6	2	1	10	8	12	6	5	1	1	3
1971	89	3	1	0	2	1	1	3	2	5	8	11	12	10	10	8	8	1	3
1972	50	0	0	1	2	3	3	1	2	3	1	7	7	7	6	4	2	1	0
1973	93	1	7	5	5	3	3	0	3	2	8	11	6	10	13	10	3	2	1
1974	75	0	1	2	2	2	0	2	1	3	6	6	8	17	6	10	3	1	5
1975	100	1	3	2	3	1	3	3	5	2	8	10	8	18	9	10	8	3	3
1976	93	2	1	6	1	1	0	2	1	7	4	8	12	11	9	11	10	5	2
1977	112	2	2	5	6	1	2	1	6	5	12	12	10	13	12	4	11	5	3


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	-	-	.0	.2	.0	.1	.0	.0	-	-	-	-	.0	.0	-	.0	-	.0	.0
1951	-	-	.0	.0	.0	.0	-	.0	.1	-	-	.1	.1	.0	-	-	.0	.0	.0
1952	-	.0	.0	.0	.1	.0	.1	.1	.0	-	-	.1	-	-	.0	-	-	.0	.0
1953	-	-	.0	.0	.1	.1	.0	-	.1	-	.1	-	-	-	.0	-	-	.0	.1
1954	-	-	.3	.0	.1	.0	.1	.1	-	-	.0	-	.1	-	-	-	.0	.0	.0
1955	-	-	.0	.0	.2	.0	.1	.1	.1	.1	.1	.1	-	.0	.1	.1	.0	.0	-
1956	.1	-	.1	.3	.0	.1	.1	.2	.1	.1	-	.1	.1	.1	-	-	-	.0	.0
1957	-	-	.0	.0	.1	.2	.1	.1	.1	.1	-	.1	.1	-	-	-	-	-	.0
1958	-	-	.0	.3	.3	.1	.0	.0	.0	.0	-	.1	-	-	-	-	.0	.0	.0
1959	-	.0	.1	.2	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	.1	-	.0	.0	-
1960	-	-	.0	.2	.2	.4	.2	.2	.0	.1	.1	-	.1	-	.1	-	-	.0	.0
1961	.1	-	.1	.2	.4	.0	.4	.1	.1	-	.1	.1	.1	.1	-	.1	-	.1	-
1962	.1	-	.2	.4	.3	.3	.1	.1	.0	.1	.2	.2	.1	.1	-	-	-	-	-
1963	.1	-	.4	.4	.6	.1	.1	-	.1	.1	-	-	.1	.1	-	-	-	-	-
1964	.1	-	.3	.2	.1	.1	.3	.0	.0	.1	.1	.1	-	.1	.1	-	-	.0	.0
1965	.1	-	.0	.6	.5	.1	.1	.2	.0	.1	.1	.1	.1	.1	-	.1	.1	-	.0
1966	.1	-	.1	.2	.4	.0	.1	-	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1967	.1	-	.5	.0	.1	.2	.0	.1	.1	.1	.1	.1	.1	.1	.1	-	-	-	-
1968	.1	-	.3	.3	.2	.4	.3	.1	.1	.1	.1	.1	.1	-	.1	-	-	-	-
1969	.1	.0	.8	.0	.2	.1	.2	.0	.2	-	.2	.1	-	.1	.1	-	-	-	-
1970	.1	-	.3	.2	.4	.1	.1	.1	.2	-	-	.1	.1	.1	.1	-	-	-	-
1971	.1	-	.2	.0	.2	.1	.1	.1	.1	.1	.1	.2	.2	.1	.1	.1	.1	-	-
1972	.1	.0	.0	.3	.3	.4	.4	.1	.1	.1	-	.2	.2	.1	.1	.1	-	-	.0
1973	.1	-	1.1	.9	.4	.2	.2	.0	.1	.1	.1	.2	.1	.1	.1	.1	-	-	-
1974	.1	.0	.2	.4	.2	.1	.0	.1	-	.1	.1	.1	.1	.2	.1	.1	-	-	-
1975	.1	-	.6	.4	.3	.1	.2	.2	.2	.1	.2	.2	.1	.2	.1	.1	.1	-	-
1976	.1	-	.2	1.3	.1	.1	.0	.1	-	.2	.1	.1	.2	.1	.1	.1	.1	.1	-
1977	.1	-	.4	1.1	.6	.1	.1	.1	.3	.2	.3	.2	.1	.1	.1	-	.1	.1	-


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	1503	2.22	2.22	1.32	856	1.26	1.24	0.85	101	1.30	1.42	0.94	77	0.95	1.02	0.69
1951	1541	2.24	2.26	1.34	926	1.34	1.29	0.89	103	1.30	1.39	0.92	60	0.72	0.78	0.54
1952	1619	2.32	2.32	1.35	976	1.39	1.36	0.94	126	1.55	1.78	1.12	71	0.84	0.93	0.64
1953	1627	2.29	2.29	1.32	983	1.37	1.35	0.94	108	1.30	1.40	0.87	67	0.77	0.83	0.58
1954	1668	2.31	2.33	1.33	963	1.32	1.29	0.91	127	1.50	1.76	1.03	51	0.57	0.62	0.43
1955	1679	2.29	2.33	1.32	1010	1.36	1.33	0.95	133	1.53	1.74	1.03	66	0.72	0.80	0.56
1956	1770	2.38	2.41	1.35	1106	1.47	1.43	1.03	125	1.40	1.68	0.95	61	0.65	0.78	0.54
1957	1754	2.32	2.39	1.33	1108	1.44	1.42	1.03	132	1.44	1.71	0.94	56	0.58	0.65	0.45
1958	1715	2.23	2.29	1.29	1130	1.45	1.42	1.04	123	1.31	1.57	0.88	68	0.69	0.80	0.55
1959	1780	2.28	2.34	1.31	1066	1.34	1.32	0.98	140	1.46	1.71	0.91	65	0.64	0.74	0.53
1960	1748	2.21	2.27	1.26	1132	1.40	1.38	1.03	129	1.28	1.57	0.83	66	0.62	0.70	0.48
1961	1807	2.25	2.34	1.28	1110	1.35	1.33	1.00	146	1.42	1.70	0.88	75	0.69	0.81	0.56
1962	1813	2.22	2.31	1.26	1142	1.37	1.34	1.01	171	1.62	1.92	0.99	74	0.67	0.77	0.55
1963	1850	2.24	2.34	1.26	1192	1.41	1.38	1.04	159	1.48	1.81	0.88	77	0.68	0.78	0.56
1964	1922	2.30	2.38	1.28	1292	1.51	1.47	1.12	155	1.41	1.71	0.84	71	0.61	0.71	0.50
1965	1920	2.27	2.37	1.25	1234	1.42	1.38	1.05	146	1.30	1.54	0.75	94	0.79	0.93	0.66
1966	1923	2.26	2.34	1.23	1281	1.46	1.41	1.08	130	1.14	1.38	0.64	78	0.64	0.77	0.54
1967	1897	2.21	2.29	1.18	1303	1.47	1.41	1.07	165	1.42	1.69	0.77	81	0.65	0.76	0.54
1968	1830	2.11	2.17	1.11	1304	1.46	1.38	1.06	146	1.24	1.50	0.67	73	0.58	0.65	0.46
1969	1922	2.20	2.26	1.16	1238	1.37	1.29	0.99	184	1.54	1.87	0.82	94	0.73	0.84	0.59
1970	1833	2.08	2.14	1.09	1319	1.44	1.34	1.03	183	1.50	1.86	0.81	75	0.57	0.66	0.48
1971	1773	2.00	2.04	1.02	1242	1.35	1.25	0.96	149	1.20	1.49	0.65	81	0.60	0.67	0.47
1972	861	1.93	1.96	0.97	614	1.32	1.21	0.92	79	1.25	1.54	0.65	44	0.64	0.71	0.50
1973	1594	1.77	1.79	0.89	1124	1.20	1.08	0.83	138	1.07	1.30	0.54	64	0.46	0.51	0.35
1974	1470	1.63	1.64	0.80	1019	1.08	0.97	0.74	117	0.89	1.07	0.44	68	0.48	0.52	0.36
1975	1370	1.51	1.49	0.73	980	1.03	0.91	0.69	128	0.95	1.20	0.49	75	0.51	0.60	0.42
1976	1218	1.33	1.31	0.64	891	0.93	0.82	0.61	134	0.98	1.17	0.46	68	0.46	0.50	0.35
1977	1221	1.33	1.29	0.62	877	0.91	0.78	0.59	109	0.78	0.95	0.37	79	0.52	0.57	0.39


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Hodgkin's lymphoma and granuloma, lymphogranuloma, and lymphogranulomatosis.
(ICD 201 [6th]; ICD 201 [7th]; ICD 201 [8th])


Hodgkin's Disease

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.2	-	.3	.4	.8	1.4	2.3	2.4	2.2	2.0	3.4	3.6	4.9	5.0	5.5	6.5	6.3	7.5	2.7
1951	2.2	.1	.2	.4	1.2	1.5	2.2	2.4	2.4	2.7	2.9	3.2	4.4	4.7	5.7	5.9	8.0	5.8	6.6
1952	2.3	-	.3	.3	.9	1.5	2.8	3.0	2.2	2.9	2.9	3.6	4.5	4.4	5.9	6.1	8.3	6.3	4.7
1953	2.3	.1	.2	.4	.7	1.8	2.2	2.7	2.6	2.6	3.0	3.4	4.8	6.0	5.6	5.2	7.8	4.7	4.4
1954	2.3	-	.3	.3	.6	1.6	2.3	2.5	2.5	2.4	3.4	3.9	4.7	5.6	5.8	6.7	6.2	6.9	5.6
1955	2.3	.1	.2	.4	.9	1.7	2.3	2.1	2.6	2.6	2.8	3.8	4.6	4.8	6.7	7.3	7.4	6.4	4.0
1956	2.4	-	.2	.4	.8	1.9	2.4	2.6	2.6	2.8	3.2	3.4	5.5	5.5	6.4	6.3	7.2	6.2	4.3
1957	2.3	.1	.2	.4	.8	2.0	2.5	2.4	2.1	3.1	2.8	3.7	4.5	4.9	6.7	6.9	6.1	9.1	7.1
1958	2.2	-	.1	.3	.9	1.6	2.5	2.4	2.5	2.7	3.3	3.6	4.7	5.0	5.7	6.3	6.4	6.0	5.7
1959	2.3	-	.2	.4	.9	2.2	2.5	2.8	2.5	3.0	2.9	3.9	4.7	4.2	5.6	6.8	6.7	5.2	4.3
1960	2.2	.1	.2	.3	.9	1.7	2.9	2.7	2.7	2.4	2.8	3.5	3.8	5.2	5.9	6.7	6.2	6.2	5.1
1961	2.2	.1	.1	.5	1.0	1.8	2.9	2.5	2.1	2.7	3.3	3.6	3.6	4.9	6.6	6.2	7.0	8.0	5.6
1962	2.2	.0	.2	.5	.7	1.9	2.2	2.7	2.2	3.0	2.7	4.1	4.5	5.3	5.6	5.9	7.7	5.4	4.9
1963	2.2	-	.2	.4	.8	1.7	2.6	2.8	2.8	2.5	2.7	3.6	3.9	4.9	6.3	7.7	6.2	7.1	9.0
1964	2.3	-	.1	.5	1.1	1.6	2.0	2.9	3.3	3.3	3.1	3.7	3.6	5.5	6.0	6.0	6.8	6.9	7.9
1965	2.3	-	.1	.3	1.1	1.9	2.6	2.5	2.1	3.1	3.0	3.6	4.1	5.5	6.0	7.2	7.8	6.8	4.7
1966	2.3	-	.1	.3	.8	1.6	2.7	2.8	2.5	3.1	3.3	4.2	3.7	5.3	5.9	6.4	6.7	5.9	5.6
1967	2.2	-	.2	.3	1.0	1.8	2.2	2.4	2.6	2.8	2.7	3.6	4.2	4.9	6.1	5.8	8.2	7.0	5.2
1968	2.1	-	.1	.2	.8	1.8	2.7	2.4	2.8	2.4	2.7	3.2	4.2	4.7	5.3	6.7	6.4	4.6	4.3
1969	2.2	-	.1	.2	.8	2.1	2.4	2.4	2.7	2.7	2.8	3.5	4.2	4.8	5.8	6.3	7.6	6.3	6.0
1970	2.1	.0	.1	.2	.5	1.8	2.6	2.0	2.4	2.5	2.9	2.8	3.8	4.7	6.0	6.1	7.3	7.5	6.0
1971	2.0	.1	.1	.3	.5	1.9	2.4	2.2	2.4	2.3	2.5	2.6	3.8	4.4	5.5	5.6	7.5	6.2	5.6
1972	1.9	.0	.1	.1	.5	1.7	2.2	2.2	2.0	1.9	2.5	2.5	3.6	4.8	5.6	6.6	7.0	5.0	5.9
1973	1.8	-	.1	.2	.5	1.3	2.0	1.9	2.2	2.2	1.7	2.3	3.3	3.9	5.0	5.5	7.8	5.1	6.0
1974	1.6	.0	.1	.2	.5	1.0	1.4	1.6	1.9	1.8	2.2	2.3	3.0	3.9	4.7	4.7	7.0	6.9	3.6
1975	1.5	.0	-	.1	.4	1.0	1.7	1.9	1.4	1.4	1.6	2.2	2.6	3.5	3.9	4.9	7.0	5.4	4.4
1976	1.3	-	-	.1	.3	.9	1.5	1.3	1.4	1.1	1.3	1.9	2.2	2.9	3.6	5.1	5.7	5.5	4.3
1977	1.3	.0	-	.1	.4	.9	1.4	1.5	1.5	1.3	1.7	1.7	2.4	2.9	2.8	4.4	4.8	5.0	3.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1503	2	15	18	39	72	122	126	109	94	140	136	166	141	123	99	59	36	6
1951	1541	4	14	22	58	78	121	128	119	124	123	119	151	136	130	92	78	28	16
1952	1619	3	21	16	42	74	149	159	112	136	122	136	156	130	139	98	83	31	12
1953	1627	5	13	25	32	88	120	142	134	126	129	130	167	179	135	86	80	24	12
1954	1668	2	24	20	31	78	123	137	127	118	152	150	163	169	141	115	66	36	16
1955	1679	6	16	26	43	79	121	114	135	127	128	148	162	149	166	131	81	35	12
1956	1770	3	14	26	42	90	126	142	136	141	148	133	193	171	161	116	80	35	13
1957	1754	6	19	26	41	93	130	131	113	154	130	150	159	153	173	131	70	53	22
1958	1715	4	7	23	49	76	123	131	135	137	155	150	170	154	149	122	76	36	18
1959	1780	3	15	28	52	104	121	148	134	152	141	166	173	131	148	136	82	32	14
1960	1748	5	13	21	55	82	141	140	146	124	135	153	142	162	158	136	79	39	17
1961	1807	6	11	39	62	89	137	128	113	143	160	158	137	155	179	128	91	52	19
1962	1813	0	14	36	48	102	105	138	118	157	133	185	177	168	151	125	102	37	17
1963	1850	1	14	34	53	98	125	139	151	134	133	163	154	154	170	164	83	49	31
1964	1922	2	8	38	82	92	99	145	175	178	155	167	145	177	161	128	93	49	28
1965	1920	2	11	22	82	113	131	123	113	167	149	166	169	181	161	155	108	50	17
1966	1923	2	9	27	65	101	138	137	128	166	168	194	155	177	158	138	95	44	21
1967	1897	1	16	25	79	121	119	115	132	154	140	168	177	167	167	125	117	54	20
1968	1830	2	7	20	64	127	153	119	139	131	141	151	178	164	146	143	92	36	17
1969	1922	3	6	22	66	152	138	118	130	143	145	168	180	171	162	133	110	50	25
1970	1833	0	10	17	46	138	154	102	115	133	152	137	164	173	169	130	105	61	27
1971	1773	4	6	27	39	155	145	112	114	117	130	131	166	163	159	119	109	51	26
1972	861	0	3	6	20	67	72	59	49	49	64	63	80	90	83	70	51	21	14
1973	1594	2	5	15	42	103	139	110	107	111	88	119	146	150	152	119	112	44	30
1974	1470	0	8	17	41	81	100	93	95	88	113	120	135	151	146	103	100	60	19
1975	1370	0	2	9	40	84	123	115	72	69	84	113	117	135	127	109	100	47	24
1976	1218	1	3	10	32	81	114	82	73	54	67	98	100	113	119	116	82	49	24
1977	1221	0	3	10	34	82	111	99	80	65	86	87	114	115	93	105	69	45	23


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.4	.5	.6	.8	1.3	1.2	.7	.4	.4	.3	.3	.2	.1	.1	.1	.1	-
1951	.2	-	.3	.6	.9	.9	1.3	1.2	.8	.6	.4	.3	.2	.2	.1	.1	.1	-	-
1952	.2	-	.5	.5	.6	.9	1.6	1.5	.8	.6	.4	.3	.2	.2	.1	.1	.1	-	-
1953	.2	-	.3	.7	.5	1.1	1.4	1.4	1.0	.6	.4	.3	.3	.2	.1	.1	.1	-	-
1954	.2	-	.6	.6	.5	1.0	1.5	1.4	1.0	.6	.5	.3	.3	.2	.1	.1	.1	.1	-
1955	.2	-	.4	.8	.7	1.0	1.5	1.2	1.0	.6	.4	.3	.3	.2	.2	.1	.1	-	-
1956	.2	-	.3	.8	.7	1.1	1.6	1.5	1.0	.7	.5	.3	.3	.2	.2	.1	.1	-	-
1957	.2	-	.4	.7	.6	1.2	1.7	1.4	.8	.7	.4	.3	.2	.2	.2	.1	.1	.1	-
1958	.2	-	.2	.6	.7	1.0	1.7	1.4	1.0	.6	.5	.3	.3	.2	.1	.1	.1	-	-
1959	.2	-	.3	.7	.7	1.3	1.7	1.6	1.0	.7	.4	.3	.3	.2	.1	.1	.1	-	-
1960	.2	-	.3	.5	.8	1.1	2.0	1.5	1.1	.6	.4	.3	.2	.2	.1	.1	.1	-	-
1961	.2	-	.3	1.0	.9	1.1	2.0	1.5	.8	.7	.5	.3	.2	.2	.2	.1	.1	.1	-
1962	.2	.0	.3	.9	.6	1.2	1.5	1.6	.9	.7	.4	.4	.3	.2	.1	.1	.1	-	-
1963	.2	-	.3	.9	.6	1.1	1.7	1.6	1.1	.6	.4	.3	.2	.2	.2	.1	.1	.1	-
1964	.2	-	.2	.9	.9	1.0	1.3	1.6	1.3	.8	.5	.3	.2	.2	.1	.1	.1	.1	-
1965	.2	-	.3	.5	.8	1.1	1.7	1.4	.8	.7	.4	.3	.2	.2	.1	.1	.1	.1	-
1966	.2	-	.2	.6	.6	.9	1.7	1.6	1.0	.7	.5	.4	.2	.2	.1	.1	.1	-	-
1967	.2	-	.4	.6	.7	1.1	1.4	1.4	1.0	.7	.4	.3	.2	.2	.2	.1	.1	.1	-
1968	.2	-	.2	.5	.6	1.0	1.7	1.4	1.1	.6	.4	.3	.2	.2	.1	.1	.1	-	-
1969	.2	-	.1	.5	.5	1.1	1.4	1.3	1.0	.6	.4	.3	.2	.2	.1	.1	.1	-	-
1970	.2	.0	.2	.4	.4	1.0	1.6	1.1	.9	.6	.4	.3	.2	.2	.1	.1	.1	.1	-
1971	.2	-	.2	.6	.3	1.1	1.4	1.2	.9	.6	.4	.2	.2	.2	.1	.1	.1	-	-
1972	.2	.0	.2	.3	.3	.9	1.3	1.2	.8	.5	.4	.2	.2	.2	.1	.1	.1	-	-
1973	.2	-	.1	.3	.3	.7	1.2	1.1	.9	.6	.3	.2	.2	.1	.1	.1	.1	-	-
1974	.2	.0	.3	.4	.3	.5	.8	.9	.8	.5	.3	.2	.2	.2	.1	.1	.1	.1	-
1975	.1	.0	.1	.2	.3	.5	1.0	1.1	.6	.4	.3	.2	.2	.1	.1	.1	.1	-	-
1976	.1	-	.1	.3	.3	.5	.9	.8	.7	.3	.2	.2	.1	.1	.1	.1	.1	-	-
1977	.1	.0	.1	.3	.3	.5	.9	.9	.7	.4	.3	.2	.2	.1	.1	.1	.1	-	-


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	.0	.1	.2	.6	1.1	1.2	1.4	1.1	1.0	1.8	1.7	1.7	2.6	3.9	4.6	3.9	3.5	2.5
1951	1.3	.1	.1	.1	.5	.9	1.6	1.3	1.5	1.1	1.6	1.8	2.4	3.2	3.8	4.4	3.4	3.4	3.0
1952	1.4	.1	.1	.1	.8	1.1	1.5	1.4	1.4	1.4	1.4	1.8	2.4	3.4	4.0	4.0	4.2	3.7	3.4
1953	1.4	-	-	.2	.6	1.3	1.2	1.6	1.3	1.2	1.6	2.1	2.4	3.5	3.6	3.8	4.2	4.5	3.2
1954	1.3	-	.1	.1	.4	1.1	1.6	1.3	1.3	1.2	1.1	2.0	2.0	3.1	3.9	4.6	3.5	4.3	3.0
1955	1.4	-	-	.1	.7	1.2	1.5	1.5	1.4	1.5	1.3	1.7	1.9	3.4	3.7	4.1	4.4	4.4	3.8
1956	1.5	-	.2	.2	.6	1.1	1.7	1.8	1.4	1.6	1.7	1.7	2.4	3.0	4.1	4.0	4.7	4.7	3.7
1957	1.4	.0	.1	.3	.6	1.2	1.3	1.3	1.5	1.2	1.8	1.9	2.2	3.5	3.9	4.3	5.7	6.2	3.3
1958	1.4	-	.1	.2	.6	1.3	1.6	1.6	1.5	1.3	1.5	1.7	2.4	3.5	3.7	4.7	4.4	5.2	4.0
1959	1.3	-	-	.2	.6	1.1	1.8	1.6	1.4	1.5	1.5	1.8	2.0	2.8	2.7	4.3	5.0	4.7	2.2
1960	1.4	-	.1	.1	.7	1.2	1.7	1.6	1.4	1.4	1.5	1.8	2.8	3.0	3.9	4.0	3.8	4.1	3.0
1961	1.4	-	.1	.2	.7	1.1	1.8	1.5	1.6	1.1	1.6	1.8	2.3	2.3	3.8	4.0	4.2	5.0	3.4
1962	1.4	.0	.0	.1	.7	1.3	1.4	1.6	1.5	1.7	1.4	1.9	1.7	2.7	3.8	3.6	5.3	4.9	2.8
1963	1.4	.0	.1	.1	.7	1.3	1.3	1.9	1.6	1.6	1.6	1.5	2.3	3.1	3.6	3.9	3.9	4.7	5.0
1964	1.5	-	-	.2	.8	1.6	1.8	1.8	1.6	1.6	1.7	2.0	1.8	2.3	3.9	4.7	5.1	5.9	3.8
1965	1.4	-	-	.1	.5	1.4	1.5	2.1	1.1	1.7	1.3	1.9	2.2	3.3	3.4	4.2	5.1	4.6	3.5
1966	1.5	-	.1	.2	.5	1.4	1.6	1.6	1.4	1.4	1.7	1.8	2.0	3.2	3.7	4.3	5.2	5.2	4.8
1967	1.5	-	.1	.3	.6	1.4	1.5	1.7	1.7	1.3	1.5	1.8	2.2	2.7	3.8	4.9	5.0	4.7	2.4
1968	1.5	-	-	.1	.6	1.4	1.4	1.6	1.3	1.3	1.7	2.2	2.2	3.0	3.0	4.3	5.4	5.0	3.5
1969	1.4	.0	-	.1	.6	1.3	1.3	1.4	1.2	1.5	1.3	1.7	2.1	2.4	3.9	4.1	4.3	6.0	3.1
1970	1.4	.0	-	.2	.4	1.1	1.7	1.5	1.2	1.4	1.7	1.8	1.9	2.3	4.2	4.4	5.0	4.7	5.3
1971	1.3	-	-	.1	.6	.9	1.3	1.3	1.4	1.3	1.8	1.4	2.1	3.0	3.2	4.1	4.8	3.8	3.7
1972	1.3	-	.1	.2	.5	1.0	1.5	1.2	1.5	1.4	1.1	1.2	2.2	2.1	3.4	4.4	5.2	4.3	3.2
1973	1.2	-	-	-	.4	.9	.9	1.3	1.0	.9	1.2	1.2	1.8	2.3	3.1	3.7	4.7	5.3	3.7
1974	1.1	.0	.1	.1	.4	.7	1.1	1.2	1.1	1.0	.8	1.2	1.4	1.9	2.9	3.5	4.4	3.3	2.9
1975	1.0	.0	-	.1	.3	.7	1.0	1.0	.9	.9	.8	1.2	1.4	2.0	2.7	3.2	3.5	4.6	2.9
1976	.9	-	.1	.1	.3	.6	.8	1.1	1.0	.7	.8	1.3	1.3	1.7	2.2	2.8	3.0	3.8	3.0
1977	.9	.0	-	.1	.2	.6	1.0	.9	.5	.6	.9	.9	1.4	1.6	1.8	2.4	3.9	4.4	3.3

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	856	0	6	9	26	59	69	73	56	45	74	66	56	75	94	77	42	21	8
1951	926	7	5	4	21	47	88	72	79	53	67	70	82	92	93	76	39	21	10
1952	976	4	5	6	36	54	82	78	71	66	62	68	84	101	100	73	50	24	12
1953	983	1	3	13	27	62	63	91	68	58	69	79	84	107	93	72	51	30	12
1954	963	1	8	8	21	54	88	74	70	61	50	77	72	98	104	91	44	30	12
1955	1010	1	1	7	34	54	80	84	75	75	62	68	69	111	100	83	58	32	16
1956	1106	1	12	14	31	50	87	101	78	81	80	68	89	99	114	85	64	36	16
1957	1108	0	5	18	30	57	68	69	86	63	85	79	81	119	110	93	81	49	15
1958	1130	4	4	12	33	59	78	88	84	69	74	73	91	118	110	106	65	43	19
1959	1066	2	2	16	32	51	86	86	77	79	74	79	78	96	80	101	76	40	11
1960	1132	1	6	7	39	60	84	85	79	76	76	78	109	104	119	96	61	36	16
1961	1110	3	5	15	41	53	86	77	90	59	79	81	92	78	117	100	69	46	19
1962	1142	0	0	11	46	68	69	81	84	96	72	88	69	93	121	91	90	47	16
1963	1192	0	6	11	45	71	63	94	89	91	81	70	98	108	116	104	69	47	29
1964	1292	1	3	14	53	91	87	89	90	91	87	96	77	83	126	126	93	62	23
1965	1234	1	3	10	39	82	74	100	59	94	68	93	99	119	109	116	96	50	22
1966	1281	2	5	14	41	85	80	76	75	81	90	86	92	120	121	121	100	60	32
1967	1303	1	5	23	49	94	80	80	87	73	82	88	99	104	125	139	101	56	17
1968	1304	1	4	8	46	98	77	80	67	71	96	113	102	119	100	123	112	61	26
1969	1238	0	4	12	47	93	74	71	58	80	73	85	99	98	135	117	91	77	24
1970	1319	0	2	14	36	85	104	78	59	75	95	95	91	96	147	128	106	62	46
1971	1242	1	3	7	46	70	82	69	67	69	101	75	100	127	115	119	105	52	34
1972	614	1	2	8	20	38	49	32	37	36	30	33	53	46	62	64	57	31	15
1973	1124	1	3	4	37	74	64	72	52	48	66	67	87	99	120	111	103	79	37
1974	1019	0	5	6	31	55	80	70	57	52	44	69	68	82	113	107	98	51	31
1975	980	0	1	6	30	56	71	59	46	45	44	68	72	90	110	98	79	71	34
1976	891	1	4	10	24	46	60	66	51	33	42	70	66	76	90	87	68	61	36
1977	877	0	2	4	19	54	76	64	29	29	49	48	72	74	74	79	90	72	42


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	.0	.2	.5	.9	1.4	1.3	1.1	.6	.3	.4	.3	.2	.2	.2	.1	.1	-	-
1951	.2	-	.2	.2	.7	1.2	1.7	1.1	.8	.4	.4	.3	.2	.2	.2	.1	.1	-	-
1952	.2	-	.2	.3	1.2	1.5	1.6	1.2	.8	.5	.3	.3	.2	.2	.2	.1	.1	-	-
1953	.2	-	.1	.6	1.0	1.9	1.4	1.5	.8	.5	.4	.3	.2	.2	.1	.1	.1	-	-
1954	.2	-	.3	.4	.9	1.8	2.2	1.3	.8	.5	.3	.3	.2	.2	.2	.1	.1	-	-
1955	.2	-	-	.4	1.3	1.8	2.0	1.5	.9	.6	.4	.3	.2	.2	.2	.1	.1	-	-
1956	.2	-	.4	.7	1.2	1.7	2.3	1.8	1.0	.7	.5	.3	.3	.2	.2	.1	.1	-	-
1957	.2	.0	.2	.8	1.1	1.9	1.8	1.2	1.0	.5	.5	.3	.3	.3	.2	.1	.1	.1	-
1958	.2	-	.1	.6	1.2	2.1	2.2	1.6	1.0	.6	.4	.3	.3	.3	.2	.1	.1	-	-
1959	.2	-	.1	.7	1.1	1.8	2.4	1.6	.9	.7	.4	.3	.2	.2	.1	.1	.1	-	-
1960	.2	-	.2	.3	1.3	2.1	2.4	1.6	.9	.6	.4	.3	.3	.2	.2	.1	.1	-	-
1961	.2	-	.2	.7	1.4	1.8	2.5	1.5	1.1	.5	.4	.3	.3	.2	.2	.1	.1	-	-
1962	.2	.0	.0	.5	1.5	2.2	2.0	1.6	1.0	.8	.4	.3	.2	.2	.2	.1	.1	-	-
1963	.2	.0	.2	.5	1.3	2.1	1.8	1.9	1.0	.7	.4	.3	.3	.2	.2	.1	.1	-	-
1964	.2	-	.1	.6	1.5	2.5	2.5	1.8	1.1	.7	.5	.4	.2	.2	.2	.1	.1	.1	-
1965	.2	-	.1	.4	1.1	2.2	2.1	2.0	.7	.7	.3	.3	.3	.3	.2	.1	.1	-	-
1966	.2	-	.2	.6	1.0	2.2	2.1	1.6	1.0	.6	.5	.3	.3	.3	.2	.1	.1	.1	-
1967	.2	-	.2	1.0	1.2	2.2	2.2	1.7	1.1	.6	.4	.3	.3	.2	.2	.2	.1	.1	-
1968	.2	-	.1	.3	1.0	2.2	1.9	1.7	.9	.5	.5	.4	.3	.2	.1	.1	.1	.1	-
1969	.2	.0	.1	.5	1.0	2.0	1.8	1.4	.8	.6	.4	.3	.3	.2	.2	.1	.1	.1	-
1970	.2	.0	.1	.6	.8	1.8	2.4	1.6	.8	.6	.5	.3	.2	.2	.2	.1	.1	.1	-
1971	.2	-	.1	.3	1.0	1.4	1.8	1.4	1.0	.6	.5	.3	.3	.2	.2	.1	.1	-	-
1972	.2	-	.2	.6	.8	1.5	2.1	1.3	1.1	.6	.3	.2	.3	.2	.2	.1	.1	.1	-
1973	.1	-	.1	.2	.7	1.5	1.4	1.4	.7	.4	.3	.2	.2	.2	.2	.1	.1	.1	-
1974	.1	.0	.2	.3	.7	1.2	1.7	1.4	.9	.5	.2	.2	.2	.2	.2	.1	.1	-	-
1975	.1	.0	.1	.3	.7	1.1	1.5	1.1	.7	.4	.3	.2	.2	.2	.2	.1	.1	.1	-
1976	.1	-	.2	.5	.5	1.0	1.3	1.3	.8	.3	.3	.3	.2	.1	.1	.1	.1	-	-
1977	.1	.0	.1	.2	.4	1.1	1.6	1.2	.5	.3	.3	.2	.2	.1	.1	.1	.1	.1	-


Hodgkin's Disease

Age-specific Graphs for White Females


Mortality Rates per 100,000




Number of Deaths



Percent of All Deaths





Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.3	.1	.2	.3	.3	.3	2.2	1.4	1.6	2.4	1.8	4.5	2.1	2.4	2.0	6.0	3.1	.0	.0
1951	1.3	.1	.1	.3	.9	1.2	.8	3.3	1.0	2.8	1.8	1.6	4.1	2.3	3.4	2.5	1.5	.0	.0
1952	1.6	.0	.2	.4	.5	.8	1.1	2.6	1.9	3.9	2.5	2.5	4.3	4.5	2.8	4.0	1.4	.0	19.5
1953	1.3	.0	.3	.3	1.1	.7	2.1	1.2	2.2	2.7	1.8	3.9	2.6	.9	3.2	.8	2.7	2.5	.0
1954	1.5	.0	.2	.2	1.1	2.3	1.7	1.1	1.5	1.9	3.1	3.4	3.1	3.4	4.1	5.3	2.5	2.4	4.3
1955	1.5	.1	.1	.4	1.5	1.2	.8	2.9	2.3	2.8	2.2	2.8	2.7	3.7	2.7	6.6	3.6	2.4	.0
1956	1.4	.1	.1	.2	.6	1.5	2.0	1.4	1.8	2.0	2.8	1.4	3.5	4.4	4.8	3.5	3.5	4.7	7.9
1957	1.4	.0	.1	.3	.6	1.7	1.2	1.6	3.1	2.2	1.5	2.8	2.8	6.6	4.3	2.7	4.4	4.6	.0
1958	1.3	.0	.3	.3	.3	.8	.7	1.6	2.7	2.0	1.8	2.3	4.3	3.0	3.4	3.3	9.5	4.5	.0
1959	1.5	.1	.3	.1	.8	1.6	2.3	2.3	1.4	2.2	3.8	2.8	2.1	3.3	4.6	2.5	4.0	.0	6.8
1960	1.3	.0	.2	.2	.9	.3	1.3	1.1	2.4	2.7	2.1	2.4	4.0	3.4	2.8	3.0	3.8	8.5	6.5
1961	1.4	.0	.4	.2	.6	1.2	1.1	1.1	2.0	3.3	1.7	3.2	4.2	7.4	3.5	2.9	1.9	1.9	.0
1962	1.6	.1	.2	.6	1.4	.6	1.9	1.7	2.3	2.9	3.6	2.7	4.6	4.6	2.7	7.2	3.7	.0	.0
1963	1.5	.1	.1	.3	.5	1.3	1.8	1.9	2.2	2.5	2.1	2.9	3.1	4.5	7.0	4.9	3.7	1.7	3.3
1964	1.4	.0	.3	.4	.3	1.4	1.1	2.0	2.0	2.5	3.0	3.1	3.8	3.2	3.9	4.8	3.6	3.3	3.1
1965	1.3	.0	.3	.3	.9	1.0	1.1	1.6	2.5	2.8	2.4	3.0	3.0	2.5	3.1	2.6	3.5	3.2	.0
1966	1.1	.0	.0	.2	.4	1.0	1.1	2.7	1.6	2.0	2.8	1.6	3.2	2.7	3.1	4.6	2.6	1.6	.0
1967	1.4	.0	.2	.6	1.1	.7	2.0	1.4	1.6	2.4	4.3	3.6	2.9	1.8	4.7	3.6	1.7	.0	7.7
1968	1.2	.0	.1	.3	.7	.5	1.8	2.0	2.0	1.3	2.6	2.2	3.1	2.0	5.0	6.0	2.5	1.5	2.4
1969	1.5	.1	.2	.3	.9	.4	1.2	2.0	2.4	3.2	3.8	2.6	4.5	3.8	6.3	4.4	2.5	1.5	6.8
1970	1.5	.0	.4	.2	.7	1.5	1.5	1.6	1.4	1.9	1.9	4.1	4.7	2.6	5.8	4.3	6.5	7.1	4.3
1971	1.2	.1	.2	.2	.4	1.1	.9	1.3	1.6	2.1	2.0	3.0	2.1	3.3	3.2	7.4	5.4	2.7	2.1
1972	1.2	.0	.0	.0	.4	.9	.7	2.2	2.8	2.2	2.7	2.9	4.6	3.0	2.5	2.8	4.6	5.1	.0
1973	1.1	.0	.1	.2	.1	1.0	1.1	1.3	1.4	.8	2.6	3.0	3.4	3.6	4.2	.0	3.8	1.2	3.8
1974	.9	.1	.0	.2	.4	.6	1.1	.8	1.5	2.7	1.0	1.9	2.7	2.2	1.4	3.7	1.5	2.4	3.5
1975	1.0	.0	.1	.1	.5	.7	.7	.6	1.4	.9	1.9	2.4	2.3	1.9	3.3	4.1	7.2	4.7	3.1
1976	1.0	.0	.0	.1	.2	.9	1.0	1.2	1.5	2.2	2.2	2.0	2.7	1.7	2.9	4.5	2.1	1.1	1.5
1977	.8	.0	.1	.0	.2	.5	.8	.7	1.5	1.5	2.0	1.3	2.2	1.7	1.5	3.0	2.1	3.2	4.2

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	101	1	2	2	2	2	14	8	9	12	8	17	6	5	4	7	2	0	0
1951	103	1	1	2	6	7	5	19	6	14	8	6	12	5	7	3	1	0	0
1952	126	0	2	3	3	5	7	15	11	20	11	10	13	10	6	5	1	0	4
1953	108	0	3	2	7	4	13	7	13	14	8	16	8	2	7	1	2	1	0
1954	127	0	2	2	7	14	10	7	9	10	14	14	10	8	9	7	2	1	1
1955	133	1	1	3	10	7	5	18	14	15	10	12	9	9	6	9	3	1	0
1956	125	1	1	2	4	9	12	9	11	11	13	6	12	11	11	5	3	2	2
1957	132	0	1	3	4	10	7	10	19	12	7	12	10	17	10	4	4	2	0
1958	123	0	4	3	2	5	4	10	17	11	9	10	16	8	8	5	9	2	0
1959	140	1	4	1	6	10	14	14	9	12	19	12	8	9	11	4	4	0	2
1960	129	0	3	2	7	2	8	7	15	15	11	11	16	10	7	5	4	4	2
1961	146	0	5	2	5	8	7	7	13	19	9	15	17	22	9	5	2	1	0
1962	171	1	3	7	12	4	12	11	15	17	19	13	19	14	7	13	4	0	0
1963	159	1	1	4	5	10	11	12	14	15	11	14	13	14	19	9	4	1	1
1964	155	0	4	5	3	11	7	13	13	15	16	15	16	10	11	9	4	2	1
1965	146	0	5	4	10	8	7	10	16	17	13	15	13	8	9	5	4	2	0
1966	130	0	0	3	5	8	7	17	10	12	15	8	14	9	9	9	3	1	0
1967	165	0	3	8	13	6	14	9	10	15	24	18	13	6	14	7	2	0	3
1968	146	0	1	5	9	5	13	13	13	8	15	11	14	7	15	12	3	1	1
1969	184	1	3	4	11	4	9	13	15	20	22	13	20	14	19	9	3	1	3
1970	183	0	6	3	9	16	12	11	9	12	11	21	21	10	18	9	8	5	2
1971	149	1	3	3	5	12	7	9	10	13	12	16	9	13	10	16	7	2	1
1972	79	0	0	0	3	5	3	8	9	7	8	8	10	6	4	3	3	2	0
1973	138	0	2	3	2	12	10	10	9	5	16	17	15	15	14	0	5	1	2
1974	117	1	0	3	6	7	10	6	10	17	6	11	12	9	5	8	2	2	2
1975	128	0	1	1	8	9	7	5	9	6	12	14	11	8	12	9	10	4	2
1976	134	0	0	1	4	12	11	10	10	14	14	12	13	7	11	10	3	1	1
1977	109	0	1	0	4	7	9	6	11	10	13	8	11	7	6	7	3	3	3


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.3	.3	.1	.1	.5	.3	.2	.2	.1	.2	.1	.1	-	.1	-	.0	.0
1951	.1	-	.1	.3	.5	.3	.2	.6	.2	.3	.1	.1	.1	.1	.1	-	-	.0	.0
1952	.1	.0	.2	.4	.2	.2	.3	.5	.3	.4	.2	.1	.1	.1	.1	.1	-	.0	.1
1953	.1	.0	.4	.3	.5	.2	.5	.2	.3	.3	.1	.2	.1	-	.1	-	-	-	.0
1954	.1	.0	.3	.3	.6	.8	.4	.3	.3	.2	.2	.2	.1	.1	.1	.1	-	-	-
1955	.1	-	.1	.5	.9	.4	.2	.7	.4	.3	.2	.2	.1	.1	.1	.1	.1	-	.0
1956	.1	-	.1	.3	.3	.5	.6	.3	.3	.2	.2	.1	.1	.1	.1	.1	-	-	.1
1957	.1	.0	.1	.4	.3	.6	.3	.3	.5	.2	.1	.1	.1	.2	.1	-	.1	-	.0
1958	.1	.0	.5	.4	.2	.3	.2	.4	.5	.2	.1	.1	.2	.1	.1	.1	.1	-	.0
1959	.1	-	.4	.1	.5	.6	.7	.5	.2	.3	.3	.2	.1	.1	.1	-	.1	.0	-
1960	.1	.0	.3	.2	.5	.1	.4	.3	.4	.3	.2	.1	.2	.1	.1	-	.1	.1	-
1961	.1	.0	.6	.2	.4	.5	.3	.3	.3	.4	.1	.2	.2	.2	.1	-	-	-	.0
1962	.1	-	.3	.8	.9	.2	.6	.4	.4	.3	.3	.1	.2	.1	.1	.1	-	.0	.0
1963	.1	-	.1	.5	.3	.5	.5	.4	.4	.3	.2	.2	.1	.1	.1	.1	-	-	-
1964	.1	.0	.4	.5	.2	.5	.3	.4	.3	.3	.2	.2	.2	.1	.1	.1	-	-	-
1965	.1	.0	.5	.5	.6	.4	.3	.3	.4	.3	.2	.2	.1	.1	.1	-	-	-	.0
1966	.1	.0	.0	.3	.2	.3	.3	.5	.2	.2	.2	.1	.1	.1	.1	.1	-	-	.0
1967	.1	.0	.3	.9	.6	.2	.5	.3	.2	.2	.3	.2	.1	-	.1	.1	-	.0	.1
1968	.1	.0	.1	.5	.3	.2	.4	.4	.3	.1	.2	.1	.1	.1	.1	.1	-	-	-
1969	.1	-	.3	.4	.4	.1	.3	.4	.3	.3	.3	.1	.2	.1	.1	.1	-	-	-
1970	.1	.0	.6	.3	.3	.4	.3	.3	.2	.2	.1	.2	.2	.1	.1	.1	.1	.1	-
1971	.1	-	.3	.3	.2	.3	.2	.2	.2	.2	.2	.2	.1	.1	.1	.1	.1	-	-
1972	.1	.0	.0	.0	.2	.2	.2	.4	.4	.2	.2	.2	.2	.1	.1	-	.1	.1	.0
1973	.1	.0	.2	.3	.1	.3	.2	.3	.2	.1	.2	.2	.1	.1	.1	.0	-	-	-
1974	.1	-	.0	.3	.2	.2	.3	.2	.2	.3	.1	.1	.1	.1	-	.1	-	-	-
1975	.1	.0	.1	.1	.3	.2	.2	.1	.2	.1	.2	.1	.1	.1	.1	.1	.1	.1	-
1976	.1	.0	.0	.1	.2	.3	.3	.3	.3	.3	.2	.1	.1	.1	.1	.1	-	-	-
1977	.1	.0	.1	.0	.2	.2	.2	.2	.3	.2	.2	.1	.1	.1	-	-	-	-	-

Hodgkin's Disease


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	.3	.0	.4	.6	.7	1.7	1.1	.8	2.1	.7	1.1	2.3	3.0	2.3	1.7	.0	.0	3.7
1951	.7	.2	.1	.0	.2	.7	.7	.8	1.1	1.9	1.3	1.3	1.1	1.0	1.4	1.6	3.0	2.2	.0
1952	.8	.4	.2	.1	.8	.6	.4	1.4	1.4	.9	.7	1.8	2.1	.9	1.3	3.8	2.9	2.1	.0
1953	.8	.1	.1	.1	.4	.7	1.2	1.8	.8	.4	.4	2.5	1.6	1.3	2.6	.7	2.8	.0	.0
1954	.6	.0	.1	.4	.0	.1	.3	1.2	1.0	.9	1.3	1.9	1.3	1.3	.8	.7	1.3	.0	.0
1955	.7	.0	.0	.1	.4	.6	.9	.9	.9	1.7	1.5	1.7	1.8	1.6	.8	2.0	1.2	.0	.0
1956	.7	.0	.0	.4	.4	.7	.4	.1	.8	1.5	1.6	1.6	.3	2.7	1.2	.6	4.6	.0	2.8
1957	.6	.0	.1	.2	.4	.3	.6	1.5	.5	.3	1.0	1.1	2.2	.7	1.2	1.8	.0	.0	5.3
1958	.7	.0	.1	.2	.4	1.0	.6	1.7	.4	.7	.8	.9	2.1	2.1	1.6	1.8	3.0	.0	.0
1959	.6	.0	.1	.1	.3	.7	1.2	.6	.7	.7	1.3	1.8	1.3	2.4	2.3	.6	.9	.0	.0
1960	.6	.0	.0	.3	.5	.6	.4	1.6	1.0	1.1	.9	1.3	.7	.0	1.5	2.7	1.7	1.8	.0
1961	.7	.1	.0	.3	.1	.7	1.3	.3	.8	.9	1.8	1.9	1.2	1.0	3.1	1.0	1.7	1.6	2.5
1962	.7	.0	.0	.3	.3	.9	.6	.5	1.1	1.4	.9	1.0	2.1	1.2	2.0	2.0	1.6	1.5	.0
1963	.7	.0	.1	.1	.7	.5	.7	.5	1.1	1.2	1.4	2.5	.9	.9	1.6	.9	3.1	.0	.0
1964	.6	.1	.1	.2	.5	.6	.4	.4	1.2	.7	.5	1.1	.9	3.0	.9	1.4	1.5	4.1	.0
1965	.8	.0	.2	.2	.3	1.3	.5	.7	1.5	.4	1.7	1.5	1.7	3.7	2.1	.4	.0	5.2	2.0
1966	.6	.0	.0	.0	.3	.2	.4	1.4	.9	.7	1.2	1.1	1.3	2.5	2.3	1.7	2.1	5.0	.0
1967	.7	.0	.1	.1	.3	.4	.5	.4	1.3	1.1	.3	.4	2.1	2.1	2.8	1.7	4.1	1.2	1.8
1968	.6	.0	.0	.2	.3	.4	.1	.4	.8	1.5	1.9	.9	1.4	1.0	1.9	2.0	.0	.0	1.6
1969	.7	.0	.0	.1	.5	.6	.6	.9	.8	1.1	1.4	2.3	1.4	2.2	1.1	2.8	1.3	1.1	3.1
1970	.6	.0	.0	.2	.2	.5	.6	.6	.4	.4	.9	2.0	1.8	1.1	1.9	1.2	1.9	2.1	1.4
1971	.6	.0	.0	.2	.2	1.0	.7	1.0	.7	.9	.6	.7	1.0	.7	1.9	3.0	2.4	1.9	.0
1972	.6	.0	.1	.1	.3	.8	.8	.9	.5	.5	1.7	.6	1.6	1.7	2.0	1.6	1.2	.0	.0
1973	.5	.0	.1	.1	.3	.5	.6	.1	.5	1.2	.9	.3	1.0	.8	1.2	1.9	1.8	.0	1.1
1974	.5	.0	.0	.1	.3	.4	.4	.3	1.0	.5	.7	1.1	.8	1.2	1.8	1.5	.0	2.4	.0
1975	.5	.1	.0	.1	.1	.1	.6	.4	.4	.8	.4	1.0	1.3	2.3	1.1	1.5	4.4	2.3	.9
1976	.5	.0	.0	.0	.1	.3	.7	.5	.7	.3	.8	1.3	1.2	1.0	1.2	1.5	1.1	.7	.0
1977	.5	.0	.1	.1	.2	.4	.6	.5	.5	.4	1.4	1.0	1.7	1.0	1.2	.7	2.2	1.4	.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	77	3	0	3	4	5	12	7	5	11	3	4	6	6	5	2	0	0	1
1951	60	2	1	0	1	5	5	5	7	10	6	5	3	2	3	2	2	1	0
1952	71	4	2	1	5	4	3	9	9	5	3	7	6	2	3	5	2	1	0
1953	67	1	1	1	3	5	8	12	5	2	2	10	5	3	6	1	2	0	0
1954	51	0	1	3	0	1	2	8	6	5	6	8	4	3	2	1	1	0	0
1955	66	0	0	1	3	4	6	6	6	10	7	7	6	4	2	3	1	0	0
1956	61	0	0	3	3	5	3	1	5	9	8	7	1	7	3	1	4	0	1
1957	56	0	1	2	3	2	4	11	3	2	5	5	8	2	3	3	0	0	2
1958	68	0	1	2	3	7	4	12	3	4	4	4	8	6	4	3	3	0	0
1959	65	0	1	1	2	5	8	4	5	4	7	8	5	7	6	1	1	0	0
1960	66	0	0	3	4	4	3	12	7	7	5	6	3	0	4	5	2	1	0
1961	75	1	0	3	1	5	9	2	6	6	10	9	5	3	9	2	2	1	1
1962	74	0	0	3	3	7	4	4	8	9	5	5	9	4	6	4	2	1	0
1963	77	0	1	1	7	4	5	4	8	8	8	13	4	3	5	2	4	0	0
1964	71	2	2	3	5	5	3	3	9	5	3	6	4	10	3	3	2	3	0
1965	94	0	3	2	3	11	4	5	11	3	10	8	8	13	7	1	0	4	1
1966	78	0	0	0	4	2	3	10	7	5	7	6	6	9	8	4	3	4	0
1967	81	0	2	2	4	4	4	3	10	8	2	2	10	8	10	4	6	1	1
1968	73	0	0	3	4	4	1	3	6	11	12	5	7	4	7	5	0	0	1
1969	94	0	0	2	6	6	5	7	6	8	9	13	7	9	4	7	2	1	2
1970	75	0	0	3	3	5	5	5	3	3	6	12	9	5	7	3	3	2	1
1971	81	0	0	3	3	12	6	8	5	7	4	4	5	3	7	8	4	2	0
1972	44	0	1	1	2	5	4	4	2	2	6	2	4	4	4	2	1	0	0
1973	64	0	2	1	4	6	6	1	4	9	6	2	5	4	5	5	3	0	1
1974	68	0	0	2	5	5	4	3	8	4	5	7	4	6	8	4	0	3	0
1975	75	1	0	2	1	2	7	4	3	6	3	7	7	11	5	4	8	3	1
1976	68	0	0	0	2	5	8	5	6	2	6	9	7	5	6	4	2	1	0
1977	79	0	1	2	4	6	7	5	4	3	10	7	10	5	6	2	4	2	1


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	.6	.3	.3	.5	.2	.1	.2	.1	.1	.1	.1	.1	-	.0	.0	-
1951	.1	-	.2	.0	.1	.3	.2	.2	.2	.2	.1	.1	-	-	-	-	-	-	.0
1952	.1	-	.3	.2	.5	.3	.2	.3	.3	.1	.1	.1	.1	-	-	.1	-	-	.0
1953	.1	-	.2	.2	.3	.4	.4	.5	.2	-	-	.1	.1	-	.1	-	-	.0	.0
1954	.1	.0	.2	.8	.0	.1	.1	.3	.2	.1	.1	.1	.1	-	-	-	-	.0	.0
1955	.1	.0	.0	.2	.5	.4	.4	.3	.2	.2	.1	.1	.1	.1	-	-	-	.0	.0
1956	.1	.0	.0	.8	.5	.5	.2	-	.2	.2	.2	.1	-	.1	-	-	.1	.0	-
1957	.1	.0	.1	.5	.4	.2	.3	.5	.1	-	.1	.1	.1	-	-	-	.0	.0	-
1958	.1	.0	.1	.5	.5	.7	.3	.5	.1	.1	.1	.1	.1	.1	-	-	.1	.0	.0
1959	.1	.0	.1	.2	.3	.5	.6	.2	.2	.1	.1	.1	.1	.1	.1	-	-	.0	.0
1960	.1	.0	.0	.6	.6	.4	.2	.5	.2	.2	.1	.1	-	.0	-	.1	-	-	.0
1961	.1	-	.0	.7	.1	.5	.7	.1	.2	.1	.2	.1	.1	-	.1	-	-	-	-
1962	.1	.0	.0	.6	.4	.7	.3	.2	.2	.2	.1	.1	.1	-	.1	-	-	-	.0
1963	.1	.0	.1	.2	.9	.4	.3	.2	.2	.2	.2	.2	.1	-	-	-	.1	.0	.0
1964	.1	-	.3	.5	.6	.5	.2	.1	.3	.1	.1	.1	.1	.1	-	-	-	.1	.0
1965	.1	.0	.4	.4	.4	1.1	.3	.2	.3	.1	.2	.1	.1	.1	.1	-	.0	.1	-
1966	.1	.0	.0	.0	.4	.2	.2	.5	.2	.1	.1	.1	.1	.1	.1	-	-	.1	.0
1967	.1	.0	.3	.3	.4	.3	.3	.1	.3	.2	-	-	.1	.1	.1	-	.1	-	-
1968	.1	.0	.0	.5	.4	.3	.1	.1	.2	.2	.2	.1	.1	-	.1	-	.0	.0	-
1969	.1	.0	.0	.3	.5	.4	.3	.3	.2	.2	.2	.2	.1	.1	-	.1	-	-	-
1970	.1	.0	.0	.5	.3	.3	.3	.3	.1	.1	.1	.2	.1	.1	.1	-	-	-	-
1971	.1	.0	.0	.5	.2	.7	.4	.4	.2	.2	.1	.1	.1	-	.1	.1	-	-	.0
1972	.1	.0	.3	.3	.3	.6	.5	.4	.1	.1	.2	.1	.1	.1	.1	-	-	.0	.0
1973	.1	.0	.3	.2	.3	.4	.4	-	.1	.2	.1	-	.1	-	-	-	-	.0	-
1974	.1	.0	.0	.4	.5	.3	.2	.2	.3	.1	.1	.1	.1	.1	.1	-	.0	-	.0
1975	.1	-	.0	.4	.1	1	.4	.2	.1	.2	.1	.1	.1	.1	-	-	.1	-	-
1976	.1	.0	.0	.0	.2	.3	.5	.3	.3	.1	.1	.1	.1	.1	.1	-	-	-	.0
1977	.1	.0	.2	.5	.4	.4	.4	.3	.2	.1	.2	.1	.1	.1	.1	-	-	-	-

Hodgkin's Disease


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	2305	3.40	3.58	2.13	1546	2.27	2.30	1.57	158	2.03	2.39	1.59	87	1.08	1.33	0.90
1951	2484	3.61	3.81	2.26	1663	2.40	2.43	1.68	140	1.76	2.10	1.39	93	1.12	1.39	0.96
1952	2621	3.75	3.95	2.30	1865	2.65	2.67	1.84	157	1.93	2.34	1.48	99	1.17	1.42	0.98
1953	2872	4.05	4.26	2.45	1972	2.75	2.76	1.92	199	2.40	2.95	1.83	92	1.06	1.31	0.92
1954	2949	4.09	4.29	2.45	2176	2.99	2.97	2.09	202	2.38	2.94	1.72	130	1.46	1.71	1.20
1955	3159	4.31	4.51	2.55	2154	2.91	2.88	2.04	208	2.39	2.89	1.71	132	1.45	1.72	1.21
1956	3270	4.39	4.65	2.60	2372	3.15	3.08	2.21	247	2.77	3.53	1.98	142	1.52	1.80	1.23
1957	3522	4.65	4.91	2.73	2377	3.10	3.02	2.18	244	2.67	3.34	1.83	157	1.63	2.13	1.48
1958	3379	4.40	4.64	2.62	2558	3.28	3.18	2.33	237	2.53	3.18	1.79	138	1.40	1.78	1.23
1959	3562	4.56	4.83	2.70	2680	3.37	3.25	2.42	280	2.91	3.82	2.04	157	1.55	1.93	1.38
1960	3769	4.76	5.03	2.78	2685	3.32	3.19	2.38	246	2.44	3.11	1.64	154	1.45	1.80	1.25
1961	3922	4.88	5.15	2.82	2993	3.65	3.48	2.62	311	3.02	3.84	1.98	174	1.60	1.98	1.38
1962	3946	4.84	5.12	2.80	3028	3.63	3.44	2.60	264	2.51	3.21	1.64	185	1.66	2.09	1.48
1963	4159	5.04	5.35	2.88	3288	3.89	3.68	2.78	328	3.05	3.97	1.94	172	1.51	1.88	1.35
1964	4207	5.04	5.35	2.87	3403	3.97	3.72	2.84	305	2.78	3.54	1.75	184	1.58	1.99	1.41
1965	4487	5.32	5.66	2.98	3453	3.98	3.70	2.81	313	2.80	3.78	1.83	186	1.56	1.92	1.36
1966	4635	5.44	5.80	3.04	3726	4.24	3.91	2.99	323	2.83	3.75	1.74	232	1.91	2.27	1.59
1967	4715	5.49	5.86	3.03	3843	4.33	3.95	3.01	360	3.10	4.08	1.86	238	1.92	2.37	1.67
1968	4721	5.45	5.81	2.98	3930	4.39	3.96	3.03	346	2.93	3.93	1.74	254	2.01	2.51	1.75
1969	4803	5.50	5.86	3.00	3963	4.38	3.91	3.01	373	3.11	4.17	1.83	249	1.93	2.35	1.67
1970	4899	5.56	5.92	3.00	4132	4.52	3.99	3.06	334	2.74	3.68	1.60	227	1.72	2.11	1.52
1971	4949	5.57	5.91	2.97	4186	4.53	3.96	3.05	400	3.21	4.34	1.89	283	2.10	2.60	1.80
1972	2541	5.68	6.03	3.00	2195	4.72	4.08	3.12	168	2.65	3.53	1.50	141	2.05	2.49	1.76
1973	5067	5.64	5.96	2.96	4481	4.79	4.09	3.14	406	3.15	4.21	1.74	264	1.88	2.32	1.58
1974	5267	5.83	6.12	3.00	4647	4.93	4.18	3.18	421	3.21	4.30	1.74	286	2.00	2.47	1.70
1975	5176	5.70	5.93	2.91	4552	4.80	3.99	3.05	408	3.04	4.08	1.65	300	2.06	2.54	1.78
1976	5200	5.70	5.90	2.86	4848	5.09	4.15	3.13	381	2.79	3.75	1.48	292	1.96	2.39	1.66
1977	5292	5.77	5.91	2.84	5004	5.21	4.20	3.16	433	3.11	4.17	1.61	345	2.28	2.76	1.87

* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.


Includes: Reticulum cell sarcoma, lymphosarcoma, giant follicular lymphomas, mycosis fungoides, other lymphoid neoplasms and other reticuloses.
(ICD 200-200.2, 202-202.1, 205 [6th]; ICD 200-200.2, 202-202.1, 205 [7th]; ICD 200-200.1, 202-202.9 [8th])

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



VIANNA NJ: The malignant lymphomas: Epidemiology and related aspects. Pathobiol Annu 7:231-255, 1977

CANTOR KP, FRAUMENI JF JR: Distribution of non-Hodgkin's lymphoma in the United States between 1950 and 1975. Cancer Res 40:2645-2652, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.4	.8	.9	.8	1.1	.7	1.0	1.4	1.9	3.0	3.9	5.4	8.3	11.5	12.6	14.4	14.9	14.0	12.1
1951	3.6	.7	.8	.7	.8	1.0	1.0	1.0	2.1	2.7	4.1	7.3	9.3	11.3	13.5	14.9	17.1	16.9	14.1
1952	3.8	.8	.8	.4	.9	.9	1.0	1.2	1.6	2.5	4.3	6.9	9.5	13.1	14.7	18.3	18.0	15.6	12.5
1953	4.0	.8	1.2	.8	.8	1.2	1.3	1.4	2.0	2.9	4.5	6.6	9.8	13.4	15.4	18.3	20.8	18.2	13.3
1954	4.1	.9	.7	.7	.9	1.2	1.2	1.2	2.1	3.4	4.5	6.6	10.2	12.5	16.7	18.5	22.0	16.4	14.7
1955	4.3	1.1	1.2	.5	1.1	1.1	1.0	1.4	2.4	2.9	4.7	6.9	10.2	14.0	16.9	20.2	22.1	19.1	15.2
1956	4.4	.9	.9	.8	1.2	.9	1.0	1.3	1.8	3.1	4.8	6.9	10.7	14.6	17.7	20.0	23.2	24.2	22.4
1957	4.7	.8	1.0	1.0	1.3	.8	.8	1.5	2.0	3.0	5.4	7.7	10.4	15.7	17.8	24.0	24.6	25.7	16.4
1958	4.4	.9	.6	.9	1.0	1.2	1.1	1.5	2.2	3.1	4.8	6.8	11.5	13.5	17.4	21.0	22.7	22.6	18.3
1959	4.6	.9	.8	.8	1.0	1.0	1.2	1.2	1.8	3.1	4.9	7.9	9.8	13.9	20.0	21.5	26.2	25.9	21.1
1960	4.8	.9	.8	.8	1.3	1.1	1.1	1.5	2.4	3.4	4.7	7.5	10.3	15.3	20.2	21.8	27.5	26.5	25.1
1961	4.9	.9	1.1	1.0	.8	1.0	1.3	1.2	2.2	3.3	4.8	7.1	12.0	14.8	21.6	24.5	26.4	26.7	21.6
1962	4.8	.8	.8	1.0	.8	1.1	1.2	1.8	2.2	3.5	5.1	7.4	10.2	14.7	22.1	23.4	26.5	26.3	26.2
1963	5.0	.8	1.1	.8	1.0	1.2	1.0	1.6	2.3	3.7	5.4	8.0	11.4	15.5	21.7	23.5	28.8	28.1	29.8
1964	5.0	.7	.8	.8	1.2	1.0	1.0	1.7	2.2	3.8	5.4	7.5	11.3	16.7	20.0	25.9	29.1	27.8	27.9
1965	5.3	.7	.9	.8	.9	1.1	1.2	1.7	2.3	4.4	5.5	8.1	11.4	17.2	23.2	25.4	30.9	33.6	28.9
1966	5.4	.6	.8	1.1	.9	1.1	.9	1.3	2.4	4.1	5.6	9.5	11.2	17.3	22.0	28.0	35.2	33.2	33.5
1967	5.5	.6	.8	.8	.9	1.0	1.3	1.3	2.4	3.3	5.2	7.9	12.7	17.3	22.8	29.2	37.5	33.8	37.2
1968	5.4	.6	.8	.8	1.1	1.0	1.3	1.6	2.4	3.7	5.5	8.0	11.2	17.1	22.8	28.2	35.2	38.1	36.1
1969	5.5	.4	.8	.9	1.1	.7	1.2	1.3	2.2	3.5	5.2	8.3	12.5	16.1	22.8	30.0	36.7	39.4	36.6
1970	5.6	.4	1.0	.6	.9	1.2	1.0	1.5	2.0	3.3	5.8	8.1	12.2	17.1	22.3	31.0	37.4	40.3	34.2
1971	5.6	.3	.7	.7	.8	.9	1.1	1.6	1.8	3.2	5.2	8.5	13.9	17.2	22.5	28.8	38.6	37.8	37.4
1972	5.7	.3	.6	.6	1.0	1.1	1.1	1.4	2.1	4.3	4.8	8.1	12.0	17.7	21.3	30.8	39.0	46.9	43.5
1973	5.6	.5	.7	.8	.7	.9	1.1	1.3	1.8	3.2	4.8	7.6	11.4	16.7	24.3	31.3	41.4	43.6	41.9
1974	5.8	.4	.8	.6	.9	.8	1.1	1.4	2.2	2.8	5.6	7.8	11.5	17.7	23.4	35.0	40.3	44.6	41.7
1975	5.7	.3	.7	.6	1.0	.9	.8	1.7	1.8	3.0	5.0	7.8	11.9	17.5	22.7	30.1	41.3	41.3	44.5
1976	5.7	.3	.6	.6	.7	.6	1.0	1.3	1.9	2.7	5.1	7.3	11.5	16.8	22.6	32.8	41.9	46.7	42.7
1977	5.8	.2	.6	.8	.7	.9	1.1	1.1	1.8	2.7	4.2	7.3	11.4	18.1	23.7	31.3	39.1	49.2	43.7

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2305	60	52	40	54	38	54	71	94	136	158	204	280	327	283	220	140	67	27
1951	2484	56	47	37	39	49	55	53	105	125	173	275	319	326	310	233	166	82	34
1952	2621	61	53	22	42	43	52	64	82	118	183	260	327	386	344	295	180	77	32
1953	2872	60	79	45	37	57	71	74	105	140	198	251	338	401	369	305	214	92	36
1954	2949	72	52	43	45	55	65	66	108	164	199	256	353	380	410	320	233	86	42
1955	3159	92	93	32	52	51	51	78	123	144	216	268	358	430	420	362	240	104	45
1956	3270	77	69	52	59	40	50	71	96	151	222	272	377	454	448	368	259	137	68
1957	3522	72	76	66	69	38	43	80	105	152	254	311	368	491	458	455	283	150	51
1958	3379	74	51	60	57	57	55	79	119	158	230	280	416	420	455	407	268	135	58
1959	3562	76	67	60	60	49	58	66	98	160	235	332	362	431	531	428	321	159	69
1960	3769	81	65	57	76	56	51	78	130	176	228	324	387	477	542	443	348	166	84
1961	3922	76	90	82	52	53	62	64	122	173	235	313	456	465	583	506	343	173	74
1962	3946	74	71	82	55	57	59	90	118	188	250	329	400	463	595	493	351	181	90
1963	4159	73	92	66	69	68	48	78	122	198	268	362	456	493	581	502	387	193	103
1964	4207	61	69	69	86	61	51	83	120	205	270	343	463	536	537	558	398	198	99
1965	4487	57	80	69	70	66	62	84	120	239	277	374	475	561	624	549	429	246	105
1966	4635	46	68	92	69	67	45	62	123	221	284	443	472	577	593	603	496	249	125
1967	4715	45	72	74	74	69	67	65	121	176	267	370	539	592	619	625	536	260	144
1968	4721	44	70	70	87	68	73	80	120	196	285	377	477	599	626	598	509	298	144
1969	4803	29	68	79	87	52	72	65	110	187	273	396	536	580	634	635	534	314	152
1970	4899	27	87	54	73	89	58	75	98	170	306	396	530	626	632	656	541	327	154
1971	4949	25	62	62	68	71	68	85	88	166	274	421	609	640	649	611	563	313	174
1972	2541	11	23	26	46	44	36	37	51	109	125	206	264	335	317	326	283	198	104
1973	5067	38	53	70	65	70	76	74	88	158	251	388	504	642	740	673	592	377	208
1974	5267	26	62	58	80	64	77	82	108	139	289	403	514	687	731	768	574	387	218
1975	5176	20	53	55	91	73	59	102	89	146	256	403	544	684	732	670	593	361	245
1976	5200	21	43	50	68	53	76	82	96	130	258	375	532	664	741	749	605	417	240
1977	5292	11	43	67	66	75	84	75	98	131	210	372	544	722	791	741	566	441	255

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.1	1.3	1.2	.9	.4	.6	.7	.6	.6	.5	.4	.4	.4	.3	.2	.2	.1	.1
1951	.3	.1	1.1	1.1	.6	.6	.6	.5	.7	.6	.5	.6	.5	.4	.3	.3	.2	.1	.1
1952	.3	.1	1.2	.6	.6	.5	.6	.6	.6	.5	.6	.6	.5	.5	.4	.3	.2	.1	.1
1953	.4	.1	1.8	1.3	.6	.7	.8	.7	.8	.6	.6	.5	.5	.5	.4	.3	.2	.1	.1
1954	.4	.1	1.3	1.3	.8	.7	.8	.7	.8	.8	.6	.6	.6	.5	.4	.3	.3	.1	.1
1955	.4	.2	2.2	.9	.8	.6	.6	.8	.9	.7	.7	.6	.6	.5	.4	.4	.3	.1	.1
1956	.4	.1	1.7	1.5	.9	.5	.6	.7	.7	.7	.7	.6	.6	.5	.4	.3	.3	.2	.1
1957	.4	.1	1.8	1.8	1.0	.5	.6	.8	.8	.7	.8	.7	.6	.6	.4	.4	.3	.2	.1
1958	.4	.1	1.2	1.6	.8	.7	.8	.8	.9	.7	.7	.6	.7	.5	.4	.4	.3	.2	.1
1959	.4	.1	1.5	1.5	.8	.6	.8	.7	.7	.8	.7	.7	.6	.5	.5	.4	.3	.2	.1
1960	.4	.1	1.5	1.5	1.0	.7	.7	.9	.9	.8	.7	.6	.6	.6	.5	.4	.3	.2	.1
1961	.5	.1	2.1	2.1	.7	.7	.9	.7	.9	.8	.7	.6	.7	.5	.5	.4	.3	.2	.1
1962	.4	.1	1.7	2.1	.7	.7	.9	1.0	.9	.9	.7	.6	.6	.5	.5	.4	.3	.2	.1
1963	.5	.1	2.1	1.7	.8	.8	.7	.9	.9	.9	.8	.7	.6	.6	.5	.4	.3	.2	.1
1964	.5	.1	1.6	1.7	.9	.6	.7	.9	.9	.9	.8	.7	.6	.6	.5	.5	.3	.2	.1
1965	.5	.1	1.9	1.7	.7	.7	.8	1.0	.9	1.1	.8	.7	.7	.6	.6	.4	.4	.3	.1
1966	.5	.1	1.6	2.2	.6	.6	.6	.7	.9	1.0	.8	.8	.6	.6	.5	.5	.4	.3	.1
1967	.5	.1	1.7	1.7	.7	.6	.8	.8	.9	.8	.8	.7	.7	.6	.6	.5	.4	.3	.2
1968	.5	.1	1.6	1.6	.7	.5	.8	.9	.9	.9	.8	.7	.6	.6	.6	.5	.4	.3	.2
1969	.5	.1	1.6	1.8	.7	.4	.7	.7	.9	.8	.8	.7	.7	.6	.6	.5	.4	.3	.2
1970	.5	.1	2.1	1.2	.6	.6	.6	.8	.8	.8	.9	.7	.7	.6	.6	.5	.4	.3	.2
1971	.5	.1	1.6	1.4	.5	.5	.7	.9	.7	.8	.8	.8	.8	.7	.6	.5	.4	.3	.2
1972	.5	.1	1.3	1.2	.7	.6	.7	.8	.9	1.1	.7	.8	.7	.7	.5	.5	.4	.4	.2
1973	.5	.1	1.5	1.6	.5	.5	.6	.7	.7	.8	.7	.7	.7	.6	.6	.5	.5	.3	.2
1974	.6	.1	2.0	1.4	.6	.4	.7	.8	.9	.8	.9	.8	.7	.7	.6	.6	.5	.4	.2
1975	.6	.1	1.8	1.4	.7	.5	.5	1.0	.8	.8	.8	.8	.8	.7	.6	.6	.5	.3	.2
1976	.6	.1	1.5	1.4	.5	.5	.6	.8	.9	.8	.9	.8	.8	.7	.6	.6	.5	.4	.2
1977	.6	-	1.5	1.9	.5	.5	.7	.7	.8	.8	.7	.8	.8	.8	.7	.6	.5	.4	.2

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths





Age-specific Data for White Females

Mortality Rates per 100,000

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.3	.5	.4	.2	.2	.5	.6	.8	1.1	1.7	2.0	3.6	5.9	7.0	9.5	10.3	10.1	11.0	9.1
1951	2.4	.6	.5	.3	.5	.4	.6	.9	1.0	1.8	2.5	4.2	5.7	8.5	8.3	9.5	10.9	12.4	10.9
1952	2.6	.7	.4	.5	.6	.3	.7	.9	1.2	1.8	2.7	4.2	6.5	7.7	9.9	12.1	14.2	11.4	10.9
1953	2.8	.6	.4	.2	.6	.8	.7	.9	1.2	2.1	2.7	4.4	6.6	8.6	10.0	12.4	13.2	15.0	9.6
1954	3.0	.6	.5	.3	.4	.5	.7	1.0	1.4	2.0	2.8	4.2	6.7	8.6	12.0	14.4	15.2	16.3	16.3
1955	2.9	.6	.3	.5	.6	.6	.5	1.0	1.0	1.7	2.9	3.9	6.5	8.0	12.2	14.7	16.5	14.8	11.5
1956	3.1	.6	.5	.4	.5	.5	.5	.9	1.4	2.1	3.1	4.7	6.2	9.3	12.0	15.5	17.6	16.5	12.3
1957	3.1	.4	.4	.4	.4	.4	.4	1.0	1.1	2.1	2.8	4.4	6.4	9.4	12.9	15.2	16.0	17.4	14.6
1958	3.3	.6	.3	.4	.4	.5	.7	1.0	1.4	2.1	3.2	5.0	7.4	9.4	13.7	15.1	15.6	18.2	13.5
1959	3.4	.6	.2	.3	.4	.4	.5	.8	1.4	2.0	3.3	5.2	7.0	10.1	13.5	16.3	18.6	18.0	13.5
1960	3.3	.4	.2	.4	.2	.5	.5	.8	1.6	2.2	3.1	4.5	6.7	10.0	13.6	13.7	20.3	18.3	18.6
1961	3.6	.6	.3	.3	.7	.4	.8	.7	1.3	2.3	3.5	5.0	8.2	10.4	14.2	18.5	19.2	16.5	17.6
1962	3.6	.5	.4	.4	.4	.3	.5	.7	1.2	2.0	3.9	5.1	7.4	10.7	14.3	17.8	20.2	19.9	15.9
1963	3.9	.4	.3	.3	.4	.7	.6	.7	1.3	2.2	3.8	5.6	7.5	11.9	14.1	18.1	22.9	23.3	20.0
1964	4.0	.5	.2	.4	.5	.5	.5	.9	1.5	2.6	3.7	5.3	8.2	11.5	16.4	17.4	21.9	20.8	21.2
1965	4.0	.5	.4	.3	.4	.3	.7	.7	1.3	2.6	3.9	5.7	8.2	11.3	14.2	18.5	21.6	22.7	20.9
1966	4.2	.3	.4	.5	.5	.4	.7	.8	1.4	2.6	3.9	5.8	7.6	11.5	16.0	20.2	24.4	26.2	21.3
1967	4.3	.4	.2	.4	.4	.4	.5	.6	1.2	2.5	4.2	6.1	8.0	11.3	16.3	21.4	23.8	26.8	24.3
1968	4.4	.2	.3	.4	.3	.5	.5	.8	1.5	2.4	3.9	6.4	7.6	11.6	16.2	21.2	25.5	26.5	23.3
1969	4.4	.2	.3	.3	.5	.4	.5	.7	1.1	2.0	3.8	5.6	8.5	11.6	15.2	21.5	24.8	30.0	25.2
1970	4.5	.1	.3	.3	.4	.5	.8	.8	1.3	2.0	3.8	5.4	8.3	11.2	15.7	21.9	27.9	29.5	25.3
1971	4.5	.2	.3	.3	.4	.6	.4	.7	1.0	2.2	3.6	5.3	8.4	12.0	14.3	22.2	27.0	31.0	28.0
1972	4.7	.3	.2	.4	.4	.5	.6	1.0	1.1	2.3	3.5	5.5	8.0	10.6	16.3	23.9	28.5	32.0	27.3
1973	4.8	.3	.2	.3	.5	.4	.6	.8	1.3	2.3	3.5	5.1	8.6	10.9	16.1	22.7	29.3	31.6	31.0
1974	4.9	.2	.2	.3	.3	.5	.6	.7	1.1	1.9	3.4	5.7	9.8	11.5	16.7	24.4	29.3	30.4	28.5
1975	4.8	.1	.2	.2	.5	.4	.5	.9	1.3	1.8	3.0	5.4	8.7	11.1	15.3	21.4	30.4	31.5	30.5
1976	5.1	.1	.1	.1	.2	.6	.5	.6	1.3	1.6	3.0	5.7	8.4	12.1	17.0	22.6	30.6	38.1	30.0
1977	5.2	.2	.1	.2	.4	.3	.6	.7	1.2	1.6	3.4	5.4	8.6	12.4	16.8	22.7	32.1	36.3	33.7

Number of Deaths


		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1546	38	21	11	11	27	34	45	57	78	84	138	198	199	226	174	110	66	29
1951	1663	42	32	13	24	18	33	47	53	87	104	158	197	248	204	165	124	77	37
1952	1865	53	26	23	26	17	37	48	65	84	117	161	227	232	250	219	168	73	39
1953	1972	43	27	11	26	40	38	49	62	101	119	170	233	267	257	232	161	100	36
1954	2176	46	35	15	18	23	36	56	75	97	125	164	240	274	318	282	193	114	65
1955	2154	49	19	28	27	27	25	54	56	86	134	155	233	260	330	299	216	108	48
1956	2372	50	35	23	24	23	24	52	79	107	148	191	227	309	332	329	239	126	54
1957	2377	36	28	29	18	18	22	53	63	108	134	181	238	316	369	332	226	139	67
1958	2558	46	22	26	20	24	33	55	79	110	153	211	278	316	403	340	228	149	65
1959	2680	53	19	23	21	20	25	43	79	107	161	226	269	344	406	379	285	152	68
1960	2685	34	19	30	14	26	25	45	91	115	154	199	264	342	447	328	323	160	99
1961	2993	48	23	25	40	21	39	39	72	127	178	229	329	358	442	457	318	151	97
1962	3028	40	32	27	28	18	23	35	69	112	197	236	305	373	451	456	345	191	90
1963	3288	38	27	24	30	41	27	35	72	122	195	261	317	419	449	476	404	234	117
1964	3403	40	18	32	37	27	24	42	82	149	189	253	356	411	527	470	398	219	129
1965	3453	41	31	27	31	18	36	34	69	150	205	276	366	411	461	509	406	249	133
1966	3726	24	31	37	41	27	38	37	72	147	209	284	346	430	525	565	472	299	142
1967	3843	32	21	36	29	29	26	31	64	140	225	300	365	437	540	603	476	318	171
1968	3930	14	23	33	27	35	28	38	75	134	213	322	353	462	547	603	525	326	172
1969	3963	14	24	22	36	26	28	35	56	111	213	286	396	475	523	615	524	382	197
1970	4132	9	28	23	36	34	49	40	62	108	214	280	391	467	551	633	595	393	219
1971	4186	14	21	22	35	44	27	35	50	117	202	281	397	512	513	646	587	429	254
1972	2195	9	7	18	17	21	20	27	26	59	97	149	190	230	301	350	313	231	130
1973	4481	19	14	25	40	30	40	47	66	119	191	282	413	476	615	678	641	475	310
1974	4647	13	12	25	30	39	40	41	55	97	185	315	477	506	655	740	646	465	306
1975	4552	4	12	18	41	34	38	55	68	91	158	301	433	494	620	657	684	491	353
1976	4848	9	10	8	19	48	42	38	67	80	157	316	427	542	700	709	698	612	366
1977	5004	11	7	15	31	24	45	45	64	77	176	295	448	558	704	740	736	592	436


Percent of All Deaths

		AGE																	
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.1	.8	.6	.4	.7	.6	.7	.6	.6	.5	.6	.6	.4	.4	.2	.1	.1	-
1951	.3	.1	1.1	.7	.8	.5	.6	.7	.6	.7	.6	.6	.6	.5	.3	.2	.2	.1	.1
1952	.3	.1	.8	1.1	.9	.5	.7	.7	.7	.6	.7	.7	.7	.5	.4	.3	.2	.1	.1
1953	.3	.1	.9	.5	.9	1.2	.8	.8	.7	.8	.7	.7	.7	.6	.4	.3	.2	.1	.1
1954	.4	.1	1.2	.8	.7	.8	.9	1.0	.9	.8	.7	.7	.8	.6	.5	.4	.2	.2	.1
1955	.4	.1	.7	1.5	1.1	.9	.6	1.0	.7	.7	.8	.7	.7	.6	.5	.4	.3	.1	.1
1956	.4	.1	1.2	1.2	.9	.8	.6	.9	1.0	.9	.9	.8	.7	.7	.5	.4	.3	.2	.1
1957	.4	.1	1.0	1.3	.6	.6	.6	.9	.7	.9	.8	.8	.7	.7	.6	.4	.3	.2	.1
1958	.4	.1	.8	1.2	.7	.9	.9	1.0	1.0	.9	.9	.9	.9	.7	.6	.4	.2	.2	.1
1959	.4	.1	.6	1.1	.7	.7	.7	.8	1.0	.9	.9	.9	.8	.8	.6	.5	.3	.2	.1
1960	.4	.1	.6	1.4	.5	.9	.7	.9	1.1	.9	.8	.8	.8	.7	.6	.4	.3	.2	.1
1961	.5	.1	.8	1.1	1.4	.7	1.2	.8	.9	1.0	1.0	.9	1.0	.8	.7	.5	.3	.2	.1
1962	.5	.1	1.1	1.2	.9	.6	.7	.7	.8	.9	1.1	.9	.9	.8	.7	.5	.3	.2	.1
1963	.5	.1	.9	1.1	.9	1.2	.8	.7	.8	.9	1.0	1.0	.9	.9	.7	.5	.4	.2	.1
1964	.5	.1	.6	1.4	1.0	.7	.7	.8	1.0	1.1	1.0	.9	1.0	.9	.8	.5	.4	.2	.1
1965	.5	.1	1.1	1.2	.8	.5	1.0	.7	.9	1.1	1.0	1.0	1.0	.9	.7	.6	.4	.2	.1
1966	.5	.1	1.0	1.6	1.0	.7	1.0	.8	.9	1.1	1.1	1.0	.9	.9	.8	.6	.4	.3	.1
1967	.5	.1	.7	1.5	.7	.7	.7	.7	.8	1.1	1.1	1.1	1.0	.9	.8	.7	.4	.3	.1
1968	.5	.1	.8	1.4	.6	.8	.7	.8	1.0	1.0	1.0	1.1	.9	.9	.8	.7	.5	.3	.1
1969	.5	.1	.8	.9	.8	.6	.7	.7	.7	.8	1.0	1.0	1.0	1.0	.8	.7	.5	.3	.1
1970	.6	-	1.1	1.0	.8	.7	1.1	.8	.8	.9	1.0	1.0	1.0	.9	.8	.7	.5	.3	.2
1971	.6	.1	.8	.9	.7	.9	.6	.7	.7	.9	1.0	1.0	1.0	1.0	.8	.7	.5	.4	.2
1972	.6	.1	.5	1.4	.7	.8	.9	1.1	.7	1.0	1.0	1.0	1.0	.9	.9	.8	.5	.4	.2
1973	.6	.1	.6	1.0	.8	.6	.8	.9	.9	1.0	1.0	1.0	1.0	.9	.9	.8	.6	.4	.2
1974	.6	.1	.6	1.1	.6	.8	.9	.8	.8	.9	1.0	1.1	1.2	1.0	1.0	.8	.6	.4	.2
1975	.6	-	.6	.9	.9	.7	.8	1.1	1.1	.9	.9	1.1	1.1	1.0	.9	.8	.6	.4	.2
1976	.6	.1	.5	.4	.4	1.0	.9	.8	1.1	.8	.9	1.2	1.1	1.0	1.0	.8	.6	.5	.2
1977	.7	.1	.4	.8	.6	.5	1.0	.9	1.0	.8	1.1	1.1	1.2	1.1	1.0	.9	.7	.5	.2


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.0	.4	.9	.4	.6	1.1	.8	1.8	1.4	2.2	3.4	5.6	7.4	6.2	9.4	3.4	7.7	2.7	.0
1951	1.8	.5	.4	.4	.6	1.2	1.0	1.4	1.2	2.2	3.3	3.6	6.5	9.7	3.9	4.1	1.5	5.3	5.1
1952	1.9	.4	.7	.7	1.3	1.7	.3	1.0	1.4	1.9	4.3	5.1	4.7	7.2	6.6	6.4	7.1	5.1	.0
1953	2.4	.3	.8	.4	.6	1.0	2.3	1.7	1.5	.9	4.7	7.4	7.7	9.2	10.2	7.0	9.4	5.0	9.3
1954	2.4	.5	.1	.7	.6	2.0	1.3	1.0	2.2	2.6	5.4	4.1	8.1	7.7	10.9	6.8	12.7	4.9	8.5
1955	2.4	.6	1.1	.5	.9	1.0	.7	2.1	1.3	3.7	3.8	5.5	6.0	11.2	7.5	10.9	6.0	4.8	8.2
1956	2.8	.6	.8	.7	.4	.3	1.2	1.3	1.8	2.6	3.7	6.4	9.6	12.9	14.4	12.7	12.7	11.7	11.8
1957	2.7	.5	1.0	.3	.7	.7	1.2	1.1	2.1	2.7	3.4	5.2	12.3	11.7	12.5	10.1	13.1	6.9	3.8
1958	2.5	.6	.4	.6	.1	1.0	1.2	1.6	1.9	4.2	4.3	4.9	9.2	9.1	9.8	9.8	9.5	15.7	14.1
1959	2.9	.3	.5	.7	.9	.5	1.3	1.8	1.0	4.4	5.1	6.7	10.0	9.5	14.3	13.8	9.1	24.1	27.3
1960	2.4	.4	.5	.4	.9	.8	1.0	1.4	2.0	3.2	4.0	6.0	7.3	11.0	8.8	12.5	14.3	4.3	9.7
1961	3.0	.9	.3	1.2	1.0	1.5	.3	1.9	2.3	3.3	4.9	6.3	8.2	12.1	14.0	15.5	17.8	7.7	13.3
1962	2.5	.5	.5	.8	.6	.8	1.6	1.6	2.3	2.1	4.2	7.8	4.4	11.2	11.0	10.0	13.0	7.1	20.0
1963	3.1	.9	.9	.6	.3	.4	.6	1.4	2.5	2.5	5.7	5.6	9.8	15.2	14.4	15.2	16.5	16.9	16.7
1964	2.8	.3	.7	.9	.5	1.2	1.1	2.6	1.9	3.8	4.3	4.7	7.5	12.4	12.9	16.4	9.9	14.8	3.1
1965	2.8	.3	.3	.5	.3	.7	1.2	1.2	1.7	2.6	6.5	6.7	6.0	15.0	11.9	14.6	25.7	15.9	5.9
1966	2.8	.3	.7	.7	.8	.1	1.8	1.4	2.0	2.4	4.1	6.2	7.7	10.3	14.4	23.7	12.2	12.5	22.2
1967	3.1	.3	.7	.9	.7	.8	.9	1.7	2.2	5.0	3.6	4.6	9.7	14.4	15.8	16.2	22.0	15.2	12.8
1968	2.9	.1	.4	.5	1.5	1.1	.6	.9	1.7	2.6	4.9	6.2	8.3	14.4	14.6	16.0	16.8	22.4	17.1
1969	3.1	.1	.7	.6	.4	1.4	1.2	1.4	2.1	2.7	4.2	6.4	10.7	13.7	16.4	16.3	21.7	23.5	11.4
1970	2.7	.5	.1	.6	.5	.7	.4	1.5	2.2	2.4	5.8	5.6	8.7	10.8	10.3	19.2	17.9	21.4	14.9
1971	3.2	.2	.4	.5	.6	.8	1.4	1.3	1.9	3.0	3.7	7.7	10.7	16.8	14.5	17.2	25.6	12.2	31.3
1972	2.6	.3	.4	.5	.4	.5	.2	1.6	1.6	3.8	5.0	6.5	7.3	10.9	14.9	9.5	21.4	15.4	16.0
1973	3.1	.1	.5	.6	1.1	1.1	.7	1.1	2.2	3.3	4.6	5.8	9.9	11.9	17.6	17.3	22.3	24.1	21.2
1974	3.2	.4	.4	.6	.8	.9	.9	.8	1.4	2.2	6.0	7.1	10.1	12.7	17.9	22.1	16.0	24.7	22.8
1975	3.0	.4	.7	.4	.6	.8	.9	.7	1.7	2.7	4.0	6.0	10.2	13.8	14.0	21.5	19.6	25.6	13.8
1976	2.8	.2	.2	.1	.7	.8	1.3	.4	1.3	3.0	2.5	6.7	10.2	11.4	14.1	17.6	24.3	19.8	11.8
1977	3.1	.2	.8	.4	.5	.6	1.4	1.5	2.2	2.2	3.8	4.5	10.2	15.5	12.9	21.1	29.8	16.1	19.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	158	4	7	3	4	7	5	10	8	11	15	21	21	13	19	4	5	1	0
1951	140	5	3	3	4	7	6	8	7	11	15	14	19	21	8	5	1	2	1
1952	157	4	6	5	8	10	2	6	8	10	19	20	14	16	14	8	5	2	0
1953	199	3	7	3	4	6	14	10	9	5	21	30	24	21	22	9	7	2	2
1954	202	6	1	6	4	12	8	6	13	14	24	17	26	18	24	9	10	2	2
1955	208	8	11	4	6	6	4	13	8	20	17	23	20	27	17	15	5	2	2
1956	247	8	9	6	3	2	7	8	11	14	17	27	33	32	33	18	11	5	3
1957	244	7	11	3	5	4	7	7	13	15	16	22	44	30	29	15	12	3	1
1958	237	9	5	6	1	6	7	10	12	23	21	21	34	24	23	15	9	7	4
1959	280	5	6	7	7	3	8	11	6	24	26	29	38	26	34	22	9	11	8
1960	246	6	6	4	7	5	6	9	13	18	21	27	29	32	22	21	15	2	3
1961	311	13	4	14	8	10	2	12	15	19	26	29	33	36	36	27	19	4	4
1962	264	7	7	10	5	6	10	10	15	12	22	37	18	34	29	18	14	4	6
1963	328	13	13	7	3	3	4	9	16	15	30	27	41	47	39	28	18	10	5
1964	305	5	10	12	5	9	7	17	12	23	23	23	32	39	36	31	11	9	1
1965	313	4	5	7	3	6	8	8	11	16	35	33	26	48	34	28	29	10	2
1966	323	5	10	10	9	1	12	9	13	15	22	31	34	34	42	46	14	8	8
1967	360	5	10	13	8	7	6	11	14	31	20	23	43	49	47	32	26	10	5
1968	346	2	6	8	18	10	4	6	11	16	28	31	37	51	44	32	20	15	7
1969	373	2	11	9	5	14	9	9	13	17	24	32	48	50	50	33	26	16	5
1970	334	7	2	10	7	7	3	10	14	15	34	29	39	41	32	40	22	15	7
1971	400	3	6	8	8	9	11	9	12	19	22	41	47	66	45	37	33	9	15
1972	168	2	3	4	3	3	1	6	5	12	15	18	16	22	24	10	14	6	4
1973	406	2	7	9	17	13	6	8	14	21	28	33	43	49	59	37	29	20	11
1974	421	5	6	9	12	11	8	6	9	14	37	41	45	53	62	48	21	21	13
1975	408	6	10	7	10	11	9	6	11	17	25	35	48	57	51	47	27	22	9
1976	381	3	3	2	11	11	14	3	9	19	16	40	50	46	54	39	35	18	8
1977	433	3	12	6	9	9	15	13	16	14	24	27	52	62	51	49	42	15	14


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.2	-	.9	.4	.3	.3	.2	.3	.2	.2	.2	.2	.2	.1	.2	.1	.1	-	.0
1951	.1	-	.4	.4	.3	.3	.2	.3	.2	.2	.2	.2	.2	.2	.1	.1	-	.1	-
1952	.2	-	.7	.7	.6	.5	.1	.2	.2	.2	.3	.2	.1	.2	.1	.1	.1	.1	.0
1953	.2	-	.9	.4	.3	.3	.6	.3	.2	.1	.3	.3	.3	.2	.2	.1	.1	.1	.1
1954	.2	-	.1	.9	.3	.7	.3	.2	.4	.3	.4	.2	.3	.2	.3	.1	.2	.1	.1
1955	.2	-	1.4	.6	.5	.3	.2	.5	.2	.4	.3	.3	.2	.3	.2	.2	.1	-	.1
1956	.2	-	1.1	.9	.3	.1	.3	.3	.3	.3	.3	.4	.3	.3	.3	.2	.2	.1	.1
1957	.2	-	1.3	.4	.4	.2	.3	.2	.4	.3	.2	.3	.4	.3	.3	.2	.2	.1	-
1958	.2	-	.6	.9	.1	.3	.3	.4	.3	.5	.3	.3	.3	.2	.2	.2	.1	.2	.1
1959	.3	-	.6	.9	.5	.2	.4	.4	.2	.5	.4	.4	.4	.3	.3	.2	.1	.2	.2
1960	.2	-	.6	.5	.5	.3	.3	.3	.3	.4	.3	.3	.3	.3	.2	.2	.2	-	.1
1961	.3	.1	.4	1.7	.6	.6	.1	.4	.4	.4	.4	.3	.3	.3	.3	.3	.2	.1	.1
1962	.2	-	.7	1.2	.4	.3	.5	.4	.4	.2	.3	.4	.2	.3	.2	.2	.2	.1	.1
1963	.3	.1	1.3	.8	.2	.1	.2	.3	.4	.3	.5	.3	.4	.4	.3	.2	.2	.2	.1
1964	.2	-	1.0	1.3	.3	.4	.3	.6	.3	.4	.3	.2	.3	.3	.3	.3	.1	.2	-
1965	.3	-	.5	.8	.2	.3	.3	.3	.3	.3	.5	.4	.2	.4	.2	.2	.3	.2	-
1966	.3	-	.9	1.1	.4	-	.5	.3	.3	.2	.3	.3	.3	.3	.3	.4	.1	.1	.1
1967	.3	-	1.0	1.4	.4	.3	.2	.3	.3	.5	.3	.2	.4	.4	.3	.2	.3	.2	.1
1968	.3	-	.6	.7	.7	.3	.1	.2	.2	.2	.3	.3	.3	.4	.3	.2	.2	.2	.1
1969	.3	-	1.0	.8	.2	.4	.3	.2	.3	.3	.3	.3	.4	.4	.3	.2	.3	.2	.1
1970	.2	.1	.2	.9	.2	.2	.1	.3	.3	.2	.4	.3	.3	.3	.2	.3	.2	.2	.1
1971	.3	-	.6	.8	.3	.2	.3	.2	.3	.3	.3	.4	.4	.5	.3	.3	.3	.1	.2
1972	.2	-	.7	.8	.2	.1	.1	.3	.2	.4	.4	.3	.3	.3	.3	.1	.2	.2	.1
1973	.3	-	.7	.8	.6	.3	.1	.2	.3	.4	.3	.3	.4	.3	.4	.2	.3	.3	.2
1974	.3	.1	.7	1.0	.4	.3	.2	.2	.2	.2	.5	.4	.4	.4	.4	.3	.2	.3	.2
1975	.3	.1	1.3	.8	.4	.3	.2	.2	.3	.3	.3	.4	.4	.4	.3	.3	.2	.3	.1
1976	.3	-	.4	.2	.5	.3	.3	.1	.2	.4	.2	.4	.4	.3	.4	.3	.3	.2	.1
1977	.3	-	1.6	.7	.4	.2	.4	.4	.4	.3	.3	.3	.4	.5	.3	.3	.3	.2	.2


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.1	.3	.4	.0	.3	.6	.3	.6	1.3	1.0	2.4	2.2	4.5	5.5	3.2	2.6	4.8	2.4	.0
1951	1.1	.7	.2	.1	.2	.6	.3	1.4	.6	1.1	1.3	3.4	2.9	6.7	2.7	3.3	7.6	.0	3.7
1952	1.2	.4	.3	.7	.8	.1	.4	.5	1.9	1.6	1.7	1.8	4.1	4.1	1.3	5.4	4.4	6.3	3.5
1953	1.1	.3	.2	.0	.4	.6	.4	.4	1.3	1.1	1.1	2.7	4.6	7.0	3.0	2.2	2.8	4.1	.0
1954	1.5	.2	.1	.2	.6	.1	.3	1.0	2.2	2.8	3.4	3.9	5.4	3.8	4.2	4.2	3.9	4.0	3.1
1955	1.4	.6	.5	.4	.3	.1	.7	.3	1.4	2.4	3.4	3.5	4.2	4.8	5.0	4.0	6.1	3.9	2.9
1956	1.5	.5	.5	.7	.4	.6	.6	.3	1.4	2.2	2.9	3.9	5.5	4.6	6.9	1.3	5.7	3.9	2.8
1957	1.6	.3	.2	.4	.1	.1	1.0	.3	1.2	1.8	2.2	3.7	5.0	8.5	6.3	8.6	10.6	11.5	8.0
1958	1.4	.4	.3	.3	.5	.4	.4	1.1	.7	1.3	2.1	2.5	4.5	7.5	4.7	5.3	7.9	7.7	7.8
1959	1.5	.2	.2	.1	.8	.7	.9	1.3	1.5	1.3	1.3	4.0	4.9	6.5	7.6	6.9	8.3	3.8	2.5
1960	1.5	.5	.2	.3	.1	.1	1.0	.8	1.4	2.6	2.7	3.9	2.9	4.6	4.4	5.4	10.4	9.1	7.5
1961	1.6	.6	.3	.1	.6	.5	.4	.9	.7	2.4	3.0	5.0	4.8	5.1	4.5	6.7	7.6	8.2	10.0
1962	1.7	.3	.5	.5	.4	.5	1.0	.5	1.2	1.1	2.6	2.2	6.6	8.4	8.3	2.9	8.1	10.6	9.8
1963	1.5	.5	.4	.2	.6	.3	.6	1.1	1.1	.5	1.9	3.9	4.3	7.3	5.8	6.1	10.2	4.3	9.3
1964	1.6	.4	.2	.3	.3	.5	.7	.5	1.2	1.8	1.7	2.9	4.2	8.6	6.1	9.0	7.6	10.8	6.7
1965	1.6	.2	.4	.2	.5	.6	.4	.8	1.4	1.3	3.2	3.0	4.3	7.5	6.5	7.4	9.6	1.3	4.1
1966	1.9	.7	.4	.6	.8	.9	1.5	1.2	1.6	1.7	2.8	4.2	4.4	6.9	7.2	6.8	7.1	8.8	5.7
1967	1.9	.2	.3	.5	.2	.9	.8	1.4	.7	2.1	3.4	4.2	5.8	7.4	7.1	10.0	8.2	14.3	7.0
1968	2.0	.1	.1	.6	.3	.7	1.2	1.1	.5	1.4	3.6	3.4	4.2	9.3	10.0	9.4	15.8	11.5	9.8
1969	1.9	.2	.2	.3	.6	.2	.7	1.0	1.1	2.0	2.4	4.9	6.8	5.1	10.9	7.7	12.8	6.6	10.8
1970	1.7	.5	.1	.3	.1	.4	.5	.5	1.3	1.4	3.6	3.8	6.1	5.5	6.4	7.8	9.4	13.5	8.5
1971	2.1	.2	.1	.4	.5	.4	.2	.6	1.2	2.4	2.6	3.5	7.0	9.5	8.8	11.4	15.6	11.5	10.5
1972	2.1	.3	.1	.4	.3	1.0	.2	1.6	1.0	1.6	2.6	4.1	6.8	5.1	10.1	14.0	11.7	8.9	12.2
1973	1.9	.1	.3	.2	.5	.3	.5	.5	.8	1.8	2.7	5.1	4.8	5.4	7.7	13.6	12.3	14.0	9.1
1974	2.0	.1	.1	.1	.5	.4	.4	.8	1.0	1.6	1.6	3.9	4.9	8.1	8.4	15.4	15.0	15.1	15.3
1975	2.1	.2	.4	.2	.3	.2	.4	.8	.9	.9	3.5	4.6	5.5	7.0	7.3	14.9	17.7	16.8	7.3
1976	2.0	.0	.2	.3	.2	.4	.2	.7	.8	1.4	1.7	4.5	5.7	6.9	8.6	8.7	24.1	12.4	9.2
1977	2.3	.0	.2	.2	.4	.3	.8	.8	.8	1.4	3.1	2.9	6.8	8.3	9.3	16.4	20.2	17.1	12.1

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	87	3	3	0	2	4	2	4	8	5	11	8	12	11	7	3	3	1	0
1951	93	7	2	1	1	4	2	9	4	6	6	13	8	14	6	4	5	0	1
1952	99	5	3	5	5	1	3	3	12	9	8	7	12	9	3	7	3	3	1
1953	92	3	2	0	3	4	3	3	8	6	5	11	14	16	7	3	2	2	0
1954	130	3	1	2	4	1	2	7	14	16	16	16	17	9	10	6	3	2	1
1955	132	8	5	3	2	1	5	2	9	14	16	15	14	12	12	6	5	2	1
1956	142	6	6	6	3	4	4	2	9	13	14	17	19	12	17	2	5	2	1
1957	157	4	2	4	1	1	7	2	8	11	11	16	18	23	16	14	10	6	3
1958	138	5	3	3	4	3	3	8	5	8	11	11	17	21	12	9	8	4	3
1959	157	3	2	1	6	5	6	9	10	8	7	18	19	19	20	12	9	2	1
1960	154	7	2	3	1	1	7	6	10	16	15	18	12	14	12	10	12	5	3
1961	174	9	4	1	5	4	3	7	5	15	17	24	20	16	13	13	9	5	4
1962	185	4	7	6	4	4	7	4	9	7	15	11	28	27	25	6	10	7	4
1963	172	8	6	2	6	2	4	8	8	3	11	20	19	24	18	13	13	3	4
1964	184	6	3	4	3	4	5	4	9	12	10	15	19	29	20	20	10	8	3
1965	186	3	6	3	5	5	3	6	10	9	19	16	20	26	22	17	13	1	2
1966	232	10	6	8	9	8	11	9	12	12	17	23	21	25	25	16	10	7	3
1967	238	3	5	7	2	8	6	10	5	15	21	23	28	28	25	24	12	12	4
1968	254	2	1	9	4	7	10	8	4	10	23	19	21	37	36	23	24	10	6
1969	249	3	3	5	8	2	6	8	8	15	16	28	34	21	40	19	20	6	7
1970	227	7	2	5	2	4	4	4	10	10	24	22	31	24	24	20	15	13	6
1971	283	3	2	6	7	5	2	5	9	18	18	21	35	43	33	30	26	12	8
1972	141	2	1	3	2	6	1	7	4	6	9	13	17	12	20	18	10	5	5
1973	264	1	5	3	7	4	5	4	6	14	19	33	24	26	32	35	21	17	8
1974	286	1	2	2	7	5	4	7	8	12	11	26	25	39	37	40	26	19	15
1975	300	3	6	3	4	3	4	8	7	7	25	31	30	34	34	39	32	22	8
1976	292	0	3	5	4	6	3	7	7	11	12	31	32	33	42	23	45	17	11
1977	345	0	3	3	6	4	10	8	7	11	23	20	40	40	47	46	37	24	16


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.5	.0	.2	.2	.1	.1	.2	.1	.2	.1	.2	.2	.1	.1	.1	-	.0
1951	.1	.1	.3	.2	.1	.2	.1	.3	.1	.1	.1	.2	.1	.2	.1	.1	.1	.0	-
1952	.1	-	.5	1.1	.5	.1	.2	.1	.3	.2	.1	.1	.2	.1	-	.1	.1	.1	-
1953	.1	-	.3	.0	.3	.3	.2	.1	.2	.1	.1	.2	.2	.2	.1	-	-	.1	.0
1954	.2	-	.2	.5	.6	.1	.1	.3	.5	.4	.3	.2	.3	.1	.1	.1	.1	.1	-
1955	.2	.1	.8	.7	.3	.1	.3	.1	.3	.3	.3	.2	.2	.2	.1	.1	.1	.1	-
1956	.2	-	.9	1.5	.5	.4	.3	.1	.3	.3	.3	.3	.2	.2	.2	-	.1	.1	-
1957	.2	-	.3	.9	.1	.1	.4	.1	.2	.3	.2	.2	.2	.3	.2	.2	.2	.2	.1
1958	.2	-	.4	.8	.6	.3	.2	.3	.2	.2	.2	.2	.2	.3	.1	.1	.1	.1	.1
1959	.2	-	.3	.2	.9	.5	.4	.4	.3	.2	.1	.3	.2	.2	.2	.2	.1	-	-
1960	.2	-	.3	.6	.2	.1	.5	.3	.3	.4	.3	.3	.2	.2	.1	.1	.2	.1	.1
1961	.2	.1	.6	.2	.7	.4	.2	.3	.2	.4	.3	.4	.3	.2	.1	.1	.1	.1	.1
1962	.2	-	.9	1.2	.5	.4	.5	.2	.3	.2	.3	.2	.4	.3	.3	.1	.1	.1	.1
1963	.2	.1	.7	.4	.8	.2	.3	.4	.2	.1	.2	.3	.2	.2	.2	.1	.2	.1	.1
1964	.2	-	.4	.7	.4	.4	.3	.2	.3	.3	.2	.2	.3	.3	.2	.2	.1	.1	-
1965	.2	-	.7	.6	.6	.5	.2	.3	.3	.2	.4	.2	.3	.3	.2	.2	.2	-	-
1966	.2	.1	.8	1.4	1.0	.7	.8	.4	.4	.3	.3	.4	.3	.3	.2	.2	.1	.1	-
1967	.2	-	.7	1.2	.2	.7	.4	.5	.2	.4	.4	.3	.4	.3	.2	.2	.1	.2	.1
1968	.2	-	.1	1.5	.4	.5	.6	.4	.1	.2	.4	.3	.2	.4	.3	.2	.3	.1	.1
1969	.2	-	.4	.8	.7	.1	.4	.4	.3	.3	.3	.4	.4	.2	.3	.2	.2	.1	.1
1970	.2	.1	.3	.8	.2	.3	.2	.2	.3	.2	.4	.3	.4	.3	.2	.2	.2	.2	.1
1971	.3	-	.3	1.0	.6	.3	.1	.2	.3	.4	.3	.3	.5	.4	.3	.2	.3	.2	.1
1972	.3	-	.3	1.0	.3	.7	.1	.7	.3	.3	.3	.4	.4	.2	.3	.3	.2	.1	.1
1973	.2	-	.8	.5	.6	.2	.3	.2	.2	.4	.3	.5	.3	.3	.3	.3	.2	.2	.1
1974	.3	-	.4	.4	.7	.3	.2	.4	.3	.3	.2	.4	.3	.4	.3	.3	.3	.2	.1
1975	.3	-	1.1	.6	.4	.2	.2	.5	.3	.2	.5	.5	.4	.4	.3	.3	.3	.3	.1
1976	.3	.0	.6	1.1	.4	.4	.2	.4	.3	.3	.3	.5	.4	.4	.4	.2	.4	.2	.1
1977	.3	.0	.6	.7	.6	.3	.6	.5	.3	.3	.5	.3	.5	.4	.4	.4	.3	.3	.1


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	651	0.96	1.01	0.60	515	0.76	0.77	0.53	63	0.81	1.12	0.74	49	0.61	0.79	0.53
1951	758	1.10	1.18	0.70	543	0.78	0.79	0.55	73	0.92	1.28	0.84	53	0.64	0.84	0.58
1952	806	1.15	1.21	0.70	607	0.86	0.86	0.59	98	1.21	1.59	1.00	61	0.72	0.96	0.66
1953	918	1.29	1.37	0.79	647	0.90	0.90	0.63	104	1.25	1.61	1.00	69	0.80	1.07	0.75
1954	920	1.28	1.36	0.78	729	1.00	0.99	0.70	118	1.39	1.88	1.10	81	0.91	1.20	0.83
1955	1032	1.41	1.50	0.85	846	1.14	1.13	0.80	134	1.54	2.11	1.25	90	0.99	1.31	0.92
1956	1178	1.58	1.68	0.94	892	1.18	1.16	0.83	158	1.77	2.40	1.35	123	1.31	1.75	1.20
1957	1279	1.69	1.79	1.00	950	1.24	1.21	0.87	153	1.67	2.23	1.23	117	1.22	1.62	1.12
1958	1298	1.69	1.80	1.01	962	1.23	1.19	0.88	194	2.07	2.77	1.55	149	1.51	1.97	1.36
1959	1337	1.71	1.84	1.03	1095	1.38	1.32	0.99	178	1.85	2.58	1.38	131	1.29	1.70	1.22
1960	1509	1.90	2.04	1.13	1191	1.47	1.41	1.05	178	1.77	2.48	1.31	151	1.43	1.88	1.30
1961	1451	1.80	1.93	1.06	1180	1.44	1.36	1.02	233	2.26	3.13	1.62	152	1.40	1.88	1.31
1962	1467	1.80	1.94	1.06	1258	1.51	1.42	1.07	235	2.23	3.12	1.60	172	1.55	2.06	1.46
1963	1488	1.80	1.95	1.05	1273	1.51	1.41	1.06	259	2.41	3.38	1.65	162	1.42	1.89	1.36
1964	1464	1.75	1.90	1.02	1305	1.52	1.41	1.08	248	2.26	3.23	1.59	190	1.63	2.13	1.51
1965	1497	1.77	1.94	1.02	1298	1.50	1.37	1.04	230	2.06	2.88	1.40	210	1.76	2.35	1.67
1966	1682	1.97	2.15	1.13	1356	1.54	1.40	1.07	257	2.25	3.33	1.54	179	1.47	1.96	1.37
1967	1807	2.10	2.30	1.19	1572	1.77	1.59	1.21	274	2.36	3.42	1.56	226	1.82	2.37	1.67
1968	1907	2.20	2.40	1.23	1579	1.76	1.56	1.19	318	2.70	3.94	1.75	284	2.24	2.91	2.03
1969	1830	2.10	2.29	1.17	1683	1.86	1.63	1.25	354	2.95	4.34	1.90	271	2.10	2.73	1.93
1970	1944	2.21	2.40	1.22	1795	1.96	1.71	1.31	396	3.24	4.76	2.07	282	2.14	2.76	1.99
1971	2138	2.41	2.60	1.31	1846	2.00	1.72	1.32	364	2.92	4.24	1.85	321	2.38	3.05	2.12
1972	1090	2.44	2.64	1.31	993	2.14	1.81	1.38	190	3.00	4.35	1.85	160	2.33	3.01	2.12
1973	2177	2.42	2.60	1.29	2004	2.14	1.79	1.37	402	3.12	4.62	1.91	385	2.75	3.51	2.38
1974	2233	2.47	2.64	1.29	2072	2.20	1.80	1.37	457	3.48	5.14	2.08	357	2.50	3.22	2.21
1975	2360	2.62	2.77	1.36	2137	2.26	1.83	1.40	450	3.36	4.87	1.97	415	2.85	3.63	2.53
1976	2535	2.78	2.91	1.41	2329	2.44	1.95	1.47	495	3.62	5.26	2.08	446	3.00	3.77	2.61
1977	2573	2.80	2.91	1.40	2416	2.52	1.98	1.49	507	3.65	5.35	2.07	436	2.88	3.67	2.48


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: Haemic myeloma, Kahler's disease, multiple myelomas, myelomatosis, and plasmocytoma.
(ICD 203 [6th]; ICD 203 [7th]; ICD 203 [8th])


Multiple Myeloma

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



BLATTNER WA: Multiple myeloma and macroglobulinemia. *In* Cancer Epidemiology and Prevention (Schottenfeld D, Fraumeni JF Jr, eds). Philadelphia: Saunders, 1982, pp 795–813

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	1.0	.0	-	.0	-	-	.1	-	.3	.5	1.1	2.3	3.2	4.6	4.7	4.5	4.7	3.3	.0
1951	1.1	.0	.0	.0	-	.0	.1	.1	.2	.5	1.0	2.0	3.2	5.1	6.4	6.3	7.3	3.7	3.3
1952	1.2	.0	.0	-	-	-	-	.1	.2	.5	1.2	2.4	4.0	5.0	6.9	5.9	6.1	3.0	1.2
1953	1.3	.0	.0	.0	-	.0	-	.1	.2	.7	1.1	2.4	4.3	5.6	7.3	8.1	7.1	4.5	2.2
1954	1.3	.0	.0	.0	-	.0	.1	.1	.2	.5	1.2	2.3	3.9	6.0	6.9	7.3	7.8	6.3	3.2
1955	1.4	-	.0	.0	.0	.0	.0	.1	.3	.5	1.4	2.6	3.4	6.4	8.3	8.8	7.9	7.3	4.7
1956	1.6	.0	-	.0	.0	-	-	.1	.2	.6	1.4	2.4	4.2	7.7	9.9	8.5	10.3	7.9	4.9
1957	1.7	-	.0	.0	.0	-	-	.1	.5	.4	1.5	2.4	4.9	7.0	11.1	10.0	11.0	7.7	4.5
1958	1.7	-	.0	.0	.0	-	.1	.1	.3	.7	1.5	2.9	5.0	7.7	9.4	9.3	10.9	8.7	5.4
1959	1.7	.0	.0	.0	.0	-	-	.1	.4	.6	1.4	2.6	4.5	7.4	8.5	12.3	12.1	9.8	8.0
1960	1.9	.0	.0	.0	.0	-	-	.1	.4	.6	1.6	3.2	4.8	7.9	11.5	12.0	12.7	8.3	12.2
1961	1.8	.0	.0	.0	.0	.0	-	.1	.3	.8	1.4	2.6	4.8	7.1	10.5	11.8	13.4	11.1	7.6
1962	1.8	.0	.0	.0	.0	.0	.0	.1	.2	.7	1.5	2.7	4.6	6.8	10.0	12.7	12.9	13.4	8.4
1963	1.8	-	.0	.0	.0	-	-	.1	.3	.6	1.2	2.4	4.8	7.0	10.6	11.6	14.9	11.9	10.7
1964	1.8	-	.0	.0	.0	.0	.0	.1	.3	.6	1.3	3.0	4.3	6.5	9.7	10.7	15.3	12.4	11.5
1965	1.8	.0	.0	.0	.0	.0	-	.1	.3	.4	1.4	2.6	3.5	7.2	9.1	12.8	14.3	16.3	12.1
1966	2.0	.0	.0	.0	.0	.0	-	.1	.3	.5	1.1	2.7	4.8	7.6	11.2	13.1	17.9	14.6	14.5
1967	2.1	.0	.0	.0	.0	.0	-	.1	.4	.6	1.2	2.6	4.5	7.8	11.9	15.4	17.4	18.5	16.8
1968	2.2	.0	.0	.0	.0	.0	-	-	.3	.5	1.4	3.2	4.1	8.5	11.0	17.5	17.5	22.2	16.8
1969	2.1	.0	.0	.0	.0	-	-	.1	.4	.5	1.3	2.7	4.3	7.0	10.5	14.9	20.1	21.0	16.9
1970	2.2	.0	.0	.0	-	-	-	.1	.2	.4	1.5	2.8	4.8	7.5	11.6	15.3	21.0	21.7	16.9
1971	2.4	.0	.0	-	.0	-	-	.1	.1	.6	1.8	2.7	4.7	9.2	12.9	16.9	21.3	22.2	19.4
1972	2.4	.0	.0	.0	.0	-	.0	-	.1	.4	1.4	2.8	5.6	7.6	13.1	16.6	22.0	25.1	27.2
1973	2.4	.0	.0	.0	-	.0	-	.1	.2	.6	1.3	2.8	4.8	8.4	13.3	16.3	22.1	24.4	20.4
1974	2.5	.0	.0	.0	.0	.0	-	.1	.2	.5	1.5	2.8	4.8	8.5	12.7	16.5	22.7	26.5	22.9
1975	2.6	.0	.0	.0	.0	-	-	.1	.2	.8	1.5	2.7	5.2	8.8	12.7	17.6	24.4	27.1	25.8
1976	2.8	.0	.0	.0	.0	.0	.0	.1	.2	.6	1.3	3.5	5.1	8.5	13.8	19.1	24.8	30.9	26.3
1977	2.8	-	.0	.0	-	.0	-	.1	.1	.6	1.4	3.0	5.3	8.7	14.0	18.4	25.6	29.1	29.8

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	651	0	1	0	1	1	3	2	15	24	44	87	109	131	105	68	44	16	0
1951	758	0	0	0	1	0	3	6	12	23	40	76	109	146	146	99	71	18	8
1952	806	0	0	1	1	1	1	5	9	25	50	92	139	146	162	95	61	15	3
1953	918	0	0	0	1	0	1	7	8	33	47	93	148	169	174	135	73	23	6
1954	920	0	0	0	1	0	3	8	8	22	53	88	134	183	169	126	83	33	9
1955	1032	1	0	0	0	0	0	5	17	22	66	101	118	198	207	157	86	40	14
1956	1178	0	1	0	0	1	1	5	11	32	63	95	149	239	250	156	115	45	15
1957	1279	1	0	0	0	1	1	3	27	22	72	96	175	220	286	190	126	45	14
1958	1298	1	0	0	0	1	3	8	16	34	73	121	179	238	246	180	129	52	17
1959	1337	0	0	0	0	2	2	5	20	31	66	108	167	231	226	245	148	60	26
1960	1509	0	0	0	0	1	1	4	20	30	79	140	179	248	310	243	161	52	41
1961	1451	0	0	0	0	0	2	3	17	41	68	116	184	222	283	243	174	72	26
1962	1467	0	0	0	0	0	0	7	10	36	74	119	178	215	269	267	171	92	29
1963	1488	1	0	0	0	1	2	3	17	30	60	110	192	221	285	247	200	82	37
1964	1464	1	0	0	0	0	0	5	14	31	64	135	174	210	260	231	210	88	41
1965	1497	0	0	0	0	0	1	3	17	24	71	119	144	235	245	277	198	119	44
1966	1682	0	0	0	0	0	1	5	13	29	58	124	200	253	301	282	252	110	54
1967	1807	0	0	0	0	0	2	3	20	34	63	121	190	267	322	329	249	142	65
1968	1907	0	0	0	0	0	1	1	14	26	74	150	175	299	301	372	253	174	67
1969	1830	0	0	0	0	1	1	5	19	29	71	129	187	253	291	315	292	167	70
1970	1944	0	0	0	1	2	2	3	11	21	78	138	207	275	327	323	304	176	76
1971	2138	0	0	1	0	1	1	6	7	31	94	132	207	343	372	359	310	184	90
1972	1090	0	0	0	0	1	0	1	3	11	37	70	122	144	194	176	160	106	65
1973	2177	0	0	0	1	0	2	4	11	32	66	145	210	321	405	352	316	211	101
1974	2233	0	0	0	0	0	3	3	10	23	75	145	213	328	398	362	323	230	120
1975	2380	0	0	0	0	1	1	5	8	37	78	140	235	343	410	392	351	237	142
1976	2535	0	0	0	0	0	0	4	10	28	64	183	238	337	453	436	358	276	148
1977	2573	1	0	0	1	0	3	5	5	28	72	153	250	346	467	436	371	261	174


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	-	.0	-	-	-	-	.1	.1	.1	.2	.2	.2	.1	.1	.1	-	.0
1951	.1	.0	.0	.0	-	.0	-	.1	.1	.1	.1	.2	.2	.2	.2	.2	.1	.1	-	-
1952	.1	.0	.0	-	-	-	-	-	.1	.1	.2	.2	.2	.2	.2	.2	.1	.1	-	-
1953	.1	.0	.0	.0	-	.0	-	.1	.1	.2	.1	.2	.2	.2	.2	.2	.1	.1	-	-
1954	.1	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.2	.2	.2	.2	.2	.1	.1	-	-
1955	.1	-	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.2	.2	.2	.2	.2	.1	.1	-
1956	.1	.0	-	.0	.0	-	-	.1	.1	.2	.2	.2	.2	.3	.2	.1	.1	.1	-
1957	.2	-	.0	.0	.0	-	-	-	.2	.1	.2	.2	.3	.3	.3	.2	.1	.1	-
1958	.2	-	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.3	.3	.2	.2	.1	.1	-
1959	.2	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.2	.3	.3	.2	.2	.1	.1	-
1960	.2	.0	.0	.0	.0	-	-	-	.1	.1	.2	.3	.3	.3	.3	.2	.1	.1	.1
1961	.2	.0	.0	.0	.0	.0	-	-	.1	.2	.2	.2	.3	.3	.3	.2	.2	.1	-
1962	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.2	.3	.2	.2	.2	.1	.1	-
1963	.2	-	.0	.0	.0	-	-	-	.1	.1	.2	.2	.3	.2	.3	.2	.2	.1	-
1964	.2	-	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.2	.2	.2	.2	.2	.1	.1
1965	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.2	.3	.2	.2	.2	.1	.1
1966	.2	.0	.0	.0	.0	.0	-	.1	.1	.1	.2	.2	.3	.3	.3	.2	.2	.1	.1
1967	.2	.0	.0	.0	.0	.0	-	-	.2	.2	.2	.2	.3	.3	.3	.3	.2	.1	.1
1968	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.2	.3	.3	.3	.2	.2	.1
1969	.2	.0	.0	.0	.0	-	-	.1	.1	.1	.2	.2	.2	.3	.3	.3	.2	.2	.1
1970	.2	.0	.0	.0	-	-	-	-	.1	.1	.2	.3	.3	.3	.3	.3	.2	.2	.1
1971	.2	.0	.0	-	.0	-	-	.1	.1	.1	.3	.3	.3	.3	.3	.3	.2	.2	.1
1972	.2	.0	.0	.0	.0	-	.0	-	.1	.1	.2	.3	.3	.3	.3	.3	.2	.2	.1
1973	.2	.0	.0	.0	-	.0	-	-	.1	.2	.2	.3	.3	.3	.3	.3	.3	.2	.1
1974	.2	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.3	.3	.3	.3	.3	.3	.2	.1
1975	.3	.0	.0	.0	.0	-	-	-	.1	.2	.3	.3	.3	.4	.4	.3	.3	.2	.1
1976	.3	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.4	.3	.4	.4	.4	.3	.3	.1
1977	.3	-	.0	.0	-	.0	-	-	-	.2	.3	.3	.4	.4	.4	.4	.3	.3	.2


Multiple Myeloma

Age-specific Graphs for White Males


Mortality Rates per 100,000



Number of Deaths



Percent of All Deaths



Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	.0	.0	.0	-	.0	-	.1	.2	.3	.7	1.5	2.8	3.5	3.0	4.3	3.6	1.8	2.2
1951	.8	.0	-	.0	-	.0	.1	.1	.2	.3	1.0	1.5	2.6	3.0	4.1	4.4	3.6	1.8	1.5
1952	.9	.0	.0	.0	.0	.0	.1	-	.2	.4	1.0	2.0	2.7	3.8	4.7	4.2	3.1	1.9	1.7
1953	.9	.0	.0	.0	.0	-	-	.1	.2	.2	.8	1.5	2.5	4.0	5.4	5.2	4.4	3.0	1.9
1954	1.0	.0	.0	-	.0	.0	.0	.1	.2	.5	.8	2.1	2.4	4.3	5.6	5.0	5.9	4.2	1.3
1955	1.1	-	.0	.0	.0	-	.0	.1	.1	.3	.9	2.3	3.5	4.3	5.4	6.6	6.8	4.4	2.9
1956	1.2	.0	.0	.0	.0	.0	.0	.1	.1	.6	.6	1.7	3.0	4.9	7.0	6.1	7.5	4.8	2.7
1957	1.2	.0	.0	.0	.0	.0	.0	.1	.1	.4	.8	2.4	3.5	4.9	6.6	6.4	6.9	5.6	3.7
1958	1.2	.0	.0	-	-	-	-	-	.1	.5	1.1	1.8	2.8	4.3	7.2	6.8	7.6	5.8	3.3
1959	1.4	.0	.0	.0	-	.0	-	.1	.1	.6	1.1	2.4	3.7	4.6	7.1	8.0	8.7	5.6	3.6
1960	1.5	.0	.0	.0	.0	.0	.0	-	.1	.5	.8	2.3	3.9	6.0	7.9	7.3	8.6	8.1	4.5
1961	1.4	.0	.0	.0	.0	.0	.0	-	.1	.5	1.1	1.7	3.8	5.9	7.3	8.2	8.6	6.7	3.3
1962	1.5	.0	.0	.0	.0	-	.1	.1	.2	.5	1.0	2.0	3.6	5.2	7.3	8.9	9.8	7.3	6.5
1963	1.5	-	.0	.0	.0	.0	.0	.1	.1	.3	1.3	2.2	3.4	5.3	7.0	8.7	9.9	8.0	7.2
1964	1.5	.0	.0	.0	.0	.0	-	.1	.2	.5	1.1	1.9	3.3	5.7	7.6	8.3	10.7	6.5	6.4
1965	1.5	.0	.0	.0	.0	.0	.0	-	.1	.4	.9	1.9	2.8	5.0	6.6	9.0	11.7	8.7	7.1
1966	1.5	.0	.0	.0	.0	.0	-	-	.1	.5	1.0	1.9	3.2	4.7	7.1	9.6	10.8	9.5	5.3
1967	1.8	.0	.0	-	.0	.0	.0	-	.2	.5	.9	1.9	3.4	5.9	8.4	10.8	12.3	10.7	7.2
1968	1.8	.0	.0	.0	.0	-	-	-	.2	.3	1.0	1.6	3.1	5.6	7.5	9.9	14.3	11.9	10.0
1969	1.9	.0	.0	.0	.0	-	.0	-	.3	.4	1.0	1.5	2.8	6.1	8.7	10.7	12.1	13.2	14.0
1970	2.0	.0	-	.0	.0	.0	-	-	.2	.4	1.1	1.8	3.9	5.9	9.0	11.2	13.0	12.8	10.4
1971	2.0	.0	.0	.0	.0	.0	-	.0	.1	.6	1.1	1.7	4.3	5.5	8.3	10.9	14.9	13.0	11.5
1972	2.1	.0	.0	.0	.0	.0	.0	.1	.2	.3	1.0	2.1	3.3	5.9	10.4	12.7	13.3	14.7	11.8
1973	2.1	.0	.0	.0	.0	.0	.0	-	.1	.3	.9	1.8	3.8	5.3	8.4	13.4	15.8	15.0	13.4
1974	2.2	.0	.0	.0	.0	.0	-	.1	.2	.4	1.0	1.8	3.5	5.3	8.5	11.8	16.3	18.7	13.6
1975	2.3	.0	-	.0	.0	-	.0	.1	.2	.4	1.0	2.0	3.5	6.0	8.6	11.9	14.6	17.9	14.9
1976	2.4	.0	.0	.0	.0	.0	.0	.1	.1	.3	.9	2.3	3.5	6.7	8.8	13.3	17.3	18.2	15.0
1977	2.5	.0	.0	.0	.0	-	-	.1	.2	.4	.9	2.1	3.7	6.5	8.5	13.6	17.6	19.4	16.6

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	515	0	0	0	1	0	2	5	10	16	29	58	94	100	71	72	39	11	7
1951	543	0	1	0	1	0	3	4	11	14	41	56	91	87	100	77	41	11	5
1952	607	0	0	0	0	0	3	2	8	17	42	77	96	113	118	76	37	12	6
1953	647	0	0	0	0	1	2	3	8	12	36	56	87	124	139	98	54	20	7
1954	729	0	0	1	0	0	0	3	10	25	35	80	84	135	149	98	75	29	5
1955	846	2	0	0	0	2	0	4	8	17	42	92	126	140	146	134	89	32	12
1956	892	0	0	0	0	0	0	6	7	30	30	69	111	163	195	130	102	37	12
1957	950	0	0	0	0	0	0	3	7	20	39	100	128	165	189	139	98	45	17
1958	962	0	0	1	1	1	2	2	6	26	54	78	107	144	212	153	111	48	16
1959	1095	0	0	0	1	0	1	6	8	30	53	104	141	155	213	185	133	47	18
1960	1191	0	0	0	0	0	0	1	8	29	42	103	153	207	242	174	137	71	24
1961	1180	0	0	0	0	0	0	1	7	28	54	79	154	204	229	202	143	61	18
1962	1258	0	0	0	0	2	3	4	11	28	53	93	150	182	229	229	167	70	37
1963	1273	1	0	0	0	0	0	5	4	17	67	101	146	185	222	229	174	80	42
1964	1305	0	0	0	0	0	1	3	10	26	55	91	145	204	244	224	195	68	39
1965	1298	0	0	0	0	0	0	1	5	25	47	90	124	183	215	248	220	95	45
1966	1356	0	0	0	0	0	1	1	5	26	52	95	144	177	234	268	209	109	35
1967	1572	0	0	1	0	0	0	2	11	27	48	92	154	228	278	306	247	127	51
1968	1579	0	0	0	0	1	1	1	10	17	55	80	143	222	253	282	294	146	74
1969	1683	0	0	0	0	1	0	2	13	21	53	79	131	248	297	305	255	168	110
1970	1795	0	1	0	0	0	1	1	9	19	61	95	184	248	315	323	277	171	90
1971	1846	0	0	0	0	0	1	0	5	30	61	89	203	235	297	318	323	180	104
1972	993	0	0	0	0	0	0	2	4	9	27	58	80	127	192	186	146	106	56
1973	2004	0	0	0	0	0	0	1	4	16	48	97	182	231	319	400	346	226	134
1974	2072	0	0	0	0	0	1	3	8	18	54	102	169	234	334	357	360	286	146
1975	2137	0	1	0	0	1	0	4	8	22	54	112	175	265	348	366	329	280	172
1976	2329	0	0	0	0	0	0	4	5	14	49	126	179	301	363	419	394	292	183
1977	2416	0	0	0	0	1	1	4	12	18	47	116	190	291	358	442	404	317	215


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	-	.0	-	.1	.1	.1	.2	.2	.3	.2	.1	.1	.1	-	-
1951	.1	.0	-	.0	-	.0	.1	.1	.1	.1	.2	.2	.3	.2	.2	.1	.1	-	-
1952	.1	.0	.0	.0	.0	.0	.1	-	.1	.1	.2	.3	.3	.2	.2	.1	-	-	-
1953	.1	.0	.0	.0	.0	-	-	-	.1	.1	.2	.2	.3	.3	.2	.1	.1	-	-
1954	.1	.0	.0	.1	.0	.0	.0	.1	.1	.2	.2	.3	.3	.3	.2	.1	.1	-	-
1955	.1	-	.0	.0	.0	.1	.0	.1	.1	.1	.2	.4	.4	.3	.2	.2	.1	-	-
1956	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.3	.3	.4	.3	.2	.1	-	-
1957	.2	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.4	.4	.4	.3	.2	.1	.1	-
1958	.2	.0	.0	-	-	-	.1	-	.1	.2	.3	.3	.3	.3	.3	.2	.1	.1	-
1959	.2	.0	.0	.0	-	.0	-	.1	.1	.3	.3	.4	.4	.3	.3	.2	.1	.1	-
1960	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.4	.5	.4	.4	.2	.1	.1	-
1961	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.3	.5	.5	.4	.2	.1	.1	-
1962	.2	.0	.0	.0	.0	.1	.1	.1	.1	.2	.3	.4	.5	.4	.3	.3	.2	.1	-
1963	.2	-	.0	.0	.0	.0	.0	.1	-	.1	.4	.4	.4	.4	.3	.3	.2	.1	-
1964	.2	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.3	.4	.4	.4	.3	.2	.1	-
1965	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.2	.3	.3	.4	.3	.3	.2	.1	-
1966	.2	.0	.0	.0	.0	.0	-	-	.1	.2	.3	.3	.4	.4	.4	.3	.2	.1	-
1967	.2	.0	.0	-	.0	.0	.0	-	.1	.2	.2	.3	.4	.5	.4	.3	.2	.1	-
1968	.2	.0	.0	.0	.0	-	-	-	.1	.1	.3	.3	.4	.4	.4	.3	.3	.1	.1
1969	.2	.0	.0	.0	.0	-	.0	-	.2	.2	.3	.3	.3	.5	.4	.3	.2	.1	.1
1970	.2	.0	-	.0	.0	.0	-	-	.1	.2	.3	.3	.5	.5	.5	.4	.2	.1	.1
1971	.2	.0	.0	.0	.0	.0	-	.0	.1	.2	.3	.3	.5	.5	.4	.4	.3	.2	.1
1972	.3	.0	.0	.0	.0	.0	.0	.1	.1	.2	.3	.4	.4	.5	.6	.4	.3	.2	.1
1973	.3	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.5	.4	.5	.4	.3	.2	.1
1974	.3	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.4	.4	.4	.5	.4	.3	.2	.1
1975	.3	.0	.1	.0	.0	·	.0	.1	.1	.2	.3	.4	.5	.5	.5	.4	.3	.2	.1
1976	.3	.0	.0	.0	.0	.0	.0	.1	.1	.1	.3	.5	.5	.6	.5	.5	.4	.2	.1
1977	.3	.0	.0	.0	.0	-	-	.1	.2	.2	.3	.4	.5	.6	.5	.5	.4	.3	.1

Multiple Myeloma


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.8	.1	.0	.0	.0	.0	.0	.2	.5	.6	.7	2.7	2.5	6.7	5.9	2.6	9.2	.0	.0
1951	.9	.0	.0	.0	.0	.0	.0	.0	.2	.6	.9	3.1	4.5	7.4	6.8	4.1	5.9	2.6	.0
1952	1.2	.0	.0	.0	.0	.0	.0	.0	.2	1.4	1.8	4.3	7.7	7.2	9.0	4.0	.0	2.6	4.9
1953	1.3	.0	.0	.0	.2	.2	.2	.0	1.2	1.9	2.9	4.4	4.5	8.4	4.2	3.1	8.0	.0	4.7
1954	1.4	.0	.0	.0	.0	.0	.3	.2	.5	1.3	2.5	4.1	6.5	7.7	9.1	6.8	3.8	12.2	4.3
1955	1.5	.0	.0	.0	.0	.0	.0	.2	.5	1.1	2.4	4.3	6.9	9.1	11.1	11.7	7.2	2.4	8.2
1956	1.8	.0	.0	.0	.0	.0	.0	.0	.8	1.8	3.0	5.2	7.5	9.7	11.8	14.1	9.2	.0	7.9
1957	1.7	.0	.0	.0	.0	.2	.2	.2	.8	2.6	2.5	3.5	7.0	14.4	9.9	9.5	2.2	2.3	7.6
1958	2.1	.0	.0	.0	.0	.0	.0	.0	.5	2.2	5.3	6.3	8.9	12.9	12.0	15.7	6.3	2.2	.0
1959	1.9	.0	.0	.0	.0	.0	.0	.2	.6	1.5	1.8	4.9	8.1	12.0	11.8	19.5	8.1	6.6	3.4
1960	1.8	.0	.0	.0	.0	.0	.0	.3	.5	1.1	2.1	6.6	6.8	10.0	13.3	10.1	10.5	14.9	6.5
1961	2.3	.0	.1	.0	.0	.0	.2	.2	.5	.9	3.6	6.5	10.6	14.1	14.8	18.4	10.3	9.6	6.7
1962	2.2	.0	.0	.0	.0	.1	.0	.0	.6	1.2	3.8	7.8	7.8	11.2	17.8	16.1	9.3	21.4	6.7
1963	2.4	.0	.0	.0	.0	.0	.0	.2	.0	3.2	2.8	5.4	10.3	13.3	17.8	22.3	15.6	11.9	3.3
1964	2.3	.0	.0	.0	.1	.0	.2	.3	.5	2.0	2.5	5.1	9.9	15.0	14.3	16.9	11.7	13.1	28.1
1965	2.1	.0	.0	.0	.0	.0	.0	.3	.2	2.3	3.0	5.9	9.0	9.7	14.3	16.7	13.3	11.1	8.8
1966	2.3	.0	.0	.0	.0	.0	.0	.0	.2	1.1	2.2	4.8	8.7	11.8	17.5	20.1	18.3	26.6	22.2
1967	2.4	.0	.0	.0	.0	.0	.0	.3	.9	1.1	2.9	6.6	8.4	15.0	15.5	14.7	19.5	19.7	28.2
1968	2.7	.0	.0	.0	.0	.0	.0	.3	.3	1.6	2.8	7.0	8.9	15.0	18.6	24.5	25.2	17.9	31.7
1969	3.0	.0	.0	.0	.0	.0	.0	.5	.5	1.6	3.5	5.0	11.2	15.6	20.1	30.5	27.5	32.4	18.2
1970	3.2	.0	.0	.0	.0	.0	.3	.1	1.1	1.6	3.4	7.0	11.6	17.2	20.3	27.9	33.3	35.7	34.0
1971	2.9	.0	.0	.1	.0	.0	.0	.1	1.1	1.1	2.3	4.7	11.2	16.8	22.2	30.2	26.4	23.0	18.8
1972	3.0	.0	.0	.0	.0	.0	.0	.0	.9	2.9	3.7	6.1	10.1	16.3	19.8	23.7	30.5	28.2	28.0
1973	3.1	.0	.0	.0	.0	.1	.1	.0	.3	1.4	2.5	4.5	9.9	16.5	20.3	40.7	34.6	34.9	15.4
1974	3.5	.0	.0	.0	.0	.1	.0	.3	.3	.8	2.8	8.3	14.3	13.7	24.2	29.0	45.8	41.2	33.3
1975	3.4	.0	.0	.0	.0	.2	.0	.2	.8	1.9	2.9	5.7	14.4	13.6	23.3	33.8	36.2	33.7	24.6
1976	3.6	.1	.0	.0	.0	.0	.2	.2	.3	1.6	2.7	6.7	12.1	18.9	24.0	38.9	41.7	36.3	22.1
1977	3.6	.0	.0	.0	.0	.1	.1	.1	.3	2.3	2.5	4.8	11.8	15.5	23.2	38.8	48.2	54.8	26.4

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	63	1	0	0	0	0	0	1	3	3	3	10	7	14	12	3	6	0	0
1951	73	0	0	0	0	0	0	0	1	3	4	12	13	16	14	5	4	1	0
1952	98	0	0	0	0	0	0	0	1	7	8	17	23	16	19	5	0	1	1
1953	104	0	0	0	1	1	1	0	7	10	13	18	14	19	9	4	6	0	1
1954	118	0	0	0	0	0	2	1	3	7	11	17	21	18	20	9	3	5	1
1955	134	0	0	0	0	0	0	1	3	6	11	18	23	22	25	16	6	1	2
1956	158	0	0	0	0	0	0	0	5	10	14	22	26	24	27	20	8	0	2
1957	153	0	0	0	0	1	1	1	5	14	12	15	25	37	23	14	2	1	2
1958	194	0	0	0	0	0	0	0	3	12	26	27	33	34	28	24	6	1	0
1959	178	0	0	0	0	0	0	1	4	8	9	21	31	33	28	31	8	3	1
1960	178	0	0	0	0	0	0	2	3	6	11	30	27	29	33	17	11	7	2
1961	233	0	1	0	0	0	1	1	3	5	19	30	43	42	38	32	11	5	2
1962	235	0	0	0	0	1	0	0	4	7	20	37	32	34	47	29	10	12	2
1963	259	0	0	0	0	0	0	1	0	19	15	26	43	41	48	41	17	7	1
1964	248	0	0	0	1	0	1	2	3	12	13	25	42	47	40	32	13	8	9
1965	230	0	0	0	0	0	0	2	1	14	16	29	39	31	41	32	15	7	3
1966	257	0	0	0	0	0	0	0	1	7	12	24	38	39	51	39	21	17	8
1967	274	0	0	0	0	0	0	2	6	7	16	33	37	51	46	29	23	13	11
1968	318	0	0	0	0	0	0	2	2	10	16	35	40	53	56	49	30	12	13
1969	354	0	0	0	0	0	0	3	3	10	20	25	50	57	61	62	33	22	8
1970	396	0	0	0	0	0	2	1	7	10	20	36	52	65	63	58	41	25	16
1971	364	0	0	1	0	0	0	1	7	7	14	25	49	66	69	65	34	17	9
1972	190	0	0	0	0	0	0	0	3	9	11	17	22	33	32	25	20	11	7
1973	402	0	0	0	0	1	1	0	2	9	15	26	43	68	68	87	45	29	8
1974	457	0	0	0	0	1	0	2	2	5	17	48	64	57	84	63	60	35	19
1975	450	0	0	0	0	2	0	2	5	12	18	33	68	56	85	74	50	29	16
1976	495	1	0	0	0	0	2	2	2	10	17	40	59	76	92	86	60	33	15
1977	507	0	0	0	0	1	1	1	2	15	16	29	60	62	92	90	68	51	19


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	-	.0	.0	.0	.0	.0	-	.1	.1	-	.1	.1	.2	.1	-	.1	.0	.0
1951	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.1	.1	.2	.2	.1	.1	-	.0
1952	.1	.0	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.2	.2	.1	.0	-	-
1953	.1	.0	.0	.0	.1	.1	-	.0	.2	.2	.2	.2	.2	.2	.1	-	.1	.0	-
1954	.1	.0	.0	.0	.0	.0	.1	-	.1	.1	.2	.2	.2	.2	.2	.1	.1	.1	-
1955	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.2	.3	.2	.2	.2	.1	-	.1
1956	.2	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.3	.3	.2	.3	.2	.1	.0	.1
1957	.1	.0	.0	.0	.0	.1	-	-	.1	.3	.2	.2	.3	.3	.2	.1	-	-	-
1958	.2	.0	.0	.0	.0	.0	.0	.0	.1	.3	.4	.3	.3	.3	.2	.2	.1	-	.0
1959	.2	.0	.0	.0	.0	.0	.0	-	.1	.2	.1	.3	.3	.3	.2	.3	.1	.1	-
1960	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.3	.2	.3	.2	.1	.1	-
1961	.2	.0	.1	.0	.0	.0	-	-	.1	.1	.3	.4	.5	.4	.3	.3	.1	.1	-
1962	.2	.0	.0	.0	.0	.1	.0	.0	.1	.1	.3	.4	.3	.3	.4	.3	.1	.2	-
1963	.2	.0	.0	.0	.0	.0	.0	-	.0	.4	.2	.3	.4	.3	.3	.3	.2	.1	-
1964	.2	.0	.0	.0	.1	.0	-	.1	.1	.2	.2	.3	.4	.4	.3	.3	.1	.1	.2
1965	.2	.0	.0	.0	.0	.0	.0	.1	-	.2	.2	.3	.4	.2	.3	.3	.2	.1	.1
1966	.2	.0	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.3	.3	.4	.3	.2	.3	.1
1967	.2	.0	.0	.0	.0	.0	.0	.1	.1	.1	.2	.3	.3	.4	.3	.2	.2	.2	.2
1968	.2	.0	.0	.0	.0	.0	.0	.1	-	.2	.2	.4	.3	.4	.4	.4	.3	.2	.2
1969	.3	.0	.0	.0	.0	.0	.0	.1	.1	.2	.2	.3	.4	.4	.4	.5	.3	.3	.1
1970	.3	.0	.0	.0	.0	.0	.1	-	.2	.2	.2	.4	.4	.5	.4	.4	.4	.4	.3
1971	.3	.0	.0	.1	.0	.0	.0	-	.2	.1	.2	.3	.4	.5	.5	.5	.3	.2	.1
1972	.3	.0	.0	.0	.0	.0	.0	.0	.1	.3	.3	.3	.4	.5	.4	.3	.4	.3	.2
1973	.3	.0	.0	.0	.0	-	-	.0	-	.2	.2	.2	.4	.5	.5	.6	.4	.4	.1
1974	.3	.0	.0	.0	.0	-	.0	.1	-	.1	.2	.5	.6	.4	.6	.4	.5	.5	.3
1975	.3	.0	.0	.0	.0	-	.0	.1	.1	.2	.2	.3	.6	.4	.6	.5	.4	.4	.2
1976	.4	-	.0	.0	.0	.0	-	.1	.1	.2	.2	.4	.5	.6	.6	.6	.5	.4	.2
1977	.4	.0	.0	.0	.0	-	-	-	.1	.3	.2	.3	.5	.5	.6	.6	.6	.6	.2

Multiple Myeloma


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.6	.0	.0	.0	.0	.0	.0	.5	.5	.4	2.4	1.9	2.7	3.0	1.8	4.3	1.6	.0	.0
1951	.6	.0	.0	.0	.0	.0	.1	.2	.2	.9	1.3	2.4	5.1	3.3	2.7	1.6	1.5	.0	.0
1952	.7	.0	.0	.0	.0	.0	.0	.2	.2	.7	1.7	4.3	3.8	1.8	3.1	3.1	5.8	.0	.0
1953	.8	.0	.0	.1	.0	.0	.0	.0	.5	1.1	1.1	3.0	3.6	7.0	3.0	4.4	1.4	2.0	.0
1954	.9	.0	.0	.0	.0	.0	.0	.1	.6	.7	2.4	4.3	4.7	5.4	2.1	4.9	3.9	.0	.0
1955	1.0	.0	.0	.0	.0	.0	.0	.0	.5	1.5	1.7	2.8	5.7	4.4	5.4	6.6	6.1	.0	.0
1956	1.3	.0	.0	.0	.0	.0	.0	.1	.3	1.3	3.1	4.2	6.6	6.5	8.1	7.0	5.7	3.9	2.8
1957	1.2	.0	.0	.0	.0	.1	.3	.3	.3	.5	2.8	3.4	6.4	6.3	8.7	4.9	4.2	7.7	.0
1958	1.5	.0	.0	.0	.0	.0	.1	.0	.6	2.0	1.9	6.8	6.7	8.5	8.9	9.5	3.0	1.9	.0
1959	1.3	.0	.0	.0	.1	.0	.0	.1	.4	1.3	3.1	3.8	5.9	5.8	8.4	7.4	3.7	5.6	5.1
1960	1.4	.0	.0	.0	.0	.0	.0	.0	1.0	1.3	3.7	4.1	7.1	6.8	6.9	8.2	5.2	7.3	5.0
1961	1.4	.0	.0	.0	.0	.1	.0	.1	.0	1.7	1.9	3.9	8.0	8.3	7.3	6.2	7.6	3.3	15.0
1962	1.5	.0	.0	.0	.0	.0	.0	.1	.7	1.4	3.0	5.2	4.2	8.1	9.0	12.7	6.5	10.6	4.9
1963	1.4	.1	.0	.0	.0	.1	.0	.0	.5	1.2	2.9	5.1	5.3	9.1	5.4	8.5	5.5	5.7	14.0
1964	1.6	.0	.0	.0	.0	.0	.1	.3	.5	2.2	3.1	5.5	6.4	10.1	6.4	8.1	6.9	8.1	8.9
1965	1.8	.0	.0	.0	.0	.0	.1	.3	.4	1.3	2.0	5.8	6.9	9.2	8.0	12.2	11.8	9.1	20.4
1966	1.5	.0	.0	.0	.0	.0	.1	.3	.1	1.1	3.3	2.9	3.6	8.1	9.0	9.4	12.8	11.3	9.4
1967	1.8	.1	.0	.0	.0	.0	.0	.0	.5	1.7	3.1	3.8	8.5	8.5	11.3	7.5	15.0	8.3	15.8
1968	2.2	.0	.0	.0	.0	.0	.0	.3	.4	1.5	3.4	5.0	8.9	11.1	14.5	15.5	14.5	14.9	8.2
1969	2.1	.0	.0	.0	.0	.0	.0	.1	.8	1.0	2.7	6.3	6.8	10.4	12.2	13.3	16.7	14.3	13.8
1970	2.1	.0	.0	.0	.0	.0	.0	.0	.4	.9	2.8	5.5	7.5	11.7	12.3	17.2	11.9	16.7	9.9
1971	2.4	.0	.0	.0	.0	.0	.1	.1	.5	1.1	3.1	6.0	8.6	12.1	14.6	17.4	11.4	19.2	15.8
1972	2.3	.0	.0	.0	.0	.0	.0	.0	.8	.8	3.5	5.1	6.0	11.1	13.1	18.6	28.1	7.1	17.1
1973	2.7	.0	.0	.0	.0	.0	.0	.1	.1	1.3	2.7	7.8	10.4	12.6	16.5	24.0	17.5	9.1	21.6
1974	2.5	.0	.0	.0	.0	.0	.0	.1	.5	1.2	2.4	3.8	6.0	11.8	13.7	28.2	23.7	14.3	21.4
1975	2.8	.0	.0	.0	.0	.0	.0	.1	.2	1.4	3.2	6.7	8.1	14.1	12.9	25.7	25.4	21.4	18.2
1976	3.0	.0	.0	.0	.0	.0	.1	.1	.5	1.0	1.8	4.8	10.1	15.9	17.8	23.8	28.9	19.7	18.3
1977	2.9	.0	.0	.0	.1	.1	.2	.1	.2	1.8	3.5	5.6	9.9	13.3	12.2	20.3	40.4	12.9	12.9

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	49	0	0	0	0	0	0	3	3	2	11	7	7	6	4	5	1	0	0
1951	53	0	0	0	0	0	1	1	1	5	6	9	14	7	6	2	1	0	0
1952	61	0	0	0	0	0	0	1	1	4	8	17	11	4	7	4	4	0	0
1953	69	0	0	1	0	0	0	0	3	6	5	12	11	16	7	6	1	1	0
1954	81	0	0	0	0	0	0	1	4	4	11	18	15	13	5	7	3	0	0
1955	90	0	0	0	0	0	0	0	3	9	8	12	19	11	13	10	5	0	0
1956	123	0	0	0	0	0	0	1	2	8	15	18	23	17	20	11	5	2	1
1957	117	0	0	0	0	1	2	2	2	3	14	15	23	17	22	8	4	4	0
1958	149	0	0	0	0	0	1	0	4	12	10	30	25	24	23	16	3	1	0
1959	131	0	0	0	1	0	0	1	3	8	17	17	23	17	22	13	4	3	2
1960	151	0	0	0	0	0	0	0	7	8	21	19	29	21	19	15	6	4	2
1961	152	0	0	0	0	1	0	1	0	11	11	19	33	26	21	12	9	2	6
1962	172	0	0	0	0	0	0	1	5	9	17	26	18	26	27	26	8	7	2
1963	162	1	0	0	0	1	0	0	4	8	17	26	23	30	17	18	7	4	6
1964	190	0	0	0	0	0	1	2	4	15	18	29	29	34	21	18	9	6	4
1965	210	0	0	0	0	0	1	2	3	9	12	31	32	32	27	28	16	7	10
1966	179	0	0	0	0	0	1	2	1	8	20	16	17	29	31	22	18	9	5
1967	226	1	0	0	0	0	0	0	4	12	19	21	41	32	40	18	22	7	9
1968	284	0	0	0	0	0	0	2	3	11	22	28	44	44	52	38	22	13	5
1969	271	0	0	0	0	0	0	1	6	7	18	36	34	43	45	33	26	13	9
1970	282	0	0	0	0	0	0	0	3	7	19	32	38	51	46	44	19	16	7
1971	321	0	0	0	0	0	1	1	4	8	21	36	43	55	55	46	19	20	12
1972	160	0	0	0	0	0	0	0	3	3	12	16	15	26	26	24	24	4	7
1973	385	0	0	0	0	0	0	1	1	10	19	51	52	60	69	62	30	11	19
1974	357	0	0	0	0	0	0	1	4	9	17	25	31	57	60	73	41	18	21
1975	415	0	0	0	0	0	0	1	2	11	23	45	44	68	60	67	46	28	20
1976	446	0	0	0	0	0	1	1	4	8	13	33	57	76	87	63	54	27	22
1977	436	0	0	0	1	1	2	1	2	14	26	39	58	64	62	57	74	18	17

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.1	.0	.0	.0	.0	.0	.0	.1	.1	-	.2	.1	.1	.1	.1	.1	-	.0	.0
1951	.1	.0	.0	.0	.0	.0	-	-	-	.1	.1	.1	.2	.1	.1	-	-	.0	.0
1952	.1	.0	.0	.0	.0	.0	.0	-	-	.1	.1	.2	.2	.1	.1	.1	.1	.0	.0
1953	.1	.0	.0	.2	.0	.0	.0	.0	.1	.1	.1	.2	.2	.2	.1	.1	-	-	.0
1954	.1	.0	.0	.0	.0	.0	.0	-	.1	.1	.2	.3	.2	.2	.1	.1	.1	.0	.0
1955	.1	.0	.0	.0	.0	.0	.0	.0	.1	.2	.2	.2	.3	.2	.2	.1	.1	.0	.0
1956	.1	.0	.0	.0	.0	.0	.0	-	.1	.2	.3	.3	.3	.2	.2	.2	.1	.1	-
1957	.1	.0	.0	.0	.0	.1	.1	.1	.1	.1	.3	.2	.3	.2	.2	.1	.1	.1	.0
1958	.2	.0	.0	.0	.0	.0	.1	.0	.1	.3	.2	.4	.3	.3	.3	.2	.1	-	.0
1959	.1	.0	.0	.0	.1	.0	.0	-	.1	.2	.3	.3	.3	.2	.2	.2	.1	.1	-
1960	.2	.0	.0	.0	.0	.0	.0	.0	.2	.2	.4	.3	.4	.2	.2	.2	.1	.1	-
1961	.2	.0	.0	.0	.0	.1	.0	-	.0	.3	.2	.3	.4	.3	.2	.1	.1	-	.1
1962	.2	.0	.0	.0	.0	.0	.0	-	.2	.2	.3	.4	.2	.3	.3	.3	.1	.1	-
1963	.2	-	.0	.0	.0	.1	.0	.0	.1	.2	.3	.4	.3	.3	.2	.2	.1	.1	.1
1964	.2	.0	.0	.0	.0	.0	.1	.1	.1	.4	.4	.4	.4	.3	.2	.2	.1	.1	.1
1965	.2	.0	.0	.0	.0	.0	.1	.1	.1	.2	.2	.5	.4	.3	.2	.3	.2	.1	.2
1966	.2	.0	.0	.0	.0	.0	.1	.1	-	.2	.4	.2	.2	.3	.3	.2	.2	.1	.1
1967	.2	-	.0	.0	.0	.0	.0	.0	.1	.3	.4	.3	.5	.3	.3	.2	.3	.1	.1
1968	.3	.0	.0	.0	.0	.0	.0	.1	.1	.2	.4	.4	.5	.4	.4	.4	.2	.2	.1
1969	.3	.0	.0	.0	.0	.0	.0	-	.2	.2	.3	.5	.4	.4	.4	.3	.3	.2	.1
1970	.3	.0	.0	.0	.0	.0	.0	.0	.1	.2	.3	.5	.5	.5	.4	.4	.2	.2	.1
1971	.3	.0	.0	.0	.0	.0	.1	-	.1	.2	.4	.5	.6	.6	.5	.4	.2	.3	.1
1972	.3	.0	.0	.0	.0	.0	.0	.0	.2	.1	.4	.5	.4	.5	.5	.4	.5	.1	.2
1973	.4	.0	.0	.0	.0	.0	.0	-	-	.3	.3	.7	.7	.6	.6	.5	.3	.1	.2
1974	.3	.0	.0	.0	.0	.0	.0	.1	.2	.2	.3	.4	.4	.6	.5	.6	.4	.2	.2
1975	.4	.0	.0	.0	.0	.0	.0	.1	.1	.3	.5	.7	.6	.7	.6	.6	.4	.3	.2
1976	.4	.0	.0	.0	.0	.0	.1	.1	.2	.2	.3	.5	.8	.8	.8	.5	.5	.3	.2
1977	.4	.0	.0	.0	.1	.1	.1	.1	.1	.4	.6	.6	.8	.7	.6	.5	.6	.2	.1

Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000



Number of Deaths




Percent of All Deaths





Age-adjusted Mortality Rates



	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF MALIG*
1950	4783	7.06	7.57	4.50	3574	5.25	5.33	3.65	275	3.54	4.03	2.67	213	2.63	2.98	2.02
1951	5120	7.44	7.94	4.71	3678	5.31	5.37	3.71	317	3.99	4.76	3.14	221	2.67	2.97	2.06
1952	5291	7.57	8.11	4.71	3961	5.63	5.67	3.91	321	3.96	4.67	2.95	268	3.16	3.48	2.41
1953	5405	7.62	8.16	4.69	3921	5.48	5.49	3.82	336	4.05	4.79	2.97	257	2.96	3.30	2.30
1954	5589	7.75	8.31	4.75	4205	5.77	5.75	4.05	400	4.71	5.63	3.30	249	2.80	3.17	2.21
1955	5929	8.09	8.61	4.88	4259	5.75	5.69	4.04	373	4.29	5.17	3.06	254	2.78	3.22	2.26
1956	6093	8.19	8.72	4.87	4553	6.04	5.93	4.25	430	4.82	5.86	3.29	320	3.42	3.91	2.68
1957	6296	8.32	8.83	4.91	4686	6.10	5.98	4.31	449	4.91	5.96	3.27	287	2.99	3.52	2.45
1958	6522	8.49	9.10	5.14	4669	5.98	5.83	4.29	432	4.62	5.64	3.16	357	3.62	4.10	2.84
1959	6683	8.56	9.08	5.08	4785	6.03	5.83	4.34	440	4.57	5.68	3.04	362	3.57	4.03	2.89
1960	6929	8.74	9.27	5.13	4993	6.18	5.96	4.44	442	4.39	5.28	2.79	361	3.41	4.06	2.81
1961	7086	8.81	9.44	5.17	4953	6.03	5.79	4.35	483	4.69	5.97	3.08	351	3.23	3.77	2.62
1962	6999	8.58	9.20	5.03	5102	6.12	5.84	4.40	494	4.69	5.85	3.00	402	3.61	4.22	2.99
1963	7241	8.77	9.43	5.08	5266	6.23	5.91	4.46	566	5.26	6.60	3.22	434	3.81	4.35	3.13
1964	7186	8.60	9.26	4.97	5316	6.20	5.85	4.47	560	5.10	6.33	3.12	391	3.36	3.93	2.79
1965	7274	8.62	9.29	4.90	5403	6.23	5.84	4.44	566	5.06	6.42	3.11	385	3.23	3.83	2.71
1966	7546	8.85	9.57	5.02	5508	6.27	5.83	4.45	514	4.51	5.68	2.64	444	3.65	4.28	2.99
1967	7599	8.84	9.55	4.94	5683	6.40	5.92	4.51	623	5.37	6.94	3.17	431	3.47	4.11	2.89
1968	7530	8.69	9.41	4.82	5717	6.38	5.85	4.47	644	5.46	6.99	3.10	484	3.82	4.53	3.16
1969	7640	8.75	9.47	4.85	5724	6.33	5.72	4.40	616	5.14	6.62	2.90	470	3.64	4.26	3.02
1970	7463	8.47	9.13	4.63	5869	6.42	5.78	4.42	665	5.45	7.09	3.08	495	3.76	4.42	3.18
1971	7564	8.52	9.19	4.62	5779	6.26	5.57	4.28	641	5.15	6.61	2.88	484	3.59	4.19	2.91
1972	3773	8.44	9.09	4.52	2870	6.17	5.42	4.14	318	5.01	6.49	2.76	238	3.46	4.13	2.91
1973	7539	8.39	8.99	4.47	5696	6.08	5.30	4.07	723	5.60	7.30	3.01	519	3.71	4.41	3.00
1974	7559	8.37	8.94	4.38	5832	6.19	5.33	4.06	671	5.11	6.74	2.73	512	3.59	4.18	2.87
1975	7691	8.47	8.99	4.42	5836	6.16	5.23	4.00	691	5.15	6.75	2.72	536	3.68	4.32	3.02
1976	7843	8.59	9.03	4.38	5923	6.21	5.19	3.91	713	5.22	6.83	2.70	577	3.88	4.53	3.13
1977	7890	8.60	8.98	4.32	6103	6.36	5.22	3.92	719	5.17	6.88	2.66	614	4.05	4.71	3.18


* Age-adjusted rate as percent of age-adjusted rate for all malignant neoplasms.

Includes: (ICD 204.0-204.4 [6th]; ICD 204.0-204.4 [7th]; ICD 204.0-207.9 [8th])


All Leukemia

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



ALDERSON M: The epidemiology of leukemia. Adv Cancer Res 31:1-76, 1980

Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	7.1	6.3	3.7	2.9	2.7	1.7	2.6	2.7	3.1	4.0	5.3	8.2	11.3	17.9	24.0	36.2	38.6	37.1	36.2
1951	7.4	6.5	3.9	2.4	3.1	2.2	2.3	2.8	2.7	4.3	5.9	8.9	12.8	18.9	27.2	31.8	40.2	41.8	43.2
1952	7.6	6.0	4.1	2.5	3.3	2.3	2.3	2.4	3.0	4.4	5.5	9.0	12.8	18.4	27.7	36.7	41.3	50.0	37.0
1953	7.6	5.4	4.3	2.5	2.7	2.4	2.2	2.7	3.2	4.2	6.3	8.0	13.5	17.6	28.7	34.6	43.5	52.7	47.3
1954	7.8	5.6	3.9	2.8	2.6	1.8	2.2	2.8	2.8	3.9	5.4	9.2	11.9	18.6	28.3	39.1	48.8	57.1	49.5
1955	8.1	5.6	4.7	2.8	2.7	2.7	2.6	2.7	3.4	4.4	5.6	8.6	12.9	18.8	30.0	37.9	48.8	51.4	56.3
1956	8.2	5.2	4.6	2.5	2.6	2.2	2.6	2.9	2.9	4.4	5.2	8.6	13.6	19.6	29.9	40.0	51.2	61.2	54.0
1957	8.3	5.8	4.3	2.6	2.8	2.2	2.6	2.7	3.3	4.0	6.2	8.4	12.4	20.4	31.0	40.1	52.0	62.9	51.6
1958	8.5	5.6	4.3	2.9	3.4	1.9	1.9	2.3	3.6	4.3	5.4	8.6	11.6	20.6	30.6	42.4	54.8	68.0	75.8
1959	8.6	5.4	5.1	3.1	2.6	2.3	2.1	2.5	3.2	4.5	5.4	8.8	12.6	20.3	32.5	42.4	53.0	62.2	63.3
1960	8.7	6.1	4.8	3.0	2.8	2.1	3.0	2.7	3.2	4.3	5.8	8.9	13.0	20.8	30.5	41.9	54.5	67.9	68.1
1961	8.8	5.4	4.9	3.1	2.8	2.4	2.4	2.4	3.1	4.1	5.8	8.6	12.1	20.0	31.7	41.8	58.8	77.3	85.4
1962	8.6	4.8	4.7	2.3	2.8	2.3	2.2	2.1	3.0	4.0	5.9	8.0	11.9	20.4	30.6	44.5	59.4	72.5	81.4
1963	8.8	5.6	4.4	2.7	2.7	2.3	2.2	2.9	3.0	3.7	5.5	8.0	13.1	20.1	31.4	43.5	60.2	76.2	91.9
1964	8.6	4.7	4.3	2.5	2.6	1.9	2.3	2.7	3.0	3.8	5.5	8.7	11.8	19.8	32.5	43.0	63.9	73.7	84.5
1965	8.6	4.5	4.2	2.7	2.5	2.0	2.2	2.3	3.1	3.7	4.7	8.7	12.6	20.7	28.6	48.0	62.1	79.0	86.2
1966	8.9	4.4	4.5	2.9	2.8	2.4	2.1	2.7	3.0	4.0	5.3	8.2	13.1	20.9	28.9	46.2	63.1	78.3	104.6
1967	8.8	4.2	4.7	3.0	3.1	2.0	2.0	2.6	3.1	3.9	5.8	7.6	12.1	20.0	30.6	45.1	64.8	83.1	100.3
1968	8.7	3.9	4.4	2.3	2.7	2.2	2.0	2.7	3.0	3.9	5.6	7.4	12.5	19.2	32.8	45.4	61.4	79.4	107.8
1969	8.8	3.8	4.3	2.5	2.7	2.0	2.3	2.3	3.2	4.3	5.1	7.9	12.4	18.4	29.6	46.9	66.9	85.1	108.2
1970	8.5	3.7	4.0	2.5	2.5	2.0	2.0	2.3	3.2	3.5	5.6	7.6	12.4	18.9	29.3	44.5	64.2	81.2	94.9
1971	8.5	3.5	4.4	2.2	2.5	1.8	2.2	2.6	2.5	3.7	5.0	7.0	11.9	18.3	28.7	45.9	68.0	85.1	104.9
1972	8.4	2.4	4.0	2.1	2.2	2.3	2.0	1.8	3.0	4.0	4.6	6.7	13.3	17.4	30.0	48.6	65.0	87.8	98.7
1973	8.4	2.7	3.8	2.3	2.7	1.9	2.1	2.3	3.1	4.0	5.4	6.8	11.9	17.6	28.1	43.0	68.0	84.1	103.6
1974	8.4	2.3	3.6	2.3	2.3	1.7	1.9	2.4	2.7	3.1	4.9	7.1	11.1	18.9	28.4	44.0	68.0	92.1	103.4
1975	8.5	2.5	3.2	2.0	2.1	2.1	2.0	2.3	2.2	3.9	5.1	6.7	12.2	18.2	26.7	44.5	69.9	91.9	114.2
1976	8.6	1.9	3.6	2.4	2.5	1.8	1.8	2.2	2.6	3.3	5.6	7.2	11.8	19.6	29.0	44.9	67.1	85.6	110.3
1977	8.6	2.0	3.2	2.4	2.3	1.9	2.3	1.8	2.7	3.4	5.0	7.3	11.6	18.9	27.3	45.7	65.7	95.7	106.5

Number of Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	4783	462	221	143	129	88	140	140	155	182	217	307	380	509	538	551	362	178	81
1951	5120	502	241	124	146	114	124	147	135	201	246	336	439	546	624	498	390	203	104
1952	5291	458	272	134	152	114	121	127	152	210	234	340	441	540	650	591	413	247	95
1953	5405	423	297	138	126	117	120	142	163	199	275	304	465	529	689	575	448	267	128
1954	5589	441	278	164	123	86	114	152	146	191	239	354	412	566	692	675	516	299	141
1955	5929	456	349	171	132	126	136	148	175	215	254	337	450	579	746	677	531	280	167
1956	6093	435	361	154	132	103	133	160	153	217	240	340	479	612	754	738	571	347	164
1957	6296	495	335	172	147	104	133	147	175	199	289	340	439	636	799	759	598	368	161
1958	6522	485	338	204	188	88	95	122	192	220	256	357	420	639	800	823	647	407	241
1959	6683	476	407	227	151	111	104	133	176	229	260	373	462	631	861	844	650	381	207
1960	6929	539	393	229	169	104	143	141	175	223	283	385	485	649	819	849	690	425	228
1961	7086	486	413	244	174	123	113	123	170	216	285	376	463	626	854	864	763	501	292
1962	6999	429	401	184	189	124	105	106	165	215	290	358	466	642	823	937	786	499	280
1963	7241	497	384	213	186	127	105	146	163	200	274	360	525	639	843	927	810	524	318
1964	7186	410	379	203	192	109	113	132	160	209	271	396	480	636	871	925	875	525	300
1965	7274	384	372	227	186	123	109	114	164	204	236	401	524	675	768	1035	861	578	313
1966	7546	367	407	248	224	148	108	132	157	219	270	382	549	696	778	995	888	588	390
1967	7599	333	422	264	244	133	104	124	157	212	300	358	514	684	831	966	926	639	388
1968	7530	297	390	207	219	156	110	132	151	211	290	352	536	676	899	964	888	622	430
1969	7640	284	379	224	222	148	133	115	155	226	269	377	532	662	823	991	974	677	449
1970	7463	272	344	229	211	155	120	117	153	182	298	368	535	695	829	941	928	659	427
1971	7564	258	367	200	213	145	137	133	122	190	262	348	521	683	830	972	991	704	488
1972	3773	88	163	96	98	91	66	49	73	101	119	170	291	329	445	515	472	371	236
1973	7539	190	295	209	245	151	144	131	150	202	280	347	525	673	858	926	972	727	514
1974	7559	162	269	205	207	141	135	143	133	151	254	369	495	732	889	966	968	799	541
1975	7691	165	234	179	192	177	149	138	112	190	259	345	554	710	860	991	1004	804	628
1976	7843	121	268	200	226	151	141	138	132	159	281	374	548	776	950	1026	968	764	620
1977	7890	128	236	195	210	169	175	122	145	163	251	371	552	751	911	1080	952	858	621


Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.7	.8	5.6	4.3	2.1	1.0	1.5	1.4	1.1	.8	.7	.7	.6	.6	.6	.6	.4	.3	.2
1951	.7	.9	5.9	3.7	2.4	1.4	1.4	1.4	.9	.9	.8	.7	.7	.7	.7	.5	.4	.3	.2
1952	.7	.8	6.1	3.8	2.3	1.4	1.3	1.2	1.1	1.0	.7	.7	.7	.7	.7	.6	.5	.4	.2
1953	.7	.7	6.9	3.9	2.0	1.5	1.4	1.4	1.2	.9	.8	.7	.7	.6	.7	.6	.5	.4	.2
1954	.7	.8	6.7	4.9	2.1	1.1	1.4	1.6	1.1	.9	.8	.8	.7	.7	.7	.7	.6	.4	.3
1955	.8	.8	8.2	5.0	2.1	1.6	1.7	1.6	1.3	1.0	.8	.7	.7	.7	.8	.7	.6	.4	.3
1956	.8	.8	8.7	4.5	2.1	1.3	1.7	1.7	1.2	1.0	.7	.8	.8	.7	.7	.7	.6	.5	.3
1957	.8	.9	7.8	4.6	2.1	1.3	1.8	1.5	1.3	.9	.9	.7	.7	.7	.8	.7	.6	.5	.2
1958	.8	.9	8.0	5.5	2.8	1.2	1.3	1.3	1.4	1.0	.8	.7	.7	.8	.8	.7	.6	.5	.4
1959	.8	.9	9.2	5.7	2.1	1.4	1.5	1.4	1.3	1.1	.8	.8	.7	.8	.8	.7	.6	.5	.3
1960	.8	1.0	8.9	6.0	2.3	1.3	2.0	1.6	1.3	1.0	.8	.8	.7	.8	.8	.7	.6	.5	.3
1961	.8	.9	9.8	6.2	2.4	1.6	1.7	1.4	1.3	1.0	.9	.8	.7	.7	.8	.7	.7	.6	.4
1962	.8	.8	9.6	4.7	2.4	1.5	1.5	1.2	1.2	1.0	.9	.7	.7	.7	.7	.8	.7	.6	.4
1963	.8	1.0	9.0	5.5	2.2	1.4	1.4	1.7	1.2	.9	.8	.7	.7	.7	.8	.7	.7	.6	.4
1964	.8	.8	8.9	5.1	2.1	1.1	1.5	1.5	1.2	.9	.8	.8	.7	.7	.8	.7	.7	.6	.4
1965	.8	.8	8.8	5.6	1.9	1.2	1.4	1.3	1.2	.9	.7	.8	.7	.7	.7	.8	.7	.6	.4
1966	.8	.9	9.4	6.0	2.0	1.4	1.3	1.6	1.2	1.0	.8	.7	.7	.7	.7	.8	.7	.6	.5
1967	.8	.8	10.1	6.2	2.3	1.2	1.2	1.5	1.2	1.0	.8	.7	.7	.7	.8	.8	.8	.7	.5
1968	.8	.8	9.0	4.8	1.9	1.2	1.2	1.5	1.2	.9	.8	.6	.7	.7	.8	.7	.7	.6	.5
1969	.8	.8	8.9	5.2	1.8	1.1	1.3	1.3	1.2	1.0	.7	.7	.7	.7	.7	.8	.8	.7	.5
1970	.8	.7	8.4	5.2	1.7	1.1	1.2	1.3	1.2	.8	.8	.7	.7	.7	.7	.8	.7	.6	.5
1971	.8	.8	9.6	4.7	1.7	1.0	1.3	1.4	1.0	.9	.7	.7	.7	.7	.7	.8	.8	.7	.5
1972	.8	.6	9.0	4.3	1.5	1.2	1.2	1.0	1.2	1.0	.7	.6	.8	.7	.8	.8	.7	.7	.5
1973	.8	.7	8.4	4.8	1.8	1.0	1.2	1.3	1.2	1.0	.8	.7	.7	.7	.7	.7	.8	.7	.5
1974	.8	.6	8.5	4.9	1.5	.9	1.1	1.4	1.1	.8	.8	.7	.7	.8	.8	.8	.8	.8	.5
1975	.8	.7	8.0	4.7	1.5	1.1	1.2	1.3	1.0	1.1	.8	.7	.8	.7	.7	.8	.8	.8	.6
1976	.9	.5	9.5	5.5	1.8	1.0	1.1	1.4	1.2	.9	1.0	.8	.8	.8	.8	.8	.8	.7	.6
1977	.9	.6	8.4	5.6	1.6	1.0	1.4	1.1	1.3	1.0	.9	.8	.8	.8	.8	.9	.8	.8	.6

All Leukemia


Age-specific Graphs for White Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.3	5.4	3.0	2.2	1.8	1.6	2.3	2.2	2.8	3.8	3.9	6.6	9.0	11.8	15.0	18.4	26.0	23.0	19.7
1951	5.3	5.2	3.4	2.2	1.8	1.4	1.9	2.2	2.8	4.0	4.6	5.7	9.1	12.1	14.6	18.6	25.3	23.9	24.8
1952	5.6	5.5	3.3	1.9	2.0	1.5	1.7	2.2	2.5	3.4	4.4	7.5	9.1	13.0	16.1	22.0	26.7	27.8	26.3
1953	5.5	5.1	2.9	2.1	1.6	1.2	1.7	1.9	2.5	3.3	4.0	6.2	9.2	11.9	16.8	21.5	29.8	30.4	26.5
1954	5.8	5.4	3.7	2.2	1.7	1.8	1.8	2.2	2.2	3.4	5.2	6.1	8.9	11.1	17.1	24.3	27.9	31.8	24.1
1955	5.7	4.9	3.0	1.8	2.2	1.3	2.0	1.9	2.6	3.5	4.4	5.6	8.6	13.3	18.2	22.2	28.4	34.7	30.6
1956	6.0	5.2	3.8	1.9	2.0	1.4	1.6	2.4	2.7	3.1	4.3	6.4	10.0	13.1	17.1	22.7	31.3	37.5	30.6
1957	6.1	5.0	3.6	2.5	2.1	1.5	1.6	2.4	3.0	3.6	4.3	6.6	8.5	11.7	17.1	24.3	30.8	38.8	34.1
1958	6.0	4.7	3.9	2.2	2.0	1.6	1.4	2.0	2.9	2.7	3.6	6.7	8.3	13.0	17.7	24.0	31.5	36.9	29.6
1959	6.0	4.6	3.4	2.1	1.5	1.5	1.9	2.1	2.4	2.9	4.4	6.1	8.2	11.7	17.6	25.8	32.4	39.1	36.8
1960	6.2	4.6	3.3	2.5	2.0	1.3	1.2	2.3	2.5	3.1	4.5	5.9	8.2	13.1	17.9	24.5	34.7	40.1	37.0
1961	6.0	4.5	3.7	2.1	1.9	1.5	1.8	2.2	2.4	2.8	4.3	5.6	8.1	11.2	17.4	23.0	31.6	40.9	42.1
1962	6.1	4.5	3.6	2.3	1.7	1.5	1.2	1.8	2.0	3.2	4.0	5.0	7.6	12.8	17.3	23.7	33.6	43.4	48.7
1963	6.2	4.2	4.2	2.1	1.7	1.3	1.7	2.1	2.5	3.4	4.6	5.2	8.0	11.5	17.6	24.0	31.7	46.6	42.3
1964	6.2	3.6	3.6	1.9	1.8	1.5	1.5	2.0	2.8	3.3	4.6	6.0	8.5	10.8	17.1	24.3	34.2	41.1	48.5
1965	6.2	4.0	3.3	2.3	1.7	1.7	1.5	1.9	2.3	2.6	4.2	5.8	7.9	11.5	17.1	23.3	35.9	43.8	50.6
1966	6.3	3.7	3.1	1.8	1.7	1.3	1.5	1.9	2.6	3.0	4.3	5.7	7.0	12.7	16.8	24.2	34.1	48.7	55.0
1967	6.4	3.8	3.7	2.1	1.6	1.4	1.5	1.7	2.4	3.3	4.3	5.7	7.3	11.7	17.8	25.3	34.1	44.4	55.7
1968	6.4	3.4	3.6	2.0	1.8	1.5	1.3	1.8	2.6	3.4	3.8	6.1	7.6	10.6	16.5	24.5	35.1	45.8	59.0
1969	6.3	3.1	3.6	1.8	1.3	1.2	1.1	1.9	2.5	3.0	3.7	4.7	7.5	10.1	16.8	24.9	36.8	50.8	60.9
1970	6.4	3.3	3.4	1.9	1.9	1.6	1.4	1.9	2.6	3.1	4.0	5.8	7.8	10.3	15.7	23.8	35.7	48.8	55.6
1971	6.3	2.9	3.2	1.9	1.7	1.2	1.6	1.7	2.4	2.7	3.7	5.0	7.0	10.5	15.8	24.9	34.9	48.3	55.4
1972	6.2	2.4	2.7	1.7	1.8	1.3	1.7	1.6	2.1	2.7	3.6	4.5	7.6	10.2	16.0	22.1	37.0	48.9	54.0
1973	6.1	1.9	2.9	1.5	1.8	1.3	1.8	1.8	2.4	2.4	3.5	5.2	7.3	10.4	14.8	23.1	34.1	43.2	57.0
1974	6.2	1.9	2.8	1.6	1.5	1.3	1.5	1.6	2.1	3.1	3.4	5.4	7.4	9.7	14.5	23.6	35.7	50.2	51.6
1975	6.2	2.1	2.6	1.4	1.4	1.5	1.5	1.8	2.1	2.7	3.8	5.0	7.4	9.9	13.1	23.4	35.4	46.7	54.2
1976	6.2	1.8	2.3	1.6	1.6	1.5	1.5	1.6	2.0	2.8	3.3	4.3	7.0	9.6	15.1	21.9	37.2	47.7	54.9
1977	6.4	1.5	2.1	1.6	1.4	1.3	1.3	1.8	2.1	2.7	3.4	4.9	6.6	10.8	15.0	23.2	36.4	47.4	59.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3574	377	173	105	82	80	128	114	143	174	162	249	302	335	357	310	282	138	63
1951	3678	385	199	108	83	73	103	118	145	188	195	216	313	352	357	324	287	148	84
1952	3961	403	213	99	91	77	92	123	128	161	188	286	319	391	405	398	315	178	94
1953	3921	381	188	111	75	57	91	107	134	160	179	240	325	368	434	404	364	203	100
1954	4205	414	255	123	80	84	97	120	116	169	238	238	318	353	452	476	354	222	96
1955	4259	386	213	103	103	62	103	108	139	176	203	220	311	431	493	453	373	254	128
1956	4553	414	283	110	97	66	85	132	147	159	203	258	367	434	473	480	424	287	134
1957	4686	410	270	159	108	70	82	131	168	185	205	272	313	394	488	531	434	309	157
1958	4669	390	293	147	109	73	70	109	160	138	177	285	312	440	519	541	461	303	142
1959	4785	390	266	145	83	72	92	113	136	151	218	264	316	397	529	600	496	331	186
1960	4993	393	262	180	116	62	60	121	141	165	223	262	322	451	548	586	554	350	197
1961	4953	386	303	160	111	74	88	118	139	152	216	254	324	387	543	569	522	375	232
1962	5102	383	301	174	110	76	59	95	114	175	203	233	313	447	545	606	575	417	276
1963	5266	357	352	162	111	72	83	107	141	191	237	242	339	405	561	633	558	468	247
1964	5316	304	301	151	129	88	75	98	153	187	236	283	372	385	549	657	621	432	295
1965	5403	328	285	182	127	99	76	93	123	150	218	279	351	419	556	642	673	481	321
1966	5508	294	267	148	133	79	77	92	136	171	228	278	319	475	549	678	661	557	366
1967	5683	293	316	179	122	95	82	80	126	184	232	280	337	451	591	713	683	527	392
1968	5717	249	306	167	141	104	76	87	132	192	212	305	350	421	557	695	724	563	436
1969	5724	225	305	156	105	86	67	95	123	165	205	240	351	411	577	712	777	647	477
1970	5869	231	283	163	153	117	82	95	127	166	224	300	369	432	550	687	761	649	480
1971	5779	203	255	165	138	97	95	89	120	142	209	265	331	445	566	727	759	670	503
1972	2870	85	103	74	77	49	57	42	52	70	99	123	181	221	297	324	406	353	257
1973	5696	126	215	132	156	99	120	102	121	125	190	285	352	454	565	688	746	649	571
1974	5832	124	202	141	128	104	109	97	107	157	181	298	362	427	570	716	788	767	554
1975	5836	134	182	121	125	120	107	111	109	136	204	279	368	441	529	718	796	729	627
1976	5923	113	166	133	138	123	114	101	105	138	175	240	352	430	625	687	848	766	669
1977	6103	92	148	128	125	109	101	124	112	132	174	271	342	487	631	756	835	774	762


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.7	.9	6.3	5.3	2.8	1.9	2.4	1.7	1.5	1.3	.9	1.0	.9	.7	.6	.4	.4	.2	.1
1951	.7	.9	7.0	5.8	2.9	1.9	2.0	1.7	1.5	1.4	1.1	.9	.9	.8	.6	.5	.4	.2	.1
1952	.7	.9	6.8	4.7	3.1	2.1	1.8	1.9	1.4	1.2	1.0	1.2	.9	.9	.7	.5	.4	.3	.1
1953	.7	.9	6.6	5.5	2.7	1.8	2.0	1.7	1.5	1.2	1.0	1.0	1.0	.8	.7	.5	.5	.3	.1
1954	.8	1.0	9.0	6.5	3.3	2.8	2.4	2.1	1.4	1.4	1.4	1.0	1.0	.8	.7	.6	.4	.3	.1
1955	.7	1.0	7.6	5.6	4.0	2.1	2.6	1.9	1.7	1.4	1.2	1.0	1.0	1.0	.8	.6	.4	.3	.2
1956	.8	1.0	10.0	5.7	3.7	2.3	2.3	2.4	1.8	1.3	1.2	1.1	1.1	1.0	.7	.6	.5	.4	.2
1957	.8	1.0	9.4	7.4	3.9	2.4	2.1	2.2	2.0	1.5	1.1	1.1	1.0	.8	.7	.7	.5	.4	.2
1958	.8	.9	10.2	7.0	4.0	2.6	1.9	2.0	1.9	1.1	1.0	1.2	1.0	1.0	.8	.7	.5	.3	.2
1959	.8	1.0	9.1	6.8	3.0	2.5	2.6	2.1	1.7	1.3	1.2	1.1	1.0	.9	.8	.7	.5	.4	.2
1960	.8	1.0	8.7	8.1	4.0	2.1	1.7	2.3	1.7	1.3	1.2	1.1	1.0	1.0	.8	.7	.6	.4	.2
1961	.8	1.0	10.2	7.1	3.9	2.6	2.6	2.3	1.7	1.2	1.2	1.0	1.0	.9	.8	.7	.5	.4	.2
1962	.8	1.0	10.0	8.0	3.5	2.4	1.7	1.9	1.4	1.4	1.1	.9	.9	1.0	.8	.7	.6	.4	.2
1963	.8	1.0	12.0	7.3	3.3	2.1	2.4	2.2	1.7	1.5	1.2	.9	1.0	.9	.8	.7	.6	.5	.2
1964	.8	.9	10.1	6.7	3.6	2.4	2.2	1.9	1.8	1.4	1.2	1.0	1.1	.8	.8	.7	.6	.4	.3
1965	.8	1.0	9.9	8.1	3.5	2.6	2.2	1.9	1.5	1.1	1.1	1.0	1.0	.9	.8	.7	.6	.5	.3
1966	.8	1.0	9.0	6.3	3.1	2.1	2.1	1.9	1.8	1.3	1.1	1.0	.9	1.0	.8	.7	.6	.5	.3
1967	.8	1.0	11.0	7.6	2.9	2.3	2.2	1.7	1.6	1.4	1.2	1.0	.9	1.0	.9	.8	.6	.5	.3
1968	.8	.9	10.5	6.9	3.2	2.4	1.9	1.8	1.7	1.4	1.0	1.1	.9	.8	.8	.8	.6	.5	.3
1969	.8	.8	10.8	6.2	2.3	1.8	1.6	1.9	1.6	1.3	1.0	.9	.9	.8	.9	.8	.7	.6	.3
1970	.8	.9	10.7	6.8	3.3	2.4	1.9	1.9	1.7	1.3	1.1	1.0	.9	.8	.8	.8	.7	.6	.3
1971	.8	.8	9.6	6.6	2.9	2.0	2.1	1.8	1.7	1.1	1.0	.9	.9	.9	.9	.8	.7	.6	.3
1972	.8	.8	8.0	5.9	3.1	2.0	2.5	1.6	1.5	1.2	1.0	.9	.9	.8	.9	.7	.7	.6	.3
1973	.7	.6	8.9	5.4	3.1	2.0	2.5	2.0	1.7	1.1	1.0	1.0	.9	.9	.8	.8	.6	.5	.3
1974	.8	.6	9.8	6.0	2.7	2.2	2.3	1.9	1.6	1.5	1.0	1.1	.9	.8	.8	.8	.7	.6	.3
1975	.8	.7	9.4	5.9	2.7	2.5	2.3	2.2	1.7	1.3	1.2	1.0	1.0	.9	.8	.8	.7	.6	.4
1976	.8	.7	8.7	6.8	3.0	2.6	2.4	2.0	1.7	1.4	1.0	.9	.9	.8	.9	.8	.8	.6	.4
1977	.8	.6	8.3	6.5	2.6	2.2	2.2	2.3	1.8	1.4	1.1	1.0	.9	.9	.9	.9	.8	.6	.4


Age-specific Graphs for White Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	3.5	3.3	2.0	1.3	1.7	.8	1.8	2.0	3.0	4.2	4.5	5.6	9.9	13.8	8.9	14.6	9.2	5.4	.0
1951	4.0	2.0	1.2	1.8	2.5	2.1	2.1	3.2	2.6	5.1	3.8	7.8	13.4	11.5	13.6	11.6	16.2	5.3	25.6
1952	4.0	3.8	2.3	1.7	1.4	1.2	1.8	2.2	2.1	3.5	4.3	5.8	9.0	16.3	15.2	16.1	11.3	17.9	14.7
1953	4.1	2.9	1.7	2.1	2.7	2.2	2.0	2.2	3.2	4.4	4.9	6.9	7.4	14.5	12.5	15.6	9.4	20.0	23.3
1954	4.7	3.3	2.0	1.3	3.4	1.8	2.3	3.7	2.7	3.7	5.1	8.9	9.9	16.3	19.0	20.4	16.5	12.2	29.9
1955	4.3	2.3	2.6	1.5	2.4	2.8	1.3	2.1	3.3	3.5	4.2	8.8	10.8	13.7	15.5	16.0	21.7	14.3	20.5
1956	4.8	3.3	2.4	1.9	2.5	1.0	3.0	3.0	2.5	3.5	6.5	7.3	11.9	17.7	18.4	19.7	20.7	25.7	27.6
1957	4.9	2.6	2.3	1.9	1.3	3.5	2.5	2.2	4.2	3.1	5.7	8.7	12.6	17.6	21.2	22.3	26.2	11.4	15.2
1958	4.6	2.3	2.0	1.6	2.3	2.5	3.7	4.0	3.1	3.3	4.9	7.3	10.0	15.9	19.3	20.9	18.0	22.4	24.8
1959	4.6	3.1	1.5	1.9	2.2	1.1	2.2	2.7	2.1	3.5	4.7	8.1	9.7	16.0	23.1	21.4	24.3	30.6	17.1
1960	4.4	2.7	2.2	2.0	2.0	2.8	3.1	2.7	3.1	3.6	5.3	5.8	9.8	13.1	15.3	21.4	20.0	17.0	22.6
1961	4.7	2.2	1.7	1.6	2.3	2.7	2.1	2.5	3.4	4.9	3.8	5.2	12.4	14.5	19.1	30.5	26.2	26.9	40.0
1962	4.7	2.9	2.7	2.0	2.2	1.4	2.8	1.9	1.9	2.6	4.7	6.6	9.0	16.8	19.3	31.1	24.1	33.9	23.3
1963	5.3	3.4	1.9	1.8	2.9	2.6	2.6	2.6	2.8	5.2	3.2	8.9	10.3	21.7	19.6	29.3	24.8	37.3	33.3
1964	5.1	3.0	2.1	3.0	2.0	1.8	3.2	2.6	2.9	4.1	4.3	8.2	9.9	19.1	20.8	25.4	30.6	29.5	25.0
1965	5.1	2.7	1.9	2.1	2.9	2.1	2.0	3.0	3.9	3.8	4.9	6.5	10.2	16.2	21.0	28.1	37.2	25.4	47.1
1966	4.5	2.1	1.7	1.7	2.1	1.7	1.4	2.0	3.3	4.6	5.2	7.4	10.0	14.2	21.2	28.9	25.2	20.3	25.0
1967	5.4	2.1	2.4	1.5	2.7	2.4	3.2	2.3	2.2	3.4	5.4	10.6	12.4	16.4	22.2	31.0	43.2	30.3	46.2
1968	5.5	2.3	2.8	2.2	2.5	1.5	2.5	2.8	2.2	4.5	5.6	7.4	12.1	21.5	21.9	30.0	40.3	41.8	29.3
1969	5.1	1.6	2.6	2.5	2.4	1.2	1.9	2.4	3.2	3.1	4.5	7.6	14.1	14.8	25.3	29.1	39.2	36.8	36.4
1970	5.4	2.1	2.2	1.7	2.7	1.5	2.6	2.5	2.7	4.2	4.7	8.2	12.1	18.7	24.8	34.6	37.4	42.9	53.2
1971	5.1	1.9	2.9	1.8	2.4	1.9	2.3	3.1	2.7	3.4	5.7	6.6	12.8	13.2	20.3	31.6	38.8	35.1	56.3
1972	5.0	1.7	2.4	1.8	2.1	1.4	1.9	2.7	3.5	3.8	5.3	8.7	9.2	12.4	26.0	30.3	36.6	48.7	32.0
1973	5.6	2.2	2.5	1.9	2.7	2.0	2.7	2.6	2.2	2.8	4.3	7.0	12.2	18.2	24.5	35.5	43.1	60.2	51.9
1974	5.1	1.5	2.1	1.9	2.1	1.6	1.9	2.2	2.8	3.3	3.9	7.4	13.4	17.8	19.0	33.6	50.4	48.2	29.8
1975	5.2	1.4	1.6	1.7	1.5	1.6	1.8	3.3	3.5	3.8	4.3	7.4	13.0	16.0	23.3	32.4	44.2	45.3	47.7
1976	5.2	1.8	1.9	1.9	1.6	2.0	1.2	1.9	2.3	2.5	4.9	8.4	10.4	23.1	21.7	34.4	47.9	37.4	44.1
1977	5.2	1.4	2.0	1.6	1.2	2.1	1.1	2.1	2.7	3.7	5.8	6.0	12.2	16.2	17.9	38.4	52.5	55.9	51.4

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	275	33	16	9	11	5	11	11	17	21	20	21	28	29	18	17	6	2	0
1951	317	22	10	13	16	13	13	18	15	26	17	30	39	25	28	14	11	2	5
1952	321	43	20	13	9	7	11	13	12	18	19	23	27	36	32	20	8	7	3
1953	336	34	15	17	17	13	12	13	19	23	22	28	23	33	27	20	7	8	5
1954	400	40	19	11	22	11	14	23	16	20	23	37	32	38	42	27	13	5	7
1955	373	29	27	13	16	17	8	13	20	19	19	37	36	33	35	22	18	6	5
1956	430	42	26	16	17	6	18	19	15	19	30	31	41	44	42	28	18	11	7
1957	449	35	26	17	9	21	15	14	26	17	27	37	45	45	49	33	24	5	4
1958	432	32	24	15	17	15	22	25	19	18	24	31	37	42	45	32	17	10	7
1959	440	44	19	19	17	7	13	17	13	19	24	35	37	44	55	34	24	14	5
1960	442	40	29	22	16	18	19	17	20	20	28	26	39	38	38	36	21	8	7
1961	483	33	23	18	19	18	13	16	22	28	20	24	50	43	49	53	28	14	12
1962	494	44	38	24	19	10	17	12	12	15	25	31	37	51	51	56	26	19	7
1963	566	52	28	22	27	19	16	17	18	31	17	43	43	67	53	54	27	22	10
1964	560	45	31	38	20	14	20	17	19	25	23	40	42	60	58	48	34	18	8
1965	566	40	28	28	31	17	13	19	25	23	26	32	44	52	60	54	42	16	16
1966	514	31	25	24	24	14	9	13	21	28	28	37	44	47	62	56	29	13	9
1967	623	30	37	21	32	21	22	15	14	21	30	53	55	56	66	61	51	20	18
1968	644	33	43	32	31	14	18	18	14	28	32	37	54	76	66	60	48	28	12
1969	616	22	39	38	31	12	14	16	20	19	26	38	63	54	77	59	47	25	16
1970	665	29	33	26	36	16	20	17	17	26	28	42	54	71	77	72	46	30	25
1971	641	26	43	29	33	21	18	22	17	21	34	35	56	52	63	68	50	26	27
1972	318	12	18	14	15	8	8	10	11	12	16	24	20	25	42	32	24	19	8
1973	723	31	36	31	40	24	24	20	14	18	26	40	53	75	82	76	56	50	27
1974	671	21	30	30	32	20	18	17	18	21	24	43	60	74	66	73	66	41	17
1975	691	20	23	27	24	21	18	27	23	24	27	43	61	66	85	71	61	39	31
1976	713	25	27	30	26	27	13	16	16	16	31	50	51	93	83	76	69	34	30
1977	719	19	29	26	19	29	12	19	19	24	37	36	62	65	71	89	74	52	37


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.2	2.0	1.3	.8	.2	.4	.4	.4	.4	.3	.2	.3	.3	.2	.2	.1	.1	.0
1951	.3	.1	1.2	1.7	1.2	.6	.5	.6	.4	.5	.3	.3	.4	.3	.3	.2	.2	.1	.2
1952	.3	.3	2.4	1.9	.6	.3	.4	.4	.3	.3	.3	.3	.3	.4	.3	.3	.1	.2	.1
1953	.3	.2	1.9	2.3	1.3	.7	.5	.4	.5	.4	.4	.3	.2	.3	.3	.2	.1	.2	.2
1954	.4	.3	2.4	1.7	1.8	.6	.6	.8	.5	.4	.4	.4	.4	.4	.4	.3	.2	.1	.2
1955	.4	.2	3.4	2.0	1.4	.9	.4	.5	.6	.4	.3	.5	.4	.4	.3	.3	.3	.1	.2
1956	.4	.3	3.1	2.4	1.5	.3	.8	.7	.4	.4	.5	.4	.4	.4	.4	.3	.3	.3	.2
1957	.4	.2	3.0	2.2	.7	1.2	.7	.5	.7	.4	.4	.5	.5	.4	.4	.3	.4	.1	.1
1958	.4	.2	2.8	2.2	1.4	.9	1.1	.9	.5	.4	.4	.4	.4	.4	.4	.3	.2	.2	.2
1959	.4	.2	2.0	2.4	1.3	.4	.6	.6	.4	.4	.4	.4	.4	.4	.5	.3	.3	.3	.1
1960	.4	.2	3.1	2.6	1.2	1.0	.9	.6	.5	.4	.4	.3	.4	.3	.3	.3	.3	.2	.1
1961	.4	.2	2.6	2.2	1.5	1.0	.6	.6	.6	.6	.3	.3	.5	.4	.4	.5	.4	.3	.2
1962	.4	.3	4.0	2.8	1.4	.5	.8	.4	.3	.3	.4	.3	.4	.4	.4	.5	.3	.3	.1
1963	.5	.3	2.8	2.6	1.8	.9	.7	.6	.5	.6	.3	.5	.4	.5	.4	.4	.3	.4	.2
1964	.5	.3	3.0	4.2	1.2	.7	.9	.6	.5	.4	.3	.4	.4	.5	.4	.4	.4	.3	.2
1965	.5	.2	2.7	3.2	1.7	.8	.5	.7	.6	.4	.4	.3	.4	.4	.4	.4	.5	.3	.3
1966	.4	.2	2.4	2.5	1.2	.6	.3	.4	.5	.5	.4	.4	.4	.4	.4	.4	.3	.2	.2
1967	.5	.2	3.6	2.3	1.4	.8	.8	.5	.3	.3	.4	.6	.5	.5	.5	.5	.5	.3	.3
1968	.5	.3	4.0	2.9	1.2	.4	.6	.5	.3	.4	.4	.4	.4	.6	.4	.4	.5	.4	.2
1969	.5	.2	3.7	3.5	1.0	.3	.4	.4	.4	.3	.3	.4	.5	.4	.5	.4	.5	.4	.3
1970	.5	.2	3.5	2.5	1.2	.4	.6	.5	.4	.4	.3	.4	.4	.5	.5	.5	.5	.4	.4
1971	.5	.2	4.2	2.8	1.1	.5	.5	.6	.4	.4	.4	.4	.5	.4	.4	.5	.5	.4	.4
1972	.5	.2	4.2	2.9	1.0	.3	.4	.5	.5	.4	.4	.5	.3	.4	.6	.4	.4	.5	.2
1973	.5	.3	3.8	2.8	1.4	.5	.6	.5	.3	.3	.3	.4	.5	.5	.5	.5	.5	.6	.4
1974	.5	.2	3.5	3.2	1.2	.5	.5	.4	.4	.4	.3	.4	.5	.5	.4	.5	.6	.6	.2
1975	.5	.2	2.9	2.9	.9	.5	.4	.7	.6	.4	.4	.4	.5	.5	.6	.5	.5	.5	.4
1976	.5	.3	3.4	3.7	1.1	.7	.3	.4	.4	.3	.4	.5	.4	.7	.5	.5	.6	.4	.4
1977	.5	.2	3.8	3.0	.8	.8	.3	.5	.5	.5	.5	.4	.5	.5	.5	.6	.6	.6	.5


Age-specific Graphs for Nonwhite Males


Mortality Rates per 100,000







Number of Deaths





Percent of All Deaths







Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	2.6	2.1	2.0	1.1	1.4	1.4	1.0	1.8	2.7	3.9	3.7	5.2	5.7	10.0	3.7	7.8	6.4	2.4	3.7
1951	2.7	2.5	1.5	1.2	1.2	1.3	1.3	3.0	1.6	3.2	4.6	5.0	4.3	10.0	6.3	5.7	6.1	6.7	.0
1952	3.2	2.8	1.5	1.4	1.5	1.2	1.6	2.4	4.4	3.1	4.8	8.4	6.2	5.9	5.7	10.0	7.3	6.3	10.5
1953	3.0	2.9	1.0	1.0	.9	1.5	1.8	1.8	1.9	4.3	5.4	8.2	7.3	8.7	4.3	8.0	7.0	2.0	9.8
1954	2.8	2.2	1.3	1.5	1.5	1.0	.7	1.9	3.0	2.9	4.5	6.0	5.7	9.2	8.0	7.0	7.8	8.0	3.1
1955	2.8	2.0	1.3	1.0	1.0	.7	.6	1.8	2.7	3.1	5.3	6.8	8.1	6.8	7.5	5.3	9.8	15.6	11.6
1956	3.4	2.4	2.0	1.3	1.6	1.2	1.8	1.8	2.6	4.7	5.1	7.0	6.9	12.6	7.3	14.0	9.1	9.8	5.6
1957	3.0	1.7	1.7	1.2	1.4	1.2	1.3	1.5	2.0	3.5	3.7	6.9	6.7	11.1	9.9	8.0	8.5	21.1	5.3
1958	3.6	2.4	1.9	2.3	2.1	1.2	1.3	2.7	3.1	4.0	4.9	7.0	7.7	10.3	12.1	12.5	6.9	3.8	18.2
1959	3.6	2.9	1.6	1.3	2.0	1.9	1.6	2.4	2.8	5.7	3.7	7.1	10.5	11.0	6.9	9.7	4.6	16.9	10.1
1960	3.4	2.2	1.5	1.3	1.0	1.1	1.3	1.8	1.5	3.4	5.1	7.1	8.6	14.0	12.4	12.0	13.9	12.7	12.5
1961	3.2	1.9	1.9	1.6	.7	1.2	1.4	1.5	3.2	3.2	5.1	5.8	6.3	12.7	7.3	12.9	10.9	16.4	15.0
1962	3.6	2.9	2.0	1.8	1.7	.8	1.4	1.5	1.5	3.4	4.5	7.2	8.2	12.1	10.3	14.2	16.3	16.7	17.1
1963	3.8	3.4	2.1	1.8	.9	.9	1.7	1.8	3.8	2.6	5.9	5.3	7.8	13.4	11.8	15.5	16.5	11.4	16.3
1964	3.4	2.4	1.6	1.7	.9	.8	1.7	1.6	2.3	1.3	5.0	6.3	8.0	11.6	12.6	13.1	12.2	16.2	17.8
1965	3.2	1.8	1.4	1.1	1.2	1.2	.8	2.6	1.5	3.3	3.9	5.8	8.2	12.1	11.3	13.1	16.9	11.7	14.3
1966	3.7	2.2	2.2	1.2	1.7	.9	.8	1.8	3.2	3.5	4.6	5.5	8.4	12.8	10.1	15.3	17.7	21.3	18.9
1967	3.5	1.9	1.7	1.0	1.1	1.6	1.8	1.9	2.0	2.9	4.2	6.3	6.0	8.5	13.6	17.9	25.2	19.0	8.8
1968	3.8	1.7	1.4	1.4	1.6	1.5	1.6	2.0	3.9	2.8	3.8	5.2	9.1	12.9	14.8	15.5	25.7	17.2	21.3
1969	3.6	2.1	1.6	1.3	1.2	1.4	.9	2.5	3.0	2.5	5.2	5.3	9.0	8.9	14.1	15.7	20.5	18.7	21.5
1970	3.8	1.6	1.6	1.0	1.5	1.5	1.4	1.3	2.7	3.0	4.5	7.0	7.7	10.1	17.1	20.7	17.5	19.8	18.3
1971	3.6	2.2	2.1	1.5	1.2	1.0	1.3	1.8	2.1	1.6	5.4	4.3	7.4	7.3	13.0	19.3	19.2	25.0	32.9
1972	3.5	1.2	1.4	.9	1.8	.8	1.3	2.1	1.8	2.4	3.5	3.2	7.2	9.4	13.6	27.1	19.9	25.0	22.0
1973	3.7	1.5	1.0	1.6	.9	.9	1.2	2.1	2.6	2.5	3.9	4.3	9.4	10.0	14.4	25.2	25.1	18.2	25.0
1974	3.6	1.2	1.2	1.6	.8	1.0	2.1	1.2	2.3	2.6	3.4	3.9	8.2	12.2	15.0	18.9	15.6	27.8	27.6
1975	3.7	1.7	1.8	1.2	1.3	.6	1.2	1.7	2.4	1.8	3.6	5.4	9.6	7.9	11.2	21.8	28.2	29.0	23.6
1976	3.9	1.1	1.5	1.1	.9	1.0	2.0	1.5	2.3	4.0	4.1	5.3	8.5	8.8	11.8	26.8	24.6	29.2	27.5
1977	4.0	1.0	1.4	1.3	1.8	1.8	1.8	1.4	2.2	3.7	3.1	6.2	6.3	11.6	11.6	26.3	32.8	26.4	22.0

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	213	21	16	8	9	10	7	11	17	20	17	19	15	20	8	9	4	1	1
1951	221	27	12	9	8	9	9	19	10	17	21	19	12	21	14	7	4	3	0
1952	268	31	13	11	10	8	11	16	28	17	22	33	18	13	13	13	5	3	3
1953	257	34	9	8	6	10	12	12	12	24	25	33	22	20	10	11	5	1	3
1954	249	27	13	12	10	7	5	13	19	17	21	25	18	22	19	10	6	4	1
1955	254	25	13	8	7	5	4	13	17	18	25	29	27	17	18	8	8	8	4
1956	320	31	22	11	11	8	12	13	17	28	25	30	24	33	18	22	8	5	2
1957	287	23	19	11	10	8	9	11	13	21	19	30	24	30	25	13	8	11	2
1958	357	33	22	22	16	8	9	19	21	24	26	31	29	29	31	21	7	2	7
1959	362	41	20	13	16	13	11	17	19	34	20	32	41	32	18	17	5	9	4
1960	361	33	20	14	8	8	9	13	11	21	29	33	35	43	34	22	16	7	5
1961	351	29	26	19	6	9	10	11	23	20	29	28	26	40	21	25	13	10	6
1962	402	44	28	21	15	6	10	11	11	22	26	36	35	39	31	29	20	11	7
1963	434	52	30	22	8	7	12	13	28	17	34	27	34	44	37	33	21	8	7
1964	391	36	24	22	9	7	12	12	17	9	29	33	36	39	41	29	16	12	8
1965	385	27	21	14	13	10	6	19	11	23	23	31	38	42	38	30	23	9	7
1966	444	32	33	16	20	8	6	13	24	25	28	30	40	46	35	36	25	17	10
1967	431	28	26	14	13	15	14	14	15	21	26	35	29	32	48	43	37	16	5
1968	484	24	21	20	20	15	13	15	29	20	24	29	45	51	53	38	39	15	13
1969	470	29	24	20	15	15	8	19	22	18	34	30	45	37	52	39	32	17	14
1970	495	22	24	16	21	17	12	10	20	22	30	41	39	44	64	53	28	19	13
1971	484	30	31	23	17	12	12	15	16	12	37	26	37	33	49	51	32	26	25
1972	238	8	10	7	13	5	6	9	7	9	12	10	18	22	27	35	17	14	9
1973	519	21	15	25	14	12	12	19	20	19	27	28	47	48	60	65	43	22	22
1974	512	16	17	26	13	14	22	11	18	20	24	26	42	59	66	49	27	35	27
1975	536	23	25	20	21	8	14	16	19	14	26	36	52	38	52	57	51	38	26
1976	577	15	21	18	15	15	24	15	19	31	30	36	48	42	58	71	46	40	33
1977	614	14	20	20	29	27	23	15	19	29	23	43	37	56	59	74	60	37	29


Percent of All Deaths

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	.3	.2	2.5	1.6	.8	.6	.3	.4	.4	.4	.3	.3	.2	.3	.1	.2	.1	-	-
1951	.3	.2	1.9	2.0	.8	.5	.4	.7	.3	.4	.4	.3	.2	.3	.2	.1	.1	.1	.0
1952	.3	.2	2.0	2.3	1.1	.5	.6	.6	.8	.4	.4	.4	.3	.2	.2	.2	.1	.1	.1
1953	.3	.3	1.5	1.9	.7	.8	.7	.5	.4	.5	.5	.5	.3	.3	.1	.2	.1	-	.1
1954	.3	.2	2.1	3.0	1.4	.6	.3	.5	.6	.4	.4	.4	.3	.3	.2	.2	.1	.1	-
1955	.3	.2	2.1	2.0	1.1	.5	.3	.6	.6	.4	.5	.4	.4	.2	.2	.1	.2	.2	.1
1956	.4	.2	3.3	2.8	1.8	.8	.8	.6	.5	.7	.5	.5	.3	.4	.2	.3	.2	.1	-
1957	.3	.2	2.6	2.5	1.4	.7	.6	.5	.4	.5	.4	.4	.3	.4	.3	.2	.1	.3	-
1958	.4	.2	3.1	5.5	2.5	.8	.6	.8	.7	.6	.5	.5	.4	.4	.3	.3	.1	-	.2
1959	.4	.3	2.6	2.8	2.3	1.3	.8	.8	.6	.9	.4	.5	.5	.4	.2	.2	.1	.2	.1
1960	.4	.2	2.5	3.0	1.2	.8	.6	.6	.3	.5	.6	.5	.4	.5	.4	.3	.2	.2	.1
1961	.4	.2	3.7	4.2	.9	.9	.7	.5	.7	.5	.6	.4	.4	.4	.2	.3	.2	.2	.1
1962	.4	.3	3.4	4.3	2.0	.6	.7	.5	.3	.5	.5	.5	.5	.4	.3	.3	.3	.2	.1
1963	.4	.4	3.6	3.9	1.0	.7	.8	.6	.8	.4	.7	.4	.4	.4	.4	.3	.3	.1	.1
1964	.4	.3	3.2	4.0	1.1	.7	.8	.6	.5	.2	.6	.5	.5	.4	.4	.3	.2	.2	.1
1965	.4	.2	2.6	2.6	1.5	1.0	.4	.9	.3	.5	.4	.5	.5	.4	.4	.3	.3	.1	.1
1966	.4	.3	4.2	2.9	2.2	.7	.4	.6	.7	.6	.5	.5	.5	.5	.3	.4	.3	.3	.1
1967	.4	.3	3.5	2.4	1.4	1.2	1.0	.7	.5	.5	.5	.5	.4	.3	.4	.4	.4	.3	.1
1968	.5	.2	2.8	3.3	2.0	1.1	.8	.7	.9	.4	.4	.4	.5	.5	.4	.4	.4	.2	.2
1969	.5	.3	3.3	3.2	1.2	1.1	.5	.9	.7	.4	.6	.5	.5	.4	.4	.4	.4	.2	.2
1970	.5	.2	3.4	2.7	1.8	1.1	.7	.5	.7	.5	.5	.6	.5	.5	.5	.5	.3	.3	.2
1971	.5	.3	4.7	3.7	1.3	.7	.7	.7	.5	.3	.7	.4	.5	.3	.4	.4	.3	.4	.3
1972	.5	.2	3.1	2.4	2.3	.6	.7	.9	.5	.4	.4	.3	.5	.4	.5	.6	.4	.4	.2
1973	.5	.3	2.4	4.4	1.2	.7	.7	.9	.7	.5	.5	.4	.6	.5	.5	.5	.4	.3	.2
1974	.5	.2	3.1	5.0	1.2	.9	1.3	.6	.7	.5	.5	.4	.6	.6	.6	.4	.3	.4	.3
1975	.5	.3	4.8	3.9	2.0	.5	.9	.9	.8	.4	.5	.6	.7	.4	.5	.5	.5	.5	.3
1976	.6	.2	4.1	3.9	1.6	1.0	1.4	.8	.9	.9	.7	.6	.7	.5	.5	.6	.4	.5	.3
1977	.6	.2	4.0	4.6	2.8	1.8	1.4	.9	.9	.9	.5	.7	.5	.6	.5	.6	.5	.4	.3


Age-specific Graphs for Nonwhite Females


Mortality Rates per 100,000







Number of Deaths






Percent of All Deaths







Age-adjusted Mortality Rates




	WHITE MALE				WHITE FEMALE				OTHER MALE				OTHER FEMALE			
	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF TOTAL*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF TOTAL*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF TOTAL*	TOTAL DEATHS	CRUDE RATE	ADJ. RATE	% OF TOTAL*
1950	730771	1079.0	1258.9	100.0	544396	799.9	879.1	100.0	96173	1237.0	1604.4	100.0	79842	986.6	1288.6	100.0
1951	746436	1085.1	1253.1	100.0	555552	802.7	868.6	100.0	97987	1233.2	1583.8	100.0	80811	975.6	1265.3	100.0
1952	753082	1077.7	1235.8	100.0	561138	797.0	851.9	100.0	100184	1234.6	1577.8	100.0	81346	959.7	1222.2	100.0
1953	766274	1080.3	1234.0	100.0	568883	794.7	839.6	100.0	100210	1208.0	1548.9	100.0	81179	935.4	1190.4	100.0
1954	749705	1040.1	1178.9	100.0	556654	764.2	795.1	100.0	95860	1128.5	1436.7	100.0	77958	876.5	1100.7	100.0
1955	774215	1057.0	1194.6	100.0	575740	776.9	798.6	100.0	97690	1122.3	1431.5	100.0	79834	874.8	1097.4	100.0
1956	791946	1063.9	1199.4	100.0	588307	780.1	792.4	100.0	100813	1130.5	1444.9	100.0	82436	880.7	1105.4	100.0
1957	822670	1087.2	1221.2	100.0	614359	800.3	802.7	100.0	107420	1175.1	1501.8	100.0	87643	911.9	1136.5	100.0
1958	828280	1078.5	1210.4	100.0	622336	797.3	791.5	100.0	108075	1154.6	1476.2	100.0	88424	897.3	1118.6	100.0
1959	834329	1069.0	1195.7	100.0	625995	788.3	773.2	100.0	108284	1125.7	1437.3	100.0	87426	863.0	1075.3	100.0
1960	860590	1085.8	1213.4	100.0	644308	797.8	773.0	100.0	114621	1139.1	1471.2	100.0	91743	866.6	1093.5	100.0
1961	854337	1062.1	1187.2	100.0	643618	784.0	751.4	100.0	112133	1089.0	1412.9	100.0	90830	836.4	1056.7	100.0
1962	877030	1075.3	1201.3	100.0	666549	799.7	759.1	100.0	117155	1112.9	1454.9	100.0	95137	855.2	1078.9	100.0
1963	903775	1094.8	1230.4	100.0	682425	807.1	759.4	100.0	123542	1149.1	1518.2	100.0	98910	868.6	1091.4	100.0
1964	895294	1071.7	1200.5	100.0	683001	796.8	740.5	100.0	122121	1112.3	1455.5	100.0	97024	832.6	1041.1	100.0
1965	910289	1078.3	1209.5	100.0	694856	800.6	734.9	100.0	124566	1113.1	1468.2	100.0	97875	821.9	1023.5	100.0
1966	924091	1084.4	1214.5	100.0	709983	808.8	732.7	100.0	128332	1125.5	1497.6	100.0	100110	823.2	1025.5	100.0
1967	919302	1069.5	1193.2	100.0	707495	797.3	711.6	100.0	126300	1088.5	1446.9	100.0	97639	786.5	974.6	100.0
1968	950892	1097.6	1221.7	100.0	738222	823.8	725.2	100.0	135918	1152.3	1541.5	100.0	104365	824.1	1023.5	100.0
1969	945081	1082.5	1200.2	100.0	738061	815.7	707.6	100.0	135437	1130.1	1508.1	100.0	102741	795.7	982.5	100.0
1970	942117	1069.8	1176.4	100.0	739516	808.8	687.6	100.0	135888	1113.5	1481.1	100.0	102791	779.9	956.2	100.0
1971	942024	1060.6	1162.0	100.0	747240	809.5	676.7	100.0	134842	1083.2	1440.4	100.0	102678	762.6	929.7	100.0
1972	478631	1070.8	1167.8	100.0	381915	821.2	675.3	100.0	69281	1092.6	1460.2	100.0	51876	754.9	919.1	100.0
1973	957684	1065.5	1154.7	100.0	770362	822.9	665.0	100.0	138754	1075.2	1440.3	100.0	105657	754.3	916.5	100.0
1974	936405	1036.7	1113.7	100.0	760531	807.5	640.6	100.0	134886	1027.6	1372.2	100.0	102053	715.3	862.0	100.0
1975	917615	1010.5	1074.0	100.0	742436	783.4	610.1	100.0	132935	991.6	1315.2	100.0	99452	682.0	814.8	100.0
1976	918357	1006.2	1061.7	100.0	756293	793.3	605.2	100.0	133318	976.1	1294.6	100.0	100997	679.0	804.5	100.0
1977	912398	994.0	1039.0	100.0	751303	783.0	587.9	100.0	133477	959.7	1272.3	100.0	101850	671.7	791.8	100.0


*Age-adjusted rate as percent of age-adjusted rate for all causes.

Age-specific Rates


White Males




White Females



Nonwhite Males



Nonwhite Females



Age-specific Data for White Males

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	1079.	759.	67.	67.	130.	168.	168.	198.	291.	473.	770.	1212.	1873.	2797.	4040.	6000.	8970.	13323.	21558.
1951	1085.	736.	67.	67.	132.	165.	170.	200.	289.	477.	757.	1226.	1892.	2760.	4064.	5952.	8956.	13515.	20858.
1952	1078.	748.	67.	66.	141.	163.	170.	193.	277.	464.	757.	1220.	1883.	2765.	4028.	5806.	8773.	13525.	19695.
1953	1080.	731.	63.	63.	135.	166.	160.	186.	266.	456.	746.	1199.	1857.	2771.	4052.	5813.	8786.	13706.	20025.
1954	1040.	692.	58.	57.	123.	158.	154.	178.	255.	422.	710.	1156.	1753.	2646.	3943.	5644.	8407.	13049.	18895.
1955	1057.	670.	57.	56.	128.	167.	154.	174.	256.	421.	699.	1154.	1761.	2646.	3965.	5722.	8649.	13302.	19876.
1956	1064.	658.	53.	55.	128.	172.	151.	175.	247.	420.	699.	1139.	1776.	2682.	3996.	5727.	8632.	13362.	20389.
1957	1087.	659.	55.	55.	132.	167.	149.	177.	255.	429.	700.	1178.	1797.	2769.	4131.	5861.	8639.	13400.	21111.
1958	1078.	650.	53.	53.	122.	161.	145.	173.	253.	420.	689.	1174.	1765.	2732.	4053.	5781.	8678.	13411.	21228.
1959	1069.	633.	55.	56.	124.	161.	146.	174.	248.	439.	695.	1161.	1765.	2704.	3989.	5721.	8490.	13161.	21029.
1960	1086.	626.	53.	51.	122.	158.	150.	172.	251.	413.	706.	1176.	1777.	2749.	4046.	5881.	8632.	13400.	21485.
1961	1062.	605.	50.	50.	117.	155.	142.	168.	244.	406.	684.	1139.	1720.	2710.	3993.	5651.	8479.	13058.	21580.
1962	1075.	588.	49.	50.	116.	157.	144.	170.	250.	405.	692.	1155.	1748.	2729.	4082.	5722.	8643.	12730.	22638.
1963	1095.	579.	49.	48.	119.	158.	150.	172.	256.	406.	703.	1160.	1785.	2788.	4144.	5892.	8862.	13363.	23416.
1964	1072.	558.	48.	49.	126.	162.	153.	179.	254.	411.	693.	1142.	1746.	2782.	4032.	5747.	8623.	12895.	22192.
1965	1078.	530.	48.	49.	129.	162.	154.	176.	255.	409.	684.	1156.	1751.	2801.	4062.	5779.	8742.	13073.	22734.
1966	1084.	509.	48.	49.	137.	171.	157.	176.	256.	412.	690.	1161.	1781.	2808.	4088.	5872.	8769.	13044.	22566.
1967	1069.	490.	47.	49.	137.	167.	158.	175.	259.	410.	687.	1131.	1758.	2758.	3996.	5859.	8609.	12704.	22013.
1968	1098.	494.	49.	49.	144.	178.	165.	179.	260.	419.	695.	1146.	1795.	2802.	4128.	6058.	8843.	12993.	22371.
1969	1083.	497.	49.	48.	150.	185.	170.	181.	261.	423.	689.	1108.	1772.	2722.	4070.	5901.	8644.	12896.	21594.
1970	1070.	496.	48.	48.	144.	182.	164.	181.	257.	418.	681.	1091.	1766.	2692.	4017.	5810.	8649.	12507.	20075.
1971	1061.	456.	46.	47.	147.	179.	165.	180.	254.	405.	667.	1064.	1727.	2635.	3927.	5745.	8654.	12436.	20420.
1972	1071.	416.	45.	49.	150.	186.	165.	177.	244.	398.	671.	1056.	1722.	2670.	3927.	5894.	8858.	12593.	20224.
1973	1066.	394.	45.	49.	156.	193.	171.	181.	250.	393.	660.	1021.	1692.	2610.	3870.	5761.	8824.	12514.	20313.
1974	1037.	382.	42.	47.	149.	185.	165.	174.	235.	372.	643.	995.	1606.	2511.	3740.	5606.	8499.	12182.	19432.
1975	1011.	368.	39.	43.	144.	186.	167.	168.	228.	362.	605.	971.	1534.	2443.	3589.	5457.	8248.	11819.	18225.
1976	1006.	360.	38.	43.	138.	180.	158.	163.	218.	351.	586.	941.	1496.	2407.	3541.	5338.	8241.	11761.	18734.
1977	994.	354.	38.	43.	145.	187.	166.	163.	218.	339.	564.	925.	1440.	2338.	3436.	5234.	8105.	11598.	18042.

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	730771	55516	3980	3318	6116	8653	9103	10229	14541	21752	31566	45584	63046	79373	90410	91360	84077	63907	48249
1951	746436	56708	4088	3390	6161	8443	9142	10489	14541	22254	31625	46204	64666	79587	93310	93067	86897	65637	50227
1952	753082	57298	4438	3502	6530	8194	9072	10279	14112	21931	32358	46028	64836	81347	94528	93571	87747	66764	50577
1953	766274	56876	4293	3536	6332	8066	8555	9977	13666	21819	32575	45641	63957	83073	97164	96656	90423	69438	54227
1954	749705	54992	4145	3330	5914	7523	8148	9663	13136	20411	31686	44508	60691	80449	96566	97442	88964	68328	53809
1955	774215	54585	4235	3417	6236	7852	8064	9485	13315	20599	31834	44971	61522	81456	98764	102340	94110	72443	58987
1956	791946	54815	4160	3416	6391	8015	7835	9489	13065	20778	32298	45155	62639	83532	100888	105574	96253	75707	61936
1957	822670	56181	4306	3715	6855	7767	7585	9527	13718	21483	32766	47757	63837	86448	106306	110908	99361	78334	65816
1958	828280	56326	4205	3705	6752	7606	7205	9300	13660	21242	32665	48562	63709	84925	106083	112116	102489	80278	67452
1959	834329	55623	4405	4006	7143	7772	7090	9266	13540	20892	33374	49033	64935	84118	105816	113809	104127	80649	68740
1960	860590	55472	4438	3847	7308	7755	7182	9039	13803	21336	34247	50716	66540	85890	108726	119269	109193	83885	71974
1961	854337	54025	4227	3952	7192	7849	6803	8723	13406	21266	33381	50067	65608	84903	107652	116802	110061	84616	73804
1962	877030	52286	4193	3926	7745	8264	6861	8678	13686	21526	33984	51497	68228	86033	109847	120383	114438	87584	77874
1963	903775	51124	4284	3841	8275	8865	7248	8662	13835	21852	34722	52332	71362	88493	111106	125626	119195	91934	81019
1964	895294	48840	4278	4010	9171	9518	7485	8818	13585	22327	34310	52075	71271	89328	108017	123628	118044	91809	78780
1965	910289	45468	4217	4076	9797	9897	7656	8555	13417	22287	34348	53248	72670	91376	109100	124706	121250	95698	82523
1966	924091	42234	4317	4164	10933	10667	8014	8513	13253	22440	35015	53994	74894	93490	110213	126356	123464	97959	84171
1967	919302	39252	4158	4243	10839	11348	8376	8449	13179	22171	35368	53106	74698	94252	108534	125434	123104	97690	85191
1968	950892	38111	4319	4351	11607	12520	9253	8751	12987	22436	36266	54334	76768	98401	113148	128682	127965	101732	89261
1969	945081	37191	4273	4299	12352	13497	9914	8993	12782	22373	36257	53156	76206	97922	112983	124755	125861	102653	89614
1970	942117	36635	4099	4382	12200	13812	9897	9130	12459	21819	35992	53092	76502	98781	113614	122829	124979	101556	90339
1971	942024	33747	3820	4293	12665	14272	10170	9270	12238	20918	35109	52685	75489	98218	113486	121669	126178	102842	94955
1972	478631	15140	1816	2221	6605	7372	5520	4731	5891	10132	17475	26739	37820	50566	58341	62415	64307	53205	48335
1973	957684	28072	3510	4389	13885	15495	11775	10288	12181	19669	34208	52363	74769	100070	118011	124036	126088	108125	100750
1974	936405	26478	3165	4211	13458	15168	11793	10260	11619	18323	33020	51527	71691	97471	116919	122993	122945	105737	101627
1975	917615	24783	2918	3802	13043	15575	12438	10244	11448	17522	30876	50315	69872	95476	115627	121589	118439	103412	100236
1976	918357	23280	2831	3636	12581	15306	12349	10116	11176	16886	29575	48596	69477	95160	116171	121984	118919	105028	105286
1977	912398	22770	2798	3487	13209	16255	12804	11005	11583	16314	28093	47325	68530	93031	114844	123782	117355	104030	105183

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1951	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1952	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1953	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1954	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1955	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1956	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1957	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1958	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1959	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1960	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1961	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1962	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1963	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1964	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1965	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1966	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1967	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1968	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1969	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1970	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1971	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1972	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1973	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1974	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1975	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1976	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1977	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.

Age-specific Graphs for White Males

Mortality Rates per 100,000



Number of Deaths



Age-specific Data for White Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	800.	581.	48.	41.	63.	80.	98.	128.	187.	288.	441.	657.	1011.	1612.	2502.	4232.	6973.	10974.	19316.
1951	803.	566.	49.	38.	62.	76.	94.	126.	183.	281.	426.	666.	998.	1582.	2463.	4123.	6873.	11159.	19130.
1952	797.	580.	49.	42.	66.	73.	92.	118.	179.	274.	416.	645.	975.	1532.	2420.	4049.	6715.	10868.	18798.
1953	795.	554.	43.	37.	59.	67.	83.	112.	167.	265.	402.	635.	961.	1485.	2412.	3990.	6604.	10993.	18893.
1954	764.	528.	41.	33.	52.	64.	76.	104.	157.	251.	383.	605.	894.	1411.	2290.	3772.	6290.	10313.	18064.
1955	777.	510.	39.	32.	54.	65.	74.	101.	155.	247.	369.	576.	880.	1386.	2305.	3718.	6395.	10534.	18983.
1956	780.	502.	37.	32.	54.	63.	72.	101.	148.	240.	369.	562.	874.	1370.	2285.	3666.	6321.	10532.	19105.
1957	800.	504.	38.	33.	55.	63.	76.	106.	154.	240.	373.	580.	877.	1400.	2304.	3715.	6311.	10614.	19609.
1958	797.	503.	38.	32.	50.	60.	72.	99.	149.	233.	368.	569.	851.	1372.	2234.	3657.	6247.	10614.	19582.
1959	788.	482.	38.	31.	50.	60.	72.	101.	146.	228.	362.	558.	836.	1341.	2173.	3553.	6076.	10431.	19150.
1960	798.	472.	38.	31.	50.	60.	72.	98.	147.	237.	368.	557.	825.	1360.	2145.	3553.	6027.	10512.	19247.
1961	784.	458.	37.	29.	48.	58.	71.	97.	147.	226.	364.	552.	789.	1310.	2089.	3428.	5829.	10094.	19097.
1962	800.	443.	36.	29.	48.	61.	73.	98.	150.	231.	370.	558.	803.	1318.	2095.	3421.	5897.	10117.	19788.
1963	807.	436.	35.	29.	51.	62.	72.	98.	153.	233.	374.	560.	817.	1327.	2090.	3421.	5686.	10120.	20252.
1964	797.	425.	35.	29.	51.	63.	71.	103.	152.	235.	370.	568.	802.	1295.	2041.	3287.	5701.	9683.	19313.
1965	801.	402.	34.	28.	50.	63.	71.	102.	151.	236.	376.	567.	800.	1282.	2026.	3231.	5697.	9588.	19354.
1966	809.	385.	35.	29.	55.	63.	73.	101.	147.	237.	373.	568.	806.	1259.	2018.	3282.	5667.	9536.	19294.
1967	797.	369.	34.	28.	55.	63.	70.	95.	149.	234.	372.	557.	805.	1233.	1976.	3188.	5471.	9185.	18496.
1968	824.	371.	34.	28.	57.	64.	71.	96.	152.	239.	379.	571.	831.	1259.	1998.	3233.	5577.	9377.	18876.
1969	816.	378.	34.	29.	58.	66.	71.	99.	152.	240.	369.	552.	819.	1213.	1949.	3169.	5373.	9160.	18179.
1970	809.	380.	32.	28.	57.	65.	72.	96.	151.	232.	373.	556.	828.	1215.	1914.	3119.	5312.	8758.	16458.
1971	809.	348.	33.	28.	58.	63.	73.	94.	143.	233.	363.	543.	817.	1212.	1846.	3050.	5245.	8606.	16647.
1972	821.	311.	33.	29.	58.	64.	70.	95.	143.	229.	363.	527.	819.	1203.	1875.	3099.	5323.	8571.	16605.
1973	823.	299.	33.	28.	58.	62.	69.	91.	141.	222.	356.	524.	820.	1200.	1804.	2986.	5290.	8449.	16619.
1974	808.	291.	29.	27.	54.	59.	66.	86.	130.	214.	342.	509.	785.	1183.	1740.	2912.	5065.	8199.	15786.
1975	783.	284.	28.	24.	52.	60.	64.	84.	124.	207.	327.	500.	762.	1149.	1662.	2798.	4798.	7804.	14457.
1976	793.	282.	27.	24.	53.	57.	62.	81.	119.	194.	319.	489.	751.	1157.	1652.	2721.	4743.	7739.	14787.
1977	783.	272.	26.	25.	55.	59.	61.	78.	116.	192.	310.	480.	726.	1144.	1633.	2635.	4603.	7495.	14040.

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	544396	40705	2741	1963	2892	4132	5432	6803	9581	13334	18135	24859	34039	45764	59568	71144	75701	65818	61785
1951	555552	41824	2842	1854	2832	3869	5204	6810	9452	13265	17877	25335	34373	46049	60416	71708	77974	69047	64821
1952	561138	42530	3122	2118	2983	3631	5054	6462	9343	13112	17964	24602	34086	45993	60880	73085	79272	69635	67266
1953	568883	41288	2860	2014	2737	3234	4590	6167	8818	12885	17809	24446	33835	45971	62237	74806	80794	73290	71192
1954	556654	40260	2845	1885	2427	3007	4057	5776	8355	12345	17370	23610	31803	44785	60653	73844	79721	72053	71858
1955	575740	39858	2792	1852	2568	3015	3916	5657	8290	12311	17133	22777	31720	44995	62495	75885	83929	77068	79498
1956	588307	40077	2819	1926	2637	2925	3768	5616	8059	12149	17375	22677	31918	45413	63335	77610	85731	80636	83636
1957	614359	41244	2872	2159	2805	2929	3866	5870	8529	12311	17846	24024	32350	46973	65763	81123	88994	84546	90155
1958	622336	41854	2875	2111	2715	2803	3690	5416	8304	12094	17861	24086	31948	46278	65535	82348	91466	87095	93947
1959	625995	40694	2936	2138	2808	2873	3522	5474	8238	11987	17776	24210	32057	45595	65206	82567	93037	88207	96670
1960	644308	40207	3019	2214	2901	2916	3459	5215	8396	12622	18268	24696	32340	46710	65834	85018	96133	91771	102589
1961	643618	39333	2964	2245	2856	2888	3374	5112	8335	12242	18263	25037	31643	45261	65160	84818	96406	92457	105224
1962	666549	37933	3000	2187	3135	3158	3492	5036	8433	12733	18715	25761	33145	45906	66111	87540	100847	97221	112196
1963	682425	37004	2944	2226	3395	3445	3481	4918	8489	13011	19081	26244	34754	46696	66456	90217	100186	101607	118271
1964	683001	35699	2968	2246	3576	3668	3469	5083	8304	13250	19083	27021	35037	46231	65494	88938	103650	101861	117423
1965	694856	33078	2878	2249	3666	3775	3524	4949	8116	13370	19689	27368	35664	46682	65681	89118	106882	105271	122896
1966	709983	30604	2973	2346	4256	3826	3724	4890	7752	13413	19829	27740	36540	47006	66129	91752	109714	108994	128495
1967	707495	28274	2873	2342	4170	4179	3708	4597	7753	13155	20134	27597	36943	47471	65549	89946	109472	109120	130212
1968	738222	27388	2913	2412	4431	4417	4012	4720	7715	13329	20884	28677	38502	50055	67285	91812	114934	115246	139490
1969	738061	27027	2829	2519	4615	4690	4177	4932	7591	13189	20543	28210	38264	49601	66888	90550	113486	116612	142338
1970	739516	26865	2646	2410	4672	4826	4360	4899	7447	12557	20873	28920	39039	50841	67187	90091	113145	116567	142201
1971	747240	24593	2645	2485	4785	4920	4491	4908	7007	12424	20291	28718	38846	51595	66128	88882	114087	119276	151159
1972	381915	10813	1283	1254	2470	2485	2305	2556	3518	5989	10039	14261	19579	26046	34688	45345	58362	61883	79039
1973	770362	20306	2425	2425	4987	4888	4707	5222	7014	11400	19486	28777	39427	52540	68827	89020	115645	126909	166357
1974	760531	19196	2056	2335	4686	4697	4703	5118	6607	10815	18457	28216	38242	52267	68353	88305	111730	125361	169387
1975	742436	18202	1946	2053	4593	4871	4715	5151	6384	10254	17439	27733	37837	51014	67324	85979	107944	121735	167262
1976	756293	17377	1899	1963	4641	4729	4764	5023	6276	9583	16767	27055	38002	51842	68191	85549	108099	124282	180251
1977	751303	16627	1781	1962	4847	5018	4684	5278	6300	9500	15993	26283	37623	51478	68590	85863	105691	122392	181393

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1951	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1952	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1953	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1954	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1955	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1956	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1957	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1958	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1959	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1960	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1961	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1962	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1963	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1964	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1965	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1966	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1967	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1968	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1969	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1970	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1971	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1972	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1973	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1974	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1975	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1976	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1977	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.

Age-specific Graphs for White Females

Mortality Rates per 100,000



Number of Deaths



YEAR AGE

Age-specific Data for Nonwhite Males

Mortality Rates per 100,000

		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	1237.	1421.	97.	95.	215.	359.	426.	564.	697.	1034.	1455.	2319.	3231.	4242.	4592.	6304.	8738.	9263.	16138.
1951	1233.	1412.	100.	103.	205.	348.	433.	515.	681.	1017.	1384.	2355.	3158.	4179.	4680.	6282.	8348.	9397.	15727.
1952	1235.	1447.	96.	88.	220.	332.	429.	522.	679.	1012.	1422.	2257.	3117.	4221.	4591.	6282.	8206.	9855.	15302.
1953	1208.	1349.	88.	91.	201.	315.	405.	497.	643.	976.	1388.	2247.	2981.	4269.	4649.	6406.	7664.	9898.	15535.
1954	1129.	1313.	81.	81.	189.	282.	391.	448.	562.	887.	1307.	2030.	2710.	3978.	4334.	6094.	7344.	9106.	13520.
1955	1122.	1287.	77.	76.	166.	297.	373.	426.	564.	877.	1315.	1884.	2698.	3903.	4528.	6169.	7189.	9725.	13558.
1956	1131.	1293.	76.	78.	169.	301.	368.	446.	569.	847.	1303.	1816.	2758.	4008.	4599.	6127.	7250.	9953.	14256.
1957	1175.	1304.	77.	87.	170.	290.	380.	465.	591.	880.	1348.	1911.	2779.	4255.	4994.	6417.	7426.	9899.	15325.
1958	1155.	1316.	72.	72.	158.	283.	347.	453.	560.	850.	1280.	1894.	2669.	3955.	5113.	6385.	7553.	10234.	14910.
1959	1126.	1264.	75.	79.	166.	271.	349.	449.	586.	864.	1253.	1849.	2620.	3767.	4911.	6226.	7322.	9935.	14307.
1960	1139.	1235.	72.	78.	163.	265.	338.	424.	594.	870.	1239.	1903.	2492.	4021.	5062.	6449.	7566.	10726.	15416.
1961	1089.	1151.	66.	70.	157.	263.	339.	419.	588.	865.	1177.	1806.	2358.	3873.	4965.	6125.	7296.	9494.	16113.
1962	1113.	1161.	68.	71.	157.	267.	334.	416.	607.	873.	1217.	1877.	2372.	3987.	4968.	6432.	7678.	10016.	16947.
1963	1149.	1175.	69.	68.	161.	276.	349.	427.	615.	910.	1254.	1915.	2503.	4120.	5179.	6803.	8229.	10451.	18177.
1964	1112.	1151.	70.	71.	163.	270.	366.	456.	653.	944.	1278.	1888.	2473.	4051.	4719.	6330.	7849.	9611.	15528.
1965	1113.	1096.	70.	65.	171.	280.	386.	453.	657.	944.	1320.	1884.	2493.	3941.	4853.	6434.	8181.	9725.	15762.
1966	1126.	1033.	70.	69.	182.	305.	389.	489.	662.	992.	1383.	1899.	2604.	3823.	4966.	6701.	8367.	9991.	16233.
1967	1089.	955.	68.	65.	186.	320.	410.	508.	669.	987.	1334.	1905.	2570.	3589.	4747.	6506.	8169.	9438.	14654.
1968	1152.	933.	71.	74.	212.	349.	444.	554.	729.	1047.	1458.	1972.	2763.	3901.	5106.	6869.	8748.	9988.	15512.
1969	1130.	937.	69.	72.	231.	377.	451.	552.	749.	1053.	1430.	1963.	2727.	3622.	5001.	6573.	8563.	10113.	14102.
1970	1113.	939.	63.	68.	223.	389.	452.	555.	725.	1030.	1404.	1940.	2686.	3541.	4822.	6540.	8485.	9859.	13449.
1971	1083.	851.	68.	65.	217.	413.	484.	532.	728.	958.	1328.	1844.	2599.	3473.	4548.	6603.	8257.	9481.	13629.
1972	1093.	776.	57.	61.	207.	403.	464.	554.	738.	984.	1421.	1873.	2685.	3484.	4625.	6841.	8672.	9390.	13592.
1973	1075.	726.	65.	68.	189.	372.	467.	520.	698.	921.	1352.	1839.	2657.	3492.	4496.	6987.	8703.	9377.	13867.
1974	1028.	679.	59.	58.	179.	348.	427.	501.	646.	880.	1251.	1757.	2550.	3356.	4300.	6884.	8421.	8762.	12782.
1975	992.	658.	56.	57.	163.	330.	429.	471.	623.	839.	1165.	1690.	2393.	3273.	4037.	6505.	8254.	9167.	11514.
1976	976.	656.	55.	50.	149.	292.	384.	431.	574.	808.	1136.	1683.	2353.	3363.	3963.	6394.	8428.	8911.	11519.
1977	960.	646.	52.	54.	144.	268.	375.	410.	554.	789.	1099.	1624.	2311.	3360.	3795.	6196.	8650.	8986.	11286.

Number of Deaths


		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	96173	14273	785	686	1356	2207	2671	3117	3945	5164	6535	8701	9113	8890	9303	7355	5673	3438	2991
1951	97987	15251	818	762	1298	2114	2703	2924	3918	5140	6198	9086	9174	9047	9668	7574	5668	3577	3067
1952	100184	16165	831	673	1391	2006	2640	3054	3947	5224	6352	8925	9351	9346	9667	7820	5815	3845	3132
1953	100210	15617	794	728	1291	1901	2451	2990	3760	5144	6183	9121	9256	9706	10022	8224	5736	3956	3330
1954	95860	15735	781	664	1235	1699	2339	2753	3323	4765	5845	8415	8726	9281	9560	8061	5788	3726	3164
1955	97690	16049	788	642	1106	1795	2215	2648	3370	4772	5954	7934	8997	9416	10214	8463	5951	4072	3304
1956	100813	16690	840	669	1156	1824	2175	2790	3441	4644	6027	7711	9515	9949	10512	8706	6290	4262	3612
1957	107420	17548	876	787	1213	1757	2251	2903	3621	4823	6422	8148	9936	10899	11564	9496	6812	4333	4031
1958	108075	18299	851	681	1175	1728	2070	2805	3474	4651	6287	8083	9876	10445	11943	9762	7153	4577	4215
1959	108284	18132	928	791	1280	1692	2105	2776	3654	4735	6339	7973	9988	10338	11682	9902	7236	4544	4189
1960	114621	18308	942	841	1321	1722	2097	2692	3791	4898	6577	8600	9968	11661	12694	10835	7944	5041	4779
1961	112133	17279	891	811	1293	1777	2039	2681	3781	4942	6250	8363	9527	11504	12759	10658	7807	4937	4834
1962	117155	17489	952	847	1379	1886	2061	2679	3914	5071	6449	8879	9750	12121	13116	11577	8292	5609	5084
1963	123542	17759	987	843	1495	2045	2171	2761	3972	5394	6621	9230	10463	12732	13982	12517	8960	6166	5453
1964	122121	17386	1034	914	1617	2092	2311	2932	4213	5690	6773	9231	10535	12720	13165	11964	8712	5863	4969
1965	124566	16479	1049	862	1809	2251	2479	2911	4222	5758	7060	9395	10768	12659	13889	12353	9244	6127	5359
1966	128332	15324	1053	943	2068	2508	2592	3135	4249	6103	7509	9439	11432	12615	14502	13000	9622	6394	5844
1967	126300	13841	1033	927	2208	2790	2841	3252	4293	6102	7403	9486	11386	12240	14098	12816	9640	6229	5715
1968	135918	13192	1082	1100	2624	3202	3216	3581	4648	6479	8265	9841	12351	13769	15369	13737	10410	6692	6360
1969	135437	12880	1062	1096	2964	3691	3391	3637	4721	6518	8263	9872	12216	13221	15204	13344	10275	6877	6205
1970	135888	12706	955	1055	3007	4057	3524	3748	4545	6395	8283	9974	12007	13421	14949	13603	10437	6901	6321
1971	134842	11648	1031	1024	3031	4617	3830	3721	4581	5977	7956	9808	11385	13684	14143	14197	10651	7016	6542
1972	69281	5362	425	488	1508	2328	1943	2019	2342	3090	4278	5180	5854	7038	7469	7217	5689	3662	3398
1973	138754	10092	952	1091	2838	4461	4097	3956	4451	5859	8179	10521	11584	14353	15060	14952	11314	7783	7211
1974	134886	9414	849	939	2771	4332	3970	3960	4182	5634	7654	10194	11400	13963	14922	14938	11032	7448	7286
1975	132935	9115	799	932	2594	4296	4240	3874	4119	5347	7290	9836	11270	13484	14734	14246	11391	7884	7484
1976	133318	8955	795	806	2420	3946	4082	3615	3930	5168	7171	9982	11505	13553	15180	14131	12137	8109	7833
1977	133477	8825	758	857	2364	3792	4133	3636	3948	5107	7001	9713	11785	13474	15029	14375	12197	8357	8126

Percent of All Deaths


		AGE																
YEAR	ALL	00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1951	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1952	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1953	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1954	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1955	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1956	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1957	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1958	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1959	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1960	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1961	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1962	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1963	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1964	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1965	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1966	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1967	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1968	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1969	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1970	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1971	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1972	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1973	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1974	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1975	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1976	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1977	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.

Age-specific Graphs for Nonwhite Males

Mortality Rates per 100,000



Number of Deaths



Age-specific Data for Nonwhite Females

Mortality Rates per 100,000

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	987.	1148.	80.	69.	177.	254.	331.	454.	612.	921.	1246.	1922.	2591.	3538.	3327.	5107.	6912.	6960.	13048.
1951	976.	1118.	79.	62.	154.	239.	317.	408.	575.	896.	1185.	1960.	2493.	3352.	3399.	5000.	7016.	6959.	13466.
1952	960.	1158.	74.	63.	144.	221.	289.	416.	560.	838.	1168.	1886.	2387.	3197.	3400.	4871.	6622.	6503.	12737.
1953	935.	1111.	68.	54.	133.	186.	263.	366.	522.	796.	1145.	1805.	2263.	3115.	3382.	4837.	6662.	6892.	12505.
1954	876.	1060.	63.	48.	107.	166.	238.	342.	481.	741.	1076.	1697.	2045.	2943.	3233.	4435.	5897.	6595.	10837.
1955	875.	1047.	61.	49.	92.	165.	234.	322.	477.	688.	1054.	1567.	2110.	2867.	3341.	4511.	6113.	6859.	11017.
1956	881.	1021.	61.	47.	88.	151.	228.	318.	481.	703.	1067.	1481.	2253.	2903.	3319.	4667.	5915.	7219.	11458.
1957	912.	1062.	64.	48.	100.	161.	231.	333.	487.	693.	1064.	1553.	2231.	2989.	3602.	4709.	5931.	7591.	11853.
1958	897.	1068.	60.	42.	83.	144.	215.	332.	455.	670.	995.	1527.	2114.	2940.	3514.	4766.	5806.	8115.	12008.
1959	863.	1023.	61.	47.	89.	147.	200.	312.	442.	659.	928.	1406.	2031.	2757.	3368.	4575.	5648.	7907.	12061.
1960	867.	981.	61.	44.	80.	135.	211.	308.	447.	658.	917.	1409.	1942.	2991.	3433.	4666.	5833.	8244.	12961.
1961	836.	927.	52.	39.	82.	131.	193.	293.	427.	636.	857.	1343.	1786.	3051.	3240.	4481.	5724.	7818.	13533.
1962	855.	930.	58.	41.	83.	136.	194.	288.	452.	646.	868.	1337.	1795.	3120.	3319.	4644.	5899.	7909.	14095.
1963	869.	931.	58.	45.	84.	127.	207.	295.	450.	665.	892.	1377.	1819.	3189.	3338.	4699.	6087.	8026.	13484.
1964	833.	917.	51.	43.	81.	123.	204.	282.	442.	625.	877.	1344.	1683.	3067.	3081.	4343.	5789.	7576.	13422.
1965	822.	883.	54.	40.	80.	122.	189.	288.	436.	638.	870.	1246.	1678.	2849.	3206.	4257.	5714.	7869.	12998.
1966	823.	845.	52.	41.	80.	132.	186.	288.	431.	626.	912.	1206.	1649.	2658.	3360.	4366.	6076.	7885.	12977.
1967	787.	776.	49.	40.	80.	131.	182.	289.	423.	590.	859.	1197.	1649.	2450.	3239.	4212.	5671.	7236.	12051.
1968	824.	756.	50.	41.	81.	136.	192.	286.	432.	635.	896.	1208.	1705.	2523.	3532.	4422.	6111.	7887.	12967.
1969	796.	752.	48.	41.	93.	134.	184.	276.	418.	604.	862.	1168.	1669.	2336.	3388.	4304.	5767.	7605.	12068.
1970	780.	745.	46.	39.	85.	138.	187.	252.	402.	594.	833.	1155.	1624.	2205.	3158.	4459.	5754.	7303.	11400.
1971	763.	680.	44.	40.	90.	137.	181.	259.	399.	563.	805.	1123.	1546.	2144.	2969.	4574.	5670.	6980.	11271.
1972	755.	632.	43.	38.	79.	133.	176.	245.	362.	550.	791.	1083.	1542.	2142.	2918.	4847.	5676.	6889.	10939.
1973	754.	579.	43.	35.	80.	132.	162.	231.	355.	526.	785.	1076.	1565.	2094.	2781.	5100.	5967.	6750.	11116.
1974	715.	552.	39.	33.	69.	122.	158.	214.	315.	492.	702.	1012.	1418.	2041.	2547.	4961.	5654.	6511.	10237.
1975	682.	551.	37.	32.	65.	111.	142.	183.	289.	435.	658.	914.	1367.	1935.	2331.	4667.	5832.	6181.	9177.
1976	679.	543.	35.	29.	57.	107.	139.	181.	262.	426.	626.	929.	1313.	1917.	2229.	4452.	6133.	6334.	9252.
1977	672.	529.	34.	28.	63.	99.	132.	166.	256.	404.	600.	914.	1308.	1895.	2176.	4299.	6451.	6265.	8673.

Number of Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	79842	11479	644	490	1167	1775	2300	2821	3841	4779	5673	7064	6838	7087	7229	5927	4349	2888	3491
1951	80811	12025	648	458	1018	1648	2198	2596	3633	4753	5440	7437	6899	7045	7551	6150	4620	3093	3599
1952	81346	12919	643	476	949	1512	1995	2728	3538	4575	5382	7381	6911	7000	7717	6328	4555	3082	3655
1953	81179	12859	618	426	891	1268	1793	2477	3285	4483	5285	7298	6865	7158	7840	6619	4778	3401	3835
1954	77958	12735	611	394	726	1121	1612	2368	3033	4279	5018	7048	6488	7052	7652	6447	4520	3317	3537
1955	79834	13095	625	409	634	1109	1577	2268	3042	4043	5015	6648	7005	7181	8070	6798	4987	3515	3813
1956	82436	13204	670	399	628	1011	1533	2262	3115	4173	5214	6382	7793	7584	8211	7308	5176	3696	4077
1957	87643	14309	731	436	735	1076	1557	2370	3226	4130	5398	6772	8049	8102	9087	7654	5601	3959	4451
1958	88424	14871	710	399	632	970	1459	2362	3079	3991	5233	6718	7940	8257	9035	8028	5886	4228	4626
1959	87426	14675	759	467	700	1000	1367	2218	3045	3955	5055	6305	7915	8051	8832	7987	6124	4201	4770
1960	91743	14568	794	472	655	955	1476	2254	3171	4086	5191	6581	7905	9183	9441	8585	6708	4534	5184
1961	90830	13948	702	456	683	966	1346	2163	3075	4034	4894	6489	7412	9612	9364	8693	6811	4769	5413
1962	95137	14025	815	490	739	1039	1360	2128	3283	4191	4981	6674	7646	10047	9991	9473	7256	5220	5779
1963	98910	14083	836	563	784	1017	1461	2178	3295	4429	5149	7050	7968	10492	10449	10009	7731	5618	5798
1964	97024	13834	753	547	813	1022	1466	2075	3254	4261	5114	7042	7592	10335	10045	9642	7583	5606	6040
1965	97875	13237	810	534	852	1046	1387	2120	3219	4432	5162	6668	7768	9887	10805	9749	7771	6059	6369
1966	100110	12443	778	559	914	1154	1412	2118	3203	4423	5527	6558	7815	9570	11624	10259	8567	6308	6878
1967	97639	11167	745	572	951	1221	1430	2133	3157	4229	5342	6605	8000	9262	11434	10108	8336	6078	6869
1968	104365	10610	761	604	1005	1334	1574	2142	3224	4612	5733	6762	8438	9992	12679	10834	9289	6862	7910
1969	102741	10263	737	616	1210	1403	1567	2113	3110	4425	5665	6658	8380	9693	12466	10674	8996	6921	7844
1970	102791	10009	701	599	1150	1537	1654	1981	2999	4396	5617	6766	8219	9593	11844	11414	9207	7011	8094
1971	102678	9224	659	623	1263	1643	1633	2109	2998	4189	5539	6793	7716	9736	11193	12075	9469	7259	8566
1972	51876	4323	318	297	576	825	842	1038	1378	2056	2745	3394	3856	5002	5777	6253	4853	3858	4485
1973	105657	7954	627	563	1198	1705	1626	2046	2728	3985	5476	7006	7824	10010	11597	13158	10204	8168	9782
1974	102053	7519	557	524	1067	1624	1689	1975	2463	3756	4955	6712	7286	9877	11181	12850	9782	8204	10032
1975	99452	7485	522	507	1037	1536	1617	1761	2314	3304	4756	6097	7425	9346	10816	12181	10556	8097	10095
1976	100997	7259	509	462	919	1539	1707	1773	2173	3277	4548	6342	7377	9144	10923	11798	11468	8677	11102
1977	101850	7060	497	439	1023	1478	1671	1722	2205	3152	4396	6319	7636	9115	11033	12079	11805	8771	11449

Percent of All Deaths


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-78	80-84	85-UP
1950	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1951	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1952	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1953	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1954	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1955	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1956	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1957	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1958	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1959	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1960	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1961	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1962	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1963	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1964	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1965	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1966	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1967	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1968	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1969	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1970	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1971	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1972	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1973	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1974	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1975	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1976	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.
1977	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.	100.

Age-specific Graphs for Nonwhite Females

Mortality Rates per 100,000



Number of Deaths



YEAR AGE

Age-specific Data for White Males

Population (in hundreds)

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	677243	73165	59727	49632	47191	51402	54092	51498	49999	45990	40996	37602	33653	28381	22379	15228	9373	4797	2238
1951	687903	77071	61064	50861	46512	51041	53888	52425	50383	46623	41752	37699	34181	28840	22959	15637	9702	4857	2408
1952	698785	76567	66442	52940	46333	50121	53503	53301	50877	47277	42768	37726	34419	29419	23469	16117	10002	4936	2568
1953	709297	77772	68649	56249	47005	48690	53439	53538	51281	47861	43664	38054	34447	29978	23978	16626	10292	5066	2708
1954	720829	79458	71636	58598	47966	47609	52864	54174	51576	48364	44630	38511	34615	30408	24488	17266	10582	5236	2848
1955	732491	81524	74663	60607	49568	47028	52300	54551	52040	48888	45536	38968	34943	30787	24907	17885	10882	5446	2968
1956	744394	83290	78421	61877	49919	46487	51895	54318	52934	49482	46182	39635	35271	31146	25247	18435	11151	5666	3038
1957	756715	85196	77838	67176	52041	46416	51011	53894	53788	50085	46837	40552	35529	31225	25737	18925	11501	5846	3118
1958	768005	86711	78945	69275	55342	47145	49616	53821	54022	50609	47443	41360	36087	31084	26176	19394	11811	5986	3178
1959	780480	87846	80593	72170	57822	48316	48575	53245	54646	51050	47990	42244	36793	31111	26526	19891	12265	6128	3269
1960	792560	88560	82520	75220	59930	49190	48030	52700	55020	51690	48490	43110	37450	31240	26870	20280	12650	6260	3350
1961	804410	89310	84120	79080	61380	50690	47750	51970	54970	52380	48820	43950	38150	31330	26960	20670	12980	6480	3420
1962	815580	88990	85900	78510	66960	52790	47720	51160	54660	53120	49110	44590	39040	31520	26910	21040	13240	6880	3440
1963	825540	88330	87320	79800	69350	56270	48190	50230	54100	53820	49380	45120	39970	31740	26810	21320	13450	6880	3460
1964	835400	87520	88220	81530	72520	58760	48980	49260	53380	54310	49720	45610	40820	32110	26790	21510	13690	7120	3550
1965	844180	85860	88750	83650	75850	60950	49700	48740	52560	54480	50180	46080	41500	32620	26860	21580	13870	7320	3630
1966	852180	82970	89560	85400	79790	62360	51070	48440	51740	54410	50770	46520	42050	33300	26960	21520	14080	7510	3730
1967	859600	80030	89290	87330	79240	67940	52950	48370	50870	54100	51470	46960	42450	34170	27160	21410	14300	7690	3870
1968	866310	77110	88630	88900	80510	70190	56210	48850	49930	53580	52160	47420	42760	35120	27410	21240	14470	7830	3990
1969	873030	74780	87810	89960	82300	73100	58420	49640	48960	52900	52640	47960	43010	35980	27760	21140	14560	7960	4150
1970	880650	73890	86210	90660	84560	76020	60320	50350	48450	52230	52820	48650	43310	36690	28280	21140	14450	8120	4500
1971	888220	73930	83390	91390	86160	79740	61480	51590	48170	51650	52650	49500	43710	37280	28900	21180	14580	8270	4650
*1972	447000	36435	40290	45515	43945	39545	33375	26730	24110	25460	26060	25315	21960	18940	14855	10590	7260	4225	2390
1973	898800	71290	77730	90320	89290	80250	68770	56800	48710	50050	51850	51310	44180	38340	30490	21530	14290	8640	4960
1974	903290	69310	75270	89480	90210	81840	71550	59030	49440	49220	51350	51790	44650	38810	31260	21940	14230	8680	5230
1975	908070	67280	74010	87810	90770	83770	74430	60930	50140	48380	51010	51810	45540	39080	32220	22280	14360	8750	5500
1976	912680	64750	74000	84910	91470	85270	78020	62070	51350	48120	50460	51660	46430	39530	32810	22850	14430	8930	5620
1977	917910	64240	72930	82000	91060	86920	77250	67500	53180	48180	49770	51150	47590	39790	33420	23650	14480	8970	5830


Percent of Total U.S. Population


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	44.7	44.8	44.9	44.5	44.4	44.3	44.0	44.3	44.2	44.9	45.0	45.4	46.2	46.6	44.4	44.3	43.6	41.4	38.0
1951	44.6	44.7	44.9	44.4	44.3	44.4	44.1	44.3	44.1	44.8	45.0	45.2	46.0	46.4	44.3	44.1	43.3	40.9	38.5
1952	44.5	44.4	45.1	44.5	44.2	44.4	44.1	44.2	44.2	44.7	45.0	45.0	45.7	46.1	44.3	43.9	43.1	40.4	38.7
1953	44.5	44.3	45.0	44.6	44.2	44.3	44.3	44.1	44.2	44.6	45.0	44.9	45.4	45.8	44.2	43.7	42.9	40.1	38.7
1954	44.4	44.2	44.9	44.6	44.3	44.2	44.4	44.1	44.1	44.5	45.0	44.9	45.2	45.5	44.1	43.6	42.7	39.9	38.6
1955	44.3	44.1	44.8	44.7	44.3	44.2	44.4	44.0	44.1	44.4	45.0	44.8	45.0	45.2	43.9	43.4	42.4	39.8	38.3
1956	44.3	44.1	44.6	44.7	44.3	44.1	44.5	44.0	44.1	44.4	44.9	44.8	44.8	44.9	43.7	43.3	42.1	39.7	37.9
1957	44.2	43.9	44.4	44.9	44.4	44.1	44.5	44.0	44.1	44.4	44.8	44.8	44.6	44.6	43.5	43.1	41.9	39.6	37.3
1958	44.1	43.8	44.2	44.8	44.5	44.1	44.3	44.1	44.0	44.4	44.7	44.8	44.5	44.2	43.3	43.0	41.6	39.5	36.8
1959	44.0	43.7	44.1	44.7	44.6	44.3	44.2	44.1	44.0	44.4	44.6	44.7	44.4	44.0	43.1	42.8	41.4	39.4	36.3
1960	43.9	43.5	43.9	44.4	44.6	44.2	43.9	44.0	43.9	44.3	44.4	44.6	44.2	43.7	42.8	42.5	41.1	39.1	35.7
1961	43.8	43.5	43.8	44.3	44.6	44.1	43.9	44.0	43.8	44.2	44.4	44.5	44.1	43.5	42.4	42.1	40.8	38.6	35.5
1962	43.7	43.5	43.7	44.1	44.8	44.1	43.9	44.0	43.8	44.1	44.4	44.4	44.0	43.4	42.0	41.7	40.6	38.8	35.0
1963	43.6	43.4	43.7	44.0	44.7	44.3	43.9	43.9	43.8	44.0	44.3	44.3	43.9	43.3	41.6	41.3	40.2	37.8	34.5
1964	43.5	43.4	43.6	44.0	44.6	44.3	43.9	43.9	43.8	43.9	44.2	44.2	43.8	43.2	41.3	40.8	39.9	37.5	34.1
1965	43.4	43.3	43.6	43.9	44.5	44.3	43.8	43.8	43.7	43.8	44.1	44.1	43.7	43.1	41.0	40.4	39.5	37.2	33.6
1966	43.4	43.2	43.5	43.8	44.4	44.4	43.8	43.8	43.7	43.8	44.0	44.0	43.6	42.9	40.8	40.0	39.1	36.8	33.1
1967	43.3	43.1	43.5	43.7	44.1	44.6	43.8	43.7	43.6	43.7	43.8	43.9	43.5	42.8	40.6	39.7	38.7	36.5	32.6
1968	43.2	43.0	43.4	43.7	44.0	44.5	43.9	43.7	43.6	43.7	43.7	43.8	43.4	42.6	40.5	39.3	38.3	36.1	32.2
1969	43.1	43.0	43.4	43.6	43.9	44.4	44.0	43.6	43.5	43.6	43.6	43.7	43.3	42.5	40.3	39.0	37.9	35.7	31.8
1970	43.0	43.1	43.3	43.5	43.8	44.2	44.0	43.5	43.4	43.6	43.5	43.6	43.3	42.3	40.3	38.7	37.5	35.2	31.4
1971	42.9	43.0	43.2	43.5	43.7	44.1	44.0	43.5	43.3	43.6	43.4	43.5	43.4	42.2	40.4	38.4	37.1	34.6	31.1
1972	42.8	42.9	43.0	43.4	43.5	43.9	44.2	43.4	43.2	43.5	43.3	43.4	43.5	42.1	40.2	38.4	36.8	34.1	30.6
1973	42.7	42.7	42.9	43.3	43.4	43.7	44.2	43.6	43.2	43.4	43.3	43.3	43.5	42.1	40.0	38.4	36.5	33.6	30.3
1974	42.6	42.6	42.8	43.2	43.3	43.7	44.1	43.6	43.2	43.3	43.3	43.3	43.4	42.2	39.9	38.5	36.2	33.3	29.9
1975	42.5	42.4	42.7	43.0	43.2	43.6	44.0	43.6	43.1	43.2	43.3	43.2	43.2	42.3	39.8	38.5	35.9	33.0	29.2
1976	42.4	42.2	42.6	42.8	43.1	43.4	43.8	43.6	43.1	43.1	43.3	43.1	43.2	42.5	39.6	38.6	35.6	32.7	28.5
1977	42.3	42.2	42.5	42.7	43.0	43.3	43.6	43.8	43.1	43.0	43.2	43.1	43.1	42.5	39.6	38.5	35.6	32.5	28.0

*50% of the estimated U.S. white male population.


Age-specific Graphs for White Males


Population (scale in millions)





Percent of Total U.S. Population







Age-specific Data for White Females

Population (in hundreds)

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	680543	70093	57228	47695	46120	51610	55666	52968	51154	46360	41085	37846	33654	28392	23807	16812	10856	5998	3199
1951	692060	73859	58496	48904	45574	50834	55242	53913	51667	47145	41982	38043	34453	29110	24526	17392	11345	6187	3388
1952	704050	73375	63634	50834	45488	49797	54678	54848	52200	47911	43158	38151	34951	30029	25155	18051	11805	6407	3578
1953	715851	74561	65762	53994	46143	48391	54354	55173	52674	48636	44265	38508	35209	30958	25804	18750	12234	6667	3768
1954	728367	76187	68620	56283	47057	47214	53579	55718	53057	49261	45381	39015	35557	31737	26483	19579	12674	6987	3978
1955	741087	78183	71577	58203	47631	46617	52735	56034	53600	49887	46407	39543	36056	32466	27112	20409	13123	7316	4188
1956	754159	79889	75235	59443	48905	46181	52041	55679	54574	50572	47144	40330	36524	33155	27722	21168	13563	7656	4378
1957	767706	81765	74703	64523	50819	46134	51067	55144	55527	51267	47860	41387	36902	33564	28541	21837	14102	7966	4598
1958	780584	83251	75831	66582	53983	46827	49703	54889	55910	51913	48536	42365	37560	33732	29340	22516	14642	8206	4798
1959	794155	84410	77445	69424	56295	47805	48585	54187	56537	52526	49148	43367	38365	34000	30005	23239	15313	8456	5048
1960	807650	85170	79330	72440	58190	48570	48120	53460	56930	53250	49690	44340	39190	34340	30690	23930	15950	8730	5330
1961	820910	85860	80830	76150	59570	50040	47770	52480	56800	54100	50150	45350	40120	34550	31190	24740	16540	9160	5510
1962	833480	85550	82540	75540	64880	52100	47690	51370	56360	55030	50570	46200	41300	34830	31550	25590	17100	9610	5670
1963	845520	84860	83900	76720	67120	55480	48260	50290	55650	55900	51060	46900	42530	35180	31800	26370	17620	10040	5840
1964	857150	83940	84750	78320	70100	57890	49170	49230	54760	56500	51640	47560	43660	35700	32090	27060	18180	10520	6080
1965	867870	82350	85240	80270	73230	59870	49950	48710	53830	56730	52350	48230	44600	36420	32420	27580	18760	10980	6350
1966	877810	79550	85960	81910	76970	61180	51320	48430	52880	56660	53200	48870	45350	37350	32770	27960	19360	11430	6660
1967	887330	76710	85660	83720	76440	66540	53180	48470	51880	56300	54160	49540	45910	38510	33170	28210	20010	11880	7040
1968	896130	73850	84980	85180	77680	68690	56350	49090	50930	55680	55080	50250	46340	39760	33680	28400	20610	12290	7390
1969	904780	71560	84070	86150	79370	71450	58460	50030	49820	54900	55730	51060	46720	40890	34320	28570	21120	12730	7830
1970	914290	70630	82480	86790	81520	74280	60210	50800	49330	54070	56010	51970	47140	41830	35100	28880	21300	13310	8640
1971	923130	70590	79790	87470	83090	78020	61240	51990	49170	53230	55880	52890	47540	42580	35820	29140	21750	13860	9080
*1972	465095	34720	38555	43580	42400	38640	33140	26910	24670	26160	27625	27070	23895	21650	18505	14630	10965	7220	4760
1973	936200	68020	74340	86450	86150	78330	68140	57080	49870	51390	54740	54960	48080	43800	38150	29810	21860	15020	10010
1974	941780	66060	72020	85540	87070	79790	70780	59290	50710	50480	54000	55440	48730	44190	39280	30320	22060	15290	10730
1975	947660	64070	70740	83980	87630	81610	73590	61120	51500	49560	53390	55500	49680	44390	40500	30730	22500	15600	11570
1976	953370	61670	70650	81210	88270	83110	77140	62150	52690	49400	52560	55380	50590	44790	41280	31440	22790	16060	12190
1977	959560	61110	69580	78430	87870	84760	76360	67380	54590	49560	51640	54750	51810	45000	42010	32590	22960	16330	12920


Percent of Total U.S. Population


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	44.9	42.9	43.0	42.7	43.4	44.4	45.3	45.6	45.3	45.2	45.1	45.7	46.2	46.6	47.3	48.9	50.5	51.8	54.3
1951	44.9	42.8	43.0	42.7	43.4	44.3	45.2	45.5	45.3	45.3	45.2	45.6	46.4	46.8	47.4	49.0	50.7	52.1	54.1
1952	44.9	42.6	43.2	42.7	43.4	44.1	45.1	45.5	45.3	45.3	45.4	45.6	46.4	47.0	47.5	49.2	50.9	52.5	53.9
1953	44.9	42.5	43.1	42.8	43.4	44.0	45.0	45.4	45.4	45.3	45.6	45.5	46.5	47.3	47.6	49.3	51.0	52.8	53.9
1954	44.9	42.4	43.0	42.9	43.4	43.9	45.0	45.3	45.4	45.3	45.8	45.5	46.4	47.5	47.7	49.4	51.1	53.2	53.9
1955	44.9	42.3	42.9	42.9	43.4	43.8	44.8	45.2	45.4	45.3	45.8	45.5	46.4	47.6	47.8	49.6	51.2	53.4	54.1
1956	44.9	42.3	42.8	42.9	43.4	43.8	44.6	45.1	45.5	45.4	45.8	45.6	46.4	47.8	48.0	49.7	51.3	53.7	54.6
1957	44.8	42.2	42.6	43.1	43.3	43.8	44.5	45.1	45.5	45.5	45.8	45.7	46.4	47.9	48.3	49.8	51.3	53.9	55.0
1958	44.8	42.1	42.5	43.0	43.4	43.8	44.3	45.0	45.5	45.6	45.7	45.9	46.3	48.0	48.6	49.9	51.5	54.1	55.5
1959	44.8	42.0	42.4	43.0	43.4	43.8	44.2	44.9	45.5	45.7	45.7	45.9	46.3	48.0	48.8	50.0	51.6	54.3	56.1
1960	44.7	41.9	42.2	42.8	43.3	43.6	44.0	44.6	45.4	45.6	45.5	45.9	46.3	48.0	48.9	50.1	51.8	54.5	56.8
1961	44.7	41.8	42.1	42.7	43.3	43.6	44.0	44.4	45.3	45.6	45.6	45.9	46.4	48.0	49.0	50.4	52.0	54.6	57.2
1962	44.7	41.8	42.0	42.5	43.4	43.6	43.9	44.1	45.2	45.7	45.7	46.0	46.6	48.0	49.2	50.7	52.4	54.3	57.7
1963	44.7	41.7	42.0	42.3	43.3	43.6	44.0	44.0	45.0	45.7	45.8	46.0	46.7	48.0	49.3	51.0	52.7	55.1	58.2
1964	44.7	41.6	41.9	42.2	43.1	43.6	44.0	43.8	44.9	45.7	45.9	46.0	46.8	48.0	49.4	51.4	53.0	55.4	58.5
1965	44.7	41.5	41.8	42.1	43.0	43.6	44.0	43.8	44.8	45.7	46.0	46.1	46.9	48.1	49.5	51.7	53.4	55.7	58.7
1966	44.7	41.4	41.8	42.1	42.9	43.5	44.0	43.8	44.6	45.6	46.1	46.2	47.0	48.2	49.6	52.0	53.8	56.1	59.0
1967	44.7	41.3	41.7	41.9	42.6	43.6	44.0	43.8	44.5	45.5	46.1	46.3	47.0	48.2	49.6	52.3	54.1	56.4	59.3
1968	44.6	41.2	41.6	41.8	42.4	43.5	44.0	43.9	44.4	45.4	46.2	46.4	47.0	48.3	49.8	52.5	54.5	56.7	59.6
1969	44.6	41.2	41.5	41.7	42.3	43.4	44.0	43.9	44.3	45.3	46.2	46.5	47.1	48.3	49.9	52.7	54.9	57.1	59.9
1970	44.6	41.2	41.5	41.7	42.2	43.2	43.9	43.9	44.2	45.1	46.1	46.6	47.1	48.3	50.0	52.8	55.2	57.6	60.3
1971	44.6	41.1	41.3	41.6	42.1	43.1	43.8	43.8	44.2	44.9	46.0	46.5	47.2	48.2	50.0	52.9	55.4	58.0	60.7
1972	44.5	40.9	41.2	41.5	42.0	42.9	43.9	43.7	44.2	44.7	45.9	46.4	47.3	48.2	50.1	53.1	55.6	58.2	60.9
1973	44.5	40.7	41.1	41.4	41.9	42.7	43.8	43.8	44.3	44.5	45.8	46.4	47.3	48.1	50.1	53.2	55.8	58.4	61.1
1974	44.4	40.6	41.0	41.3	41.8	42.6	43.6	43.8	44.3	44.4	45.6	46.3	47.3	48.0	50.1	53.2	56.1	58.6	61.3
1975	44.4	40.3	40.8	41.1	41.7	42.4	43.5	43.7	44.3	44.3	45.3	46.3	47.2	48.0	50.0	53.2	56.2	58.8	61.5
1976	44.3	40.2	40.7	41.0	41.6	42.3	43.3	43.6	44.2	44.3	45.1	46.2	47.0	48.1	49.8	53.2	56.2	58.9	61.9
1977	44.3	40.1	40.5	40.8	41.5	42.2	43.1	43.7	44.2	44.2	44.9	46.1	47.0	48.1	49.7	53.1	56.4	59.1	62.1

*50% of the estimated U.S. white female population.


Age-specific Graphs for White Females


Population (scale in millions)





Percent of Total U.S. Population







Age-specific Data for Nonwhite Males

Population (in hundreds)

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	77743	10047	8063	7193	6320	6144	6263	5523	5660	4993	4471	3752	2820	2096	2026	1167	649	371	185
1951	79461	10803	8207	7376	6338	6079	6238	5683	5750	5053	4479	3858	2905	2165	2066	1206	679	381	195
1952	81144	11170	8651	7678	6336	6043	6153	5852	5810	5162	4466	3954	3000	2214	2106	1245	709	390	205
1953	82957	11576	9065	7981	6414	6038	6057	6011	5850	5271	4454	4059	3105	2274	2156	1284	748	400	214
1954	84942	11982	9629	8244	6522	6033	5982	6140	5910	5371	4471	4145	3220	2333	2206	1323	788	409	234
1955	87048	12468	10213	8496	6650	6048	5937	6220	5970	5440	4528	4211	3335	2413	2256	1372	828	419	244
1956	89173	12905	10996	8619	6838	6063	5912	6249	6050	5480	4626	4247	3450	2482	2286	1421	868	428	253
1957	91416	13461	11390	9032	7126	6058	5926	6238	6130	5479	4763	4263	3575	2561	2316	1480	917	438	263
1958	93601	13907	11844	9434	7414	6112	5971	6187	6200	5469	4911	4269	3700	2641	2336	1529	947	447	283
1959	96196	14350	12336	10006	7699	6243	6028	6185	6235	5479	5059	4312	3812	2744	2379	1591	988	457	293
1960	100620	14830	13120	10800	8090	6490	6200	6350	6380	5630	5310	4520	4000	2900	2490	1680	1050	470	310
1961	102970	15010	13510	11570	8260	6750	6180	6400	6430	5710	5310	4630	4040	2970	2570	1740	1070	520	300
1962	105270	15060	14010	11940	8770	7060	6170	6440	6450	5810	5300	4730	4110	3040	2640	1800	1080	560	300
1963	107510	15110	14400	12370	9260	7410	6220	6460	6460	5930	5280	4820	4180	3090	2700	1840	1090	590	300
1964	109790	15100	14720	12800	9890	7740	6320	6430	6450	6030	5300	4890	4260	3140	2790	1890	1110	610	320
1965	111910	15040	14910	13270	10560	8040	6430	6430	6430	6100	5350	4940	4320	3210	2860	1920	1130	630	340
1966	114020	14830	15120	13730	11390	8210	6660	6410	6420	6150	5430	4970	4390	3300	2920	1940	1150	640	360
1967	116030	14490	15200	14300	11860	8710	6930	6400	6420	6180	5550	4980	4430	3410	2970	1970	1180	660	390
1968	117950	14140	15270	14770	12380	9180	7240	6460	6380	6190	5670	4990	4470	3530	3010	2000	1190	670	410
1969	119840	13750	15290	15170	12910	9790	7520	6590	6300	6190	5780	5030	4480	3650	3040	2030	1200	680	440
1970	122040	13530	15200	15470	13500	10430	7800	6750	6270	6210	5900	5140	4470	3790	3100	2090	1230	700	470
1971	124490	13680	15070	15760	13960	11180	7920	6990	6290	6240	5990	5320	4380	3940	3110	2150	1290	740	480
*1972	63410	6910	7410	7955	7275	5775	4185	3645	3175	3140	3010	2765	2180	2020	1615	1055	655	390	250
1973	129050	13910	14540	16060	15050	11990	8770	7610	6380	6360	6050	5720	4360	4110	3350	2140	1300	830	520
1974	131260	13870	14320	16150	15500	12440	9290	7900	6470	6400	6120	5800	4470	4160	3470	2170	1310	850	570
1975	134060	13860	14300	16250	15900	13020	9890	8220	6610	6370	6260	5820	4710	4120	3650	2190	1380	860	650
1976	136580	13650	14510	16150	16240	13530	10640	8380	6850	6400	6310	5930	4890	4030	3830	2210	1440	910	680
1977	139080	13660	14680	15900	16430	14130	11020	8870	7120	6470	6370	5980	5100	4010	3960	2320	1410	930	720


Percent of Total U.S. Population

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.1	6.2	6.1	6.4	6.0	5.3	5.1	4.8	5.0	4.9	4.9	4.5	3.9	3.4	4.0	3.4	3.0	3.2	3.1
1951	5.2	6.3	6.0	6.4	6.0	5.3	5.1	4.8	5.0	4.9	4.8	4.6	3.9	3.5	4.0	3.4	3.0	3.2	3.1
1952	5.2	6.5	5.9	6.4	6.0	5.4	5.1	4.9	5.0	4.9	4.7	4.7	4.0	3.5	4.0	3.4	3.1	3.2	3.1
1953	5.2	6.6	5.9	6.3	6.0	5.5	5.0	4.9	5.0	4.9	4.6	4.8	4.1	3.5	4.0	3.4	3.1	3.2	3.1
1954	5.2	6.7	6.0	6.3	6.0	5.6	5.0	5.0	5.1	4.9	4.5	4.8	4.2	3.5	4.0	3.3	3.2	3.1	3.2
1955	5.3	6.8	6.1	6.3	6.1	5.7	5.0	5.0	5.1	4.9	4.5	4.8	4.3	3.5	4.0	3.3	3.2	3.1	3.2
1956	5.3	6.8	6.3	6.2	6.1	5.7	5.1	5.1	5.0	4.9	4.5	4.8	4.4	3.6	4.0	3.3	3.3	3.0	3.2
1957	5.3	6.9	6.5	6.0	6.1	5.8	5.2	5.1	5.0	4.9	4.6	4.7	4.5	3.7	3.9	3.4	3.3	3.0	3.1
1958	5.4	7.0	6.6	6.1	6.0	5.7	5.3	5.1	5.0	4.8	4.6	4.6	4.6	3.8	3.9	3.4	3.3	2.9	3.3
1959	5.4	7.1	6.8	6.2	5.9	5.7	5.5	5.1	5.0	4.8	4.7	4.6	4.6	3.9	3.9	3.4	3.3	2.9	3.3
1960	5.6	7.3	7.0	6.4	6.0	5.8	5.7	5.3	5.1	4.8	4.9	4.7	4.7	4.1	4.0	3.5	3.4	2.9	3.3
1961	5.6	7.3	7.0	6.5	6.0	5.9	5.7	5.4	5.1	4.8	4.8	4.7	4.7	4.1	4.0	3.5	3.4	3.1	3.1
1962	5.6	7.4	7.1	6.7	5.9	5.9	5.7	5.5	5.2	4.8	4.8	4.7	4.6	4.2	4.1	3.6	3.3	3.2	3.1
1963	5.7	7.4	7.2	6.8	6.0	5.8	5.7	5.6	5.2	4.8	4.7	4.7	4.6	4.2	4.2	3.6	3.3	3.2	3.0
1964	5.7	7.5	7.3	6.9	6.1	5.8	5.7	5.7	5.3	4.9	4.7	4.7	4.6	4.2	4.3	3.6	3.2	3.2	3.1
1965	5.8	7.6	7.3	7.0	6.2	5.8	5.7	5.8	5.3	4.9	4.7	4.7	4.5	4.2	4.4	3.6	3.2	3.2	3.1
1966	5.8	7.7	7.3	7.0	6.3	5.8	5.7	5.8	5.4	4.9	4.7	4.7	4.5	4.3	4.4	3.6	3.2	3.1	3.2
1967	5.8	7.8	7.4	7.2	6.6	5.7	5.7	5.8	5.5	5.0	4.7	4.7	4.5	4.3	4.4	3.6	3.2	3.1	3.3
1968	5.9	7.9	7.5	7.3	6.8	5.8	5.7	5.8	5.6	5.0	4.8	4.6	4.5	4.3	4.4	3.7	3.1	3.1	3.3
1969	5.9	7.9	7.6	7.3	6.9	5.9	5.7	5.8	5.6	5.1	4.8	4.6	4.5	4.3	4.4	3.7	3.1	3.1	3.4
1970	6.0	7.9	7.6	7.4	7.0	6.1	5.7	5.8	5.6	5.2	4.9	4.6	4.5	4.4	4.4	3.8	3.2	3.0	3.3
1971	6.0	8.0	7.8	7.5	7.1	6.2	5.7	5.9	5.7	5.3	4.9	4.7	4.4	4.5	4.3	3.9	3.3	3.1	3.2
1972	6.1	8.1	7.9	7.6	7.2	6.4	5.5	5.9	5.7	5.4	5.0	4.7	4.3	4.5	4.4	3.8	3.3	3.1	3.2
1973	6.1	8.3	8.0	7.7	7.3	6.5	5.6	5.8	5.7	5.5	5.1	4.8	4.3	4.5	4.4	3.8	3.3	3.2	3.2
1974	6.2	8.5	8.1	7.8	7.4	6.6	5.7	5.8	5.7	5.6	5.2	4.8	4.3	4.5	4.4	3.8	3.3	3.3	3.3
1975	6.3	8.7	8.3	8.0	7.6	6.8	5.8	5.9	5.7	5.7	5.3	4.9	4.5	4.5	4.5	3.8	3.4	3.2	3.5
1976	6.3	8.9	8.4	8.1	7.7	6.9	6.0	5.9	5.7	5.7	5.4	4.9	4.5	4.3	4.6	3.7	3.6	3.3	3.5
1977	6.4	9.0	8.5	8.3	7.8	7.0	6.2	5.8	5.8	5.8	5.5	5.0	4.6	4.3	4.7	3.8	3.5	3.4	3.5


*50% of the estimated U.S. nonwhite male population.

Age-specific Graphs for Nonwhite Males

Population (scale in millions)



Percent of Total U.S. Population



Age-specific Data for Nonwhite Females

Population (in hundreds)

YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	80928	9999	8097	7129	6582	6978	6952	6207	6276	5190	4554	3676	2639	2003	2173	1161	629	415	268
1951	82829	10756	8251	7342	6591	6884	6944	6363	6319	5304	4591	3795	2767	2101	2221	1230	659	444	267
1952	84765	11152	8685	7615	6610	6850	6897	6560	6313	5458	4608	3914	2895	2190	2270	1299	688	474	287
1953	86786	11578	9109	7898	6679	6806	6829	6766	6297	5631	4615	4043	3034	2298	2318	1368	717	493	307
1954	88943	12015	9663	8161	6768	6772	6762	6933	6311	5775	4663	4152	3172	2396	2367	1438	766	503	326
1955	91256	12511	10227	8414	6908	6738	6734	7049	6374	5879	4760	4241	3320	2504	2416	1507	816	512	346
1956	93600	12937	11011	8547	7097	6714	6726	7106	6478	5932	4887	4310	3459	2613	2474	1566	875	512	356
1957	96107	13474	11426	8990	7326	6701	6749	7122	6622	5956	5074	4359	3607	2711	2523	1625	944	522	376
1958	98540	13920	11870	9404	7585	6747	6781	7108	6766	5960	5261	4398	3755	2809	2571	1685	1014	521	385
1959	101305	14352	12359	9994	7826	6820	6822	7120	6882	6003	5447	4483	3898	2920	2623	1746	1084	531	395
1960	105860	14850	13120	10790	8210	7090	7000	7330	7100	6210	5660	4670	4070	3070	2750	1840	1150	550	400
1961	108600	15040	13500	11560	8380	7350	6990	7370	7200	6340	5710	4830	4150	3150	2890	1940	1190	610	400
1962	111250	15080	13970	11950	8890	7650	7000	7390	7270	6490	5740	4990	4260	3220	3010	2040	1230	660	410
1963	113870	15120	14350	12390	9360	7990	7070	7390	7320	6660	5770	5120	4380	3290	3130	2130	1270	700	430
1964	116530	15080	14670	12820	9990	8300	7200	7360	7360	6820	5830	5240	4510	3370	3260	2220	1310	740	450
1965	119080	14990	14870	13300	10630	8600	7330	7360	7390	6950	5930	5350	4630	3470	3370	2290	1360	770	490
1966	121610	14730	15100	13740	11460	8760	7580	7360	7430	7060	6060	5440	4740	3600	3460	2350	1410	800	530
1967	124140	14390	15180	14280	11940	9290	7870	7380	7460	7170	6220	5520	4850	3780	3530	2400	1470	840	570
1968	126640	14030	15260	14730	12460	9790	8200	7500	7460	7260	6400	5600	4950	3960	3590	2450	1520	870	610
1969	129120	13650	15260	15130	12990	10440	8510	7650	7440	7330	6570	5700	5020	4150	3680	2480	1560	910	650
1970	131800	13440	15090	15430	13570	11110	8850	7860	7460	7400	6740	5860	5060	4350	3750	2560	1600	960	710
1971	134650	13570	14940	15700	14030	11950	9030	8150	7520	7420	6880	6050	4990	4540	3770	2640	1670	1040	760
*1972	68715	6840	7350	7915	7295	6205	4785	4245	3810	3735	3470	3135	2500	2335	1980	1290	855	560	410
1973	140070	13730	14430	15960	15060	12890	10060	8860	7690	7570	6980	6510	5000	4780	4170	2580	1710	1210	880
1974	142670	13630	14240	16000	15480	13340	10710	9210	7810	7630	7060	6630	5140	4840	4390	2590	1730	1260	980
1975	145820	13580	14200	16050	15850	13890	11410	9600	8010	7600	7230	6670	5430	4830	4640	2610	1810	1310	1100
1976	148750	13360	14380	15920	16160	14380	12270	9810	8300	7690	7270	6830	5620	4770	4900	2650	1870	1370	1200
1977	151620	13340	14510	15680	16310	14940	12700	10400	8620	7800	7330	6910	5840	4810	5070	2810	1830	1490	1320


Percent of Total U.S. Population


YEAR	ALL	AGE 00-04	05-09	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-UP
1950	5.3	6.1	6.1	6.4	6.2	6.0	5.7	5.3	5.6	5.1	5.0	4.4	3.6	3.3	4.3	3.4	2.9	3.6	4.6
1951	5.4	6.2	6.1	6.4	6.3	6.0	5.7	5.4	5.5	5.1	4.9	4.6	3.7	3.4	4.3	3.5	2.9	3.7	4.3
1952	5.4	6.5	5.9	6.4	6.3	6.1	5.7	5.4	5.5	5.2	4.9	4.7	3.8	3.4	4.3	3.5	3.0	3.9	4.3
1953	5.4	6.6	6.0	6.3	6.3	6.2	5.7	5.6	5.4	5.2	4.8	4.8	4.0	3.5	4.3	3.6	3.0	3.9	4.4
1954	5.5	6.7	6.1	6.2	6.2	6.3	5.7	5.6	5.4	5.3	4.7	4.8	4.1	3.6	4.3	3.6	3.1	3.8	4.4
1955	5.5	6.8	6.1	6.2	6.3	6.3	5.7	5.7	5.4	5.3	4.7	4.9	4.3	3.7	4.3	3.7	3.2	3.7	4.5
1956	5.6	6.8	6.3	6.2	6.3	6.4	5.8	5.8	5.4	5.3	4.8	4.9	4.4	3.8	4.3	3.7	3.3	3.6	4.4
1957	5.6	6.9	6.5	6.0	6.2	6.4	5.9	5.8	5.4	5.3	4.9	4.8	4.5	3.9	4.3	3.7	3.4	3.5	4.5
1958	5.7	7.0	6.7	6.1	6.1	6.3	6.1	5.8	5.5	5.2	5.0	4.8	4.6	4.0	4.3	3.7	3.6	3.4	4.5
1959	5.7	7.1	6.8	6.2	6.0	6.2	6.2	5.9	5.5	5.2	5.1	4.7	4.7	4.1	4.3	3.8	3.7	3.4	4.4
1960	5.9	7.3	7.0	6.4	6.1	6.4	6.4	6.1	5.7	5.3	5.2	4.8	4.8	4.3	4.4	3.9	3.7	3.4	4.3
1961	5.9	7.3	7.0	6.5	6.1	6.4	6.4	6.2	5.7	5.3	5.2	4.9	4.8	4.4	4.5	4.0	3.7	3.6	4.2
1962	6.0	7.4	7.1	6.7	5.9	6.4	6.4	6.4	5.8	5.4	5.2	5.0	4.8	4.4	4.7	4.0	3.8	3.7	4.2
1963	6.0	7.4	7.2	6.8	6.0	6.3	6.4	6.5	5.9	5.4	5.2	5.0	4.8	4.5	4.9	4.1	3.8	3.8	4.3
1964	6.1	7.5	7.2	6.9	6.1	6.3	6.4	6.6	6.0	5.5	5.2	5.1	4.8	4.5	5.0	4.2	3.8	3.9	4.3
1965	6.1	7.6	7.3	7.0	6.2	6.3	6.5	6.6	6.1	5.6	5.2	5.1	4.9	4.6	5.1	4.3	3.9	3.9	4.5
1966	6.2	7.7	7.3	7.1	6.4	6.2	6.5	6.7	6.3	5.7	5.2	5.1	4.9	4.6	5.2	4.4	3.9	3.9	4.7
1967	6.2	7.8	7.4	7.2	6.7	6.1	6.5	6.7	6.4	5.8	5.3	5.2	5.0	4.7	5.3	4.4	4.0	4.0	4.8
1968	6.3	7.8	7.5	7.2	6.8	6.2	6.4	6.7	6.5	5.9	5.4	5.2	5.0	4.8	5.3	4.5	4.0	4.0	4.9
1969	6.4	7.9	7.5	7.3	6.9	6.3	6.4	6.7	6.6	6.0	5.4	5.2	5.1	4.9	5.3	4.6	4.1	4.1	5.0
1970	6.4	7.8	7.6	7.4	7.0	6.5	6.5	6.8	6.7	6.2	5.5	5.2	5.1	5.0	5.3	4.7	4.1	4.2	5.0
1971	6.5	7.9	7.7	7.5	7.1	6.6	6.5	6.9	6.8	6.3	5.7	5.3	5.0	5.1	5.3	4.8	4.3	4.3	5.1
1972	6.6	8.1	7.9	7.5	7.2	6.9	6.3	6.9	6.8	6.4	5.8	5.4	4.9	5.2	5.4	4.7	4.3	4.5	5.2
1973	6.7	8.2	8.0	7.6	7.3	7.0	6.5	6.8	6.8	6.6	5.8	5.5	4.9	5.3	5.5	4.6	4.4	4.7	5.4
1974	6.7	8.4	8.1	7.7	7.4	7.1	6.6	6.8	6.8	6.7	6.0	5.5	5.0	5.3	5.6	4.5	4.4	4.8	5.6
1975	6.8	8.6	8.2	7.9	7.5	7.2	6.7	6.9	6.9	6.8	6.1	5.6	5.2	5.2	5.7	4.5	4.5	4.9	5.8
1976	6.9	8.7	8.3	8.0	7.6	7.3	6.9	6.9	7.0	6.9	6.2	5.7	5.2	5.1	5.9	4.5	4.6	5.0	6.1
1977	7.0	8.8	8.5	8.2	7.7	7.4	7.2	6.7	7.0	7.0	6.4	5.8	5.3	5.1	6.0	4.6	4.5	5.1	6.3

*50% of the estimated U.S. nonwhite female population.


Age-specific Graphs for Nonwhite Females


Population (scale in millions)





Percent of Total U.S. Population








APPENDIXES

Appendix I: Annual Tumor Mortality by ICD

Appendix II: Sixth, Seventh, and Eighth Revisions of the ICD for Cancer

Appendix III: Accuracy of Cancer Death Certificates and Its Effect on Cancer Mortality Statistics



AGE	WM	WF	NM	NF
-- ICD 140 --(1950) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1950) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1950) ----				
25-29	1	2		
30-34		1		
35-39			1	
40-44	2			1
45-49	2	3		
50-54	1	4		
55-59	4		2	
60-64	3	1		1
65-69	3	3	1	
70-74	4	2		
75-79	2	2		
80-84	5	1		
85-UP		2		1
-- ICD 142.1 (1950) ----				
05-09	1	1		
20-24	1	2		
25-29	1	2		
30-34	1	5		
35-39	1	2	3	1
40-44	10	4		
45-49	10	7	1	2
50-54	12	12	2	
55-59	26	15	1	1
60-64	30	17	3	1
65-69	35	20	1	2
70-74	27	12		2
75-79	28	20		1
80-84	28	14		
85-UP	21	6		1
-- ICD 143 --(1950) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1950) ----				
10-14		1		
35-39	4	2		
40-44	9	4	2	
45-49	15	4	1	6
50-54	32	8	6	7
55-59	56	8	8	3
60-64	77	17	6	4
65-69	95	31	1	2
70-74	102	28	4	
75-79	100	21	3	
80-84	63	34	2	
85-UP	29	17	1	1
-- ICD 145 --(1950) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1950) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1950) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1950) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1950) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1950) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1950) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1950) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1950) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1950) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1950) ----				
00-04	10	6	2	4
05-09	3	2		
10-14	1			1
15-19	2	2	2	3
20-24	3	5		1
25-29	6	6	4	4
30-34	15	15	5	3
35-39	31	32	6	5
40-44	37	50	12	12
45-49	124	83	27	22

AGE	WM	WF	NM	NF
-- 156 --(1950) CONTD---				
50-54	183	166	41	24
55-59	251	245	53	50
60-64	383	319	43	43
65-69	424	375	48	29
70-74	398	446	31	25
75-79	346	392	20	10
80-84	205	278	8	8
85-UP	102	155	6	5
-- ICD 157 --(1950) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1950) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1950) ----				
00-04		1		
15-19		1		
25-29	3			
30-34	2	2		1
35-39	4	4	1	2
40-44	3	4	1	2
45-49	13	5	1	7
50-54	15	7	5	4
55-59	18	18	9	9
60-64	33	35	8	15
65-69	52	43	10	8
70-74	58	37	8	11
75-79	57	56	7	4
80-84	33	47	4	4
85-UP	22	35		3
-- ICD 160 --(1950) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1950) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1950) ----				
00-04		1		
05-09	1			
10-14		1		
15-19		2		
20-24	6	2		1
25-29	9	3	2	2
30-34	37	10	7	6
35-39	99	22	8	5
40-44	213	49	29	5
45-49	454	67	46	4
50-54	801	102	79	21
55-59	1120	125	88	18
60-64	1248	172	74	10
65-69	919	171	51	10
70-74	604	138	32	11
75-79	317	102	13	2
80-84	117	76	7	1
85-UP	63	30	1	4
-- ICD 163 --(1950) ----				
00-04	3	5		
05-09	3	2		
10-14	3	3	1	
15-19	8	4	3	
20-24	4	2	2	
25-29	7	8	5	3
30-34	53	25	5	2
35-39	103	41	17	1
40-44	259	73	24	11
45-49	559	118	57	16
50-54	935	159	97	20
55-59	1375	237	85	14
60-64	1532	313	88	18
65-69	1335	320	71	18
70-74	935	327	26	12
75-79	536	255	16	12
80-84	232	134	7	1
85-UP	91	63		1
-- ICD 164 --(1950) ----				
00-04	5	1		
05-09	1	1	1	
10-14	1	1		
15-19	2	1		1
20-24	3			
25-29	8	2	3	1
30-34	4	4	2	
35-39	2	4	1	
40-44	12	3	2	
45-49	24	7	3	
50-54	21	8	1	3
55-59	36	10	7	
60-64	44	12	5	
65-69	38	17	2	1
70-74	28	17	3	2
75-79	17	10		

AGE	WM	WF	NM	NF
-- 164 --(1950) CONTD---				
80-84	9	8		
85-UP	6	4		
-- ICD 165 --(1950) ----				
00-04	1	2		
10-14			1	
15-19	1			
20-24	1	1		
25-29	1	2		
35-39	8	4	1	
40-44	3	4	1	2
45-49	12	6		
50-54	7	12	2	
55-59	14	17	3	1
60-64	32	12	3	5
65-69	23	20	2	
70-74	16	11	3	1
75-79	14	9	2	2
80-84	8	10		
85-UP	2	2		
-- ICD 170 --(1950) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1950) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1950) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1950) ----				
15-19		2		4
20-24		11		4
25-29		14		1
30-34		6		1
35-39		7		2
40-44		2		1
45-49		6		1
50-54		8		3
55-59		2		2
60-64		5		
65-69		3		3
70-74		3		1
75-79		1		
80-84		3		
-- ICD 174 --(1950) ----				
00-04		4		
15-19				1
20-24		9		5
25-29		30		14
30-34		67		28
35-39		145		72
40-44		271		104
45-49		428		129
50-54		532		169
55-59		714		151
60-64		706		137
65-69		801		108
70-74		676		72
75-79		552		42
80-84		364		24
85-UP		212		26
-- ICD 175 --(1950) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1950) ----				
00-04		1		1
15-19		1		
20-24				1
25-29		3		2
30-34		1		4
35-39		9		10
40-44		20		6
45-49		33		8
50-54		41		3
55-59		53		12
60-64		58		7
65-69		93		6
70-74		110		6
75-79		87		3
80-84		72		
85-UP		47		2
-- ICD 177 --(1950) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1950) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1950) ----				
05-09	1			
15-19	1			
20-24	2			

AGE	WM	WF	NM	NF
-- 179 --(1950) CONTD---				
25-29			1	
30-34	2			
35-39	7		2	
40-44	4		5	
45-49	12		6	
50-54	14		9	
55-59	33		9	
60-64	22		5	
65-69	42		9	
70-74	39		5	
75-79	45		2	
80-84	33			
85-UP	24			
-- ICD 180 --(1950) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1950) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1950) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1950) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1950) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1950) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1950) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1950) ----				
00-04	21	17	3	
05-09	10	10		
10-14	6	3	1	
15-19	5	1		1
20-24	5	5	1	
25-29	8	7	1	
30-34	7	9	2	
35-39	16	6		
40-44	11	8	3	1
45-49	18	10		1
50-54	22	16	4	
55-59	19	12	4	1
60-64	22	7	3	2
65-69	25	12	2	1
70-74	14	8		1
75-79	4	5		
80-84	4	1		
-- ICD 196 --(1950) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1950) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1950) ----				
00-04	3	1		
10-14		1		
15-19		2		
20-24	2			1
25-29	2	2		
30-34	1			
35-39	9	3		
40-44	6	7		
45-49	10	7		1
50-54	16	3	3	
55-59	19	4	1	2
60-64	33	15	2	
65-69	36	21	1	
70-74	39	19	1	1
75-79	19	21	1	
80-84	19	4		1
85-UP	6	10		
-- ICD 199 --(1950) ----				
00-04	21	22	2	3
05-09	7	8	3	2
10-14	9	6	5	1
15-19	13	15	4	4
20-24	21	25	4	4
25-29	39	29	3	6
30-34	43	48	9	16
35-39	60	102	12	32
40-44	102	180	18	42
45-49	191	268	38	44
50-54	307	388	40	60
55-59	386	435	61	67
60-64	522	541	50	55
65-69	544	575	65	48
70-74	510	619	36	44

AGE	WM	WF	NM	NF
-- 199 --(1950) CONTD---				
75-79	417	515	29	22
80-84	266	312	11	13
85-UP	184	250	10	12
-- ICD 200.0 (1950) ----				
00-04	5	3		
05-09	1	2	1	
10-14	7	2		
15-19	10			
20-24	6	5	4	
25-29	13	5	1	
30-34	18	8	2	
35-39	11	6	1	1
40-44	26	10		1
45-49	26	12	2	3
50-54	24	17	2	
55-59	45	21	3	1
60-64	42	24	4	1
65-69	35	27	2	1
70-74	26	21		
75-79	19	10		2
80-84	5	5		
85-UP	1	1		
-- ICD 200.1 (1950) ----				
00-04	28	16	3	1
05-09	31	14	5	3
10-14	26	5	2	
15-19	38	7	4	1
20-24	20	18	1	1
25-29	29	22	3	2
30-34	32	26	4	3
35-39	63	37	4	5
40-44	87	43	5	2
45-49	92	48	7	4
50-54	126	96	8	7
55-59	161	129	10	9
60-64	200	115	7	9
65-69	185	140	7	4
70-74	127	110	1	3
75-79	86	68		
80-84	48	44		
85-UP	17	19		
-- ICD 200.2 (1950) ----				
00-04	9	2	1	
05-09	10	2	1	
10-14	1	4		
15-19		2		
20-24	4	2		2
25-29	5	1	1	
30-34	8	1		
35-39	6	6	1	
40-44	7	9	2	1
45-49	14	13	3	1
50-54	28	9	5	1
55-59	28	24	1	1
60-64	30	25	1	1
65-69	31	27	5	2
70-74	30	28	1	
75-79	16	10	4	1
80-84	8	12	1	1
85-UP	3	5		
-- ICD 201 --(1950) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1950) ----				
00-04				1
25-29		1		
30-34	1	1		
35-39	3			
40-44	1	2		
45-49	5	1		
50-54	5	2		
55-59	4	1		
60-64	2	4		
65-69	2			
70-74	2	1		
75-79	3			
-- ICD 202.1 (1950) ----				
00-04	18	17		1
05-09	10	3		
10-14	6		1	
15-19	6	2		1
20-24	8	2	2	1
25-29	7	5		
30-34	11	9	4	
35-39	10	7	2	1
40-44	13	13	3	1
45-49	18	8	3	3
50-54	16	13	6	
55-59	35	22	4	1
60-64	45	29	1	

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 202.1 (1950) CONTD---				
65-69	27	28	4	
70-74	30	13	2	
75-79	13	20	1	
80-84	4	3		
85-UP	5	3		
-- ICD 203 --(1950) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1950) ----				
00-04	260	201	16	10
05-09	119	91	3	11
10-14	69	41	5	5
15-19	55	27	3	3
20-24	21	23	2	
25-29	35	31	2	1
30-34	28	28	4	1
35-39	38	39	5	2
40-44	48	49	6	5
45-49	77	46	7	7
50-54	110	83	10	4
55-59	174	95	13	3
60-64	227	133	20	7
65-69	254	143	9	3
70-74	264	134	7	5
75-79	175	121	5	2
80-84	97	62	2	
85-UP	36	34		1
-- ICD 204.1 (1950) ----				
00-04	46	29	3	4
05-09	29	21	4	1
10-14	37	22	1	1
15-19	37	31	3	4
20-24	49	33	2	3
25-29	72	59	7	3
30-34	83	57	5	6
35-39	78	61	8	10
40-44	88	77	9	7
45-49	101	73	8	6
50-54	116	113	5	12
55-59	130	119	7	8
60-64	166	128	4	7
65-69	160	128	6	2
70-74	166	101	6	3
75-79	101	84	1	1
80-84	50	51		1
85-UP	25	15		
-- ICD 204.2 (1950) ----				
00-04	7	3		
05-09	8	6	1	
10-14	2	7	1	
15-19	12	6		2
20-24	2	5	1	1
25-29	14	13		2
30-34	13	9	1	
35-39	19	18	1	
40-44	16	19		3
45-49	12	16		1
50-54	27	18	2	1
55-59	14	31	2	
60-64	29	20	2	1
65-69	27	17		
70-74	28	28		
75-79	18	19		
80-84	11	5		
85-UP	5	4		
-- ICD 204.3 (1950) ----				
00-04	95	84	6	3
05-09	42	34	4	
10-14	22	23	2	2
15-19	13	13	3	
20-24	11	8		1
25-29	15	9	1	1
30-34	11	11		1
35-39	16	9	2	1
40-44	15	11	4	1
45-49	12	16		
50-54	24	13	1	2
55-59	23	20	2	2
60-64	23	13	2	1
65-69	16	17		
70-74	22	14	1	
75-79	13	6		
80-84	1	6		
85-UP	4	1		
-- ICD 204.4 (1950) ----				
00-04	54	60	8	4
05-09	23	21	4	4
10-14	13	12		
15-19	12	5	2	
20-24	5	11		5

AGE	WM	WF	NM	NF
-- 204.4 (1950) CONTD---				
25-29	4	16	1	
30-34	5	9	1	3
35-39	4	16	1	4
40-44	15	18	2	4
45-49	15	11	5	3
50-54	30	22	3	
55-59	39	37	4	2
60-64	64	41	1	4
65-69	81	52	3	3
70-74	71	33	3	1
75-79	55	52		1
80-84	19	14		
85-UP	11	9		
-- ICD 205 --(1950) ----				
30-34	1			1
35-39	1	1		1
40-44	2	1	1	
45-49	3	2		
50-54	5	1		
55-59	7	1	3	
60-64	8	2		
65-69	3	4	1	
70-74	5	1		
75-79	3	2		
80-84	2	2		
85-UP	1	1		
-- ICD 140 --(1951) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1951) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1951) ----				
35-39	1			2
40-44	4	2	1	
45-49	2	1	1	
50-54	4		1	
55-59	1	1		
60-64	3	3		
65-69	3	3	1	
70-74	6	1		
75-79	4	2		
80-84	1	2		
85-UP	1	2		
-- ICD 142.1 (1951) ----				
00-04		1		
05-09	1			
15-19		1		
20-24		2		
25-29		3		
30-34	2			
35-39	3	2	1	1
40-44	10	3	1	1
45-49	15	11		1
50-54	12	14		7
55-59	23	8		1
60-64	31	26	1	1
65-69	46	22	1	1
70-74	37	18	3	1
75-79	28	15	2	
80-84	20	13		
85-UP	18	8		
-- ICD 143 --(1951) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1951) ----				
10-14	1			
15-19				1
30-34	1			
35-39	2	2		
40-44	8	3	2	1
45-49	27	9	7	1
50-54	28	8	10	5
55-59	61	16	12	2
60-64	78	11		
65-69	81	28	4	2
70-74	77	29	3	1
75-79	79	24	3	
80-84	48	20	1	1
85-UP	32	19	2	
-- ICD 145 --(1951) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1951) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1951) ----				
SEE PAGES 48 - 53				

AGE	WM	WF	NM	NF
-- ICD 148 --(1951) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1951) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1951) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1951) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1951) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1951) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1951) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1951) ----				
00-04	13	9	1	1
05-09	5	4	1	
10-14	3	2		
15-19	3	2		
20-24	2	4	1	1
25-29	6	9	3	4
30-34	16	14	8	5
35-39	32	21	3	15
40-44	52	72	15	18
45-49	104	81	26	12
50-54	178	154	37	38
55-59	277	229	59	31
60-64	367	291	35	29
65-69	414	394	37	28
70-74	429	394	35	27
75-79	334	391	22	18
80-84	205	253	10	12
85-UP	101	159	7	5
-- ICD 157 --(1951) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1951) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1951) ----				
05-09	1			
25-29	1	2	1	
30-34		1		
35-39	3	4		2
40-44	7	4	3	4
45-49	6	4	3	6
50-54	14	18	4	7
55-59	30	29	7	10
60-64	46	24	8	10
65-69	53	37	15	12
70-74	57	50	12	12
75-79	45	60	3	3
80-84	41	55	3	5
85-UP	26	38	3	2
-- ICD 160 --(1951) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1951) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1951) ----				
00-04		3		
10-14	2	1	1	
20-24	4	5	1	
25-29	22	7	3	
30-34	33	14	1	2
35-39	104	25	13	3
40-44	240	51	19	9
45-49	508	64	53	13
50-54	910	129	105	18
55-59	1254	141	114	17
60-64	1379	158	82	9
65-69	1052	142	80	12
70-74	699	135	32	6
75-79	334	126	18	1
80-84	126	67	1	1
85-UP	56	30	1	2
-- ICD 163 --(1951) ----				
00-04	1	1		
05-09	3	1		1
10-14	5	1	1	
15-19	5	4		
20-24	14	9	2	1
25-29	13	8	3	1
30-34	36	16	4	4
35-39	104	38	18	9

AGE	WM	WF	NM	NF
-- 163 --(1951) CONTD---				
40-44	243	82	22	13
45-49	544	121	52	19
50-54	955	176	104	23
55-59	1347	236	118	26
60-64	1652	283	89	20
65-69	1548	339	76	21
70-74	1012	341	41	9
75-79	586	258	17	10
80-84	240	157	10	6
85-UP	100	78	5	3
-- ICD 164 --(1951) ----				
00-04	2	2		
05-09		2		1
10-14	1			
15-19	6			1
20-24	3	4		
25-29	2	1	1	1
30-34	3	1		1
35-39	6	2	2	
40-44	14	5		1
45-49	21	3	1	1
50-54	21	11	5	1
55-59	40	10	2	
60-64	38	13	2	2
65-69	26	11	3	
70-74	25	3		2
75-79	9	8		
80-84	13	8		
85-UP	3	2		
-- ICD 165 --(1951) ----				
00-04		1		
15-19	1			
20-24	2	2		
25-29		2		
30-34	1	3		
35-39	1	5		
40-44	3	3	1	1
45-49	10	12	3	1
50-54	24	12	3	3
55-59	20	17	2	1
60-64	25	19	2	2
65-69	28	13	1	2
70-74	23	16	1	
75-79	18	18	1	
80-84	7	6	1	1
85-UP	3	4		
-- ICD 170 --(1951) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1951) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1951) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1951) ----				
15-19		1		1
20-24		17		1
25-29		4		3
30-34		6		2
35-39		5		1
40-44		2		
45-49		5		1
50-54		1		4
55-59		4		1
60-64		3		1
65-69		2		3
70-74		3		
75-79		6		
80-84		1		
85-UP		3		
-- ICD 174 --(1951) ----				
10-14				2
15-19				1
20-24		8		
25-29		25		9
30-34		60		27
35-39		135		55
40-44		232		95
45-49		327		124
50-54		551		170
55-59		648		121
60-64		705		109
65-69		747		103
70-74		687		90
75-79		529		37
80-84		312		28
85-UP		195		17
-- ICD 175 --(1951) ----				
SEE PAGES 184 - 189				

AGE	WM	WF	NM	NF
-- ICD 176 --(1951) ----				
00-04		2		1
20-24		1		1
25-29		2		3
30-34		7		5
35-39		8		4
40-44		22		8
45-49		23		5
50-54		38		10
55-59		47		5
60-64		78		10
65-69		85		5
70-74		95		4
75-79		97		1
80-84		72		2
85-UP		41		1
-- ICD 177 --(1951) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1951) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1951) ----				
10-14	1			
25-29	1			
30-34	2		3	
35-39	6		2	
40-44	6		5	
45-49	12		13	
50-54	17		4	
55-59	30		9	
60-64	24		10	
65-69	32			
70-74	28		5	
75-79	44		5	
80-84	27			
85-UP	15			
-- ICD 180 --(1951) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1951) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1951) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1951) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1951) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1951) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1951) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1951) ----				
00-04	21	25	1	1
05-09	8	1		
10-14	4	2	1	
15-19	4	4		1
20-24	9	4	1	1
25-29	7	3		
30-34	7	7		1
35-39	9	8		
40-44	14	6		1
45-49	21	10	3	1
50-54	24	6	1	2
55-59	29	8	1	
60-64	17	9	2	
65-69	18	14	1	
70-74	8	8		
75-79	2	7		1
80-84	4	1		
85-UP	1			
-- ICD 196 --(1951) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1951) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1951) ----				
10-14	1			
15-19	1	1		
20-24	1			
25-29	3	1		
30-34	1	5		2
35-39	4	2		
40-44	7	7		1
45-49	16	9	2	1
50-54	10	8	1	2

AGE	WM	WF	NM	NF
-- 198 --(1951) CONTD---				
55-59	26	14	2	
60-64	24	20	4	2
65-69	41	13	1	1
70-74	25	14	1	
75-79	19	17	1	
80-84	18	13		
85-UP	10	7	2	1
-- ICD 199 --(1951) ----				
00-04	27	22	3	3
05-09	11	9	1	2
10-14	10	11		
15-19	13	9	6	2
20-24	40	15	4	1
25-29	28	37	6	4
30-34	49	73	7	15
35-39	80	125	14	30
40-44	138	205	27	55
45-49	189	317	54	66
50-54	343	428	76	78
55-59	550	561	69	82
60-64	665	712	70	79
65-69	740	765	54	71
70-74	683	752	57	46
75-79	576	669	33	32
80-84	387	457	11	10
85-UP	266	305	13	16
-- ICD 200.0 (1951) ----				
00-04	3	2		
05-09	2	2		
10-14	6		1	
15-19	11	4		
20-24	7	4	1	
25-29	17	7	1	
30-34	14	5	3	
35-39	25	12	1	
40-44	21	15	3	2
45-49	23	21	2	3
50-54	42	22	1	
55-59	58	29	2	
60-64	33	40	5	1
65-69	28	31	2	1
70-74	23	17		
75-79	13	22		
80-84	6	7		
85-UP	1	6	1	
-- ICD 200.1 (1951) ----				
00-04	27	17	4	1
05-09	34	25	3	1
10-14	23	10	1	1
15-19	20	14	3	1
20-24	32	10	4	3
25-29	31	22	3	1
30-34	24	26	2	4
35-39	52	31	5	3
40-44	71	51	4	3
45-49	111	64	11	3
50-54	164	100	5	6
55-59	176	114	15	2
60-64	211	144	13	10
65-69	195	122	4	2
70-74	142	108	3	2
75-79	108	69	1	2
80-84	46	45	2	
85-UP	20	18		
-- ICD 200.2 (1951) ----				
00-04	7	7		1
05-09	3	1		
10-14	1	2	1	
15-19	5	1		
20-24	3	2	2	
25-29	5	2	2	1
30-34	9	5		1
35-39	13	6		
40-44	17	3	1	
45-49	13	8		
50-54	26	19	2	4
55-59	42	22	1	5
60-64	35	26		3
65-69	39	25		2
70-74	36	18	1	
75-79	13	16		
80-84	14	12		
85-UP	7	8		
-- ICD 201 --(1951) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1951) ----				
05-09		1		
15-19		1		
20-24				1

AGE	WM	WF	NM	NF
-- 202.0 (1951) CONTD---				
30-34		2		
35-39	1			
40-44	2	2		
45-49	3	2		
50-54	1	1	1	
55-59	3	2		
60-64	3	7		
65-69	2	2		1
70-74	1	2		
75-79		2		
80-84	1			
85-UP	1	1		
-- ICD 202.1 (1951) ----				
00-04	19	16	1	5
05-09	8	3		1
10-14	7	1		
15-19	3	4	1	
20-24	7	2		
25-29	2	1		
30-34	5	8	3	3
35-39	12	4	1	1
40-44	11	14	3	1
45-49	22	8	2	
50-54	39	15	5	3
55-59	36	28	1	1
60-64	38	27	1	
65-69	35	23	2	
70-74	24	19	1	1
75-79	28	14		3
80-84	12	10		
85-UP	4	3		1
-- ICD 203 --(1951) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1951) ----				
00-04	238	208	14	10
05-09	110	114	4	4
10-14	62	46	8	5
15-19	60	22	7	2
20-24	40	19	6	2
25-29	27	31	1	3
30-34	34	28	5	6
35-39	43	36	2	3
40-44	56	44	10	5
45-49	83	37	6	6
50-54	149	62	16	8
55-59	190	81	16	5
60-64	235	123	11	9
65-69	286	130	13	7
70-74	228	136	11	4
75-79	196	138	3	3
80-84	99	68	1	1
85-UP	47	46	4	
-- ICD 204.1 (1951) ----				
00-04	60	33	2	6
05-09	24	18	1	2
10-14	21	27	4	2
15-19	41	33	3	2
20-24	39	32	6	3
25-29	66	38	7	3
30-34	70	53	8	7
35-39	59	68	10	3
40-44	90	92	10	9
45-49	105	98	7	11
50-54	96	98	6	9
55-59	154	137	11	5
60-64	175	135	10	5
65-69	199	126	9	4
70-74	147	110	1	1
75-79	102	87	5	
80-84	56	54	1	2
85-UP	36	20	1	
-- ICD 204.2 (1951) ----				
00-04	8	10	1	
05-09	4	5		
10-14	6	6		1
15-19	13	8		2
20-24	12	6		
25-29	12	14	1	
30-34	14	15		2
35-39	10	8		
40-44	27	22	2	
45-49	14	24	3	
50-54	31	18	4	
55-59	26	31	5	
60-64	35	25		
65-69	37	31	1	1
70-74	32	25	1	
75-79	18	15		
80-84	12	1		
85-UP	4	1		

AGE	WM	WF	NM	NF
-- ICD 204.3 (1951) ----				
00-04	115	77	4	3
05-09	63	37	4	2
10-14	21	22	1	1
15-19	16	14	2	
20-24	13	9	1	3
25-29	14	8	3	
30-34	21	8	1	
35-39	10	13	2	1
40-44	12	12		1
45-49	17	19		
50-54	17	15	2	1
55-59	19	28	2	
60-64	28	24	2	4
65-69	23	21	1	
70-74	18	13		
75-79	18	6		1
80-84	7	6		
85-UP	2	1		
-- ICD 204.4 (1951) ----				
00-04	81	57	1	8
05-09	40	25	1	4
10-14	14	7		
15-19	16	6	4	2
20-24	10	7		1
25-29	5	12	1	3
30-34	8	14	4	4
35-39	13	20	1	3
40-44	16	18	4	2
45-49	27	17	1	4
50-54	43	23	2	1
55-59	50	36	5	2
60-64	73	45	2	3
65-69	79	49	4	2
70-74	73	40	1	2
75-79	56	41	3	
80-84	29	19		
85-UP	15	16		
-- ICD 205 --(1951) ----				
25-29		1		
30-34	1	1		1
35-39	2			
40-44	3	2		
45-49	1	1		
50-54	3	1		
55-59	4	2		
60-64	6	4	2	
65-69	11	1		
70-74	7	1		1
75-79	4	1		
80-84	3	3		
85-UP	1	1		
-- ICD 140 --(1952) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1952) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1952) ----				
35-39		1	1	
40-44	1	1		
45-49	1			
50-54	2	1		
55-59	1	3		
60-64	2	3		1
65-69	7	1		
70-74	1	4		
75-79	3	4	1	
80-84	1	2		
85-UP	1	3		
-- ICD 142.1 (1952) ----				
05-09			1	
15-19		1		
25-29	1	2	1	
30-34	1	1		
35-39	5	7		2
40-44	4	8		1
45-49	9	7		1
50-54	25	21	4	2
55-59	22	19	5	2
60-64	34	14	2	
65-69	36	18	3	2
70-74	32	23	3	1
75-79	24	12		
80-84	23	10	1	
85-UP	13	14		
-- ICD 143 --(1952) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1952) ----				
05-09		2		1

AGE	WM	WF	NM	NF
-- 144 --(1952) CONTD---				
10-14		2		
25-29	1			
30-34	2		1	
35-39	5	5		1
40-44	5	3	2	1
45-49	13	3	3	1
50-54	35	15	5	3
55-59	55	6	7	3
60-64	76	26	7	
65-69	88	32	5	4
70-74	82	31	3	
75-79	75	31		1
80-84	44	24	2	
85-UP	32	18		2
-- ICD 145 --(1952) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1952) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1952) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1952) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1952) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1952) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1952) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1952) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1952) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1952) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1952) ----				
00-04	14	11		2
05-09	1	2		
10-14	1	2		1
15-19	2			
20-24	1	4	1	
25-29	6	7	2	1
30-34	12	17	7	
35-39	18	31	7	7
40-44	59	58	15	14
45-49	109	107	25	18
50-54	150	137	51	28
55-59	226	250	50	21
60-64	345	295	47	25
65-69	435	371	59	39
70-74	404	409	30	35
75-79	343	388	22	13
80-84	195	265	9	13
85-UP	105	189	6	5
-- ICD 157 --(1952) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1952) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1952) ----				
20-24			1	1
30-34		1		1
35-39	1	4		1
40-44	6	4	1	3
45-49	9	7	5	4
50-54	7	9	8	5
55-59	22	17	2	3
60-64	35	40	11	4
65-69	42	51	19	11
70-74	57	63	10	9
75-79	62	63	5	1
80-84	57	43	2	3
85-UP	33	37	2	3
-- ICD 160 --(1952) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1952) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1952) ----				
00-04		1		
10-14		1		

AGE	WM	WF	NM	NF
-- 162 --(1952) CONTD---				
15-19	1			1
20-24	9	3		1
25-29	19	2	4	
30-34	47	14	6	2
35-39	102	35	18	7
40-44	282	49	43	7
45-49	517	72	77	14
50-54	929	109	105	13
55-59	1440	138	122	16
60-64	1567	206	96	10
65-69	1342	190	66	22
70-74	803	186	33	8
75-79	455	131	19	3
80-84	160	78	11	3
85-UP	78	35	6	1
-- ICD 163 --(1952) ----				
00-04	8	3		
05-09	2	1		
10-14	2	2	1	
15-19	3	4		2
20-24	8	7	1	1
25-29	14	9	1	1
30-34	27	19	9	3
35-39	108	39	18	8
40-44	267	79	45	8
45-49	564	137	69	13
50-54	969	180	85	25
55-59	1489	249	122	30
60-64	1759	314	83	13
65-69	1593	337	91	23
70-74	1083	362	38	18
75-79	604	292	22	7
80-84	258	134	5	6
85-UP	106	74	8	2
-- ICD 164 --(1952) ----				
00-04	1	3		1
05-09	3			
10-14			1	
15-19	3		1	
20-24	8	1		
25-29	5	2		1
30-34	6	4		
35-39	7	3	1	3
40-44	5	2	1	1
45-49	18		3	
50-54	24	7	3	1
55-59	23	10		
60-64	36	6		1
65-69	29	11	2	
70-74	19	5	1	
75-79	11	9		1
80-84	3	3	1	
85-UP	2	4		
-- ICD 165 --(1952) ----				
05-09	1			
10-14	1	1	1	
30-34		1		2
35-39	1	4	1	1
40-44	13	5	3	2
45-49	15	7	1	2
50-54	33	7	1	3
55-59	31	17	2	2
60-64	51	20	3	1
65-69	35	32		2
70-74	33	18	1	1
75-79	18	12		
80-84	13	9		
85-UP	6	1		1
-- ICD 170 --(1952) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1952) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1952) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1952) ----				
15-19		3		2
20-24		9		2
25-29		13		1
30-34		7		1
35-39		2		2
40-44		4		1
45-49		3		2
50-54				2
55-59		6		
60-64		2		
65-69		2		
70-74		4		
75-79		2		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 173 --(1952) CONTD---				
80-84	1			
-- ICD 174 --(1952) ----				
00-04	2			
05-09	1			
15-19	1			
20-24	6		3	
25-29	22		13	
30-34	47		31	
35-39	128		49	
40-44	223		85	
45-49	325		110	
50-54	435		159	
55-59	604		116	
60-64	703		118	
65-69	691		114	
70-74	571		77	
75-79	495		50	
80-84	323		15	
85-UP	191		24	
-- ICD 175 --(1952) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1952) ----				
00-04	5		1	
10-14	1			
20-24	1			
25-29	3		2	
30-34	2		5	
35-39	18		2	
40-44	16		7	
45-49	27		10	
50-54	37		15	
55-59	49		7	
60-64	70		6	
65-69	98		4	
70-74	127		8	
75-79	98		2	
80-84	65		1	
85-UP	53		1	
-- ICD 177 --(1952) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1952) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1952) ----				
20-24	1		1	
25-29	1		1	
30-34	2			
35-39	4		4	
40-44	3		7	
45-49	11		6	
50-54	10		8	
55-59	31		8	
60-64	22		10	
65-69	38		5	
70-74	44		2	
75-79	34		3	
80-84	25		2	
85-UP	19		1	
-- ICD 180 --(1952) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1952) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1952) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1952) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1952) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1952) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1952) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1952) ----				
00-04	26	20	2	2
05-09	9	3	2	1
10-14	5	3		
15-19	4	3		
20-24	7	7		
25-29	7	10		2
30-34	4	10		2
35-39	7	7		
40-44	10	14	1	4

AGE	WM	WF	NM	NF
-- 195 --(1952) CONTD---				
45-49	13	6		2
50-54	15	12	2	1
55-59	23	12	2	1
60-64	31	7	1	
65-69	14	10		
70-74	14	4		1
75-79	4	4		
80-84	3	3		
85-UP	1	1		
-- ICD 196 --(1952) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1952) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1952) ----				
00-04		1		
05-09		1		
15-19			2	
20-24		2	1	
25-29				1
30-34	3	1		
35-39	1	3		1
40-44	3	3		1
45-49	6	7	5	2
50-54	15	8	3	
55-59	20	12	4	1
60-64	27	13	2	
65-69	42	9		
70-74	29	14		1
75-79	23	7	1	1
80-84	10	6		
85-UP	11	8		1
-- ICD 199 --(1952) ----				
00-04	23	20	3	5
05-09	6	8		3
10-14	9	6	1	3
15-19	22	15	1	2
20-24	21	17	4	4
25-29	33	41	4	6
30-34	52	56	8	20
35-39	79	146	9	26
40-44	145	205	24	55
45-49	243	331	34	85
50-54	371	456	53	79
55-59	578	588	59	73
60-64	694	667	72	72
65-69	804	804	79	58
70-74	719	779	49	50
75-79	641	696	26	35
80-84	448	460	20	25
85-UP	268	359	11	17
-- ICD 200.0 (1952) ----				
00-04	6	3		
05-09	3		2	
10-14	4		2	
15-19	5	7	1	
20-24	15	3	2	1
25-29	13	9		
30-34	17	8	1	
35-39	17	13	2	1
40-44	16	7	1	
45-49	29	25	1	1
50-54	39	19	1	1
55-59	63	35	4	2
60-64	43	28	2	1
65-69	49	34	4	1
70-74	27	22		
75-79	20	15	1	
80-84	11	10		
85-UP	3	7		
-- ICD 200.1 (1952) ----				
00-04	32	17	4	2
05-09	41	16	2	2
10-14	15	14	2	3
15-19	28	11	5	2
20-24	20	8	6	
25-29	25	21	1	1
30-34	33	28	2	2
35-39	40	41	3	6
40-44	77	55	5	6
45-49	108	65	7	7
50-54	149	103	14	5
55-59	174	145	7	9
60-64	236	142	10	3
65-69	201	155	7	
70-74	180	129	4	5
75-79	99	111	3	1
80-84	49	34	2	2
85-UP	18	18		1

AGE	WM	WF	NM	NF
-- ICD 200.2 (1952) ----				
00-04	9	4		1
05-09	2	4	1	1
10-14		5		
15-19	4	1	1	1
20-24	5	3	1	
25-29	7	4	1	2
30-34	7	8	1	1
35-39	11	2		2
40-44	12	11	1	3
45-49	17	8	5	
50-54	24	19	3	
55-59	24	16	2	1
60-64	54	31	3	2
65-69	43	33	1	1
70-74	45	31	1	1
75-79	26	27		1
80-84	5	17		1
85-UP	6	8		
-- ICD 201 --(1952) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1952) ----				
20-24	1			
25-29	1			
30-34	1			
35-39	2	1		
40-44	2	1		
45-49	1	3		
50-54	4	2		
55-59	4	2		
60-64	6	3		
65-69	5	3		
70-74	2	4		
75-79	5	2		1
-- ICD 202.1 (1952) ----				
00-04	14	29		2
05-09	7	6	1	
10-14	3	4	1	2
15-19	5	7	1	2
20-24	2	3	1	
25-29	6	3		
30-34	6	4	2	
35-39	11	6	2	2
40-44	10	8	3	
45-49	26	15	5	
50-54	39	16	2	1
55-59	54	26	1	
60-64	46	27	1	3
65-69	42	23	1	
70-74	36	31	3	
75-79	27	10	1	
80-84	12	12		
85-UP	4	6		
-- ICD 203 --(1952) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1952) ----				
00-04	226	202	16	13
05-09	137	122	13	7
10-14	61	46	3	3
15-19	72	39	3	4
20-24	34	27	3	2
25-29	35	22	3	3
30-34	23	35	4	1
35-39	31	32	3	7
40-44	61	45	4	4
45-49	86	40	4	7
50-54	126	83	9	15
55-59	178	121	15	7
60-64	241	140	20	8
65-69	296	168	14	7
70-74	298	169	9	6
75-79	203	145	5	1
80-84	124	89	4	
85-UP	43	42	2	1
-- ICD 204.1 (1952) ----				
00-04	42	34	9	5
05-09	36	14	3	1
10-14	22	19	5	2
15-19	35	21	4	3
20-24	42	28	3	4
25-29	46	40	4	6
30-34	62	55	6	10
35-39	76	60	5	16
40-44	88	63	11	10
45-49	84	93	8	10
50-54	128	126	8	14
55-59	153	121	8	5
60-64	166	152	10	2
65-69	185	145	11	4
70-74	157	135	7	5

AGE	WM	WF	NM	NF
-- 204.1 (1952) CONTD---				
75-79	130	96	2	2
80-84	59	38	2	2
85-UP	32	29	1	1
-- ICD 204.2 (1952) ----				
00-04	10	10		1
05-09	5	4		
10-14	6	5		1
15-19	11	6		1
20-24	10	4		
25-29	16	14	1	
30-34	11	12		2
35-39	16	14	1	1
40-44	27	21		
45-49	29	16		1
50-54	20	28	1	1
55-59	32	19	2	2
60-64	46	37	1	
65-69	56	23	1	1
70-74	35	24		
75-79	15	17		2
80-84	13	7		
85-UP	6	3		
-- ICD 204.3 (1952) ----				
00-04	107	105	9	5
05-09	62	45	1	2
10-14	26	16		2
15-19	22	19	2	2
20-24	16	11		1
25-29	15	12	1	
30-34	17	9	2	
35-39	11	10	2	2
40-44	17	20	1	
45-49	16	14	3	1
50-54	21	26	3	
55-59	33	18		
60-64	24	20	1	
65-69	35	20	1	
70-74	15	17		
75-79	9	10		
80-84	7	11		1
85-UP	2	4		
-- ICD 204.4 (1952) ----				
00-04	73	52	9	7
05-09	32	28	3	3
10-14	19	13	5	3
15-19	12	6		
20-24	12	7	1	1
25-29	9	4	2	2
30-34	14	12	1	3
35-39	18	12	1	2
40-44	17	12	2	3
45-49	19	25	4	3
50-54	45	23	2	3
55-59	45	40	2	4
60-64	63	42	4	3
65-69	78	49	5	1
70-74	86	53	4	2
75-79	56	47	1	
80-84	44	33	1	
85-UP	12	16		1
-- ICD 205 --(1952) ----				
35-39	1	2	1	1
40-44	1	2		
45-49	2	1	1	
50-54	5	2		
55-59	8	3		
60-64	1	1		
65-69	4	2	1	1
70-74	5	2		1
75-79	3	3		
85-UP	1			
-- ICD 140 --(1953) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1953) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1953) ----				
20-24	1			
30-34		1		
40-44		1		
45-49	3	1	1	
55-59	5	2	1	
65-69	1	3	1	
70-74	4	1		
75-79	2	2		
80-84	1	2	1	
85-UP		3		

AGE	WM	WF	NM	NF
-- ICD 142.1 (1953) ----				
00-04		1		
05-09	1	1		
25-29	1	3	1	1
30-34	2	2		
35-39	3	2		
40-44	14	6		1
45-49	17	5	2	
50-54	25	8	1	3
55-59	24	17	3	1
60-64	46	18	2	1
65-69	37	16	1	1
70-74	40	16	1	
75-79	28	17	1	
80-84	23	19		
85-UP	16	22		
-- ICD 143 --(1953) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1953) ----				
00-04			1	
15-19		1		
20-24	1			
30-34		1		
35-39	6		1	2
40-44	8	3	1	1
45-49	15	6	5	2
50-54	41	12	6	5
55-59	51	15	2	3
60-64	79	21	5	2
65-69	84	27	3	3
70-74	88	26	2	2
75-79	91	40	2	1
80-84	55	22	2	
85-UP	30	14	2	
-- ICD 145 --(1953) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1953) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1953) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1953) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1953) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1953) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1953) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1953) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1953) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1953) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1953) ----				
00-04	7	10	2	2
05-09	1	1		1
10-14	1		1	
15-19	1		1	
20-24		2	2	
25-29	4	7	1	
30-34	8	17	3	
35-39	18	24	7	6
40-44	44	55	14	16
45-49	90	86	25	25
50-54	155	151	63	32
55-59	242	208	51	25
60-64	321	290	42	26
65-69	398	351	55	30
70-74	377	397	27	24
75-79	333	414	10	24
80-84	222	266	7	12
85-UP	103	165	8	8
-- ICD 157 --(1953) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1953) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1953) ----				
25-29	1			
30-34	3	2		1

AGE	WM	WF	NM	NF
-- 159 --(1953) CONTD---				
35-39	3	3	1	1
40-44	3	2	2	3
45-49	13	7	3	4
50-54	18	11	12	6
55-59	20	15	10	13
60-64	37	33	9	7
65-69	35	39	11	8
70-74	59	51	16	4
75-79	50	65	10	11
80-84	42	48	6	4
85-UP	29	32	2	2
-- ICD 160 --(1953) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1953) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1953) ----				
00-04	4	1		
05-09	1			
10-14		1		
15-19	1			
20-24	6	2	1	
25-29	15	4	2	3
30-34	46	12	10	3
35-39	121	32	16	6
40-44	280	56	41	14
45-49	599	86	66	11
50-54	1066	118	130	18
55-59	1574	142	140	24
60-64	1763	184	109	16
65-69	1434	203	84	8
70-74	917	174	48	10
75-79	452	126	29	6
80-84	172	60	7	4
85-OP	72	26	5	3
-- ICD 163 --(1953) ----				
00-04	3	1	2	1
05-09	3	1		
10-14	2			
15-19	6	4	1	1
20-24	7	6		
25-29	19	10	1	1
30-34	43	22	2	5
35-39	104	44	16	5
40-44	297	89	43	14
45-49	582	132	88	25
50-54	1054	168	112	21
55-59	1610	237	130	21
60-64	1933	296	131	15
65-69	1811	336	77	24
70-74	1175	358	52	18
75-79	730	288	23	5
80-84	323	168	16	2
85-UP	127	88	5	3
-- ICD 164 --(1953) ----				
00-04	3	3		1
05-09	1	1	1	
10-14	1	1		
15-19	6	1		
20-24	7	1	2	
25-29	3		2	
30-34	6	2	1	1
35-39	6	2	2	
40-44	13	3		3
45-49	20	4	1	
50-54	26	6	2	1
55-59	39	17	2	
60-64	30	9	3	2
65-69	31	13		
70-74	18	9		
75-79	13	8	2	1
80-84	6	5		1
85-UP	1	1	2	1
-- ICD 165 --(1953) ----				
00-04	1			
15-19		1		
20-24	1	1		
25-29		1		
30-34	3	2		
35-39	3	1		
40-44	12	3	1	2
45-49	13	11	2	2
50-54	20	11	7	1
55-59	29	13	4	2
60-64	37	18	1	1
65-69	44	27	7	3
70-74	25	20	1	
75-79	16	18	1	
80-84	11	8		
85-UP	2	7	1	1

AGE	WM	WF	NM	NF
-- ICD 170 --(1953) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1953) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1953) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1953) ----				
10-14				1
15-19		1		2
20-24		5		
25-29		14		2
30-34		12		
35-39		2		
40-44		7		1
45-49		5		1
50-54		2		2
55-59		2		1
60-64		3		
65-69		1		1
70-74		1		
75-79		1		
80-84		1		
-- ICD 174 --(1953) ----				
10-14		2		
15-19		3		1
20-24		4		4
25-29		20		9
30-34		42		19
35-39		119		54
40-44		211		76
45-49		299		116
50-54		436		150
55-59		577		118
60-64		714		137
65-69		686		114
70-74		638		95
75-79		486		46
80-84		306		38
85-UP		223		16
-- ICD 175 --(1953) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1953) ----				
00-04		4		
20-24		2		1
25-29		5		1
30-34		2		4
35-39		8		4
40-44		19		8
45-49		30		9
50-54		38		8
55-59		51		9
60-64		82		7
65-69		108		3
70-74		110		2
75-79		95		2
80-84		63		7
85-UP		50		1
-- ICD 177 --(1953) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1953) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1953) ----				
10-14				1
15-19	1			
20-24	1			
25-29				2
30-34	2			
35-39	8			3
40-44	8			5
45-49	11			3
50-54	13			3
55-59	9			11
60-64	29			7
65-69	22			6
70-74	35			8
75-79	35			3
80-84	18			
85-OP	22			1
-- ICD 180 --(1953) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1953) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1953) ----				
SEE PAGES 222 - 231				

AGE	WM	WF	NM	NF
-- ICD 191 --(1953) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1953) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1953) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1953) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1953) ----				
00-04	26	21	1	1
05-09	6	6	1	1
10-14	3	6		
15-19	3	3	1	
20-24	8	1	2	
25-29	10	1	1	
30-34	8	9	1	1
35-39	10	8		1
40-44	22	11	1	3
45-49	22	14	1	4
50-54	12	9	5	2
55-59	28	12	1	1
60-64	37	18	2	
65-69	23	12	1	
70-74	17	13		
75-79	6	5		
80-84	3	2	1	
85-UP		3		
-- ICD 196 --(1953) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1953) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1953) ----				
05-09	1			
15-19		1		
20-24		2		
25-29	1	1		
30-34	4	2		
35-39	5	2		
40-44	8	5	3	
45-49	12	13		1
50-54	15	13	2	
55-59	22	14	4	1
60-64	25	14	7	
65-69	30	12	1	2
70-74	26	20	2	2
75-79	18	14	1	
80-84	15	13	1	
85-UP	7	10	1	
-- ICD 199 --(1953) ----				
00-04	25	20	3	2
05-09	6	12	1	
10-14	12	8		2
15-19	10	13	4	1
20-24	21	11	2	5
25-29	32	23	1	5
30-34	31	53	4	12
35-39	70	88	11	25
40-44	143	180	31	58
45-49	216	265	44	48
50-54	372	410	75	85
55-59	493	541	84	72
60-64	696	642	85	74
65-69	779	771	78	71
70-74	724	775	69	60
75-79	603	671	36	40
80-84	413	514	12	28
85-UP	264	335	7	22
-- ICD 200.0 (1953) ----				
00-04	2	2		
05-09	7	4		
10-14	5	2		
15-19	7	8		
20-24	11	13	1	
25-29	18	10	4	
30-34	21	16	1	1
35-39	28	7		2
40-44	27	22		
45-49	23	29	2	
50-54	54	23	7	2
55-59	58	38	2	1
60-64	63	50	1	4
65-69	46	52	4	1
70-74	43	31	3	
75-79	27	19	2	
80-84	5	9	1	
85-UP	4	8		

AGE	WM	WF	NM	NF
-- ICD 200.1 (1953) ----				
00-04	31	18	1	
05-09	54	18	6	2
10-14	30	9	2	
15-19	23	10	2	2
20-24	34	21	2	1
25-29	38	14	5	1
30-34	30	22	5	2
35-39	52	36	2	2
40-44	71	60	3	
45-49	112	54	13	3
50-54	123	100	9	6
55-59	192	141	14	10
60-64	241	162	15	6
65-69	221	148	12	3
70-74	188	132	4	2
75-79	118	98	2	1
80-84	49	55		2
85-OP	17	22	2	
-- ICD 200.2 (1953) ----				
00-04	5	6		1
05-09	11	2	1	
10-14	6			
15-19	4	2	1	1
20-24	7	3	1	1
25-29	10	4	1	1
30-34	10	3	2	
35-39	11	7	5	1
40-44	17	11	1	
45-49	34	12	1	2
50-54	34	26	9	2
55-59	48	25	6	1
60-64	38	26	1	1
65-69	45	29	1	1
70-74	33	30	2	
75-79	29	25	3	
80-84	20	19	1	
85-OP	8	3		
-- ICD 201 --(1953) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1953) ----				
25-29		2		
30-34	2	2		
35-39	3	2	1	
40-44	2	2		
45-49	2	6		
50-54	4	2		
55-59	4	4		
60-64	8	5	1	
65-69	3	8		
70-74	6	4		
75-79	2	3		
80-84	1	2		
-- ICD 202.1 (1953) ----				
00-04	22	17	2	2
05-09	7	3		
10-14	4		1	
15-19	3	6	1	
20-24	5	3	2	2
25-29	5	7	4	1
30-34	11	6	2	
35-39	10	10	1	3
40-44	22	6		6
45-49	27	17	5	
50-54	29	18	5	
55-59	32	22	2	2
60-64	48	20	3	3
65-69	49	18	3	2
70-74	32	32		1
75-79	36	16		1
80-84	15	14		
85-UP	6	3		
-- ICD 203 --(1953) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1953) ----				
00-04	199	182	16	15
05-09	157	110	5	3
10-14	58	49	5	2
15-19	62	30	5	4
20-24	43	11	4	1
25-29	31	21	2	4
30-34	36	26	1	3
35-39	41	30	5	1
40-44	56	38	5	6
45-49	81	44	8	5
50-54	131	80	9	12
55-59	200	114	7	11
60-64	234	126	15	8
65-69	299	171	9	5
70-74	282	168	11	5

AGE	WM	WF	NM	NF
-- 204.0 (1953) CONTD---				
75-79	231	157	4	1
80-84	123	101	3	1
85-UP	58	52	2	
-- ICD 204.1 (1953) ----				
00-04	44	44	7	2
05-09	24	13	4	2
10-14	27	24	6	2
15-19	28	22	5	
20-24	38	27	4	6
25-29	52	40	7	5
30-34	70	44	7	4
35-39	70	56	11	8
40-44	74	74	8	12
45-49	107	76	10	6
50-54	89	96	8	13
55-59	150	136	10	8
60-64	165	141	12	7
65-69	209	165	11	4
70-74	151	123	4	3
75-79	115	117	2	2
80-84	71	50	1	
85-UP	38	26	3	3
-- ICD 204.2 (1953) ----				
00-04	11	6	1	4
05-09	8	5		
10-14	6	4		
15-19	6	5		
20-24	15	8	2	
25-29	13	13	2	1
30-34	10	15	1	
35-39	16	20	2	
40-44	24	11	2	1
45-49	33	18	1	2
50-54	33	22		2
55-59	31	21	2	
60-64	32	28	1	
65-69	55	27	2	
70-74	26	20	1	1
75-79	23	18	1	1
80-84	15	9	1	
85-UP	3	3		
-- ICD 204.3 (1953) ----				
00-04	114	93	7	8
05-09	77	45	3	2
10-14	32	18	3	
15-19	18	11	4	2
20-24	12	8	2	2
25-29	12	12	1	1
30-34	13	11	1	1
35-39	20	18		
40-44	20	18	3	3
45-49	24	21	1	5
50-54	20	15	5	1
55-59	29	16	1	
60-64	35	27	1	
65-69	34	24	1	
70-74	27	21	2	
75-79	19	20		
80-84	14	11	1	
85-UP	3	4		
-- ICD 204.4 (1953) ----				
00-04	55	56	3	5
05-09	31	15	3	2
10-14	15	16	3	4
15-19	12	7	3	
20-24	9	3	1	1
25-29	12	5		1
30-34	13	11	3	4
35-39	16	10	1	3
40-44	25	19	5	2
45-49	30	20	2	7
50-54	31	27	6	5
55-59	55	38	3	3
60-64	63	46	4	5
65-69	92	47	4	1
70-74	89	72	2	2
75-79	60	52		1
80-84	44	32	2	
85-UP	26	15		
-- ICD 205 --(1953) ----				
25-29		1		
35-39	1			
40-44	1		1	
45-49		1		
50-54	7	1		1
55-59	4	3		
60-64	3	4		2
65-69	5	2	2	
70-74	3	3		
75-79	2			

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 205 --(1953) CONTD---				
80-84	2	1		
85-UP	1			
-- ICD 140 --(1954) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1954) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1954) ----				
00-04				1
30-34	1			
35-39	1	1		
45-49		2	1	
50-54	5	1		
55-59	1	1		1
60-64	3	1	1	
65-69	3	4		
70-74	2	2		
75-79	5	2	1	
80-84	2			
85-UP	1			
-- ICD 142.1 (1954) ----				
00-04	1			
05-09		1		1
10-14	1			1
20-24	2		1	
25-29	2	1		
30-34	5	2		1
35-39	6	5	1	3
40-44	5	7	3	3
45-49	8	10		1
50-54	15	13		1
55-59	30	12	3	2
60-64	33	22	2	1
65-69	43	30	1	1
70-74	32	17	2	1
75-79	24	13		
80-84	19	15	1	
85-UP	20	12	1	
-- ICD 143 --(1954) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1954) ----				
00-04	2			
05-09	1			
10-14	1			
15-19	1			
20-24	1			
25-29				1
35-39	3	2		1
40-44	6	9	4	1
45-49	20	5	3	1
50-54	40	13	6	2
55-59	47	15	8	6
60-64	65	14	8	4
65-69	81	29	5	1
70-74	83	39	2	4
75-79	77	32	4	1
80-84	46	30	3	
85-UP	40	18		1
-- ICD 145 --(1954) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1954) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1954) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1954) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1954) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1954) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1954) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1954) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1954) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1954) ----				
SEE PAGES 116 - 125				

AGE	WM	WF	NM	NF
-- ICD 156 --(1954) ----				
00-04	12	13	1	
05-09	3	4		
10-14	5	1		
15-19	1	2		
20-24	1	2	2	1
25-29	4	6	1	
30-34	8	10	3	6
35-39	13	26	12	5
40-44	38	43	25	10
45-49	80	72	28	19
50-54	174	131	32	33
55-59	210	189	52	31
60-64	325	280	47	45
65-69	407	307	50	31
70-74	397	367	43	22
75-79	309	346	9	15
80-84	213	236	10	8
85-UP	106	191	13	4
-- ICD 157 --(1954) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1954) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1954) ----				
20-24		1		
25-29	1	1		
35-39	2	7	2	1
40-44	7	6	3	8
45-49	11	4	3	2
50-54	17	13	11	4
55-59	27	21	8	8
60-64	38	40	15	12
65-69	51	43	12	7
70-74	72	53	6	9
75-79	64	65	8	10
80-84	45	51	6	4
85-UP	28	43	4	4
-- ICD 160 --(1954) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1954) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1954) ----				
00-04	1		1	1
15-19	3			
20-24	6	2		
25-29	11	5	5	3
30-34	47	16	10	5
35-39	98	32	21	3
40-44	289	66	45	11
45-49	625	95	83	21
50-54	990	124	132	24
55-59	1548	161	139	10
60-64	1850	197	142	14
65-69	1579	212	94	19
70-74	1019	182	54	16
75-79	479	172	23	4
80-84	191	103	12	3
85-UP	84	44	8	2
-- ICD 163 --(1954) ----				
00-04	2	5		
05-09	3	1	1	
10-14		2		
15-19	5	3	1	
20-24	8	3	3	1
25-29	19	6	2	
30-34	44	20	9	1
35-39	98	47	14	10
40-44	326	68	32	13
45-49	656	142	68	25
50-54	1130	159	117	21
55-59	1645	231	128	22
60-64	1994	298	121	9
65-69	2029	330	93	24
70-74	1393	346	59	11
75-79	785	263	30	10
80-84	344	166	17	2
85-UP	140	88	7	3
-- ICD 164 --(1954) ----				
00-04	2	1		
10-14	1		1	
15-19	7			
20-24	8	2		
25-29	3		1	
30-34	3	4	2	
35-39	4		1	
40-44	15	5	2	
45-49	16	6		1
50-54	18	12		1

AGE	WM	WF	NM	NF
-- 164 --(1954) CONTD---				
55-59	28	7	2	3
60-64	39	13	3	1
65-69	28	17	1	1
70-74	23	14	2	
75-79	13	11		
80-84	3	10		
85-UP	2	2		
-- ICD 165 --(1954) ----				
00-04	1			
05-09	1			
10-14			1	
15-19		1		
20-24	2			
25-29	1	1		
30-34	1	2	2	1
35-39	2	4	2	1
40-44	10	5	1	1
45-49	14	13	1	3
50-54	19	9	6	1
55-59	29	18	3	3
60-64	40	16	4	2
65-69	45	30	2	1
70-74	27	15	7	1
75-79	16	25		1
80-84	14	10	2	
85-UP	7	4		
-- ICD 170 --(1954) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1954) ----				
SEF PAGES 174 - 179				
-- ICD 172 --(1954) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1954) ----				
15-19		3		1
20-24		7		2
25-29		17		1
30-34		4		2
35-39		5		4
40-44		4		2
45-49		1		1
50-54		3		2
55-59		3		3
60-64		2		
65-69		3		
70-74		2		1
75-79		3		
-- ICD 174 --(1954) ----				
00-04		1		
15-19		2		1
20-24		1		3
25-29		15		10
30-34		40		18
35-39		106		41
40-44		190		53
45-49		276		96
50-54		405		127
55-59		541		117
60-64		653		125
65-69		669		91
70-74		595		79
75-79		476		51
80-84		327		23
85-UP		203		17
-- ICD 175 --(1954) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1954) ----				
10-14		1		
15-19		1		
20-24				1
25-29		1		1
30-34		4		2
35-39		8		3
40-44		13		11
45-49		33		8
50-54		25		16
55-59		53		3
60-64		80		15
65-69		80		6
70-74		118		4
75-79		121		2
80-84		77		3
85-UP		51		3
-- ICD 177 --(1954) ----				
SEE PAGES 190 - 195				

AGE	WM	WF	NM	NF
-- ICD 178 --(1954) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1954) ----				
05-09	1			
15-19	3			
20-24	2			
25-29	1			
30-34	2		2	
35-39	8		4	
40-44	2		7	
45-49	9		4	
50-54	14		11	
55-59	19		5	
60-64	30		7	
65-69	31		9	
70-74	37		8	
75-79	34		5	
80-84	34		5	
85-UP	31		2	
-- ICD 180 --(1954) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1954) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1954) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1954) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1954) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1954) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1954) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1954) ----				
00-04	16	14	1	1
05-09	11	3	1	
10-14	4	2	2	
15-19	2	3		
20-24	4	6	2	
25-29	4	3		1
30-34	7	12		1
35-39	7	10	2	
40-44	8	23	2	
45-49	28	16		
50-54	20	12		5
55-59	38	7	4	2
60-64	36	12	1	2
65-69	27	10		
70-74	16	8	1	
75-79	7	3	1	1
80-84	6			
-- ICD 196 --(1954) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1954) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1954) ----				
15-19	3	1		
20-24	2	1		
25-29	1			
30-34	3	1		
35-39	5	3	2	
40-44	5	2	2	
45-49	7	4	1	3
50-54	11	9	2	
55-59	21	7	2	2
60-64	25	9	3	
65-69	22	13	1	2
70-74	27	12	1	1
75-79	24	11		
80-84	13	10		
85-UP	8	5		
-- ICD 199 --(1954) ----				
00-04	15	22	2	2
05-09	9	10		
10-14	9	7	2	1
15-19	12	11	5	2
20-24	16	13	4	9
25-29	27	23	7	6
30-34	49	56	8	10
35-39	70	110	14	21
40-44	121	193	29	50
45-49	230	266	39	68
50-54	325	432	59	102

AGE	WM	WF	NM	NF
-- 199 --(1954) CONTD---				
55-59	522	487	69	95
60-64	713	636	86	98
65-69	841	770	86	72
70-74	792	783	57	52
75-79	637	671	29	36
80-84	429	492	17	19
85-UP	292	337	6	12
-- ICD 200.0 (1954) ----				
00-04	5			
05-09	5	5		
10-14	6	2	1	
15-19	8	5	1	1
20-24	11	6	1	
25-29	20	17	4	
30-34	21	5	2	2
35-39	28	7	4	3
40-44	32	20	4	4
45-49	32	23	3	1
50-54	47	34	3	2
55-59	59	44	1	1
60-64	52	41	4	2
65-69	68	61	3	
70-74	47	46		1
75-79	41	25	2	1
80-84	3	17		
85-UP	5	8		
-- ICD 200.1 (1954) ----				
00-04	33	17	3	1
05-09	35	23	1	1
10-14	25	11	3	1
15-19	28	11	3	2
20-24	29	8	5	1
25-29	31	11	3	2
30-34	29	32	4	2
35-39	49	44	6	5
40-44	90	51	5	8
45-49	112	72	7	9
50-54	153	102	10	10
55-59	200	136	14	12
60-64	229	161	4	5
65-69	237	165	12	7
70-74	172	159	6	4
75-79	127	112	6	1
80-84	45	68		2
85-UP	27	28	1	
-- ICD 200.2 (1954) ----				
00-04	9	4		
05-09	6	4		
10-14	4	1	1	
15-19	6			
20-24	8	3	2	
25-29	6	4	1	
30-34	9	9		1
35-39	13	13	1	4
40-44	24	9	4	
45-49	32	13	8	2
50-54	28	10	3	3
55-59	49	32	2	1
60-64	37	43	4	2
65-69	46	44	4	
70-74	48	32	3	
75-79	29	30	1	
80-84	22	17	2	
85-UP	6	19	1	
-- ICD 201 --(1954) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1954) ----				
15-19	1			
25-29		2		
30-34		1		
35-39	6	2		
40-44	1	3		1
45-49	2	4		
50-54	5	4		
55-59	6	4		
60-64	4	3	1	
65-69	6	7		
70-74	4	9		
75-79	3	1		
-- ICD 202.1 (1954) ----				
00-04	25	25	3	2
05-09	6	3		
10-14	8	1	1	1
15-19	2	2		1
20-24	7	6	4	
25-29	8	2		
30-34	7	8		
35-39	11	9	1	2
40-44	16	13	1	3

AGE	WM	WF	NM	NF
-- 202.1 (1954) CONTD---				
45-49	21	13	5	3
50-54	19	13	1	
55-59	33	24	7	2
60-64	55	25	5	
65-69	48	37	5	2
70-74	46	33		1
75-79	29	25	1	1
80-84	12	10		
85-UP	3	10		1
-- ICD 203 --(1954) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1954) ----				
00-04	222	208	16	9
05-09	140	121	9	4
10-14	85	52	3	8
15-19	64	29	5	4
20-24	29	23	4	1
25-29	23	29	1	
30-34	36	29	5	2
35-39	30	27	1	5
40-44	52	41	7	4
45-49	70	68	9	6
50-54	126	64	13	8
55-59	163	101	14	7
60-64	235	122	20	6
65-69	300	152	19	8
70-74	333	196	11	8
75-79	248	151	7	4
80-84	160	98	1	3
85-UP	71	47	3	
-- ICD 204.1 (1954) ----				
00-04	37	25	7	5
05-09	31	27	3	1
10-14	30	21	3	1
15-19	24	19	9	
20-24	36	28	3	4
25-29	61	38	10	3
30-34	77	48	11	5
35-39	74	56	10	6
40-44	85	80	10	9
45-49	111	112	9	12
50-54	141	97	13	9
55-59	134	123	11	5
60-64	189	153	10	12
65-69	224	184	9	7
70-74	192	161	10	2
75-79	153	123	3	1
80-84	76	69	1	
85-UP	39	29	1	1
-- ICD 204.2 (1954) ----				
00-04	6	13	1	
05-09	8	7	2	2
10-14	9	5	1	
15-19	5	11	2	3
20-24	12	12	2	
25-29	17	12		1
30-34	11	13	3	2
35-39	14	15	2	2
40-44	18	15	1	1
45-49	23	20	2	
50-54	25	26	2	1
55-59	38	29	1	2
60-64	37	22	4	1
65-69	55	29	3	
70-74	47	30	2	
75-79	30	21		
80-84	12	19		
85-UP	8	5	1	
-- ICD 204.3 (1954) ----				
00-04	111	104	5	7
05-09	67	63	2	2
10-14	25	31	1	1
15-19	20	15	4	2
20-24	6	16	1	
25-29	7	15	1	
30-34	18	21	1	1
35-39	17	10	2	2
40-44	22	16	1	1
45-49	13	21	2	
50-54	30	18	3	4
55-59	24	22	3	2
60-64	28	19	2	
65-69	28	36	1	1
70-74	24	30		
75-79	19	17		
80-84	12	3	1	
85-UP	3	2	1	
-- ICD 204.4 (1954) ----				
00-04	65	64	11	6
05-09	32	37	3	4
10-14	15	14	3	2
15-19	10	6	2	1
20-24	3	5	1	2
25-29	6	3	2	1
30-34	10	9	3	3
35-39	11	8	1	4
40-44	14	17	1	2
45-49	22	17	1	3
50-54	32	33	6	3
55-59	53	43	3	2
60-64	77	37	2	3
65-69	85	51	10	3
70-74	79	59	4	
75-79	66	42	3	1
80-84	39	33	2	1
85-UP	20	13	1	
-- ICD 205 --(1954) ----				
30-34		1		2
35-39	1		1	
40-44	1	1		
45-49			1	1
50-54	4	1		1
55-59	6		2	1
60-64	3	1		
65-69	5	4		1
70-74	3	3		
75-79	4			
80-84	4	2		
85-UP	1			
-- ICD 140 --(1955) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1955) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1955) ----				
25-29	1			
35-39	1		1	
40-44	1			
45-49	1			
50-54	1	2		
55-59	5			
60-64		3	1	
65-69	2	4	1	
70-74	2	2		1
75-79				1
80-84	1	3		
85-UP	1	3		
-- ICD 142.1 (1955) ----				
00-04		1		
05-09	2	1		
10-14		2		
15-19	1	3	1	
20-24	1			
25-29	1			
30-34	5	5		
35-39	5	5	2	
40-44	10	5	3	2
45-49	9	5	1	
50-54	24	11		2
55-59	23	18	3	6
60-64	37	13	2	
65-69	42	19		3
70-74	24	17	2	
75-79	32	20	2	
80-84	23	19		
85-UP	21	12	1	1
-- ICD 143 --(1955) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1955) ----				
00-04				1
15-19	1			
30-34	3	1		
35-39	4	1		1
40-44	13	7		2
45-49	24	12	4	3
50-54	34	11	5	1
55-59	67	11	5	1
60-64	74	23	4	
65-69	103	27	7	6
70-74	86	31	1	
75-79	84	31	4	2
80-84	64	26	3	2
85-UP	48	20	2	1
-- ICD 145 --(1955) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1955) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1955) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1955) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1955) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1955) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1955) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1955) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1955) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1955) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1955) ----				
00-04	11	3	3	1
05-09	5	2	1	
10-14	4	3	1	
15-19	2	3		1
20-24	2	3		1
25-29	3	6	1	1
30-34	6	10	3	3
35-39	18	30	13	4
40-44	34	37	21	12
45-49	83	69	17	21
50-54	169	120	34	26
55-59	214	182	57	30
60-64	331	220	46	22
65-69	406	357	59	20
70-74	373	376	30	20
75-79	320	359	18	15
80-84	181	270	16	6
85-UP	100	168	2	7
-- ICD 157 --(1955) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1955) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1955) ----				
00-04	1			
25-29			1	
30-34	2	2		1
35-39	4	5		
40-44	6	4	1	5
45-49	9	11	3	4
50-54	11	17	5	3
55-59	17	17	7	7
60-64	31	26	7	5
65-69	44	29	6	12
70-74	48	41	7	10
75-79	64	52	6	6
80-84	49	54	4	5
85-UP	21	50	5	3
-- ICD 160 --(1955) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1955) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1955) ----				
00-04	2	3		
05-09	2	2		
10-14	1			
15-19	1	1	1	
20-24	4	3		
25-29	17	4	5	1
30-34	50	14	10	3
35-39	143	37	20	3
40-44	307	68	56	10
45-49	721	107	89	13
50-54	1108	132	142	25
55-59	1634	188	157	20
60-64	2082	215	133	20
65-69	1841	232	112	20
70-74	1164	197	60	14
75-79	647	158	21	6
80-84	243	90	16	5
85-UP	95	48	5	2
-- ICD 163 --(1955) ----				
00-04	2	3		
05-09	2			
10-14	3	2		
15-19	4	6	1	
20-24	7	8		1
25-29	16	16	3	1
30-34	44	22	6	2
35-39	113	54	17	8
40-44	261	81	36	12
45-49	665	123	78	24
50-54	1160	176	135	24
55-59	1716	225	141	26
60-64	2089	302	130	31
65-69	2089	367	97	33
70-74	1499	344	52	22
75-79	861	297	36	10
80-84	393	169	14	6
85-UP	139	83	6	3
-- ICD 164 --(1955) ----				
00-04	3			1
05-09		2		
10-14		1		1
15-19	4		1	
20-24	3			1
25-29	5	2		1
30-34	2	1	1	1
35-39	2	1		
40-44	13	4	1	
45-49	20	2	3	1
50-54	18	4	1	
55-59	40	5	3	1
60-64	39	7	1	
65-69	31	7		1
70-74	20	10	1	
75-79	7	7	2	1
80-84	11	2		
85-UP	3	6		
-- ICD 165 --(1955) ----				
00-04		2		
05-09	1			
20-24	1			
25-29	4	2		
30-34	2	2		
35-39	2	7	1	1
40-44	7	7	4	
45-49	16	13	5	1
50-54	22	12	7	5
55-59	54	19	6	2
60-64	44	17	5	2
65-69	44	29	5	2
70-74	43	25	6	2
75-79	31	16	3	1
80-84	16	13	1	
85-UP	7	8		1
-- ICD 170 --(1955) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1955) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1955) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1955) ----				
15-19		1		1
20-24		9		2
25-29		8		3
30-34		8		1
35-39		8		1
40-44		4		2
45-49		1		
50-54		2		
55-59		2		3
60-64				3
65-69		3		
70-74		1		1
80-84		1		
-- ICD 174 --(1955) ----				
00-04		1		
05-09				1
10-14		1		
15-19		2		
20-24		7		1
25-29		13		5
30-34		38		15
35-39		87		26
40-44		163		79
45-49		259		89
50-54		360		96
55-59		505		111
60-64		651		105
65-69		643		103
70-74		600		67
75-79		508		50
80-84		301		27
85-UP		202		24
-- ICD 175 --(1955) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1955) ----				
00-04		2		
20-24		2		
25-29		2		
30-34		8		4
35-39		12		6
40-44		23		13
45-49		18		14
50-54		38		11
55-59		54		6
60-64		78		5
65-69		100		5
70-74		127		6
75-79		104		3
80-84		83		1
85-UP		62		3
-- ICD 177 --(1955) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1955) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1955) ----				
05-09		1		
30-34		4		1
35-39		2		4
40-44		5		12
45-49		13		6
50-54		27		13
55-59		23		10
60-64		28		5
65-69		41		5
70-74		39		3
75-79		31		5
80-84		24		
85-UP		29		1
-- ICD 180 --(1955) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1955) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1955) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1955) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1955) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1955) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1955) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1955) ----				
00-04	30	18	1	1
05-09	13	7	3	1
10-14	4	2		1
15-19	2	3		
20-24	7	5	1	
25-29	10	4	2	
30-34	5	6		
35-39	12	9		1
40-44	17	8	1	2
45-49	21	14	4	
50-54	25	15	2	
55-59	29	10	2	1
60-64	29	13	1	3
65-69	35	8	2	
70-74	14	12		
75-79	7	7		
80-84	6	2		
-- ICD 196 --(1955) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1955) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1955) ----				
00-04	1	3		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 198 --(1955) CONTD---				
05-09			1	
10-14	1			
15-19	1	1		
25-29	3			
30-34	3	3	1	
35-39	5	4		1
40-44	4	4		1
45-49	12	8	1	
50-54	15	4	3	1
55-59	22	5	1	1
60-64	26	18	4	2
65-69	23	22	2	1
70-74	19	5	2	
75-79	19	18		2
80-84	13	10	1	2
85-UP	13	5		
-- ICD 199 --(1955) ----				
00-04	17	18	2	3
05-09	6	11	1	1
10-14	12	7	3	3
15-19	16	12	2	3
20-24	23	8	8	5
25-29	30	21	6	7
30-34	46	41	7	16
35-39	92	87	17	28
40-44	120	192	29	47
45-49	251	262	54	65
50-54	358	365	66	82
55-59	561	522	84	92
60-64	707	659	84	76
65-69	844	756	80	76
70-74	798	776	62	62
75-79	648	661	46	32
80-84	408	506	23	24
85-UP	271	393	25	19
-- ICD 200.0 (1955) ----				
00-04	8	3		1
05-09	10	6	1	
10-14	1	5		
15-19	10	8	1	
20-24	18	8		
25-29	14	8	1	1
30-34	19	13	3	1
35-39	32	12	1	1
40-44	35	19	2	1
45-49	44	32	3	4
50-54	46	30	6	1
55-59	75	42	5	1
60-64	84	45	4	2
65-69	67	52	3	2
70-74	49	59	3	
75-79	35	39	1	
80-84	17	16		
85-OP	6	5		
-- ICD 200.1 (1955) ----				
00-04	40	19	3	
05-09	71	10	5	3
10-14	22	19	3	
15-19	28	16	3	1
20-24	22	13	4	
25-29	21	12	1	2
30-34	37	26	6	
35-39	61	33	4	3
40-44	79	50	9	7
45-49	108	69	8	6
50-54	155	82	8	9
55-59	192	144	11	9
60-64	226	143	10	7
65-69	250	186	9	7
70-74	207	162	4	5
75-79	134	111		3
80-84	51	65	1	
85-OP	30	25		1
-- ICD 200.2 (1955) ----				
00-04	7	4	2	1
05-09	8	1	1	2
10-14	2	4		1
15-19	7	3	1	1
20-24	3	3	2	
25-29	12	2		
30-34	12	7	2	1
35-39	17	4	3	2
40-44	15	5	5	4
45-49	36	16	2	2
50-54	25	23	1	4
55-59	43	19	3	2
60-64	57	35	7	1
65-69	57	46	2	1
70-74	50	38	6	
75-79	41	37	2	1
80-84	13	11	1	2

AGE	WM	WF	NM	NF
-- 200.2 (1955) CONTD---				
85-UP	4	5	2	
-- ICD 201 --(1955) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1955) ----				
05-09			1	
10-14	1			
25-29	1			
30-34	1	2		
40-44	2			
45-49	8	2		
50-54	3	3		
55-59	7	4		
60-64	8	7		
65-69	6	8		
70-74	2	3		
75-79	1	2	1	
80-84		3		
-- ICD 202.1 (1955) ----				
00-04	37	23	3	6
05-09	4	1	4	
10-14	6		1	2
15-19	7		1	
20-24	8	3		1
25-29	3	3	2	2
30-34	9	6	1	
35-39	13	7		3
40-44	12	10	1	2
45-49	18	15	4	2
50-54	35	17	7	1
55-59	33	20	1	2
60-64	47	28	5	2
65-69	34	34	3	2
70-74	51	34		1
75-79	26	26	1	1
80-84	20	11		
85-UP	3	11		
-- ICD 203 --(1955) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1955) ----				
00-04	237	203	11	10
05-09	179	115	7	4
10-14	69	50	4	4
15-19	60	43	7	4
20-24	37	14	4	2
25-29	29	23	1	2
30-34	37	25		5
35-39	41	33	3	7
40-44	54	28	6	5
45-49	77	54	7	7
50-54	133	67	14	10
55-59	175	102	14	7
60-64	242	160	9	3
65-69	342	181	15	7
70-74	331	179	10	5
75-79	248	160	10	5
80-84	142	121	4	4
85-UP	93	64	1	1
-- ICD 204.1 (1955) ----				
00-04	26	24	5	5
05-09	34	14	4	1
10-14	34	14	5	1
15-19	32	27	4	1
20-24	49	23	10	2
25-29	64	50	5	1
30-34	71	50	11	6
35-39	92	68	11	7
40-44	110	90	10	7
45-49	114	86	9	8
50-54	109	98	14	11
55-59	166	128	10	11
60-64	207	158	16	4
65-69	224	181	10	5
70-74	185	162	8	1
75-79	147	110	5	2
80-84	80	77	1	3
85-UP	44	35		3
-- ICD 204.2 (1955) ----				
00-04	16	7	2	
05-09	6	6	1	2
10-14	6	5		
15-19	10	15		
20-24	15	8	1	1
25-29	20	10		
30-34	17	19		1
35-39	18	16		2
40-44	22	20	1	1
45-49	20	26	2	1
50-54	28	23	4	2

AGE	WM	WF	NM	NF
-- 204.2 (1955) CONTD---				
55-59	44	30	2	4
60-64	42	36	5	3
65-69	62	47	4	
70-74	47	29	1	
75-79	40	30	1	
80-84	22	12		
85-OP	7	2	1	
-- ICD 204.3 (1955) ----				
00-04	97	99	4	7
05-09	95	53	11	3
10-14	39	20	2	2
15-19	20	12	3	
20-24	15	11		
25-29	15	14	1	
30-34	17	7	1	
35-39	14	12	4	
40-44	20	19	1	3
45-49	19	18	1	
50-54	30	17	1	1
55-59	28	17	2	2
60-64	33	33	2	2
65-69	37	27	1	1
70-74	30	17	1	
75-79	22	19		
80-84	14	6		
85-UP	4	7	1	
-- ICD 204.4 (1955) ----				
00-04	80	53	7	3
05-09	35	25	4	3
10-14	23	14	2	1
15-19	10	6	2	2
20-24	10	6	2	
25-29	8	6	1	1
30-34	6	7	1	1
35-39	10	10	2	1
40-44	9	19	1	2
45-49	24	19		9
50-54	37	15	4	5
55-59	37	34	8	3
60-64	55	44	1	5
65-69	81	57	5	5
70-74	84	66	2	2
75-79	74	54	2	1
80-84	22	38	1	1
85-OP	19	20	2	
-- ICD 205 --(1955) ----				
30-34			1	
40-44	1	2	3	
45-49	2			2
50-54	4		1	
55-59	8	4		
60-64	8	2	1	
65-69	6	4		
70-74	3	3	2	
75-79	3	1		
80-84	3	2		
85-OP	2	2		
-- ICD 140 --(1956) ----				
SEE PAGES 12 - 17				
-- ICD 141 --(1956) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1956) ----				
15-19	1			
20-24		1		
25-29		1		
30-34		1		
35-39	1			
40-44	1	1		
50-54		3		
55-59	6	2		
60-64	5	2		
65-69	3	4		
70-74			1	
75-79	3	2		
80-84		2		1
85-OP	1	2		1
-- ICD 142.1 (1956) ----				
00-04	1			
05-09	1			
15-19		1		
20-24	1		1	
25-29	4	2		
30-34	2	2		
35-39	2	2		1
40-44	2	4		3
45-49	11	8	3	6
50-54	19	14	8	5
55-59	21	17	16	5
60-64	40	35	13	7
65-69	56	46	10	12

AGE	WM	WF	NM	NF
-- 142.1 (1956) CONTD---				
60-64	29	20	7	2
65-69	46	21		
70-74	35	19	2	3
75-79	28	18	2	
80-84	28	25		1
85-UP	21	16	1	
-- ICD 143 --(1956) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1956) ----				
00-04	1	1		
05-09	1			
25-29	2		1	
35-39	2	3	2	
40-44	9	3		1
45-49	21	7	4	4
50-54	38	14	6	4
55-59	53	11	5	3
60-64	72	21	8	4
65-69	90	31	7	2
70-74	82	32	5	5
75-79	88	33	3	1
80-84	67	29	2	
85-OP	41	24	1	1
-- ICD 145 --(1956) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1956) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1956) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1956) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1956) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1956) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1956) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1956) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1956) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1956) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1956) ----				
00-04	11	7	1	1
05-09	4	1		
10-14	3	2		
15-19	2	4	1	
20-24	4		2	
25-29	3	2	2	4
30-34	10	5	4	4
35-39	23	19	6	5
40-44	36	28	18	11
45-49	76	68	26	18
50-54	131	105	42	23
55-59	216	152	54	25
60-64	318	246	60	35
65-69	411	292	40	30
70-74	358	327	33	27
75-79	280	289	13	18
80-84	208	226	13	10
85-UP	93	158	8	10
-- ICD 157 --(1956) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1956) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1956) ----				
00-04	1			
15-19	1			
20-24		1		
25-29	2			
30-34	2	2		
35-39	2	2		1
40-44	2	4		3
45-49	11	8	3	6
50-54	19	14	8	5
55-59	21	17	16	5
60-64	40	35	13	7
65-69	56	46	10	12

AGE	WM	WF	NM	NF
-- 159 --(1956) CONTD---				
70-74	64	67	9	8
75-79	57	67	6	12
80-84	66	54	2	5
85-OP	39	47	3	5
-- ICD 160 --(1956) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1956) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1956) ----				
00-04	4			
05-09	3			
10-14	1			
15-19	1			
20-24	5	2	1	
25-29	12	8	3	1
30-34	54	20	9	2
35-39	154	39	20	6
40-44	351	70	55	17
45-49	771	123	101	19
50-54	1211	149	163	12
55-59	1885	162	177	24
60-64	2254	230	192	22
65-69	2133	246	126	16
70-74	1313	225	84	14
75-79	713	168	37	8
80-84	302	96	20	4
85-OP	93	53	8	3
-- ICD 163 --(1956) ----				
00-04	1	2		1
05-09	2	6	1	
10-14	1	1		
15-19	2	1		
20-24	7	3		1
25-29	13	5	3	1
30-34	46	20	7	4
35-39	109	53	22	10
40-44	301	88	43	11
45-49	651	152	83	19
50-54	1189	190	132	18
55-59	1789	270	159	31
60-64	2227	353	148	27
65-69	2246	380	114	28
70-74	1662	350	82	17
75-79	917	282	35	15
80-84	373	190	17	4
85-UP	175	88	4	3
-- ICD 164 --(1956) ----				
00-04	4	1		
05-09		1	1	
10-14	2			
15-19	7			
20-24	7	2		
25-29	4			
30-34	6	3	1	
35-39	5	2	1	
40-44	15	3		2
45-49	12	7		
50-54	30	6	4	2
55-59	28	5	4	1
60-64	30	7	2	1
65-69	23	13		
70-74	25	9		1
75-79	13	13		
80-84	8	5		
85-UP	5	2		
-- ICD 165 --(1956) ----				
15-19	1			
20-24	1	1		
25-29		1		
30-34	2	2		
35-39	7	3		2
40-44	6	6	3	1
45-49	15	6	2	3
50-54	22	22	3	3
55-59	48	14	6	2
60-64	46	21	6	4
65-69	47	36	5	4
70-74	42	22	4	1
75-79	29	28	1	
80-84	12	17	1	
85-UP	6	9		
-- ICD 170 --(1956) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1956) ----				
SEE PAGES 174 - 179				

AGE	WM	WF	NM	NF
-- ICD 172 --(1956) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1956) ----				
15-19	6			1
20-24	13			3
25-29	15			4
30-34	17			3
35-39	8			
40-44	3			2
45-49	1			1
50-54	5			
55-59	1			
60-64	2			
65-69	1			
80-84	2			
85-UP	1			
-- ICD 174 --(1956) ----				
00-04				1
05-09	1			
15-19	3			1
20-24	4			4
25-29	20			5
30-34	38			12
35-39	79			26
40-44	149			62
45-49	270			81
50-54	340			106
55-59	490			121
60-64	599			110
65-69	650			96
70-74	577			93
75-79	458			48
80-84	293			36
85-UP	211			21
-- ICD 175 --(1956) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1956) ----				
00-04	4			
15-19	1			
20-24	2			1
25-29	2			2
30-34	6			3
35-39	6			2
40-44	18			12
45-49	27			12
50-54	32			9
55-59	44			15
60-64	66			6
65-69	107			5
70-74	119			9
75-79	108			2
80-84	76			4
85-UP	69			2
-- ICD 177 --(1956) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1956) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1956) ----				
10-14	1			
15-19	2			
25-29	1			
30-34	1			
35-39	4			4
40-44	8			2
45-49	8			5
50-54	12			10
55-59	20			10
60-64	27			9
65-69	28			8
70-74	22			5
75-79	41			1
80-84	37			3
85-UP	23			4
-- ICD 180 --(1956) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1956) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1956) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1956) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1956) ----				
SEE PAGES 238 - 243				

AGE	WM	WF	NM	NF
-- ICD 193 --(1956) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1956) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1956) ----				
00-04	19	9	2	1
05-09	7	6	2	
10-14	8	6	1	
15-19	6	6	1	
20-24	3	4		
25-29	12	7	1	
30-34	8	15	3	
35-39	11	10		
40-44	14	14	1	3
45-49	15	15		
50-54	24	19	4	2
55-59	23	25	2	1
60-64	36	15	1	2
65-69	22	16	3	
70-74	16	11	1	
75-79	10	9	1	
80-84	1	1		
85-UP		2		
-- ICD 196 --(1956) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1956) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1956) ----				
05-09		1		
10-14	1	1		
20-24	1		1	
30-34	1		1	1
35-39	4	2		
40-44	6	1	1	1
45-49	4	4		1
50-54	20	3	2	
55-59	19	6	2	1
60-64	28	6	1	
65-69	18	11	1	3
70-74	16	14	1	
75-79	17	13		
80-84	6	10	1	
85-UP	6	5		
-- ICD 199 --(1956) ----				
00-04	29	19	1	5
05-09	11	6		
10-14	10	9	4	
15-19	10	10	4	3
20-24	17	12	3	1
25-29	29	18	4	8
30-34	43	48	9	24
35-39	59	76	9	20
40-44	136	171	24	44
45-49	234	264	46	61
50-54	392	353	61	100
55-59	516	509	97	87
60-64	728	607	75	68
65-69	771	790	79	90
70-74	762	799	63	69
75-79	642	695	44	37
80-84	422	560	29	28
85-UP	321	408	20	23
-- ICD 200.0 (1956) ----				
00-04	5	4	1	
05-09	6	5	1	2
10-14	5	10	1	
15-19	11	2	1	
20-24	10	9		1
25-29	15	6		1
30-34	17	11	2	
35-39	20	21	3	5
40-44	42	16	3	2
45-49	54	21	5	1
50-54	58	35	5	4
55-59	59	44	5	5
60-64	86	60	6	1
65-69	74	82	7	5
70-74	59	57	4	
75-79	27	42		1
80-84	18	22	2	1
85-UP	12	8		
-- ICD 200.1 (1956) ----				
00-04	28	18	3	1
05-09	55	21	6	4
10-14	30	7	4	2
15-19	37	17	2	2
20-24	22	8	1	2
25-29	25	14	2	2

AGE	WM	WF	NM	NF
-- 200.1 (1956) CONTD---				
30-34	35	29	3	1
35-39	53	41	2	2
40-44	71	66	7	5
45-49	105	72	8	8
50-54	162	108	11	8
55-59	213	132	16	9
60-64	241	169	16	6
65-69	253	171	12	9
70-74	194	178	10	
75-79	161	127	7	3
80-84	82	60	3	1
85-UP	28	29	1	1
-- ICD 200.2 (1956) ----				
00-04	7	5	1	
05-09	6	6	1	
10-14	9	5		2
15-19	9	2		
20-24	4	2		
25-29	7	2	1	
30-34	12	9	1	1
35-39	12	6	4	1
40-44	16	15	3	2
45-49	30	29	2	4
50-54	30	26	5	1
55-59	52	31	8	3
60-64	50	42	3	3
65-69	55	37	12	2
70-74	57	39	1	
75-79	42	39	2	1
80-84	21	20		
85-UP	19	7	1	
-- ICD 201 --(1956) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1956) ----				
30-34		2		
35-39	2	2		
40-44	6	5		
45-49	6	9		
50-54		3		
55-59	4	3		
60-64	10	4	1	
65-69	4	7		
70-74	5	5		
75-79	4	3		
80-84	2	1		
85-UP	1			
-- ICD 202.1 (1956) ----				
00-04	37	23	3	5
05-09	2	3	1	
10-14	8	1	1	2
15-19	1	3		1
20-24	4	4	1	1
25-29	3	1	4	1
30-34	6	1	2	
35-39	8	8	2	
40-44	14	5	1	4
45-49	26	14	2	1
50-54	18	17	4	2
55-59	43	16	3	2
60-64	63	33	6	2
65-69	57	31	1	1
70-74	48	47	3	2
75-79	23	26	2	
80-84	13	22		
85-UP	8	10	1	
-- ICD 203 --(1956) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1956) ----				
00-04	211	214	22	15
05-09	188	147	10	9
10-14	65	52	4	5
15-19	50	30	7	3
20-24	32	17	1	1
25-29	28	20	3	3
30-34	37	25	1	4
35-39	33	33	4	5
40-44	52	40	4	9
45-49	67	57	15	7
50-54	106	77	12	11
55-59	172	116	12	6
60-64	246	161	20	9
65-69	350	172	22	9
70-74	338	198	10	8
75-79	281	183	10	1
80-84	172	130	7	2
85-UP	85	73	3	2
-- ICD 204.1 (1956) ----				
00-04	29	24	1	4

AGE	WM	WF	NM	NF
-- 204.1 (1956) CONTD---				
05-09	25	23	3	4
10-14	27	14	1	2
15-19	35	25	6	4
20-24	42	28	4	3
25-29	65	36	9	4
30-34	74	71	13	4
35-39	71	74	6	7
40-44	89	69	10	10
45-49	104	80	8	8
50-54	147	107	13	8
55-59	168	167	20	11
60-64	219	173	14	11
65-69	224	170	10	5
70-74	230	180	8	7
75-79	170	128	6	5
80-84	94	85	2	2
85-UP	42	35	3	
-- ICD 204.2 (1956) ----				
00-04	9	6	1	1
05-09	9	3	2	2
10-14	7	8		2
15-19	8	14	1	1
20-24	7	8	1	
25-29	15	14	1	1
30-34	19	13	1	2
35-39	14	16	3	4
40-44	23	24		2
45-49	25	24	1	4
50-54	34	24	1	2
55-59	52	29	5	2
60-64	48	41	3	5
65-69	48	39	2	1
70-74	54	31	3	2
75-79	25	37		1
80-84	25	15		1
85-UP	4	4	1	
-- ICD 204.3 (1956) ----				
00-04	131	113	12	7
05-09	92	80	5	4
10-14	37	24	5	1
15-19	32	18	2	2
20-24	16	9		1
25-29	13	8	2	1
30-34	23	14	3	2
35-39	27	17	1	1
40-44	36	14	3	3
45-49	26	20	3	1
50-54	24	25		3
55-59	34	29	2	2
60-64	41	24	4	1
65-69	48	32	3	2
70-74	36	33	1	1
75-79	26	26		1
80-84	9	16	2	
85-UP	8	5		
-- ICD 204.4 (1956) ----				
00-04	55	57	6	4
05-09	47	30	6	3
10-14	18	12	6	1
15-19	7	10	1	1
20-24	6	4		3
25-29	12	7	3	3
30-34	7	9	1	1
35-39	8	7	1	
40-44	17	12	2	4
45-49	18	22	3	5
50-54	29	25	5	6
55-59	53	26	2	3
60-64	58	35	3	7
65-69	84	60	5	1
70-74	80	38	6	4
75-79	69	50	2	
80-84	47	41		
85-UP	25	17		
-- ICD 205 --(1956) ----				
15-19	1			
25-29		1		
30-34	1			
35-39	1	1		1
40-44	2			
45-49	1	3		
50-54	4	2	2	2
55-59	6	1	1	
60-64	4	1		
65-69	5	4	1	
70-74	5	3		
75-79	2	2		
80-84	1	1		
-- ICD 140 --(1957) ----				
SEE PAGES 12 - 17				

AGE	WM	WF	NM	NF
-- ICD 141 --(1957) ----				
SEE PAGES 18 - 23				
-- ICD 142.0 (1957) ----				
30-34		2		
40-44	1			
45-49	1	2	1	
50-54	5	1		
55-59	4			
60-64		2	1	
65-69	3			
70-74	4	2		
75-79	3	1		
80-84	1	4	1	
85-UP	1			
-- ICD 142.1 (1957) ----				
00-04	2	1		
05-09	1			
10-14	1	1		
20-24	1	3		
25-29	4	2		1
30-34	3	1	2	
35-39	7	5	2	1
40-44	7	9		1
45-49	18	6	2	3
50-54	17	12	4	1
55-59	34	17	1	
60-64	38	14	4	1
65-69	52	17	5	1
70-74	43	30	1	1
75-79	51	19		
80-84	32	16		2
85-UP	23	18	1	
-- ICD 143 --(1957) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1957) ----				
05-09	1			
15-19		1		
20-24				1
25-29	1	1		
30-34		1		
35-39	3	2	1	
40-44	11	3	2	
45-49	25	8	9	2
50-54	31	14	9	2
55-59	48	23	6	3
60-64	79	18	10	4
65-69	88	26	10	5
70-74	107	29	7	2
75-79	85	37	11	1
80-84	50	28	3	1
85-UP	42	25	1	3
-- ICD 145 --(1957) ----				
SEE PAGES 36 - 41				
-- ICD 146 --(1957) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1957) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1957) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1957) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1957) ----				
SEE PAGES 80 - 89				
-- ICD 152 --(1957) ----				
SEE PAGES 90 - 95				
-- ICD 153 --(1957) ----				
SEE PAGES 96 - 105				
-- ICD 154 --(1957) ----				
SEE PAGES 106 - 115				
-- ICD 155 --(1957) ----				
SEE PAGES 116 - 125				
-- ICD 156 --(1957) ----				
00-04	10	9		
05-09	3		1	
10-14	5	3		
15-19	2	2		
20-24	3	1	1	
25-29	1	4	2	1
30-34	12	13	6	2
35-39	18	25	6	5
40-44	39	38	14	9

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 156 --(1957) CONTD---				
45-49	79	68	25	24
50-54	153	110	59	23
55-59	220	150	51	30
60-64	326	252	50	38
65-69	398	292	61	30
70-74	374	364	33	29
75-79	316	353	18	18
80-84	178	248	9	15
85-UP	123	180	10	8
-- ICD 157 --(1957) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1957) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1957) ----				
25-29		1		
30-34			1	
35-39	1	4	1	1
40-44	7	1	1	1
45-49	6	10	4	3
50-54	14	14	5	2
55-59	21	16	9	9
60-64	41	43	10	7
65-69	47	46	17	13
70-74	70	50	10	11
75-79	56	74	7	9
80-84	48	48	6	10
85-UP	41	50	3	3
-- ICD 160 --(1957) ----				
SEE PAGES 142 - 147				
-- ICD 161 --(1957) ----				
SEE PAGES 148 - 153				
-- ICD 162 --(1957) ----				
00-04		1		
05-09		2		
15-19	2	2		
20-24	3	1	2	1
25-29	18	5		1
30-34	55	22	4	8
35-39	136	42	12	4
40-44	343	77	44	10
45-49	722	106	112	14
50-54	1207	167	153	22
55-59	1889	182	192	16
60-64	2393	214	224	16
65-69	2257	254	156	19
70-74	1494	250	97	23
75-79	798	188	46	8
80-84	298	107	15	3
85-UP	117	58	4	1
-- ICD 163 --(1957) ----				
00-04	5	2	1	1
05-09	2			
10-14	3			1
15-19	3	3	2	2
20-24	11	3		
25-29	12	6		
30-34	50	15	5	6
35-39	114	51	18	5
40-44	324	101	47	18
45-49	667	161	96	16
50-54	1321	206	154	33
55-59	1914	260	175	25
60-64	2384	327	156	36
65-69	2402	353	132	36
70-74	1772	367	95	17
75-79	968	302	43	10
80-84	415	182	12	8
85-UP	178	111	13	1
-- ICD 164 --(1957) ----				
00-04	3	4	1	
05-09			1	
10-14	2			
15-19	1			
20-24	5		2	
25-29	9	3		
30-34	4	2	1	1
35-39	4	1	1	
40-44	13	3		
45-49	16	10	3	3
50-54	24	10	1	1
55-59	23	4	5	4
60-64	34	8	5	1
65-69	34	12	1	
70-74	23	8		1
75-79	14	13	2	
80-84	4	3	1	1
85-UP	3	1	1	

AGE	WM	WF	NM	NF
-- ICD 165 --(1957) ----				
00-04	1			
10-14		1		
15-19	1			
20-24		3		
25-29	1	1	1	1
30-34		2		
35-39	3	4		1
40-44	5	10	4	2
45-49	20	11	4	3
50-54	38	14	8	2
55-59	48	23	7	4
60-64	59	31	5	5
65-69	62	40	5	2
70-74	58	35	3	3
75-79	35	32	3	5
80-84	15	23		
85-UP	9	10		
-- ICD 170 --(1957) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1957) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1957) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1957) ----				
15-19		3		1
20-24		17		1
25-29		10		1
30-34		9		3
35-39		3		3
40-44		2		1
45-49		2		3
50-54		1		1
55-59		3		
60-64		2		
65-69		5		1
70-74		5		2
75-79		1		
85-UP		1		
-- ICD 174 --(1957) ----				
05-09		1		
10-14				1
15-19		1		2
20-24		2		
25-29		12		4
30-34		29		13
35-39		66		32
40-44		165		51
45-49		257		60
50-54		345		106
55-59		449		102
60-64		590		126
65-69		676		115
70-74		563		79
75-79		448		57
80-84		315		20
85-UP		217		19
-- ICD 175 --(1957) ----				
SEE PAGES 184 - 189				
-- ICD 176 --(1957) ----				
00-04		3		
15-19				1
20-24		1		1
25-29		3		
30-34		4		6
35-39		9		8
40-44		14		10
45-49		21		10
50-54		40		12
55-59		50		12
60-64		78		2
65-69		100		7
70-74		136		3
75-79		114		3
80-84		90		3
85-UP		63		2
-- ICD 177 --(1957) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1957) ----				
SEE PAGES 196 - 201				
-- ICD 179 --(1957) ----				
20-24	1			
30-34	1		1	
35-39	4		2	
40-44	3		8	
45-49	15		9	

AGE	WM	WF	NM	NF
-- 179 --(1957) CONTD---				
50-54	12		7	
55-59	21		5	
60-64	31		8	
65-69	29		10	
70-74	39		8	
75-79	41		7	
80-84	28		2	
85-UP	16		3	
-- ICD 180 --(1957) ----				
SEE PAGES 202 - 211				
-- ICD 181 --(1957) ----				
SEE PAGES 212 - 221				
-- ICD 190 --(1957) ----				
SEE PAGES 222 - 231				
-- ICD 191 --(1957) ----				
SEE PAGES 232 - 237				
-- ICD 192 --(1957) ----				
SEE PAGES 238 - 243				
-- ICD 193 --(1957) ----				
SEE PAGES 244 - 253				
-- ICD 194 --(1957) ----				
SEE PAGES 254 - 259				
-- ICD 195 --(1957) ----				
00-04	19	15	4	
05-09	8	5	1	
10-14	5	3	1	
15-19	4	2		1
20-24	4	7	2	
25-29	3	6		2
30-34	8	7		
35-39	8	6	1	
40-44	10	11	1	1
45-49	8	16	4	4
50-54	27	19		2
55-59	29	15	3	1
60-64	29	16	1	
65-69	20	18	1	1
70-74	19	4		2
75-79	7	4		
80-84	4	2	1	
85-UP	1			
-- ICD 196 --(1957) ----				
SEE PAGES 260 - 269				
-- ICD 197 --(1957) ----				
SEE PAGES 270 - 279				
-- ICD 198 --(1957) ----				
25-29	2			
30-34	1		1	1
35-39	4			
40-44	2	1	1	1
45-49	8	3	1	
50-54	12	5	1	
55-59	26	4	1	
60-64	22	11	2	
65-69	17	10	2	
70-74	22	9	3	
75-79	14	7	4	1
80-84	16	11	1	
85-UP	6	6		
-- ICD 199 --(1957) ----				
00-04	20	22	3	1
05-09	7	7	2	1
10-14	12	9	1	
15-19	13	9	3	4
20-24	13	12	3	4
25-29	34	23	1	7
30-34	39	50	6	12
35-39	56	76	16	31
40-44	131	175	32	39
45-49	230	259	45	60
50-54	399	361	62	85
55-59	513	557	75	112
60-64	704	666	89	90
65-69	917	764	87	92
70-74	848	771	73	68
75-79	601	794	55	49
80-84	507	584	20	34
85-UP	297	407	14	23
-- ICD 200.0 (1957) ----				
00-04	4	3	2	
05-09	10	4		
10-14	7	6		1

AGE	WM	WF	NM	NF
-- 200.0 (1957) CONTD---				
15-19	14	5	2	
20-24	14	8	1	
25-29	13	7	4	
30-34	25	13	1	
35-39	32	21	2	1
40-44	35	16	4	3
45-49	52	29	4	3
50-54	60	32	4	4
55-59	71	53	9	8
60-64	86	67	7	2
65-69	87	63	6	5
70-74	94	57	3	
75-79	36	30	1	3
80-84	20	18		1
85-UP	2	15		
-- ICD 200.1 (1957) ----				
00-04	22	8	4	1
05-09	46	14	7	
10-14	43	13	1	1
15-19	38	6	3	1
20-24	17	8	3	1
25-29	20	15	3	2
30-34	35	26	4	
35-39	54	31	8	4
40-44	73	66	3	3
45-49	144	66	6	4
50-54	173	94	11	4
55-59	196	118	23	4
60-64	273	163	13	12
65-69	230	207	12	6
70-74	242	178	7	9
75-79	156	127	4	2
80-84	97	75	3	2
85-UP	29	39		2
-- ICD 200.2 (1957) ----				
00-04	6	5		2
05-09	8	3	2	
10-14	12	5	1	2
15-19	8	4		
20-24	5	1		
25-29	3			1
30-34	9	4	2	1
35-39	7	5	1	1
40-44	27	10	3	1
45-49	25	21	3	1
50-54	36	28	3	3
55-59	58	28	8	4
60-64	69	37	4	3
65-69	71	53	7	1
70-74	58	47	3	4
75-79	49	35	4	4
80-84	20	24		2
85-UP	10	5	1	
-- ICD 201 --(1957) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1957) ----				
20-24		1		
25-29	1			
30-34	1	2		
35-39	4	1		2
40-44	1	6		1
45-49	3	6		
50-54	4	5		
55-59	10	6		
60-64	14	8		
65-69	8	4		1
70-74	6	7		
75-79		4		
-- ICD 202.1 (1957) ----				
00-04	40	20	1	1
05-09	12	7	2	2
10-14	4	5	1	
15-19	9	3		
20-24	2			
25-29	6			4
30-34	9	8		1
35-39	7	5	2	
40-44	14	8	5	3
45-49	28	12	2	3
50-54	37	20	3	4
55-59	31	31	4	2
60-64	46	40	5	6
65-69	55	40	3	2
70-74	46	37	2	1
75-79	41	28	2	1
80-84	11	21		1
85-UP	9	7		1
-- ICD 203 --(1957) ----				
SEE PAGES 300 - 305				

AGE	WM	WF	NM	NF
-- ICD 204.0 (1957) ----				
00-04	250	211	13	12
05-09	161	139	12	8
10-14	75	61	6	7
15-19	61	42	5	1
20-24	42	10	7	1
25-29	35	18	3	1
30-34	37	30	3	1
35-39	40	39	9	2
40-44	43	41	9	9
45-49	72	40	8	2
50-54	111	80	17	8
55-59	177	84	21	6
60-64	255	154	17	14
65-69	345	203	19	8
70-74	353	209	15	5
75-79	290	186	7	2
80-84	180	138	3	7
85-UP	86	82	3	2
-- ICD 204.1 (1957) ----				
00-04	45	28	4	2
05-09	18	23	2	2
10-14	22	42	6	1
15-19	46	32		5
20-24	34	36	9	4
25-29	61	33	9	3
30-34	69	60	7	5
35-39	70	69	10	4
40-44	96	81	4	4
45-49	126	99	13	9
50-54	133	121	10	15
55-59	146	153	13	11
60-64	209	135	10	8
65-69	243	147	16	11
70-74	225	177	10	4
75-79	179	138	8	2
80-84	105	110	2	1
85-UP	43	38		
-- ICD 204.2 (1957) ----				
00-04	12	8	1	1
05-09	6	2	1	1
10-14	7	7		
15-19	8	8	2	
20-24	9	12		1
25-29	14	16		1
30-34	16	20	1	3
35-39	30	23	1	
40-44	25	30	3	1
45-49	36	28	2	4
50-54	31	22	2	1
55-59	50	33	3	
60-64	55	33	5	1
65-69	63	37	2	1
70-74	43	48	1	2
75-79	38	29	2	1
80-84	18	17		1
85-UP	6	6	1	
-- ICD 204.3 (1957) ----				
00-04	130	111	11	3
05-09	107	78	7	5
10-14	44	35	2	2
15-19	27	17	1	2
20-24	16	9	2	1
25-29	14	12	1	1
30-34	15	14		
35-39	25	27	4	3
40-44	27	21	1	2
45-49	34	21	2	2
50-54	22	26	4	1
55-59	25	19	4	2
60-64	47	29	2	2
65-69	56	41	4	3
70-74	53	26	3	
75-79	30	28	2	
80-84	12	11		
85-UP	7	10		
-- ICD 204.4 (1957) ----				
00-04	58	52	6	5
05-09	43	28	4	3
10-14	24	14	3	1
15-19	5	9	1	2
20-24	3	3	3	1
25-29	9	3	2	3
30-34	10	7	3	2
35-39	10	10	2	4
40-44	8	12		5
45-49	21	17	2	2
50-54	43	23	4	5
55-59	41	24	4	5
60-64	70	43	11	5
65-69	92	60	8	2
70-74	85	71	4	2

AGE	WM	WF	NM	NF
-- 204.4 (1957) CONTD---				
75-79	61	53	5	3
80-84	53	33		2
85-UP	19	21		
-- ICD 205 --(1957) ----				
30-34	1			
35-39	1			
40-44	2	2		
45-49	2		1	
50-54	1	2	1	1
55-59	2	2		
60-64	3	1	1	
65-69	7	2	1	1
70-74	9	6		
75-79	1	2	1	
80-84	2	1		
85-UP	1	1		
-- ICD 140.0 (1958) ----				
55-59		1		
65-69	1			
70-74	2	1		
75-79	3	1		
80-84	1			
85-UP	2			
-- ICD 140.1 (1958) ----				
40-44	1			
45-49	2			
50-54	1			
55-59	4			
60-64	4			
65-69	1			
70-74	13	3		
75-79	14			
80-84	15	3		
85-UP	9	1		
-- ICD 140.9 (1958) ----				
35-39	2			
40-44	2	1		
45-49	5			
50-54	6	1		
55-59	8	1		
60-64	12	2		
65-69	19	2		
70-74	21	4		
75-79	24			
80-84	14	4	1	
85-UP	15			
-- ICD 141.0 (1958) ----				
25-29	1			1
30-34	1		1	
35-39			1	
45-49	3	1		1
50-54	6	3		
55-59	15	3	1	1
60-64	13	1	1	
65-69	23	2	2	
70-74	17		1	
75-79	7	1		
80-84	2	1		
85-UP	5		1	
-- ICD 141.7 (1958) ----				
40-44	1			
45-49	2	1		
50-54	3			
55-59	3	1		1
60-64	3	1		
65-69	3		1	
70-74	1	3		
75-79	3		1	
80-84	2			
85-UP	2	1		
-- ICD 141.8 (1958) ----				
55-59	1			
-- ICD 141.9 (1958) ----				
15-19		1		
20-24	1			
25-29		2		
30-34	1		1	1
35-39	9	3	3	2
40-44	17	19	3	4
45-49	44	17	11	5
50-54	91	21	9	5
55-59	116	19	13	5
60-64	159	25	16	4
65-69	139	37	8	2
70-74	150	32	4	3
75-79	115	36	7	1
80-84	46	31	6	

AGE	WM	WF	NM	NF
-- 141.9 (1958) CONTD---				
85-UP	32	28	1	
-- ICD 142.0 (1958) ----				
05-09	2	1		
15-19	3			
20-24	1			
25-29	1			
30-34	3	3		1
35-39	4	5		
40-44	11	3	1	
45-49	15	3	1	1
50-54	22	7	1	1
55-59	31	17	2	2
60-64	29	11	4	1
65-69	30	15	4	
70-74	40	17	2	1
75-79	34	24	1	
80-84	27	24	1	1
85-UP	16	17		
-- ICD 142.7 (1958) ----				
30-34	1			
35-39	1			
40-44	1			1
45-49	4	2	1	
50-54	9	2		
55-59	3	4	1	
60-64	5	7		2
65-69	10	2		
70-74	9	1		1
75-79	3	2		
80-84	4	6		
85-UP	5	2		
-- ICD 142.8 (1958) ----				
70-74		1		
-- ICD 142.9 (1958) ----				
25-29		1		
30-34	1			
40-44		1		
45-49	1	1	1	
50-54	4			
55-59	2	1		2
60-64	4	1		
65-69	4	3	1	
70-74		2		1
75-79	3	3		
80-84		3		
-- ICD 143 --(1958) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1958) ----				
05-09		1		1
10-14		1		
15-19		1		
20-24	1			
25-29			1	
30-34	2	1		1
35-39	6	1		1
40-44	10	3	2	2
45-49	33	16	5	1
50-54	57	19	5	3
55-59	50	19	6	1
60-64	84	24	9	3
65-69	84	29	5	4
70-74	67	31	2	1
75-79	68	40	4	4
80-84	62	28	2	1
85-UP	41	25	3	1
-- ICD 145.0 (1958) ----				
00-04		1		
15-19	1			
25-29				1
35-39	6	3		
40-44	6	2	3	1
45-49	11	6	5	
50-54	33	11	4	5
55-59	34	12	7	
60-64	57	8	3	1
65-69	59	6	6	2
70-74	45	10	2	2
75-79	30	13	2	
80-84	16	4		
85-UP	6	5	1	1
-- ICD 145.7 (1958) ----				
45-49	1			
50-54	1	1		1
55-59	2			
60-64	2			
65-69	6	2	1	
70-74	3			

AGE	WM	WF	NM	NF
-- 145.7 (1958) CONTD---				
75-79	3	1		
80-84	2			
85-UP	1			
-- ICD 145.9 (1958) ----				
50-54	1			
80-84	1			
85-UP	1			
-- ICD 146 --(1958) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1958) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1958) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1958) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1958) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1958) ----				
30-34	1	1		
35-39	3	2		3
40-44	6	5		
45-49	3	6		2
50-54	7	9	1	
55-59	13	9	2	
60-64	10	8	2	3
65-69	21	18	1	1
70-74	15	12	2	2
75-79	19	7		1
80-84	7	9		1
85-UP	6	5		
-- ICD 152.7 (1958) ----				
20-24		1		
25-29	3	1	1	
30-34	2	1		
35-39	4	3		1
40-44	10	3	1	
45-49	9	7		1
50-54	12	6	1	
55-59	18	23	1	
60-64	21	18	2	
65-69	33	16	3	3
70-74	19	16	1	1
75-79	12	9		
80-84	11	7		
85-UP	2	5		
-- ICD 152.8 (1958) ----				
50-54		1		
55-59		1		
65-69		1		
70-74	1			
75-79	1			
80-84		2		
-- ICD 152.9 (1958) ----				
00-04		1		
30-34	1			
35-39	2	1		1
40-44	3	1		
45-49	7	5	3	1
50-54	6	8	1	
55-59	14	8	1	1
60-64	12	13		1
65-69	11	9	1	
70-74	16	17	1	3
75-79	11	15	3	
80-84	8	8		
85-UP	3	6		2
-- ICD 153.0 (1958) ----				
15-19	1			1
20-24	4	1		
25-29	5	5	1	
30-34	16	8	1	3
35-39	16	17	3	
40-44	35	37	3	4
45-49	50	59	4	3
50-54	101	88	7	14
55-59	130	148	9	9
60-64	207	207	10	22
65-69	270	322	11	15
70-74	240	355	14	9
75-79	228	348	12	13
80-84	164	287	4	4
85-UP	86	206	2	4

AGE	WM	WF	NM	NF
-- ICD 153.1 (1958) ----				
00-04		2		
20-24	1	1		
25-29	2	3		
30-34	5	6	3	
35-39	12	11	1	
40-44	16	16	3	1
45-49	31	33	2	1
50-54	46	59	2	5
55-59	85	54	2	11
60-64	77	91	10	11
65-69	122	118	3	6
70-74	114	124	8	4
75-79	107	104	1	2
80-84	63	88	2	
85-UP	36	65		3
-- ICD 153.2 (1958) ----				
15-19	1	1		
20-24			1	
25-29	1	1		
30-34	3	3	1	
35-39	4	6		
40-44	9	13		1
45-49	17	24		1
50-54	27	41	2	2
55-59	52	50	2	4
60-64	62	78	8	7
65-69	71	87	9	8
70-74	83	102	3	6
75-79	71	95	2	2
80-84	53	54	1	2
85-UP	30	50		3
-- ICD 153.3 (1958) ----				
00-04		1		
15-19	1			
20-24	2	2	1	
25-29	2	5		1
30-34	19	15	2	1
35-39	20	46	3	7
40-44	44	88	4	4
45-49	92	138	7	15
50-54	164	195	10	25
55-59	290	298	11	29
60-64	380	402	25	24
65-69	475	473	32	19
70-74	563	495	15	22
75-79	427	392	20	15
80-84	285	340	6	4
85-UP	140	228	4	6
-- ICD 153.7 (1958) ----				
35-39	1			
50-54		1		1
55-59	4	4		
60-64	5	4		
65-69	6	5	1	
70-74	7	4	1	
75-79	5	3	1	
80-84	2	5		
85-UP	1	3		
-- ICD 153.8 (1958) ----				
00-04	2	1		
05-09	1			
10-14	1			
15-19	4	2		
20-24	5	5	5	1
25-29	19	13	3	5
30-34	26	39	5	2
35-39	63	72	3	13
40-44	116	157	9	20
45-49	178	263	27	33
50-54	285	382	37	63
55-59	445	538	55	74
60-64	634	700	42	74
65-69	832	904	53	69
70-74	948	991	66	71
75-79	758	933	36	42
80-84	536	729	19	24
85-UP	333	577	12	20
-- ICD 153.9 (1958) ----				
00-04	1			1
05-09	2			
20-24		2		
25-29	3	2		
30-34	3	2		
35-39	6	10	1	
40-44	18	11		1
45-49	16	15	7	7
50-54	32	34	4	6
55-59	42	42	7	9
60-64	85	88	7	13
65-69	120	106	8	9

AGE	WM	WF	NM	NF
-- 153.9 (1958) CONTD---				
70-74	117	128	4	7
75-79	110	117	1	2
80-84	81	116	7	4
85-UP	47	111	4	3
-- ICD 154 --(1958) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1958) ----				
00-04	13	12		2
05-09	1		1	
10-14	3	1		1
15-19	2	3		
20-24	1	6	3	1
25-29	4	3	2	
30-34	10	7	5	1
35-39	7	7	7	2
40-44	18	18	16	
45-49	36	26	19	8
50-54	76	33	23	8
55-59	100	68	32	8
60-64	170	89	30	7
65-69	160	98	25	6
70-74	128	81	13	6
75-79	98	64	4	8
80-84	47	54	1	
85-UP	14	30		4
-- ICD 155.1 (1958) ----				
00-04		1		
20-24	1	1		
25-29	1	2		
30-34	4	2		
35-39	8	10		
40-44	19	29	2	6
45-49	37	73	4	7
50-54	84	145	6	19
55-59	101	219	12	22
60-64	170	402	16	20
65-69	240	517	21	24
70-74	259	495	22	10
75-79	196	402	5	8
80-84	109	243	7	7
85-UP	73	142	2	1
-- ICD 155.8 (1958) ----				
50-54	1			
55-59			1	
60-64	1	1		
70-74	2	1		
75-79	1	1		
80-84		1		
-- ICD 156 --(1958) ----				
00-04	10	6		1
05-09	3	1	1	
10-14		2	1	1
15-19	2			
20-24	3	5	1	
25-29	3	3	1	
30-34	10	9	3	2
35-39	20	16	4	3
40-44	26	35	14	10
45-49	76	57	25	17
50-54	129	107	27	21
55-59	195	137	43	33
60-64	316	237	54	30
65-69	347	292	42	33
70-74	344	331	33	21
75-79	282	339	17	19
80-84	207	226	10	10
85-UP	94	169	3	9
-- ICD 157 --(1958) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1958) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1958) ----				
10-14				1
25-29	1			1
30-34		2	2	1
35-39	6	2	2	1
40-44	3	5	3	3
45-49	5	8	3	2
50-54	18	17	6	7
55-59	22	15	6	7
60-64	34	27	10	4
65-69	48	52	7	21
70-74	60	58	18	7
75-79	50	54	11	9
80-84	56	68	8	3
85-UP	23	50	4	5

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 160.0 (1958) ----				
00-04		1		
15-19	1			
25-29		1		
40-44	2	1		
45-49	2			
50-54	3	5	1	
55-59	3		2	
60-64	6	3		1
65-69	12	1	1	1
70-74	12	2		
75-79	11	9	1	
80-84	11	4		
85-UP	10	10		
-- ICD 160.1 (1958) ----				
00-04	1	2		
05-09		1		
45-49	1	1		
55-59	4	1		
60-64	1	1		
65-69	1	3		
70-74	2	2		
75-79		1		
80-84	1	3		
85-UP		1		
-- ICD 160.2 (1958) ----				
05-09	1			
15-19	1			
20-24	3	1		
25-29			1	
30-34	3			
35-39	5	2		
40-44	10	3	3	1
45-49	10	9	2	5
50-54	14	5	4	
55-59	16	9	4	
60-64	29	9	9	2
65-69	26	16	8	4
70-74	24	15		
75-79	17	14	1	
80-84	21	8	4	
85-UP	8	6		
-- ICD 160.7 (1958) ----				
20-24			1	
30-34		1		
35-39	1			
40-44	3	2		
45-49	2			
55-59	5	2		
60-64	4	1		
65-69	6	4		
70-74	8	2		
75-79	2	2	1	
80-84	1	2		
85-UP	1	1		
-- ICD 160.8 (1958) ----				
15-19	1			
50-54		2		
55-59	2	1		
60-64	1			
70-74		1		
85-UP		2		
-- ICD 160.9 (1958) ----				
00-04	1			
05-09		1		
25-29		1		
35-39		3	1	
40-44	1			
45-49			1	
50-54	1			
55-59		2		
60-64	3			
65-69	5			
70-74	2			
75-79	2			
85-UP	3	2		
-- ICD 161 --(1958) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1958) ----				
00-04		1		1
25-29	1			
30-34	1	1		
35-39	1	1		
40-44	1	1		
45-49	8	3	3	
50-54	15		1	
55-59	7	1	1	
60-64	13	1		
65-69	6	3	1	

AGE	WM	WF	NM	NF
-- 162.0 (1958) CONTD---				
70-74	8	1	2	
75-79	4			
80-84	1	2	1	
85-UP	1			
-- ICD 162.1 (1958) ----				
00-04	2	1		
05-09		1		
10-14	1			
15-19			1	
20-24	3			
25-29	18	3	4	
30-34	58	17	11	1
35-39	172	47	33	9
40-44	349	102	77	17
45-49	750	141	116	10
50-54	1394	190	191	25
55-59	1958	201	181	21
60-64	2594	240	202	22
65-69	2467	247	191	22
70-74	1605	226	85	10
75-79	825	185	31	10
80-84	322	118	10	5
85-UP	123	63	11	1
-- ICD 162.2 (1958) ----				
00-04		1		
25-29		1		
45-49		1		
50-54	1	1		
55-59	5			
60-64		1		
65-69	1			
75-79		1		
80-84	1			
-- ICD 162.8 (1958) ----				
40-44			1	
45-49		1		
55-59	2	1		
70-74	2			
-- ICD 163 --(1958) ----				
00-04	3	3		1
05-09	2			1
10-14	6	3		
15-19	3	4		1
20-24	5	2		
25-29	11	7	2	1
30-34	50	24	11	4
35-39	102	60	26	9
40-44	312	94	54	14
45-49	691	177	78	23
50-54	1261	203	142	32
55-59	1853	245	171	33
60-64	2394	304	158	35
65-69	2502	395	147	37
70-74	1848	412	87	25
75-79	1023	343	53	13
80-84	456	192	21	8
85-UP	172	119	9	6
-- ICD 164 --(1958) ----				
00-04	3	1		
05-09	1	1		
10-14	2	2		
15-19	4	1		
20-24	6		1	
25-29	4	2	1	
30-34	11	2		
35-39	8	4	2	2
40-44	10	3		
45-49	14	5	1	1
50-54	21	4	2	1
55-59	25	7	4	
60-64	27	10	3	
65-69	20	8	1	3
70-74	18	7	2	
75-79	12	7	2	
80-84	8	7		
85-UP	2	4		
-- ICD 165 --(1958) ----				
00-04		2		
05-09	1			
10-14	1			
15-19		3	1	
20-24	1	1	1	
25-29	1	1		
30-34	4	1	1	1
35-39	4	8	1	1
40-44	6	6	1	1
45-49	14	12	2	5
50-54	38	21	2	4
55-59	46	22	8	5

AGE	WM	WF	NM	NF
-- 165 --(1958) CONTD---				
60-64	68	29	2	5
65-69	67	36	6	5
70-74	49	46	3	3
75-79	41	30	3	1
80-84	19	23	2	1
85-UP	10	13		3
-- ICD 170 --(1958) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1958) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1958) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1958) ----				
20-24		8		1
25-29		15		3
30-34		5		1
35-39		7		3
40-44		4		2
45-49		4		1
50-54		7		1
55-59		1		3
60-64				2
65-69		1		1
75-79		1		1
80-84		1		
85-UP		1		
-- ICD 174 --(1958) ----				
00-04		1		
10-14				1
15-19		1		
20-24		5		1
25-29		17		2
30-34		29		14
35-39		81		35
40-44		127		48
45-49		212		77
50-54		344		96
55-59		462		122
60-64		615		116
65-69		710		105
70-74		604		85
75-79		506		55
80-84		308		19
85-UP		212		31
-- ICD 175.0 (1958) ----				
00-04				1
05-09		4		1
10-14		18		3
15-19		25		4
20-24		22		8
25-29		39		5
30-34		78		17
35-39		184		17
40-44		415		50
45-49		663		70
50-54		840		82
55-59		963		68
60-64		1005		58
65-69		967		50
70-74		769		34
75-79		521		17
80-84		319		9
85-UP		146		4
-- ICD 175.1 (1958) ----				
25-29		1		
35-39		3		1
40-44		6		1
45-49		6		2
50-54		17		3
55-59		12		1
60-64		17		1
65-69		4		
70-74		7		
75-79		6		
80-84		1		
-- ICD 175.8 (1958) ----				
45-49		2		
55-59		2		
60-64		2		
65-69		4		
75-79		1		
-- ICD 175.9 (1958) ----				
45-49		1		
50-54		1		

AGE	WM	WF	NM	NF
-- ICD 176.0 (1958) ----				
15-19		1		
25-29		1		
30-34		3		3
35-39		6		4
40-44		13		4
45-49		10		1
50-54		10		10
55-59		26		4
60-64		39		5
65-69		63		3
70-74		86		5
75-79		91		1
80-84		50		1
85-UP		52		3
-- ICD 176.1 (1958) ----				
00-04		1		1
20-24		1		
25-29		1		1
30-34				1
35-39		5		
40-44		7		3
45-49		16		3
50-54		21		2
55-59		20		7
60-64		27		5
65-69		36		2
70-74		31		2
75-79		29		
80-84		22		3
85-UP		13		
-- ICD 176.7 (1958) ----				
00-04		1		
25-29		1		
35-39		2		
50-54		1		
60-64		1		
85-UP		1		
-- ICD 176.8 (1958) ----				
30-34				1
50-54		1		
60-64		1		
70-74		2		
75-79		2		
80-84		1		
85-UP		5		
-- ICD 176.9 (1958) ----				
35-39		2		
45-49		2		2
50-54		2		1
55-59		2		1
60-64		4		1
65-69		5		
70-74		2		
75-79		5		1
80-84		2		
85-UP		1		1
-- ICD 177 --(1958) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1958) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1958) ----				
30-34	2			
35-39	1		1	
40-44	3		5	
45-49	9		7	
50-54	12		5	
55-59	14		11	
60-64	23		3	
65-69	21		8	
70-74	32		9	
75-79	37		2	
80-84	26		1	
85-UP	22		1	
-- ICD 179.1 (1958) ----				
40-44			1	
45-49	1			
50-54			1	
55-59			2	
60-64	3		1	
65-69	3		1	
70-74			1	
75-79	1			
-- ICD 179.7 (1958) ----				
20-24	1			
50-54	1			
55-59	1		1	

AGE	WM	WF	NM	NF
-- 179.7 (1958) CONTD---				
60-64	2		1	
65-69	4			
70-74	2			
75-79	1			
80-84	2			
-- ICD 179.8 (1958) ----				
85-UP	1			
-- ICD 179.9 (1958) ----				
00-04	1			
60-64			1	
70-74	1			
75-79	1			
80-84	1			
-- ICD 180 --(1958) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1958) ----				
00-04	5			
05-09	1	1		
10-14	1			
15-19	1			
25-29	2		1	
30-34	5	1	1	2
35-39	13	12	2	2
40-44	42	12	10	10
45-49	80	42	14	12
50-54	179	64	38	36
55-59	361	128	41	24
60-64	549	163	40	26
65-69	844	267	55	32
70-74	900	361	44	32
75-79	826	373	29	15
80-84	545	321	15	10
85-UP	352	258	10	5
-- ICD 181.7 (1958) ----				
00-04		1		
05-09	1	1		
30-34	1			1
35-39	2	3		1
40-44	1	1	1	3
45-49	3	3	4	4
50-54	6	6	4	3
55-59	4	5	1	3
60-64	5	11	7	1
65-69	2	15	3	1
70-74	5	7	1	
75-79	8	8	1	1
80-84	2	5		
85-UP	2	4	1	1
-- ICD 181.8 (1958) ----				
45-49				1
50-54		1	1	
55-59		3		
60-64		1		
65-69	1			
75-79	1			
85-UP		1		
-- ICD 190.0 (1958) ----				
25-29	1			
45-49	1			
55-59				1
60-64	2	1		
-- ICD 190.1 (1958) ----				
65-69	1			
70-74	1	1		
-- ICD 190.2 (1958) ----				
35-39	3			
45-49	1			
50-54	1			
55-59	1			
65-69	2			
70-74	1	1		
75-79	2	1		
80-84		1		
85-UP		1		
-- ICD 190.3 (1958) ----				
20-24	2			
30-34		1		
35-39		1		
40-44		1		
45-49	4	1		
50-54	2	2		
55-59	4	1		
60-64	3	2		
65-69	5	4		
70-74	7	6		

AGE	WM	WF	NM	NF
-- 190.3 (1958) CONTD---				
75-79	5	7		
80-84		4		
85-UP	3	8		
-- ICD 190.4 (1958) ----				
10-14		1		
15-19	3			
20-24	1			
25-29	2	2		
30-34	2			
35-39	3	4		
40-44	3	4		
45-49	4	3		
50-54	6	4		
55-59	7	1		
60-64	4	1		1
65-69	4	3		
70-74	4	2		
75-79	4	3		
80-84	2	2		
85-UP	1			
-- ICD 190.5 (1958) ----				
20-24	4	1		
25-29	7	4		
30-34	12	6		
35-39	5	4		
40-44	11	8		
45-49	13	5		
50-54	15	9		
55-59	4	6		
60-64	12	5		1
65-69	12	6		1
70-74	9	6		
75-79	5	4	1	
80-84	3	5		
85-UP	1	1		
-- ICD 190.6 (1958) ----				
20-24	1	2		
25-29		2		
30-34	4	1		
35-39	3	4		
40-44	5	6		
45-49	6	5		
50-54	5	4		
55-59	4	5	1	
60-64	6	5		
65-69	10	6		
70-74	6	2		
75-79	6	2		
80-84	3	4		
85-UP				1
-- ICD 190.7 (1958) ----				
15-19	2	1		
20-24		1		
25-29	3	6	1	
30-34	6	8		
35-39	3	7		
40-44	2	10		
45-49	3	12	2	
50-54	9	6		3
55-59	6	5		
60-64	6	11	2	
65-69	4	17	1	
70-74	8	16	1	
75-79	13	12		
80-84	3	9		
85-UP	4	5		1
-- ICD 190.8 (1958) ----				
35-39	1			
40-44	2			
45-49	2	1		
60-64		2		
65-69	1			
70-74		1		
75-79	1			
80-84	1	1		
85-UP	1			
-- ICD 190.9 (1958) ----				
00-04				1
05-09	3	1		
10-14	1	3		
15-19	5	4		
20-24	13	6		
25-29	22	27		
30-34	48	29		1
35-39	48	45		1
40-44	72	48	2	
45-49	74	54	1	1
50-54	83	55	2	1
55-59	65	48	2	3

AGE	WM	WF	NM	NF
-- 190.9 (1958) CONTD---				
60-64	63	50	1	
65-69	64	45		5
70-74	55	50	1	3
75-79	47	38	1	1
80-84	27	31		
85-UP	14	11		
-- ICD 191.0 (1958) ----				
00-04	1			
35-39	1	1		
40-44	1			1
45-49	2			
50-54	3	1		
55-59	7	1		
60-64	5	2		
65-69	13	3		
70-74	15	1	1	
75-79	13	2		
80-84	8	5		
85-UP	8	4		
-- ICD 191.1 (1958) ----				
00-04	1			
35-39	1			
40-44	1			
55-59	1	1		
60-64				1
65-69	1	1		
70-74	1	2		
75-79	3	2		
80-84	1	1		
85-UP	1	4		
-- ICD 191.2 (1958) ----				
45-49	5	1		
50-54	1	2		
55-59	1	5		
60-64	6	2		
65-69	4	2		
70-74	5	4		
75-79	6	4		
80-84	16	3		
85-UP	10	5		
-- ICD 191.3 (1958) ----				
00-04	1	2		
05-09		1		
15-19	1	1		
20-24			1	
30-34	3		1	
35-39	1	1		
40-44	2	3		
45-49	3	2	1	1
50-54	13	5		
55-59	12	12	2	
60-64	39	19	2	3
65-69	41	15	1	2
70-74	52	34	4	
75-79	74	44	5	1
80-84	62	62		
85-UP	87	98	3	1
-- ICD 191.4 (1958) ----				
25-29		1		
30-34			1	
35-39	2	1		
40-44	1	1		
45-49	5	1		1
50-54	9	4	2	
55-59	14	3	3	
60-64	10	6	1	
65-69	22	3		1
70-74	15	8	1	
75-79	20	6		
80-84	19	10	1	1
85-UP	8	9		
-- ICD 191.5 (1958) ----				
10-14		1		1
20-24			1	
25-29			1	
30-34	2			2
35-39				2
40-44	1	1	1	1
45-49	4	3		1
50-54	5	7	3	3
55-59	5	9	2	2
60-64	9	9	1	5
65-69	11	6	1	4
70-74	15	8	1	
75-79	9	16	1	1
80-84	8	12	1	
85-UP	5	3		

AGE	WM	WF	NM	NF
-- ICD 191.6 (1958) ----				
35-39			1	
45-49	2			
50-54	1			
55-59	3	2		
60-64	6	2		
65-69	8	1		1
70-74	9	2		1
75-79	6	3	3	
80-84	8	4	1	
85-UP	12	3		
-- ICD 191.7 (1958) ----				
25-29		1	2	
35-39	2		1	
40-44				1
45-49	3		1	
50-54	1	2	1	1
55-59		2		
60-64	5	4		
65-69	1	2	1	2
70-74	5	5		
75-79		6		1
80-84	2	1	1	1
85-UP	1			
-- ICD 191.8 (1958) ----				
15-19	1			
40-44	2			
45-49	1			
50-54	3	1		
55-59		1		
60-64	2	3		
65-69	3	1		
70-74	5	1		1
75-79	4	3		
80-84	10	1		
85-UP	8	4		
-- ICD 191.9 (1958) ----				
10-14		1		
25-29	1			1
30-34	2			2
35-39	2	2		
40-44	3	2	1	
45-49	16	5	2	1
50-54	15	8	1	
55-59	13	9	2	6
60-64	33	12	1	1
65-69	21	15	5	2
70-74	37	11		
75-79	23	13	1	
80-84	21	18		
85-UP	14	22	1	1
-- ICD 192 --(1958) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1958) ----				
00-04	96	78	18	11
05-09	102	82	14	15
10-14	52	58	9	7
15-19	48	39	6	5
20-24	39	32	5	3
25-29	53	40	7	10
30-34	111	63	7	5
35-39	163	105	9	5
40-44	202	144	11	5
45-49	221	195	15	7
50-54	357	194	26	8
55-59	340	237	18	10
60-64	336	208	11	4
65-69	211	170	6	2
70-74	101	63	4	1
75-79	34	19	1	2
80-84	5	9		2
85-UP	3	6		
-- ICD 193.1 (1958) ----				
00-04	4	1		
05-09	2	2		
10-14	4	7		
15-19	1	6		
20-24		1		
25-29	3	2		
30-34	3	4	2	2
35-39	1	4		
40-44	4	4	3	
45-49	4	2	1	
50-54	5	5	1	
55-59	5	2		1
60-64	5	4		
65-69	8	6		1
70-74	10	2		
75-79	6	3		1
80-84		1		

AGE	WM	WF	NM	NF
-- ICD 193.2 (1958) ----				
00-04	1			
05-09	2	1		
20-24	1			
25-29	1			
30-34	3	1		
35-39	2	1	1	1
40-44	3			
45-49	1	1		
50-54	3			
55-59	2	3		1
60-64	5	2	1	
65-69	2	3		
70-74		1		
75-79		1		
85-UP		1		
-- ICD 193.3 (1958) ----				
15-19		1		
20-24	1	2		
30-34	1	3		
35-39	2	1	1	
40-44	2	2		
45-49		1		
50-54	2			
55-59	1		1	
60-64	2	2		
65-69	3	1		
70-74	2	2		
75-79		1		
80-84	1	2		
85-UP	1			
-- ICD 193.4 (1958) ----				
00-04	88	68	9	7
05-09	23	15	6	2
10-14	13	3	1	2
15-19	5	6	3	
20-24	2	2		
25-29		2		
30-34	3	1		
40-44	2	1		
45-49	2	5		
50-54	1			
55-59	1			
60-64		1		
65-69	6	6		
70-74	4	3		
75-79	2	2		
-- ICD 193.8 (1958) ----				
00-04	2	1		
05-09	1		1	
10-14		1		
35-39	2			
50-54		1		
60-64	2			
65-69	1	1		
85-UP		1		
-- ICD 193.9 (1958) ----				
00-04	15	10	1	
05-09	11	9	1	
10-14	12	7	2	1
15-19	6	3		
20-24	5	4	2	1
25-29	11	7	1	1
30-34	20	11		1
35-39	28	9	1	2
40-44	24	11	1	1
45-49	37	24	4	1
50-54	37	29	1	6
55-59	47	33	4	4
60-64	40	25	2	
65-69	31	20		1
70-74	12	8		
75-79	5	1		
80-84		2		
85-UP	1			
-- ICD 194 --(1958) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1958) ----				
00-04	16	15		2
05-09	4	4		
10-14	1	1		1
15-19		3		
20-24	3	1		
25-29	1	1		
30-34	3	3	1	1
35-39	5	7		1
40-44	5	3	3	1
45-49	13	3	1	1
50-54	14	6		1
55-59	24	17	2	2

AGE	WM	WF	NM	NF
-- 195.0 (1958) CONTD---				
60-64	18	6	1	1
65-69	20	10	1	
70-74	14	8		
75-79	5	3		1
80-84	5			
85-UP	2	2		
-- ICD 195.1 (1958) ----				
45-49		2		
50-54		1		
60-64	1			
65-69		1		
70-74		1		
-- ICD 195.2 (1958) ----				
05-09		1		
10-14	1	1		
15-19	1			
20-24		1		
25-29	1	4		
30-34	5	1		
35-39	1	5		
40-44	1	5		
45-49	5	3		
50-54	2	1		
55-59	2	5		
60-64	3	1		
65-69	6			
70-74	2	2		
75-79	2			
-- ICD 195.3 (1958) ----				
00-04		1		
10-14		1		
15-19	1			
20-24		2		
30-34	1	2		
35-39	1	1		
40-44	2			
45-49	2	5		
50-54		3		3
55-59	1	1		
60-64	4	2		1
65-69	4		1	1
70-74	1	1		
75-79	3			
-- ICD 195.4 (1958) ----				
00-04	1			
15-19		1		
20-24		1		
25-29	1	1		
30-34				1
35-39				1
60-64	1			
80-84		1		
-- ICD 195.7 (1958) ----				
55-59	2			
65-69	1	2		
70-74	1			
75-79	1			
-- ICD 195.8 (1958) ----				
00-04	1			
20-24		1		
-- ICD 196.0 (1958) ----				
00-04	3	2		
05-09	2		1	
10-14	2			
15-19		1		
20-24	1	1	1	1
25-29	2			
30-34	1	1		
35-39	1	2	1	1
40-44	2	2	3	
45-49	6	6		
50-54	11	4	1	2
55-59	15	7	3	1
60-64	17	8	1	2
65-69	23	10	2	3
70-74	29	9	1	2
75-79	24	18		1
80-84	17	11		
85-UP	16	7		2
-- ICD 196.1 (1958) ----				
15-19	2	1		
20-24		1		
25-29	1	2		
30-34		2		
35-39	2	1		
40-44	4		1	
45-49	11	4		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 196.1 (1958) CONTD---				
50-54	7	3	1	1
55-59	17	5	2	
60-64	9	5		1
65-69	18	4	2	2
70-74	20	8		1
75-79	18	7		1
80-84	19	5	1	
85-UP	10	6		
-- ICD 196.2 (1958) ----				
00-04		2		
05-09			1	
10-14		1		1
15-19	2	3		
25-29	1	1		
30-34	1	2	1	
35-39	3	3		
40-44	5	4	1	2
45-49	9	2	2	
50-54	14	11	1	2
55-59	19	18	2	3
60-64	21	19	1	2
65-69	31	18	2	1
70-74	18	21		1
75-79	15	10	2	1
80-84	10	11	1	
85-UP	1	4		
-- ICD 196.3 (1958) ----				
00-04		1		
05-09	1	1		
10-14	1	2		
15-19		1		
20-24	2	1		
25-29	2			
30-34		2	1	
35-39			2	
40-44		2		1
45-49		1		
50-54	6	1	1	
55-59	6	2		
60-64	5	2		
65-69	4	7		
70-74	4	1		
75-79	4	1		
80-84	2	1		
85-UP	2	1		
-- ICD 196.4 (1958) ----				
00-04				1
05-09	4			1
10-14	8	4		
15-19	2	6		
20-24	2	2		
25-29		1		
30-34	1			
35-39	1	1		
40-44	3	1		
45-49	3	2		
50-54	3	3		
55-59	7	1	1	
60-64	7	5		2
65-69	9	1		
70-74	6	6		
75-79	4	6		
80-84	5	2		
85-UP		1		
-- ICD 196.5 (1958) ----				
55-59	1			
65-69	2			
80-84	1			
-- ICD 196.6 (1958) ----				
00-04	1	3	1	
05-09	1		1	1
10-14	3	2	1	1
15-19	9	2		
20-24	5	3		
25-29	5			
30-34	1	1		
35-39	2	1		
40-44	4	3	1	
45-49	7	5	1	
50-54	7	4	1	2
55-59	10	3		2
60-64	4	6		
65-69	8	5	1	
70-74	10	6	2	
75-79	12	8		
80-84	3	2		
85-UP		2		
-- ICD 196.7 (1958) ----				
00-04	2	1		

AGE	WM	WF	NM	NF
-- 196.7 (1958) CONTD---				
05-09	4	4		
10-14	20	18		2
15-19	25	19	1	3
20-24	13	5		
25-29	1	3	3	
30-34	5	4	1	
35-39	6	1	2	
40-44	7	4		2
45-49	4	5		1
50-54	3	7		1
55-59	16	5	1	2
60-64	17	15		1
65-69	11	11	1	1
70-74	8	15		
75-79	8	13	1	
80-84	4	9	1	1
85-UP	6	4		
-- ICD 196.8 (1958) ----				
10-14	2			
15-19	1	2		
20-24	1		1	
35-39	1			
40-44		1		
50-54	1			
55-59		1		
60-64		1		
65-69	1	1		
70-74				1
75-79	1			
80-84		1		
85-UP		1		
-- ICD 196.9 (1958) ----				
00-04	2	1	1	
05-09	7	9		
10-14	19	15	1	2
15-19	27	12	3	1
20-24	17	5		
25-29	6	2	1	1
30-34	4	2		
35-39	4	3	1	
40-44	3	3		1
45-49	8	10	1	
50-54	7	14	2	
55-59	6	18	2	1
60-64	16	15	1	1
65-69	12	28	3	
70-74	19	14	2	
75-79	17	13	1	2
80-84	7	7		1
85-UP	2	3		1
-- ICD 197.0 (1958) ----				
00-04	1	1		
05-09	1			
10-14		1		
15-19	3	1		
25-29	2	1	1	
40-44	2	1		
45-49	2	1		
50-54		1		
60-64	3	2	1	
65-69	2	2		
70-74	1			
75-79		1		
80-84		3		
-- ICD 197.1 (1958) ----				
00-04	2	1		
05-09	3	2		
10-14	3	2		
15-19	1		1	
20-24	2	2		
25-29	1	1		
30-34	2	2		
35-39	6	1		
40-44	5	2	1	
45-49	3	4	2	
50-54	5	4	2	1
55-59	7	4	2	2
60-64	16	6		1
65-69	11	12	2	2
70-74	8	3	1	2
75-79	7	5		
80-84	2	3		
85-UP	2	1		
-- ICD 197.2 (1958) ----				
00-04				1
05-09		1		
10-14		2	1	
15-19	1	2		1
20-24	1			
25-29	1	2		
30-34	1			

AGE	WM	WF	NM	NF
35-39	1	1		
40-44	2	2		
45-49	4			
50-54	1	3		
55-59	3			1
60-64	2	1		
65-69	4	6		
70-74	6			
75-79	4	3		
80-84	2	3		
85-UP		3		
-- ICD 197.3 (1958) ----				
00-04	2	2		
05-09	1	2		
10-14	1	4		
15-19	7	1		
20-24	4	2		
25-29	5	5	1	
30-34	7	4		
35-39	5	3	1	
40-44	8	3	1	
45-49	8	4	2	
50-54	6	3	1	3
55-59	15	12		
60-64	9	12	2	1
65-69	8	15		1
70-74	18	10	2	
75-79	9	10		
80-84	9	5		
85-UP	5	2		
-- ICD 197.8 (1958) ----				
00-04		1		
15-19	1			
30-34	1			
40-44		1		
45-49	1	2		
60-64	1			
65-69	2	1		
75-79	1			
80-84	1			
-- ICD 197.9 (1958) ----				
00-04	9	7		3
05-09	11	3	1	
10-14	2	8	1	1
15-19	5	2	1	1
20-24	4	1		1
25-29	6	5	2	
30-34	6	5		
35-39	7	3		
40-44	12	7		
45-49	11	11		1
50-54	16	19	2	1
55-59	16	19	3	
60-64	25	18		
65-69	20	23		1
70-74	17	16		1
75-79	10	12		
80-84	5	7		
85-UP	5	3		
-- ICD 198.0 (1958) ----				
30-34		2		
35-39		2		
40-44	1	2		
45-49	4			
50-54	5			1
55-59	14	4	1	1
60-64	7	4	1	
65-69	8	7		1
70-74	10	4		
75-79	18	5		
80-84	4	2		
85-UP	4	5		
-- ICD 198.1 (1958) ----				
30-34	2			
40-44		1	1	
55-59	1			
60-64	2	1		
65-69	1			
-- ICD 198.2 (1958) ----				
00-04		1		
45-49	1			
70-74		2		
75-79	1	1		
80-84	1			
85-UP		1		
-- ICD 198.3 (1958) ----				
00-04	1			
10-14		1		

AGE	WM	WF	NM	NF
-- 198.3 (1958) CONTD---				
35-39				1
40-44	1			
45-49	1			
55-59		1		1
60-64		2		
65-69	1			
70-74	1	1		
75-79		1		
80-84	1			
-- ICD 198.4 (1958) ----				
30-34		1		
40-44				1
45-49		1		
50-54			1	
55-59			1	
60-64	1		1	
65-69	1	1		
70-74	5	1		
80-84	2	1		
85-UP		2		
-- ICD 198.7 (1958) ----				
20-24	1			
60-64	1			
70-74	1			
75-79	1			
-- ICD 198.8 (1958) ----				
20-24				1
45-49	1			
50-54	1			
65-69	3			
-- ICD 198.9 (1958) ----				
30-34	1			
40-44	1	1		
45-49		1		1
50-54	2			
55-59	1			
60-64	2	1		
65-69	8	2		
70-74	3	3		1
75-79	3	4		
80-84	1			1
85-UP	1	3		
-- ICD 199 --(1958) ----				
00-04	16	28	1	2
05-09	10	8	1	
10-14	16	6	4	1
15-19	18	10	1	2
20-24	22	14	9	6
25-29	30	27	6	7
30-34	46	46	8	16
35-39	74	101	15	31
40-44	141	185	27	44
45-49	240	289	46	63
50-54	431	376	74	72
55-59	510	534	87	79
60-64	724	680	95	88
65-69	864	834	104	92
70-74	836	783	76	70
75-79	604	729	49	44
80-84	463	578	35	32
85-UP	302	417	11	23
-- ICD 200.0 (1958) ----				
00-04	4	7	2	
05-09	8	2	1	
10-14	8	4	1	
15-19	12	9		
20-24	13	8	1	
25-29	16	11	1	
30-34	18	11	2	1
35-39	25	17	2	
40-44	27	34	8	4
45-49	49	32	4	5
50-54	54	50	4	4
55-59	70	54	3	7
60-64	69	56	5	3
65-69	89	83	7	4
70-74	65	57	2	3
75-79	49	30	1	
80-84	18	26	1	
85-UP	7	4	2	
-- ICD 200.1 (1958) ----				
00-04	27	13	5	1
05-09	29	16	4	3
10-14	38	16	4	2
15-19	28	7	1	2
20-24	26	7	3	1
25-29	26	13	3	
30-34	39	34	7	5

AGE	WM	WF	NM	NF
-- 200.1 (1958) CONTD---				
35-39	56	47	5	3
40-44	77	51	11	3
45-49	116	83	10	2
50-54	148	111	10	3
55-59	222	151	21	5
60-64	247	175	8	12
65-69	246	198	5	6
70-74	224	184	7	4
75-79	148	133	2	2
80-84	70	86	2	2
85-UP	27	39	1	
-- ICD 200.2 (1958) ----				
00-04	11	3		1
05-09	8	2		
10-14	7	1		1
15-19	9			
20-24	13	5		
25-29	8	4	2	3
30-34	11	4	1	1
35-39	24	7	5	2
40-44	26	13	2	
45-49	28	21	3	
50-54	42	28	5	1
55-59	60	35	2	3
60-64	51	38	7	3
65-69	63	68	9	1
70-74	68	58	3	
75-79	36	32	5	3
80-84	26	20	2	1
85-UP	8	8	1	1
-- ICD 201 --(1958) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1958) ----				
20-24		1		
25-29	1			
30-34	1			
35-39	2	1		
40-44	4	1		
45-49	4	4		1
50-54	6	7		
55-59	7	9		
60-64	7	4		
65-69	6	4		
70-74	7	4		
75-79	4	2		
80-84	2	1		
85-UP	1	2		
-- ICD 202.1 (1958) ----				
00-04	32	23	2	3
05-09	6	2		
10-14	7	5	1	
15-19	8	3		2
20-24	5	3	2	2
25-29	4	4	1	
30-34	9	6		1
35-39	12	6		
40-44	24	10	2	
45-49	30	10	2	3
50-54	25	13	2	2
55-59	50	28	6	2
60-64	43	43	2	2
65-69	47	48	2	1
70-74	37	36	2	2
75-79	27	29		3
80-84	19	14	1	
85-UP	15	10		1
-- ICD 203 --(1958) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1958) ----				
00-04	34	30	4	2
05-09	25	26	2	1
10-14	19	11		1
15-19	12	5	1	
20-24	7	3		1
25-29	6	3		
30-34	4	8	1	
35-39	10	5	2	1
40-44	18	11	5	2
45-49	53	19	1	2
50-54	78	56	16	8
55-59	127	67	15	5
60-64	200	109	22	8
65-69	282	155	19	11
70-74	299	185	12	11
75-79	255	164	7	1
80-84	160	109	6	1
85-UP	127	60	5	3

AGE	WM	WF	NM	NF
-- ICD 204.1 (1958) ----				
00-04	11	6	1	
05-09	5	5	1	1
10-14	6	7	2	
15-19	11	11	2	3
20-24	6	8	5	
25-29	15	10	9	1
30-34	36	26	11	9
35-39	60	46	8	6
40-44	52	39	6	5
45-49	44	49	8	11
50-54	76	70	7	11
55-59	78	85	3	4
60-64	126	101	10	9
65-69	138	116	6	3
70-74	161	101	3	3
75-79	120	96	4	2
80-84	71	62		1
85-UP	38	19	1	1
-- ICD 204.2 (1958) ----				
00-04	15	9	2	2
05-09	4	11	2	
10-14	10	9	2	1
15-19	11	9		5
20-24	15	7	2	1
25-29	13	11	2	2
30-34	6	13	1	
35-39	26	24	3	
40-44	28	19	2	6
45-49	34	17	2	2
50-54	32	31	1	2
55-59	41	35	6	3
60-64	57	27	2	4
65-69	84	35	2	6
70-74	66	50	2	1
75-79	42	31	1	
80-84	37	12		
85-UP	8	7		1
-- ICD 204.3 (1958) ----				
00-04	360	301	20	26
05-09	258	210	16	16
10-14	152	103	9	16
15-19	141	77	12	6
20-24	53	49	7	5
25-29	60	46	10	4
30-34	67	60	10	8
35-39	88	76	6	9
40-44	105	62	4	9
45-49	110	79	12	11
50-54	140	109	4	6
55-59	141	102	8	9
60-64	207	154	5	6
65-69	213	150	13	8
70-74	206	141	8	4
75-79	151	111	4	4
80-84	96	75	4	
85-UP	36	35	1	2
-- ICD 204.4 (1958) ----				
00-04	65	44	5	3
05-09	46	41	3	4
10-14	17	17	2	4
15-19	13	7	2	2
20-24	7	6	1	1
25-29	1		1	2
30-34	9	2	2	2
35-39	8	9		5
40-44	17	7	1	2
45-49	15	13	1	
50-54	31	19	3	4
55-59	33	23	5	8
60-64	49	49	3	2
65-69	83	63	5	3
70-74	91	64	7	2
75-79	79	59	1	
80-84	43	45		
85-UP	32	21		
-- ICD 205 --(1958) ----				
15-19		1		
25-29		1		
30-34	1			
35-39		1		
40-44		1		1
45-49	3	3	2	
50-54	5	2		1
55-59	7	1	2	
60-64	3		2	1
65-69	4	2		
70-74	6	1	1	
75-79	4	2	1	
80-84		2	1	1
85-UP		2		1

AGE	WM	WF	NM	NF
-- ICD 140.0 (1959) ----				
55-59	1			1
60-64		1		
65-69		2		
70-74	2	1		
75-79	2			
80-84	1			
85-UP	1			
-- ICD 140.1 (1959) ----				
20-24	1			
25-29	1			
30-34	1			
50-54	3			
55-59	4			
60-64	9			
65-69	7	1		
70-74	12	1	1	
75-79	5	2		
80-84	13	2	1	
85-UP	11	1		
-- ICD 140.8 (1959) ----				
65-69	1			
75-79	2			
85-UP	1			
-- ICD 140.9 (1959) ----				
30-34	3			
40-44	2			
45-49	2			
50-54	4			
55-59	12	1		
60-64	13			
65-69	24	1		1
70-74	19	1		1
75-79	18	1		1
80-84	22	3		
85-UP	16		1	
-- ICD 141.0 (1959) ----				
30-34				1
35-39				1
40-44	3		2	
45-49	7		1	
50-54	17	3	2	
55-59	27	4	1	1
60-64	13	5	2	
65-69	19	3	2	
70-74	16	4	1	
75-79	10			
80-84	4	2		
85-UP	4	1		
-- ICD 141.7 (1959) ----				
40-44	1			
45-49	2			
50-54				1
55-59	4	1		
60-64	3	1		
65-69	4	1		
70-74	2	1		
80-84	1			
85-UP	2	2		
-- ICD 141.8 (1959) ----				
45-49	1			
65-69			1	
-- ICD 141.9 (1959) ----				
05-09			1	
15-19		1		
25-29	1			
30-34	2		1	
35-39	6	2	3	1
40-44	12	11	3	2
45-49	54	14	1	3
50-54	99	23	20	2
55-59	115	28	14	3
60-64	123	25	6	3
65-69	153	32	12	5
70-74	129	24	8	
75-79	107	28	10	2
80-84	57	39	2	1
85-UP	40	16	2	
-- ICD 142.0 (1959) ----				
00-04	3	1		
15-19	2			
20-24	2			
30-34	3			
35-39	2	5		1
40-44	7	5	1	4
45-49	10	9	2	1
50-54	20	6	4	
55-59	18	13		

AGE	WM	WF	NM	NF
-- 142.0 (1959) CONTD---				
60-64	32	12	4	1
65-69	38	20		
70-74	33	14	1	
75-79	30	19	1	2
80-84	31	16		1
85-UP	24	18	2	
-- ICD 142.7 (1959) ----				
20-24		1		
35-39	1	2		
40-44		1	1	
45-49	3	2		
50-54	4		1	
55-59	6	2		
60-64	7	6	2	
65-69	5	6		1
70-74	9	1		
75-79	4	3		
80-84	7	2		
85-UP	10	4		1
-- ICD 142.8 (1959) ----				
80-84	1			
-- ICD 142.9 (1959) ----				
05-09	1	1		
15-19		1		
30-34	3			
35-39		1		
40-44		2	3	
45-49	3			
50-54	1	2		
55-59	4	3		
60-64		3		
65-69	5	1		
70-74	5	4		
75-79	5			
80-84	3	1		
85-UP	1		1	
-- ICD 143 --(1959) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1959) ----				
00-04	1			
20-24	1			
25-29	2			
30-34	2			1
35-39	3	3		1
40-44	14	4	2	
45-49	36	16	5	3
50-54	50	10	7	1
55-59	48	14	9	5
60-64	77	21	9	4
65-69	106	33	5	2
70-74	93	31	3	3
75-79	80	42	4	
80-84	51	43	2	2
85-UP	39	23	3	4
-- ICD 145.0 (1959) ----				
00-04		1		
10-14		1		
25-29	1			
30-34		4		1
35-39	1	1	1	1
40-44	12	3		1
45-49	19	11	6	
50-54	52	16	8	
55-59	52	15	7	1
60-64	60	10	5	2
65-69	45	10	2	
70-74	47	8	3	
75-79	28	10		
80-84	19	9	1	
85-UP	8	3		
-- ICD 145.7 (1959) ----				
35-39	1		1	
40-44	1		1	
45-49	6			
50-54	14		1	
55-59	7	1		
60-64	5	2	1	
65-69	8	1		
70-74	6			
75-79	6			
80-84	6			
-- ICD 145.8 (1959) ----				
40-44		1		
60-64	1			
-- ICD 145.9 (1959) ----				
85-UP		1		

AGE	WM	WF	NM	NF
-- ICD 146 --(1959) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1959) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1959) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1959) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1959) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1959) ----				
15-19	1			
25-29	2			
30-34	1			
35-39	1	1	1	
40-44	4	3		
45-49	7	2		1
50-54	10	7		
55-59	15	8	1	1
60-64	11	8	2	1
65-69	11	21	3	1
70-74	17	12	2	
75-79	16	13		2
80-84	17	4		
85-UP	4	7		
-- ICD 152.7 (1959) ----				
00-04		1		
15-19	1			
25-29	1			1
30-34	2	1		
35-39	4	4	1	1
40-44	7	4		
45-49	9	4	1	3
50-54	7	10	3	1
55-59	27	17	1	1
60-64	21	5	1	1
65-69	20	13	4	1
70-74	16	10	1	1
75-79	8	23		
80-84	5	9	1	
85-UP	6	7		
-- ICD 152.8 (1959) ----				
50-54	2			
60-64		1		
65-69	1			
-- ICD 152.9 (1959) ----				
00-04		1		
25-29	2	2		
35-39	2			1
40-44	2	2	1	
45-49	6	10		1
50-54	12	9	1	1
55-59	11	12	1	2
60-64	7	9		3
65-69	19	15	3	6
70-74	15	16		1
75-79	9	12	2	
80-84	13	19		
85-UP	6	8		
-- ICD 153.0 (1959) ----				
10-14			1	
15-19	2			
20-24		2	2	1
25-29	5	2		4
30-34	5	9	2	3
35-39	19	14	1	2
40-44	28	22	3	7
45-49	59	60	4	8
50-54	109	96	10	9
55-59	140	152	14	20
60-64	198	208	20	29
65-69	250	283	18	22
70-74	286	403	15	19
75-79	248	390	10	11
80-84	184	293	7	2
85-UP	103	208	2	4
-- ICD 153.1 (1959) ----				
00-04	1			
15-19	1	1		
20-24	2	3	1	
25-29	2	3	1	
30-34	3	4	3	1
35-39	12	13	1	2
40-44	17	24	2	4
45-49	25	48	3	4
50-54	41	52	4	7

AGE	WM	WF	NM	NF
-- 153.1 (1959) CONTD---				
55-59	68	61	3	9
60-64	93	102	4	6
65-69	129	121	4	3
70-74	135	127	3	5
75-79	115	125	3	1
80-84	56	101	1	4
85-UP	39	70		3
-- ICD 153.2 (1959) ----				
15-19			1	
20-24	1			
25-29	2	1		
30-34	3	5		2
35-39	4	10		1
40-44	6	12		2
45-49	19	20		1
50-54	35	50	1	2
55-59	50	64	3	9
60-64	63	76	8	5
65-69	64	86	5	6
70-74	105	94	3	5
75-79	84	91	2	
80-84	61	61	3	1
85-UP	37	48	2	2
-- ICD 153.3 (1959) ----				
00-04	1			
15-19	1			
20-24	1	2		
25-29	4	8	1	1
30-34	16	26	1	4
35-39	13	50	1	9
40-44	56	85	2	5
45-49	93	143	6	8
50-54	176	215	8	20
55-59	224	313	25	23
60-64	376	384	23	17
65-69	466	454	23	18
70-74	541	485	20	16
75-79	447	435	15	16
80-84	290	312	6	8
85-UP	156	213	7	4
-- ICD 153.7 (1959) ----				
30-34		1		
40-44	2			
45-49		2	1	
50-54	1	5		
55-59	5	6		
60-64	4	5		
65-69	3	5		
70-74	6	3		
75-79	5	4	1	
80-84	2	3		
85-UP		6		
-- ICD 153.8 (1959) ----				
05-09	1			
10-14	4	1		
15-19	3	1	1	1
20-24	12	8	1	1
25-29	11	15	4	4
30-34	29	28	5	3
35-39	60	88	4	10
40-44	104	146	18	18
45-49	204	274	30	32
50-54	297	438	22	43
55-59	501	567	41	66
60-64	698	745	63	61
65-69	910	936	60	71
70-74	956	1003	51	78
75-79	798	1010	52	41
80-84	532	783	27	22
85-UP	323	549	20	20
-- ICD 153.9 (1959) ----				
00-04	1			
15-19		1		
20-24	1	1		
25-29	3	1		1
30-34	6	3		2
35-39	1	13		
40-44	12	18	2	3
45-49	13	28	2	6
50-54	30	41	4	9
55-59	45	55	10	9
60-64	79	77	2	10
65-69	110	107	8	17
70-74	123	129	2	5
75-79	88	123	2	7
80-84	80	110	1	6
85-UP	56	109	2	3
-- ICD 154 --(1959) ----				
SEE PAGES 106 - 115				

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 155.0 (1959) ----				
00-04	10	14	1	
05-09	4	1		
10-14	2			
15-19	3	3	1	1
20-24	3	5	2	
25-29	3	1	2	
30-34	6	4	6	
35-39	12	12	14	2
40-44	20	20	16	5
45-49	48	30	22	8
50-54	83	43	31	4
55-59	107	78	28	7
60-64	149	79	25	8
65-69	161	89	25	8
70-74	142	97	16	6
75-79	92	67	4	7
80-84	46	51	4	4
85-UP	24	33	1	1
-- ICD 155.1 (1959) ----				
00-04			1	
25-29			1	
30-34	6	4		2
35-39	16	12	1	1
40-44	30	25	1	4
45-49	33	72	3	3
50-54	74	119	6	10
55-59	110	226	13	26
60-64	188	395	8	16
65-69	251	500	12	23
70-74	235	541	8	14
75-79	200	429	11	10
80-84	113	270	5	5
85-UP	63	169	3	5
-- ICD 155.8 (1959) ----				
55-59		1		
65-69		1		
70-74	1			
-- ICD 156 --(1959) ----				
00-04	8	4		
05-09	4	1		
10-14		1	3	
15-19	2	3		2
20-24	2	2		
25-29	6	4	1	1
30-34	6	4	3	1
35-39	21	16	3	5
40-44	30	38	9	3
45-49	58	52	23	14
50-54	131	101	39	26
55-59	191	147	45	23
60-64	265	188	39	31
65-69	337	301	45	37
70-74	355	282	30	31
75-79	295	260	21	18
80-84	172	259	10	14
85-UP	76	177	5	9
-- ICD 157 --(1959) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1959) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1959) ----				
15-19	1			
30-34		1		
35-39	5	2	1	1
40-44	3	6	1	4
45-49	7	10	4	4
50-54	20	14	6	5
55-59	19	20	11	8
60-64	33	20	8	6
65-69	41	40	12	11
70-74	58	45	15	9
75-79	61	68	5	11
80-84	51	68	2	1
85-UP	34	60	2	6
-- ICD 160.0 (1959) ----				
10-14	1	1		
15-19	1			
25-29		1	1	
35-39	1			
40-44		1	1	
45-49	2		2	
50-54	3	3		
55-59	4	6	1	
60-64	11	2	1	
65-69	7	5	1	1
70-74	19	5	1	
75-79	10	7	1	
80-84	14	6		

AGE	WM	WF	NM	NF
-- 160.0 (1959) CONTD---				
85-UP	12	12	1	
-- ICD 160.1 (1959) ----				
00-04	1			
35-39		2		
40-44		1		
45-49	1	2		
50-54	1	1		
60-64	1	1		
65-69	2			
75-79	1	1		
-- ICD 160.2 (1959) ----				
15-19	1			1
20-24		1		1
25-29		1		
30-34	3		1	
35-39	3	2		
40-44	10	4	2	
45-49	4	5	1	3
50-54	14	16	3	2
55-59	15	13	3	2
60-64	26	14	5	3
65-69	26	15	4	
70-74	21	18	3	2
75-79	16	16	1	
80-84	7	8		
85-UP	5	5	1	1
-- ICD 160.7 (1959) ----				
25-29	2		1	
30-34	1			
35-39	1	1		
40-44			1	
45-49	4	2		
50-54	3	3		1
55-59	2	1		
60-64	2	2		
65-69	5	2		
70-74	6	2	1	
75-79	5			
85-UP	1	1		
-- ICD 160.8 (1959) ----				
15-19	1			
30-34	1			
40-44	1			
50-54	1			
55-59	1	2	1	
60-64	1	1		
65-69	1	1	1	1
70-74	1	2		
75-79	1		1	
85-UP		3		
-- ICD 160.9 (1959) ----				
35-39	2	2		
40-44	2	1	1	
50-54	1		2	
55-59	3	1	1	
60-64	1	1		
65-69			1	
70-74	3	3		
75-79	5	1		
85-UP		1		
-- ICD 161 --(1959) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1959) ----				
00-04		1		
35-39		1		
40-44	2	2		
45-49	6	2		
50-54	16	2	2	
55-59	16	1	1	1
60-64	14	1		
65-69	9	2	1	
70-74	3	2		
75-79	4			
80-84	1	1	1	
-- ICD 162.1 (1959) ----				
00-04	1		1	
15-19		3		
20-24	5			
25-29	13	9	1	2
30-34	69	22	9	3
35-39	172	55	32	6
40-44	363	102	70	16
45-49	784	153	130	22
50-54	1415	195	154	28
55-59	2112	248	223	29
60-64	2715	222	235	22
65-69	2693	266	198	28

AGE	WM	WF	NM	NF
-- 162.1 (1959) CONTD---				
70-74	1870	262	97	25
75-79	961	198	43	16
80-84	358	134	22	4
85-UP	148	58	16	4
-- ICD 162.2 (1959) ----				
35-39				1
40-44	1		1	
45-49	3			
50-54	2			
55-59	3	1		
60-64	2			1
70-74	4			
75-79		1		
-- ICD 162.8 (1959) ----				
45-49	2		1	
50-54	1			
55-59	1			
60-64	1			
65-69	3			
-- ICD 163 --(1959) ----				
00-04	2	2	1	
05-09	3			
10-14	1	1	1	
15-19	3			
20-24	2	4		1
25-29	11	10	3	
30-34	44	18	8	4
35-39	138	47	35	9
40-44	305	99	58	15
45-49	714	183	99	31
50-54	1301	228	143	36
55-59	1972	262	224	35
60-64	2422	361	173	36
65-69	2516	375	167	29
70-74	2020	380	95	23
75-79	1068	300	64	17
80-84	471	197	25	5
85-UP	222	105	13	2
-- ICD 164 --(1959) ----				
00-04	1	3		
05-09	1			
10-14	3			
15-19	3			
20-24	3	2	2	
25-29	1		1	
30-34	11	2	1	1
35-39	5	1		1
40-44	11	1	1	
45-49	10	2	2	
50-54	20	6	2	
55-59	30	5	1	
60-64	27	9	4	1
65-69	23	14	2	
70-74	20	9	1	
75-79	13	5	1	
80-84	4	4		
85-UP	8	2		
-- ICD 165 --(1959) ----				
00-04		1	1	
10-14			1	
15-19	1			
20-24		1		
25-29	2	1	1	
30-34	6	4		
35-39	7	2	1	
40-44	11	7	2	1
45-49	24	14	6	3
50-54	31	17	7	2
55-59	49	28	9	5
60-64	78	35	7	5
65-69	85	32	4	3
70-74	65	35	4	5
75-79	52	35	4	1
80-84	21	25	4	3
85-UP	12	12		
-- ICD 170 --(1959) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1959) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1959) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1959) ----				
15-19		6		3
20-24		8		2
25-29		8		4
30-34		6		3

AGE	WM	WF	NM	NF
-- 173 --(1959) CONTD---				
35-39		7		
40-44		7		1
45-49		2		1
50-54		2		
55-59		3		1
60-64		1		
65-69		3		
70-74				1
75-79		1		
80-84				1
85-UP		1		
-- ICD 174 --(1959) ----				
05-09				1
10-14		1		
15-19		1		1
20-24		4		
25-29		13		3
30-34		25		12
35-39		76		25
40-44		132		46
45-49		206		57
50-54		325		72
55-59		428		102
60-64		589		112
65-69		621		97
70-74		590		68
75-79		462		40
80-84		279		31
85-UP		231		22
-- ICD 175.0 (1959) ----				
00-04		4		
05-09		6		3
10-14		11		6
15-19		28		3
20-24		26		4
25-29		40		9
30-34		84		12
35-39		186		17
40-44		390		41
45-49		661		69
50-54		893		83
55-59		993		85
60-64		1040		78
65-69		1038		54
70-74		821		34
75-79		544		22
80-84		319		9
85-UP		168		5
-- ICD 175.1 (1959) ----				
10-14				1
15-19		1		
30-34		3		
35-39		3		
40-44		5		2
45-49		15		
50-54		10		2
55-59		14		3
60-64		10		1
65-69		16		
70-74		6		1
75-79		1		
80-84		4		
-- ICD 175.8 (1959) ----				
45-49		1		
50-54		1		
60-64		3		1
65-69		2		
70-74		1		
-- ICD 175.9 (1959) ----				
30-34		1		
55-59		1		
60-64		2		
65-69		1		
75-79		2		
-- ICD 176.0 (1959) ----				
05-09		1		
15-19		1		
30-34		1		
35-39		4		2
40-44		9		3
45-49		8		6
50-54		21		5
55-59		20		4
60-64		43		6
65-69		63		4
70-74		78		2
75-79		96		3
80-84		68		3
85-UP		49		

AGE	WM	WF	NM	NF
-- ICD 176.1 (1959) ----				
00-04		2		1
10-14		1		
25-29		1		3
30-34		1		
35-39		4		3
40-44		7		1
45-49		13		4
50-54		18		6
55-59		18		5
60-64		29		2
65-69		28		1
70-74		27		
75-79		32		1
80-84		24		
85-UP		11		
-- ICD 176.7 (1959) ----				
55-59		1		1
65-69				1
75-79		1		
80-84		1		
-- ICD 176.8 (1959) ----				
35-39		1		
50-54		1		
65-69		1		
70-74		1		
80-84		1		
-- ICD 176.9 (1959) ----				
35-39		1		
40-44		2		1
45-49		6		
50-54		2		2
55-59		3		1
60-64		4		
65-69		8		
70-74		6		1
75-79		8		
80-84		3		
85-UP		2		
-- ICD 177 --(1959) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1959) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1959) ----				
35-39	7		3	
40-44	8		5	
45-49	6		4	
50-54	8		17	
55-59	13		9	
60-64	30		9	
65-69	20		9	
70-74	32		7	
75-79	42		5	
80-84	22		3	
85-UP	21		2	
-- ICD 179.1 (1959) ----				
10-14	1			
20-24	1			
45-49			2	
55-59	2		1	
60-64			1	
65-69	2			
70-74			2	
75-79	2			
80-84	2		3	
-- ICD 179.7 (1959) ----				
15-19	1			
20-24	1			
35-39			1	
40-44	1			
50-54	3			
55-59	4			
60-64			1	
65-69	2			
70-74	3			
75-79	4			
80-84	2			
-- ICD 179.8 (1959) ----				
65-69			1	
-- ICD 179.9 (1959) ----				
60-64	1		1	
75-79	2			
80-84	1			
-- ICD 180 --(1959) ----				
SEE PAGES 202 - 211				

AGE	WM	WF	NM	NF
-- ICD 181.0 (1959) ----				
00-04	4	1	1	
05-09	3	1		
25-29				1
30-34	4	5	1	1
35-39	8	9	2	5
40-44	41	21	10	11
45-49	90	44	20	13
50-54	204	65	37	24
55-59	345	103	40	37
60-64	631	186	52	24
65-69	837	288	60	33
70-74	926	372	48	24
75-79	849	393	26	21
80-84	583	309	20	10
85-UP	375	260	8	6
-- ICD 181.7 (1959) ----				
00-04		1		
25-29			1	
30-34		1		
35-39	1	1	1	1
40-44	3	2	1	
45-49	3	3	2	2
50-54	1	5	5	
55-59	4	9	1	1
60-64	4	7	4	3
65-69	9	4		3
70-74	7	10		
75-79	4	14	2	2
80-84	3	8	1	
85-UP	2	3	1	1
-- ICD 181.8 (1959) ----				
60-64	1			1
70-74	1	1		1
75-79	1	1		
-- ICD 190.0 (1959) ----				
30-34	1			
35-39	1			
45-49	1	2		
60-64		1		
65-69	1			
85-UP		1		
-- ICD 190.1 (1959) ----				
70-74	1			
80-84		1		
-- ICD 190.2 (1959) ----				
20-24	1			
30-34	1	1		
35-39	1			
45-49		1		
50-54	1			
55-59		2		
60-64	1			
65-69		1		
70-74	3	2		
75-79	1	1		
-- ICD 190.3 (1959) ----				
30-34	1			
40-44	1	1		
45-49	1	3		
50-54	2	4		
55-59	2	2		
60-64	1	3		
65-69	7	3	1	
70-74	7	3		
75-79	5	3		
80-84	6	4		
85-UP	5	4		
-- ICD 190.4 (1959) ----				
15-19	2			
20-24	1	1		
25-29	1	1		
30-34	1	1		
35-39	6	3		
40-44	2	4		
45-49	5	3		
50-54	3	4		
55-59	5	1		
60-64	3	1		
65-69	5	4		1
70-74	5	4		
75-79	3	1		
80-84	2	1		
85-UP	1	3		
-- ICD 190.5 (1959) ----				
15-19		1		
20-24	2	2		
25-29	8	5		

AGE	WM	WF	NM	NF
-- 190.5 (1959) CONTD---				
30-34	8	12		
35-39	11	10		
40-44	16	6		
45-49	21	6		
50-54	13	7		
55-59	8	8		
60-64	13	6		1
65-69	7	11	1	
70-74	9	5		
75-79	4	3		
80-84	3	3		
85-UP	2	6		
-- ICD 190.6 (1959) ----				
20-24	2			
25-29	1	4		
30-34	4	4		
35-39	4	4		
40-44	6	4		
45-49	9	9		
50-54	8	8		
55-59	7	6		
60-64	8	5		
65-69	9	7		
70-74	1	3		
75-79	7	5		
80-84	4	1		
85-UP	2	3		
-- ICD 190.7 (1959) ----				
20-24		4		
25-29	1	3		
30-34	3	4		
35-39		9		
40-44	4	8		1
45-49	3	10	1	1
50-54	10	12	1	
55-59	7	15	1	2
60-64	8	13	1	1
65-69	6	18		1
70-74	12	15		
75-79	6	11		1
80-84	7	10		
85-UP	2	1	1	
-- ICD 190.8 (1959) ----				
35-39	1			
45-49	1			
50-54		1		
55-59	2			
60-64		1		
85-UP		1		
-- ICD 190.9 (1959) ----				
00-04		2		
05-09		1	1	
10-14		1		
15-19	13	4		
20-24	14	10	1	
25-29	21	27		
30-34	50	36		2
35-39	62	65		
40-44	61	44		
45-49	73	49	3	
50-54	78	42		1
55-59	61	53	3	4
60-64	73	62	1	1
65-69	64	53	5	
70-74	49	37	2	2
75-79	48	39	3	5
80-84	24	21	1	
85-UP	13	19		
-- ICD 191.0 (1959) ----				
25-29	2			
30-34			1	
40-44	1			
45-49	5			
50-54	1			
55-59	14	1		
60-64	9			
65-69	13			
70-74	10	1		
75-79	14	1		
80-84	11	2		
85-UP	16	3		
-- ICD 191.1 (1959) ----				
30-34	1			
40-44	1	1		
45-49	1	1		
60-64	2			
70-74		1		
75-79	2	2		
80-84	3			

AGE	WM	WF	NM	NF
-- 191.1 (1959) CONTD---				
85-UP	2	3		
-- ICD 191.2 (1959) ----				
40-44				1
45-49	1			
50-54	1	2		
55-59		3		
60-64	5	1		
65-69	7	2		
70-74	8			
75-79	7	3		
80-84	9	4		
85-UP	11	2		
-- ICD 191.3 (1959) ----				
05-09		1		
10-14	2			1
20-24	1			
30-34	1			
35-39	2	1		1
40-44	4	1		
45-49	7	3		
50-54	21	3	2	
55-59	25	8	2	1
60-64	32	14		
65-69	43	21	3	2
70-74	71	39	1	1
75-79	69	45	2	1
80-84	71	52	1	1
85-UP	91	93		
-- ICD 191.4 (1959) ----				
00-04		1		
30-34	1			
40-44	1	1		
45-49	7	3	1	1
50-54	16	3		
55-59	16	1	2	
60-64	14	2	1	
65-69	17	7	1	
70-74	20	9		
75-79	22	9		1
80-84	15	9		
85-UP	17	12		
-- ICD 191.5 (1959) ----				
00-04		1		
05-09	1			
15-19	1			
20-24		2		
25-29	1		1	
30-34		1		3
35-39	1	1	1	
40-44	5	2	2	2
45-49	6	5	2	1
50-54	9	9		3
55-59	11	7	1	
60-64	12	5	4	2
65-69	13	14	3	
70-74	7	18	3	3
75-79	13	14	1	1
80-84	6	15		1
85-UP	7	8		1
-- ICD 191.6 (1959) ----				
10-14		1		
45-49	3		1	1
55-59	3	2		
60-64	5	1	1	
65-69	9	3	1	
70-74	3	2		
75-79	7	3		
80-84	8	4		
85-UP	6	1		
-- ICD 191.7 (1959) ----				
25-29	1		1	
35-39	2	1		
40-44	1	1		1
45-49	4	1		1
50-54	3	1		
55-59	2			
60-64	4			1
65-69	5	4	1	1
70-74	4	5	1	
75-79	2	5		
80-84	1	2		
85-UP	2	4		
-- ICD 191.8 (1959) ----				
35-39	1			
50-54	1			
55-59		1		
60-64		2		
65-69	4			

AGE	WM	WF	NM	NF
-- 191.8 (1959) CONTD---				
70-74	3	2		
75-79	4	4		
80-84	7	2		
85-UP	2	7		
-- ICD 191.9 (1959) ----				
20-24	1			
25-29	1			
30-34	1	4	1	
35-39	2	2	2	1
40-44	6	2	1	1
45-49	12	4	3	1
50-54	23	6	1	1
55-59	19	6	5	1
60-64	18	11	5	2
65-69	33	10	2	1
70-74	31	12	2	
75-79	27	13	1	2
80-84	22	12		
85-UP	20	23	1	
-- ICD 192 --(1959) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1959) ----				
00-04	101	88	10	12
05-09	119	89	7	12
10-14	84	63	6	4
15-19	38	39	11	7
20-24	35	26	4	5
25-29	59	47	3	2
30-34	106	79	6	5
35-39	162	133	12	4
40-44	225	121	13	7
45-49	264	161	14	9
50-54	351	242	14	8
55-59	367	225	13	
60-64	326	225	14	6
65-69	233	173	11	5
70-74	133	78	3	
75-79	35	26		1
80-84	11	7		
85-UP	2	4		
-- ICD 193.1 (1959) ----				
00-04	4	3		
05-09	5	1		
10-14	3	1		1
15-19	5	1		
20-24	5	1		
25-29	5	2		
30-34	4	1	1	
35-39	1	3	1	1
40-44	4	2		1
45-49	4	5	1	
50-54	6	3	1	
55-59	11	6	1	
60-64	15	6		
65-69	8	11		
70-74	5	3	3	
75-79	6	3		
80-84	1			
85-UP	1	2		
-- ICD 193.2 (1959) ----				
10-14	1			1
15-19	1	1		
20-24	1			
30-34	2	1		
35-39	2	2		
40-44		3	1	
45-49	4	1		
50-54	5	4		1
55-59	2	2		1
60-64	2	2	1	
65-69	2	1		
70-74	3		1	
75-79	1	1		
80-84		1		
85-UP	1			
-- ICD 193.3 (1959) ----				
00-04		1		
10-14		1		
15-19	1	1		
20-24	2	2		
25-29		1		
30-34	2	2		2
40-44	2	1	1	
45-49	1	5		
50-54		2		1
55-59	2	2		
60-64	2	1	1	
65-69	6	2		
70-74	2			

AGE	WM	WF	NM	NF
-- 193.3 (1959) CONTD---				
75-79	1	1		
80-84	1	2		
-- ICD 193.4 (1959) ----				
00-04	72	70	9	9
05-09	37	20		2
10-14	12	9	2	1
15-19	10	4		
20-24	2	1		
25-29	2	1		
30-34	3			
35-39				1
40-44	4			
45-49	1	1		
50-54	3			
55-59	4			
60-64	3	1	1	
65-69		1	1	
70-74	2	1		
75-79	2			
80-84	2	1		
-- ICD 193.8 (1959) ----				
05-09	1			
10-14	1	2		
15-19	1	1		
20-24		1		1
25-29	1			
30-34	2	1		
35-39	2			
45-49	1			
50-54	1			
55-59	1			
60-64		1		
65-69		1		
-- ICD 193.9 (1959) ----				
00-04	13	7	1	1
05-09	14	11	6	1
10-14	17	5	2	
15-19	8	4		1
20-24	5	4	3	2
25-29	16	8		
30-34	14	7	4	1
35-39	25	8	2	3
40-44	55	25	2	1
45-49	44	28	2	1
50-54	53	37	5	1
55-59	54	51	4	
60-64	54	31	1	1
65-69	41	28		
70-74	10	11	1	
75-79	4	7		
80-84	3	2		
85-UP		2		
-- ICD 194 --(1959) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1959) ----				
00-04	16	7	1	
05-09	5	6	3	
10-14	1	3		1
15-19	2	1		
20-24	2	2		
25-29	3	2		
30-34	8	3		
35-39	6	6	2	
40-44	7	9		
45-49	10	6	1	
50-54	20	6		1
55-59	15	12	3	
60-64	30	9	1	
65-69	28	11	1	1
70-74	10	11		
75-79	9	3		
80-84	5	3		
85-UP	4	5		
-- ICD 195.1 (1959) ----				
30-34		1		
45-49	1			
50-54			1	
60-64			1	
70-74	2	1		
-- ICD 195.2 (1959) ----				
00-04	1	1		
05-09	3	2		
10-14	2	1		
15-19		2		
20-24		1		
25-29	1	1		
30-34	4	3	2	
35-39	3	2		

AGE	WM	WF	NM	NF
-- 195.2 (1959) CONTD---				
40-44	2	1		
45-49		1	1	1
50-54	4	1		
55-59	8	2		2
60-64	4	3		1
65-69	4	1		
70-74	2	4		
75-79	1	2		
80-84	2			
-- ICD 195.3 (1959) ----				
05-09	2	2		
10-14	1	2		
20-24	1			
25-29		1		
30-34	3			
35-39	1	3		1
40-44	1	2	1	
45-49	1		1	
50-54	2		1	1
55-59		1		
60-64	1	1		
65-69	3	1	1	
70-74	2			
75-79	1			
80-84	1	2		
-- ICD 195.4 (1959) ----				
00-04		1		
05-09	2			
10-14	1			
25-29	1	1	1	1
30-34	2			
35-39	1			
50-54		1		
55-59	1			
65-69	1			
70-74	1			
75-79	1			
80-84	1			
-- ICD 195.7 (1959) ----				
40-44	1			
45-49	1			
50-54		1		
55-59	1	1		
60-64	1			
-- ICD 196.0 (1959) ----				
05-09	3			
15-19	1			
20-24	2			1
25-29	1			
30-34	2			1
35-39	3	2		1
40-44	2	1	2	
45-49	4	1	2	
50-54	10	6	1	1
55-59	20	9		3
60-64	24	5	3	1
65-69	17	10	2	4
70-74	17	13	4	
75-79	21	7	4	1
80-84	21	8	2	
85-UP	18	10		2
-- ICD 196.1 (1959) ----				
00-04		1		
15-19	1			
20-24			1	
25-29		1		
30-34	2		1	
35-39	1	1		
40-44	1	1		
45-49	6	2	3	
50-54	10	1	1	
55-59	16	3	2	1
60-64	18	3	1	2
65-69	13	7		
70-74	19	8	2	1
75-79	17	7	1	1
80-84	16	12		
85-UP	14	8	1	
-- ICD 196.2 (1959) ----				
00-04	1			
05-09	1			
10-14	2	1		
15-19	3	5		
20-24	2	1		
25-29	3	1		
30-34	4	1		
35-39	6	3	1	1
40-44	4	3	1	
45-49	11	10		

AGE	WM	WF	NM	NF
-- 196.2 (1959) CONTD---				
50-54	13	9	1	4
55-59	19	17	2	2
60-64	18	13	1	1
65-69	22	14	1	
70-74	20	13		
75-79	12	12		
80-84	5	3	1	1
85-UP	1	3		
-- ICD 196.3 (1959) ----				
10-14	3	1		
20-24	1	1	1	
25-29		1		
30-34	1	1		
35-39		1	1	
40-44		3		
45-49	3			1
50-54	3		1	1
55-59	3	1		
60-64		1		
65-69	8	1	1	1
70-74	6	3		
75-79	1			
80-84	3	4		
85-UP	1	1		
-- ICD 196.4 (1959) ----				
00-04		2		
05-09	2	3		
10-14	5	4	1	
15-19	2	1		
20-24	3	1	1	1
25-29	1			
30-34	3	2		
35-39	1		2	
40-44	4		1	1
45-49	2	1		1
50-54	2		1	1
55-59	7		1	
60-64	6	4		
65-69	4	3		
70-74	9	9	1	
75-79	3	2		
80-84	2	2		
85-UP	2	4		
-- ICD 196.5 (1959) ----				
65-69	1			
80-84		1		
-- ICD 196.6 (1959) ----				
00-04	1	4		
05-09	2	1		
10-14	2	5	1	
15-19	6	1	1	1
20-24	7	2		
25-29	2	1		
30-34	3	2		
35-39	4	3		
40-44	2	2		
45-49	7	4		1
50-54	5	10		1
55-59	7	6		2
60-64	10	9		
65-69	10	13	1	1
70-74	9	12		1
75-79	11	7		
80-84	4	8		
85-UP		4		
-- ICD 196.7 (1959) ----				
00-04	4	5		
05-09	5	7	2	
10-14	18	24	1	5
15-19	32	12	12	1
20-24	7	6	3	
25-29	4	3		1
30-34	8		1	
35-39	5	6		1
40-44	4	2	2	
45-49	3	6	1	
50-54	11	10		1
55-59	10	7		
60-64	8	7		2
65-69	13	9		1
70-74	13	11	1	2
75-79	6	7	1	
80-84	9	14		
85-UP	3	2	2	
-- ICD 196.8 (1959) ----				
10-14		2		
15-19	1	1		1
20-24	1			
25-29	2	1		

AGE	WM	WF	NM	NF
-- 196.8 (1959) CONTD---				
30-34	1	1		
35-39		1		1
50-54		1		
55-59		1	1	
70-74	3			
-- ICD 196.9 (1959) ----				
00-04	1	1		
05-09	7	16	2	
10-14	13	19	5	1
15-19	24	13	1	1
20-24	17	6	5	1
25-29	5			
30-34	3	3	1	1
35-39	4	3		2
40-44	4	3	1	
45-49	10	6	1	3
50-54	13	11		1
55-59	12	15	3	2
60-64	20	21	3	1
65-69	22	15		
70-74	13	12	1	1
75-79	11	10		
80-84	9	8	1	
85-UP	2	10		
-- ICD 197.0 (1959) ----				
00-04	3	1		
05-09	1	2		
10-14	1	2		
15-19	1			
20-24		1		
25-29		1		
30-34	1	1		
35-39	1			
40-44	1			
45-49				1
50-54	2	1		1
55-59	1	1		
60-64	2			
65-69		2		
70-74	5	1	1	1
75-79	1	2		
80-84		1		
85-UP	2	2		
-- ICD 197.1 (1959) ----				
00-04	2	5		
05-09	3	1		
10-14	1			
15-19	5	1		
20-24	4	1		1
25-29		1	1	
30-34	2	1	1	
35-39	2	3		1
40-44	4	6		
45-49	6	7	2	1
50-54	5	3	1	
55-59	9	7	1	
60-64	6	10	1	
65-69	15	13	1	1
70-74	15	8	1	
75-79	10	2		
80-84	7	3		
85-UP	3	1		1
-- ICD 197.2 (1959) ----				
10-14	2			
15-19	5			
20-24	2	1		
25-29			1	
30-34	1	1	1	
35-39	3	1		2
40-44		1		
45-49	4			
50-54	2	1		
55-59	2	1		
60-64	1	2		
65-69	3	5		
70-74	3	1	1	
75-79	3	3		
80-84	2	1		
85-UP	2			
-- ICD 197.3 (1959) ----				
00-04	2			
05-09	1	2	1	
10-14	3	2		
15-19	1	3		
20-24	3	1		
25-29	3	5	1	1
30-34	3	7	2	1
35-39	8	7		
40-44	7	6		1
45-49	5	6		2

AGE	WM	WF	NM	NF
-- 197.3 (1959) CONTD---				
50-54	10	11	2	1
55-59	3	9	2	2
60-64	11	6	1	1
65-69	14	16	3	3
70-74	14	6	3	1
75-79	10	11		
80-84	4	4		
85-UP	2	3		
-- ICD 197.8 (1959) ----				
35-39		1		
50-54			1	
65-69	1			
-- ICD 197.9 (1959) ----				
00-04	4	6		
05-09	4	6	2	1
10-14	6	3	1	1
15-19	6	5		
20-24	3	2		
25-29	2	3	1	
30-34	4	4	1	1
35-39	4	5	2	
40-44	10	12		1
45-49	24	11	2	3
50-54	10	15		2
55-59	12	26	3	5
60-64	18	19	2	1
65-69	27	20	1	4
70-74	14	14	1	1
75-79	8	9	2	
80-84	12	7	1	
85-UP	5	3		
-- ICD 198.0 (1959) ----				
25-29	1			
35-39	1		1	1
40-44	2	1		
45-49	4	3		
50-54	10	1	1	
55-59	10	4	2	1
60-64	10	3		
65-69	12	3	3	
70-74	14	6		
75-79	6	5		
80-84	4	1		
85-UP	6	5		
-- ICD 198.1 (1959) ----				
45-49		1		
50-54	1	1		
55-59	1	1		
65-69	2			
-- ICD 198.2 (1959) ----				
40-44	1			
50-54		2		
55-59	1		1	
60-64	1	1		
65-69	1			
70-74	2	1		
75-79		1		
80-84	1	1		
85-UP		2		
-- ICD 198.3 (1959) ----				
40-44		1		
70-74	3			
-- ICD 198.4 (1959) ----				
05-09	1			
40-44		1		
45-49		2		
50-54		2		
60-64		3		
65-69	1		1	
70-74	1			
75-79	2			
80-84		1		
85-UP		1		
-- ICD 198.7 (1959) ----				
00-04			1	
45-49		1		
65-69		1		
70-74	2			
75-79	2			
80-84		1		
-- ICD 198.8 (1959) ----				
45-49			1	
60-64	1	1		
65-69	1			
70-74	2			
75-79	1			

AGE	WM	WF	NM	NF
-- 198.8 (1959) CONTD---				
80-84	1	1		
85-UP	1			
-- ICD 198.9 (1959) ----				
05-09	1			
35-39	1			
45-49		2		
50-54	2	2		
55-59	2			
60-64	2	3		
65-69		2		1
70-74	3		1	
75-79		1		
80-84	2	2		
85-UP	1			
-- ICD 199 --(1959) ----				
00-04	20	23	2	
05-09	4	6	1	1
10-14	7	8	2	
15-19	21	13	3	3
20-24	23	14	5	3
25-29	37	23	3	4
30-34	38	40	6	12
35-39	71	94	16	26
40-44	133	157	29	38
45-49	271	258	49	65
50-54	386	423	72	85
55-59	560	497	85	107
60-64	689	613	92	92
65-69	852	828	104	80
70-74	836	808	72	78
75-79	675	732	59	50
80-84	467	537	27	25
85-UP	300	419	30	24
-- ICD 200.0 (1959) ----				
00-04	6	3	1	1
05-09	15	2	1	
10-14	12	3	2	
15-19	12	6	3	1
20-24	14	7	1	1
25-29	23	8	4	
30-34	19	6	2	2
35-39	22	21	1	2
40-44	29	25	3	
45-49	58	39	3	2
50-54	58	47	5	5
55-59	74	53	6	2
60-64	94	61	6	4
65-69	105	81	4	
70-74	66	63	8	3
75-79	45	44	2	2
80-84	15	26	2	
85-UP	12	12	3	
-- ICD 200.1 (1959) ----				
00-04	20	14	1	1
05-09	30	11	4	2
10-14	35	12	4	1
15-19	32	8	4	3
20-24	28	7	2	1
25-29	20	10	3	4
30-34	34	21	6	3
35-39	42	38	4	4
40-44	82	56	12	5
45-49	114	89	15	3
50-54	189	124	18	6
55-59	191	139	17	11
60-64	224	196	11	7
65-69	264	223	16	15
70-74	233	212	8	5
75-79	174	162	3	5
80-84	84	66	4	
85-UP	35	38	2	1
-- ICD 200.2 (1959) ----				
00-04	12	5		
05-09	12	2		
10-14	5	3		
15-19	10	5		1
20-24	3	4		3
25-29	6	4	1	2
30-34	9	5	2	3
35-39	22	10	1	1
40-44	27	14	4	2
45-49	38	15	3	
50-54	48	28	3	4
55-59	49	43	7	1
60-64	56	45	5	5
65-69	90	48	8	3
70-74	73	53	3	2
75-79	56	36	2	
80-84	26	32	2	1
85-UP	11	11	2	

AGE	WM	WF	NM	NF
-- ICD 201 --(1959) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1959) ----				
10-14			1	
25-29	1			
30-34	1	2		1
35-39	2	1		
40-44	7	7		
45-49	2	6		
50-54	7	9		
55-59	3	10	1	
60-64	8	7		
65-69	15	12		
70-74	5	10		
75-79	3	4		
80-84	2	1	1	
85-UP	1	1		
-- ICD 202.1 (1959) ----				
00-04	38	31	3	1
05-09	10	4	1	
10-14	8	5		
15-19	6	2		1
20-24	4	2		
25-29	8	3		
30-34	3	8		
35-39	10	8		2
40-44	13	4	5	1
45-49	22	12	4	2
50-54	30	17	3	2
55-59	43	22	4	5
60-64	40	30	3	3
65-69	49	37	5	1
70-74	49	37	2	2
75-79	41	37	1	1
80-84	27	25	2	1
85-UP	9	6	1	
-- ICD 203 --(1959) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1959) ----				
00-04	45	41	6	4
05-09	46	29	3	3
10-14	18	10	2	3
15-19	7	7		1
20-24	5	3		
25-29	3	4	2	
30-34	6	7	5	
35-39	11	13	2	1
40-44	27	10	4	3
45-49	38	22	7	6
50-54	80	35	7	8
55-59	146	64	13	16
60-64	201	87	18	7
65-69	284	146	21	3
70-74	331	194	18	3
75-79	257	177	10	1
80-84	169	127	8	4
85-UP	84	86	1	3
-- ICD 204.1 (1959) ----				
00-04	14	9	2	
05-09	8	5	1	1
10-14	7	6		1
15-19	9	1		2
20-24	11	14		2
25-29	16	21	5	1
30-34	22	27	3	10
35-39	48	25	4	3
40-44	59	32	5	8
45-49	64	60	8	6
50-54	77	62	10	5
55-59	78	70	4	9
60-64	108	86	7	4
65-69	161	111	10	2
70-74	152	108	5	2
75-79	134	103	7	1
80-84	71	60	3	
85-UP	40	32	2	
-- ICD 204.2 (1959) ----				
00-04	13	10	1	2
05-09	2	2	1	
10-14	11	5	1	2
15-19	9	9	2	
20-24	12	4		1
25-29	8	12	1	
30-34	18	16	5	
35-39	25	25		
40-44	25	17	2	4
45-49	38	27	1	1
50-54	36	32	2	3
55-59	42	35	4	2
60-64	60	45	3	6
65-69	63	45	1	3
70-74	69	50	2	2
75-79	52	39	1	3
80-84	23	18	1	1
85-UP	9	9		
-- ICD 204.3 (1959) ----				
00-04	340	282	28	29
05-09	305	195	12	14
10-14	171	113	13	6
15-19	116	59	13	13
20-24	77	46	6	9
25-29	70	48	4	9
30-34	82	55	2	5
35-39	84	70	5	12
40-44	97	82	8	15
45-49	104	93	5	3
50-54	152	110	11	13
55-59	159	122	12	10
60-64	200	143	11	10
65-69	254	171	14	4
70-74	196	172	4	6
75-79	133	113	3	
80-84	71	70	2	2
85-UP	41	41	1	
-- ICD 204.4 (1959) ----				
00-04	64	48	7	6
05-09	46	35	2	2
10-14	20	11	3	1
15-19	10	7	2	
20-24	6	5	1	1
25-29	7	7	1	1
30-34	5	8	2	2
35-39	8	3	2	3
40-44	21	10		4
45-49	16	16	3	4
50-54	28	25	5	3
55-59	37	25	4	4
60-64	62	36	5	5
65-69	99	56	9	6
70-74	96	76	5	4
75-79	74	64	3	
80-84	47	56		2
85-UP	33	18	1	1
-- ICD 205 --(1959) ----				
30-34		1	1	
35-39		1		1
40-44	2	1		
45-49	1		1	
50-54		1		1
55-59	2	2	3	
60-64	9	5	1	
65-69	8	5	1	1
70-74	2	4	1	
75-79	2	2	1	1
80-84	5	2		
85-UP	1			
-- ICD 140.0 (1960) ----				
30-34	1			
60-64	2	1		
65-69			1	
85-UP	1			
-- ICD 140.1 (1960) ----				
25-29	1			
40-44	1			
45-49	1			
50-54	2			
55-59	3		1	1
60-64	4			
65-69	9	1		
70-74	8	2	1	
75-79	14	1	1	
80-84	12	2		
85-UP	17	3		
-- ICD 140.9 (1960) ----				
35-39	1			
40-44	3	1		
45-49	2	1		
50-54	4	1		
55-59	12		1	
60-64	13		1	
65-69	8			
70-74	23	1	1	
75-79	19			
80-84	18	2		1
85-UP	10	2		
-- ICD 141.0 (1960) ----				
35-39		1		
40-44	3	2	1	
45-49	8	5		1
50-54	19	1	3	2
55-59	15	1	2	1
60-64	22	1		
65-69	11		2	
70-74	18	2	1	
75-79	12	1		2
80-84	10	1		
85-UP	2	1		
-- ICD 141.7 (1960) ----				
40-44	1	1		
45-49	2			
50-54	2			
55-59	3			
60-64	2	2		
65-69	3	2		
70-74	5	1		
75-79	3	2		
80-84	1			
85-UP		1		
-- ICD 141.8 (1960) ----				
75-79	1			
-- ICD 141.9 (1960) ----				
25-29		1	1	
30-34	2		1	1
35-39	7	2	1	1
40-44	10	7	4	3
45-49	52	17	7	3
50-54	97	27	19	6
55-59	123	32	11	2
60-64	128	37	13	5
65-69	164	35	13	3
70-74	129	44	15	3
75-79	107	39	6	2
80-84	64	39	3	1
85-UP	48	23	2	2
-- ICD 142.0 (1960) ----				
00-04		2		
05-09	3			
15-19		1		
20-24	1	1		
25-29	1	1		
30-34		4	1	1
35-39	3	2	1	1
40-44	9	4	4	2
45-49	11	10	3	2
50-54	25	13	2	1
55-59	27	9	6	
60-64	29	15	2	2
65-69	30	16	1	1
70-74	36	15	1	1
75-79	35	27	3	
80-84	24	18		3
85-UP	20	20	1	
-- ICD 142.7 (1960) ----				
20-24	2			
30-34	2			
35-39	4	1		
40-44	2	2		
45-49	3	1		
50-54	2	3		
55-59	12	3		
60-64	7	2		
65-69	13	4	1	
70-74	7	7		
75-79	7	5	1	1
80-84	4	5		
85-UP	2	2		
-- ICD 142.8 (1960) ----				
50-54		1		
-- ICD 142.9 (1960) ----				
10-14	1			
15-19	1			
25-29			1	
35-39	1	1		
40-44	2		1	1
45-49	2	1		
50-54	2	4	1	
55-59	2	2		
65-69	2			
70-74	5	2		2
75-79	5	2		
80-84	3			
85-UP	2	1		
-- ICD 143 --(1960) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1960) ----				
10-14	1			
15-19	1			
20-24	1	1		
25-29	1	1		1
30-34	1	1		
35-39	3	3	1	
40-44	14	8	3	1
45-49	24	14	4	
50-54	58	20	11	4
55-59	61	25	5	2
60-64	67	23	6	9
65-69	92	39	9	4
70-74	104	35	3	4
75-79	88	31	4	5
80-84	53	30	2	3
85-UP	44	22	1	
-- ICD 145.0 (1960) ----				
30-34		2	1	
35-39	1		1	
40-44	10	7	2	1
45-49	17	10	2	3
50-54	39	11	4	2
55-59	42	5	6	1
60-64	46	6	4	
65-69	72	11	3	1
70-74	48	11		
75-79	28	9	1	
80-84	23	2		
85-UP	8	4	2	
-- ICD 145.7 (1960) ----				
40-44	1			
45-49	4	1		
50-54	5	1		
55-59	7	2	1	
60-64	4	1	1	
65-69	7		1	
70-74	2			
75-79	2	1		
-- ICD 146 --(1960) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1960) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1960) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1960) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1960) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1960) ----				
20-24				1
30-34	1			
35-39	4	3	1	
40-44	3	2		
45-49	7	5	2	
50-54	11	4	1	2
55-59	11	4	2	
60-64	15	11	1	1
65-69	24	13	1	3
70-74	18	20	1	2
75-79	18	17	2	
80-84	13	13		
85-UP	8	6		1
-- ICD 152.7 (1960) ----				
15-19	2			
25-29	2	1		
30-34		1		
35-39	3	1		
40-44	3	3	1	
45-49	16	8		3
50-54	11	13		2
55-59	17	14	1	3
60-64	18	21		2
65-69	23	20	2	1
70-74	15	13	2	1
75-79	14	15		
80-84	2	10		
85-UP	5	5		
-- ICD 152.8 (1960) ----				
25-29				1
65-69	1	1		
75-79	1			
85-UP	1			
-- ICD 152.9 (1960) ----				
00-04	1			
15-19			1	
20-24	1			
25-29	2			
30-34	2	1		
35-39	1	2	1	
40-44	4	2		
45-49	6	5	1	2
50-54	8	6	2	
55-59	15	11	2	1
60-64	10	14		2
65-69	20	15	2	2
70-74	16	14		1
75-79	15	15	1	
80-84	5	12	1	2
85-UP	4	10		
-- ICD 153.0 (1960) ----				
10-14	1	1		
15-19			1	
20-24				1
25-29	5	3		
30-34	9	4		
35-39	23	15	5	4
40-44	38	36	2	3
45-49	68	49	12	8
50-54	87	104	8	7
55-59	129	152	10	17
60-64	194	265	15	20
65-69	286	331	14	17
70-74	307	376	19	16
75-79	254	419	7	11
80-84	181	327	4	7
85-UP	97	210	3	7
-- ICD 153.1 (1960) ----				
10-14	1			
15-19	2	1	1	
20-24		3	1	
25-29	1	1		
30-34	2	7	1	
35-39	8	14		
40-44	19	22	2	2
45-49	36	48		5
50-54	41	59	5	2
55-59	69	73	4	8
60-64	93	91	3	6
65-69	110	119	5	4
70-74	127	127	4	7
75-79	116	114	7	9
80-84	77	110		3
85-UP	28	65	2	1
-- ICD 153.2 (1960) ----				
15-19		1		
20-24	2	1		
25-29		3	1	
30-34	5	4		1
35-39	5	5	1	
40-44	7	18	2	6
45-49	18	37	3	1
50-54	25	47	4	6
55-59	43	71	2	5
60-64	69	81	7	4
65-69	89	86	6	5
70-74	103	101	8	9
75-79	74	95	2	4
80-84	42	78	1	5
85-UP	28	51		
-- ICD 153.3 (1960) ----				
00-04	1	1		
15-19		1	1	
20-24	1	3		
25-29	3	2	2	
30-34	10	16		3
35-39	20	59	2	2
40-44	47	85	7	9
45-49	91	132	10	7
50-54	158	212	8	15
55-59	244	280	22	28
60-64	397	387	26	34
65-69	473	477	36	22
70-74	583	477	29	20
75-79	463	429	11	15
80-84	310	312	8	10
85-UP	164	227	4	7
-- ICD 153.7 (1960) ----				
25-29		1		
35-39	1	1		
40-44	1			
45-49	2	1		
50-54	2		1	1
55-59	3	2	1	
60-64	3	5		

AGE	WM	WF	NM	NF
-- 153.7 (1960) CONTD---				
65-69	6	3		
70-74	6	6		
75-79	6	8		
80-84	5	2		
85-UP	1	3		
-- ICD 153.8 (1960) ----				
00-04		2		
10-14	1	1	1	
15-19			3	
20-24	8	3	3	
25-29	30	18	3	3
30-34	26	31	4	4
35-39	59	69	13	9
40-44	86	121	16	24
45-49	201	240	17	37
50-54	310	407	41	48
55-59	499	577	55	81
60-64	703	748	75	61
65-69	907	934	82	95
70-74	955	1098	58	75
75-79	889	1088	56	62
80-84	605	788	26	24
85-UP	323	631	23	22
-- ICD 153.9 (1960) ----				
00-04	1			
10-14	1		1	
15-19	1			
20-24		2		1
25-29	1	1		
30-34	1	4		
35-39	4	10		2
40-44	8	12	1	1
45-49	16	17	1	5
50-54	33	40	4	9
55-59	45	55	7	9
60-64	69	83	5	11
65-69	83	126	9	13
70-74	119	133	11	4
75-79	99	125	4	5
80-84	70	113	4	2
85-UP	72	102	2	
-- ICD 154 --(1960) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1960) ----				
00-04	14	14	1	3
05-09	7	1	1	
10-14	4	1	1	
15-19	6	6	1	
20-24		1		
25-29	4	4	3	3
30-34	7	7	7	1
35-39	7	6	13	5
40-44	20	17	13	2
45-49	39	20	21	6
50-54	84	36	23	8
55-59	113	51	38	3
60-64	165	80	31	10
65-69	155	85	19	9
70-74	181	96	23	4
75-79	116	89	7	5
80-84	61	61	5	2
85-UP	25	36	2	1
-- ICD 155.1 (1960) ----				
05-09		1		
15-19	1			
30-34	5	4		1
35-39	12	11	2	
40-44	20	39		2
45-49	43	58	3	10
50-54	72	131	7	9
55-59	132	205	10	16
60-64	192	352	16	21
65-69	273	510	10	23
70-74	288	536	18	20
75-79	193	430	14	15
80-84	108	288	7	5
85-UP	67	154	5	10
-- ICD 155.8 (1960) ----				
50-54		1		
55-59	1			
60-64	1	1		
65-69		1		
80-84	1			
85-UP	1			
-- ICD 156 --(1960) ----				
00-04	5	8		3
05-09	2			
10-14		1		1

AGE	WM	WF	NM	NF
-- 156 --(1960) CONTD---				
15-19	2	3	1	
20-24	2	1		1
25-29	3	1	2	1
30-34	8	9	3	2
35-39	8	18	2	2
40-44	32	41	16	10
45-49	78	62	23	15
50-54	150	92	37	22
55-59	226	128	36	27
60-64	276	212	45	29
65-69	339	259	37	41
70-74	372	298	34	27
75-79	296	297	17	19
80-84	186	238	11	9
85-UP	98	184	8	8
-- ICD 157 --(1960) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1960) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1960) ----				
00-04				1
20-24			1	
25-29	1	1		
30-34	1			
35-39	3	5	1	1
40-44	7	5	1	3
45-49	8	12	3	4
50-54	15	28	3	10
55-59	31	12	7	8
60-64	41	27	8	9
65-69	59	50	13	20
70-74	60	62	13	7
75-79	50	88	5	8
80-84	56	67	3	3
85-UP	40	75	4	5
-- ICD 160.0 (1960) ----				
00-04	1			
05-09	1			
10-14		1		
30-34	1			
40-44	2		1	
45-49	3	2		1
50-54	5			
55-59	5	1		1
60-64	11		1	2
65-69	9	3		3
70-74	7	4	1	
75-79	6	6		
80-84	7	9		
85-UP	11	10		
-- ICD 160.1 (1960) ----				
10-14				1
20-24	1			
35-39		1		
40-44		1	1	
45-49	2	2		
50-54		2		
55-59	3			
60-64	1	1		
65-69		1		
70-74	1			
75-79		4		
-- ICD 160.2 (1960) ----				
00-04				1
15-19	1	1		
25-29		3		
30-34		1		
35-39	3	2	1	1
40-44	2	5	4	1
45-49	12	5		1
50-54	11	6	6	1
55-59	19	12	3	1
60-64	25	13	10	2
65-69	24	11	4	4
70-74	29	13	4	1
75-79	20	10	4	
80-84	15	9	1	1
85-UP	12	8		
-- ICD 160.7 (1960) ----				
20-24			1	
25-29		2	1	
30-34	1			1
35-39			1	
40-44	1			
45-49	4		1	
50-54	2	3		
55-59	5	1		
60-64	2	2	1	1

AGE	WM	WF	NM	NF
-- 160.7 (1960) CONTD---				
65-69	2	1	1	
70-74	1	2		
75-79	2	2		
80-84	2	1		
85-UP		1		
-- ICD 160.8 (1960) ----				
40-44	1			
45-49		1		
60-64	2			
65-69	3			
70-74	2	2		
75-79	1	1		
80-84		2	1	
85-UP	1		1	
-- ICD 160.9 (1960) ----				
10-14	1			
20-24	1			
25-29	1	1		1
35-39	3			
40-44	1	1		
45-49	1	1		
50-54	2		1	
55-59	1	6	1	1
60-64	3	2		1
65-69	5			
70-74	6	3		
75-79	3	2		1
85-UP			1	
-- ICD 161 --(1960) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1960) ----				
00-04	1	1		
25-29			1	
30-34	1			
35-39		1		
40-44	3	1		
45-49	2	2	1	
50-54	10	4	1	
55-59	16	2	1	
60-64	17	1		
65-69	11	8		
70-74	5	1	1	
75-79	4	1	1	
80-84		1	1	
85-UP	1			
-- ICD 162.1 (1960) ----				
00-04		1		
05-09		1		
10-14		2		
15-19	2			
20-24	3			
25-29	11	7	5	
30-34	59	13	12	1
35-39	179	50	35	5
40-44	378	115	85	11
45-49	824	173	133	19
50-54	1575	193	201	21
55-59	2224	232	236	18
60-64	2784	231	269	31
65-69	2813	311	210	15
70-74	2169	274	145	16
75-79	1044	179	77	16
80-84	401	127	27	7
85-UP	150	70	15	6
-- ICD 162.2 (1960) ----				
45-49	2	1		
50-54	1			
55-59	3			
60-64	4			
65-69	2	2		
70-74	1			
75-79	1	1		
80-84		1		
85-UP		1	1	
-- ICD 162.8 (1960) ----				
45-49		1		
50-54	1			
55-59	1			
60-64	1	1		
65-69	2			1
85-UP		1		
-- ICD 163 --(1960) ----				
00-04	1	3	1	
10-14	1	1	1	2
15-19	4			
20-24	4	2		
25-29	18	5		2

AGE	WM	WF	NM	NF
-- 163 --(1960) CONTD---				
30-34	43	29	11	4
35-39	133	59	26	6
40-44	335	125	66	18
45-49	707	199	115	37
50-54	1358	266	177	37
55-59	2041	286	230	38
60-64	2442	354	229	40
65-69	2620	361	207	34
70-74	2135	387	131	26
75-79	1202	275	48	21
80-84	543	212	34	14
85-UP	215	134	15	8
-- ICD 164 --(1960) ----				
00-04		3	1	
05-09	2			
10-14	1	1		
15-19		1		
20-24	6			
25-29	7	2		
30-34	11		1	
35-39	4	2		1
40-44	8	5	1	
45-49	14	8	1	
50-54	14	6	2	1
55-59	26	8	2	
60-64	29	6	3	
65-69	38	14	1	
70-74	23	6	2	1
75-79	17	10	3	
80-84	8	4	1	
85-UP	1	3		1
-- ICD 165 --(1960) ----				
00-04	3			
15-19		1	1	
25-29	3	3	1	
30-34	2	3	1	
35-39	9	5	1	3
40-44	13	13	2	1
45-49	22	27	4	3
50-54	44	36	5	1
55-59	78	26	15	5
60-64	84	32	9	5
65-69	102	54	7	5
70-74	70	49	4	2
75-79	48	39	3	4
80-84	22	22	1	
85-UP	19	16	2	1
-- ICD 170 --(1960) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1960) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1960) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1960) ----				
15-19		4		1
20-24		9		4
25-29		15		1
30-34		3		1
35-39		7		2
40-44		6		3
45-49		1		
50-54		2		2
55-59		6		
60-64		2		
70-74				1
75-79				1
80-84		1		1
85-UP		2		
-- ICD 174 --(1960) ----				
00-04		1		
15-19		2		
20-24		3		3
25-29		11		4
30-34		22		9
35-39		54		21
40-44		129		34
45-49		203		66
50-54		286		82
55-59		388		106
60-64		535		121
65-69		604		85
70-74		542		72
75-79		452		41
80-84		335		15
85-UP		230		25
-- ICD 175.0 (1960) ----				
00-04		2		1

AGE	WM	WF	NM	NF
-- 175.0 (1960) CONTD---				
05-09		5		2
10-14		18		1
15-19		28		5
20-24		17		5
25-29		33		15
30-34		62		14
35-39		195		23
40-44		422		51
45-49		703		57
50-54		867		70
55-59		1037		83
60-64		1019		70
65-69		1052		55
70-74		894		45
75-79		603		18
80-84		306		13
85-UP		144		5
-- ICD 175.1 (1960) ----				
35-39		1		1
40-44		2		3
45-49		10		5
50-54		14		3
55-59		12		
60-64		9		1
65-69		13		1
70-74		11		1
75-79		3		1
-- ICD 175.8 (1960) ----				
55-59		1		
65-69		2		
70-74		2		1
75-79		3		
-- ICD 175.9 (1960) ----				
50-54		1		
60-64		1		
65-69		1		
70-74		2		
80-84		1		
-- ICD 176.0 (1960) ----				
15-19		1		
20-24				1
25-29		2		1
30-34				4
35-39		2		4
40-44		5		5
45-49		11		3
50-54		17		4
55-59		28		3
60-64		34		6
65-69		62		4
70-74		77		3
75-79		95		2
80-84		59		
85-UP		52		2
-- ICD 176.1 (1960) ----				
00-04		1		
25-29		1		
30-34				1
35-39		1		
40-44		9		1
45-49		15		1
50-54		23		8
55-59		19		5
60-64		23		3
65-69		33		7
70-74		35		3
75-79		33		
80-84		26		2
85-UP		20		3
-- ICD 176.7 (1960) ----				
10-14		1		
25-29		1		
50-54		1		
60-64		1		1
65-69		1		
80-84		1		
-- ICD 176.8 (1960) ----				
35-39		1		
45-49		1		
65-69		2		
70-74		1		
75-79		1		
85-UP		3		
-- ICD 176.9 (1960) ----				
40-44		2		
50-54		4		
55-59		3		3

AGE	WM	WF	NM	NF
-- 176.9 (1960) CONTD---				
60-64		4		1
65-69		4		1
70-74		6		
75-79		6		1
80-84		3		
85-UP		2		
-- ICD 177 --(1960) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1960) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1960) ----				
25-29	1			
30-34	3			
35-39	7		1	
40-44	2		5	
45-49	5		3	
50-54	12		7	
55-59	19		5	
60-64	21		10	
65-69	35		3	
70-74	23		9	
75-79	32		2	
80-84	20		3	
85-UP	25		3	
-- ICD 179.1 (1960) ----				
40-44			1	
45-49	2			
55-59	1			
60-64	2		1	
65-69	4		1	
70-74	3		2	
75-79	4		1	
80-84	1		1	
-- ICD 179.7 (1960) ----				
25-29	1			
50-54	3			
55-59	3			
65-69	1			
70-74	4			
75-79	2			
80-84	1			
-- ICD 179.9 (1960) ----				
55-59	1			
70-74	2			
80-84	2			
-- ICD 180 --(1960) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1960) ----				
00-04	9	2		1
05-09	2	1		
10-14	1			
20-24	1			
30-34	3	6	1	1
35-39	13	11	6	9
40-44	37	9	7	8
45-49	97	37	27	23
50-54	202	54	28	29
55-59	374	123	44	40
60-64	583	155	64	31
65-69	826	268	63	32
70-74	1020	357	42	39
75-79	890	412	33	21
80-84	604	375	15	11
85-UP	361	281	13	12
-- ICD 181.7 (1960) ----				
00-04	1			
35-39	1		1	1
40-44	3		1	
45-49		7		1
50-54	5	4	5	1
55-59	5	2	3	1
60-64	5	8	1	2
65-69	9	7	1	3
70-74	12	11	5	
75-79	4	13		1
80-84	7	3		
85-UP	5	5		
-- ICD 181.8 (1960) ----				
50-54				1
60-64		1		
65-69		1		
75-79		2		1
80-84		1		

AGE	WM	WF	NM	NF
-- ICD 190.0 (1960) ----				
70-74		1		
75-79		1		
-- ICD 190.1 (1960) ----				
35-39	1			
55-59	1			
65-69	2			
-- ICD 190.2 (1960) ----				
40-44		1		
45-49		1		
50-54	3			
55-59	2	1		
65-69	1	1		
70-74	1	2		
75-79	1			
80-84	1			
85-UP		1		
-- ICD 190.3 (1960) ----				
10-14	1			
20-24	1			
30-34	2	1		
35-39	1	1		
40-44	4	3		
45-49		2		
50-54	4	1		
55-59	4	1		
60-64	2	5		
65-69	4	2		
70-74	2	5		
75-79	3	1		
80-84	2	4		
85-UP	1	5		
-- ICD 190.4 (1960) ----				
00-04		1		
20-24	1	1		
25-29	2			
30-34	4	4	1	
35-39	3	5		
40-44	6	6		
45-49	2	2		
50-54	2	1		
55-59	3	4		
60-64	5	1		
65-69	4	5		
70-74	6	2		
75-79	4	3		
80-84	4	1		
85-UP		1		
-- ICD 190.5 (1960) ----				
10-14	2			
15-19	2			
20-24	4	1		
25-29	4	1		
30-34	9	7		1
35-39	15	7		
40-44	23	7		
45-49	22	7		
50-54	15	7		
55-59	23	8		
60-64	14	11		
65-69	11	6		
70-74	8	10		
75-79	7	8		
80-84	4	4		
85-UP	2	4		
-- ICD 190.6 (1960) ----				
15-19	2			
25-29	4	3		
30-34	2	3		
35-39	5	4		
40-44	5	7		
45-49	7	6		
50-54	5	3		1
55-59	13	3	1	
60-64	10	8		
65-69	4	12	1	
70-74	3	2		
75-79	3	3		
80-84	4	2		
85-UP	2	2		
-- ICD 190.7 (1960) ----				
15-19		2		
20-24		3		
25-29	1	5	1	
30-34	3	7		1
35-39	2	11		1
40-44	4	7	1	
45-49	11	8		1
50-54	7	13		2

AGE	WM	WF	NM	NF
-- 190.7 (1960) CONTD---				
55-59	11	10	1	1
60-64	15	16	1	
65-69	10	25		3
70-74	8	10	3	
75-79	20	10	1	1
80-84	5	7		
85-UP	2	5	1	
-- ICD 190.8 (1960) ----				
40-44	1	1		
50-54	1	1		
55-59	1			
60-64	1			
65-69	1	1		
75-79	2	1		
80-84	1			
-- ICD 190.9 (1960) ----				
00-04		1		
05-09				1
10-14	1			
15-19	5	9	1	
20-24	16	8	2	
25-29	31	22	1	
30-34	59	41		1
35-39	62	37		
40-44	66	40	1	1
45-49	74	62	3	2
50-54	78	56		2
55-59	77	58	4	2
60-64	55	59	2	1
65-69	73	59		2
70-74	57	58	3	2
75-79	44	40	1	2
80-84	20	21		
85-UP	15	24		
-- ICD 191.0 (1960) ----				
30-34	1			
40-44	1			
45-49	4			1
50-54	6			
55-59	6	1		
60-64	8			
65-69	8	1	1	
70-74	10	4		
75-79	9	2		
80-84	11			
85-UP	7			
-- ICD 191.1 (1960) ----				
35-39		1		
45-49		1		
50-54		1		
55-59	1			
60-64	3	1		
65-69	1	2		
70-74		1		
75-79	3	3		
80-84	3	1		
85-UP	2	1		
-- ICD 191.2 (1960) ----				
40-44		1		
45-49	2			
50-54		3		
55-59	5	1		
60-64	4	1		
65-69	6	1		
70-74	7	1		
75-79	10	2		
80-84	8	3		
85-UP	20	3		
-- ICD 191.3 (1960) ----				
25-29	1			
30-34	2			
35-39	1			
40-44	3	1	1	
45-49	4	1		
50-54	17	11	2	
55-59	19	12		3
60-64	31	9	2	4
65-69	36	11	1	2
70-74	62	34	5	1
75-79	66	35	5	
80-84	66	55		
85-UP	81	110	2	
-- ICD 191.4 (1960) ----				
25-29	1			
30-34	1			
40-44	2	2	2	
45-49	2	4		
50-54	7	4		3

AGE	WM	WF	NM	NF
-- 191.4 (1960) CONTD---				
55-59	12	5	1	1
60-64	19	6	1	1
65-69	14	4		1
70-74	19	9	1	1
75-79	23	9		
80-84	20	6		
85-UP	15	13	1	
-- ICD 191.5 (1960) ----				
00-04			1	
15-19		1		
20-24		1		
35-39	1	2	1	
40-44	3	1	1	1
45-49	6	7	2	1
50-54	5	6	1	1
55-59	10	9		2
60-64	7	5	2	2
65-69	12	10		2
70-74	17	16	2	2
75-79	10	15		1
80-84	4	9		1
85-UP	5	17	1	1
-- ICD 191.6 (1960) ----				
25-29	1			
45-49			2	
50-54	1			
55-59	3			
60-64	4	2		
65-69	5	2		
70-74	7	2	1	
75-79	6	2		
80-84	6			
85-UP	9	4		
-- ICD 191.7 (1960) ----				
20-24		1		
35-39	1	2		
40-44		3	2	
45-49	1	3		
50-54	3			1
55-59	3			
60-64	6			1
65-69	8	3		3
70-74	7	3		2
75-79	3	2		1
80-84	5	1	1	1
85-UP	3	1	1	1
-- ICD 191.8 (1960) ----				
40-44		1		
45-49	2			
50-54	3			
55-59	2	2		
60-64	4			
65-69	2			1
70-74	5	1		
75-79	2	1		
80-84	10	4		1
85-UP	5	6		
-- ICD 191.9 (1960) ----				
05-09	1			
20-24	1	1		
25-29	2			
30-34	1	1	2	1
35-39	2	2		
40-44	8	4		
45-49	5	3	4	2
50-54	11	6	2	
55-59	29	9	3	1
60-64	40	8	2	1
65-69	26	12	4	4
70-74	28	9	2	
75-79	34	11	2	
80-84	17	13	1	1
85-UP	18	15	1	
-- ICD 192 --(1960) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1960) ----				
00-04	91	79	14	9
05-09	129	107	9	18
10-14	66	70	8	8
15-19	44	30	4	3
20-24	41	34	2	4
25-29	56	50	11	3
30-34	94	64	4	5
35-39	141	108	14	7
40-44	208	139	11	9
45-49	300	205	22	12
50-54	349	191	14	8
55-59	408	250	13	12

AGE	WM	WF	NM	NF
-- 193.0 (1960) CONTD---				
60-64	368	216	16	8
65-69	268	157	10	
70-74	98	73	3	5
75-79	48	33		
80-84	7	14	1	
85-UP	4	3		
-- ICD 193.1 (1960) ----				
00-04	2	1		
05-09	2			
10-14	2	4		
15-19	3	2		
20-24	3			1
25-29	2	2		
30-34	2	1		
35-39	3	5		
40-44	4	2		2
45-49	3	4		2
50-54	6	5		1
55-59	4	5	2	2
60-64	4	7		
65-69	3	5	1	1
70-74	7	6	2	
75-79	8	7		
80-84	1			
-- ICD 193.2 (1960) ----				
00-04	1	2		
05-09	1			
10-14	1			1
25-29	1	1		
35-39	4	3		
40-44	1	1		
45-49	4	1		
50-54	3	3		1
55-59	5	3		
60-64		4	2	1
65-69	2	3		
70-74	1	1		
-- ICD 193.3 (1960) ----				
00-04		1		
10-14		1		
15-19	1			
20-24	1	1		1
25-29	3	2		
30-34	1	1	1	
35-39	1			
40-44		2	1	
45-49	2	2		1
50-54	3	2		2
55-59	2	1		
60-64	5	2		
65-69	2	1		
70-74	2	1		
75-79		2		1
80-84	2			
85-UP		2		
-- ICD 193.4 (1960) ----				
00-04	95	55	12	8
05-09	22	25	4	4
10-14	7	2		2
15-19	2	7	1	
20-24		3		
25-29	1			
30-34	1			
35-39	2	3		
40-44	2			
45-49	3	1		
50-54	3	1		
55-59	4			
60-64	2	3	1	1
65-69	2	1		1
70-74	1	2		
75-79	4			
80-84		1		
-- ICD 193.8 (1960) ----				
00-04	1			
05-09		1		
10-14	1			
15-19		1		
20-24		1		
35-39		1		
40-44	2	1		
45-49	1	1		
55-59		1		
60-64	1			
70-74		1		
-- ICD 193.9 (1960) ----				
00-04	20	19	4	1
05-09	15	10	5	
10-14	4	8		3

AGE	WM	WF	NM	NF
-- 193.9 (1960) CONTD---				
15-19	8	8	3	2
20-24	13	8	3	2
25-29	10	5		
30-34	17	11	1	5
35-39	29	19	3	1
40-44	43	14	2	1
45-49	59	30	2	1
50-54	59	30	3	3
55-59	61	37	3	3
60-64	79	34	1	
65-69	45	29	1	
70-74	26	11	1	
75-79	8	6		
80-84	2	2		
85-UP	2	3		
-- ICD 194 --(1960) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1960) ----				
00-04	22	14	2	
05-09	6	1	1	
10-14	1	3		1
15-19	2	1		
20-24	2			
25-29	3	3		
30-34	5	7	1	
35-39	7	12		3
40-44	4	9	1	
45-49	19	14		1
50-54	21	7	2	
55-59	24	8	1	
60-64	20	11		
65-69	21	7	4	
70-74	20	12		1
75-79	6	6		
80-84	4	3		
85-UP	4			
-- ICD 195.1 (1960) ----				
50-54			1	
70-74	1	1		
-- ICD 195.2 (1960) ----				
00-04	2	1		
05-09	1	1		
10-14	2	1		
15-19	4	1	1	
20-24	1			
25-29	2	2		
30-34	1	2		
35-39	5	1	1	
40-44	6	1		1
45-49	5	2		
50-54	6	4		
55-59	6	1	2	
60-64	7	1	1	
65-69	4	4		
70-74	1	1		
75-79	2	1		
80-84	1	3		
-- ICD 195.3 (1960) ----				
05-09	2	1		
10-14	1	1		
15-19	1	1		
20-24		2	1	
25-29		2		
30-34	1	2		
35-39		2		
40-44		1	1	
45-49	1	3		
50-54	1	3		
55-59	2			
60-64	4		1	
65-69		1		1
75-79	2			
-- ICD 195.4 (1960) ----				
00-04	1			
05-09	3			
10-14		3		
15-19	1			
40-44		1		
45-49		1		
50-54	1		1	
55-59	1			
65-69	1			
70-74	1			
-- ICD 195.7 (1960) ----				
35-39	2			
45-49			1	
55-59	1			
60-64		1		

AGE	WM	WF	NM	NF
-- 195.7 (1960) CONTD---				
65-69		1		
70-74	1	1		
-- ICD 195.8 (1960) ----				
70-74	1			
-- ICD 196.0 (1960) ----				
00-04	2			
05-09		1	1	
10-14	2			
15-19		1		
20-24	1			
25-29	2		1	
35-39	8	1		
40-44	2	5	2	
45-49	4	1	1	
50-54	13	6	2	
55-59	13	6		
60-64	15	11	3	3
65-69	21	6	6	2
70-74	21	11	3	1
75-79	16	11	2	2
80-84	16	10	1	
85-UP	12	11		
-- ICD 196.1 (1960) ----				
00-04		1		
05-09		1		
10-14		1		
15-19	1			
20-24		1		
25-29		1		
30-34	1			
35-39		1	1	1
40-44	3	1		
45-49	6	2		
50-54	2		4	2
55-59	6	3	3	
60-64	9	4	1	
65-69	13	5	2	1
70-74	10	8	1	2
75-79	21	7	1	
80-84	12	8		
85-UP	10	13		
-- ICD 196.2 (1960) ----				
00-04	2			
05-09	1			
10-14	3			
15-19	4	1		
20-24	3			
25-29	2			
30-34	4	3		
35-39	5	3	2	
40-44	7	3		
45-49	10	3		2
50-54	7	10	4	2
55-59	24	14	3	6
60-64	28	17	2	
65-69	26	10	1	
70-74	26	17	1	
75-79	12	6		
80-84	5	6	3	1
85-UP	3	3		1
-- ICD 196.3 (1960) ----				
00-04		1		
05-09	1	1		
10-14	2			
15-19		1	1	1
20-24			1	
30-34		1		
35-39	1	1		
40-44	2			
45-49	2	3	1	
50-54	5	2		
55-59	5	2		
60-64	2	2		
65-69	4	4		
70-74	7	5		
75-79	4			
80-84	3	1		
85-UP		1		
-- ICD 196.4 (1960) ----				
00-04	1	1		1
05-09	2	2		
10-14	5	1		
15-19	6	1		
20-24	2	1	1	
25-29	5	1		
30-34	1	1		
35-39	1	1		
40-44	2			
45-49	2	3	1	
50-54	5	2		
55-59	5	2		
60-64	2	2		
65-69	4	4		
70-74	7	5		
75-79	4			
80-84	3	1		
85-UP		1		
-- ICD 196.5 (1960) ----				
05-09	1			
10-14		1		
65-69		1		
75-79	1			
85-UP	1			
-- ICD 196.6 (1960) ----				
00-04	1	3		
10-14	1	2	1	
15-19	7	1	1	
20-24	2	3	1	
25-29	3	4		
30-34		2	1	
35-39	1	4	1	
40-44	6	2		
45-49	5	4	1	1
50-54	11	4		
55-59	4	4		
60-64	16	5		
65-69	11	9		1
70-74	9	11	1	
75-79	4	5	1	
80-84	2	7		
85-UP	3	4		
-- ICD 196.7 (1960) ----				
00-04	1	1		
05-09	2	1		1
10-14	25	26	1	5
15-19	27	11	3	2
20-24	18	8	3	1
25-29	7	3	1	
30-34	5	5	1	1
35-39	5	4		
40-44	5	6		
45-49	2	7		
50-54	6	3	2	2
55-59	6	7	2	2
60-64	8	8	1	3
65-69	10	8	1	
70-74	8	19		
75-79	7	11	1	
80-84	4	6	1	
85-UP	4	4	1	
-- ICD 196.8 (1960) ----				
10-14	1	1	1	
15-19	1	2		
45-49	1			
50-54				1
55-59		1		
65-69		1		
75-79		1		
80-84	1	1		
-- ICD 196.9 (1960) ----				
00-04	3	2		
05-09	5	6	2	
10-14	21	24	2	1
15-19	36	16	5	1
20-24	12	7	2	1
25-29	5	1		
30-34	2	4		
35-39	5	3		1
40-44	8	6	1	1
45-49	3	5		1
50-54	11	11	1	2
55-59	9	12	2	1
60-64	16	17	3	1
65-69	20	14		1
70-74	16	11		3
75-79	13	8	1	3
80-84	13	12		
85-UP	1			
-- ICD 197.0 (1960) ----				
00-04	4	3		
05-09	1			
10-14	2	1		
15-19	1			
20-24	1			
25-29		3	1	
30-34		1		
35-39	1	1		
40-44			1	

AGE	WM	WF	NM	NF
-- 196.4 (1960) CONTD---				
50-54	2	7		
55-59	3	2		
60-64	5	1		1
65-69	6	4	1	
70-74	9	4	1	
75-79	3	9		
80-84	6	3		
85-UP	2	1		
-- ICD 196.5 (1960) ----				
05-09	1			
10-14		1		
65-69		1		
75-79	1			
85-UP	1			
-- ICD 196.6 (1960) ----				
00-04	1	3		
10-14	1	2	1	
15-19	7	1	1	
20-24	2	3	1	
25-29	3	4		
30-34		2	1	
35-39	1	4	1	
40-44	6	2		
45-49	5	4	1	1
50-54	11	4		
55-59	4	4		
60-64	16	5		
65-69	11	9		1
70-74	9	11	1	
75-79	4	5	1	
80-84	2	7		
85-UP	3	4		
-- ICD 196.7 (1960) ----				
00-04	1	1		
05-09	2	1		1
10-14	25	26	1	5
15-19	27	11	3	2
20-24	18	8	3	1
25-29	7	3	1	
30-34	5	5	1	1
35-39	5	4		
40-44	5	6		
45-49	2	7		
50-54	6	3	2	2
55-59	6	7	2	2
60-64	8	8	1	3
65-69	10	8	1	
70-74	8	19		
75-79	7	11	1	
80-84	4	6	1	
85-UP	4	4	1	
-- ICD 196.8 (1960) ----				
10-14	1	1	1	
15-19	1	2		
45-49	1			
50-54				1
55-59		1		
65-69		1		
75-79		1		
80-84	1	1		
-- ICD 196.9 (1960) ----				
00-04	3	2		
05-09	5	6	2	
10-14	21	24	2	1
15-19	36	16	5	1
20-24	12	7	2	1
25-29	5	1		
30-34	2	4		
35-39	5	3		1
40-44	8	6	1	1
45-49	3	5		1
50-54	11	11	1	2
55-59	9	12	2	1
60-64	16	17	3	1
65-69	20	14		1
70-74	16	11		3
75-79	13	8	1	3
80-84	13	12		
85-UP	1			
-- ICD 197.0 (1960) ----				
00-04	4	3		
05-09	1			
10-14	2	1		
15-19	1			
20-24	1			
25-29		3	1	
30-34		1		
35-39	1	1		
40-44			1	

AGE	WM	WF	NM	NF
-- 197.0 (1960) CONTD---				
45-49	1			1
50-54		1		
55-59	2	2	1	
60-64	1	1		
65-69	2	2		
70-74	3	3		
75-79	5	1		1
80-84	1			
85-UP	4			
-- ICD 197.1 (1960) ----				
00-04	2		1	
05-09	1	1	1	
10-14	2	2		1
15-19	2	1		
20-24		2		
25-29	2	2		
30-34	5	2	1	
35-39	9	3	1	
40-44	5	2		1
45-49	4	4		2
50-54	13	4		
55-59	9	5		1
60-64	15	8		
65-69	17	9	1	1
70-74	8	4		
75-79	7	4		1
80-84	7	4	1	
85-UP	1	2		
-- ICD 197.2 (1960) ----				
00-04	1			
10-14	2			
20-24	2			1
25-29	2	1	1	
30-34	2			
35-39	2	1		
40-44	2		1	
45-49	2			
50-54	5	1		
55-59	3	3		
60-64	1	2		
65-69	5	1	1	1
70-74	2	3		
75-79	2	4	1	
80-84	1	4		
85-UP		2	1	
-- ICD 197.3 (1960) ----				
00-04	1		2	
10-14		1		
15-19	6	1		
20-24	4			1
25-29	7	2	2	3
30-34	8	1		1
35-39	12	5	2	
40-44	10	13	1	
45-49	7	4	1	
50-54	7	11	2	1
55-59	15	9	3	1
60-64	10	8	2	1
65-69	13	17	2	
70-74	19	12	2	1
75-79	14	12		1
80-84	7	8	1	
85-UP	2	4		
-- ICD 197.8 (1960) ----				
10-14	2			
15-19				1
60-64	2	1		
65-69		1		
75-79		1		
80-84	1			
-- ICD 197.9 (1960) ----				
00-04	13	3	1	1
05-09	3	5		
10-14	3	4	2	
15-19	10	5	2	
20-24	4	1		2
25-29	5	2	2	
30-34	11	5	1	3
35-39	8	7	2	
40-44	16	15		2
45-49	17	25	4	1
50-54	11	20	3	2
55-59	28	14	2	4
60-64	25	24		2
65-69	28	21	1	3
70-74	29	16	1	3
75-79	22	14	1	
80-84	16	6		
85-UP	6	3		

AGE	WM	WF	NM	NF
-- ICD 198.0 (1960) ----				
05-09	1			
10-14	1			
20-24	1			
25-29	1			
30-34	1			
35-39	1	2		
40-44	1		1	
45-49	1	1		
50-54	8	3		
55-59	13	7	1	
60-64	10	3	1	1
65-69	13	4	1	
70-74	10	4	1	
75-79	10	5		
80-84	3	8		
85-UP	1			
-- ICD 198.1 (1960) ----				
60-64	1			
65-69	1			
70-74	1			
75-79		1		
85-UP			1	
-- ICD 198.2 (1960) ----				
35-39				1
50-54	1			1
55-59	2	1		
60-64		2		
65-69	1	2		
70-74	1			
-- ICD 198.3 (1960) ----				
50-54	1			
55-59	1			
65-69		1		
75-79	3	2		
80-84		1		
85-UP	1	1		
-- ICD 198.4 (1960) ----				
25-29	1			
35-39	1			
50-54	1	1		
55-59	2	1		
60-64	1			1
65-69	1			
70-74	3	1	1	
75-79			1	
80-84	1	3		
85-UP		1		
-- ICD 198.7 (1960) ----				
40-44	1			
70-74		1		
75-79		1		
80-84	1	1		
-- ICD 198.8 (1960) ----				
30-34	1			
45-49	1			
50-54	1			
55-59			1	
70-74	1			
75-79			1	
-- ICD 198.9 (1960) ----				
25-29	1			
30-34		1		
35-39		1		
40-44		1		2
45-49	1			1
50-54	2	1	1	
55-59	2	1		
60-64	1	1		
65-69	2	1		
70-74	3	3		
75-79	1	2		
80-84	1	3		
85-UP	2			
-- ICD 199 --(1960) ----				
00-04	19	19	4	6
05-09	8	8		3
10-14	5	8		2
15-19	14	7	4	4
20-24	19	13	2	6
25-29	27	21	1	5
30-34	51	44	12	14
35-39	79	88	13	25
40-44	126	163	26	43
45-49	246	292	40	67
50-54	431	405	64	95
55-59	556	510	97	97
60-64	694	618	107	128

AGE	WM	WF	NM	NF
-- 199 --(1960) CONTD---				
65-69	849	788	109	83
70-74	803	845	94	98
75-79	691	769	47	70
80-84	470	565	21	29
85-UP	290	459	21	19
-- ICD 200.0 (1960) ----				
00-04	6	1	2	1
05-09	8	4	1	
10-14	6	4	1	
15-19	17	7	2	1
20-24	16	13	1	
25-29	15	6	1	
30-34	16	10	2	4
35-39	33	23	5	3
40-44	34	24	7	5
45-49	53	29	3	3
50-54	61	42	8	7
55-59	70	59	7	1
60-64	77	76	6	3
65-69	96	89	6	
70-74	74	55	9	3
75-79	60	64	4	3
80-84	32	19	1	1
85-UP	11	16	1	
-- ICD 200.1 (1960) ----				
00-04	36	11	1	2
05-09	43	9	3	2
10-14	31	19	2	2
15-19	42	3	2	
20-24	24	7		1
25-29	22	15	1	4
30-34	44	24	2	1
35-39	56	43	5	4
40-44	89	60	5	6
45-49	121	88	9	5
50-54	179	109	10	6
55-59	217	131	17	3
60-64	268	176	17	4
65-69	286	210	10	7
70-74	213	167	8	4
75-79	194	162	8	4
80-84	81	89		3
85-UP	43	47	1	1
-- ICD 200.2 (1960) ----				
00-04	9		2	
05-09	9	3		
10-14	10	4		
15-19	8	2	2	
20-24	8	4		
25-29	10	1	1	1
30-34	10	5	3	1
35-39	17	14	1	1
40-44	38	13	1	1
45-49	28	15	6	3
50-54	49	29	1	2
55-59	58	40	5	6
60-64	71	54	5	4
65-69	89	70	2	4
70-74	83	57	2	3
75-79	50	49		3
80-84	31	32		1
85-UP	12	11		1
-- ICD 201 --(1960) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1960) ----				
20-24			1	
25-29		1		
30-34		2		
35-39	4	2		
40-44	2	7		
45-49	8	5	1	
50-54	5	4		
55-59	4	4		
60-64	8	8		
65-69	4	6	1	
70-74	7	4		
75-79	1	3		
80-84	1	5		
85-UP	1	3		
-- ICD 202.1 (1960) ----				
00-04	30	22	1	4
05-09	5	3	2	
10-14	10	3	1	1
15-19	9	2	1	
20-24	8	2	3	
25-29	4	1	2	1
30-34	8	4	2	
35-39	17	8	2	2
40-44	12	10	4	3
45-49	17	12	2	4
50-54	30	14	7	3
55-59	32	29		2
60-64	48	27	4	3
65-69	62	40	3	1
70-74	59	41	1	
75-79	36	43	3	2
80-84	21	14	1	
85-UP	15	22	1	1
-- ICD 203 --(1960) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1960) ----				
00-04	53	33	4	1
05-09	31	25	3	
10-14	27	5	3	
15-19	6	7	1	
20-24	5	2		
25-29	4	1	2	1
30-34	6	5		
35-39	13	11	5	1
40-44	33	17	3	2
45-49	63	21	9	4
50-54	90	41	5	9
55-59	136	67	14	7
60-64	214	103	15	10
65-69	281	145	11	10
70-74	308	177	18	9
75-79	261	181	9	9
80-84	174	129	2	4
85-UP	106	90	3	3
-- ICD 204.1 (1960) ----				
00-04	8	9	2	1
05-09	8	4	2	2
10-14	9	10		
15-19	19	8	1	3
20-24	10	6	2	1
25-29	23	7	8	1
30-34	36	30	4	3
35-39	51	33	3	5
40-44	52	38	7	5
45-49	53	60	2	6
50-54	82	58	2	10
55-59	103	80	7	6
60-64	120	106	6	12
65-69	152	121	7	6
70-74	159	124	2	2
75-79	150	119	4	4
80-84	74	74	1	1
85-UP	35	35	2	
-- ICD 204.2 (1960) ----				
00-04	6	11		3
05-09	8	5	1	1
10-14	12	11	1	2
15-19	17	17	2	
20-24	10	4	4	1
25-29	15	16	2	
30-34	13	16	3	2
35-39	21	21	2	
40-44	25	22	3	3
45-49	40	17	1	4
50-54	45	29	2	4
55-59	38	39	1	3
60-64	53	34	2	2
65-69	61	51	3	3
70-74	72	41	1	1
75-79	44	38	4	
80-84	30	24	1	
85-UP	7	9		
-- ICD 204.3 (1960) ----				
00-04	386	300	27	22
05-09	298	192	21	14
10-14	156	143	15	11
15-19	118	74	10	4
20-24	70	48	11	6
25-29	89	34	7	4
30-34	78	63	7	6
35-39	79	65	7	5
40-44	103	77	5	9
45-49	112	113	7	9
50-54	136	119	14	8
55-59	161	114	8	12
60-64	196	161	12	11
65-69	225	172	8	10
70-74	210	175	9	5
75-79	161	140	2	3
80-84	103	70	3	2
85-UP	55	37		1
-- ICD 204.4 (1960) ----				
00-04	86	40	7	6
05-09	48	36	2	3
10-14	25	11	3	1
15-19	9	10	2	1
20-24	9	2	1	
25-29	12	2		3
30-34	8	7	3	2
35-39	11	11	3	
40-44	10	11	2	2
45-49	15	12	9	6
50-54	32	15	3	2
55-59	47	22	9	7
60-64	66	47	3	8
65-69	100	59	9	5
70-74	100	69	6	5
75-79	74	76	2	
80-84	44	53	1	
85-UP	25	26	2	1
-- ICD 205 --(1960) ----				
25-29		1	1	1
35-39	3	1		
40-44	1	1	1	1
45-49	1	5		
50-54		1	1	
55-59	6	1		
60-64	5	1		
65-69	5	2		
70-74	7	4	1	
75-79	7	2		
80-84		1		
85-UP	2			
-- ICD 140.0 (1961) ----				
65-69	1			
75-79	2	1	1	
85-UP	1			
-- ICD 140.1 (1961) ----				
30-34	1			
45-49	1			
50-54	2			
55-59	2		1	
60-64	5	1		
65-69	6			
70-74	17	2		
75-79	8	2		
80-84	9			
85-UP	13			
-- ICD 140.9 (1961) ----				
15-19	1			
35-39	2			
40-44	3	1		
45-49	1			
50-54	4			
55-59	4			
60-64	12	1	1	1
65-69	23	3		
70-74	16	3		1
75-79	22	3		
80-84	18			
85-UP	18	2		
-- ICD 141.0 (1961) ----				
35-39	2		1	
40-44	4	2		
45-49	10	3	2	
50-54	10	4	1	1
55-59	20	4	1	
60-64	22	6	1	
65-69	17	4		
70-74	21	1	1	
75-79	7	2		
80-84	5			
85-UP	2	1		
-- ICD 141.7 (1961) ----				
45-49	4			
50-54	4		1	
55-59	3			
60-64	5			
65-69	3			
70-74	5	1		
75-79		2		
85-UP	2			
-- ICD 141.9 (1961) ----				
00-04	1			
25-29	1	1		
30-34	5	3		
35-39	3	7	2	
40-44	9	9	2	2
45-49	45	32	14	5
50-54	90	28	13	3
55-59	110	33	17	7
60-64	140	33	12	2
65-69	158	33	11	1
70-74	126	40	4	2
75-79	123	40	4	1
80-84	68	28		
85-UP	40	32		1
-- ICD 142.0 (1961) ----				
25-29	1			
30-34	3	4		
35-39	6	3		1
40-44	4	3		1
45-49	8	9	1	
50-54	10	7	4	2
55-59	33	12	5	
60-64	34	14	1	1
65-69	39	23	3	1
70-74	34	24	1	
75-79	35	23	1	1
80-84	29	21	2	
85-UP	25	24	1	1
-- ICD 142.7 (1961) ----				
20-24		1		
30-34		1		
35-39		1		
40-44	2			
45-49	3	1		
50-54	5	1	1	2
55-59	6	3		
60-64	5	4		2
65-69	6	4	1	1
70-74	6	3		
75-79	10	4		
80-84	5	5	1	
85-UP	1	5		
-- ICD 142.9 (1961) ----				
30-34	2			
40-44	1		1	
45-49	1	3		
50-54		2	1	1
55-59	2	2		
60-64	2	2		
65-69	3	1		
70-74	6	1		
75-79	4	3	1	1
80-84	2	3	1	
85-UP	4	3		
-- ICD 143 --(1961) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1961) ----				
00-04				1
10-14	1	1		
20-24				1
25-29	1			
30-34	1		1	1
35-39	2	3	2	2
40-44	14	4	2	3
45-49	37	8	3	2
50-54	45	21	5	6
55-59	66	13	5	1
60-64	86	25	11	4
65-69	90	29	3	3
70-74	106	38	10	4
75-79	75	40	2	1
80-84	60	41	4	2
85-UP	53	25	3	1
-- ICD 145.0 (1961) ----				
05-09	1			
30-34			1	
35-39	2	2		2
40-44	11	7	7	4
45-49	18	12	8	1
50-54	31	8	6	1
55-59	54	10	7	1
60-64	49	11	5	1
65-69	57	6	4	1
70-74	44	14	3	1
75-79	40	8		
80-84	13	3		
85-UP	11	2		
-- ICD 145.7 (1961) ----				
45-49	3			
50-54	3		2	
55-59	10	3	2	2
60-64	4		1	
65-69	4	1		2
70-74	3	2	1	
75-79	3	1		
80-84	1			
-- ICD 145.9 (1961) ----				
45-49	1			
50-54	1			
60-64			1	
65-69		1		
70-74				1
-- ICD 146 --(1961) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1961) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1961) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1961) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1961) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1961) ----				
30-34	1	1		
35-39	1			1
40-44	5			
45-49	5	6	1	
50-54	9	4	1	2
55-59	8	9	1	1
60-64	10	14	1	
65-69	24	17	1	2
70-74	17	19	4	1
75-79	7	12	2	2
80-84	9	12	2	
85-UP	4	10		
-- ICD 152.7 (1961) ----				
00-04	1			
15-19		1		
20-24	1			
25-29	1			
30-34	3	1		1
35-39	7	7		
40-44	9	7		
45-49	7	7	1	4
50-54	9	7	2	
55-59	8	13	3	
60-64	14	19	3	2
65-69	12	13	4	1
70-74	15	16	1	
75-79	14	20	2	1
80-84	12	8		
85-UP	3	5		
-- ICD 152.9 (1961) ----				
10-14				1
20-24	1			1
25-29	1			
30-34	1	1		
35-39	4	1		1
40-44	8	5		
45-49	9	8	1	1
50-54	6	10		1
55-59	21	8	1	2
60-64	14	13	1	3
65-69	12	20	3	2
70-74	13	15	2	1
75-79	8	11	1	
80-84	10	10		
85-UP	5	15		
-- ICD 153.0 (1961) ----				
00-04	1	1		1
10-14	1			
15-19	1	1	1	
20-24	1	3		1
25-29	3	1	1	
30-34	11	7	2	1
35-39	25	22	5	6
40-44	29	36	4	1
45-49	60	69	4	8
50-54	85	87	9	12
55-59	140	166	14	22
60-64	196	212	15	18
65-69	263	315	26	18
70-74	342	425	17	20
75-79	257	402	9	14
80-84	198	293	4	8
85-UP	125	214	10	13
-- ICD 153.1 (1961) ----				
00-04	1			
10-14		1		
15-19	3		1	
20-24	1	3	1	1
25-29	5	2	1	1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 153.1 (1961) CONTD---				
30-34	3	1	1	1
35-39	11	10	1	1
40-44	21	20		
45-49	26	40	4	5
50-54	45	54	2	3
55-59	70	79	3	4
60-64	70	103	8	5
65-69	115	118	6	12
70-74	127	127	4	5
75-79	94	127	10	6
80-84	71	89		1
85-UP	31	60	1	
-- ICD 153.2 (1961) ----				
20-24	1	1		
25-29	3		1	
30-34	3	3	1	
35-39	3	13	1	1
40-44	14	24		3
45-49	22	35		2
50-54	25	48	7	3
55-59	36	49	8	2
60-64	79	77	4	7
65-69	82	107	5	10
70-74	106	89	5	10
75-79	85	106	3	3
80-84	56	81	3	2
85-UP	36	67	1	
-- ICD 153.3 (1961) ----				
15-19	2	1	1	
20-24	3	2	1	1
25-29	4	4	4	
30-34	5	18	3	2
35-39	15	36	2	8
40-44	43	77	3	13
45-49	90	147	8	13
50-54	167	204	11	20
55-59	221	281	18	29
60-64	346	361	21	31
65-69	494	469	28	18
70-74	517	493	23	15
75-79	497	463	11	19
80-84	293	328	7	4
85-UP	179	283	4	8
-- ICD 153.7 (1961) ----				
30-34		1		
45-49	1	2	1	
50-54	2	2		
55-59	4	3		
60-64	6	2	1	1
65-69	1	6	2	
70-74	7	7		
75-79	5	6		
80-84	1	3		
85-UP	1	1		
-- ICD 153.8 (1961) ----				
00-04		1		
10-14		1		1
15-19	4	2	2	2
20-24	14	6	1	
25-29	10	13	3	
30-34	35	34	6	4
35-39	61	85	9	12
40-44	102	128	10	29
45-49	209	286	19	38
50-54	347	447	45	56
55-59	530	617	56	66
60-64	740	831	81	112
65-69	1004	979	69	99
70-74	1136	1132	80	82
75-79	985	1110	48	70
80-84	619	891	26	40
85-UP	353	662	22	27
-- ICD 153.9 (1961) ----				
25-29		1	1	
30-34	2	1		
35-39	2	8		1
40-44	10	16	2	
45-49	23	15	3	4
50-54	37	42	3	4
55-59	40	72	6	3
60-64	77	82	7	10
65-69	68	118	12	9
70-74	110	141	5	13
75-79	104	132	9	7
80-84	79	135	6	3
85-UP	46	110	1	6
-- ICD 154 --(1961) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1961) ----				
00-04	16	10		2
05-09	3	4		
10-14	1	2		
15-19	2			
20-24	2	1	1	
25-29	4	5	1	
30-34	4	4	3	2
35-39	8	11	9	4
40-44	16	22	15	4
45-49	50	22	16	2
50-54	89	45	30	6
55-59	139	54	33	7
60-64	173	64	38	12
65-69	176	99	24	9
70-74	184	112	15	12
75-79	115	94	11	5
80-84	66	72	3	
85-UP	24	50	4	1
-- ICD 155.1 (1961) ----				
00-04	2			1
25-29	2			
30-34	4	5		1
35-39	9	16	2	2
40-44	15	25	2	5
45-49	45	53	3	6
50-54	58	115	9	19
55-59	95	199	8	23
60-64	188	394	8	31
65-69	246	470	18	23
70-74	280	536	13	18
75-79	228	459	7	19
80-84	131	283	7	7
85-UP	62	185	4	4
-- ICD 155.8 (1961) ----				
55-59		1		
70-74	1			
-- ICD 156 --(1961) ----				
00-04	5	4	1	
05-09		2		1
10-14	2	1		
15-19	1	1		1
20-24	1	1	1	
25-29	3	1	2	
30-34	11	6		4
35-39	15	18	2	10
40-44	27	20	13	6
45-49	62	53	14	18
50-54	117	87	27	29
55-59	198	136	43	17
60-64	295	185	52	33
65-69	341	257	46	35
70-74	368	307	42	26
75-79	270	289	23	16
80-84	156	229	10	10
85-UP	108	146	7	7
-- ICD 157 --(1961) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1961) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1961) ----				
20-24	1			
25-29	1	1	1	
30-34	1	1		
35-39	2	1		2
40-44	7	7	3	2
45-49	10	9	5	6
50-54	11	16	5	7
55-59	24	21	5	6
60-64	33	25	17	8
65-69	47	45	15	8
70-74	64	65	8	10
75-79	76	61	9	6
80-84	48	73	4	5
85-UP	44	79	4	3
-- ICD 160.0 (1961) ----				
35-39	1			
40-44	3	2		
50-54	3	1	1	
55-59			2	
60-64	8	1	1	2
65-69	6	6	1	
70-74	14	4		
75-79	12	4		1
80-84	11	3		
85-UP	7	17		
-- ICD 160.1 (1961) ----				
00-04	2			
05-09	1			
25-29		1		
45-49	1	2		
50-54		2		1
55-59	1	2		
60-64	1	2		
65-69	2	1		
70-74		1		
75-79	2	1		
80-84	1	3		
85-UP	1			
-- ICD 160.2 (1961) ----				
00-04		1		
05-09		1		
10-14		1		
15-19				2
25-29	1			
30-34	1		1	
35-39	2	1	1	
40-44	6	3		
45-49	13	4	2	3
50-54	12	8	5	1
55-59	21	15	4	1
60-64	21	11	4	2
65-69	21	16	6	1
70-74	19	16	5	
75-79	22	22	1	1
80-84	8	8		1
85-UP	7	5		
-- ICD 160.7 (1961) ----				
15-19	2		1	
20-24		1		
25-29		1		
30-34				1
35-39	2			
40-44	2	1		
45-49	3	2		
50-54	2	4		1
55-59	6	1	1	1
60-64	10	3		
65-69	5	3	1	
70-74	5	1		
75-79	6	2		
80-84		1		1
-- ICD 160.8 (1961) ----				
55-59	1			
65-69	2			
70-74	1			
75-79	1	2		
80-84	1			
85-UP	1			
-- ICD 160.9 (1961) ----				
00-04				1
05-09	1			
10-14		1		
35-39	1	1		
40-44	3	1		
45-49	3	2		
50-54	2	2		
55-59		3	1	
60-64	3	2		
65-69	4			1
70-74	4	1		1
75-79	2			
80-84	2	1		
85-UP			1	
-- ICD 161 --(1961) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1961) ----				
15-19		1		
25-29		1		
30-34	1			
35-39	1			
40-44	1			
45-49	6	2	1	
50-54	14	5		
55-59	4	3		1
60-64	17	1		
65-69	14	3		
70-74	4	1		
75-79	5	5		
80-84	3	2	1	
85-UP	1	1		
-- ICD 162.1 (1961) ----				
00-04	3	1		1
05-09	1			
15-19	2			
20-24	4	4		
-- ICD 162.1 (1961) CONTD---				
25-29	13	4	3	1
30-34	59	14	12	2
35-39	159	63	35	8
40-44	437	119	86	19
45-49	921	177	131	16
50-54	1516	240	226	24
55-59	2212	266	219	35
60-64	2824	308	292	27
65-69	3143	322	273	28
70-74	2272	290	135	19
75-79	1137	225	71	6
80-84	474	127	26	5
85-UP	210	72	11	3
-- ICD 162.2 (1961) ----				
45-49			1	
50-54	1	2		
55-59	1	1		
60-64	3			
65-69	3	1		
70-74	1	2		
75-79	2			
80-84	2	2		
-- ICD 162.8 (1961) ----				
40-44		1		
50-54	1			
55-59	1	1		
60-64	2			
65-69	2			
-- ICD 163 --(1961) ----				
00-04	1	5		
10-14	1	1		
15-19	7		1	
20-24	4	1	1	
25-29	18	5		
30-34	62	22	12	8
35-39	145	63	26	4
40-44	356	130	65	20
45-49	707	215	106	27
50-54	1465	266	178	47
55-59	2171	335	245	50
60-64	2714	355	240	35
65-69	2827	424	210	34
70-74	2275	404	120	31
75-79	1330	371	63	10
80-84	561	225	33	8
85-UP	245	154	22	6
-- ICD 164 --(1961) ----				
00-04	2	3		
05-09	1	2		
10-14	1	1		
15-19	3	2		
20-24	8	1		
25-29	5	2		1
30-34	3	1		
35-39	10	4	2	2
40-44	7	3	1	
45-49	11	8	2	1
50-54	22	5	3	1
55-59	27	4	3	1
60-64	22	3	2	
65-69	31	5	4	1
70-74	22	9	1	1
75-79	9	10		
80-84	5	8		
85-UP	5	1		
-- ICD 165 --(1961) ----				
05-09	1			
10-14	1			
15-19		3		
20-24	3			
25-29	5			1
30-34	4	3		
35-39	7	5	1	1
40-44	14	3	2	2
45-49	31	19	4	4
50-54	50	28	11	3
55-59	61	22	5	4
60-64	84	34	7	8
65-69	78	40	6	3
70-74	75	48	6	4
75-79	68	39	2	3
80-84	29	39	1	2
85-UP	7	21	1	1
-- ICD 170 --(1961) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1961) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1961) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1961) ----				
15-19		2		1
20-24		6		1
25-29		11		2
30-34		10		2
35-39		1		3
40-44		2		1
45-49		2		1
50-54		2		
55-59		1		3
60-64		3		1
65-69		1		1
70-74		2		
-- ICD 174 --(1961) ----				
00-04		1		
10-14		1		
20-24		2		1
25-29		9		4
30-34		20		13
35-39		50		14
40-44		102		29
45-49		171		60
50-54		271		80
55-59		411		88
60-64		492		94
65-69		620		87
70-74		597		101
75-79		493		48
80-84		294		22
85-UP		200		23
-- ICD 175.0 (1961) ----				
00-04		5		
05-09		4		2
10-14		19		3
15-19		18		4
20-24		22		2
25-29		28		5
30-34		48		13
35-39		189		28
40-44		393		46
45-49		746		80
50-54		897		84
55-59		937		80
60-64		1056		83
65-69		1126		59
70-74		877		50
75-79		594		14
80-84		289		12
85-UP		175		13
-- ICD 175.1 (1961) ----				
25-29		1		
30-34		1		
40-44		4		2
45-49		17		4
50-54		15		1
55-59		16		2
60-64		10		1
65-69		8		
70-74		13		
75-79		3		
80-84		2		
-- ICD 175.8 (1961) ----				
35-39				1
50-54		1		
55-59		1		
60-64		1		
65-69		2		1
70-74		2		
75-79		1		1
-- ICD 175.9 (1961) ----				
65-69		2		
70-74		1		
85-UP		1		
-- ICD 176.0 (1961) ----				
05-09		1		
20-24		1		
25-29		1		1
30-34		1		2
35-39		5		
40-44		8		5
45-49		14		12
50-54		21		5
55-59		22		3
60-64		38		10
65-69		66		7
70-74		80		4
75-79		79		1

AGE	WM	WF	NM	NF
-- 176.0 (1961) CONTD---				
80-84	74			3
85-UP	51			1
-- ICD 176.1 (1961) ----				
00-04	3			
05-09	1			
25-29	1			1
30-34	3			3
35-39	8			1
40-44	7			3
45-49	12			2
50-54	21			3
55-59	22			2
60-64	30			6
65-69	38			4
70-74	37			3
75-79	30			
80-84	25			2
85-UP	11			
-- ICD 176.7 (1961) ----				
40-44	1			
50-54	3			
55-59				1
60-64	1			
65-69	2			
75-79	1			
-- ICD 176.8 (1961) ----				
50-54	1			
55-59	1			
70-74	1			
75-79	5			
80-84	1			
85-UP	3			
-- ICD 176.9 (1961) ----				
40-44	2			1
55-59				1
60-64	1			
65-69	6			2
70-74	1			
75-79	4			2
80-84	3			
85-UP	8			
-- ICD 177 --(1961) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1961) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1961) ----				
25-29	2			
30-34	1			
35-39	3			3
40-44	6			1
45-49	10			2
50-54	12			10
55-59	21			12
60-64	22			6
65-69	23			12
70-74	19			5
75-79	31			6
80-84	27			6
85-UP	22			5
-- ICD 179.1 (1961) ----				
00-04	1			
50-54	1			1
55-59	4			
60-64	2			
65-69	1			
70-74	4			
75-79	1			
80-84	2			
-- ICD 179.7 (1961) ----				
05-09	2			
10-14	1			
30-34	1			
45-49	1			
50-54	1			
60-64	1			
65-69	3			
70-74	3			
75-79	2			
-- ICD 179.8 (1961) ----				
50-54				1
70-74	1			
-- ICD 179.9 (1961) ----				
45-49				1
60-64	1			

AGE	WM	WF	NM	NF
-- 179.9 (1961) CONTD---				
75-79	1			
80-84	1			
85-UP	1			
-- ICD 180 --(1961) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1961) ----				
00-04	3	1		
05-09	4			1
25-29	2	1	2	
30-34	4	7	1	1
35-39	16	5	1	1
40-44	30	18	15	9
45-49	110	35	17	13
50-54	209	60	41	29
55-59	358	92	40	19
60-64	600	173	52	32
65-69	827	270	65	35
70-74	991	361	67	34
75-79	831	395	29	17
80-84	601	379	19	15
85-UP	386	311	14	6
-- ICD 181.7 (1961) ----				
30-34		1		
35-39		1		1
40-44	1	3		
45-49	3	3	3	2
50-54	3	5	5	3
55-59	5	8	2	1
60-64	8	9	1	1
65-69	8	15		2
70-74	9	9	2	1
75-79	12	15		
80-84	3	11		
85-UP	1	5		
-- ICD 181.8 (1961) ----				
50-54				1
65-69	1			1
75-79	1	1		
80-84	1	1		
85-UP	1			
-- ICD 190.0 (1961) ----				
35-39	1			
-- ICD 190.1 (1961) ----				
65-69	1			
70-74	1			
80-84		1		
-- ICD 190.2 (1961) ----				
15-19	1			
25-29	1			
30-34	2			
35-39	1			
40-44	1	1		
50-54		1		
60-64	1	1		
65-69	1	1		
70-74	1			
85-UP		1		
-- ICD 190.3 (1961) ----				
25-29	1	2		
30-34	2	1		
35-39		1		
40-44	2	1		1
45-49		1		
50-54	3	1		
55-59	4	3		
60-64	5	1		
65-69	10	4		
70-74	2	3		
75-79	5	4		
80-84	2	3		
85-UP	3	4		
-- ICD 190.4 (1961) ----				
15-19	1			
20-24	1			
25-29	4	2		
30-34	2			
35-39	2	1		
40-44	1	5		
45-49	9	2		
50-54	2	1		
55-59	2	1		
60-64	4	3		
65-69	5	5		
70-74	4	2		
75-79	3	3		
80-84	2	2		

AGE	WM	WF	NM	NF
-- 190.4 (1961) CONTD---				
85-UP		2		
-- ICD 190.5 (1961) ----				
00-04	1			
20-24	4	2		
25-29	5	3		
30-34	8	5		1
35-39	20	11		1
40-44	25	9		
45-49	14	15		
50-54	8	8		
55-59	14	4		1
60-64	21	8	1	
65-69	23	19		1
70-74	12	11	2	
75-79	5	7		
80-84	3	2		
85-UP	4	2		
-- ICD 190.6 (1961) ----				
15-19	1			
20-24	1	2		
25-29	4	2		
30-34	4	5		
35-39	9	6		
40-44	3	9		
45-49	7	7		
50-54	9	4		
55-59	7	4		
60-64	4	3		
65-69	3	6		
70-74	8	5		
75-79	3	5		
80-84	1	1		
85-UP	2	1		1
-- ICD 190.7 (1961) ----				
15-19	1	1		
20-24	3	1		
25-29		5		
30-34	3	5		
35-39	9	14		
40-44	7	9		
45-49	7	12		
50-54	8	17	1	1
55-59	7	22	2	
60-64	8	16	1	1
65-69	15	10		
70-74	17	13	1	
75-79	7	15		
80-84	8	9	1	
85-UP	3	6		
-- ICD 190.8 (1961) ----				
35-39		1		
40-44	1			
50-54	1			
60-64	1	1		
65-69	3			
70-74		2		
75-79		1		
80-84	2			
85-UP	1			
-- ICD 190.9 (1961) ----				
00-04	1			
15-19	6	4		
20-24	21	8		
25-29	26	28	1	
30-34	54	37	2	
35-39	60	57		
40-44	62	47	1	1
45-49	70	67	1	
50-54	87	51	2	
55-59	71	47	4	2
60-64	77	52		5
65-69	73	68	4	2
70-74	60	60	5	1
75-79	54	42		2
80-84	25	33	1	
85-UP	16	18	1	
-- ICD 191.0 (1961) ----				
35-39	1			
40-44	5			
45-49	4			
50-54	4			
55-59	3			1
60-64	5	1		
65-69	8	1		
70-74	9	3		
75-79	12			
80-84	11	5		
85-UP	12	2		

AGE	WM	WF	NM	NF
-- ICD 191.1 (1961) ----				
15-19	1			
35-39	1			
45-49	1	1		
50-54	1		1	
55-59		1		
60-64	1			
65-69	3	1		
70-74	1			1
75-79	1			
80-84	1	3		
85-UP	3	3		1
-- ICD 191.2 (1961) ----				
40-44	2	1		
50-54	3			
55-59	3			
60-64	3			
65-69	6	5		
70-74	7			
75-79	8	3		
80-84	7	2		
85-UP	12	7		
-- ICD 191.3 (1961) ----				
00-04	2			
05-09		1		
15-19	1			
30-34			2	
35-39	1			
40-44	2	1	1	
45-49	9	3	3	1
50-54	8	5		
55-59	13	7	2	
60-64	32	9	2	1
65-69	35	16		1
70-74	49	35	1	1
75-79	64	35	1	
80-84	69	54		1
85-UP	91	103	1	
-- ICD 191.4 (1961) ----				
00-04	1			
30-34	1			
40-44	3	3		
45-49	6	3		
50-54	7	4	1	
55-59	16	4		
60-64	15	3	1	
65-69	18	7	1	2
70-74	30	7		
75-79	17	11	1	1
80-84	13	11		
85-UP	15	15		1
-- ICD 191.5 (1961) ----				
05-09				1
15-19	1			
20-24	1	1		
25-29		1		
30-34	2	1		
35-39	1	2	1	1
40-44	2	3	2	
45-49	4	3	1	3
50-54	6	8	1	3
55-59	10	7	2	3
60-64	8	16	3	4
65-69	12	15	2	2
70-74	16	15	1	4
75-79	15	20	1	
80-84	11	9		
85-UP	5	10		
-- ICD 191.6 (1961) ----				
40-44	1			
45-49	1			
50-54	2	1		
55-59	3	1		
60-64	4	1		
65-69	2	3		
70-74	5	2		
75-79	5	1	1	
80-84	7	2		
85-UP	5	3		1
-- ICD 191.7 (1961) ----				
30-34	1			
35-39		1	1	
40-44	1	1		
45-49	2		1	
50-54		1		1
55-59	2	1		
60-64	4	4		3
65-69	5	1		1
70-74	4	3		
75-79	9	3		

AGE	WM	WF	NM	NF
-- 191.7 (1961) CONTD---				
80-84	1	3		
85-UP	3	2		
-- ICD 191.8 (1961) ----				
40-44				1
45-49	1			
50-54	1			
55-59		1		
60-64	1			
65-69	3	4		
70-74	3	2		
75-79	7			
80-84	3	6		
85-UP	5	3		
-- ICD 191.9 (1961) ----				
00-04	1			
10-14		1		
15-19	1			
20-24		1		
25-29	2			1
30-34		3	1	
35-39	1	3		1
40-44	5		4	
45-49	12	3		1
50-54	10	7	6	
55-59	19	6		4
60-64	31	9	3	3
65-69	34	12	1	
70-74	27	12	4	2
75-79	28	18	1	
80-84	18	17	2	1
85-UP	23	15		
-- ICD 192 --(1961) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1961) ----				
00-04	94	83	12	12
05-09	100	79	19	23
10-14	92	68	7	10
15-19	48	51	7	3
20-24	32	31	6	5
25-29	58	54	4	7
30-34	119	78	3	12
35-39	156	131	5	11
40-44	181	134	8	8
45-49	252	200	14	9
50-54	349	245	15	9
55-59	369	225	12	12
60-64	357	253	18	8
65-69	266	191	7	8
70-74	147	91	4	3
75-79	49	28	1	1
80-84	11	8	2	1
85-UP	4	4		
-- ICD 193.1 (1961) ----				
00-04	2	2	1	
05-09	4	2		
10-14		3		1
15-19	2	1	1	2
20-24	3			
25-29	4	1		
30-34	3	1		
35-39	5	3		
40-44		7		
45-49	7	1	2	1
50-54	7	5	4	
55-59	9	8	1	1
60-64	8	2	1	1
65-69	8	5	1	1
70-74	9	6		
75-79	4	2		
80-84	2	2		1
85-UP	1	1		
-- ICD 193.2 (1961) ----				
00-04	1			
05-09		2		
15-19		1		
20-24	2			
25-29				1
30-34	2			
35-39	1	1	1	
45-49	4	1		
50-54	4	3		
55-59	4			
60-64	2	4		
65-69	2	2		1
70-74	1	1		
75-79	1			
-- ICD 193.3 (1961) ----				
05-09		1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 193.3 (1961) CONTD---				
10-14	2			
15-19	3	2		
20-24	1	3		
25-29	4	1		
30-34	3	2	1	
35-39		1		
40-44	2	2		
45-49	4	1		1
50-54	1	1		
55-59	2	2	1	
60-64	1	3		
65-69	7	2	1	
70-74	3	3		
75-79	1	1		
80-84	2			
85-UP	1	1		
-- ICD 193.4 (1961) ----				
00-04	103	57	8	7
05-09	33	36	3	4
10-14	5	10		
15-19	12	5		
20-24	2	3	2	
25-29	1			
30-34	3	2		
35-39	1	3		
40-44	3	1		1
45-49	1	3		
50-54	1	2	1	1
55-59	1	2		
60-64	1	1		
65-69	2	2	1	
75-79	1			
80-84	3	1		
85-UP		1		
-- ICD 193.8 (1961) ----				
00-04	2	2		
05-09	1			
10-14	1			
25-29	1			
30-34	2			
45-49	1	2		
50-54	1			
55-59	1			
60-64	1			
80-84		1		
-- ICD 193.9 (1961) ----				
00-04	13	12	2	2
05-09	24	9		3
10-14	17	11	1	3
15-19	7	5	4	2
20-24	4	3		
25-29	13	8	3	1
30-34	22	14		1
35-39	27	23	5	4
40-44	38	29	3	
45-49	52	35	4	2
50-54	66	24	4	1
55-59	70	44	4	2
60-64	62	35	4	2
65-69	51	20	3	1
70-74	18	17		
75-79	10	7		
80-84	2	1	1	
85-UP	3	1		
-- ICD 194 --(1961) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1961) ----				
00-04	16	16	2	3
05-09	6	6	1	
10-14	2	2		
15-19		5		
20-24	1	2		
25-29	1	5		1
30-34	5	7		
35-39	5	8	1	
40-44	15	10	1	1
45-49	15	12	2	1
50-54	17	14	3	
55-59	29	14		
60-64	26	10	1	2
65-69	15	7		
70-74	14	9		
75-79	5	4	1	
80-84	2	1		1
85-UP	1			
-- ICD 195.1 (1961) ----				
35-39	1			
45-49	1			
50-54	1	1		

AGE	WM	WF	NM	NF
-- 195.1 (1961) CONTD---				
55-59	1	1		
65-69		1		
75-79	1			
-- ICD 195.2 (1961) ----				
00-04	1			
05-09	1	1		
10-14	3			
15-19	1			
20-24	1		2	
25-29	3	1		
30-34	1	1		
35-39	5	3		1
40-44	3	3		
45-49	5	6		
50-54	4	4	1	
55-59	3	4		
60-64	6			
65-69	2	2		
70-74	3	3		
75-79	2	1		1
-- ICD 195.3 (1961) ----				
05-09	1	1		
10-14	2	1		
20-24			1	
25-29		3		
30-34	1			
35-39		2		
45-49	2	1	1	1
50-54		1		
55-59	2	2	1	1
60-64	3			
65-69	1	3		
70-74	1	1		
75-79		1		
80-84		1		
85-UP			1	
-- ICD 195.4 (1961) ----				
00-04	1			
10-14	1			
15-19	2			
25-29	1			
35-39	1			
70-74	1			
80-84		1		
-- ICD 195.7 (1961) ----				
00-04	1			
30-34		1	1	
35-39	1			
45-49	1			
60-64	2			
70-74	1	1		
85-UP	1			
-- ICD 196.0 (1961) ----				
00-04			2	1
05-09	2	2		
10-14	1			
15-19	1	1		1
25-29	2	1		1
30-34	3	4		
35-39		6		1
40-44	4	5		
45-49	5	4		1
50-54	11	4	1	
55-59	9	10	2	2
60-64	18	8	5	2
65-69	21	10	3	1
70-74	32	7	2	1
75-79	15	15		1
80-84	10	9	1	
85-UP	10	9	1	
-- ICD 196.1 (1961) ----				
00-04	1	1		
05-09	2	1		
15-19		1		
20-24	1			
25-29	3			
30-34		1	1	
35-39	1	1	1	1
40-44			1	
45-49	3	4	2	
50-54	11	3	1	2
55-59	16	3		2
60-64	9	5		
65-69	10	4	2	1
70-74	16	6	1	2
75-79	12	7	1	1
80-84	16	12		
85-UP	8	2		1

AGE	WM	WF	NM	NF
-- ICD 196.2 (1961) ----				
00-04		1		
05-09	1			
10-14	1	1	1	
15-19	1			
20-24	1	2		
25-29	2	2		
30-34	1	1		
35-39	4	4		1
40-44	4	7		
45-49	7	4	1	
50-54	18	5		1
55-59	15	19	1	2
60-64	22	12		2
65-69	21	20	3	2
70-74	28	23	2	
75-79	15	13		
80-84	7	5	1	
85-UP	2	3	1	
-- ICD 196.3 (1961) ----				
05-09		1		1
10-14		1		
15-19	1	2		
20-24	1			
30-34	1			
35-39		1		
45-49	4	3		
50-54	3	3	1	
55-59	4	3		
60-64	4	3	1	
65-69	6	3		
70-74	2	3		1
75-79	4	5		
80-84	4			
85-UP	2			
-- ICD 196.4 (1961) ----				
00-04	2			
05-09	3	3		
10-14	2	4	1	1
15-19	3	4		
20-24		1		
25-29	1		1	1
30-34	1	1		
40-44	2			
45-49	1	5		
50-54	6		1	
55-59	1	2		
60-64	3			
65-69	3	2	1	
70-74	10	3	1	
75-79	3	4	1	
80-84	1	3		
85-UP		4		
-- ICD 196.5 (1961) ----				
10-14	1			
30-34	1			
65-69	1			
70-74		1		
75-79		1		
-- ICD 196.6 (1961) ----				
00-04		2		
05-09	2			
10-14	3	4		1
15-19	6	3	1	
20-24	1	1		
25-29	2	2		
30-34	2	1		
35-39	2	1		
40-44	1	2	2	
45-49	5	8		2
50-54	9	3	1	1
55-59	11	1	1	1
60-64	12	9	1	
65-69	10	10		
70-74	12	10	2	
75-79	7	6		
80-84	3	2		
85-UP	3	2		
-- ICD 196.7 (1961) ----				
00-04			1	
05-09	5	7		1
10-14	19	18	4	3
15-19	32	16	4	
20-24	16	6	2	1
25-29	8	5		
30-34	2	1	2	
35-39	5	3	1	1
40-44	4	2		
45-49	8	5		
50-54	9	5		
55-59	7	11	1	1

AGE	WM	WF	NM	NF
-- 196.7 (1961) CONTD---				
60-64	7	4		1
65-69	16	10		1
70-74	11	13	1	
75-79	10	10	1	
80-84	9	7	1	
85-UP	4	7		
-- ICD 196.8 (1961) ----				
10-14	2			
15-19		2		
20-24	1			1
25-29	1			1
35-39		1		
40-44	1			
45-49	1			
50-54		1		
55-59	1			
60-64	1			
65-69	2			
-- ICD 196.9 (1961) ----				
00-04		2		
05-09	7	11	1	
10-14	18	23	1	
15-19	27	17	2	
20-24	10	2		
25-29	6			
30-34		4		1
35-39	3	4		1
40-44	3	4	1	
45-49	4	9		2
50-54	14	6	1	3
55-59	16	13	2	
60-64	15	13	2	1
65-69	26	14	1	
70-74	14	17	2	
75-79	11	10		
80-84	4	3		
85-UP	2	3		
-- ICD 197.0 (1961) ----				
00-04	1	3	1	
05-09	2	1		
15-19	1	1		
20-24	1	2		
25-29	1			
30-34	1			
40-44	2	1		
45-49		1		
50-54	1	1		
55-59	5	2		
60-64	3	1	1	
65-69	4	2		
70-74	5	2		
75-79		1		
80-84		3		
85-UP		3		
-- ICD 197.1 (1961) ----				
00-04	1	5		
05-09	1			
10-14		2		
15-19	6	5		1
20-24	1			
25-29	2	3	1	1
30-34	2	2		
35-39	6	6		1
40-44	3	2	1	
45-49	11	10		
50-54	4	5		
55-59	9	8	1	1
60-64	9	10	1	
65-69	8	14	1	1
70-74	9	6		1
75-79	6	5		
80-84	6	2	1	1
85-UP	1	3		
-- ICD 197.2 (1961) ----				
20-24	2	1		
25-29	2	2		
30-34	1			
35-39	2	1		
40-44	1	2		
45-49	1	1		
50-54	2	2		
55-59	5	2	1	
60-64	5	2		
65-69	4			
70-74	4	2		
75-79	7	3		
80-84	3	1		
85-UP	1	1		

AGE	WM	WF	NM	NF
-- ICD 197.3 (1961) ----				
00-04	1	3		1
05-09	1	3		
10-14	1			
15-19	4	1		1
20-24	4	4	2	
25-29	4		1	
30-34	3	2		
35-39	12	5		
40-44	8	2		1
45-49	7	7	1	1
50-54	7	6	1	1
55-59	11	12	2	1
60-64	13	12	3	2
65-69	17	10	3	2
70-74	13	12		2
75-79	10	13	1	
80-84	6	15		2
85-UP	6	7		
-- ICD 197.8 (1961) ----				
00-04		1		
20-24		1		
25-29				1
35-39		1		
45-49	1			
65-69		1		
-- ICD 197.9 (1961) ----				
00-04	18	10		
05-09	4	3	1	1
10-14	4	6		1
15-19	7	8		1
20-24	2	6		
25-29		1	1	3
30-34	4	6		2
35-39	10	6	2	1
40-44	20	7	2	1
45-49	8	13	2	2
50-54	26	16	4	3
55-59	32	22	1	2
60-64	17	19	1	3
65-69	28	26	4	1
70-74	25	14	1	3
75-79	9	13		2
80-84	5	9		
85-UP	6	6	1	1
-- ICD 198.0 (1961) ----				
25-29		2		
35-39		1		
40-44	2			
45-49	1	1		1
50-54	1	2	2	1
55-59	5	4	2	1
60-64	10	3	1	
65-69	8	7		
70-74	8	4		
75-79	9	3	1	
80-84	5	2		
85-UP	2	3	1	
-- ICD 198.1 (1961) ----				
45-49	1			
55-59	1			
60-64	1			
65-69	2	1		
75-79	1			
-- ICD 198.2 (1961) ----				
35-39	1			
60-64		2		
65-69	3	3		
70-74	1			
75-79		1		
80-84		1		
-- ICD 198.3 (1961) ----				
70-74		2		
80-84	1			
-- ICD 198.4 (1961) ----				
30-34	1			
50-54		1		
65-69	2			
70-74	2			
75-79	1			
80-84	1			
85-UP		1		
-- ICD 198.7 (1961) ----				
50-54				1
55-59		1		1
65-69		1		
75-79	1			
85-UP		1		

AGE	WM	WF	NM	NF
-- ICD 198.8 (1961) ----				
45-49		2		
55-59	1			
60-64		1		
65-69		1		
70-74		1		
75-79		2		
80-84		3		
85-0P		1		
-- ICD 198.9 (1961) ----				
20-24	1			
40-44		1		
45-49	1	1		
50-54	2			
55-59	2	1		
60-64	6	1		
65-69	2	1		
70-74	3			
75-79	1		1	
80-84		2		
85-0P		1		
-- ICD 199 --(1961) ----				
00-04	23	27	3	2
05-09	10	9	1	
10-14	16	13	1	6
15-19	18	15	3	1
20-24	22	13	4	4
25-29	30	23	6	2
30-34	33	44	8	6
35-39	65	88	14	26
40-44	143	145	28	43
45-49	280	254	49	60
50-54	439	412	80	86
55-59	592	491	86	105
60-64	739	669	105	121
65-69	896	794	100	103
70-74	835	876	83	92
75-79	747	744	68	59
80-84	451	580	31	36
85-UP	295	461	31	27
-- ICD 200.0 (1961) ----				
00-04	5	3	3	
05-09	18	1	1	
10-14	19	7	1	
15-19	9	14	1	2
20-24	16	9	3	
25-29	14	13	1	
30-34	24	13	2	1
35-39	37	12	3	3
40-44	56	27	2	1
45-49	58	41	2	3
50-54	61	40	9	6
55-59	100	68	6	5
60-64	94	73	9	2
65-69	88	83	2	1
70-74	89	94	3	2
75-79	42	56	3	2
80-84	26	25	1	1
85-UP	9	19	2	1
-- ICD 200.1 (1961) ----				
00-04	20	9		1
05-09	53	13	1	1
10-14	46	11	8	
15-19	31	16	4	1
20-24	22	6	5	2
25-29	30	21	1	1
30-34	27	11	3	1
35-39	55	41	5	1
40-44	73	61	9	9
45-49	109	81	14	9
50-54	163	123	7	6
55-59	228	157	17	6
60-64	246	180	16	8
65-69	303	228	18	11
70-74	288	213	17	5
75-79	188	169	9	3
80-84	83	77	1	2
85-UP	36	41	1	
-- ICD 200.2 (1961) ----				
00-04	12	7		2
05-09	11	5	1	1
10-14	12	5	4	1
15-19	7	4	2	1
20-24	11	3	1	1
25-29	8	2		2
30-34	5	8	2	4
35-39	10	9	3	
40-44	24	20	5	4
45-49	30	23	8	1
50-54	52	40	6	5
55-59	64	59	4	3

AGE	WM	WF	NM	NF
-- 200.2 (1961) CONTD---				
60-64	66	52	6	3
65-69	103	66	10	
70-74	75	75	6	4
75-79	59	56	4	3
80-84	34	28	1	2
85-0P	10	16	1	3
-- ICD 201 --(1961) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1961) ----				
10-14	1			
15-19	1			
30-34	1	1		
35-39	2	3	1	
40-44	5	6		
45-49	4	5		1
50-54	5	6		1
55-59	7	11	1	
60-64	8	9		
65-69	8	18		
70-74	1	7		
75-79	3	1		
80-84	1			
85-UP		3		
-- ICD 202.1 (1961) ----				
00-04	39	29	10	6
05-09	8	4	1	2
10-14	4	2	1	
15-19	4	6	1	1
20-24	4	3	1	1
25-29	10	3		
30-34	7	5	3	1
35-39	18	6	3	1
40-44	13	13	3	1
45-49	32	25	1	3
50-54	28	18	5	5
55-59	50	28	5	6
60-64	46	40	5	3
65-69	70	39	4	1
70-74	50	64	1	1
75-79	46	35	2	1
80-84	27	19	1	
85-UP	17	17		
-- ICD 203 --(1961) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1961) ----				
00-04	41	34	1	2
05-09	29	19	2	
10-14	12	8	1	1
15-19	7	3	1	
20-24	5	2	1	
25-29	6	4		
30-34	6	5		
35-39	9	2	3	2
40-44	28	12	4	1
45-49	56	33	3	6
50-54	80	43	5	4
55-59	137	60	19	6
60-64	179	80	9	10
65-69	274	156	21	11
70-74	307	172	24	10
75-79	312	157	13	5
80-84	185	126	6	8
85-UP	134	87	5	4
-- ICD 204.1 (1961) ----				
00-04	11	8	3	
05-09	9	4	1	1
10-14	7	7	1	1
15-19	12	6	1	
20-24	12	6	4	1
25-29	27	11	2	2
30-34	24	25	4	4
35-39	50	42	7	4
40-44	46	42	7	8
45-49	47	51	4	5
50-54	72	58	3	10
55-59	91	72	6	5
60-64	113	96	13	9
65-69	143	110	12	2
70-74	172	120	9	5
75-79	148	114	3	2
80-84	90	73	1	1
85-UP	50	37	3	1
-- ICD 204.2 (1961) ----				
00-04	17	12		
05-09	10	7	1	1
10-14	9	6	1	2
15-19	13	10	2	1
20-24	17	11	1	

AGE	WM	WF	NM	NF
-- 204.2 (1961) CONTD---				
25-29	11	10	1	2
30-34	11	9		1
35-39	16	15	2	2
40-44	30	23	7	4
45-49	31	27	2	6
50-54	39	35	2	3
55-59	45	32	4	3
60-64	58	24	2	4
65-69	72	52	3	1
70-74	55	43	3	2
75-79	56	46	5	1
80-84	27	30	4	
85-UP	16	16	1	
-- ICD 204.3 (1961) ----				
00-04	351	276	18	18
05-09	310	230	14	17
10-14	191	124	13	11
15-19	134	86	9	4
20-24	79	50	10	6
25-29	66	58	5	5
30-34	74	70	10	4
35-39	86	75	7	13
40-44	104	67	9	5
45-49	127	96	10	10
50-54	153	95	10	11
55-59	161	136	15	7
60-64	234	144	13	12
65-69	266	179	8	4
70-74	234	169	12	4
75-79	160	141	3	4
80-84	138	96	2	1
85-UP	62	62	2	
-- ICD 204.4 (1961) ----				
00-04	66	56	11	9
05-09	55	43	5	7
10-14	25	15	2	4
15-19	8	6	6	1
20-24	10	5	2	2
25-29	3	5	5	1
30-34	8	9	2	2
35-39	9	5	3	2
40-44	8	8	1	2
45-49	24	9	1	2
50-54	32	23	4	
55-59	29	24	6	5
60-64	42	43	6	5
65-69	99	46	5	3
70-74	96	65	5	4
75-79	87	64	4	1
80-84	61	50	1	
85-UP	30	30	1	1
-- ICD 205 --(1961) ----				
30-34		1	2	
35-39		1		
40-44	2			
45-49	2	3	1	
50-54	4	2	2	1
55-59	7	6		
60-64	5	4		
65-69	11	8	2	
70-74	3	4		1
75-79	5	1	1	
80-84	2	2		
85-UP	2	1		
-- ICD 140.0 (1962) ----				
60-64	2		1	
65-69		1		
70-74	1			
75-79	1			
80-84	1	1		
85-UP	2	1		
-- ICD 140.1 (1962) ----				
40-44	1			
45-49	1			
50-54	3			
55-59	2			
60-64	5			
65-69	6			
70-74	7	1		
75-79	9			
80-84	16	3		
85-UP	13	3		1
-- ICD 140.8 (1962) ----				
65-69	1			
70-74	1			
-- ICD 140.9 (1962) ----				
35-39	3			
40-44	4			

AGE	WM	WF	NM	NF
-- 140.9 (1962) CONTD---				
45-49	3	1		
50-54	5			
55-59	6			
60-64	11			
65-69	14		2	
70-74	20	1		
75-79	21	4	1	
80-84	19	2	1	
85-UP	16	1		
-- ICD 141.0 (1962) ----				
35-39		1	1	
40-44	6	3	1	
45-49	9	2	4	
50-54	20	3	2	1
55-59	16	4		
60-64	19	4	2	1
65-69	26	3	4	
70-74	19	2		
75-79	9			
80-84	5	1	1	
85-0P	7			
-- ICD 141.7 (1962) ----				
40-44	2			
45-49	3			
50-54	3	1		
55-59	2	1		
60-64	5	1		
65-69	11	1	1	
70-74	3	1		
75-79	5			
80-84	2	3		
85-UP	1			
-- ICD 141.8 (1962) ----				
65-69	1			
70-74		1		
-- ICD 141.9 (1962) ----				
15-19		1		
20-24			1	
25-29	1	1		
30-34	2	1		1
35-39	6	7		1
40-44	17	12	4	3
45-49	63	16	8	1
50-54	98	21	18	2
55-59	107	41	13	2
60-64	135	27	10	6
65-69	128	34	9	2
70-74	149	41	4	2
75-79	98	36	5	2
80-84	63	39	1	1
85-0P	49	37	2	
-- ICD 142.0 (1962) ----				
00-04	1			
05-09		1		
10-14	1	2	1	
15-19		1		
20-24		2		
25-29	3	2		
30-34		1		
35-39	2	3		
40-44	10	6	1	2
45-49	13	9		
50-54	17	8	3	
55-59	31	6	4	2
60-64	39	18	1	2
65-69	35	21	4	1
70-74	53	31	3	1
75-79	34	28	1	2
80-84	34	24	2	1
85-UP	26	22		1
-- ICD 142.7 (1962) ----				
00-04		1		
20-24	1			
25-29		1		
30-34	1			
40-44	1	2	1	
45-49	3	1	1	
50-54	7	1	1	
55-59	12	6		
60-64	7	2	1	
65-69	7	7	1	
70-74	6	6		
75-79	7	4	2	
80-84	6	2		
85-UP	4	4		
-- ICD 142.8 (1962) ----				
85-UP	1			

AGE	WM	WF	NM	NF
-- ICD 142.9 (1962) ----				
05-09	1			
15-19	2			
35-39		2	1	
40-44	1		1	
45-49		1	3	1
50-54	3	2		
55-59			1	
60-64	4			
65-69	4			
70-74	1	3		
75-79	5	2		
80-84	2	2		
85-UP	2	1		
-- ICD 143 --(1962) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1962) ----				
00-04		1		
10-14		1		
25-29	1			
30-34	1			2
35-39	3	3		1
40-44	8	2	2	4
45-49	28	8	5	1
50-54	57	18	7	3
55-59	76	26	9	5
60-64	66	30	8	5
65-69	84	28	5	10
70-74	91	42	10	3
75-79	77	41	3	2
80-84	55	34	2	3
85-0P	65	38	3	1
-- ICD 145.0 (1962) ----				
20-24	1			
30-34	1			
35-39	2	2	1	
40-44	10	2	6	1
45-49	28	16	4	1
50-54	47	15	8	1
55-59	56	7	10	3
60-64	68	16	9	1
65-69	50	17	3	
70-74	45	11	1	
75-79	32	15	3	
80-84	18	4		
85-UP	12	2	1	
-- ICD 145.7 (1962) ----				
35-39	2			
40-44			3	
45-49	3		2	
50-54	8		1	
55-59	4	2		
60-64	15		1	
65-69	5			1
70-74	8	1		
75-79	2	1	1	
80-84	3			
85-UP	3			
-- ICD 145.9 (1962) ----				
50-54		1		
70-74	1			
-- ICD 146 --(1962) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1962) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1962) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1962) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1962) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1962) ----				
25-29	1			
30-34			1	
35-39	3	2		
40-44	1	1		
45-49	9		1	1
50-54	9	8	1	2
55-59	10	10	1	1
60-64	15	10	3	2
65-69	16	18	1	
70-74	20	12	3	1
75-79	12	13	1	4
80-84	7	16		
85-UP	6	6		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 152.7 (1962) ----				
20-24		1		
25-29	1	1		
30-34	2			
35-39	4	2		
40-44	9	4		1
45-49	4	4		1
50-54	15	6	7	
55-59	15	12	2	3
60-64	18	14	1	
65-69	25	16		1
70-74	13	19	1	
75-79	15	13		
80-84	6	8		
85-UP	3	5		
-- ICD 152.8 (1962) ----				
55-59	1			
80-84	1	2		
85-UP		1		
-- ICD 152.9 (1962) ----				
25-29	3	1		
30-34		1	1	
35-39	2	4	1	
40-44	3	7		
45-49	7	2	1	2
50-54	8	9	1	1
55-59	14	13	1	1
60-64	16	16	3	2
65-69	13	24	1	2
70-74	12	15	2	1
75-79	22	16		2
80-84	9	7		
85-UP	1	10	3	
-- ICD 153.0 (1962) ----				
00-04	1			
15-19		2		1
20-24	2	2		1
25-29	5	4		
30-34	9	3		2
35-39	22	14	2	2
40-44	39	32	4	8
45-49	62	43	4	12
50-54	76	126	8	11
55-59	129	155	11	12
60-64	190	233	20	17
65-69	280	330	20	22
70-74	325	413	14	24
75-79	269	401	12	21
80-84	188	320	5	5
85-UP	113	233	2	3
-- ICD 153.1 (1962) ----				
15-19			2	
20-24		1		
30-34	3	2	1	1
35-39	10	11	1	1
40-44	23	15	2	2
45-49	31	31	3	5
50-54	45	45	1	5
55-59	68	60	5	5
60-64	82	98	10	5
65-69	114	119	12	5
70-74	117	137	2	5
75-79	94	142	5	6
80-84	73	93	2	3
85-UP	39	65		1
-- ICD 153.2 (1962) ----				
15-19		1		
20-24	1			
25-29			1	
30-34	1	4	1	
35-39	3	9		
40-44	9	11	1	1
45-49	21	28	2	3
50-54	29	50	4	1
55-59	44	58	2	6
60-64	63	70	3	6
65-69	81	127	7	8
70-74	84	105	10	5
75-79	80	84	8	5
80-84	42	75	3	5
85-UP	32	60	1	1
-- ICD 153.3 (1962) ----				
00-04	1			
05-09				1
15-19		2	1	
20-24	4	2		
25-29	4	6	3	1
30-34	6	12		2
35-39	26	27	3	5
40-44	33	69	7	6

AGE	WM	WF	NM	NF
-- 153.3 (1962) CONTD---				
45-49	96	134	7	13
50-54	144	223	13	12
55-59	241	265	17	23
60-64	331	339	28	19
65-69	480	455	29	25
70-74	529	466	25	16
75-79	432	505	18	16
80-84	309	293	9	10
85-UP	196	234	8	7
-- ICD 153.7 (1962) ----				
30-34	2			
35-39		2		
40-44		1		
45-49	1	1		
50-54	1	1		
55-59	1	2	1	
60-64	3	3		
65-69	4	6		
70-74	7	4		
75-79	10	4		
80-84	4	10		
85-UP	3	3		
-- ICD 153.8 (1962) ----				
00-04	1			
10-14	2		1	1
15-19	2		4	1
20-24	12	4	2	2
25-29	15	17	1	4
30-34	23	39	2	15
35-39	76	81	15	13
40-44	110	138	12	27
45-49	222	265	21	35
50-54	356	438	33	47
55-59	543	635	42	71
60-64	820	796	80	96
65-69	976	1144	86	89
70-74	1136	1220	81	90
75-79	966	1154	67	47
80-84	640	904	29	25
85-UP	420	680	27	28
-- ICD 153.9 (1962) ----				
00-04		2		
20-24		1		
25-29		2		
30-34	5	1		
35-39	1	9	1	2
40-44	6	16	1	2
45-49	10	28	3	3
50-54	23	40	2	4
55-59	41	63	3	6
60-64	62	75	11	13
65-69	98	118	9	10
70-74	97	134	4	8
75-79	87	121	9	4
80-84	65	131	4	5
85-UP	67	109	2	
-- ICD 154 --(1962) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1962) ----				
00-04	16	12	1	2
05-09	10	3		
10-14	2	6	3	
15-19	4	4		2
20-24	5	3	2	
25-29	6	4	1	
30-34	12	1	2	4
35-39	13	13	7	1
40-44	23	23	15	5
45-49	57	37	17	7
50-54	79	41	27	7
55-59	138	50	37	15
60-64	184	95	38	15
65-69	217	93	32	10
70-74	188	95	19	5
75-79	108	88	9	4
80-84	77	65	4	4
85-UP	29	46	2	1
-- ICD 155.1 (1962) ----				
20-24	2			
25-29	3	2		
30-34	4	2		1
35-39	11	8	1	
40-44	15	29	4	7
45-49	38	56	4	8
50-54	66	118	10	13
55-59	115	175	13	12
60-64	190	342	6	27
65-69	238	483	20	14
70-74	261	565	14	29

AGE	WM	WF	NM	NF
75-79	215	483	9	11
80-84	123	296	8	6
85-UP	62	144	4	6
-- ICD 155.8 (1962) ----				
55-59		2		
70-74	1			
75-79	1	1		
-- ICD 156 --(1962) ----				
00-04	8	7	1	2
05-09	2	1		
10-14	1			
15-19	3	1	2	
20-24	1	3		
25-29	3	2		3
30-34	3	8	1	
35-39	10	14	8	3
40-44	32	32	8	7
45-49	58	55	21	13
50-54	109	99	28	15
55-59	204	147	31	28
60-64	252	169	38	35
65-69	308	246	58	25
70-74	338	268	27	28
75-79	243	285	18	18
80-84	163	225	15	8
85-UP	102	185	10	13
-- ICD 157 --(1962) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1962) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1962) ----				
00-04			1	
05-09		1		
10-14		1		
25-29	1	1		
30-34		3		
35-39	3	4	2	
40-44	4	8	2	1
45-49	8	15	2	4
50-54	17	10	9	5
55-59	19	25	13	5
60-64	37	33	14	15
65-69	41	36	9	12
70-74	46	48	12	16
75-79	66	71	19	16
80-84	67	67	4	4
85-UP	43	68	4	4
-- ICD 160.0 (1962) ----				
05-09	1			
10-14			1	
15-19	1			
35-39	2			
40-44	2	3		
45-49	7			
50-54	3	4		
55-59	3	2	1	
60-64	11		1	1
65-69	6	1	1	2
70-74	10	1		
75-79	9	6		
80-84	8	13		
85-UP	9	10		
-- ICD 160.1 (1962) ----				
00-04	3			
05-09		1		
30-34	1			
40-44		1		
45-49		1		
50-54	1	1	1	
55-59	1	3		
60-64		3		
65-69	1			
70-74	1			
75-79		2		
80-84		1		
85-UP	1			
-- ICD 160.2 (1962) ----				
05-09		1		
15-19			1	1
20-24		1		
25-29	2			
30-34	9			
35-39	1	1	1	2
40-44	8	2		1
45-49	9	8	1	
50-54	18	13	2	1
55-59	22	7	4	2

AGE	WM	WF	NM	NF
-- 160.2 (1962) CONTD---				
60-64	23	13	5	2
65-69	21	14	6	3
70-74	23	11	3	4
75-79	19	7	1	2
80-84	10	9		2
85-UP	9	4	1	
-- ICD 160.7 (1962) ----				
05-09	1			
20-24	1			
25-29		1		
30-34		1		
35-39	1	1		1
40-44	3		1	
45-49	1		1	
50-54	4	1		1
55-59	2	1	2	
60-64	5	3		
65-69	4	1		
70-74	1	2		
75-79	1	1		
80-84	1	2		
-- ICD 160.8 (1962) ----				
05-09	1			
45-49	1			
50-54	1			
55-59		1		
60-64	1	2		
65-69	4			
70-74		1		
75-79	3	1		1
80-84	2	2		
85-UP				1
-- ICD 160.9 (1962) ----				
15-19		1		
25-29	1			
30-34	1			
35-39	1			1
40-44	2			
45-49	1			
50-54	1		2	1
55-59	1	3		
60-64	2	1	2	
65-69	3	1		
70-74	3	3		
75-79		1		
80-84	1	2		
85-UP			1	
-- ICD 161 --(1962) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1962) ----				
15-19		1		
30-34	1			1
40-44	2	2	1	
45-49	8	3		
50-54	9		1	1
55-59	13	3	2	
60-64	13	3	1	
65-69	7	4	2	
70-74	7			
75-79	5			
80-84	1			
85-UP		1		
-- ICD 162.1 (1962) ----				
00-04	1	1		
05-09		1		
10-14	1	1		
20-24	4			
25-29	9	3	5	
30-34	59	12	10	1
35-39	164	50	29	6
40-44	425	122	68	15
45-49	842	175	139	17
50-54	1583	245	190	29
55-59	2114	277	209	27
60-64	2704	317	250	26
65-69	3046	282	246	20
70-74	2256	280	163	13
75-79	1146	209	83	8
80-84	458	124	36	10
85-UP	155	63	16	4
-- ICD 162.2 (1962) ----				
30-34	1			
35-39		1		
40-44	2	1		
45-49	1	1		
55-59	2			
60-64	1	2		
65-69		1		

AGE	WM	WF	NM	NF
-- 162.2 (1962) CONTD---				
70-74	3			
75-79		2		
80-84		1		
-- ICD 162.8 (1962) ----				
55-59	2	1		
60-64	1			
65-69	1			
70-74	1			
-- ICD 163 --(1962) ----				
05-09	1	1		1
10-14	2	2	2	2
15-19	1	6		
20-24	6	2	2	2
25-29	14	9	1	3
30-34	47	23	18	4
35-39	171	73	34	17
40-44	397	133	88	25
45-49	876	259	135	38
50-54	1631	322	210	39
55-59	2593	361	276	48
60-64	3090	428	295	60
65-69	3192	488	267	49
70-74	2570	448	186	12
75-79	1613	409	79	18
80-84	671	229	37	9
85-UP	293	173	15	4
-- ICD 164 --(1962) ----				
00-04	1			1
05-09	1	1		1
10-14	1			1
15-19	3			
20-24	9	2		
25-29	3	3		
30-34	7	1		1
35-39	6	5	2	
40-44	6	4		1
45-49	13	1	1	
50-54	22	7	5	
55-59	34	8	2	
60-64	19	3	1	2
65-69	21	9	1	
70-74	33	5	4	
75-79	11	8	1	1
80-84	6	10		
85-UP	4	4		
-- ICD 165 --(1962) ----				
00-04		2		
05-09	1			
15-19		4		
20-24	1	1		
25-29		1		
30-34	7		2	
35-39	11	6	3	1
40-44	17	15	5	2
45-49	24	24	7	
50-54	46	25	9	6
55-59	88	31	12	5
60-64	109	35	11	9
65-69	100	38	7	3
70-74	114	44	7	8
75-79	66	46	1	3
80-84	39	35	3	4
85-UP	16	24		3
-- ICD 170 --(1962) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1962) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1962) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1962) ----				
10-14		1		
15-19		2		
20-24		9		1
25-29		6		2
30-34		7		
35-39		3		1
40-44		2		1
45-49		1		2
50-54		3		
55-59		3		
60-64		1		
65-69		2		2
75-79		2		
80-84		1		
85-UP		1		

AGE	WM	WF	NM	NF
-- ICD 174 --(1962) ----				
00-04	2			
15-19	1			
20-24	2		1	
25-29	4		5	
30-34	25		7	
35-39	48		12	
40-44	92		34	
45-49	169		48	
50-54	276		66	
55-59	416		90	
60-64	539		111	
65-69	617		113	
70-74	585		79	
75-79	454		48	
80-84	284		34	
85-UP	235		24	
-- ICD 175.0 (1962) ----				
00-04	4			
05-09	10			
10-14	20		6	
15-19	30		2	
20-24	24		2	
25-29	38		5	
30-34	73		16	
35-39	188		31	
40-44	415		40	
45-49	698		69	
50-54	933		84	
55-59	989		90	
60-64	1041		90	
65-69	1047		64	
70-74	907		50	
75-79	636		28	
80-84	383		13	
85-UP	191		11	
-- ICD 175.1 (1962) ----				
35-39	2			
40-44	2		1	
45-49	13		3	
50-54	13		4	
55-59	14		1	
60-64	16		1	
65-69	12		1	
70-74	14			
75-79	3			
80-84	1			
-- ICD 175.8 (1962) ----				
45-49	2			
50-54	2		1	
60-64	1			
-- ICD 175.9 (1962) ----				
50-54	1			
65-69	1			
70-74	1			
75-79	1			
80-84			1	
-- ICD 176.0 (1962) ----				
15-19			1	
30-34	4		2	
35-39	4		2	
40-44	4		4	
45-49	12		4	
50-54	12		2	
55-59	32		9	
60-64	34		5	
65-69	59		8	
70-74	85		6	
75-79	88		4	
80-84	74			
85-UP	63		2	
-- ICD 176.1 (1962) ----				
10-14	1			
20-24	1			
25-29			1	
30-34	2			
35-39	6		1	
40-44	8		5	
45-49	16		2	
50-54	17		3	
55-59	16		7	
60-64	16		2	
65-69	34		7	
70-74	44		7	
75-79	26		2	
80-84	22		2	
85-UP	14			
-- ICD 176.7 (1962) ----				
35-39	1			

AGE	WM	WF	NM	NF
-- 176.7 (1962) CONTD---				
45-49		1		
50-54		1		
60-64		3		
65-69		1		
70-74		3		
-- ICD 176.8 (1962) ----				
55-59				1
60-64		1		
65-69		1		
75-79		1		1
80-84		1		
85-UP		2		
-- ICD 176.9 (1962) ----				
25-29				1
45-49		3		2
50-54		2		1
55-59		3		1
60-64		3		1
65-69		7		1
70-74		7		3
75-79		6		
80-84		5		
85-UP		3		
-- ICD 177 --(1962) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1962) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1962) ----				
30-34	1			
35-39	2		3	
40-44	2		5	
45-49	6		2	
50-54	13		10	
55-59	20		7	
60-64	25		10	
65-69	13		7	
70-74	27		5	
75-79	24		6	
80-84	21			
85-UP	21		2	
-- ICD 179.1 (1962) ----				
10-14	2			
15-19	1			
30-34	2			
35-39			1	
45-49	1			
50-54	1			
55-59	2		1	
60-64	4		2	
65-69	1			
70-74	1			
75-79	4			
80-84	2		1	
-- ICD 179.7 (1962) ----				
00-04	1			
15-19	2		1	
20-24	2			
40-44	2			
45-49	1			
55-59	2			
60-64	1		1	
70-74	4			
75-79	2			
80-84	1			
-- ICD 179.8 (1962) ----				
65-69	1			
-- ICD 179.9 (1962) ----				
55-59	1			
70-74			2	
-- ICD 180 --(1962) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1962) ----				
00-04	1	1	1	
05-09	2	1		1
25-29		1		1
30-34	6	4	1	
35-39	9	6	3	1
40-44	44	25	6	8
45-49	84	46	22	13
50-54	206	61	42	29
55-59	374	92	41	30
60-64	568	171	54	44
65-69	911	308	65	39

AGE	WM	WF	NM	NF
-- 181.0 (1962) CONTD---				
70-74	1034	356	61	35
75-79	926	404	30	20
80-84	561	365	20	23
85-UP	418	335	13	8
-- ICD 181.7 (1962) ----				
00-04	1			
15-19			1	
25-29				1
30-34		1		
35-39	2	1		1
40-44	1			4
45-49	2	3	2	3
50-54	3	2	2	3
55-59	8	3	1	1
60-64	6	2	3	1
65-69	8	9	3	4
70-74	11	10	1	1
75-79	5	8		1
80-84	3	7		
85-UP	4	5		
-- ICD 181.8 (1962) ----				
40-44		1		
60-64				1
65-69	2	1	1	
70-74	2	2		
75-79		2		
-- ICD 190.0 (1962) ----				
45-49	2			
55-59	1			
65-69	1			
75-79	1			
-- ICD 190.1 (1962) ----				
50-54		1		
70-74	1			
85-UP		1		
-- ICD 190.2 (1962) ----				
25-29	1	2		
30-34		2		
35-39	1			
40-44	2			
45-49	1			
50-54	3			
55-59	1			
60-64	1			
70-74	4			
75-79		1		
80-84	2	1		
85-UP	4			
-- ICD 190.3 (1962) ----				
20-24	1			
25-29	1			
30-34	2	2		
35-39	4	2		
40-44		4		
45-49	3			
50-54	2	1		
55-59	4	1		
60-64	7	4		1
65-69	8	4	1	
70-74	11	7		
75-79	5	5		
80-84	6	6		
85-UP	2	3		
-- ICD 190.4 (1962) ----				
15-19	2			
20-24	4			
25-29	2	1		
30-34	6	2		
35-39	5	3		1
40-44	5			
45-49	7	4		
50-54	4	4	1	
55-59	6	5	1	
60-64	6	3		
65-69	4	2		
70-74	9	5		
75-79	5	3		
80-84	3	4		
85-UP	2	4		
-- ICD 190.5 (1962) ----				
05-09		1		
10-14	1	1		
15-19	3	2		
20-24	6	1		
25-29	3	3		
30-34	11	4		
35-39	17	8		

AGE	WM	WF	NM	NF
-- 190.5 (1962) CONTD---				
40-44	24	17		
45-49	15	14		
50-54	19	11		
55-59	16	4		1
60-64	10	6		
65-69	16	9		
70-74	13	18		
75-79	7	7		
80-84	4	6		
85-UP	6	1		
-- ICD 190.6 (1962) ----				
20-24		3		
25-29	4	3		
30-34	7	3		
35-39	6	7		
40-44	7	6		
45-49	7	8		
50-54	5	4		
55-59	9	6		
60-64	2	6		
65-69	6	12		
70-74	8	6		1
75-79	2	3		
80-84	4	2		
85-UP	2	1		
-- ICD 190.7 (1962) ----				
15-19	1	1		
20-24	1			
25-29	3	4		
30-34	9	5		
35-39	3	11		
40-44	5	15	1	
45-49	10	7		
50-54	6	8	1	1
55-59	9	14	2	
60-64	10	10		1
65-69	13	11	1	2
70-74	13	11		
75-79	12	10		
80-84	9	11		
85-UP	9	5		1
-- ICD 190.8 (1962) ----				
25-29	1			
50-54	2			
60-64		1		
65-69		1		
75-79				1
80-84	1			
85-UP	2			
-- ICD 190.9 (1962) ----				
00-04	2			
05-09	1			
10-14		3		
15-19	8	4		
20-24	12	10		
25-29	20	23		
30-34	47	43		
35-39	62	55		2
40-44	81	60		3
45-49	83	54	2	
50-54	82	68	2	1
55-59	75	46		3
60-64	68	51	2	3
65-69	68	73	1	1
70-74	64	45	3	2
75-79	35	44		2
80-84	25	28		1
85-UP	22	24	1	
-- ICD 191.0 (1962) ----				
35-39	2			
40-44	2		1	
45-49	1			
50-54	9			
55-59	7			
60-64	8			
65-69	11	1	1	1
70-74	16	1		1
75-79	18	2		
80-84	8	1		
85-UP	2			
-- ICD 191.1 (1962) ----				
30-34	1			
35-39	1			
40-44	1	1		
45-49		1		
50-54	1			
55-59	1	1		
60-64	1			
65-69	1	1		

AGE	WM	WF	NM	NF
-- 191.1 (1962) CONTD---				
70-74	2	1		
75-79	1	1		
80-84	2	1		
85-UP	1	1		
-- ICD 191.2 (1962) ----				
35-39		1		
40-44		1	1	
45-49	2	1		
50-54	1	2		
55-59		1		
60-64	6	2		
65-69	6			
70-74	10			
75-79	14	3		
80-84	12	1		
85-UP	5	3		
-- ICD 191.3 (1962) ----				
00-04		1		
05-09				1
10-14			1	
30-34	1			
35-39	2			
40-44	2	1	1	
45-49	2	3	1	
50-54	17	5	2	
55-59	20	9	1	1
60-64	29	15	2	
65-69	44	15		
70-74	53	20	1	2
75-79	73	36	2	
80-84	84	45	1	
85-UP	76	88	1	1
-- ICD 191.4 (1962) ----				
40-44	1	1		1
45-49	3	1	1	1
50-54	12	4	3	
55-59	15	2	1	3
60-64	9	2	3	2
65-69	21	3	1	
70-74	12	8	3	3
75-79	10	12		1
80-84	21	8		
85-UP	14	11		
-- ICD 191.5 (1962) ----				
00-04	2			1
10-14		1		
20-24	1			1
25-29	2			1
30-34	1			
35-39	1	2	1	
40-44	3	6	1	
45-49	6	3		
50-54	7	6	3	3
55-59	12	4	1	2
60-64	10	7	2	3
65-69	11	7	3	2
70-74	9	15	1	1
75-79	11	7	1	
80-84	9	19		
85-UP	2	7		
-- ICD 191.6 (1962) ----				
35-39	1			
55-59	2	1		
60-64	1		1	
65-69	4	1		
70-74	5	3		
75-79	6	3	1	
80-84	8	2	1	
85-UP	8	6		
-- ICD 191.7 (1962) ----				
10-14		1		
30-34	2			
40-44	1			
45-49	2			
50-54	1	2	1	1
55-59		1		1
60-64	6	3	1	
65-69	4	2		1
70-74	8	3		2
75-79	5	3		
80-84	3			1
85-UP	3	4		
-- ICD 191.8 (1962) ----				
35-39	1			
45-49				1
50-54	1	1		
55-59	2			
60-64	1			

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 191.8 (1962) CONTD---				
65-69	4	1		1
70-74	7	2		
75-79	4	4		
80-84	4	1		
85-UP	7	6		
-- ICD 191.9 (1962) ----				
05-09	1			
20-24		1	1	
25-29			1	
30-34	2	2		
35-39	3	4		2
40-44	9	5		
45-49	17	4	3	
50-54	10	15	6	1
55-59	33	13	5	
60-64	32	16	4	1
65-69	39	6	1	3
70-74	47	14	1	1
75-79	28	9	3	2
80-84	25	8		
85-UP	23	18		
-- ICD 192 --(1962) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1962) ----				
00-04	96	80	8	9
05-09	89	90	20	18
10-14	94	62	7	11
15-19	61	52	3	7
20-24	55	36	5	4
25-29	55	48	8	3
30-34	105	86	4	4
35-39	145	108	15	6
40-44	227	130	11	12
45-49	305	202	18	15
50-54	365	268	17	9
55-59	424	254	22	11
60-64	383	259	14	6
65-69	314	207	8	5
70-74	136	104	5	3
75-79	68	46	3	
80-84	17	10		
85-UP	5	2		1
-- ICD 193.1 (1962) ----				
00-04	5	2		
05-09	2	2		
10-14	1	2		
15-19	3	1		
20-24	3	3	1	1
25-29	1	1	1	
30-34		3	1	
35-39	5	1	1	
40-44	2	3	1	
45-49	2	2		
50-54	9	3	2	1
55-59	8	4	1	1
60-64	8	4	2	
65-69	11	12		
70-74	10	3		
75-79	1	3		
80-84	4	3		
-- ICD 193.2 (1962) ----				
00-04	2			
05-09				1
10-14	1			
15-19		1		
30-34		1	1	
40-44	1	2		1
45-49	3	2		
50-54	2	2		
55-59	8	2		
60-64	5	5		
65-69	1	1		
70-74			1	
-- ICD 193.3 (1962) ----				
00-04	2	1		
05-09	1	1		
10-14			1	
15-19	2	1		
20-24	1			
25-29	1	1		
30-34	4	2	1	
35-39	1	3	1	
40-44	1		1	
45-49	2	2	1	
50-54	1	2		1
55-59	3	4		
60-64	3	1		
65-69	2	1		
70-74		2		

AGE	WM	WF	NM	NF
-- 193.3 (1962) CONTD---				
75-79	1	2		
-- ICD 193.4 (1962) ----				
00-04	83	58	7	5
05-09	36	26	5	3
10-14	7	7		1
15-19	8	3		
20-24	3	2		1
25-29	2	1		
30-34		1		
35-39	1	1		
40-44	1	1	1	
45-49		4		1
50-54	1	1		
55-59	3	2		
60-64	7	3		
65-69	3			
70-74	2	1		
75-79		3		
85-UP			1	
-- ICD 193.8 (1962) ----				
05-09		1		
10-14	1	2		
15-19		1		
45-49	1	1		
50-54		2		
65-69		1		
-- ICD 193.9 (1962) ----				
00-04	20	14	2	1
05-09	15	8	1	
10-14	6	7	2	1
15-19	12	4	1	1
20-24	7	4		
25-29	10	7		
30-34	15	10	1	2
35-39	17	13	2	1
40-44	29	22	1	1
45-49	32	29		3
50-54	48	34	2	4
55-59	58	29	2	1
60-64	42	23	1	
65-69	37	35		
70-74	32	18		
75-79	10	6		
80-84	2	4		
-- ICD 194 --(1962) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1962) ----				
00-04	19	23	2	
05-09	2	5		1
10-14	1			1
15-19	5	3		1
20-24	3	1		
25-29	1	2		
30-34	6	3	1	
35-39	3	2	1	1
40-44	8	9	1	1
45-49	15	12	2	
50-54	13	8	1	
55-59	22	8		
60-64	25	5		2
65-69	25	8	2	1
70-74	16	6	2	1
75-79	9	3		
80-84	2	1		
85-UP	2			
-- ICD 195.1 (1962) ----				
40-44	1			
45-49				1
60-64		2		
-- ICD 195.2 (1962) ----				
00-04	1			
05-09	1			
10-14	3	1		
15-19	1	1		
20-24	3			
25-29	1	3	1	1
30-34	3	1		
35-39	1	1		
40-44	2	4	1	1
45-49	3	5		
50-54	6	5		
55-59	8	1	1	1
60-64	2			
65-69	3	2		
70-74		2		
75-79	2	3		
80-84	1			

AGE	WM	WF	NM	NF
-- ICD 195.3 (1962) ----				
05-09	1			1
10-14	3	1	1	
20-24	1			
25-29		2		
30-34			1	
35-39	1	1	1	
40-44		1		
45-49	1	1		1
50-54		4	1	1
55-59	1	2		
60-64	2	2		1
65-69	2	1		
70-74	1	1		
75-79	1	1	1	
80-84	1			
-- ICD 195.4 (1962) ----				
00-04	1			1
05-09	2			
10-14		1		
15-19			1	
25-29	1			
30-34		1		
80-84		1		
-- ICD 195.7 (1962) ----				
15-19	1			
30-34		1		
35-39		1		
40-44		1		
45-49		1		
50-54		1		
55-59	1	1		
60-64	2			
70-74	1			
-- ICD 196.0 (1962) ----				
00-04		1		
05-09	1			
10-14		2		
15-19	2			
20-24	1			
25-29			1	
30-34	1			1
35-39	1	3	1	1
40-44	2	3	1	1
45-49	6	1		
50-54	9	7	2	
55-59	17	7	4	
60-64	18	15	1	1
65-69	25	8	2	1
70-74	22	16	1	2
75-79	19	10	1	1
80-84	12	12	1	
85-UP	29	11	1	
-- ICD 196.1 (1962) ----				
05-09	2	1		
10-14		1		
15-19	1			
20-24	1	1		
25-29	1			
30-34	1		1	
35-39	1	1		
40-44		1		
45-49	3	3	1	2
50-54	4	3		
55-59	16	2	1	1
60-64	11	3		2
65-69	13	5	2	4
70-74	25	5	1	3
75-79	17	6	1	1
80-84	15	11		
85-UP	17	9		
-- ICD 196.2 (1962) ----				
05-09	1			1
10-14	2			
15-19	2			
20-24	1	3		
25-29	1	1		1
30-34	2	1		
35-39	6	3	1	1
40-44	3	2	2	
45-49	4	8		2
50-54	10	10	2	4
55-59	18	11	2	3
60-64	22	17	2	1
65-69	19	20		
70-74	25	22		2
75-79	14	16	1	2
80-84	7	4		
85-UP	3	4	1	

AGE	WM	WF	NM	NF
-- ICD 196.3 (1962) ----				
05-09	1			
10-14		3		
15-19	4	2		
20-24	4			
25-29	1			
30-34		1		
35-39		1		
40-44	2		1	
45-49	3		1	
50-54		1		
55-59	1	1		1
60-64	5	4	1	
65-69	8	5	1	
70-74	7	6		
75-79		4		
80-84		1		
-- ICD 196.4 (1962) ----				
00-04	1	1		
05-09	1			
10-14	5	6		
15-19	1	2	1	
20-24	4	1		
25-29	1	1		
30-34	3			
35-39		2		
45-49	4	2		
50-54	4	1	1	
55-59	3	1		
60-64		1		
65-69	3	1	1	
70-74	1	7		
75-79	3	1		
80-84	2	3		
85-UP	1	1		
-- ICD 196.5 (1962) ----				
15-19	1			
30-34	1			
35-39			1	
60-64	1			
65-69	1			
80-84		1		
-- ICD 196.6 (1962) ----				
00-04	1	1		
05-09		1		
10-14	4	2		
15-19	11	5		1
20-24	2	2	1	
25-29	1	2		1
30-34	2			
35-39	3	3		1
40-44	7	1		1
45-49	4	5		
50-54	7	5	1	3
55-59	5	5	2	4
60-64	8	13	1	2
65-69	10	12		
70-74	14	4	2	1
75-79	5	7	1	
80-84	5	4	1	
85-UP		2		
-- ICD 196.7 (1962) ----				
00-04	1	2		1
05-09	4	6	1	3
10-14	20	23	4	5
15-19	38	21	6	
20-24	16	4		1
25-29	5	3	1	
30-34	3	1	1	
35-39	5	2		
40-44	9	5		
45-49	9	5	2	
50-54	7	9		1
55-59	11	7	1	2
60-64	7	6		1
65-69	4	8		
70-74	15	13	1	2
75-79	8	10		
80-84	2	9		
85-UP	4	6		
-- ICD 196.8 (1962) ----				
05-09		1		
10-14	1			
15-19	2			
20-24	2	1		
25-29	1			
40-44				1
50-54	1	1		
60-64		1		
65-69		1		
70-74	1	2		

AGE	WM	WF	NM	NF
-- 196.8 (1962) CONTD---				
75-79	2	1		
80-84	1	1		
-- ICD 196.9 (1962) ----				
00-04	2			
05-09	9	11		1
10-14	11	17	2	2
15-19	34	15	5	5
20-24	11	6	2	1
25-29	4	4	1	
30-34		3	1	
35-39	3	3	1	1
40-44	1	2		
45-49	6	5	1	2
50-54	5	11	1	2
55-59	13	9		2
60-64	17	12	1	2
65-69	13	20	5	
70-74	15	21		1
75-79	6	9	2	1
80-84	5	10		
85-UP	4	4		
-- ICD 197.0 (1962) ----				
00-04	1	7		
05-09	4	2		
10-14	2	1		1
15-19		2		
20-24	1			1
25-29	1		1	
30-34		2	1	
35-39	1			
40-44	1	1		
45-49	2			
50-54	4			
55-59	3	3		
60-64	2	2		
65-69	1	2		
70-74	4	5		
75-79	1			2
80-84	3	2		
85-UP	2	2		
-- ICD 197.1 (1962) ----				
00-04	4	2		1
05-09	1			1
15-19	1	3		
20-24	5	2		
25-29	2	1		
30-34	1		2	1
35-39	6	2		
40-44	4	6		
45-49	5	6		2
50-54	16	8	2	1
55-59	13	12	1	1
60-64	11	11	1	1
65-69	11	9		1
70-74	8	8	1	
75-79	9	5		
80-84	4	7	1	
85-UP	1	2		
-- ICD 197.2 (1962) ----				
00-04	3			
05-09	2	2		
10-14		1		1
15-19	3	2	1	
20-24	1			
25-29		1		1
30-34	1	1		1
35-39	1	1	1	
40-44	3	4		
45-49		1		
50-54	2	1		
55-59	3	1		
60-64	4	3		
65-69	3	2	1	1
70-74	4	3		1
75-79	1	5		
85-UP	5			1
-- ICD 197.3 (1962) ----				
00-04		3		
05-09	2	1	1	
10-14	4	2	1	
15-19	3	3	1	
20-24	3	1		
25-29	5	3		1
30-34	2	2		1
35-39	6	5	1	
40-44	5	3	2	1
45-49	10	7		3
50-54	9	9	3	2
55-59	8	15		1
60-64	16	6	1	2

AGE	WM	WF	NM	NF
-- 197.3 (1962) CONTD---				
65-69	18	14	1	
70-74	8	17	1	2
75-79	17	13		
80-84	8	5		1
85-UP	2	7		
-- ICD 197.8 (1962) ----				
30-34			1	
55-59			1	
70-74		1		
75-79		2		
-- ICD 197.9 (1962) ----				
00-04	14	4		
05-09	9	7	1	1
10-14	1	6		
15-19	6	7	1	2
20-24	6	4		2
25-29	6	3	1	
30-34	1	9		
35-39	8	4		
40-44	11	10		4
45-49	12	13	1	4
50-54	18	22	1	8
55-59	30	21	1	2
60-64	31	15	2	4
65-69	27	17	1	1
70-74	23	15	2	1
75-79	21	18		1
80-84	9	9		1
85-UP	4	5		
-- ICD 198.0 (1962) ----				
25-29	1			
35-39	1			
40-44	1			
45-49	5	1		
50-54	6	1	3	1
55-59	5	3		
60-64	5	2		1
65-69	6		1	1
70-74	13	2		
75-79	11	5	2	
80-84	8	2		
85-UP	4	2		
-- ICD 198.1 (1962) ----				
50-54	1	1		
55-59	1			
70-74		1		
75-79	1			
-- ICD 198.2 (1962) ----				
00-04		1		
55-59		1		
60-64				1
65-69	1	3		
70-74		1		
75-79	1			
80-84	1			
85-UP	1			
-- ICD 198.3 (1962) ----				
40-44	1			
55-59		1		
70-74		2		
75-79	1			
80-84	3	2		
85-UP	1			
-- ICD 198.4 (1962) ----				
50-54	1			
55-59		1		
65-69	4	2		1
70-74	1	1		
75-79	2	1		
85-UP	1	2		
-- ICD 198.7 (1962) ----				
40-44		1		
45-49		1		
65-69		1		
75-79		1		
80-84		1		
-- ICD 198.8 (1962) ----				
65-69	2	1		
70-74	1			
75-79		1		
85-UP		1		
-- ICD 198.9 (1962) ----				
30-34	1	1		
45-49	1			
55-59		1	2	

AGE	WM	WF	NM	NF
-- 198.9 (1962) CONTD---				
60-64	1	2		
65-69	7	1	1	
70-74	2	2	1	
75-79	4	1		
80-84		1		
85-UP	1			
-- ICD 199 --(1962) ----				
00-04	17	14	1	3
05-09	8	9		1
10-14	7	10		3
15-19	21	15	3	4
20-24	14	11	4	4
25-29	25	14	5	7
30-34	46	40	4	18
35-39	76	97	19	22
40-44	136	160	23	39
45-49	275	292	55	56
50-54	431	448	82	86
55-59	668	516	97	89
60-64	790	632	126	134
65-69	871	773	111	113
70-74	834	860	84	85
75-79	723	838	52	57
80-84	483	601	35	35
85-UP	307	453	19	27
-- ICD 200.0 (1962) ----				
00-04	12	5	2	
05-09	11	5	1	
10-14	10	10		
15-19	17	6	1	3
20-24	17	10	1	
25-29	23	8	4	1
30-34	25	7	4	1
35-39	34	15	3	2
40-44	49	31	2	1
45-49	56	45	4	2
50-54	64	54	5	2
55-59	79	71	4	4
60-64	96	72	8	2
65-69	132	103	6	7
70-74	76	85	4	
75-79	51	73	3	3
80-84	36	44	1	
85-UP	14	20	1	
-- ICD 200.1 (1962) ----				
00-04	24	8	2	2
05-09	42	15	6	6
10-14	47	11	8	6
15-19	28	18	3	1
20-24	26	5	4	2
25-29	23	12	1	4
30-34	38	22	3	2
35-39	48	37	6	4
40-44	91	57	7	5
45-49	122	107	12	6
50-54	164	129	19	1
55-59	221	144	10	17
60-64	242	174	15	12
65-69	287	221	15	6
70-74	252	234	6	3
75-79	178	161	6	4
80-84	78	89		5
85-UP	41	37	3	
-- ICD 200.2 (1962) ----				
00-04	9	2		
05-09	11	7		1
10-14	11	5		
15-19	6	2		
20-24	10	3	1	
25-29	6	3	3	2
30-34	17	3	1	1
35-39	23	10	3	3
40-44	25	10	1	1
45-49	31	31	3	3
50-54	55	22	4	3
55-59	56	47	3	5
60-64	70	72	3	6
65-69	110	75	4	5
70-74	88	72	5	2
75-79	72	56	3	2
80-84	35	40	2	2
85-UP	20	18		3
-- ICD 201 --(1962) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1962) ----				
10-14	1			
35-39	5	3		
40-44	1	1		
45-49	8	3	1	

AGE	WM	WF	NM	NF
-- 202.0 (1962) CONTD---				
50-54	14	10		
55-59	9	10		1
60-64	5	3		
65-69	6	8		
70-74	8	7		
75-79	5	4		
80-84	2	1		
-- ICD 202.1 (1962) ----				
00-04	29	25	3	2
05-09	7	5		
10-14	13	1	2	
15-19	4	2	1	
20-24	4			2
25-29	7		2	
30-34	9	3	2	
35-39	6	4	2	
40-44	21	11	2	
45-49	31	10	2	3
50-54	29	18	7	4
55-59	32	29		1
60-64	47	45	6	6
65-69	57	42	2	6
70-74	63	53	3	
75-79	42	48	2	1
80-84	26	15	1	
85-UP	14	13	2	1
-- ICD 203 --(1962) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1962) ----				
00-04	28	25	3	6
05-09	34	31	3	
10-14	7	13	2	3
15-19	10	8	3	
20-24	9	1	1	
25-29	3	2	1	1
30-34	12			
35-39	8	8	2	1
40-44	21	8	4	3
45-49	56	27	6	4
50-54	76	34	13	9
55-59	127	53	8	6
60-64	185	105	18	14
65-69	261	146	21	11
70-74	328	184	24	17
75-79	283	156	9	8
80-84	195	140	4	2
85-UP	134	100	2	1
-- ICD 204.1 (1962) ----				
00-04	10	8	1	4
05-09	8	7	1	
10-14	13	5		2
15-19	14	11		1
20-24	25	10	3	1
25-29	17	12	5	2
30-34	25	17	8	3
35-39	35	16	2	6
40-44	56	37	4	8
45-49	53	45	7	10
50-54	59	55	5	9
55-59	78	75	10	11
60-64	115	93	11	10
65-69	176	133	6	8
70-74	173	98	8	5
75-79	125	130	2	2
80-84	95	89	3	2
85-UP	38	57		1
-- ICD 204.2 (1962) ----				
00-04	8	5	3	1
05-09	12	9	1	2
10-14	8	6	2	1
15-19	18	14		1
20-24	13	7	1	1
25-29	14	9	2	
30-34	17	15	2	2
35-39	25	13	1	
40-44	21	26	2	2
45-49	35	19	1	3
50-54	33	23	2	2
55-59	49	37	1	3
60-64	48	53	6	1
65-69	75	41	3	4
70-74	68	51	1	1
75-79	53	50	7	1
80-84	31	35	1	2
85-UP	19	18		
-- ICD 204.3 (1962) ----				
00-04	315	288	27	25
05-09	293	220	29	21
10-14	146	135	17	11

AGE	WM	WF	NM	NF
-- 204.3 (1962) CONTD---				
15-19	132	72	11	10
20-24	67	54	5	2
25-29	64	35	7	7
30-34	47	53	2	2
35-39	89	68	7	3
40-44	107	95	4	7
45-49	131	102	10	7
50-54	162	98	8	11
55-59	176	119	15	10
60-64	243	160	8	9
65-69	250	169	15	6
70-74	257	205	13	6
75-79	226	162	4	6
80-84	126	98	4	3
85-UP	58	58	4	2
-- ICD 204.4 (1962) ----				
00-04	68	57	10	8
05-09	54	34	4	5
10-14	10	15	3	4
15-19	15	5	5	3
20-24	10	4		2
25-29	7	1	2	
30-34	5	10		4
35-39	8	9		1
40-44	10	9	1	2
45-49	15	10	1	2
50-54	28	23	3	5
55-59	36	29	3	5
60-64	51	36	8	5
65-69	61	56	6	2
70-74	111	68	10	
75-79	99	77	4	3
80-84	52	55	7	2
85-UP	31	43	1	3
-- ICD 205 --(1962) ----				
30-34	1			
35-39	2		1	
40-44	1	2		
45-49	2	1		1
50-54	3	3	2	1
55-59	3	4	1	
60-64	3	7	2	1
65-69	3	2	2	1
70-74	6	5		1
75-79	3	3		
80-84	4	2		
85-UP	1	2		
-- ICD 140.0 (1963) ----				
55-59	1			
70-74	1			
85-UP		1		
-- ICD 140.1 (1963) ----				
35-39	1			
45-49	1			
50-54	3			
55-59	1			
60-64	2	1	1	
65-69	5			
70-74	8	1		
75-79	7	2		
80-84	8	3		
85-UP	5	1		
-- ICD 140.8 (1963) ----				
65-69	1			
85-UP		1		
-- ICD 140.9 (1963) ----				
25-29	1			
30-34	1			
35-39	1			
40-44	1			
45-49	3			1
50-54	5			1
55-59	10			
60-64	7			
65-69	14	2	1	1
70-74	20	1		1
75-79	19	1		1
80-84	13	4	1	
85-UP	11	3		1
-- ICD 141.0 (1963) ----				
10-14	1			
25-29	2			
40-44	5	4	2	
45-49	6	3		
50-54	12	2	2	1
55-59	15	7	3	
60-64	15	2		
65-69	17	1	2	

AGE	WM	WF	NM	NF
-- 141.0 (1963) CONTD---				
70-74	16	1	1	
75-79	10	2		
80-84	8			
85-UP		1		
-- ICD 141.7 (1963) ----				
25-29		1		
40-44	1			
45-49	3			
50-54	5			
55-59	3	1	2	
60-64	3			
65-69	4	3	1	
70-74	4	3	1	
75-79	3	1		
80-84	2	1		
85-UP		2		
-- ICD 141.9 (1963) ----				
10-14	2			
30-34	4	2	1	
35-39	3	5	3	2
40-44	25	4	4	2
45-49	43	22	9	5
50-54	106	28	15	6
55-59	148	36	24	3
60-64	139	33	17	1
65-69	124	42	16	
70-74	120	50	7	5
75-79	99	40	10	1
80-84	62	33	4	
85-UP	50	32	2	1
-- ICD 142.0 (1963) ----				
00-04	2		1	
10-14	1			
15-19	1			
20-24		1		
25-29	2			
30-34	1	2		
35-39	4	6		
40-44	5	4	2	1
45-49	14	6	1	2
50-54	17	17	1	1
55-59	28	15	1	2
60-64	31	11	1	
65-69	37	18	2	3
70-74	34	22		2
75-79	43	28		1
80-84	33	14	1	1
85-UP	29	24	2	
-- ICD 142.7 (1963) ----				
15-19	1			
25-29		1		
35-39		3	1	
40-44	2	1		
45-49		1	1	
50-54	5	3		
55-59	6	2	1	
60-64	6	1		
65-69	7	6		
70-74	14	3		
75-79	7	1		
80-84	6	3		
85-UP	4	5		
-- ICD 142.9 (1963) ----				
10-14			1	
15-19	1			
30-34		1		
35-39	1			
40-44	2	1		
45-49		1	1	
50-54	2	4		
55-59	2	2		
60-64	3			
65-69	4	3		
70-74	4	2		
75-79	7	1		
80-84	3	4		
85-UP	3			
-- ICD 143 --(1963) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1963) ----				
05-09		1		
20-24		1		
25-29	1	1		
30-34	1		2	
35-39	3	3	2	2
40-44	10	10	3	
45-49	30	8	7	3
50-54	56	11	13	4

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 144 --(1963) CONTD---				
55-59	73	29	15	3
60-64	81	26	15	5
65-69	99	27	7	4
70-74	82	34	5	2
75-79	77	39	4	4
80-84	57	34	2	
85-UP	43	27	1	1
-- ICD 145.0 (1963) ----				
25-29		1		
30-34	1		1	
35-39	3	1		
40-44	10	2	3	2
45-49	29	7	5	
50-54	59	9	7	2
55-59	63	17	8	
60-64	50	8	9	2
65-69	62	5	2	
70-74	40	15	2	1
75-79	27	8	1	
80-84	11	7		
85-UP	10	4	1	
-- ICD 145.7 (1963) ----				
40-44	1			
45-49	6	3		
50-54	7		1	1
55-59	3			
60-64	8	2	1	
65-69	5	1	1	
70-74	9	1		
75-79	1			
80-84	2			
85-OP	4			
-- ICD 145.8 (1963) ----				
55-59	1			
75-79	1			
-- ICD 145.9 (1963) ----				
50-54		1		
-- ICD 146 --(1963) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1963) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1963) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1963) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1963) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1963) ----				
35-39	1	1		
40-44	5	3		
45-49	6	2	1	1
50-54	9	8	1	2
55-59	18	11	1	
60-64	18	11	2	1
65-69	18	12	1	3
70-74	19	20	2	3
75-79	13	12		1
80-84	12	8	1	
85-UP	5	5	1	
-- ICD 152.7 (1963) ----				
10-14		1		
15-19		1		
20-24	2			
30-34	1	2		
35-39	1	2		
40-44	7	4		
45-49	5	7		1
50-54	12	9	3	2
55-59	12	11	1	1
60-64	11	14		1
65-69	21	20	1	1
70-74	19	16	1	1
75-79	14	16		1
80-84	8	9		1
85-UP	2	9		1
-- ICD 152.8 (1963) ----				
55-59	1			
65-69	1			
70-74			1	
-- ICD 152.9 (1963) ----				
20-24				1
25-29	2			

AGE	WM	WF	NM	NF
-- 152.9 (1963) CONTD---				
30-34	3			
35-39	3	1		
40-44	5	2		1
45-49	5	10		
50-54	9	9		2
55-59	15	7	3	1
60-64	10	12	2	2
65-69	21	20	2	1
70-74	20	16		3
75-79	10	18		1
80-84	11	14	1	1
85-UP	7	14	1	
-- ICD 153.0 (1963) ----				
10-14			1	
15-19	3	1		
20-24	3	2		2
25-29	5	5	2	
30-34	3	10		
35-39	21	19	3	5
40-44	27	37	6	4
45-49	69	52	5	6
50-54	97	99	17	12
55-59	157	143	11	17
60-64	235	232	21	21
65-69	296	359	13	22
70-74	327	415	15	17
75-79	293	449	21	14
80-84	222	306	3	11
85-UP	123	266	1	2
-- ICD 153.1 (1963) ----				
20-24	1	1	1	
25-29		2		
30-34	4	4	1	
35-39	4	5	2	
40-44	15	17	1	2
45-49	25	39		1
50-54	50	50	5	7
55-59	62	84	6	6
60-64	71	79	8	10
65-69	110	142	9	9
70-74	114	126	10	3
75-79	96	130	2	3
80-84	66	106	2	2
85-UP	48	65	1	4
-- ICD 153.2 (1963) ----				
00-04	1			
15-19			1	
25-29	1	2		
30-34	2	1		
35-39	3	8	1	1
40-44	8	17		
45-49	25	18		3
50-54	30	43	2	4
55-59	43	71	2	3
60-64	70	64	7	6
65-69	71	89	8	6
70-74	112	81	9	8
75-79	77	104	2	4
80-84	60	73	3	5
85-UP	24	48	1	1
-- ICD 153.3 (1963) ----				
00-04	1			
10-14		1		
15-19	1			
20-24	2	1	1	
25-29	9	5		1
30-34	6	12	1	1
35-39	13	32	3	4
40-44	39	68	4	7
45-49	80	124	5	12
50-54	127	208	15	17
55-59	239	279	16	18
60-64	345	350	17	28
65-69	473	399	31	16
70-74	555	488	26	26
75-79	440	471	16	18
80-84	280	343	5	9
85-UP	160	253	4	6
-- ICD 153.7 (1963) ----				
20-24		1		
45-49	1			
50-54	1	2		
55-59	2	2	1	
60-64	4	5		
65-69	7	6		
70-74	8	7		
75-79	3	8		
80-84	3	3		
85-UP	3	5		

AGE	WM	WF	NM	NF
-- ICD 153.8 (1963) ----				
00-04		1		
15-19	6	4	2	2
20-24	13	12	2	2
25-29	12	17	1	3
30-34	32	40	3	5
35-39	67	75	7	13
40-44	115	148	16	25
45-49	214	265	32	29
50-54	393	414	44	62
55-59	558	677	70	67
60-64	774	840	78	104
65-69	1033	1129	83	99
70-74	1149	1288	89	67
75-79	1029	1246	55	66
80-84	674	939	30	40
85-UP	383	727	25	33
-- ICD 153.9 (1963) ----				
00-04	1			
20-24		2		
25-29	1	3		
30-34	3	4	1	1
35-39	3	11	1	1
40-44	14	15	1	4
45-49	19	24		3
50-54	41	44	7	3
55-59	55	61	4	6
60-64	73	78	10	6
65-69	93	120	7	5
70-74	114	142	6	12
75-79	112	131	5	7
80-84	67	123	6	4
85-UP	71	105	4	9
-- ICD 154 --(1963) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1963) ----				
00-04	18	12		1
05-09	2	4		
10-14	2	3		
15-19	3	5	1	
20-24	2	3	1	2
25-29	6	3	1	1
30-34	5	3	2	
35-39	12	13	14	
40-44	14	19	13	4
45-49	47	28	20	8
50-54	71	44	30	6
55-59	136	67	37	5
60-64	167	54	37	11
65-69	208	79	44	7
70-74	177	95	23	6
75-79	115	67	17	
80-84	56	62	5	5
85-UP	28	38	5	1
-- ICD 155.1 (1963) ----				
05-09		1		
10-14		1		1
20-24	1			
25-29	2	1		
30-34	2	2		
35-39	4	6		1
40-44	16	19		3
45-49	41	63	7	12
50-54	64	100	8	15
55-59	115	222	6	25
60-64	163	340	9	29
65-69	243	451	23	22
70-74	287	545	15	17
75-79	244	500	13	12
80-84	140	291	4	10
85-UP	73	166	3	8
-- ICD 155.8 (1963) ----				
60-64		1		
65-69	1			
80-84		1		
-- ICD 156 --(1963) ----				
00-04	5	2		1
05-09	3	4	1	
10-14	1	2		
15-19	2	2		1
20-24	1	1	1	1
25-29	6	1	2	
30-34	2	4	4	4
35-39	12	12	3	3
40-44	28	23	7	11
45-49	73	75	19	8
50-54	112	104	42	13
55-59	195	147	47	35
60-64	280	182	43	31
65-69	331	241	48	33

AGE	WM	WF	NM	NF
-- 156 --(1963) CONTD---				
70-74	365	324	36	27
75-79	270	310	25	15
80-84	177	242	13	13
85-OP	108	181	7	9
-- ICD 157 --(1963) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1963) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1963) ----				
05-09	1			
25-29		3		
30-34	2			2
35-39	2	2		
40-44	2	4		1
45-49	7	7	2	3
50-54	21	8	3	9
55-59	25	28	6	4
60-64	36	32	14	11
65-69	49	52	18	14
70-74	64	50	10	10
75-79	66	90	3	4
80-84	56	69	6	4
85-UP	50	76	8	5
-- ICD 160.0 (1963) ----				
15-19	1			
30-34	1			
40-44	1			
45-49	4	1		
50-54	4	2		1
55-59	7	2		
60-64	6	3		
65-69	6	4		
70-74	11	5	1	
75-79	11	8		1
80-84	7	4	1	
85-UP	10	11		
-- ICD 160.1 (1963) ----				
35-39	1			
40-44	1			
45-49		2		1
55-59		2		
60-64		2		
65-69		2	1	
70-74	1	1		
75-79	2			
80-84	2	1		
85-UP	1			
-- ICD 160.2 (1963) ----				
00-04		1		
05-09		1		
10-14	1			
15-19		2		1
25-29	2			
30-34	2	3	2	1
35-39	4	1		1
40-44	2	1	4	
45-49	8	5	4	2
50-54	17	13	5	1
55-59	21	7	7	2
60-64	24	11	5	3
65-69	27	9	1	3
70-74	18	22	2	4
75-79	17	19	1	2
80-84	14	6		2
85-UP	6	4		1
-- ICD 160.7 (1963) ----				
30-34	1			
35-39	2			
40-44	4	2	1	
45-49	2	2	1	
50-54	2	2		
55-59	3	1		
60-64	4	1		
65-69	6	4		
70-74	3			
75-79		1		
80-84	4	2		
-- ICD 160.8 (1963) ----				
50-54		1		
65-69	1	2		
70-74	1		1	
-- ICD 160.9 (1963) ----				
15-19		1		
20-24	1			
30-34		1		
35-39	1			
40-44	1			
45-49	4	1		
50-54	4	2		1
55-59	7	2		
60-64	6	3		
65-69	6	4		
70-74	11	5	1	
75-79	11	8		1
80-84	7	4	1	
85-UP	10	11		
-- ICD 160.1 (1963) ----				
35-39	1			
40-44	1			
45-49		2		1
55-59		2		
60-64		2		
65-69		2	1	
70-74	1	1		
75-79	2			
80-84	2	1		
85-UP	1			
-- ICD 160.2 (1963) ----				
00-04		1		
05-09		1		
10-14	1			
15-19		2		1
25-29	2			
30-34	2	3	2	1
35-39	4	1		1
40-44	2	1	4	
45-49	8	5	4	2
50-54	17	13	5	1
55-59	21	7	7	2
60-64	24	11	5	3
65-69	27	9	1	3
70-74	18	22	2	4
75-79	17	19	1	2
80-84	14	6		2
85-UP	6	4		1
-- ICD 160.7 (1963) ----				
30-34	1			
35-39	2			
40-44	4	2	1	
45-49	2	2	1	
50-54	2	2		
55-59	3	1		
60-64	4	1		
65-69	6	4		
70-74	3			
75-79		1		
80-84	4	2		
-- ICD 160.8 (1963) ----				
50-54		1		
65-69	1	2		
70-74	1		1	
-- ICD 160.9 (1963) ----				
15-19		1		
20-24	1			
30-34		1		
35-39	1			

AGE	WM	WF	NM	NF
-- 160.9 (1963) CONTD---				
40-44	1		1	
45-49	4			
50-54		2		2
55-59	1	1	1	
60-64	2			
65-69	1	1		
70-74		4		
75-79		1		
80-84		1		
-- ICD 161 --(1963) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1963) ----				
00-04	1	1		
25-29	1			
35-39	2	1		
40-44	1	2		
45-49	11			1
50-54	7	5	1	1
55-59	8	3	1	
60-64	8	5	1	
65-69	10	4		
70-74	4	6		
75-79	5	2		
80-84	3			
85-UP	2	3		
-- ICD 162.1 (1963) ----				
00-04	4			
05-09	1			
10-14	1			
15-19	1			
20-24	6	2	2	
25-29	7	4	1	
30-34	48	15	14	5
35-39	147	54	36	9
40-44	389	126	96	22
45-49	832	197	152	22
50-54	1494	271	229	31
55-59	2149	296	229	26
60-64	2621	280	240	29
65-69	2971	295	268	25
70-74	2340	296	183	16
75-78	1211	208	93	17
80-84	440	100	34	6
85-OP	182	74	16	5
-- ICD 162.2 (1963) ----				
30-34		2		
35-39		1		
40-44	1			
45-49		2		
50-54	2	1		
55-59	1	1		
60-64	2	1		
65-69	5	1	1	1
70-74	1	1		
80-84		1		
85-OP	1			
-- ICD 162.8 (1963) ----				
45-49	2		1	
55-59			1	
60-64	1			
-- ICD 163 --(1963) ----				
00-04	2	2	2	1
05-09		1		
10-14	2			1
15-19	2	1		
20-24	6	3	1	
25-29	15	7	2	2
30-34	69	29	15	8
35-39	194	85	42	15
40-44	433	168	96	37
45-49	928	296	152	36
50-54	1655	383	249	33
55-59	2604	434	319	46
60-64	3370	484	339	59
65-69	3502	509	291	63
70-74	2865	477	211	37
75-79	1803	414	111	20
80-84	788	261	45	9
85-UP	321	181	24	9
-- ICD 164 --(1963) ----				
00-04	1			
10-14	3		1	
15-19	2	2		
20-24	5	2	1	
25-29	9	1		
30-34	6	1		
35-39	5	9	1	3
40-44	11	4	1	1

AGE	WM	WF	NM	NF
-- 164 --(1963) CONTD---				
45-49	21	5	2	
50-54	14	4	3	1
55-59	30	7	4	1
60-64	28	6	1	1
65-69	27	8	5	
70-74	33	9	3	
75-79	11	14	1	
80-84	6			
85-UP	3	3		
-- ICD 165 --(1963) ----				
05-09	1			
15-19		1		
20-24	6	1	1	
25-29	1	2		2
30-34	4			2
35-39	11	3	5	1
40-44	27	11	3	1
45-49	49	18	5	4
50-54	74	30	6	6
55-59	86	45	7	9
60-64	110	41	10	4
65-69	129	52	6	8
70-74	102	67	7	5
75-79	81	48	4	3
80-84	29	36	3	
85-UP	21	31	1	
-- ICD 170 --(1963) ----				
SEE PAGES 164 - 170				
-- ICD 171 --(1963) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1963) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1963) ----				
10-14		1		
15-19		3		2
20-24		5		3
25-29		6		5
30-34		10		
35-39		3		1
40-44		3		1
45-49		1		1
50-54				2
55-59		1		
70-74		1		
75-79		1		
85-UP		1		
-- ICD 174 --(1963) ----				
00-04				1
20-24		3		1
25-29		10		3
30-34		18		6
35-39		60		14
40-44		111		31
45-49		193		61
50-54		284		52
55-59		385		102
60-64		488		92
65-69		594		90
70-74		584		75
75-79		483		46
80-84		324		25
85-UP		242		23
-- ICD 175.0 (1963) ----				
00-04		3		
05-09		7		1
10-14		27		5
15-19		33		6
20-24		33		3
25-29		39		10
30-34		65		12
35-39		184		32
40-44		366		48
45-49		694		61
50-54		933		81
55-59		1007		85
60-64		1105		85
65-69		1144		63
70-74		962		50
75-79		691		14
80-84		346		15
85-UP		183		11
-- ICD 175.1 (1963) ----				
20-24		1		
35-39		1		1
40-44		4		
45-49		12		3
50-54		9		2

AGE	WM	WF	NM	NF
-- 175.1 (1963) CONTD---				
55-59		14		3
60-64		14		2
65-69		4		1
70-74		9		
75-79		5		
85-UP		1		
-- ICD 175.8 (1963) ----				
35-39		1		
45-49		1		
50-54		1		
55-59		2		
60-64		4		
70-74		1		
-- ICD 175.9 (1963) ----				
55-59		2		
65-69		1		1
75-79		1		
80-84		1		
85-UP		1		
-- ICD 176.0 (1963) ----				
10-14		2		
30-34		1		2
35-39		3		4
40-44		6		11
45-49		13		7
50-54		16		6
55-59		29		7
60-64		47		7
65-69		59		6
70-74		83		8
75-79		85		6
80-84		76		2
85-UP		63		1
-- ICD 176.1 (1963) ----				
00-04		4		
10-14		1		
25-29				1
30-34		1		3
35-39		5		3
40-44		5		
45-49		8		2
50-54		19		7
55-59		20		3
60-64		29		5
65-69		32		2
70-74		45		1
75-79		41		3
80-84		36		2
85-UP		26		
-- ICD 176.7 (1963) ----				
00-04		1		
05-09		1		
35-39		1		
40-44				2
45-49		1		
50-54		2		
55-59				1
60-64		2		1
65-69		1		
80-84		1		
-- ICD 176.8 (1963) ----				
35-39		1		
70-74		6		
75-79		1		
80-84		3		
85-UP		1		
-- ICD 176.9 (1963) ----				
20-24		1		
40-44				1
45-49		1		
55-59		6		
60-64		4		
65-69		4		1
70-74		5		2
75-79		4		1
80-84		3		
85-UP		2		
-- ICD 177 --(1963) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1963) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1963) ----				
30-34			1	
35-39	3		3	

AGE	WM	WF	NM	NF
-- 179.0 (1963) CONTD---				
40-44	3		3	
45-49	10		5	
50-54	10		5	
55-59	12		11	
60-64	30		7	
65-69	24		6	
70-74	38		4	
75-79	36		4	
80-84	21		3	
85-UP	18		4	
-- ICD 179.1 (1963) ----				
30-34	1			
40-44	1			
50-54	1			
60-64	3		2	
65-69	2		1	
70-74	5			
75-79	1		1	
80-84	2			
85-UP	1			
-- ICD 179.7 (1963) ----				
00-04	1			
15-19	2		1	
60-64	3			
65-69	2			
70-74	1			
75-79	2			
80-84	1			
85-UP	1			
-- ICD 179.8 (1963) ----				
50-54			2	
75-79	1			
-- ICD 179.9 (1963) ----				
50-54	1			
70-74	1			
-- ICD 180 --(1963) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1963) ----				
00-04	5	2		
20-24	1			
25-29		2		
30-34	5	2	1	3
35-39	11	10	7	2
40-44	30	21	7	7
45-49	86	48	19	15
50-54	210	79	36	23
55-59	356	110	40	34
60-64	623	156	62	39
65-69	904	248	75	34
70-74	1025	370	57	27
75-79	914	410	45	28
80-84	638	386	19	13
85-UP	423	335	18	11
-- ICD 181.7 (1963) ----				
20-24	1			
40-44	2		1	
45-49	1	5	1	
50-54	4	9	8	1
55-59	6	7	3	3
60-64	7	7	5	3
65-69	6	14	2	1
70-74	6	16		1
75-79	11	3	1	
80-84		7		
85-UP	1	4		
-- ICD 181.8 (1963) ----				
50-54		1		
65-69	2			1
70-74	1	1		
75-79	2	2		
-- ICD 190.0 (1963) ----				
80-84		2		
-- ICD 190.1 (1963) ----				
30-34	1			
50-54	1			
55-59	1			
70-74		1		
85-UP		1		
-- ICD 190.2 (1963) ----				
35-39	1			
40-44	1			
45-49	1			
50-54	3	2		
55-59	1			

AGE	WM	WF	NM	NF
-- 190.2 (1963) CONTD---				
65-69	2			
75-79		1		
85-UP		2		
-- ICD 190.3 (1963) ----				
20-24		1		
25-29	2			
30-34	3			
35-39	3	2		
40-44	1	1		
45-49	3	1		
50-54	3	1		
55-59	4	2		
60-64	5	2		
65-69	8	4		
70-74	8	2	1	
75-79	11	5		
80-84	3	5		
85-UP	6	5		
-- ICD 190.4 (1963) ----				
15-19	1			
20-24	2	2		
25-29	1	2		
30-34	2	5		
35-39	8	2		
40-44	6	3		
45-49	6	7		
50-54	7	4		
55-59	3	4		
60-64	2	4		
65-69	3			
70-74	8	4		
75-79	3	7		
80-84	6	1		
85-UP	2			
-- ICD 190.5 (1963) ----				
20-24	3	1		
25-29	8	5		
30-34	16	6		
35-39	16	9		
40-44	18	9		
45-49	15	7		
50-54	18	14	1	
55-59	16	10		
60-64	13	8		
65-69	13	8	1	
70-74	13	15		
75-79	7	3		
80-84	4	4		
85-UP	1	5		
-- ICD 190.6 (1963) ----				
10-14	1			
20-24		1		
25-29	1	1		
30-34	1	5		
35-39	5	9		
40-44	6	7		
45-49	10	6		
50-54	16	4		
55-59	14	6		
60-64	9	3		
65-69	9	7		
70-74	6	6		2
75-79	3	2		
80-84	4	4	1	1
85-UP		1		
-- ICD 190.7 (1963) ----				
05-09	1			
15-19	1	1		
20-24	2	2		
25-29	2	6		
30-34		5		
35-39	4	10		
40-44	5	9		1
45-49	12	19		
50-54	12	13		
55-59	9	18	2	
60-64	18	19		1
65-69	14	20	3	1
70-74	9	24		3
75-79	10	14		
80-84	3	4		1
85-UP	5	7		
-- ICD 190.8 (1963) ----				
20-24		1		
30-34	1			
35-39	2			
45-49	1	1		
50-54	1			
55-59		2		

AGE	WM	WF	NM	NF
-- 190.8 (1963) CONTD---				
60-64		1		
70-74	1			
80-84		1		
-- ICD 190.9 (1963) ----				
05-09		1	1	
10-14		1		
15-19	3	3		
20-24	18	9		1
25-29	32	22		
30-34	57	36		
35-39	63	50	1	
40-44	82	60		1
45-49	80	64		1
50-54	102	59	2	3
55-59	93	63	1	4
60-64	82	67	3	4
65-69	65	58	5	2
70-74	74	66	2	2
75-79	42	49	1	1
80-84	31	26	2	
85-UP	26	21		
-- ICD 191.0 (1963) ----				
35-39	1			
40-44	2			
45-49	1	1		
50-54	4			
55-59	12		1	1
60-64	11		1	
65-69	7	2		
70-74	11	1	1	
75-79	14	1		
80-84	16			
85-UP	7	1		
-- ICD 191.1 (1963) ----				
30-34	1			
40-44				1
45-49	2			
50-54		1		
55-59	1	1		
60-64		1		
70-74	1			
75-79	1	1		
80-84	2	1		
85-UP	1	2		
-- ICD 191.2 (1963) ----				
35-39	1	1		
40-44	1	1		
45-49	1			
50-54	4	1		
55-59	2			
60-64	2	3		
65-69	4	3		
70-74	5	1		
75-79	13	4		1
80-84	12			
85-UP	13	1		
-- ICD 191.3 (1963) ----				
00-04	1			
20-24	1			
25-29	1			
40-44	2	3		1
45-49	10	3	1	
50-54	17	1	3	1
55-59	20	8	2	
60-64	35	10	1	1
65-69	37	24	1	1
70-74	54	31	4	
75-79	67	22	2	1
80-84	61	52	1	
85-UP	93	93		
-- ICD 191.4 (1963) ----				
40-44		1		1
45-49	5	4		1
50-54	8	4	2	
55-59	17	5	1	1
60-64	21	5		
65-69	15	8	2	
70-74	32	9	1	
75-79	28	10		2
80-84	24	12		
85-UP	20	10		
-- ICD 191.5 (1963) ----				
00-04		1		
10-14			1	
15-19		1		
30-34		1		
35-39	2	1	1	
40-44	3	2	2	2

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 191.5 (1963) CONTD---				
45-49	5	3	2	1
50-54	6	11	2	3
55-59	11	11		2
60-64	11	9	4	4
65-69	11	9	2	4
70-74	6	18		4
75-79	15	17	2	2
80-84	7	15		
85-UP	7	15		
-- ICD 191.6 (1963) ----				
05-09	1			
35-39	1			
40-44		1		
45-49		1		
50-54	5			
55-59	2	1		
60-64	1	1		
65-69	3	1		
70-74	7	4		
75-79	7	5		
80-84		1		
85-UP	4	6		
-- ICD 191.7 (1963) ----				
25-29			3	
30-34	1		1	
35-39		1	1	
45-49	1		1	1
50-54	2	1		
55-59	2	2		
60-64	5	1		
65-69	1		4	1
70-74	7	5	1	
75-79	6	3	1	1
80-84	1	6	1	
85-UP	1	5	1	1
-- ICD 191.8 (1963) ----				
40-44	1			
50-54	1			
60-64	2	1	1	
65-69			2	
70-74	5	2		
75-79	5			
80-84	7	1		
85-UP	3	4		
-- ICD 191.9 (1963) ----				
15-19	1			
20-24			1	
25-29	1			
30-34	1	2		
35-39	3	4		
40-44	14	4	1	3
45-49	11	10		1
50-54	15	11	2	3
55-59	32	9	3	1
60-64	47	8	1	
65-69	26	13		1
70-74	36	20	4	2
75-79	31	19	3	
80-84	19	18		
85-UP	23	14	1	
-- ICD 192 --(1963) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1963) ----				
00-04	100	85	16	11
05-09	110	93	14	8
10-14	92	63	12	11
15-19	65	52	6	11
20-24	36	43	8	2
25-29	80	46	4	6
30-34	90	62	8	4
35-39	155	118	7	8
40-44	233	158	16	11
45-49	318	188	24	10
50-54	401	301	28	17
55-59	432	301	26	11
60-64	410	270	19	9
65-69	286	218	6	1
70-74	159	108	8	5
75-79	67	44		2
80-84	13	8		3
85-UP	2	4		1
-- ICD 193.1 (1963) ----				
00-04	1	2		
05-09	3	1	1	
10-14	4	5	1	
15-19	2	2	1	
20-24	1	2		1
25-29		2		

AGE	WM	WF	NM	NF
--193.1 (1963) CONTD---				
30-34	8	1	1	
35-39		2	1	
40-44	4	3		
45-49	4	4		1
50-54	4	2		
55-59	6	3	1	1
60-64	11	8		2
65-69	13	2		1
70-74	7	5		1
75-79	7	3	1	
80-84	3	1		
85-UP	1			
-- ICD 193.2 (1963) ----				
00-04	1			
05-09	1			1
10-14	1			
15-19	1	1		
25-29	1	1	2	
30-34		1		
40-44	1	3		
45-49	3	3		
50-54	4	1		1
55-59	2	3		1
60-64		5		
65-69	3	2		
70-74	3	2		
75-79	2			
80-84	1			
-- ICD 193.3 (1963) ----				
05-09	1			
10-14		1		
20-24	2	1		
25-29	1	1	1	
30-34		2	1	
35-39	1			
40-44	1	2	1	
45-49	2	2		
50-54		2	1	
55-59	3	2	1	
60-64	2	1		
65-69	4	2		
70-74	1	3		
75-79	3	1		
80-84	2	1		
85-UP	1			
-- ICD 193.4 (1963) ----				
00-04	90	75	12	11
05-09	31	34	4	1
10-14	14	6		1
15-19	8	5		
20-24	1	1		
25-29	1	3		
30-34	3			
35-39	3	2		
40-44	2	1		
45-49		1		
50-54	3	1		
55-59		2		
60-64	5	2		
65-69	2	5		
70-74	2	4		
75-79	1	3		
80-84	1	1		
-- ICD 193.8 (1963) ----				
00-04		1		
10-14	1			
15-19	2			
20-24		1		
25-29		1		
40-44	1	1		
50-54	1			
55-59		2		
60-64	2			
65-69	1			
-- ICD 193.9 (1963) ----				
00-04	16	6	1	
05-09	19	11		4
10-14	3	7	2	3
15-19	6	5		1
20-24	10	5		1
25-29	4	8	3	1
30-34	14	6	2	1
35-39	19	10	3	
40-44	25	24	2	3
45-49	42	27	1	3
50-54	57	30	4	1
55-59	59	44		2
60-64	56	39	1	
65-69	48	35		3
70-74	21	19	1	1

AGE	WM	WF	NM	NF
-- 193.9 (1963) CONTD---				
75-79	13	10		
80-84	1	1		
85-UP	1	1		
-- ICD 194 --(1963) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1963) ----				
00-04	16	11		1
05-09	7	4	1	
10-14	2			
15-19	1			
20-24	2	1		1
25-29		3		
30-34	2	4	1	
35-39	6	9	1	
40-44	10	3		1
45-49	15	8	2	2
50-54	21	7	1	
55-59	31	9	1	
60-64	16	11	2	1
65-69	19	13	1	
70-74	14	9	2	
75-79	12	3		
80-84	3	6		
-- ICD 195.1 (1963) ----				
45-49	1			
50-54		1		
55-59	1	2		
60-64		1		
-- ICD 195.2 (1963) ----				
00-04	1	1		
05-09		1		
20-24	1	1		
25-29	2	3		
30-34	3	2		
35-39	2	3		
40-44	1	1	2	2
45-49	2	4		1
50-54	4	1		
55-59	6	6		
60-64	6	3		
65-69	4	1		
70-74	3			
75-79	3			1
-- ICD 195.3 (1963) ----				
05-09	2	1		
15-19	1			
25-29		1		
40-44		1		
45-49	1		1	
50-54	1			1
55-59	3			
60-64	1	1		
65-69	1	2	1	
70-74	1			
75-79	3			
-- ICD 195.4 (1963) ----				
00-04		1		
10-14	1			1
15-19	1	1		
20-24	1			
25-29			1	
30-34	2			
45-49	1		1	
55-59	1			
70-74	1			
-- ICD 195.7 (1963) ----				
10-14	1			
30-34			1	
35-39	1			
40-44	1			
45-49	1			1
50-54	1			2
60-64		1		
70-74	1			
75-79		1		
-- ICD 196.0 (1963) ----				
00-04	1	1	1	
05-09	1			
10-14		1		
15-19	1			
20-24	1			
25-29		1		
30-34	1	1	1	
35-39	1	1		
40-44	1	1		
45-49	1	2	2	
50-54	1	2		
55-59	3			
60-64	1	1		
65-69	1	2	1	
70-74	1			
75-79	3			
-- ICD 196.1 (1963) ----				
00-04			1	
05-09	1			
10-14	1			
15-19	2			
20-24	1	1		1
35-39	1	1		
45-49	1	6		1
50-54	8	2	3	2
55-59	6	4	2	
60-64	10	7	4	1
65-69	16	8	2	
70-74	14	7	2	1
75-79	19	8	1	2
80-84	19	7		1
85-UP	6	5		1
-- ICD 196.2 (1963) ----				
00-04	2			
05-09		2		
10-14	3	2		1
15-19	2	6		
20-24	2	3		
25-29	1	1		
30-34			1	
35-39	4	1		
40-44	9	1		
45-49	5	5	1	2
50-54	16	6		2
55-59	22	14	2	
60-64	24	14	3	1
65-69	27	15	3	1
70-74	22	14		2
75-79	14	13	1	
80-84	6	8		
85-UP	2	6	1	
-- ICD 196.3 (1963) ----				
10-14	1			
15-19	3			
20-24	2			
25-29	1			
30-34	1			
35-39		1		1
40-44		1	1	
45-49	1	2		
50-54	2	2		
55-59	8	3		
60-64	5			
65-69	5	4		
70-74	4	2		
75-79	2	1		
80-84	3			
85-UP		2		
-- ICD 196.4 (1963) ----				
05-09	3		1	
10-14	3	2		
15-19	5	5		
20-24	5	3		
25-29	2			
30-34	3	1	1	
35-39	3			
40-44	1	2		
45-49	1			1
50-54	1	1		1
55-59	1	1		
60-64	3	6		2
65-69	3	3		1
70-74	3	3		1
75-79	4	4		
80-84	1	1		
-- ICD 196.5 (1963) ----				
35-39	1			
50-54		1		
-- ICD 196.6 (1963) ----				
00-04	1	1		1
05-09	1	1		
10-14	3	2	1	
15-19	4	1	1	
20-24	7	2		1
25-29		1		
30-34		1		
35-39	1	4		
40-44	1	1		

AGE	WM	WF	NM	NF
-- 196.6 (1963) CONTD---				
45-49	3			
50-54	8	2		1
55-59	13	4		
60-64	8	6		1
65-69	14	9		
70-74	6	5	2	
75-79	4	7		
80-84	2			
85-UP	2	3		
-- ICD 196.7 (1963) ----				
00-04	2	1		1
05-09	8	7		2
10-14	26	17	1	7
15-19	37	20	4	2
20-24	15	5		1
25-29	2	4	2	1
30-34		3	1	
35-39	7	2	2	
40-44	3	4	1	1
45-49	5	5		1
50-54	8	9	3	
55-59	6	8	1	1
60-64	6	6	2	1
65-69	12	13	3	1
70-74	12	8		
75-79	8	7		1
80-84	9	9	1	
85-UP	2	5		
-- ICD 196.8 (1963) ----				
10-14		1		
15-19	4	2	1	
20-24	2		1	
35-39		1		
40-44	1	1		
45-49	2			
50-54				1
60-64	1	1		
65-69	2	1		
80-84		1		
85-UP		1		
-- ICD 196.9 (1963) ----				
00-04	1	2		
05-09	6	7	1	1
10-14	21	16	3	1
15-19	28	16	5	2
20-24	18	3	2	1
25-29	6	2		1
30-34	6	5		1
35-39	5			
40-44	4	3		
45-49	7	5	1	
50-54	8	7	4	4
55-59	13	12	2	4
60-64	14	18	1	
65-69	18	13	1	1
70-74	20	23	1	1
75-79	5	17	1	1
80-84	5	7	1	
85-UP	4	6		
-- ICD 197.0 (1963) ----				
00-04	2	1		1
05-09	3	2	1	2
10-14	2	3		1
15-19	1	1		1
25-29	2			
30-34			1	
35-39	1			
40-44	1			
50-54	3			
55-59	1	1		
60-64	2		1	
65-69	1			
70-74		3		
75-79	5	1	1	
80-84	3	2		
85-UP	3	1		
-- ICD 197.1 (1963) ----				
00-04	2	2		1
05-09	2			
15-19	4	3		1
20-24	1	3		
25-29	1	1		1
30-34	1			1
35-39	8	3		
40-44	5	5		
45-49	5	10	1	1
50-54	10	8		
55-59	14	14	1	2
60-64	16	11	3	3
65-69	12	8	2	1

AGE	WM	WF	NM	NF
-- 197.1 (1963) CONTD---				
70-74	15	9	3	1
75-79	8	10		1
80-84	5	6		
85-UP	2	4		
-- ICD 197.2 (1963) ----				
00-04		1		
05-09	1	1		
10-14	1			
15-19	2			1
20-24	1			
25-29	2			
30-34	1			
35-39	1	1		
40-44		1	1	
45-49	2	1	1	
50-54	2	3		1
55-59	6	4		
60-64	1	2	2	
65-69	8	2		
70-74	6	5	1	
75-79	3	3	1	
80-84	3		1	1
85-UP	1	3		
-- ICD 197.3 (1963) ----				
00-04	2		1	
05-09	2	1		
10-14	2	1		
15-19		4		
20-24	2	5	2	
25-29	4	1	1	
30-34	2	4		
35-39	9	2	1	2
40-44	5	5		1
45-49	5	7	3	
50-54	12	1	2	
55-59	10	8	1	
60-64	14	10	1	2
65-69	15	11	2	2
70-74	12	20	1	2
75-79	15	15		1
80-84	5	5		
85-UP	4	5		1
-- ICD 197.8 (1963) ----				
50-54		2		
55-59	3			
65-69	1			
80-84		1		
85-UP	1			
-- ICD 197.9 (1963) ----				
00-04	7	6	1	1
05-09	12	8		1
10-14	2	5		1
15-19	6	5	2	2
20-24	7	5		1
25-29	3	1	1	1
30-34	8	6	4	
35-39	9	11		
40-44	6	7	3	2
45-49	21	12	1	1
50-54	28	17	3	2
55-59	26	18	3	7
60-64	22	26	1	1
65-69	24	22	3	1
70-74	31	15	1	1
75-79	15	17	3	
80-84	10	12		1
85-UP	8	9	1	
-- ICD 198.0 (1963) ----				
35-39	1			
40-44	2	1		
45-49	1	2		
50-54	5	3		2
55-59	6	2	1	1
60-64	12	2		
65-69	6	1	1	
70-74	8	2		
75-79	10	2		
80-84	7	1	1	1
85-UP	5	5		
-- ICD 198.1 (1963) ----				
35-39	1			
45-49		1		
50-54				1
65-69	2			
70-74	1			
-- ICD 198.2 (1963) ----				
40-44	1	1		
45-49	2			

AGE	WM	WF	NM	NF
-- 198.2 (1963) CONTD---				
55-59		2		
60-64	1			
65-69		2		
70-74		3		
75-79		1		
80-84	2	1		
85-UP		2		
-- ICD 198.3 (1963) ----				
40-44		1		
60-64			1	
65-69	2		1	
70-74	3			
-- ICD 198.4 (1963) ----				
45-49	1	1		
55-59	1			
65-69	2	1		
70-74	1	2		1
75-79	3	1		
80-84	1	2		
85-UP	1			
-- ICD 198.7 (1963) ----				
65-69		1		
70-74		1		
-- ICD 198.8 (1963) ----				
20-24	1			
45-49			1	
55-59	2			
60-64	1			
85-UP		1		
-- ICD 198.9 (1963) ----				
15-19	2			
20-24		1		
25-29	1			
40-44		2		
45-49		1		
50-54	4	1	1	
55-59	3	2		
60-64	4			
65-69	2	3	1	
70-74	3	4		
75-79	1	4		
-- ICD 199 --(1963) ----				
00-04	24	23	4	4
05-09	8	8	1	1
10-14	8	9	1	
15-19	19	20	2	3
20-24	21	7	3	1
25-29	21	21	2	6
30-34	52	36	9	14
35-39	84	90	24	24
40-44	142	161	23	42
45-49	288	292	50	48
50-54	456	390	97	97
55-59	667	506	97	90
60-64	812	696	126	117
65-69	919	852	129	122
70-74	938	923	101	88
75-79	745	850	67	61
80-84	475	666	29	25
85-UP	319	485	20	26
-- ICD 200.0 (1963) ----				
00-04	10	1		1
05-09	18	4	2	2
10-14	11	8	3	
15-19	18	10		3
20-24	20	16	1	
25-29	8	8	1	
30-34	16	12	3	4
35-39	35	24	4	4
40-44	45	36	2	1
45-49	51	56	10	3
50-54	87	58	6	4
55-59	106	69	13	6
60-64	129	89	12	6
65-69	131	95	6	5
70-74	90	107	5	1
75-79	66	73	2	2
80-84	31	39	1	
85-UP	17	16	2	
-- ICD 200.1 (1963) ----				
00-04	25	15	7	3
05-09	53	14	4	4
10-14	44	11	2	1
15-19	32	14	2	1
20-24	34	15	1	1
25-29	29	12	2	2
30-34	41	17	3	2

AGE	WM	WF	NM	NF
-- 200.1 (1963) CONTD---				
35-39	53	29	5	2
40-44	100	54	6	1
45-49	125	88	8	4
50-54	183	124	13	4
55-59	204	164	17	8
60-64	225	192	21	14
65-69	282	224	14	7
70-74	254	225	12	4
75-79	194	184	7	8
80-84	94	109	7	2
85-UP	47	51	2	2
-- ICD 200.2 (1963) ----				
00-04	8	4	2	1
05-09	10	7	5	
10-14	8	2		1
15-19	9	1		2
20-24	6	6	1	1
25-29	8	4	1	1
30-34	12	3	1	
35-39	21	10	5	
40-44	33	24	3	1
45-49	47	31	4	2
50-54	36	52	3	5
55-59	77	42	6	3
60-64	73	74	7	1
65-69	87	81	9	2
70-74	71	79	4	6
75-79	60	86	4	2
80-84	34	48	2	
85-UP	23	26		
-- ICD 201 --(1963) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1963) ----				
20-24		1		
30-34	1			
35-39	2	2		1
40-44	2	2	1	
45-49	7	3		
50-54	8	4		1
55-59	9	9		
60-64	10	10		
65-69	7	12		
70-74	5	4	2	
75-79	5	5	1	
80-84		1		
85-UP	1	2		
-- ICD 202.1 (1963) ----				
00-04	30	18	4	3
05-09	11	2	2	
10-14	3	3	2	
15-19	10	5	1	
20-24	8	3		
25-29	3	3		
30-34	8	3	2	2
35-39	10	7	1	1
40-44	17	4	3	
45-49	36	15	5	2
50-54	45	22	5	5
55-59	56	30	5	1
60-64	52	49	6	2
65-69	69	37	10	3
70-74	77	60	5	2
75-79	55	53	4	1
80-84	31	34		1
85-UP	13	22	1	1
-- ICD 203 --(1963) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1963) ----				
00-04	21	27	4	3
05-09	20	17	3	2
10-14	14	11		
15-19	14	4		
20-24	4	4	1	
25-29	4	5		2
30-34	4	5	1	2
35-39	14	12	1	1
40-44	15	17	5	3
45-49	42	35	2	7
50-54	77	31	14	5
55-59	161	68	12	8
60-64	175	96	24	12
65-69	274	141	21	15
70-74	316	193	24	13
75-79	324	186	13	8
80-84	191	192	13	2
85-UP	119	104	3	4
-- ICD 204.1 (1963) ----				
00-04	10	6	2	3

AGE	WM	WF	NM	NF
-- 204.1 (1963) CONTD---				
05-09	10	3	1	1
10-14	12	3	1	2
15-19	11	6	1	
20-24	12	5	2	
25-29	18	12	4	2
30-34	32	18	7	2
35-39	36	36	6	11
40-44	42	44	7	4
45-49	64	47	3	7
50-54	72	62	11	4
55-59	92	70	9	8
60-64	110	92	9	10
65-69	145	116	8	7
70-74	156	132	4	6
75-79	123	123	2	4
80-84	93	91	3	
85-UP	60	38	3	
-- ICD 204.2 (1963) ----				
00-04	12	9	1	
05-09	5	5	1	2
10-14	13	6	2	2
15-19	14	16	1	1
20-24	17	9	1	2
25-29	6	9	2	2
30-34	18	10		2
35-39	19	10	1	2
40-44	27	25	3	1
45-49	34	29	3	1
50-54	35	29	2	6
55-59	38	40	3	3
60-64	55	32	7	5
65-69	73	49	3	1
70-74	75	58	3	2
75-79	65	36	3	3
80-84	35	37	2	2
85-UP	28	22	2	
-- ICD 204.3 (1963) ----				
00-04	385	268	39	33
05-09	298	276	17	21
10-14	142	126	15	16
15-19	132	79	22	5
20-24	90	50	13	5
25-29	71	46	6	4
30-34	90	71	6	7
35-39	88	79	8	11
40-44	103	100	11	7
45-49	119	117	8	12
50-54	149	101	11	8
55-59	196	135	16	11
60-64	225	149	21	12
65-69	261	199	17	7
70-74	280	191	15	10
75-79	214	157	7	6
80-84	140	101	1	2
85-UP	86	49	1	2
-- ICD 204.4 (1963) ----				
00-04	69	47	6	13
05-09	51	51	6	4
10-14	32	16	4	2
15-19	15	6	3	2
20-24	4	4	2	
25-29	6	11	4	2
30-34	2	3	3	
35-39	6	4	2	3
40-44	13	5	5	2
45-49	15	9	1	7
50-54	27	19	5	4
55-59	38	26	3	4
60-64	74	36	6	5
65-69	90	56	4	7
70-74	100	59	8	2
75-79	84	56	2	
80-84	65	47	3	2
85-UP	25	34	1	1
-- ICD 205 --(1963) ----				
25-29				1
35-39	1		1	
40-44	1	2		
45-49	2	2	3	
50-54	3	1		1
55-59	4	3		1
60-64	4	5	1	1
65-69	5			1
70-74	5	1		
75-79	7	3		
80-84	3	3		
85-UP	2			1
-- ICD 140.0 (1964) ----				
55-59	1			
60-64	1			

AGE	WM	WF	NM	NF
-- 140.0 (1964) CONTD---				
75-79	1	1		
80-84	1			
85-UP	3			
-- ICD 140.1 (1964) ----				
30-34	2			
40-44	1	1		
45-49	2			
50-54	2			
55-59	4			
60-64	4			
65-69	7	1		
70-74	7	1		
75-79	6	2		
80-84	5			
85-UP	9	1	1	
-- ICD 140.9 (1964) ----				
25-29	1			
35-39	2			
45-49	3			
50-54	7		1	1
55-59	5			
60-64	10	2	1	
65-69	3	1	2	
70-74	14	2		1
75-79	21	3		
80-84	12	5		
85-UP	18	6		
-- ICD 141.0 (1964) ----				
20-24		1		
35-39			1	
40-44	2		2	1
45-49	9	1	1	
50-54	11	5	4	
55-59	19	7	1	
60-64	21	2	2	
65-69	19	2		
70-74	13	4	2	
75-79	14	2	1	
80-84	7	2	1	
85-UP	5	1		
-- ICD 141.7 (1964) ----				
40-44		1	1	
45-49	2	2		
50-54	1	1		
55-59	8			
60-64	3	3	1	
65-69	2	2		
70-74	4	3		1
75-79	5	1	1	1
80-84	2			
85-UP	1			
-- ICD 141.9 (1964) ----				
15-19		1		
25-29	2	1		1
30-34	1	1	1	
35-39	4	5	3	2
40-44	25	6	5	4
45-49	55	22	13	5
50-54	90	36	25	11
55-59	131	31	20	2
60-64	148	34	16	6
65-69	139	25	15	3
70-74	135	38	7	
75-79	102	30	8	
80-84	65	20	3	
85-UP	32	37	3	
-- ICD 142.0 (1964) ----				
00-04	1	1		
05-09	1	1		
15-19				1
20-24	1			
25-29		1	1	
30-34	3	5		
35-39	3	1		
40-44	3	3	1	1
45-49	13	8	4	1
50-54	16	15	3	
55-59	17	17	2	4
60-64	36	16	3	
65-69	30	19	3	
70-74	43	28	3	2
75-79	38	35	1	1
80-84	31	14	1	3
85-UP	25	19		
-- ICD 142.7 (1964) ----				
10-14	1			
25-29	1			
30-34		1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 142.7 (1964) CONTD---				
40-44	1	1		
45-49	2	3	1	
50-54	4	3		
55-59	6	2		
60-64	4	1	1	
65-69	5			1
70-74	8	6	1	
75-79	6	6		
80-84	8	2		
85-UP	7	2		
-- ICD 142.9 (1964) ----				
30-34	1	1	1	
35-39	1			
40-44		1		
45-49	2	3		1
50-54	3	1		
55-59	3	3		1
60-64	6	3		
65-69	2	1		2
70-74	5			2
75-79	5	3		
80-84	2	1		1
85-UP	3	3		
-- ICD 143 --(1964) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1964) ----				
05-09	1			
20-24		1		
25-29	2	1	1	
30-34	1		1	
35-39	4	2		1
40-44	11	4	5	2
45-49	25	7	6	1
50-54	54	21	12	2
55-59	80	35	10	4
60-64	88	37	13	8
65-69	80	26	14	9
70-74	96	39	8	6
75-79	76	41	5	3
80-84	48	32	2	1
85-UP	50	48	7	2
-- ICD 145.0 (1964) ----				
05-09	1			
15-19	1			
30-34	1			
35-39	2	1		1
40-44	12	4	1	4
45-49	22	7	10	4
50-54	42	11	10	1
55-59	44	16	8	1
60-64	58	12	3	1
65-69	51	9	5	
70-74	51	9	6	
75-79	36	2	1	
80-84	18	5	1	
85-UP	14	6	1	1
-- ICD 145.7 (1964) ----				
15-19	1			
30-34	1			
40-44	1	1		
45-49		1		
50-54	5		1	
55-59	4	3		
60-64	8			1
65-69	7	1	1	
70-74	2		1	1
75-79	2			
80-84	2			
85-UP	1			
-- ICD 145.8 (1964) ----				
65-69	1			
-- ICD 145.9 (1964) ----				
05-09	1			
60-64		1		
-- ICD 146 --(1964) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1964) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1964) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1964) ----				
SEE PAGES 70 - 79				

AGE	WM	WF	NM	NF
-- ICD 151 --(1964) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1964) ----				
30-34	1	1	1	
35-39	1	1	1	
40-44	8		1	1
45-49	6	5	1	2
50-54	11	5	2	1
55-59	8	6	1	
60-64	13	10		2
65-69	16	9	1	
70-74	16	14		
75-79	16	13		
80-84	9	8		1
85-UP	11	8	2	
-- ICD 152.7 (1964) ----				
10-14	1			
20-24	2			
25-29		1		
30-34		2		
35-39	4	1		1
40-44	5	2	1	
45-49	10	2	1	1
50-54	18	3		1
55-59	11	13	1	1
60-64	27	14	2	2
65-69	16	20	1	1
70-74	24	13	2	1
75-79	9	22	2	
80-84	6	9		1
85-UP	5	5	1	
-- ICD 152.8 (1964) ----				
35-39				1
-- ICD 152.9 (1964) ----				
10-14		1		
15-19		1		
20-24	1	1		
25-29	2			
30-34	1	1		
35-39		3		
40-44	4	4		
45-49	10	3	2	
50-54	4	8		
55-59	12	15	3	2
60-64	14	20	2	
65-69	20	18	2	2
70-74	10	16	1	3
75-79	12	14	1	
80-84	9	12		
85-UP	2	13	1	
-- ICD 153.0 (1964) ----				
05-09		1		
15-19	1	1	2	
20-24	1	2	1	
25-29	2	6	1	
30-34	8	9	3	1
35-39	13	18	5	2
40-44	31	35	5	3
45-49	65	50	8	8
50-54	112	82	9	17
55-59	150	154	10	16
60-64	211	239	20	33
65-69	268	347	20	26
70-74	316	449	26	26
75-79	329	418	14	13
80-84	191	342	11	13
85-UP	115	237	4	7
-- ICD 153.1 (1964) ----				
00-04	1			
15-19	2			
20-24	1	2	1	
25-29	2	1		1
30-34	3	3	1	1
35-39	8	10	1	
40-44	24	13	1	2
45-49	24	26	2	3
50-54	37	41	8	7
55-59	71	65	6	11
60-64	80	86	3	10
65-69	93	122	13	11
70-74	107	127	7	4
75-79	116	130	3	5
80-84	62	104	4	6
85-UP	29	77	1	6
-- ICD 153.2 (1964) ----				
15-19		1		
20-24	1			
25-29	1			
30-34	5	5		2

AGE	WM	WF	NM	NF
-- 153.2 (1964) CONTD---				
35-39	9	5	1	1
40-44	13	16		1
45-49	21	28	2	3
50-54	21	53	4	3
55-59	33	62	6	7
60-64	80	58	4	6
65-69	82	81	8	4
70-74	93	127	9	6
75-79	77	97	7	2
80-84	55	66	1	3
85-UP	33	58	2	2
-- ICD 153.3 (1964) ----				
05-09	1			
15-19	1	1		
20-24	3	2		
25-29	3	2	3	1
30-34	8	11	1	3
35-39	21	30	2	5
40-44	26	58	6	7
45-49	71	122	12	11
50-54	167	182	13	20
55-59	249	254	22	19
60-64	359	337	30	25
65-69	404	414	33	32
70-74	489	477	23	26
75-79	485	437	15	15
80-84	285	325	10	9
85-UP	158	237	3	7
-- ICD 153.7 (1964) ----				
30-34			1	
40-44	1			
45-49	3	2		
50-54	2	1		
55-59	1			1
60-64	3	2	1	
65-69	3	7		1
70-74	10	3		
75-79	9	5		
80-84	2	5		
85-UP	2	5		
-- ICD 153.8 (1964) ----				
00-04	1	1		
05-09	1			
10-14	1		3	
15-19	7		1	
20-24	11	6	7	2
25-29	25	14	3	2
30-34	29	32	5	10
35-39	71	70	23	17
40-44	130	171	23	23
45-49	202	268	16	48
50-54	397	512	49	68
55-59	639	659	46	75
60-64	826	894	88	97
65-69	1094	1089	103	112
70-74	1240	1344	73	102
75-79	1103	1311	69	67
80-84	773	979	39	39
85-UP	416	725	20	38
-- ICD 153.9 (1964) ----				
00-04		1		
15-19		1		
20-24		1		
25-29		4		1
30-34	2	3	1	
35-39	7	3	2	
40-44	11	20	2	2
45-49	16	25	2	4
50-54	31	44	3	3
55-59	50	56	4	4
60-64	74	82	10	6
65-69	66	104	12	10
70-74	102	144	6	7
75-79	107	160	7	6
80-84	67	119	3	3
85-UP	51	106	1	1
-- ICD 154 --(1964) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1964) ----				
00-04	15	13	4	1
05-09	3	2	1	1
10-14	1	1	1	1
15-19	3	6		2
20-24	7	6		
25-29	3	3	6	
30-34	6	3	2	1
35-39	9	10	4	2
40-44	20	23	13	4
45-49	48	37	18	7

AGE	WM	WF	NM	NF
-- 155.0 (1964) CONTD---				
50-54	76	46	38	5
55-59	127	67	47	6
60-64	189	80	43	18
65-69	206	92	31	7
70-74	184	90	23	9
75-79	106	79	8	5
80-84	60	66	7	1
85-UP	31	44	1	2
-- ICD 155.1 (1964) ----				
05-09				1
15-19	1			
20-24	2			
25-29	3	3		
30-34	4	4		
35-39	9	10	2	2
40-44	16	20	1	2
45-49	38	65		10
50-54	73	111	13	11
55-59	116	184	11	16
60-64	155	315	14	34
65-69	239	489	16	33
70-74	287	515	18	26
75-79	234	460	13	17
80-84	146	313	14	9
85-UP	71	156	5	5
-- ICD 155.8 (1964) ----				
70-74		1		
-- ICD 156 --(1964) ----				
00-04	6	6		
05-09	2			
10-14	1	2	1	
15-19	2	2		
20-24	2	1	1	
25-29	1	3	2	2
30-34	5	6	4	5
35-39	13	19	7	4
40-44	46	36	9	7
45-49	62	51	21	16
50-54	130	90	45	24
55-59	213	149	40	31
60-64	315	168	52	37
65-69	314	272	47	22
70-74	345	329	29	31
75-79	303	289	31	22
80-84	195	241	13	5
85-UP	93	178	7	13
-- ICD 157 --(1964) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1964) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1964) ----				
00-04	2			
05-09		1		
20-24	2			2
25-29				1
30-34	3			
35-39	1	1	2	
40-44	3	2	8	4
45-49	8	10	3	4
50-54	18	24	5	9
55-59	29	17	10	7
60-64	34	38	16	9
65-69	40	42	16	14
70-74	67	61	20	11
75-79	56	81	7	2
80-84	46	71	5	5
85-UP	47	64	2	7
-- ICD 160.0 (1964) ----				
00-04	1	2		
05-09		1		
10-14		1		
15-19	1			
30-34	1			
35-39	1			
40-44	3	1	1	
45-49		2		
50-54	5	2	1	
55-59	4		1	1
60-64	4	2		
65-69	6	8	1	1
70-74	9	1		1
75-79	9	9		
80-84	6	10		
85-UP	7	10		1
-- ICD 160.1 (1964) ----				
10-14			1	
50-54	1	1		

AGE	WM	WF	NM	NF
-- 160.1 (1964) CONTD---				
55-59		1	1	
60-64	2	3		
65-69	2	2		
70-74	1	1	1	
75-79		3		
85-UP	1			
-- ICD 160.2 (1964) ----				
15-19		1		
20-24	2	1		
25-29	1	2		1
30-34		2		1
35-39	6	4	1	
40-44	5	5	4	
45-49	12	7		2
50-54	15	7	3	
55-59	24	5	5	3
60-64	33	16	6	2
65-69	24	13	10	4
70-74	19	13	5	
75-79	23	9	1	
80-84	16	13	1	1
85-UP	9	7	1	1
-- ICD 160.7 (1964) ----				
05-09		1		
30-34	1			
35-39	1	1		
40-44	3	2		
45-49	2			
50-54	3			
55-59	3		1	
60-64	4			
65-69	4	4		
70-74	7	2		
75-79	1	3	1	
80-84	2	1	1	
85-UP	1	1		
-- ICD 160.8 (1964) ----				
40-44	1			
45-49	1			
50-54		1		
55-59		1	1	
60-64	1			
75-79		2	1	
85-UP	1			
-- ICD 160.9 (1964) ----				
20-24		2		
40-44		2		
45-49	1			
50-54	1	2		
55-59	1	1		
60-64		1	1	
65-69	2	3		
70-74	1	2		1
75-79	2	2		
80-84	2			
85-UP	1			
-- ICD 161 --(1964) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1964) ----				
00-04	1	1		
30-34		2		
35-39	3	1		
40-44	1		1	
45-49	4		1	2
50-54	12	2	1	
55-59	5	1	2	
60-64	16	3	3	
65-69	13	3		
70-74	8	5		
75-79	6	3		
80-84	1			
85-UP	2	1		
-- ICD 162.1 (1964) ----				
00-04		1		
15-19	2			
20-24	2	1	1	1
25-29	5	4	1	
30-34	46	16	11	2
35-39	172	46	40	9
40-44	397	120	102	24
45-49	844	210	137	23
50-54	1591	272	224	47
55-59	2331	312	274	26
60-64	2766	287	270	35
65-69	2987	300	239	31
70-74	2365	298	162	20
75-79	1374	209	67	10
80-84	495	134	25	5

AGE	WM	WF	NM	NF
-- 162.1 (1964) CONTD---				
85-UP	192	68	12	6
-- ICD 162.2 (1964) ----				
40-44		1		
50-54	1			
55-59	3	1		
60-64	1			
70-74	1	1		
75-79		1		
-- ICD 162.8 (1964) ----				
40-44		1		
45-49	1		1	
50-54	1	1		
55-59	1			
65-69	1			
-- ICD 163 --(1964) ----				
00-04	2	2	1	
05-09	3		1	
10-14	1	2	1	1
15-19		3	1	
20-24	6	2	1	
25-29	19	10	4	2
30-34	54	26	12	3
35-39	182	83	41	19
40-44	491	205	97	22
45-49	1000	282	130	26
50-54	1755	416	289	45
55-59	2806	487	297	54
60-64	3559	494	346	74
65-69	3710	524	290	42
70-74	3130	530	174	35
75-79	2001	452	103	27
80-84	808	317	43	18
85-UP	298	169	28	10
-- ICD 164 --(1964) ----				
00-04	3	4	1	
05-09	2	1		
10-14	2	1		1
15-19	1			
20-24	11	1		
25-29	5	1		
30-34	4	5		1
35-39	5	3	2	
40-44	9	2	2	
45-49	15	5		2
50-54	13	8	3	1
55-59	24	7	3	
60-64	14	9	3	2
65-69	23	8	1	1
70-74	21	7	2	1
75-79	15	10	1	1
80-84	8	5		
85-UP	3	3		
-- ICD 165 --(1964) ----				
00-04	1	2		
05-09	2			
10-14	2			
15-19	1			
20-24			1	
25-29	4	1		
30-34	4	5	1	
35-39	11	3	1	5
40-44	29	20	6	2
45-49	43	22	12	3
50-54	95	33	9	7
55-59	109	43	12	5
60-64	135	43	13	8
65-69	141	66	8	8
70-74	117	65	6	1
75-79	78	60	8	6
80-84	51	44	1	1
85-UP	27	27	2	1
-- ICD 170 --(1964) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1964) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1964) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1964) ----				
05-09				1
10-14		3		
15-19		4		1
20-24		11		3
25-29		12		3
30-34		5		5
35-39		4		3
40-44				1

AGE	WM	WF	NM	NF
-- 173 --(1964) CONTD---				
45-49		1		1
50-54		2		
55-59		3		2
60-64				1
65-69				1
85-UP		2		
-- ICD 174 --(1964) ----				
00-04		3		
10-14		1		
15-19		1		1
20-24		3		1
25-29		5		2
30-34		21		6
35-39		43		22
40-44		113		30
45-49		163		37
50-54		270		90
55-59		378		69
60-64		457		121
65-69		540		91
70-74		584		86
75-79		474		60
80-84		299		23
85-UP		217		26
-- ICD 175.0 (1964) ----				
00-04		3		
05-09		8		
10-14		16		6
15-19		26		7
20-24		33		7
25-29		32		4
30-34		66		10
35-39		175		31
40-44		377		44
45-49		699		80
50-54		940		87
55-59		1067		95
60-64		1094		62
65-69		1113		77
70-74		936		46
75-79		688		21
80-84		416		12
85-UP		179		4
-- ICD 175.1 (1964) ----				
35-39		2		1
40-44		5		1
45-49		9		
50-54		12		5
55-59		18		3
60-64		10		3
65-69		12		1
70-74		4		
75-79		7		1
-- ICD 175.8 (1964) ----				
35-39		1		1
50-54		3		1
55-59		4		
60-64		2		
65-69		2		
-- ICD 175.9 (1964) ----				
55-59		1		
70-74		1		
-- ICD 176.0 (1964) ----				
15-19				1
20-24		1		
30-34		2		2
35-39		3		4
40-44		10		4
45-49		15		3
50-54		14		5
55-59		19		6
60-64		29		6
65-69		64		4
70-74		76		4
75-79		76		4
80-84		69		4
85-UP		52		3
-- ICD 176.1 (1964) ----				
00-04		2		
10-14		1		
25-29		2		
30-34		2		
35-39		3		3
40-44		10		2
45-49		11		2
50-54		16		5
55-59		18		4
60-64		24		6

AGE	WM	WF	NM	NF
-- 176.1 (1964) CONTD---				
65-69		29		6
70-74		39		1
75-79		40		3
80-84		34		
85-UP		22		1
-- ICD 176.7 (1964) ----				
40-44				1
50-54		2		1
55-59		2		
60-64		2		
65-69		1		
70-74		1		
75-79		2		
-- ICD 176.8 (1964) ----				
50-54		1		
55-59		1		
70-74		1		
75-79		3		1
80-84		2		1
-- ICD 176.9 (1964) ----				
35-39		1		
40-44		2		
45-49		2		2
50-54		4		1
55-59		4		1
60-64		3		
65-69		7		1
70-74		6		1
75-79		2		
80-84		8		
85-UP		6		1
-- ICD 177 --(1964) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1964) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1964) ----				
30-34	1			
35-39	1			
40-44	11		4	
45-49	7		9	
50-54	11		8	
55-59	17		5	
60-64	16		10	
65-69	22		3	
70-74	32		10	
75-79	30		5	
80-84	22		4	
85-UP	29		2	
-- ICD 179.1 (1964) ----				
15-19				1
40-44				1
50-54	1			2
55-59	2			2
60-64	3			
65-69	1			
70-74	2			1
75-79	5			
80-84	3			
85-UP	2			
-- ICD 179.7 (1964) ----				
10-14	1			
15-19	2			
30-34	1			
35-39	1			
45-49	1			
50-54				1
55-59	4			
60-64	3			1
65-69	1			
70-74	3			1
75-79	1			
80-84	4			
85-UP	2			1
-- ICD 179.8 (1964) ----				
45-49	1			
65-69	1			
-- ICD 179.9 (1964) ----				
45-49				1
65-69	1			
70-74	1			
80-84	1			
85-UP	1			
-- ICD 180 --(1964) ----				
SEE PAGES 202 - 211				

AGE	WM	WF	NM	NF
-- ICD 181.0 (1964) ----				
00-04	3	2	2	
10-14	1			
20-24	1		2	
25-29	1		1	1
30-34	7	1	1	
35-39	7	11	1	3
40-44	33	20	11	9
45-49	81	37	18	5
50-54	177	80	40	23
55-59	345	111	49	44
60-64	546	192	63	35
65-69	861	252	60	37
70-74	968	355	52	33
75-79	931	407	34	30
80-84	663	368	19	16
85-UP	427	305	7	13
-- ICD 181.7 (1964) ----				
25-29			1	
35-39				1
40-44		2	1	2
45-49	4	5	1	1
50-54	2	7	1	2
55-59	11	8	5	1
60-64	7	4	4	4
65-69	4	14		2
70-74	16	12	1	1
75-79	7	9		1
80-84	8	14	1	
85-UP	2	6		1
-- ICD 181.8 (1964) ----				
65-69		1		
70-74		2		
75-79	1			1
80-84	1	2		
-- ICD 190.0 (1964) ----				
70-74	1			
-- ICD 190.1 (1964) ----				
80-84		1		
-- ICD 190.2 (1964) ----				
30-34	2			
35-39	2			
40-44	2			
45-49	3			
50-54		1		
55-59	1			
60-64		1		
65-69	3			
70-74	1	1		
80-84	2	1		
85-UP	2	1		
-- ICD 190.3 (1964) ----				
15-19	1			
20-24	1			
25-29	1			
30-34	3	1		
35-39	1			
40-44	4	1		
45-49	3		1	
50-54	6	1		
55-59	4	2		
60-64	4	1		
65-69	4	2		
70-74	12	5		
75-79	4	2		1
80-84	7	4	1	
85-UP	6	4		
-- ICD 190.4 (1964) ----				
15-19	1			
20-24	3	1		
25-29	5	1		
30-34	3	4		
35-39	5	3		
40-44	9	1		
45-49	6	1		
50-54	9	6		
55-59	8	3		
60-64	5			
65-69	5	7		
70-74	7	4		
75-79	2	3	1	
80-84	4	2		
85-UP	3	5		
-- ICD 190.5 (1964) ----				
00-04			1	
10-14	1			
15-19	1	1		
20-24	3			

AGE	WM	WF	NM	NF
-- 190.5 (1964) CONTD---				
25-29	4	7		
30-34	16	5		
35-39	18	13		
40-44	19	13		
45-49	19	10		
50-54	32	6	2	
55-59	28	11		
60-64	16	10		
65-69	13	6		
70-74	16	4		
75-79	7	7		
80-84	3	2		
85-UP	2	4		
-- ICD 190.6 (1964) ----				
20-24	1	1		
25-29	5	4		
30-34	2	3		
35-39	3	5		
40-44	5	5		
45-49	3	7		
50-54	6	4		
55-59	8	4		
60-64	13	3		
65-69	5	3		
70-74	8	4		
75-79	2	1		
80-84	3	2		
85-UP	2	3		
-- ICD 190.7 (1964) ----				
15-19		2		
20-24	1	2		
25-29	2	3		
30-34	3	3		
35-39	4	6	1	
40-44	9	13		1
45-49	6	14		
50-54	4	7	2	1
55-59	9	25	3	1
60-64	8	15	1	1
65-69	11	15	2	2
70-74	8	13	1	
75-79	4	8	2	1
80-84	10	11	1	
85-UP	4	7		
-- ICD 190.8 (1964) ----				
40-44		2		
45-49	1			
50-54	1			
55-59		1		1
65-69	2			
80-84	1			
85-UP	1			
-- ICD 190.9 (1964) ----				
00-04	1	1		
05-09	1			
10-14	1	1		
15-19	10	7		
20-24	26	11		
25-29	39	23	1	
30-34	55	44		
35-39	71	55		
40-44	83	65	1	1
45-49	95	69		
50-54	97	55	1	1
55-59	114	70	2	4
60-64	105	74	4	2
65-69	95	73		3
70-74	82	64	1	2
75-79	64	53	1	
80-84	24	29	2	
85-UP	23	32	1	2
-- ICD 191.0 (1964) ----				
45-49	3			
50-54	2			
55-59	11			
60-64	8			
65-69	19			
70-74	11	1		
75-79	10	2		
80-84	10	2		
85-UP	8	2		1
-- ICD 191.1 (1964) ----				
35-39		1		
45-49	1			
50-54	1			
60-64	2	1		
65-69	2	3		
70-74	2	2		
75-79		3	1	

Appendix I – Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 191.1 (1964) CONTD---				
80-84		3		
85-UP		2		
-- ICD 191.2 (1964) ----				
35-39			1	
40-44	2	1		
45-49	1	1		
50-54			1	
55-59		1		
60-64	3	1		1
65-69	3	1	1	1
70-74	7	1		
75-79	14	1		
80-84	11	1		
85-UP	13	6		
-- ICD 191.3 (1964) ----				
25-29	1			
30-34		1		
35-39	2	1		
40-44	5	1		1
45-49	11	3		
50-54	9	4	3	1
55-59	24	7	1	
60-64	31	12		1
65-69	36	15	2	2
70-74	48	27		1
75-79	64	40	1	1
80-84	70	36		
85-UP	65	84		1
-- ICD 191.4 (1964) ----				
15-19	1			
35-39	1		1	
40-44		2	2	1
45-49	5	1	2	
50-54	10	6	2	1
55-59	22	6	2	1
60-64	16	4	2	
65-69	17	7	1	1
70-74	17	7	1	
75-79	26	8	1	1
80-84	22	10		1
85-UP	9	19		
-- ICD 191.5 (1964) ----				
00-04	1			
15-19	1	1		
25-29	2			
30-34	1		1	
35-39	2		1	1
40-44	5	3	1	1
45-49	5	8		3
50-54	12	5	1	3
55-59	11	7		1
60-64	6	8	1	2
65-69	14	13		
70-74	11	4	3	4
75-79	11	16	1	
80-84	8	15		
85-UP	2	14		
-- ICD 191.6 (1964) ----				
10-14			1	
25-29	2			
40-44	1	2		
45-49	1			
50-54	2			
60-64	2	1		
65-69	5	3		
70-74	4	3		1
75-79	7	3	1	
80-84	6	2		
85-UP	7	7		
-- ICD 191.7 (1964) ----				
25-29			1	
35-39	1	1		
40-44			2	1
45-49				3
50-54	2	1	1	
55-59	4	2	1	1
60-64	3		1	1
65-69	2	2	3	2
70-74	3	8	1	1
75-79	5	5		1
80-84	3	2		1
85-UP	8	8		1
-- ICD 191.8 (1964) ----				
00-04			1	
40-44				1
50-54		1		
55-59			1	
60-64	3	1		

AGE	WM	WF	NM	NF
-- 191.8 (1964) CONTD---				
65-69	3	1		1
70-74	3	1		
75-79	2	1		
80-84	4	3		
85-UP	5	8		
-- ICD 191.9 (1964) ----				
15-19	1			
20-24	1			
30-34	2	1		
35-39	7	1		1
40-44	3	3	1	2
45-49	11	9	4	
50-54	25	12	2	
55-59	27	10	1	4
60-64	35	14	7	1
65-69	31	16	5	3
70-74	34	12	1	2
75-79	43	13	1	
80-84	20	17	1	3
85-UP	22	21	1	
-- ICD 192 --(1964) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1964) ----				
00-04	108	67	14	9
05-09	109	93	15	18
10-14	83	73	11	12
15-19	77	54	9	6
20-24	40	33	5	5
25-29	64	45	12	4
30-34	86	61	7	5
35-39	131	113	9	13
40-44	234	153	15	18
45-49	280	182	19	9
50-54	413	258	23	10
55-59	432	288	24	10
60-64	399	281	17	16
65-69	265	198	6	4
70-74	169	128	7	1
75-79	83	41	3	1
80-84	11	17		1
85-UP	6	3		
-- ICD 193.1 (1964) ----				
00-04	4	3	1	1
05-09	2			
10-14	4	4		1
15-19	3			
20-24	1		2	1
25-29	1	1		1
30-34	2	5		
35-39	4	2	1	
40-44	5	3		
45-49	7	4		1
50-54	6	9	1	1
55-59	5	6	1	1
60-64	6	5	2	
65-69	2	6	1	1
70-74	7	1		
75-79	6	2		
80-84				1
85-UP		1		
-- ICD 193.2 (1964) ----				
05-09	1	1		
20-24			1	
25-29	2	1		
30-34	1			
35-39		1		1
40-44	2	3	1	
45-49	8	2		1
50-54	10	6		
55-59		2		
60-64	1	4		
65-69	3	4		
70-74	2	3		
85-UP		1		
-- ICD 193.3 (1964) ----				
00-04	1			
10-14	2			
15-19	3	2		
20-24	1	1	1	
25-29	3			2
30-34	2	2		
35-39	1		1	1
40-44	3	3		
45-49	1	2	1	
50-54	5	1	1	1
55-59	2	1		
60-64	3	4		
65-69	4		1	
70-74	2	4		

AGE	WM	WF	NM	NF
-- 193.3 (1964) CONTD---				
75-79		2		
80-84		1		
85-UP		1		
-- ICD 193.4 (1964) ----				
00-04	88	71	19	12
05-09	24	22	3	3
10-14	15	13	3	3
15-19	4	3		
20-24	2	2	1	
25-29	1		1	
30-34	1			
40-44	1	4	1	
45-49			1	
50-54	2			1
55-59	4	2		
60-64	3	1		
65-69	3	3		
70-74		4		
75-79		1		
85-UP		1		
-- ICD 193.8 (1964) ----				
00-04	2			
05-09		1		
10-14	1			
15-19	1	2		1
20-24	1			
25-29				1
30-34		1		
35-39	1			
50-54		1		
60-64		1		
-- ICD 193.9 (1964) ----				
00-04	15	13	1	2
05-09	14	11	1	1
10-14	8	7	2	1
15-19	3	2		
20-24	5	4	2	3
25-29	12	8	1	1
30-34	18	9	3	1
35-39	26	12	5	
40-44	30	17	2	
45-49	46	25	4	6
50-54	52	29	3	2
55-59	64	40	3	4
60-64	65	44	1	1
65-69	44	26	1	
70-74	29	16	1	2
75-79	11	8		
80-84	2	1		
85-UP	1	2		
-- ICD 194 --(1964) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1964) ----				
00-04	11	12	2	1
05-09	6	4	2	
10-14	1	1		
15-19		1	1	
20-24	1	2		
25-29	2	3		1
30-34	2	5		
35-39	2	6	1	1
40-44	16	7	1	1
45-49	13	7	1	1
50-54	27	14	1	
55-59	36	19	3	
60-64	24	18	1	3
65-69	19	11		
70-74	18	10	1	
75-79	13	5		1
80-84	5	2		
85-UP	1			
-- ICD 195.1 (1964) ----				
30-34	1			
60-64		1		
65-69		2	1	
70-74		1		
-- ICD 195.2 (1964) ----				
00-04	2		1	
05-09	1		1	
10-14	1	1		
15-19	1	2		
20-24	5	1		
25-29		2	1	
30-34	2	2		1
35-39	1	5		1
40-44	3	4		1
45-49		2		2
50-54	9	1		1

AGE	WM	WF	NM	NF
-- 195.2 (1964) CONTD---				
55-59	3	6	1	
60-64	4	4		
65-69		2	1	
70-74	1	3		
75-79		2		
-- ICD 195.3 (1964) ----				
00-04	1			
05-09	1	2		
10-14		1		1
15-19	1			
20-24		1		
30-34	2			
35-39	2			
40-44	1			
45-49	2	5		1
50-54	1			
55-59	1		1	
60-64	3	1		
65-69	4	1	1	
70-74	2			
75-79	1	1		
80-84	1			
-- ICD 195.4 (1964) ----				
05-09	1			
10-14	3	1		
20-24	2			
25-29	2			
30-34	2			
40-44	1			
60-64	1			
-- ICD 195.7 (1964) ----				
10-14		1		
35-39		1		
40-44		1		
50-54		2		
55-59	1	2		
60-64	1			
65-69	1			
70-74	1			
80-84	1	1		
85-UP	1			
-- ICD 195.8 (1964) ----				
55-59		1		
-- ICD 196.0 (1964) ----				
05-09	1	1		
15-19	1	1		
20-24	3	1		
25-29	2			
30-34	3		1	
40-44	1		3	
45-49	9	4	4	2
50-54	14	3	3	1
55-59	11	8	2	1
60-64	25	8	3	1
65-69	18	9	4	2
70-74	16	9	1	2
75-79	19	14	2	2
80-84	12	8	1	1
85-UP	7	6		
-- ICD 196.1 (1964) ----				
00-04	2	1		
05-09		1		
15-19		2		
20-24	1	1		
25-29	1	1		
30-34		1		
35-39	1	1		1
40-44	2		1	2
45-49	1	4	1	1
50-54	5	1	1	
55-59	13	2		
60-64	14	2	4	2
65-69	15	10	2	
70-74	16	5	1	
75-79	13	5		
80-84	9	10	1	
85-UP	8	3	2	
-- ICD 196.2 (1964) ----				
00-04		3		
05-09	1		1	
10-14	1	1		
15-19	2	1		1
25-29	2	1		
30-34	2	2	1	
35-39	1	1		
40-44	4	4	1	2
45-49	9	5		1
50-54	14	9		

AGE	WM	WF	NM	NF
-- 196.2 (1964) CONTD---				
55-59	18	17	1	1
60-64	25	11	1	1
65-69	29	18	1	3
70-74	21	19	4	3
75-79	9	13		
80-84	9	9		
85-UP	4	1	1	
-- ICD 196.3 (1964) ----				
10-14	1			1
15-19		1		
20-24		1		
40-44			1	
45-49	2			1
50-54	3			1
55-59	3	2	1	
60-64	4	2	1	
65-69	7	3	2	
70-74	5	7		1
75-79		3		
80-84	1	1		
85-UP	2			
-- ICD 196.4 (1964) ----				
05-09	1	1		
10-14	7	2		
15-19	1	1	1	
20-24	1	4	1	
25-29	1		1	
30-34		2	1	
35-39	1	1		
40-44		1		1
45-49	3	2	1	
50-54	2			
55-59	2	2		
60-64	6	2	1	
65-69	5	2	1	
70-74	8	1		
75-79	3	4	1	
80-84		2		
85-UP	1		1	
-- ICD 196.5 (1964) ----				
40-44	1			
60-64	1			
80-84	1			
-- ICD 196.6 (1964) ----				
00-04	1	3	2	
05-09	2	2		
10-14	6	4	1	
15-19	7	5	1	
20-24	7	4		
25-29	1			
30-34	2			
35-39	1			
40-44	2	5	1	
45-49	2	3		
50-54	8	6		
55-59	4	4	2	
60-64	11	4		
65-69	10	7		
70-74	11	15	1	1
75-79	5	9		
80-84	1	6		
85-UP	2	3		
-- ICD 196.7 (1964) ----				
05-09	4	3	1	
10-14	16	18	1	5
15-19	25	15	8	3
20-24	15	8	1	
25-29	6	1		
30-34	2	3	1	
35-39		5	2	
40-44	4	3	1	
45-49	11	5	1	
50-54	12	3	2	
55-59	3	7	2	3
60-64	12	7		2
65-69	10	10	2	3
70-74	12	8		
75-79	7	11	1	
80-84	5	9		
85-UP	6	5		
-- ICD 196.8 (1964) ----				
00-04	1			
10-14		1		1
15-19	3			1
20-24	1			
30-34	1			
35-39	1			
45-49	1			
50-54	1			

AGE	WM	WF	NM	NF
-- 196.8 (1964) CONTD---				
55-59		1		
60-64	2			
65-69	1			
70-74		5		
80-84		1		
85-UP		1		
-- ICD 196.9 (1964) ----				
00-04	5	1		2
05-09	13	5	1	
10-14	24	21	3	
15-19	44	19	6	2
20-24	11	7	2	
25-29	1	3	1	
30-34	4	5	1	
35-39	1	1		
40-44	5	2	1	2
45-49	8	8	4	1
50-54	13	13	1	
55-59	14	12	1	1
60-64	17	7	2	4
65-69	15	12	2	3
70-74	15	15	1	
75-79	16	12	2	1
80-84	8	10		
85-UP	4	5		1
-- ICD 197.0 (1964) ----				
00-04	6	4		1
05-09	1	5		2
15-19	2	2		
20-24	2			
25-29	1	2		
30-34	1			
40-44	1			
45-49	2	2		
50-54		1		
55-59	1	1		
60-64	5	1		1
65-69	3	3		
70-74	1	2	1	1
75-79	3	2		
80-84	1	2		
85-UP	4	3		
-- ICD 197.1 (1964) ----				
00-04	4	4		1
05-09	1	1		
15-19		3		
20-24	2	1		1
25-29	3	2		
30-34	4	3		
35-39	4	3	1	
40-44	4	5		
45-49	10	2	2	
50-54	8	4		3
55-59	12	5	1	
60-64	17	8		1
65-69	17	11		4
70-74	14	10	2	
75-79	6	8		
80-84	9	4		
85-UP		4		
-- ICD 197.2 (1964) ----				
10-14	1	1		
15-19	2	1	2	
20-24	3			
25-29	1			1
30-34	3			
35-39	2			
40-44	3			1
45-49	3	2		1
50-54	1	2		
55-59	3	1		1
60-64	4	3		
65-69	3	3		
70-74	3	1	1	
75-79	6	1		
80-84		3	1	
-- ICD 197.3 (1964) ----				
00-04	1	3	1	
05-09		2		
10-14	1	3	1	
15-19	5		2	
20-24	2	5	1	
25-29	3		1	
30-34	5	5	1	
35-39	4	5	2	
40-44	5	6	2	1
45-49	11	5	1	1
50-54	13	9	1	2
55-59	13	8	2	2
60-64	14	10	1	1

AGE	WM	WF	NM	NF
-- 197.3 (1964) CONTD---				
65-69	6	12	1	2
70-74	7	8	3	1
75-79	16	15		
80-84	5	9		
85-UP	4	8	1	
-- ICD 197.8 (1964) ----				
25-29	1		1	
55-59		1		
65-69		1		
75-79		1		
85-UP		1		
-- ICD 197.9 (1964) ----				
00-04	8	12	4	2
05-09	11	6		
10-14	3	6	1	1
15-19	4	8		1
20-24	5	2		
25-29	9	6	2	3
30-34	10	6	3	
35-39	16	15	1	
40-44	18	9	2	1
45-49	22	16	1	3
50-54	22	18	1	1
55-59	37	22	2	
60-64	20	23	2	3
65-69	28	22	3	2
70-74	20	29	3	2
75-79	20	15		1
80-84	15	18		
85-UP	4	6		
-- ICD 198.0 (1964) ----				
35-39	2			
40-44		1		
45-49	1	2		1
50-54	9	2		
55-59	5	2	3	
60-64	11		1	1
65-69	6	2	5	
70-74	12	1		1
75-79	8	2	1	
80-84	10	4		
85-UP	3	5		
-- ICD 198.1 (1964) ----				
40-44	1	1		
45-49	1			
50-54	1			
55-59		1		
60-64	1	1		
80-84	1			
-- ICD 198.2 (1964) ----				
50-54	1	1		
55-59			1	
60-64	1			
65-69	1			
70-74	1	1	1	
75-79		1		
80-84	1	2		
-- ICD 198.3 (1964) ----				
40-44	2			
55-59		1		
60-64	1	1		
65-69	1	1		
75-79		2		
80-84		1		
85-UP	2			
-- ICD 198.4 (1964) ----				
30-34	1	1		
40-44		1		
55-59		1		
60-64		1		
70-74	1	1		
80-84	1	2		
85-UP		1		
-- ICD 198.7 (1964) ----				
30-34		1		
50-54	2			
-- ICD 198.8 (1964) ----				
50-54			1	
55-59	1			
60-64	1	1		
65-69	1			
75-79	1			
80-84	1			
85-UP			1	
-- ICD 201 --(1964) ----				
SEE PAGES 280 - 289				

AGE	WM	WF	NM	NF
-- ICD 198.9 (1964) ----				
20-24	1			
30-34	2			
35-39			1	
50-54	3	1		
55-59	3	1		1
60-64	1	3		
65-69	2	4		
70-74	2	2		
75-79	1	1		
80-84	3	1		
85-UP		1		
-- ICD 199 --(1964) ----				
00-04	12	9	2	6
05-09	12	11	1	
10-14	13	11	2	
15-19	14	19	2	3
20-24	25	14	1	1
25-29	29	22	4	5
30-34	46	41	9	7
35-39	80	83	14	27
40-44	145	166	37	39
45-49	241	311	50	71
50-54	444	446	80	97
55-59	652	607	104	92
60-64	855	658	128	133
65-69	899	806	120	109
70-74	996	957	99	96
75-79	788	864	67	79
80-84	501	697	35	47
85-UP	352	501	20	24
-- ICD 200.0 (1964) ----				
00-04	7	5	1	1
05-09	14	3	2	1
10-14	17	11		
15-19	23	13	1	2
20-24	22	15	2	3
25-29	13	9	5	1
30-34	27	17	5	1
35-39	46	16	3	1
40-44	56	34	3	3
45-49	74	42	7	1
50-54	80	74	7	5
55-59	118	73	5	3
60-64	115	88	6	9
65-69	121	121	10	5
70-74	115	98	12	5
75-79	78	69	1	1
80-84	39	47	3	2
85-UP	15	26		
-- ICD 200.1 (1964) ----				
00-04	23	11	2	2
05-09	38	9	6	
10-14	36	16	10	1
15-19	46	14	3	
20-24	27	8	6	1
25-29	24	11	2	1
30-34	38	13	5	2
35-39	47	46	3	6
40-44	89	77	9	4
45-49	123	95	5	7
50-54	145	118	9	5
55-59	216	176	10	8
60-64	269	207	19	13
65-69	245	254	15	4
70-74	292	221	12	9
75-79	199	197	7	3
80-84	98	101	3	3
85-UP	48	59		
-- ICD 200.2 (1964) ----				
00-04	5	3		1
05-09	10	1	2	
10-14	11	4		2
15-19	11	8	1	
20-24	7	1		
25-29	8	3		1
30-34	7	7	6	1
35-39	18	11	3	1
40-44	32	18	8	3
45-49	39	29	8	1
50-54	57	44	5	4
55-59	65	60	9	5
60-64	78	64	6	5
65-69	86	82	7	6
70-74	75	89	3	5
75-79	69	67	2	4
80-84	36	39	3	2
85-UP	12	30	1	
-- ICD 201 --(1964) ----				
SEE PAGES 280 - 289				

AGE	WM	WF	NM	NF
-- ICD 202.0 (1964) ----				
30-34		1		
35-39	1	2		1
40-44	8	2	1	
45-49	7	8		
50-54	13	2	1	
55-59	4	10		1
60-64	5	6	1	
65-69	5	6		
70-74	8	6	1	
75-79	2	4		
80-84	3	3		
85-UP	2	1		
-- ICD 202.1 (1964) ----				
00-04	26	21	2	2
05-09	7	5		2
10-14	5	1	2	1
15-19	6	2		1
20-24	5	3	1	
25-29	6	1		1
30-34	11	4	1	
35-39	8	6	2	
40-44	16	16	1	2
45-49	24	14	3	1
50-54	43	12	1	
55-59	55	37	7	2
60-64	59	42	7	1
65-69	75	61	4	5
70-74	65	55	3	1
75-79	45	56		2
80-84	16	29		1
85-UP	18	13		3
-- ICD 203 --(1964) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1964) ----				
00-04	24	21	2	1
05-09	23	32	3	3
10-14	12	7	4	3
15-19	8	10	1	
20-24	7	5	1	
25-29	3	2	1	
30-34	2	1		3
35-39	6	2	2	2
40-44	16	17	5	
45-49	45	19	2	2
50-54	89	50	8	9
55-59	135	84	13	6
60-64	196	99	15	11
65-69	288	145	21	14
70-74	337	200	21	7
75-79	321	199	6	4
80-84	199	133	6	5
85-UP	121	110	3	3
-- ICD 204.1 (1964) ----				
00-04	12	2	2	1
05-09	4	4		2
10-14	10	7	1	
15-19	12	11	1	
20-24	18	12	2	1
25-29	21	18	4	3
30-34	35	20	4	2
35-39	37	26	5	6
40-44	57	42	7	3
45-49	51	58	3	9
50-54	80	52	11	10
55-59	76	92	2	8
60-64	103	68	12	7
65-69	158	102	12	5
70-74	162	116	9	3
75-79	147	102	9	2
80-84	96	82	1	2
85-UP	62	63	3	2
-- ICD 204.2 (1964) ----				
00-04	8	6	3	2
05-09	8	11	1	1
10-14	9	10	2	1
15-19	19	6		2
20-24	9	11		1
25-29	17	12	3	3
30-34	18	16	2	1
35-39	22	26	2	2
40-44	17	28	2	
45-49	29	24		2
50-54	45	32	1	
55-59	47	27	1	5
60-64	66	45	6	1
65-69	80	46	3	3
70-74	67	54	2	2
75-79	69	38	2	3
80-84	41	30	2	1
85-UP	17	16		

AGE	WM	WF	NM	NF
-- ICD 204.3 (1964) ----				
00-04	306	236	30	27
05-09	283	212	17	12
10-14	155	112	28	17
15-19	145	94	18	7
20-24	71	56	9	4
25-29	68	40	11	5
30-34	69	59	10	5
35-39	86	95	9	5
40-44	109	90	8	4
45-49	117	120	14	9
50-54	156	130	14	10
55-59	178	149	20	12
60-64	220	150	11	11
65-69	267	216	14	12
70-74	257	217	9	15
75-79	224	214	13	3
80-84	124	121	8	2
85-UP	68	76	1	2
-- ICD 204.4 (1964) ----				
00-04	60	39	8	5
05-09	61	42	10	6
10-14	17	15	3	1
15-19	8	8		
20-24	4	4	2	1
25-29	4	3	1	1
30-34	8	2	1	1
35-39	9	4	1	2
40-44	10	10	3	2
45-49	29	15	4	7
50-54	26	19	6	4
55-59	44	20	6	5
60-64	51	23	16	9
65-69	78	40	8	7
70-74	102	70	7	2
75-79	114	68	4	4
80-84	65	66	1	2
85-UP	32	30	1	1
-- ICD 205 --(1964) ----				
25-29				1
35-39		1	1	
40-44	4	2	1	
45-49	3	1		
50-54	5	3		1
55-59	5		1	
60-64	10	4		1
65-69	5	3		
70-74	3	1		
75-79	5	5	1	
80-84	6			
85-UP	4			
-- ICD 140.0 (1965) ----				
60-64		1		
70-74		1		
75-79	1	1		
85-UP	1			
-- ICD 140.1 (1965) ----				
45-49	1			
50-54	3			
55-59	5			
60-64	3			
65-69	5			
70-74	7	2		
75-79	7	2	1	
80-84	7	3		
85-UP	4	1		1
-- ICD 140.8 (1965) ----				
60-64	1			
70-74		1		
85-UP	1			
-- ICD 140.9 (1965) ----				
30-34	1			
35-39	1			
40-44	2			
45-49	5			1
50-54	3			
55-59	10			
60-64	10			
65-69	15	1		
70-74	13	1		1
75-79	20			
80-84	11	2		
85-UP	11	4		
-- ICD 141.0 (1965) ----				
35-39	1	1	1	
40-44	4	3		
45-49	9	4	2	1
50-54	17	7	2	
55-59	19	8	5	1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 141.0 (1965) CONTD---				
60-64	21	1	2	
65-69	15	1	1	
70-74	21	1		
75-79	21	2	1	
80-84	5	1		
85-UP	1			
-- ICD 141.7 (1965) ----				
40-44	1	1		
45-49		1		
50-54		1	1	
55-59	3	1		
60-64	3	2		
65-69	4	1		
70-74	2	2		
75-79	3	1		
80-84	2			
85-UP	3			
-- ICD 141.9 (1965) ----				
15-19	1			
25-29	2			
30-34	1	1		
35-39	7	3	5	
40-44	21	2	16	2
45-49	45	22	13	2
50-54	80	41	16	2
55-59	151	40	25	3
60-64	137	31	17	7
65-69	151	33	15	2
70-74	139	50	10	3
75-79	100	37	3	2
80-84	51	32	3	1
85-UP	50	21	3	1
-- ICD 142.0 (1965) ----				
10-14	1			
15-19		1		
20-24	1	1		
25-29	1	3	1	
30-34	4	1		
35-39	1			
40-44	6	1	1	2
45-49	13	5	5	1
50-54	18	12	2	1
55-59	36	14	2	1
60-64	33	16	5	4
65-69	34	20	5	
70-74	29	17	4	
75-79	27	31	1	2
80-84	20	16	1	
85-UP	21	19	1	
-- ICD 142.7 (1965) ----				
25-29	1			
40-44	3			1
45-49	4	1		
50-54	8		1	2
55-59	6	2		1
60-64	7	1		
65-69	6	3	1	
70-74	13	1	3	1
75-79	9	4		
80-84	4	2		
85-UP	3	1		
-- ICD 142.8 (1965) ----				
55-59	1			
65-69	1			
80-84	1			
-- ICD 142.9 (1965) ----				
00-04		1		
35-39	2		1	
40-44	1	3		1
45-49	3	1		
50-54	1	1	1	
55-59	3	3		1
60-64	2	2	1	
65-69	5	2		1
70-74	5	1	2	
75-79	3			
80-84	6			
85-UP	2	2		
-- ICD 143 --(1965) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1965) ----				
10-14	1	2		
20-24	1			
25-29		1		
30-34				1
35-39	3	3	2	2
40-44	10	5	10	2

AGE	WM	WF	NM	NF
-- 144 --(1965) CONTD---				
45-49	24	15	8	5
50-54	59	19	10	5
55-59	85	23	9	1
60-64	84	34	7	4
65-69	94	38	11	4
70-74	77	48	6	3
75-79	76	40	3	4
80-84	58	32	4	1
85-UP	56	35	5	1
-- ICD 145.0 (1965) ----				
25-29		1		
35-39	4		2	2
40-44	6	3	3	2
45-49	19	5	8	
50-54	35	8	5	
55-59	66	10	8	2
60-64	49	13	5	2
65-69	59	11	4	
70-74	48	5	2	4
75-79	38	10	1	
80-84	14	4		1
85-UP	7	8		
-- ICD 145.7 (1965) ----				
35-39	1			1
40-44	1	1	2	
45-49	1			
50-54	10	3		
55-59	7	4	1	
60-64	8	3	1	
65-69	5	1	1	
70-74	8	3		
75-79	3			
80-84	2			
-- ICD 145.9 (1965) ----				
20-24	1			
65-69	1			
-- ICD 146 --(1965) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1965) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1965) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1965) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1965) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1965) ----				
20-24				1
25-29	1			
30-34				1
35-39		1		
40-44		4		
45-49	9	4		
50-54	12	5	1	1
55-59	14	5	1	1
60-64	12	15		
65-69	18	10	3	
70-74	11	20	1	3
75-79	13	14	2	
80-84	15	6		
85-UP	5	5	1	
-- ICD 152.7 (1965) ----				
15-19		1		
20-24		1		
25-29		1		
30-34	2			
35-39	4	1		
40-44	5	7		
45-49	4	8	3	
50-54	13	6	1	
55-59	21	14	4	1
60-64	21	9	2	3
65-69	18	17	2	
70-74	17	16	3	
75-79	11	18	1	1
80-84	6	4	2	1
85-UP	5	3		
-- ICD 152.8 (1965) ----				
65-69		1		
70-74	1			
80-84		1		
-- ICD 152.9 (1965) ----				
00-04	1			

AGE	WM	WF	NM	NF
-- 152.9 (1965) CONTD---				
25-29	2			
30-34	2	1		
35-39	7	1		
40-44	3	3		2
45-49	9	2	1	1
50-54	12	10	1	
55-59	16	8	2	
60-64	15	10	2	2
65-69	15	16	1	1
70-74	23	19		
75-79	13	29	2	
80-84	7	15	1	
85-UP	6	9		
-- ICD 153.0 (1965) ----				
10-14	1			
15-19	1			
20-24	1	1		
25-29	5	1	1	2
30-34	15	8	3	2
35-39	20	10	5	2
40-44	36	33	1	2
45-49	49	46	3	12
50-54	99	95	8	7
55-59	161	136	15	15
60-64	205	212	21	20
65-69	268	300	24	23
70-74	331	427	19	25
75-79	321	448	16	18
80-84	229	361	9	14
85-UP	137	259	10	5
-- ICD 153.1 (1965) ----				
20-24	2	1		
25-29	3			
30-34	4	7		1
35-39	7	8		1
40-44	12	13	5	6
45-49	25	32		5
50-54	39	28	1	2
55-59	64	63	8	3
60-64	83	70	18	5
65-69	96	124	11	11
70-74	98	138	9	6
75-79	114	120	3	7
80-84	78	91	2	5
85-UP	41	75	2	4
-- ICD 153.2 (1965) ----				
20-24	1	1		
25-29	2	1		1
30-34	2	3		
35-39	4	3		1
40-44	9	16	1	2
45-49	19	17	3	2
50-54	34	43	3	5
55-59	37	51	3	9
60-64	65	57	5	5
65-69	76	81	4	6
70-74	80	103	8	5
75-79	87	93		3
80-84	76	67	2	4
85-UP	36	54	2	4
-- ICD 153.3 (1965) ----				
00-04		1		
10-14				1
15-19		1		
20-24	3	3		1
25-29	3	4	1	2
30-34	7	9	2	2
35-39	18	36	2	2
40-44	39	66	1	5
45-49	66	120	5	10
50-54	124	193	11	16
55-59	204	279	9	24
60-64	350	341	27	33
65-69	449	434	21	34
70-74	509	479	24	19
75-79	479	441	23	16
80-84	292	333	11	12
85-UP	172	233	10	10
-- ICD 153.7 (1965) ----				
40-44	1			
45-49		1		
50-54	2			
55-59	1			
60-64	2	1		
65-69	9	5	1	
70-74	6	5		
75-79	6	7		
80-84	7	3		1
85-UP		1		

AGE	WM	WF	NM	NF
-- ICD 153.8 (1965) ----				
10-14	1		1	1
15-19	3	3	3	1
20-24	14	7		1
25-29	18	13	6	2
30-34	40	34	8	9
35-39	68	85	11	13
40-44	149	155	13	13
45-49	241	284	29	52
50-54	416	502	54	56
55-59	690	723	64	78
60-64	856	887	95	109
65-69	1183	1147	112	124
70-74	1292	1364	85	127
75-79	1159	1366	69	75
80-84	735	999	37	44
85-UP	475	760	23	38
-- ICD 153.9 (1965) ----				
15-19	1		1	
20-24		1		
25-29		2		
30-34	5	6		
35-39	4	7	3	1
40-44	11	19	2	4
45-49	19	23		3
50-54	33	49	6	2
55-59	57	54	6	6
60-64	86	78	14	6
65-69	107	102	7	16
70-74	123	145	6	8
75-79	100	127	6	10
80-84	95	116	2	2
85-UP	55	107	3	6
-- ICD 154 --(1965) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1965) ----				
00-04	12	5		3
05-09	3			
10-14	6	2	1	1
15-19	4	4	1	
20-24	7	6	2	1
25-29	5	6	2	1
30-34	3	7	6	2
35-39	10	9	6	
40-44	16	21	9	10
45-49	41	22	22	6
50-54	82	51	35	5
55-59	126	60	37	6
60-64	182	82	41	7
65-69	182	89	33	8
70-74	219	103	28	9
75-79	123	94	16	5
80-84	71	51	3	2
85-UP	33	36	2	1
-- ICD 155.1 (1965) ----				
00-04		1		
15-19		1		
20-24				1
25-29	4	1		
30-34	5	2		
35-39	11	10	2	1
40-44	20	27	3	7
45-49	35	62	4	7
50-54	73	95	5	16
55-59	126	199	13	20
60-64	180	322	24	26
65-69	240	474	16	25
70-74	289	545	13	24
75-79	242	482	11	19
80-84	147	353	9	8
85-UP	81	205	6	10
-- ICD 155.8 (1965) ----				
80-84		3		
-- ICD 156 --(1965) ----				
00-04	5	3		
05-09	1	1		
10-14	1	1		
15-19	1	3	1	2
20-24	1	2	1	
25-29	1	3		
30-34	7	8	4	3
35-39	15	17	3	4
40-44	23	25	15	13
45-49	66	47	14	16
50-54	130	113	50	17
55-59	219	138	50	21
60-64	299	206	54	33
65-69	340	270	55	37
70-74	344	314	40	25
75-79	282	306	21	17

AGE	WM	WF	NM	NF
-- 156 --(1965) CONTD---				
80-84	187	265	16	8
85-UP	124	182	9	15
-- ICD 157 --(1965) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1965) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1965) ----				
25-29		1		1
30-34	2			
35-39	2	4	1	1
40-44	6	8	1	2
45-49	12	6	6	4
50-54	12	17	7	4
55-59	26	16	11	6
60-64	30	36	8	13
65-69	37	40	16	13
70-74	62	55	15	14
75-79	58	69	6	8
80-84	53	66	4	5
85-UP	49	65	5	7
-- ICD 160.0 (1965) ----				
10-14		1		
15-19	1	1	1	
20-24	1			
35-39	1	1		
40-44	2			
45-49			1	
50-54	4	3		1
55-59	4	3		
60-64	5	3		
65-69	2	5	1	1
70-74	14	6		
75-79	11	8	1	
80-84	13	9		
85-UP	8	8		
-- ICD 160.1 (1965) ----				
20-24			1	
35-39		1		
40-44	2			
50-54		1		1
55-59	1	2		
60-64	1	2		
65-69	3	2	1	
70-74		4		
75-79	2	1		
80-84		1		
85-UP	1			
-- ICD 160.2 (1965) ----				
05-09			1	
10-14		2	1	
15-19		1		2
25-29	2	1		
30-34	1	3		
35-39	4	2		1
40-44	5	2	3	1
45-49	5	7	2	2
50-54	16	13	5	1
55-59	14	12	3	3
60-64	33	11	5	2
65-69	30	12	2	2
70-74	29	15	2	3
75-79	25	18	3	1
80-84	15	11		1
85-UP	11	17		1
-- ICD 160.7 (1965) ----				
10-14		1		
15-19		1		
25-29	1			
35-39	3			
40-44	2			
45-49	4	1		1
50-54	7	1		
55-59	3	1		
60-64	5	1		
65-69	2	3	1	
70-74	4	2	1	
75-79	3	3		
80-84	2	1		
-- ICD 160.8 (1965) ----				
15-19			1	
55-59		2		
60-64	1	1	1	
65-69	1			
70-74	1			
75-79		1		
85-UP		2		

AGE	WM	WF	NM	NF
-- ICD 160.9 (1965) ----				
25-29	1			
30-34	1			
35-39	1	2		
40-44		1		
45-49	2			
50-54	5	3		1
55-59	1			
60-64	1	2		1
65-69	3	1		1
70-74	3	1		
75-79	3	1		
80-84	3	2		
85-UP	1			
-- ICD 161 --(1965) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1965) ----				
00-04	2	1		
25-29	1	1		
30-34	1			
35-39	2	2		
40-44	3	2	1	1
45-49	2	1		1
50-54	9	3		1
55-59	11	2	1	1
60-64	8	3		1
65-69	10	4	2	1
70-74	10	2		
75-79	5	2		
80-84		1		
-- ICD 162.1 (1965) ----				
15-19	2	3	1	
20-24	6	1	1	
25-29	8	2		2
30-34	38	23	9	4
35-39	154	54	33	8
40-44	442	133	100	18
45-49	871	255	138	23
50-54	1547	296	215	37
55-59	2248	365	267	33
60-64	2828	337	244	29
65-69	2969	341	276	31
70-74	2562	302	197	28
75-79	1402	225	74	13
80-84	579	105	36	5
85-UP	216	72	20	2
-- ICD 162.2 (1965) ----				
35-39	1	1		
40-44	1			
50-54	2			
55-59	2	1		
60-64	1			
70-74		2		
75-79	1	2		
80-84	2			
-- ICD 162.8 (1965) ----				
45-49	2			
50-54	1			
55-59			1	
60-64	3			
65-69	2			
70-74		1		
-- ICD 163 --(1965) ----				
00-04	4	1	1	1
05-09	2	1	1	
15-19	4	3	1	
20-24	8	6	1	1
25-29	14	4	4	1
30-34	57	24	6	4
35-39	209	76	47	24
40-44	489	200	99	33
45-49	1055	345	184	46
50-54	1975	487	255	56
55-59	3031	513	349	61
60-64	3680	539	333	68
65-69	3926	595	352	45
70-74	3381	598	241	47
75-79	2111	460	131	23
80-84	929	319	47	14
85-OP	355	211	27	14
-- ICD 164 --(1965) ----				
00-04	1			1
05-09	1			1
15-19	6	1		
20-24	6	3		
25-29	7			
30-34	4		2	
35-39	8	1	2	
40-44	4	6	2	

AGE	WM	WF	NM	NF
-- 164 --(1965) CONTD---				
45-49	13	4	5	2
50-54	25	10	3	1
55-59	27	5	2	1
60-64	30	15	1	
65-69	23	12		2
70-74	25	7	2	
75-79	12	6		
80-84	8	4	1	
85-UP	6	2		
-- ICD 165 --(1965) ----				
00-04	1	1		
05-09	1		1	
10-14		2		
15-19	3	1		
20-24	2			
25-29	2			
30-34	5	4	1	
35-39	9	6	2	6
40-44	28	14	5	2
45-49	54	37	10	6
50-54	103	43	14	6
55-59	145	51	14	10
60-64	141	46	20	10
65-69	151	74	10	11
70-74	151	60	11	7
75-79	106	52	3	2
80-84	46	49	5	1
85-OP	31	27	4	5
-- ICD 170 --(1965) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1965) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1965) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1965) ----				
10-14		1		
15-19		2		2
20-24		6		5
25-29		5		2
30-34		12		2
35-39		5		2
40-44		6		
45-49		1		
50-54		5		
60-64		1		
65-69		1		
70-74				1
75-79		1		
80-84				1
85-UP		1		1
-- ICD 174 --(1965) ----				
05-09		1		
15-19		2		1
20-24				1
25-29		11		1
30-34		18		13
35-39		34		18
40-44		88		27
45-49		146		38
50-54		237		67
55-59		308		78
60-64		444		92
65-69		545		103
70-74		610		76
75-79		445		45
80-84		312		27
85-UP		225		29
-- ICD 175.0 (1965) ----				
00-04		4		1
05-09		5		1
10-14		19		8
15-19		32		5
20-24		34		4
25-29		32		10
30-34		71		17
35-39		157		22
40-44		391		46
45-49		702		84
50-54		954		88
55-59		1130		83
60-64		1111		101
65-69		1152		66
70-74		1016		52
75-79		726		24
80-84		407		8
85-UP		230		14

AGE	WM	WF	NM	NF
-- ICD 175.1 (1965) ----				
15-19				1
20-24		1		
30-34		1		
35-39				1
40-44		5		1
45-49		20		6
50-54		11		3
55-59		13		4
60-64		14		2
65-69		11		
70-74		6		
75-79		7		
80-84		3		
-- ICD 175.8 (1965) ----				
40-44		1		
45-49		1		
55-59		2		
60-64		2		
65-69		4		
70-74		1		
85-UP		2		
-- ICD 175.9 (1965) ----				
45-49		2		
80-84		1		
-- ICD 176.0 (1965) ----				
25-29				1
30-34		3		
35-39		3		2
40-44		3		5
45-49		10		5
50-54		16		5
55-59		24		8
60-64		35		9
65-69		49		3
70-74		73		6
75-79		67		7
80-84		75		2
85-UP		58		2
-- ICD 176.1 (1965) ----				
00-04		1		
20-24		1		
25-29		1		
30-34		1		1
35-39		6		1
40-44		9		2
45-49		12		5
50-54		18		
55-59		21		2
60-64		22		2
65-69		30		3
70-74		35		1
75-79		43		2
80-84		27		1
85-UP		25		
-- ICD 176.7 (1965) ----				
50-54		3		
60-64		1		
65-69		2		
75-79		3		
-- ICD 176.8 (1965) ----				
65-69		1		
70-74		1		
75-79		1		
-- ICD 176.9 (1965) ----				
30-34		1		
40-44		2		
50-54		4		1
55-59		6		
60-64		4		1
65-69		2		1
70-74		10		
75-79		6		
80-84		8		
85-UP		2		
-- ICD 177 --(1965) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1965) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1965) ----				
25-29	1			
30-34	2			
35-39	6		2	
40-44	4		1	
45-49	4		3	
50-54	12		9	

AGE	WM	WF	NM	NF
-- 179.0 (1965) CONTD---				
55-59	18		8	
60-64	26		4	
65-69	20		3	
70-74	16		4	
75-79	17			
80-84	19		4	
85-OP	22		1	
-- ICD 179.1 (1965) ----				
15-19	2			
30-34	1		1	
35-39	3			
40-44	1			
50-54	1		1	
60-64	1			
65-69	5			
70-74	3			
75-79	3		1	
-- ICD 179.7 (1965) ----				
05-09	2			
10-14	1			
15-19	5			
30-34	1			
35-39	1			
45-49	1			
50-54	1			
60-64	4			
65-69			1	
70-74	1			
75-79	1		1	
80-84	1			
-- ICD 179.8 (1965) ----				
75-79	1			
-- ICD 179.9 (1965) ----				
05-09	1			
60-64	1			
70-74	1			
80-84	1			
85-UP	2		1	
-- ICD 180 --(1965) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1965) ----				
00-04	5	1	1	
05-09	1		1	
15-19	1			1
25-29	1			
30-34	4	4	2	2
35-39	14	4	1	1
40-44	33	18	5	3
45-49	80	39	13	14
50-54	194	74	37	23
55-59	368	122	56	39
60-64	614	176	65	35
65-69	840	258	61	47
70-74	1019	387	66	35
75-79	927	471	43	30
80-84	623	419	21	25
85-OP	407	353	13	13
-- ICD 181.7 (1965) ----				
00-04	1			
30-34				1
35-39	1	1		
40-44	3	2		1
45-49	1	4	1	2
50-54	3	5	2	3
55-59	5	9	3	1
60-64	10	11	5	
65-69	5	13	2	2
70-74	5	7	1	4
75-79	8	5		
80-84	8	6		
85-UP	4	4		1
-- ICD 181.8 (1965) ----				
45-49		1		
55-59		1		
60-64	1			
65-69	1			
70-74		1		
75-79		1		
80-84		1		
-- ICD 190.0 (1965) ----				
55-59	1			
70-74			1	
85-OP	1			
-- ICD 190.1 (1965) ----				
65-69		1		

AGE	WM	WF	NM	NF
-- 190.1 (1965) CONTD---				
75-79		2		
80-84		1		
-- ICD 190.2 (1965) ----				
15-19	1			
40-44	5	1		
45-49	1			
50-54	1	1		
60-64	1			
65-69	1			
70-74	4			
75-79	1			
80-84		1		
-- ICD 190.3 (1965) ----				
05-09	1			
20-24		1		
25-29		1		
30-34	2			
35-39	2			
40-44		1		
45-49	1			
50-54	5	1		
55-59	4	2		
60-64	2	1		
65-69	6	4		
70-74	6	4		
75-79	2	4		
80-84	4	7		
85-UP	1	3		
-- ICD 190.4 (1965) ----				
15-19	1			
20-24	2	1		
25-29	3	1		
30-34	5	3		
35-39	2	2		
40-44	5	2		
45-49	5	4	1	
50-54	3	2		
55-59	4	5		
60-64	4	2		
65-69	5	1		
70-74	5	2		
75-79	3	3		
80-84	4	2		
85-UP	3	3		
-- ICD 190.5 (1965) ----				
10-14		1		
20-24	4	4		
25-29	6	2		
30-34	10	8		
35-39	26	8		
40-44	21	8		
45-49	22	8		
50-54	24	11		
55-59	23	8	1	1
60-64	13	12	1	
65-69	12	4	1	
70-74	15	9	1	
75-79	12	9	1	1
80-84	2	3		
85-OP	2			
-- ICD 190.6 (1965) ----				
15-19	1			
20-24	1	1		
25-29	1	1		
30-34	3	2		
35-39	1	8		
40-44	7	9		
45-49	9	6		1
50-54	6	6	1	
55-59	8	6		
60-64	9	9		
65-69	6	5		
70-74	6	4		
75-79	6	5		1
80-84	5	4		
85-UP	1	2		
-- ICD 190.7 (1965) ----				
15-19	1			
20-24		2		
25-29	2	5	1	
30-34	2	9		
35-39	4	13		
40-44	3	10		
45-49	1	11	1	2
50-54	7	17		2
55-59	6	18		
60-64	11	9	2	2
65-69	12	14	3	
70-74	10	17	1	3

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 190.7 (1965) CONTD---				
75-79	9	9	1	
80-84	4	10		
85-UP	5	4		
-- ICD 190.8 (1965) ----				
25-29	1			
50-54	1			
55-59	1			
65-69		1		
70-74	1	1		
75-79	1	1		
85-UP	2	1		
-- ICD 190.9 (1965) ----				
00-04	1			
10-14		1		1
15-19	10	4		
20-24	11	16		
25-29	30	32		
30-34	52	40	1	1
35-39	83	36		
40-44	94	64	3	
45-49	124	65	1	2
50-54	127	75		3
55-59	110	82	4	1
60-64	87	69	2	2
65-69	85	65	10	1
70-74	85	79	1	3
75-79	62	49	1	
80-84	48	38		
85-UP	27	32		
-- ICD 191.0 (1965) ----				
30-34	1			
35-39	1			
45-49	5			
50-54	3			
55-59	5	3		
60-64	8	1		
65-69	17	1		
70-74	12	1		
75-79	16	1		
80-84	14	3		
85-UP	6	1		
-- ICD 191.1 (1965) ----				
35-39	1			
40-44	1			
50-54	1	1		
55-59	2			
60-64	2		1	
65-69		1		1
70-74	2	1		
75-79	2	1		
80-84	2			
85-UP	4	4		
-- ICD 191.2 (1965) ----				
35-39	1			
45-49	2	1		
50-54	3	4		
55-59	4	4		1
60-64	1	3		
65-69	10	5		
70-74	8	4		
75-79	8	1		
80-84	8	3		
85-UP	16	7	1	1
-- ICD 191.3 (1965) ----				
00-04		1		
10-14			1	
15-19			1	
20-24		1		
25-29	1			
30-34	1	1		
35-39				1
40-44	4	2	3	1
45-49	7		2	1
50-54	13	2		1
55-59	20	10	5	1
60-64	26	13	5	1
65-69	39	24	3	2
70-74	51	28	1	1
75-79	75	43		3
80-84	60	36	1	
85-UP	73	65	2	1
-- ICD 191.4 (1965) ----				
40-44	6	2		1
45-49	6	2		
50-54	15	3	1	1
55-59	16	6	1	1
60-64	24	4	3	1
65-69	20	3	2	1

AGE	WM	WF	NM	NF
-- 191.4 (1965) CONTD---				
70-74	13	5	2	
75-79	17	10	1	
80-84	11	12		
85-UP	24	15		
-- ICD 191.5 (1965) ----				
00-04	1	1		
05-09		1		
15-19	1	1		
20-24		1		
25-29			1	
30-34	1	2		
35-39	3	3	1	1
40-44	2	2	1	
45-49	3	3	1	1
50-54	7	6	4	1
55-59	15	9	2	4
60-64	12	12	1	2
65-69	10	17	1	2
70-74	14	17	1	1
75-79	17	15		1
80-84	6	10	1	1
85-UP	7	13		1
-- ICD 191.6 (1965) ----				
30-34	1			
40-44	1			
45-49	1	1		
50-54	1	2	1	
55-59	2	1		
60-64	6			
65-69	2	4	1	
70-74	1	4		
75-79	5	2		
80-84	12	1		
85-UP	11	3		
-- ICD 191.7 (1965) ----				
25-29			1	
35-39		1		
40-44	1			
45-49	1	1	1	
50-54	1	2		2
55-59	1	2		
60-64	3	4	1	1
65-69	5	2		1
70-74	6	1		3
75-79	4	5	1	
80-84	4	3		1
85-UP	2	4		
-- ICD 191.8 (1965) ----				
45-49	1			
50-54		1		
55-59	3			
60-64	2	1		
65-69	2	1	1	
70-74	3	1	1	
75-79	4			
80-84	5	1		
85-UP	4	5		
-- ICD 191.9 (1965) ----				
20-24		1		
30-34	1	2		2
35-39	2	4	1	
40-44	7	2	2	1
45-49	11	11	1	2
50-54	16	18	5	5
55-59	25	10	4	1
60-64	39	19	2	3
65-69	28	17	3	
70-74	32	19		2
75-79	17	22	1	
80-84	23	16		1
85-UP	20	28	2	1
-- ICD 192 --(1965) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1965) ----				
00-04	96	85	7	6
05-09	109	92	15	17
10-14	86	65	7	6
15-19	67	41	9	8
20-24	50	38	3	
25-29	72	49	8	8
30-34	105	71	7	8
35-39	160	109	10	12
40-44	200	144	19	10
45-49	277	204	18	12
50-54	367	244	27	9
55-59	452	288	19	11
60-64	407	312	16	7
65-69	335	253	12	3

AGE	WM	WF	NM	NF
-- 193.0 (1965) CONTD---				
70-74	211	138	6	3
75-79	90	44	1	2
80-84	19	21	1	
85-UP	6	5	1	
-- ICD 193.1 (1965) ----				
00-04		1		1
05-09	1	3		
10-14	4	3	1	
15-19	5			1
20-24	2		1	
30-34	2	2		1
35-39	4	5	1	1
40-44	3	2		
45-49	3	3	2	
50-54	3	2		3
55-59	9	2		
60-64	10	11	2	2
65-69	5	5	1	1
70-74	1	6	1	
75-79	7	4		
80-84	3	1	1	1
85-UP			2	
-- ICD 193.2 (1965) ----				
00-04	1			
05-09	1	1	1	1
10-14	1			
15-19	1			
20-24	1			
30-34	1	1		
35-39	1	1		
40-44	5	1		
45-49	1	2		
50-54	2	1		1
55-59	6	4	1	
60-64	4	3	1	1
65-69	1	3	2	1
70-74	3	4		
75-79		1		
80-84				1
-- ICD 193.3 (1965) ----				
00-04	1			
05-09		1		
15-19	1	2	2	
20-24		1		
25-29	1			
30-34		1		
35-39	2		2	
40-44	2	1	1	
45-49		1		
55-59	1	2	1	
60-64	2	1		
65-69		1		
70-74	5	1		
75-79	1			
80-84	1			
85-UP	1			
-- ICD 193.4 (1965) ----				
00-04	79	72	7	9
05-09	38	20	5	6
10-14	9	9	1	2
15-19	8	4		
20-24	5	1		1
25-29	2			
35-39	3	1	2	
40-44	2			
45-49	2	3		
50-54	5			
55-59		2		
60-64	3	2		
65-69	6	1		
70-74	2	3		
80-84		1	1	
85-UP	1			
-- ICD 193.8 (1965) ----				
00-04	1	1	1	
05-09	1			
10-14	1			
20-24	1		1	
30-34	1			
35-39	2			
50-54	3			
80-84		1		
-- ICD 193.9 (1965) ----				
00-04	14	12	3	
05-09	14	10		3
10-14	13	14		1
15-19	11	9	1	1
20-24	8	4	1	2
25-29	11	12	2	

AGE	WM	WF	NM	NF
-- 193.9 (1965) CONTD---				
30-34	14	7	1	
35-39	17	14	1	3
40-44	29	20	1	
45-49	39	33	3	1
50-54	65	33	1	1
55-59	66	43	4	2
60-64	52	51	3	1
65-69	63	30		1
70-74	32	21		
75-79	12	9	1	
80-84	5	3		
85-UP	1	1		
-- ICD 194 --(1965) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1965) ----				
00-04	9	16		1
05-09	4	2		
10-14	4	6		
15-19	2	2		
20-24				1
25-29	5	3		
30-34	3	7		2
35-39	6	1	1	2
40-44	7	14	2	2
45-49	25	12	1	1
50-54	17	3	2	
55-59	17	10	4	1
60-64	25	6	1	
65-69	22	15	3	
70-74	18	11		
75-79	10	3	1	
80-84	10	1		
85-UP	1	2		
-- ICD 195.1 (1965) ----				
40-44		1		
45-49		1		
55-59			1	
60-64	2	2		
65-69	1	2		
70-74			1	
-- ICD 195.2 (1965) ----				
00-04	2			
05-09	1	2		
10-14		1		
15-19	4	1		1
20-24	2	2		
25-29	1	2	1	
30-34	4	1		
35-39	2	3		
40-44	3			
45-49	1	4	1	
50-54	3	3	3	
55-59	9	3		
60-64	5	6		1
65-69	3	5		1
70-74	1	2		
75-79	3			
85-UP		1		
-- ICD 195.3 (1965) ----				
00-04			1	
35-39	1			
50-54	1	2		
55-59	2	1		1
60-64				1
65-69	1			
70-74	4	1		
75-79		2		
-- ICD 195.4 (1965) ----				
10-14	4		1	
15-19	1	1		
50-54	1			
75-79	1			
-- ICD 195.7 (1965) ----				
35-39		1		
55-59	3	2		
60-64	1	2	1	
65-69		1		1
75-79	1	1		
-- ICD 195.8 (1965) ----				
75-79	1			
-- ICD 196.0 (1965) ----				
00-04	2	1		
05-09	2		1	
10-14	3	2	1	
15-19		1		
20-24			1	

AGE	WM	WF	NM	NF
-- 196.0 (1965) CONTD---				
25-29	1	1		
30-34	1			
35-39	2	2	1	
40-44	3	2	1	
45-49	2	5		
50-54	8	7	1	2
55-59	11	9	3	1
60-64	10	6	2	1
65-69	13	14	3	5
70-74	20	6	5	2
75-79	21	17		3
80-84	23	11	2	
85-UP	10	8		2
-- ICD 196.1 (1965) ----				
05-09	1			
15-19	1			
20-24	2			1
40-44	4	1		1
45-49	2	1	1	1
50-54	5	5		1
55-59	13	5		1
60-64	22	6		
65-69	9	4	2	
70-74	31	6		
75-79	17	7		
80-84	8	5	1	1
85-UP	14	5		
-- ICD 196.2 (1965) ----				
00-04	2	1		
05-09	2			
10-14		2	1	
15-19	2	1		
20-24	3	1		1
25-29	1	2		
30-34	1	1		
35-39	4	2	1	
40-44	4	2		
45-49	9	9	2	2
50-54	8	4	1	1
55-59	19	9	3	3
60-64	27	10	5	2
65-69	16	14	3	2
70-74	22	16	3	3
75-79	18	11		
80-84	12	8		
85-UP	5	4		
-- ICD 196.3 (1965) ----				
00-04	1			
05-09	1	1		
15-19	4	1		1
20-24	2			
25-29		1		
40-44	1			
50-54	1	1	1	1
55-59	2	2		
60-64	4	2	1	
65-69	5	5	1	
70-74	2	3		
75-79	1	2		
80-84	3	2		1
85-UP		1		
-- ICD 196.4 (1965) ----				
05-09	4	3	1	
10-14	5	4		1
15-19	6	2		1
20-24		2		
25-29	1	1		
30-34		1		
35-39	3	1		
40-44	2		1	
45-49		1		
50-54	2	1		
55-59	2			1
60-64	5	3		
65-69	2	3		
70-74	6	2		
75-79	4	3		
80-84	1	4	1	
85-UP		3		
-- ICD 196.5 (1965) ----				
60-64		1		
70-74	1			
75-79		1		
-- ICD 196.6 (1965) ----				
00-04		1		
05-09	1	2	1	
10-14	4	2		
15-19	7	6		
20-24	2	2		

AGE	WM	WF	NM	NF
-- 196.6 (1965) CONTD---				
25-29	2	2		
30-34	2		1	
35-39		4		
40-44	4	2		
45-49	4	2	1	
50-54	10	6		1
55-59	5	5		
60-64	9	7	1	
65-69	8	5		
70-74	9	8		
75-79	15	3		
80-84	3	5		
85-UP	2	3		
-- ICD 196.7 (1965) ----				
00-04	1			
05-09	4	5	2	1
10-14	23	18	6	1
15-19	39	18	7	2
20-24	19	6	1	
25-29	5	1		
30-34		2	1	
35-39	4	4		1
40-44	6	3	1	1
45-49	1	7		1
50-54	2	6	1	
55-59	9	4	2	
60-64	12	7		5
65-69	13	8	1	
70-74	14	17	1	
75-79	8	8	1	
80-84	3	9		2
85-UP	5	7		
-- ICD 196.8 (1965) ----				
10-14	2	1		
40-44	1			
55-59	1			
60-64	1			
75-79		1		
-- ICD 196.9 (1965) ----				
00-04	1	1		
05-09	12	10		1
10-14	24	23	3	1
15-19	43	12	8	2
20-24	15	9		1
25-29	5	1		1
30-34	3	1		
35-39	2	4	2	2
40-44	6	7	1	3
45-49	12	5		3
50-54	13	9		
55-59	15	15		
60-64	26	8	5	1
65-69	14	15	5	
70-74	22	17	2	3
75-79	12	10		
80-84	9	7		
85-UP	7	4		
-- ICD 197.0 (1965) ----				
00-04	2	2		
05-09	3	1		
10-14	1	1		1
15-19	4	1		
20-24		2		
30-34	1			
40-44	1	1		
45-49	2	1	1	
50-54	1			
55-59	2	1	1	
60-64	3	1		1
65-69	2	1		
70-74	9			
75-79	6	2	1	
80-84	3			
85-UP	1	1		
-- ICD 197.1 (1965) ----				
00-04	3	3		1
05-09		1	1	
10-14	1			
15-19	4	3		1
20-24	2	1	1	
25-29	1		1	1
30-34	4	5		
35-39	4	2		
40-44	5	4	1	1
45-49	4	3		1
50-54	8	12	3	2
55-59	19	12	2	
60-64	13	10	3	
65-69	16	10	1	1
70-74	11	9	1	

AGE	WM	WF	NM	NF
-- 197.1 (1965) CONTD---				
75-79	6	8	1	
80-84	5	4		
85-UP		2		
-- ICD 197.2 (1965) ----				
05-09	1			
10-14	2			
15-19	2		3	
20-24	1			
25-29	1		1	
30-34	3	1		1
35-39	1	1		
40-44	1	1		1
45-49	1	2		
50-54	3	1	1	
55-59	2	2		
60-64	5	4		
65-69	5	2		
70-74	3	3		
75-79	2	3	1	
80-84	2	3		
85-UP	1	1		
-- ICD 197.3 (1965) ----				
00-04	1	3		
05-09	1	2		
10-14	1	1		
15-19	3	2		
20-24	6			
25-29	3	3		
30-34	2	1	2	1
35-39	4	3	2	
40-44	7	4	1	1
45-49	8	5	1	2
50-54	7	10	1	1
55-59	11	13	2	1
60-64	11	9		
65-69	15	6	1	1
70-74	21	14	1	4
75-79	14	6	1	
80-84	9	13		
85-UP	5	10		
-- ICD 197.8 (1965) ----				
50-54		1		
60-64		1		
70-74		1		
75-79	1			
85-UP	1			
-- ICD 197.9 (1965) ----				
00-04	11	12		
05-09	11	11	1	
10-14	7	3	2	2
15-19	10	11	1	3
20-24	6	5	1	1
25-29	13	2	1	
30-34	12	9	1	2
35-39	9	6	1	
40-44	17	11	2	2
45-49	17	23	4	2
50-54	39	26	4	5
55-59	30	22	2	3
60-64	27	29	3	4
65-69	24	25	4	2
70-74	28	33	2	1
75-79	29	33	1	5
80-84	14	12	1	1
85-UP	5	5	2	
-- ICD 198.0 (1965) ----				
05-09	1			
35-39		1		
40-44	2	1		
45-49	3	1		
50-54	2	3	1	
55-59	8	1	1	1
60-64	9	2	1	
65-69	10	1		1
70-74	13	4		
75-79	7	5		1
80-84	5	2		
85-UP	7	1		
-- ICD 198.1 (1965) ----				
50-54				1
55-59	1			
60-64	1		1	
75-79	1			
-- ICD 198.2 (1965) ----				
45-49	1	1		
50-54	1			
55-59	2	2		
60-64	5	4		
65-69	5	2		
70-74	3	3		
75-79	2	3	1	
80-84	2	3		
85-UP	1	1		
-- ICD 198.3 (1965) ----				
30-34	1			
55-59		1		
65-69	1			
70-74	1	2		
75-79	1	1		
-- ICD 198.4 (1965) ----				
30-34	1			
55-59		1		
60-64		1		
75-79	1			
80-84	2			
-- ICD 198.8 (1965) ----				
55-59		1		
65-69	1	1		
70-74		1		
75-79	1	1		
-- ICD 198.9 (1965) ----				
30-34	1			
35-39	1			
40-44		1	2	
50-54	2	2	2	
55-59	1	1	1	
60-64	2	1		
65-69	4	1		
70-74	9	3	1	
75-79	4	2	1	
80-84	2	2		1
85-UP	2	1		1
-- ICD 199 --(1965) ----				
00-04	16	21	3	2
05-09	6	5		1
10-14	11	20	1	2
15-19	21	14	2	5
20-24	30	15	3	2
25-29	32	26	5	8
30-34	45	41	10	6
35-39	87	91	26	31
40-44	152	211	30	59
45-49	309	296	60	60
50-54	477	470	97	84
55-59	745	598	127	139
60-64	900	685	146	111
65-69	1064	853	112	135
70-74	983	1023	101	109
75-79	856	969	72	77
80-84	538	695	43	34
85-UP	362	559	29	42
-- ICD 200.0 (1965) ----				
00-04	5	5		
05-09	12	4	1	
10-14	16	10	1	
15-19	22	14		
20-24	23	8	1	1
25-29	20	9	3	
30-34	26	6	2	3
35-39	27	19	2	5
40-44	71	40	4	6
45-49	77	55	14	4
50-54	96	70	8	3
55-59	119	88	6	6
60-64	136	94	11	3
65-69	113	110	11	6
70-74	119	123	9	1
75-79	82	82	8	3
80-84	37	37	2	
85-UP	20	27		1
-- ICD 200.1 (1965) ----				
00-04	23	11	2	1
05-09	50	18	2	4
10-14	41	15	3	2
15-19	37	10	2	2
20-24	26	9	3	1
25-29	31	16	4	
30-34	41	14	5	1
35-39	65	30	4	3
40-44	96	70	7	2
45-49	120	93	10	11
50-54	177	128	18	6
55-59	225	177	9	6
60-64	263	193	20	13
65-69	313	213	14	4

AGE	WM	WF	NM	NF
-- 200.1 (1965) CONTD---				
70-74	272	246	9	8
75-79	211	183	10	5
80-84	121	130	6	1
85-UP	54	59		1
-- ICD 200.2 (1965) ----				
00-04	10	2		
05-09	11	5	1	
10-14	9	2	3	
15-19	10	3		2
20-24	10	1	1	2
25-29	6	6		2
30-34	10	6		
35-39	19	11	2	1
40-44	38	23	3	
45-49	49	36	6	2
50-54	52	42	4	3
55-59	68	57	5	2
60-64	84	69	10	6
65-69	104	64	3	5
70-74	83	78	7	4
75-79	70	81	6	4
80-84	37	51	1	
85-UP	13	17	1	
-- ICD 201 --(1965) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1965) ----				
30-34	3			
40-44	5	5		
45-49	9	7		
50-54	13	13		1
55-59	6	5		
60-64	5	10		
65-69	11	9	1	
70-74	6	10		
75-79	5	2		
80-84	1	3		
85-UP	1	1		
-- ICD 202.1 (1965) ----				
00-04	19	23	2	2
05-09	7	4	1	2
10-14	3			1
15-19	1	4	1	1
20-24	7		1	
25-29	5	5	1	1
30-34	4	8	1	2
35-39	8	9	3	1
40-44	25	11	1	1
45-49	20	11	3	2
50-54	33	21	3	3
55-59	50	37	6	4
60-64	72	43	7	4
65-69	78	59	3	7
70-74	60	51	3	4
75-79	58	55	5	1
80-84	46	25	1	
85-UP	17	27	1	
-- ICD 203 --(1965) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1965) ----				
00-04	19	17	2	1
05-09	31	22	2	1
10-14	5	15	5	1
15-19	6	9	2	1
20-24	1	2	1	
25-29	3	2	1	
30-34	3	5		1
35-39	7	7		1
40-44	23	8	2	1
45-49	41	20	3	3
50-54	89	36	11	7
55-59	151	62	15	8
60-64	202	99	16	12
65-69	249	145	24	10
70-74	360	187	23	9
75-79	314	198	14	5
80-84	220	141	6	5
85-UP	138	125	3	3
-- ICD 204.1 (1965) ----				
00-04	13	4	2	2
05-09	3	8		
10-14	10	8		
15-19	7	12	3	2
20-24	12	17	1	
25-29	19	17	6	3
30-34	28	22	7	6
35-39	33	25	13	3
40-44	57	38	9	6
45-49	64	55	9	4

AGE	WM	WF	NM	NF
-- 204.1 (1965) CONTD---				
50-54	77	67	5	6
55-59	72	72	8	9
60-64	113	82	10	14
65-69	148	122	8	7
70-74	169	123	5	4
75-79	145	139	8	4
80-84	90	103	2	1
85-UP	48	60	3	
-- ICD 204.2 (1965) ----				
00-04	14	2		
05-09	14	3	1	
10-14	6	6		1
15-19	16	13	3	1
20-24	14	16	3	3
25-29	14	12	2	
30-34	12	16	2	1
35-39	16	15	2	
40-44	16	22	2	3
45-49	25	25	3	2
50-54	31	29	1	3
55-59	51	43	5	3
60-64	56	41	1	3
65-69	69	42	4	1
70-74	88	54	4	8
75-79	71	40	2	3
80-84	40	30	2	1
85-UP	14	20	2	2
-- ICD 204.3 (1965) ----				
00-04	288	254	25	17
05-09	269	216	23	16
10-14	168	125	21	11
15-19	146	84	19	7
20-24	90	61	11	6
25-29	67	42	4	3
30-34	68	46	7	10
35-39	101	71	8	3
40-44	97	77	6	13
45-49	96	103	8	11
50-54	173	131	11	12
55-59	207	146	15	15
60-64	238	162	16	9
65-69	228	200	16	14
70-74	320	228	14	8
75-79	243	224	14	7
80-84	141	151	4	
85-UP	70	78	5	1
-- ICD 204.4 (1965) ----				
00-04	50	51	11	7
05-09	55	36	2	4
10-14	38	28	2	1
15-19	11	9	4	2
20-24	6	3	1	1
25-29	6	3		
30-34	3	4	3	1
35-39	7	5	2	4
40-44	11	5	4	
45-49	10	15	3	3
50-54	31	16	4	3
55-59	43	28	1	3
60-64	66	35	9	4
65-69	74	47	8	6
70-74	98	50	8	1
75-79	88	72	4	4
80-84	87	56	2	2
85-UP	43	38	3	1
-- ICD 205 --(1965) ----				
20-24				1
35-39	1			
40-44	4	1	1	
45-49	2	3	2	
50-54	3	2		
55-59	7	2		2
60-64	1	2		
65-69	5	6	2	
70-74	9	1		
75-79	3	3		
80-84	4	3		
85-UP		2		
-- ICD 140.0 (1966) ----				
75-79	1		1	
80-84	1	1		
85-UP	1	1		
-- ICD 140.1 (1966) ----				
40-44	1			
50-54	3			
55-59	3			
60-64	4			
65-69	3			1
70-74	5			

AGE	WM	WF	NM	NF
-- 140.1 (1966) CONTD---				
75-79	7			
80-84	8	1		
85-UP	5	1		
-- ICD 140.9 (1966) ----				
30-34	1			
35-39	2			
45-49	7			
50-54	3			1
55-59	5			1
60-64	14			
65-69	8	2		
70-74	12	1		
75-79	13	4		
80-84	9	2		
85-UP	13	3	1	
-- ICD 141.0 (1966) ----				
35-39	3			
40-44	4	1	1	1
45-49	6	2	1	1
50-54	10	2	6	1
55-59	17	6	1	1
60-64	23	2	1	1
65-69	15	4		
70-74	19	2		
75-79	6	4	1	
80-84	9	2	1	
85-UP	6	1		
-- ICD 141.7 (1966) ----				
40-44	1			
45-49			1	
50-54	1			
55-59	5	1		
60-64	3			
65-69	2	1		
70-74	1	1		
75-79	3	1	1	
80-84	2			
85-UP	1			
-- ICD 141.9 (1966) ----				
00-04			1	
10-14	1			
20-24		1		
25-29	3	1		
30-34	1	2		
35-39	5	5	5	1
40-44	21	8	4	8
45-49	36	30	12	4
50-54	79	34	16	5
55-59	129	41	19	5
60-64	171	47	15	4
65-69	156	31	20	7
70-74	128	35	10	3
75-79	104	46	7	1
80-84	72	29		1
85-UP	36	38	4	1
-- ICD 142.0 (1966) ----				
00-04	1	1	1	
10-14			1	
20-24		2		
25-29	2			
30-34		1	1	
35-39	7	4	1	1
40-44	4	2		2
45-49	6	7	3	1
50-54	13	11	3	3
55-59	37	17	3	1
60-64	31	13	3	3
65-69	30	17	3	2
70-74	32	18	1	2
75-79	27	18	1	2
80-84	25	24		
85-UP	19	29	1	1
-- ICD 142.7 (1966) ----				
30-34	1	1		
40-44	2			2
45-49		4		
50-54	5	4		
55-59	9	5		1
60-64	1	6		
65-69	5	5		
70-74	5	5		
75-79	4	4		
80-84	2			
85-UP	4	2		
-- ICD 142.8 (1966) ----				
50-54		1		
75-79	2			

AGE	WM	WF	NM	NF
-- ICD 142.9 (1966) ----				
30-34		1		
35-39	1	1		1
40-44	1	1	1	1
45-49	1	3		
50-54	2	2		
55-59	7	2	1	1
60-64	3	2		
65-69	6	2	2	1
70-74	7	1		
75-79	7	2		
80-84	1	2	1	
85-UP	2	3		
-- ICD 143 --(1966) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1966) ----				
00-04				1
05-09		3		
10-14	2			
20-24	2		1	
30-34	2			
35-39	1	2		1
40-44	9	5	8	2
45-49	30	13	6	2
50-54	68	27	10	4
55-59	93	29	12	2
60-64	89	31	9	2
65-69	93	38	10	4
70-74	105	47	11	2
75-79	104	39	6	7
80-84	60	34	2	2
85-UP	52	43	1	4
-- ICD 145.0 (1966) ----				
00-04	1			
20-24	1	2		1
25-29			1	
30-34	2			
35-39	2		2	3
40-44	9	5	5	2
45-49	18	11	4	2
50-54	47	14	10	2
55-59	54	12	15	2
60-64	53	9	3	1
65-69	44	10	9	
70-74	37	8	2	
75-79	29	13	2	
80-84	16	13	2	
85-UP	12	1		
-- ICD 145.7 (1966) ----				
05-09		1		
35-39	1			
40-44			1	
45-49	3		1	
50-54	6	3		
55-59	5	3	2	
60-64	5	1	1	
65-69	7	2		
70-74	9			
75-79	2			
80-84	1			
85-UP	1			
-- ICD 145.8 (1966) ----				
55-59	1			
-- ICD 145.9 (1966) ----				
50-54			1	
-- ICD 146 --(1966) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1966) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1966) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1966) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1966) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1966) ----				
05-09	1			
30-34	1	1		
35-39	1	1		
40-44	1	2	1	
45-49	4	4		2
50-54	7	2		
55-59	8	6		
60-64	9	9	1	1

AGE	WM	WF	NM	NF
-- 152.0 (1966) CONTD---				
65-69	14	11	1	
70-74	9	12	1	1
75-79	16	15	1	1
80-84	8	13	1	
85-UP	3	8		
-- ICD 152.7 (1966) ----				
20-24		2		
25-29	2			
30-34	1	1		1
35-39		1	1	1
40-44	2	10	2	
45-49	8	8		1
50-54	5	4	3	
55-59	14	16	1	1
60-64	10	15	2	1
65-69	14	15	1	
70-74	25	9		
75-79	14	21		1
80-84	8	4	1	1
85-UP	6	9		
-- ICD 152.8 (1966) ----				
65-69	1			
-- ICD 152.9 (1966) ----				
00-04		1		
15-19		1		
20-24	1			
25-29		1		
30-34	1	3		
35-39	2			
40-44	3	3	1	
45-49	7	6	1	
50-54	12	10		
55-59	11	10	3	
60-64	23	12		2
65-69	20	23	1	2
70-74	23	22		2
75-79	18	15	1	1
80-84	8	11		
85-UP	5	7		
-- ICD 153.0 (1966) ----				
05-09	1			
10-14	1			
15-19	1	1	1	
20-24	3			
25-29	2	5	2	1
30-34	12	5	3	2
35-39	27	16	2	
40-44	25	32	5	6
45-49	67	56	9	6
50-54	99	96	9	11
55-59	146	152	11	18
60-64	206	209	16	24
65-69	296	304	25	31
70-74	328	433	26	17
75-79	306	444	13	21
80-84	226	355	9	17
85-UP	140	314	7	5
-- ICD 153.1 (1966) ----				
10-14			1	
15-19	2	1	1	
20-24	1	2	1	
25-29	2	1	1	
30-34	2	6		1
35-39	12	6		1
40-44	11	18	2	1
45-49	19	35	3	3
50-54	36	42	4	3
55-59	43	62	5	5
60-64	66	78	8	3
65-69	98	88	5	11
70-74	106	140	6	11
75-79	91	130	7	5
80-84	71	97	5	6
85-UP	40	61	2	4
-- ICD 153.2 (1966) ----				
20-24		1		
25-29	1		1	
30-34	2	5	3	
35-39	4	4		
40-44	9	12		1
45-49	17	29	3	3
50-54	24	39	4	5
55-59	45	51	4	6
60-64	56	71	7	3
65-69	69	78	5	5
70-74	85	92	6	6
75-79	70	104	8	5
80-84	60	58	3	3
85-UP	32	47	3	2

AGE	WM	WF	NM	NF
-- ICD 153.3 (1966) ----				
15-19	2			1
20-24	1	1		
25-29	6	2	2	
30-34	12	13	2	3
35-39	12	23	1	3
40-44	51	48	6	7
45-49	55	99	8	11
50-54	126	167	13	15
55-59	239	260	28	15
60-64	329	317	27	28
65-69	417	419	36	27
70-74	486	438	22	24
75-79	472	466	21	23
80-84	277	304	20	16
85-UP	176	228	3	6
-- ICD 153.7 (1966) ----				
50-54	1	2		
55-59	4	3		1
60-64	1	3		
65-69	5	5		1
70-74	11	7	2	
75-79	6	7		1
80-84	4	4	2	
85-UP	3	5		
-- ICD 153.8 (1966) ----				
05-09	1			1
10-14	2			1
15-19	5	3	2	
20-24	4	5	3	
25-29	12	10	6	4
30-34	33	40	9	9
35-39	69	74	10	21
40-44	125	158	16	15
45-49	246	313	35	48
50-54	458	543	59	67
55-59	614	751	83	84
60-64	913	958	78	118
65-69	1174	1267	133	143
70-74	1381	1524	82	111
75-79	1274	1402	77	80
80-84	833	1116	43	57
85-UP	447	927	26	52
-- ICD 153.9 (1966) ----				
00-04				1
20-24		2		
25-29	2	2		
30-34	3	1	1	
35-39	4	6	1	2
40-44	7	15	2	
45-49	16	32	2	1
50-54	37	46	3	9
55-59	57	55	6	7
60-64	73	76	11	4
65-69	88	106	5	5
70-74	99	105	11	7
75-79	115	132	3	5
80-84	75	124	8	6
85-UP	51	101	4	2
-- ICD 154 --(1966) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1966) ----				
00-04	12	8	1	
05-09	5	3		
10-14	4	1		2
15-19	6	3	2	1
20-24	6	3	2	3
25-29	5	1	2	3
30-34	8	6	5	3
35-39	5	7	5	3
40-44	23	14	20	2
45-49	54	32	28	8
50-54	90	26	35	10
55-59	128	62	47	11
60-64	179	68	36	9
65-69	182	84	49	13
70-74	195	99	39	10
75-79	131	109	10	5
80-84	68	50	3	6
85-UP	20	36	3	3
-- ICD 155.1 (1966) ----				
00-04	1	1		
05-09	1			
20-24	1	1	2	
25-29	2	4	1	
30-34	4	4	3	
35-39	7	10	1	1
40-44	26	20	3	5
45-49	43	58	6	10
50-54	76	93	7	12

AGE	WM	WF	NM	NF
-- 155.1 (1966) CONTD---				
55-59	97	214	8	19
60-64	168	268	20	25
65-69	225	455	24	31
70-74	269	592	18	27
75-79	246	515	18	15
80-84	148	360	7	16
85-UP	88	184	5	6
-- ICD 155.8 (1966) ----				
75-79		1		
-- ICD 156 --(1966) ----				
00-04	6	5		1
05-09	3	2		
10-14	2	3	2	
15-19	3	1		
20-24	2	1		1
25-29	1	3	3	2
30-34	6	5	4	3
35-39	15	15	6	4
40-44	30	36	10	10
45-49	74	51	21	21
50-54	115	97	31	28
55-59	185	158	60	29
60-64	293	176	71	38
65-69	348	222	72	34
70-74	328	303	45	44
75-79	292	316	25	27
80-84	210	229	11	18
85-UP	123	195	11	13
-- ICD 157 --(1966) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1966) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1966) ----				
00-04			1	
30-34		2		
35-39	4	2		
40-44	4	6	1	
45-49	11	5	5	1
50-54	14	13	2	4
55-59	25	20	12	13
60-64	42	31	8	8
65-69	44	32	20	8
70-74	51	57	17	13
75-79	52	73	7	10
80-84	45	78	4	8
85-UP	37	78	4	4
-- ICD 160.0 (1966) ----				
05-09		1	1	
40-44		1		
45-49	2	3		
50-54	4	3		
55-59	5	1		
60-64	8	3		
65-69	5	4	3	1
70-74	5	4		1
75-79	7	3	1	
80-84	1	3		
85-UP	6	8		
-- ICD 160.1 (1966) ----				
35-39	1			
45-49	2	1		
50-54		1		
55-59	2	1		
60-64	1		1	
65-69	3	1		
70-74		3		
75-79		1		
85-UP	1	1		
-- ICD 160.2 (1966) ----				
15-19		1	1	
20-24			1	
25-29	2	1		
30-34	1	2	1	
35-39	3	3	3	1
40-44	2	4	4	1
45-49	7	4	1	2
50-54	14	8	2	4
55-59	14	6	4	4
60-64	36	12	3	1
65-69	23	15	6	1
70-74	18	12	4	1
75-79	18	17	1	1
80-84	13	10	1	1
85-UP	8	8	1	
-- ICD 160.7 (1966) ----				
30-34	1			

AGE	WM	WF	NM	NF
-- 160.7 (1966) CONTD---				
35-39	1			
40-44	1			
45-49	3			1
50-54	4	3		1
55-59	6	2		
60-64	5			
65-69	6	2		1
70-74	4	4		
75-79	1	3		
80-84	2			
85-UP		1		
-- ICD 160.8 (1966) ----				
45-49		1		
60-64	1			
65-69	1			
70-74	1			
75-79	2	1		
-- ICD 160.9 (1966) ----				
35-39	1			
40-44	1		1	
45-49	2	1		
50-54	2	1		
55-59	4	1	1	
60-64	3		1	
65-69	4	3	1	
70-74	4	3	2	
75-79		3		
85-UP	3			
-- ICD 161 --(1966) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1966) ----				
00-04		2		
20-24	1			
30-34		1		
35-39	2	1		
40-44	4	2		
45-49	2	2	2	1
50-54	5	1	4	
55-59	9	4	1	2
60-64	10	2		
65-69	7	5		
70-74	10	5		
75-79	6	3		
80-84		2		
85-UP	3			
-- ICD 162.1 (1966) ----				
15-19	1	1		
20-24	2	2	1	1
25-29	9	1	2	4
30-34	55	12	9	1
35-39	162	58	46	11
40-44	413	139	105	30
45-49	834	223	184	35
50-54	1577	321	227	41
55-59	2307	367	294	33
60-64	2867	387	306	27
65-69	3011	352	294	46
70-74	2499	299	188	17
75-79	1534	237	108	7
80-84	575	149	32	6
85-OP	208	102	19	5
-- ICD 162.2 (1966) ----				
15-19		1		
40-44	1			
45-49	1		1	
50-54		2		
55-59	1	2		
60-64		1		
65-69		3		
70-74	2		1	
75-79	1			
-- ICD 162.8 (1966) ----				
40-44	1		1	
50-54	1			
55-59	2			
60-64	2		1	
65-69	2			
70-74	2			
75-79	1	1		
-- ICD 163 --(1966) ----				
00-04	1	1	1	
10-14	1			
15-19	3	3	2	
20-24	9	2	4	2
25-29	10	5	9	4
30-34	58	30	22	4
35-39	175	81	44	23

AGE	WM	WF	NM	NF
-- 163 --(1966) CONTD---				
40-44	517	228	136	28
45-49	1070	368	227	62
50-54	2050	509	303	52
55-59	3066	616	364	76
60-64	4112	606	409	61
65-69	4179	630	391	73
70-74	3681	630	274	52
75-79	2401	541	133	34
80-84	1097	353	53	16
85-UP	384	241	32	16
-- ICD 164 --(1966) ----				
00-04		1		
05-09	1	1		
10-14		3		1
15-19	4			
20-24	5			1
25-29	7	1		
30-34	6	2	1	1
35-39	5	4	1	3
40-44	11	3	2	3
45-49	7	5	1	1
50-54	17	7	2	4
55-59	22	6	5	
60-64	31	9	3	
65-69	21	7	7	1
70-74	32	7		
75-79	15	8		2
80-84	13	9		
85-UP	3	4		
-- ICD 165 --(1966) ----				
00-04		1		
05-09	2			
10-14	2	1		
15-19	1	1	1	
20-24	3	2		1
25-29	2	1		
30-34	6	2	2	1
35-39	11	6	5	1
40-44	28	11	8	8
45-49	58	29	13	7
50-54	114	39	26	6
55-59	169	48	19	11
60-64	202	56	20	11
65-69	172	67	19	10
70-74	169	86	11	13
75-79	112	65	3	3
80-84	53	56	3	4
85-UP	37	33	4	4
-- ICD 170 --(1966) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1966) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1966) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1966) ----				
20-24		13		3
25-29		11		3
30-34		2		4
35-39		3		3
40-44		5		
45-49		1		
50-54		2		
55-59				1
60-64		2		1
65-69		1		
-- ICD 174 --(1966) ----				
05-09		1		
15-19		3		1
20-24		1		
25-29		4		3
30-34		15		9
35-39		44		14
40-44		78		26
45-49		153		32
50-54		235		61
55-59		293		74
60-64		370		84
65-69		505		103
70-74		547		71
75-79		448		43
80-84		310		28
85-UP		221		29
-- ICD 175.0 (1966) ----				
00-04		8		1
05-09		4		2
10-14		22		3
15-19		19		9

AGE	WM	WF	NM	NF
-- 175.0 (1966) CONTD---				
20-24		28		10
25-29		37		7
30-34		64		13
35-39		169		19
40-44		379		52
45-49		756		75
50-54		1012		86
55-59		1102		98
60-64		1097		88
65-69		1162		83
70-74		1070		63
75-79		753		24
80-84		460		19
85-UP		237		10
-- ICD 175.1 (1966) ----				
20-24		1		
35-39		3		1
40-44		3		2
45-49		8		4
50-54		16		1
55-59		22		2
60-64		18		2
65-69		17		
70-74		3		3
75-79		3		
80-84		1		
85-UP		2		
-- ICD 175.8 (1966) ----				
55-59		2		1
60-64		1		
65-69		1		
70-74		1		
80-84		1		
-- ICD 175.9 (1966) ----				
50-54		1		
70-74		2		
-- ICD 176.0 (1966) ----				
00-04		2		
05-09		1		
15-19		3		
20-24		1		1
25-29				1
30-34		1		
35-39		3		1
40-44		10		1
45-49		12		3
50-54		13		3
55-59		26		1
60-64		39		8
65-69		56		5
70-74		71		6
75-79		87		2
80-84		89		3
85-UP		71		2
-- ICD 176.1 (1966) ----				
00-04		1		
25-29				1
30-34		1		1
35-39		2		
40-44		2		4
45-49		7		2
50-54		17		1
55-59		20		5
60-64		23		3
65-69		37		3
70-74		42		4
75-79		42		3
80-84		31		2
85-OP		27		
-- ICD 176.7 (1966) ----				
00-04		1		
35-39				1
40-44		1		
45-49		1		
50-54		1		
60-64		1		2
65-69		3		
70-74		1		
75-79		2		
-- ICD 176.8 (1966) ----				
60-64		1		
70-74		2		
75-79		1		
80-84		2		
85-OP		1		
-- ICD 176.9 (1966) ----				
40-44		1		

AGE	WM	WF	NM	NF
-- 176.9 (1966) CONTD---				
45-49		3		1
50-54		4		
55-59		4		1
60-64		4		2
65-69		4		
70-74		4		1
75-79		5		2
85-UP		5		
-- ICD 177 --(1966) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1966) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1966) ----				
30-34	1			
35-39	1			
40-44	4			
45-49	8		6	
50-54	12		8	
55-59	8		7	
60-64	12		10	
65-69	30		5	
70-74	32		6	
75-79	22		4	
80-84	28		2	
85-OP	17		7	
-- ICD 179.1 (1966) ----				
15-19	1			
45-49	1			
50-54			1	
55-59	2			
60-64	4		1	
75-79	5			
80-84	3			
-- ICD 179.7 (1966) ----				
40-44	1			
45-49	1			
55-59	1			
60-64	2			
65-69	2		2	
70-74	6			
75-79	2			
85-UP	1			
-- ICD 179.8 (1966) ----				
55-59	1			
65-69			1	
-- ICD 179.9 (1966) ----				
00-04	1			
05-09	1			
70-74	2			
75-79	2			
80-84	1			
-- ICD 180 --(1966) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1966) ----				
00-04	4	1		
05-09	2	1		
10-14	2			
20-24			1	
25-29	2	2		
30-34	3	2		1
35-39	7	10	6	3
40-44	39	20	6	3
45-49	88	38	8	15
50-54	200	74	35	14
55-59	370	104	46	27
60-64	561	163	66	34
65-69	819	236	71	46
70-74	976	410	79	33
75-79	989	392	46	40
80-84	746	404	28	22
85-UP	482	317	28	14
-- ICD 181.7 (1966) ----				
20-24		1	1	
30-34	1	1		
35-39				1
40-44	2	1		1
45-49	4	4	1	1
50-54	1	7	2	3
55-59	10	8	2	3
60-64	6	12	1	2
65-69	7	15	4	5
70-74	6	8	3	2
75-79	4	19	2	
80-84	4	11		2
85-OP	3	7		

AGE	WM	WF	NM	NF
-- ICD 181.8 (1966) ----				
50-54				1
60-64	1			
65-69	1	2		
70-74	2			
80-84		3		
85-UP		1		
-- ICD 190.0 (1966) ----				
25-29	1			
50-54	1			
80-84	1			
-- ICD 190.1 (1966) ----				
20-24	1			
35-39		1		
45-49	1			
55-59	1			
65-69		1		
-- ICD 190.2 (1966) ----				
40-44	3	1		
45-49		1		
50-54	1			
55-59	4			
60-64	2			
65-69	1			
70-74	1			
75-79	4			
85-UP		1		
-- ICD 190.3 (1966) ----				
20-24	1			
30-34	2	1		
45-49	3	2		
50-54	4	3	1	
55-59	3	3		
60-64	7	1		
65-69	8	6		
70-74	3	6		
75-79	4	6		
80-84	12	5		1
85-UP	5	6		
-- ICD 190.4 (1966) ----				
00-04			1	
15-19	1			
20-24	3	1		
25-29	1	1		
30-34	4	3		
35-39	8			
40-44	6	2		
45-49	8	3		
50-54	6	1		
55-59	2	1	1	
60-64	3	1		
65-69	3	6		1
70-74	5	5		
75-79	2	5		
80-84	6	3		
85-UP	1			
-- ICD 190.5 (1966) ----				
00-04		1		
15-19	2	2		
20-24	1	1		
25-29	5	6		
30-34	8	6		
35-39	29	5		
40-44	21	10		
45-49	18	9		
50-54	15	12		
55-59	17	4	2	
60-64	19	9		
65-69	18	10		
70-74	13	8		
75-79	6	12		
80-84	4	5	1	
85-UP	1	4		
-- ICD 190.6 (1966) ----				
25-29		1	1	
30-34	5	3		
35-39	1	4		
40-44	6	14		
45-49	10	7		
50-54	7	6		1
55-59	9	6		
60-64	6	5	1	
65-69	9	8		
70-74	6	4		
75-79	8	3		
80-84	3	1		
85-UP	3	3		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 190.7 (1966) ----				
15-19	1	1		
25-29	2	1		
30-34	4	5		
35-39	4	9		
40-44	7	15		
45-49	7	12		1
50-54	2	15		
55-59	11	25	1	2
60-64	12	15	1	
65-69	12	15		2
70-74	12	18	1	1
75-79	10	14		1
80-84	6	8		
85-UP	2	9		
-- ICD 190.8 (1966) ----				
40-44	2	1		
55-59	1	2		
60-64	1	1		
70-74		1		
-- ICD 190.9 (1966) ----				
00-04		1		
10-14		1		
15-19	9	7		
20-24	22	12	1	
25-29	37	29		
30-34	45	35	2	
35-39	73	52	3	1
40-44	70	68	2	1
45-49	110	50	1	1
50-54	105	79	5	2
55-59	104	82	3	1
60-64	102	61	1	7
65-69	82	82	3	2
70-74	91	71	1	3
75-79	75	65		3
80-84	42	43	1	
85-UP	23	30	1	1
-- ICD 191.0 (1966) ----				
40-44	2			
45-49	3			
50-54	1	1		
55-59	4	1		
60-64	9		1	
65-69	8	1		
70-74	12	1		
75-79	10	1		
80-84	7	2		
85-UP	16	2		
-- ICD 191.1 (1966) ----				
35-39	1			
40-44			1	
50-54		1		
55-59	2	1		1
60-64	2	1		
65-69	1		2	
70-74			1	
75-79		1		
80-84	1	1		
85-UP		3		
-- ICD 191.2 (1966) ----				
40-44		1		
50-54	1	1		
55-59	4	3		
60-64	6	2		1
65-69	3	3		
70-74	9	3		
75-79	10	1		1
80-84	11	3		
85-UP	11	4		1
-- ICD 191.3 (1966) ----				
15-19		1	1	
25-29		1		
30-34	1			
35-39		1		
40-44	1	1		
45-49	11	1	1	
50-54	13	5	1	3
55-59	33	11		1
60-64	35	16	1	2
65-69	35	13	1	1
70-74	59	22	2	
75-79	66	31		
80-84	51	32		
85-UP	59	75	1	
-- ICD 191.4 (1966) ----				
30-34	1			
35-39	1		1	
40-44	1			

AGE	WM	WF	NM	NF
-- 191.4 (1966) CONTD---				
45-49	1	2	3	
50-54	7	4		2
55-59	20	1	2	1
60-64	15	5		
65-69	16	5	1	
70-74	10	4	1	3
75-79	29	6	1	
80-84	14	6		1
85-UP	21	12	1	
-- ICD 191.5 (1966) ----				
00-04	1	1		
15-19	1			
25-29		1		
35-39	1	3	1	
40-44	2	1		1
45-49	4	6	1	2
50-54	5	11	1	1
55-59	9	12	1	3
60-64	7	13	1	1
65-69	11	14	4	1
70-74	14	14	2	1
75-79	12	13		4
80-84	7	10		
85-UP	3	14		
-- ICD 191.6 (1966) ----				
30-34	1			
35-39	2			
40-44	3			
45-49	2			
50-54	2	1		
55-59	3			
60-64	4	1		
65-69	5	2	1	
70-74	6			
75-79	7	5		1
80-84	5	4		
85-UP	5	2		
-- ICD 191.7 (1966) ----				
30-34			1	
40-44			2	
45-49	1		1	
50-54	4	1		
55-59	5	1		2
60-64	3		1	
65-69	3	2	1	
70-74	4	4		
75-79	6	5		1
80-84	4	3		1
85-UP	1	1		1
-- ICD 191.8 (1966) ----				
35-39	1			
45-49	1			
50-54	1			
55-59		2		
60-64	6			
65-69	2	2		1
70-74	5	1	1	
75-79	8	1		
80-84	5	2	1	
85-UP	5	7		
-- ICD 191.9 (1966) ----				
10-14		1		
30-34	1	2		
35-39	1	2	1	1
40-44	10	6	1	1
45-49	9	7	3	1
50-54	26	14	6	4
55-59	31	17	6	
60-64	36	18	4	1
65-69	35	15	3	1
70-74	46	14	2	2
75-79	35	18	1	
80-84	32	15	1	1
85-UP	31	25		1
-- ICD 192 --(1966) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1966) ----				
00-04	78	83	12	9
05-09	123	80	13	18
10-14	68	69	18	8
15-19	76	66	9	2
20-24	52	54	8	4
25-29	61	38	3	9
30-34	78	64	8	7
35-39	132	94	10	13
40-44	200	145	21	12
45-49	292	205	19	10
50-54	416	267	24	16

AGE	WM	WF	NM	NF
-- 193.0 (1966) CONTD---				
55-59	442	326	33	9
60-64	458	315	14	9
65-69	357	252	12	6
70-74	236	157	9	6
75-79	90	76	4	1
80-84	34	20	1	1
85-UP	7	11	1	
-- ICD 193.1 (1966) ----				
00-04	1	2		2
05-09	4	2	1	1
10-14	2	2	1	1
15-19	7	6		1
20-24	1	5	1	
25-29		4		
35-39	4	6		1
40-44	4			
45-49	4	4	1	1
50-54	5	2	2	
55-59	8	7	4	
60-64	9	4	1	1
65-69	7	8	2	1
70-74	9	7	1	
75-79	5	5	1	
80-84	2	1		
85-UP	3	2		
-- ICD 193.2 (1966) ----				
00-04	3	2		
05-09		2	1	
15-19	3			
20-24	2	1		
35-39		1		
40-44	1	3	1	
45-49	4	2	2	
50-54	3	1	2	1
55-59	4	1		
60-64	3	4		1
65-69	3	4		
70-74	3	1		
75-79	1	1		
-- ICD 193.3 (1966) ----				
00-04	1			
10-14	1		1	
15-19		2		1
20-24		1		1
25-29	1	1		1
30-34	3	1		
35-39	1	3		
40-44	1	1		
45-49	1		1	
50-54		1	1	
55-59	2		1	
60-64	1	2	1	1
65-69	1			
70-74	3	3		
75-79	1			
80-84	1			
85-UP		1		
-- ICD 193.4 (1966) ----				
00-04	81	58	12	6
05-09	27	28	6	2
10-14	14	13	1	
15-19	10	8		
20-24	6	5		
25-29	1	2		
30-34	3			
35-39	2	1	1	
40-44	3	2		
45-49	6	1	2	1
50-54	1	3	1	1
55-59	4	1		
60-64	4	1	1	
65-69		6		
70-74	4	2		
75-79	5	3		
85-UP	1			
-- ICD 193.8 (1966) ----				
00-04	1	2		
05-09	1			
15-19	1			
30-34	1			
35-39	2	2		
50-54	1	1		
55-59	1			
65-69	1			
-- ICD 193.9 (1966) ----				
00-04	14	10	1	1
05-09	13	8	2	3
10-14	12	7	1	3
15-19	2	5	1	1

AGE	WM	WF	NM	NF
-- 193.9 (1966) CONTD---				
20-24	6	7	2	
25-29	8	8		1
30-34	11	6		1
35-39	19	15	3	1
40-44	40	16	2	3
45-49	46	28	7	3
50-54	64	34	4	3
55-59	79	50	6	2
60-64	69	43	1	4
65-69	53	28	3	1
70-74	33	19		
75-79	11	14	1	1
80-84	3	3		
85-UP	3	1		
-- ICD 194 --(1966) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1966) ----				
00-04	7	10		
05-09	3	2	2	
10-14	2	2		
15-19		5		
20-24	2	1		1
25-29	3	2		
30-34		5		
35-39	4	7		2
40-44	15	13	2	
45-49	14	10	2	2
50-54	20	10	2	
55-59	22	12	2	
60-64	28	7	1	2
65-69	21	14	2	1
70-74	23	7	2	
75-79	8	7		1
80-84	2	4		
85-UP	1	1		
-- ICD 195.1 (1966) ----				
35-39		1		
40-44	1			
55-59		1		
60-64	2			
65-69		1		
70-74	2	2		
80-84		1		
-- ICD 195.2 (1966) ----				
00-04	3			
05-09			1	
10-14			1	
15-19	4	2		
20-24	3			
25-29	3			
30-34	4	4		1
35-39	4	3		1
40-44	3			
45-49	6	3		1
50-54	2	5		
55-59	1	3	1	
60-64	9	5		1
65-69	6	2		
70-74	2	2		
75-79	1	2	1	
85-UP		1		
-- ICD 195.3 (1966) ----				
15-19		1		
25-29			1	1
35-39	1			
45-49		3		
50-54	1			
55-59	3	1	1	1
60-64	6	1		
65-69	1			1
70-74	1			1
75-79	2			
85-UP	1			
-- ICD 195.4 (1966) ----				
10-14	1			
15-19	1	1		
40-44	1			
-- ICD 195.7 (1966) ----				
05-09		1		
15-19		1		
40-44		1		
50-54	1			
55-59	1			
60-64	2	2		
65-69	1	1	1	
75-79		2		
80-84	1	1		
85-UP		1		

AGE	WM	WF	NM	NF
-- ICD 195.8 (1966) ----				
40-44		1		
-- ICD 196.0 (1966) ----				
05-09	1	1		1
25-29	1			
30-34		2	1	
35-39	1	1		1
40-44		3	2	
45-49	5	2		1
50-54	5	10	2	1
55-59	7	9	3	2
60-64	21	7		2
65-69	15	13	3	2
70-74	12	12	1	2
75-79	19	11	1	1
80-84	9	5	1	
85-UP	5	8		
-- ICD 196.1 (1966) ----				
00-04	1			
05-09		1		
10-14	1		1	
15-19		1		
20-24		1		
25-29	2	1		
35-39	1			
40-44	1		2	
45-49	4	2	3	
50-54	6	3	2	
55-59	13	7	2	1
60-64	9	5		1
65-69	16	6	1	2
70-74	6	6		1
75-79	9	7	2	
80-84	20	7		
85-UP	9	7	2	1
-- ICD 196.2 (1966) ----				
10-14	2	1		
15-19	4		1	
20-24	3			
25-29	3		1	
30-34	1		1	1
35-39	4	2		
40-44	5	2		1
45-49	8	9		1
50-54	11	8	1	4
55-59	20	12		
60-64	25	12	5	
65-69	25	14		4
70-74	25	16	1	
75-79	11	12	1	1
80-84	10	5	1	
85-UP	3	4		
-- ICD 196.3 (1966) ----				
05-09		1		
10-14	1	1		
15-19	4	1		
20-24	1	1		
30-34		1		
40-44	1	2		
45-49	3			
50-54				2
55-59	2			
60-64	6	1		
65-69	2	7		1
70-74	6	7		1
75-79	3	3		
80-84	2	1		
85-UP		2		
-- ICD 196.4 (1966) ----				
05-09	5	2		
10-14	2	3	1	1
15-19	8	3		
20-24	3	2		
25-29	1	1		
30-34		2		1
35-39	1			
45-49	4			
50-54	1	1		
55-59	1	2		
60-64	8	1		1
65-69	3	1		
70-74	1	6		1
75-79	7	5		
80-84	2	7		
85-UP	2	2		
-- ICD 196.5 (1966) ----				
20-24	1			
70-74		2		
85-UP	1			

AGE	WM	WF	NM	NF
-- ICD 196.6 (1966) ----				
00-04		3		
05-09	1	1		1
10-14	2		1	1
15-19	12	5		1
20-24	5			
25-29	2	1		
35-39	1	3		
40-44	4	4		
45-49	7	4		1
50-54	4	3		1
55-59	9	2	1	
60-64	9		1	1
65-69	8	8	1	1
70-74	12	7	2	1
75-79	6	7		
80-84	5	9		
85-UP	3	2		1
-- ICD 196.7 (1966) ----				
00-04				1
05-09	3	6		1
10-14	21	15	2	4
15-19	34	19	4	5
20-24	15	4		1
25-29	2	4	2	1
30-34		1		
35-39	2	3		1
40-44	2	3	1	
45-49	3	6		
50-54	4			1
55-59	6	9	1	
60-64	8	5	1	1
65-69	5	10	2	
70-74	13	12		1
75-79	6	10	2	1
80-84	3	8	1	1
85-UP	1	1		1
-- ICD 196.8 (1966) ----				
10-14	1			
15-19	3			1
20-24	1			
30-34		1		
40-44	1			
45-49		1		
50-54	1			
75-79		1		
-- ICD 196.9 (1966) ----				
00-04	2			
05-09	8	12		1
10-14	33	31	4	4
15-19	46	34	2	2
20-24	22	7	4	
25-29	7	2	3	
30-34	7	5		
35-39	4	5	1	1
40-44	4	3	1	
45-49	7	4	2	1
50-54	14	10	1	2
55-59	27	16	1	3
60-64	15	15	2	
65-69	21	14	5	1
70-74	18	16	1	1
75-79	14	16		
80-84	10	8	2	2
85-UP	1	5	2	
-- ICD 197.0 (1966) ----				
00-04	1	2	1	
05-09	2	2		
10-14	3	3		
15-19	1	1		
20-24	2			
35-39		1		
50-54	1	3		
55-59	1	1	1	1
60-64	1			
65-69	2	2	1	
70-74	1	4	1	
75-79	1	1		
80-84		4		
85-UP	2			
-- ICD 197.1 (1966) ----				
00-04	1	2		1
05-09	1	1	2	1
15-19	4	2	1	1
20-24	1			
25-29	3			
30-34	2	2	2	1
35-39	2	1		2
40-44	4	2	1	
45-49	10	7	1	
50-54	5	7	1	2

AGE	WM	WF	NM	NF
-- 197.1 (1966) CONTD---				
55-59	16	9	1	1
60-64	17	13	1	
65-69	14	11	1	
70-74	16	8		
75-79	12	6		1
80-84	2	4		
85-UP	1	1		
-- ICD 197.2 (1966) ----				
00-04		3		
10-14	1	2		
15-19	1		2	
20-24	3	1		
25-29	2	1	1	1
30-34		1		
35-39	4			
40-44	2		1	
45-49	2	1		
50-54		3		
55-59	3	5		
60-64	1	6	1	
65-69	2	3	3	1
70-74	4	4		1
75-79	2	7		
80-84	4	3		
85-UP	2			
-- ICD 197.3 (1966) ----				
00-04	2			1
05-09	2	1		
10-14	3	4		
15-19	4	1		
20-24	5	4	1	
25-29	4	3		
30-34	6			
35-39	4	5		2
40-44	9	7	5	1
45-49	5	9	2	
50-54	9	2	1	3
55-59	12	12	3	2
60-64	12	8		2
65-69	10	17	1	2
70-74	21	12		
75-79	14	14	2	
80-84	5	6		
85-UP	4	9		1
-- ICD 197.8 (1966) ----				
40-44		1		
45-49	1	1		
50-54		1		
70-74	2	1		
85-OP	1			
-- ICD 197.9 (1966) ----				
00-04	17	10	2	2
05-09	7	11	1	
10-14	8	10		1
15-19	12	5		3
20-24	5	5	1	
25-29	11	4	1	
30-34	10	7	2	
35-39	15	11	1	
40-44	20	19		2
45-49	23	14	3	5
50-54	31	28	2	2
55-59	30	28	3	4
60-64	41	25	1	3
65-69	39	29	1	5
70-74	32	32	2	3
75-79	28	24	2	1
80-84	14	14	2	2
85-OP	10	9	1	1
-- ICD 198.0 (1966) ----				
00-04				1
35-39	2			
40-44	2	3		1
45-49	1	1		
50-54	6		1	
55-59	9	2	2	
60-64	9	3		
65-69	4	1		
70-74	10			
75-79	6	3	1	1
80-84	2	2		
85-UP	3	3		
-- ICD 198.1 (1966) ----				
50-54	1			
55-59		1	1	
60-64	1			
70-74	1	1		
75-79	1	1		

AGE	WM	WF	NM	NF
-- ICD 198.2 (1966) ----				
45-49		2		
50-54		1		
55-59	1	1		
60-64		1	1	
75-79	1	1		
85-UP	1			
-- ICD 198.3 (1966) ----				
45-49	1			
50-54	1			
55-59	2			
60-64		1		
80-84		1		
85-OP	1	2		
-- ICD 198.4 (1966) ----				
45-49	1			
50-54		1	1	
55-59	1	1		
60-64	2			
65-69	1			
70-74	2			
75-79	2	1		
80-84		1		
85-UP	1	1		
-- ICD 198.7 (1966) ----				
45-49	1			
50-54	1			
55-59		1		
60-64	1			
65-69	1			
-- ICD 198.8 (1966) ----				
50-54		1		
-- ICD 198.9 (1966) ----				
30-34	2	2		
40-44	1	1		
45-49		1		
50-54	3	2		1
55-59	6	2		
60-64	5		1	
65-69	3	2	2	
70-74	2			
75-79	2	5		
80-84		1		
85-UP	1			
-- ICD 199 --(1966) ----				
00-04	16	12	1	1
05-09	9	1	2	
10-14	11	13	2	5
15-19	24	16	6	2
20-24	24	10	3	2
25-29	22	18	6	8
30-34	38	41	3	8
35-39	92	87	18	22
40-44	164	179	34	42
45-49	270	300	66	64
50-54	493	486	103	96
55-59	730	568	123	107
60-64	893	669	131	134
65-69	970	885	160	156
70-74	984	956	112	100
75-79	793	936	88	76
80-84	549	723	56	57
85-UP	350	594	31	38
-- ICD 200.0 (1966) ----				
00-04	9	1	1	
05-09	10	6	2	4
10-14	19	7	1	
15-19	19	15	3	3
20-24	20	15		2
25-29	20	21	3	3
30-34	27	17	3	4
35-39	37	22	9	4
40-44	65	48	2	4
45-49	81	59	2	7
50-54	109	60	10	7
55-59	129	103	6	9
60-64	141	98	9	7
65-69	161	114	11	3
70-74	142	150	6	5
75-79	119	91	3	
80-84	50	52		1
85-OP	18	30	2	
-- ICD 200.1 (1966) ----				
00-04	25	4	2	4
05-09	46	15	7	2
10-14	48	22	7	6
15-19	32	13	4	3
20-24	32	8		2

AGE	WM	WF	NM	NF
-- 200.1 (1966) CONTD---				
25-29	9	10	4	3
30-34	24	12	2	3
35-39	59	33	3	4
40-44	93	62	6	3
45-49	122	99	11	4
50-54	207	134	15	10
55-59	214	136	19	10
60-64	233	178	18	9
65-69	252	261	15	12
70-74	276	234	22	7
75-79	210	228	6	6
80-84	113	146	5	4
85-UP	56	56	1	1
-- ICD 200.2 (1966) ----				
00-04	3	2	1	1
05-09	5	3		
10-14	17	6	1	1
15-19	11	7	2	3
20-24	11	1		3
25-29	9	4	2	2
30-34	8	3	4	1
35-39	12	12		4
40-44	29	20	2	4
45-49	39	31	8	
50-54	60	47	3	3
55-59	67	59	8	1
60-64	93	79	5	3
65-69	91	84	7	5
70-74	90	88	11	
75-79	88	80	4	1
80-84	44	51	1	
85-UP	24	27	3	1
-- ICD 201 --(1966) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1966) ----				
20-24		1		
30-34	1	1		
35-39	2	1		
40-44	8	2		1
45-49	7	3		1
50-54	7	12		
55-59	9	9		
60-64	7	10		1
65-69	8	6		
70-74	5	7		
75-79	7	7		
80-84	4	4		
85-OP	2	3		
-- ICD 202.1 (1966) ----				
00-04	9	17	1	5
05-09	7	7	1	
10-14	8	2	1	1
15-19	7	6		
20-24	4	2	1	1
25-29	6	3	3	2
30-34	2	4		1
35-39	13	4	1	
40-44	26	13	3	
45-49	33	16	1	5
50-54	52	28	1	2
55-59	48	37	1	
60-64	95	63	2	4
65-69	77	55	8	4
70-74	86	82	6	3
75-79	69	62	1	3
80-84	36	45	2	2
85-UP	24	21	2	
-- ICD 203 --(1966) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1966) ----				
00-04	19	14		
05-09	31	20	1	2
10-14	10	6		2
15-19	6	9	2	
20-24	2	2		1
25-29	2	2	1	2
30-34	10	2		
35-39	8	10		3
40-44	22	12	1	2
45-49	33	30	7	2
50-54	85	34	12	14
55-59	148	57	14	7
60-64	194	88	20	16
65-69	265	140	18	13
70-74	325	191	24	11
75-79	310	211	9	5
80-84	214	202	6	11
85-UP	167	145	3	5

AGE	WM	WF	NM	NF
-- ICD 204.1 (1966) ----				
00-04	7	8	2	
05-09	13	3		2
10-14	14	5	2	2
15-19	15	11	1	4
20-24	16	4	3	1
25-29	23	14	3	1
30-34	31	15	7	3
35-39	42	24	7	8
40-44	48	39	8	11
45-49	53	53	8	12
50-54	65	70	10	6
55-59	97	64	10	7
60-64	125	87	10	10
65-69	121	94	13	4
70-74	170	118	15	5
75-79	144	123	6	7
80-84	107	99	3	1
85-UP	53	68	1	
-- ICD 204.2 (1966) ----				
00-04	12	11	2	1
05-09	5	1		2
10-14	14	12		
15-19	20	9	1	1
20-24	17	10	2	
25-29	7	10		1
30-34	11	6	1	1
35-39	18	15	1	
40-44	30	19	1	1
45-49	24	26	1	2
50-54	35	30		
55-59	48	25	1	
60-64	59	43	1	2
65-69	63	44	6	3
70-74	74	70	1	3
75-79	83	52	1	1
80-84	48	48	1	
85-OP	23	26		1
-- ICD 204.3 (1966) ----				
00-04	278	233	23	21
05-09	304	203	16	22
10-14	183	100	19	8
15-19	172	95	18	14
20-24	104	59	7	6
25-29	70	49	4	2
30-34	76	66	5	6
35-39	83	81	12	10
40-44	101	90	15	8
45-49	138	112	7	9
50-54	175	125	9	7
55-59	219	147	10	16
60-64	263	219	10	9
65-69	263	223	20	8
70-74	322	243	13	9
75-79	255	213	12	9
80-84	157	135	1	3
85-UP	99	86	3	3
-- ICD 204.4 (1966) ----				
00-04	51	28	4	10
05-09	54	40	8	5
10-14	27	25	3	4
15-19	11	9	2	1
20-24	9	4	2	
25-29	6	2	1	
30-34	4	3		3
35-39	6	6	1	3
40-44	18	11	3	3
45-49	22	7	5	3
50-54	22	19	6	3
55-59	37	26	9	10
60-64	55	38	6	9
65-69	66	48	5	7
70-74	104	56	3	8
75-79	96	62	1	3
80-84	62	73	2	2
85-UP	48	41	2	1
-- ICD 205 --(1966) ----				
25-29	1			1
40-44		2	2	
45-49	2	1		
50-54	8	3	2	1
55-59	5	2		1
60-64	8	2		1
65-69	4	5	1	1
70-74	4	4	1	1
75-79	3	4		
80-84	2	1		
85-UP	1	5		1
-- ICD 140.0 (1967) ----				
50-54	1			
65-69	1	1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 140.0 (1967) CONTD---				
85-UP	2	1		
-- ICD 140.1 (1967) ----				
35-39	1			
40-44	1			
45-49	1			
50-54	3	1		
55-59	1			1
60-64	2			
65-69	2			
70-74	7	1		
75-79	3	3		
80-84	3			
85-UP	5	3		
-- ICD 140.9 (1967) ----				
30-34	2			
35-39	1			
40-44	2			
45-49	3	1		
50-54	3		1	
55-59	8			
60-64	8	1	1	
65-69	8			
70-74	18	1	1	1
75-79	7			2
80-84	11	2		
85-UP	15	1	1	
-- ICD 141.0 (1967) ----				
35-39	1			
40-44	1		2	
45-49	8	4	1	
50-54	16	11	2	
55-59	20	3		1
60-64	20	7	5	1
65-69	18	4	1	
70-74	14	3	6	
75-79	7	1		
80-84	3	3	1	
85-UP	2	1		
-- ICD 141.7 (1967) ----				
45-49	1			
50-54	5			
55-59	3		2	
60-64	7	1		
65-69	3	1		
75-79	2	1		
80-84	2	1		
85-UP	1			
-- ICD 141.8 (1967) ----				
55-59	1			
-- ICD 141.9 (1967) ----				
15-19	1	2		
20-24		1	1	
25-29	3			
30-34	2		1	1
35-39	8	2	4	1
40-44	10	6	10	2
45-49	28	9	19	3
50-54	111	28	25	7
55-59	125	41	20	6
60-64	177	23	17	6
65-69	122	30	12	5
70-74	128	45	17	2
75-79	78	31	5	1
80-84	63	27	3	
85-UP	40	36	1	
-- ICD 142.0 (1967) ----				
00-04		1		
05-09		1		
10-14	1	1		
15-19	2			
25-29	2	1		
30-34		2	1	
35-39	4	6		2
40-44	5	4	2	
45-49	6	8	1	1
50-54	22	14	4	2
55-59	25	14	3	1
60-64	35	11	6	1
65-69	25	19	5	3
70-74	32	19	3	
75-79	40	26	1	
80-84	30	19	1	
85-UP	18	29		2
-- ICD 142.7 (1967) ----				
10-14		1		
25-29		1		
30-34	2			

AGE	WM	WF	NM	NF
-- 142.7 (1967) CONTD---				
35-39	1	2	1	
45-49	5	3	3	
50-54	5	3	1	
55-59	5	1		
60-64	10	5		
65-69	8	2	1	1
70-74	7	2		1
75-79	8	3		
80-84	3	6		
85-UP	5	2		
-- ICD 142.9 (1967) ----				
30-34	1			
35-39			1	1
40-44	2			1
45-49	2	1		
50-54		1		
55-59	2	1		1
60-64	5	3	1	
65-69	3	2		2
70-74	3	2		
80-84	2			
-- ICD 143 --(1967) ----				
SEE PAGES 30 - 35				
-- ICD 144 --(1967) ----				
20-24	1			
25-29	1	1		1
30-34			1	
35-39	7	2	1	1
40-44	9	5	4	2
45-49	20	13	13	3
50-54	67	25	11	2
55-59	89	38	13	5
60-64	84	37	1	1
65-69	81	33	11	5
70-74	89	43	9	4
75-79	84	53	4	2
80-84	51	37	3	3
85-UP	45	34	3	2
-- ICD 145.0 (1967) ----				
10-14		1		
25-29		1		
30-34		2	1	
35-39	1		1	1
40-44	5	6	7	5
45-49	23	6	9	1
50-54	40	15	20	1
55-59	69	23	10	3
60-64	68	15	7	2
65-69	54	13	7	2
70-74	50	12	3	1
75-79	37	7	2	1
80-84	13			
85-UP	10	1		
-- ICD 145.7 (1967) ----				
40-44	1			1
45-49	3	2	2	
50-54	3	1		
55-59	8	2	2	1
60-64	4	1		
65-69	3			
70-74	3		1	
75-79	2			
80-84	5			
85-UP	1			
-- ICD 145.8 (1967) ----				
85-UP		1		
-- ICD 145.9 (1967) ----				
65-69		1		
75-79		1		
-- ICD 146 --(1967) ----				
SEE PAGES 42 - 47				
-- ICD 147 --(1967) ----				
SEE PAGES 48 - 53				
-- ICD 148 --(1967) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1967) ----				
SEE PAGES 70 - 79				
-- ICD 151 --(1967) ----				
SEE PAGES 80 - 89				
-- ICD 152.0 (1967) ----				
30-34	1			1
35-39	1		1	

AGE	WM	WF	NM	NF
-- 152.0 (1967) CONTD---				
40-44	3		3	
45-49	5	1	1	
50-54	4	8	2	
55-59	6	9	1	1
60-64	12	12	1	1
65-69	13	19	3	1
70-74	12	9	2	3
75-79	10	23	2	
80-84	7	17	2	
85-UP	8	9	1	
-- ICD 152.7 (1967) ----				
10-14	1			
20-24	1			
25-29		1		
30-34	2	1	1	
35-39	2	1		
40-44	7	7	3	2
45-49	7	8	1	1
50-54	10	8	2	2
55-59	15	9	1	4
60-64	15	16	2	5
65-69	30	17	1	2
70-74	20	12	2	1
75-79	9	12		
80-84	3	8		1
85-UP	3	7	1	1
-- ICD 152.9 (1967) ----				
15-19		1		
20-24		2		
30-34	1	2		
35-39	2	1	1	
40-44	10	2		
45-49	10	2		1
50-54	12	7		
55-59	13	8		1
60-64	19	10	1	1
65-69	19	13		1
70-74	14	23	1	2
75-79	11	14	1	
80-84	6	6		2
85-UP	7	8		
-- ICD 153.0 (1967) ----				
00-04	1		1	
10-14			2	
15-19	1		1	
20-24	2		1	1
25-29	4			1
30-34	11	9	4	
35-39	12	20		2
40-44	34	29	4	2
45-49	62	45	9	6
50-54	98	92	13	11
55-59	156	143	13	10
60-64	200	194	15	25
65-69	278	318	28	23
70-74	339	429	13	27
75-79	324	441	16	27
80-84	211	371	9	15
85-UP	140	277	4	12
-- ICD 153.1 (1967) ----				
00-04	1			
20-24	1	1		
25-29		5		1
30-34	2	5		
35-39	10	9	1	1
40-44	10	7	3	3
45-49	20	22	1	6
50-54	40	41	6	3
55-59	56	43	6	3
60-64	57	73	15	9
65-69	87	88	9	8
70-74	101	101	12	4
75-79	101	122	9	5
80-84	68	100	1	5
85-UP	50	80	9	3
-- ICD 153.2 (1967) ----				
15-19	1			
25-29	1	2		1
30-34	3	1		
35-39	5	2	1	
40-44	6	10		
45-49	16	14	2	3
50-54	26	25	4	4
55-59	37	54	3	8
60-64	64	62	4	6
65-69	56	58	8	5
70-74	88	79	8	3
75-79	77	93	6	6
80-84	68	89	4	2
85-UP	28	49	2	3

AGE	WM	WF	NM	NF
-- ICD 153.3 (1967) ----				
00-04		1		
15-19		1	1	
20-24		1		1
25-29	4	2		1
30-34	5	10		2
35-39	15	25	2	4
40-44	31	57	5	9
45-49	77	111	7	10
50-54	129	185	10	16
55-59	206	235	12	27
60-64	287	322	28	26
65-69	353	369	28	36
70-74	485	460	23	20
75-79	456	438	18	25
80-84	278	346	15	4
85-UP	168	247	7	9
-- ICD 153.7 (1967) ----				
40-44	1			
45-49		1		
50-54	1	1		
55-59		3	1	
60-64	2	2		
65-69	4	1	2	1
70-74	12	4		
75-79	6	12		
80-84	6	5		
85-UP	2	2		
-- ICD 153.8 (1967) ----				
00-04				1
05-09			1	1
10-14			1	
15-19	5	2	2	1
20-24	11	13	3	1
25-29	20	21	4	5
30-34	30	39	3	6
35-39	59	91	11	14
40-44	115	178	14	20
45-49	254	310	26	38
50-54	435	523	42	67
55-59	705	778	85	107
60-64	1037	946	103	115
65-69	1252	1311	119	151
70-74	1415	1465	103	121
75-79	1254	1496	81	96
80-84	839	1198	45	53
85-UP	514	865	30	45
-- ICD 153.9 (1967) ----				
05-09	1			
10-14	1	1		
15-19	1		1	
20-24	2			
25-29	2	1		2
30-34	1	3		
35-39	1	5	1	
40-44	8	15	2	
45-49	20	17	3	4
50-54	32	57	7	3
55-59	52	54	4	4
60-64	75	91	10	6
65-69	92	125	10	8
70-74	103	127	3	9
75-79	124	125	2	7
80-84	84	130	1	7
85-UP	56	106	1	3
-- ICD 154 --(1967) ----				
SEE PAGES 106 - 115				
-- ICD 155.0 (1967) ----				
00-04	14	8	1	
05-09	2	4	1	
10-14	5	5	2	
15-19	6	5		1
20-24	4	5	2	
25-29	5	2	3	2
30-34	6	4	3	1
35-39	6	13	5	3
40-44	19	25	15	6
45-49	42	14	22	4
50-54	77	50	42	16
55-59	143	62	45	13
60-64	161	87	61	14
65-69	196	92	40	11
70-74	215	85	27	8
75-79	118	73	16	13
80-84	77	47	3	3
85-UP	40	45	4	3
-- ICD 155.1 (1967) ----				
05-09		1		
20-24		1		
25-29	3			

AGE	WM	WF	NM	NF
-- 155.1 (1967) CONTD---				
30-34	5	3		3
35-39	9	8		
40-44	17	27	2	2
45-49	42	57	5	8
50-54	73	117	8	16
55-59	128	184	9	18
60-64	164	277	20	16
65-69	239	480	20	32
70-74	243	551	28	35
75-79	242	567	11	20
80-84	158	382	4	22
85-UP	87	224	8	9
-- ICD 155.8 (1967) ----				
55-59		1		
60-64		1		
70-74	1	1		
75-79	1	1		
85-UP		2		
-- ICD 156 --(1967) ----				
00-04	4	5		
05-09	1	2		
10-14	1	1	1	
15-19	1	3	3	
20-24	1	3		1
25-29	1	1	2	2
30-34	6	9	6	
35-39	17	11	5	3
40-44	26	36	16	6
45-49	64	57	18	19
50-54	129	103	37	14
55-59	226	145	48	23
60-64	273	173	48	38
65-69	337	267	57	48
70-74	385	302	42	35
75-79	322	281	36	9
80-84	189	245	13	13
85-UP	114	195	11	20
-- ICD 157 --(1967) ----				
SEE PAGES 126 - 135				
-- ICD 158 --(1967) ----				
SEE PAGES 136 - 141				
-- ICD 159 --(1967) ----				
15-19	1		1	
20-24	1			
30-34	2			1
35-39	3	2	2	1
40-44	7	5	1	
45-49	7	9	2	3
50-54	16	6	7	2
55-59	29	25	9	3
60-64	37	24	10	6
65-69	45	38	14	10
70-74	51	57	8	11
75-79	58	87	5	9
80-84	53	61	2	7
85-UP	31	66	5	10
-- ICD 160.0 (1967) ----				
15-19		1		
20-24		1		
35-39				1
40-44		1		
45-49	1	1		
50-54	2	1		
55-59	4			
60-64	3	1		
65-69	7	4		1
70-74	10	3	1	
75-79	13	7	2	
80-84	8	9	1	
85-UP	7	9		
-- ICD 160.1 (1967) ----				
00-04	1			
45-49	1	4	1	
50-54		3		
55-59		3		
60-64	2	1	2	
65-69	1	2	1	
70-74	1			
75-79		1		
80-84	1	1		
-- ICD 160.2 (1967) ----				
00-04		1		
30-34	1	2		
35-39	2	1	1	
40-44	5	2		
45-49	8	4	3	1
50-54	18	4	3	3

AGE	WM	WF	NM	NF
-- 160.2 (1967) CONTD---				
55-59	16	13	4	2
60-64	17	8	5	2
65-69	34	11	4	3
70-74	24	21	4	2
75-79	26	15	2	
80-84	10	21	2	2
85-UP	7	8		3
-- ICD 160.7 (1967) ----				
20-24	2			
30-34	3	1		
35-39	1			
40-44	2	3		
45-49		2		
50-54	2	2	2	
55-59	6	4	1	
60-64	3		1	
65-69	4	3		
70-74	6		1	
75-79	3	1	1	
80-84	1	1		
85-UP	1			
-- ICD 160.8 (1967) ----				
40-44		1		
45-49	1			1
50-54		1		
60-64			1	
65-69		2		
80-84	1			
-- ICD 160.9 (1967) ----				
10-14	1			
25-29	1			
30-34		1		
45-49	1			
50-54	4	3	2	
55-59	5		2	
60-64	6	2	1	
65-69	6	1		
70-74	4	3	2	
75-79	3	3		
80-84	2	1		
85-UP	2	1		
-- ICD 161 --(1967) ----				
SEE PAGES 148 - 153				
-- ICD 162.0 (1967) ----				
20-24	1			
35-39		2		1
40-44	2	2		
45-49	9	5		2
50-54	14	3		1
55-59	8	3	2	
60-64	15			2
65-69	11		3	
70-74	7	4	1	
75-79	10	4		
80-84	3	2		
-- ICD 162.1 (1967) ----				
00-04	3			
10-14		1		
15-19	3			
20-24	3	1		
25-29	8	2		2
30-34	42	13	8	2
35-39	158	49	41	15
40-44	416	150	89	15
45-49	872	279	185	21
50-54	1640	364	230	31
55-59	2323	442	298	47
60-64	2858	396	313	38
65-69	2990	356	248	37
70-74	2554	355	207	30
75-79	1622	239	124	14
80-84	663	149	39	11
85-UP	231	82	21	6
-- ICD 162.2 (1967) ----				
15-19	1			
30-34	1			
35-39	1			
40-44	1			
45-49	3			
50-54	1		1	
55-59	1			
60-64	1			
65-69		2		
70-74	1			
75-79	1			1
85-UP	1	2		

AGE	WM	WF	NM	NF
-- ICD 162.8 (1967) ----				
30-34		1		
40-44		1		
50-54	1			
55-59	1			
65-69	2			
75-79	1			
-- ICD 163 --(1967) ----				
00-04	4	2		1
05-09		2		
10-14	1	2		1
15-19	3	2		
20-24	6	5	1	3
25-29	7	7	6	2
30-34	60	25	17	6
35-39	211	79	43	18
40-44	546	220	143	41
45-49	1130	460	199	61
50-54	2066	572	363	72
55-59	3259	673	413	66
60-64	4301	679	452	65
65-69	4599	695	421	87
70-74	3902	697	288	38
75-79	2718	565	153	26
80-84	1222	394	67	29
85-UP	440	229	48	15
-- ICD 164 --(1967) ----				
00-04	1			1
05-09		2		1
10-14	3		1	
15-19	2	1	1	
20-24	4	1		
25-29	4			
30-34	3		1	
35-39	7	5	5	1
40-44	10	4	2	
45-49	5	9	1	1
50-54	14	14	3	
55-59	15	8	4	
60-64	35	14		
65-69	25	11	3	
70-74	27	7	1	1
75-79	16	7		
80-84	10	8		
85-UP	5	5	1	
-- ICD 165 --(1967) ----				
00-04		1		
05-09	1	1		
10-14	1			
15-19	4			
20-24	2	1	1	1
25-29	4	1	1	1
30-34	6	1	2	1
35-39	17	9	5	3
40-44	25	19	7	3
45-49	79	29	9	9
50-54	124	58	21	7
55-59	184	68	23	4
60-64	182	68	30	12
65-69	207	87	28	12
70-74	199	90	12	8
75-79	123	70	9	4
80-84	76	63	3	4
85-UP	42	48	3	3
-- ICD 170 --(1967) ----				
SEE PAGES 164 - 173				
-- ICD 171 --(1967) ----				
SEE PAGES 174 - 179				
-- ICD 172 --(1967) ----				
SEE PAGES 180 - 183				
-- ICD 173 --(1967) ----				
15-19		5		2
20-24		9		
25-29		4		2
30-34		4		
35-39		4		3
40-44		3		1
45-49		2		
50-54		4		1
65-69		1		
75-79				1
-- ICD 174 --(1967) ----				
10-14		1		2
15-19		4		1
20-24		1		
25-29		4		1
30-34		9		5
35-39		40		15

AGE	WM	WF	NM	NF
-- 174 --(1967) CONTD---				
40-44		90		26
45-49		145		40
50-54		234		50
55-59		350		76
60-64		408		84
65-69		489		94
70-74		605		92
75-79		453		41
80-84		325		20
85-UP		216		22
-- ICD 175.0 (1967) ----				
00-04		4		1
05-09		5		2
10-14		17		2
15-19		36		5
20-24		31		11
25-29		35		1
30-34		66		13
35-39		163		20
40-44		376		42
45-49		738		64
50-54		927		78
55-59		1191		98
60-64		1153		88
65-69		1132		91
70-74		1072		65
75-79		749		29
80-84		460		16
85-UP		237		7
-- ICD 175.1 (1967) ----				
25-29		1		
35-39		2		
40-44		1		3
45-49		17		6
50-54		12		6
55-59		24		2
60-64		13		1
65-69		18		1
70-74		9		1
75-79		3		
80-84		3		
85-UP		1		
-- ICD 175.8 (1967) ----				
50-54		1		
55-59		2		1
60-64		1		
65-69		2		1
70-74		2		
75-79		2		
80-84		1		
85-UP		1		
-- ICD 175.9 (1967) ----				
50-54				1
55-59		1		
60-64		1		
65-69		1		1
-- ICD 176.0 (1967) ----				
25-29		2		
30-34		1		
35-39		2		1
40-44		4		4
45-49		11		3
50-54		15		1
55-59		20		5
60-64		35		3
65-69		53		3
70-74		66		5
75-79		90		2
80-84		72		6
85-UP		51		2
-- ICD 176.1 (1967) ----				
00-04		1		
10-14		1		
25-29		1		2
30-34		2		
35-39		5		3
40-44		7		1
45-49		9		
50-54		16		1
55-59		26		6
60-64		32		5
65-69		26		8
70-74		57		2
75-79		28		1
80-84		29		3
85-UP		25		2
-- ICD 176.7 (1967) ----				
10-14		1		1

AGE	WM	WF	NM	NF
-- 176.7 (1967) CONTD---				
30-34		1		
45-49				2
55-59		2		
65-69		3		
70-74		2		
80-84		2		
-- ICD 176.8 (1967) ----				
40-44				1
60-64		1		
70-74		1		
75-79				1
80-84		2		
85-UP		1		
-- ICD 176.9 (1967) ----				
35-39		1		
40-44		1		1
45-49		1		1
50-54				1
55-59		1		1
60-64		1		
65-69		4		
70-74		5		
75-79		5		1
80-84		3		
85-UP		1		
-- ICD 177 --(1967) ----				
SEE PAGES 190 - 195				
-- ICD 178 --(1967) ----				
SEE PAGES 196 - 201				
-- ICD 179.0 (1967) ----				
30-34	2		1	
35-39	3			
40-44	3		2	
45-49	4			
50-54	12		2	
55-59	12		10	
60-64	23		4	
65-69	22		11	
70-74	26		2	
75-79	24		2	
80-84	28		2	
85-UP	21		2	
-- ICD 179.1 (1967) ----				
45-49	1			
55-59	3		2	
60-64	2			
65-69	1		1	
70-74	1			
75-79	3		1	
80-84	1			
-- ICD 179.7 (1967) ----				
15-19	1			
30-34	1			
40-44	1			
45-49	1			
50-54	1			
55-59	2			
60-64	1		1	
65-69	1		2	
70-74	5			
80-84	2			
-- ICD 179.8 (1967) ----				
45-49			1	
65-69	1			
-- ICD 179.9 (1967) ----				
50-54			2	
55-59	1		1	
60-64	1			
70-74	1			
75-79	3		1	
-- ICD 180 --(1967) ----				
SEE PAGES 202 - 211				
-- ICD 181.0 (1967) ----				
00-04	1	4		
05-09	1	1		1
15-19	1			1
20-24			1	
25-29		1		
30-34	4	1		1
35-39	14	3	2	1
40-44	29	20	2	7
45-49	89	40	15	15
50-54	206	74	35	32
55-59	368	109	58	29

AGE	WM	WF	NM	NF
-- 181.0 (1967) CONTD---				
60-64	614	174	70	45
65-69	824	259	88	66
70-74	1128	400	60	38
75-79	1066	440	52	28
80-84	706	418	26	28
85-UP	454	373	17	23
-- ICD 181.7 (1967) ----				
15-19	1			
25-29	1			
30-34		1		
35-39		1		3
40-44	1	1		
45-49		4	1	2
50-54	4	3	2	2
55-59	10	5	3	2
60-64	7	13	2	5
65-69	11	10	5	1
70-74	11	8	4	5
75-79	7	14	1	
80-84	5	10		
85-UP	6	10		
-- ICD 181.8 (1967) ----				
40-44				1
50-54		1		
60-64	1	1		1
65-69	3	2		1
70-74	1	2		
75-79		2		
80-84		1		
-- ICD 190.0 (1967) ----				
30-34	1			
70-74	1	1		
75-79	1			
-- ICD 190.1 (1967) ----				
35-39	1			
65-69		1		
85-UP	1			
-- ICD 190.2 (1967) ----				
20-24	1			
25-29	1			
35-39	1			
40-44		1		
45-49		2		
55-59	3			
60-64	2			
65-69	2	1		
70-74	1			
75-79	1	1		
80-84	2			
85-UP	1			
-- ICD 190.3 (1967) ----				
15-19	1			
25-29	1			
30-34	1			
35-39	3			
40-44	1	3		
45-49	1	1		
50-54	4	2		
55-59	2	2		
60-64	7	3		
65-69	6	5		
70-74	5	3		
75-79	9	4		
80-84	5	2		
85-UP	2	4		
-- ICD 190.4 (1967) ----				
15-19	2	1		
20-24	3			
25-29	2	1		1
30-34	3	1		
35-39	3	4		
40-44	2	2		
45-49	8	3		
50-54	5	2		1
55-59	5	3		
60-64	3	5		
65-69	6	2		
70-74	7			
75-79	8	3		
80-84	1	1		
85-UP	2			
-- ICD 190.5 (1967) ----				
15-19	1	1		
20-24	2	1		
25-29	5	3		
30-34	8	7		
35-39	17	3		

AGE	WM	WF	NM	NF
-- 190.5 (1967) CONTD---				
40-44	14	3		
45-49	21	6		
50-54	18	5		
55-59	20	13		
60-64	9	9		
65-69	13	3		
70-74	10	6		
75-79	12	5		1
80-84	6	7		
85-UP	2	5		
-- ICD 190.6 (1967) ----				
20-24		4		
25-29	5	1		
30-34	3	5		
35-39	6	4		
40-44	5	5		
45-49	5	7	1	
50-54	10	5		
55-59	3	6		1
60-64	8	6		
65-69	6	4		
70-74	6	4		
75-79	7	4		
80-84	3	5		
85-UP	4	2		
-- ICD 190.7 (1967) ----				
15-19	1	1		
20-24	1	1		
25-29		4		
30-34	6	6		
35-39	8	8		
40-44	6	7		
45-49	12	18		
50-54	8	14	1	1
55-59	12	12	1	
60-64	5	7	2	
65-69	9	17	3	1
70-74	8	14	1	
75-79	3	16	4	2
80-84	8	12	1	
85-UP	3	5		
-- ICD 190.8 (1967) ----				
20-24	1			
50-54	1	1		
65-69		1		
70-74	1			
85-UP	1	1		
-- ICD 190.9 (1967) ----				
00-04				1
05-09	1			
10-14	1	2		
15-19	11	4		
20-24	24	23		1
25-29	45	26	1	1
30-34	64	40		
35-39	84	61	2	
40-44	113	82	2	1
45-49	133	68	2	5
50-54	137	79	2	4
55-59	103	84	3	3
60-64	107	101	1	1
65-69	96	79	5	3
70-74	93	78	3	1
75-79	70	57	2	2
80-84	32	49	2	
85-UP	26	30		
-- ICD 191.0 (1967) ----				
30-34	1			
40-44	1			
45-49	1		1	
50-54	4	1	1	
55-59	4			
60-64	6			
65-69	9	2		
70-74	13	3		
75-79	21	1		
80-84	12	1		
85-UP	9	3		
-- ICD 191.1 (1967) ----				
05-09		1		
30-34	1		1	
35-39		1		
40-44			1	
45-49	1			
50-54	1			
60-64	1	1		1
65-69			1	
70-74		1	1	
75-79	2	1		

AGE	WM	WF	NM	NF
-- 191.1 (1967) CONTD---				
80-84	2	1		
85-UP	2	4		
-- ICD 191.2 (1967) ----				
30-34		1		
45-49	1	2		
50-54	1			
55-59	3			
60-64	1			1
65-69	5	1		
70-74	8		1	
75-79	4	3		
80-84	18	3		
85-UP	10	4		
-- ICD 191.3 (1967) ----				
05-09	1			
20-24	2			
25-29				1
30-34	1	1		
35-39		1		
40-44	7	1		
45-49	7	3		
50-54	15	3	2	
55-59	21	11	1	
60-64	36	19	1	1
65-69	31	11		
70-74	42	32	1	2
75-79	48	19		1
80-84	62	41	1	1
85-UP	57	77		2
-- ICD 191.4 (1967) ----				
05-09		1		
25-29	1			
35-39	1			
40-44	2	1	2	
45-49	3	4	1	1
50-54	11	4		
55-59	8	2		
60-64	19	6	3	1
65-69	17	11	2	
70-74	19	8	2	1
75-79	26	5	1	1
80-84	10	8		
85-UP	13	11		
-- ICD 191.5 (1967) ----				
00-04		1		
20-24				1
25-29			1	
30-34		1		
35-39	3	1		2
40-44	3	2		1
45-49	1	8	1	2
50-54	12	15		6
55-59	10	7	4	5
60-64	10	12		1
65-69	10	12	1	2
70-74	15	15	1	1
75-79	8	10	1	1
80-84	7	5	1	2
85-UP	8	13	1	
-- ICD 191.6 (1967) ----				
40-44	2	1		
45-49	1			
50-54	3	1		1
55-59	2	1		
60-64	3			
65-69	4	1		
70-74	6			
75-79	5	3		1
80-84	7	6		1
85-UP	5	4		
-- ICD 191.7 (1967) ----				
30-34				1
35-39			1	
45-49	1		1	
50-54	4	4		
55-59	2			
60-64	2	2		
65-69	6	5		
70-74	3		1	
75-79	2	2		
80-84	2	3		1
85-UP	3	1		
-- ICD 191.8 (1967) ----				
50-54	1	1		
55-59	2			
60-64		2		
65-69	2			
70-74	3	1		

AGE	WM	WF	NM	NF
-- 191.8 (1967) CONTD---				
75-79	2	3		
80-84	7	3		
85-UP	6	4		
-- ICD 191.9 (1967) ----				
15-19	1	1		
20-24	1			
25-29		2		
30-34	3	1	2	1
35-39	4	5		2
40-44	7	6	1	2
45-49	15	6	1	6
50-54	25	15	3	2
55-59	44	14	4	2
60-64	42	11	5	3
65-69	51	15	6	
70-74	47	15	5	1
75-79	37	19	1	
80-84	26	24	1	
85-UP	24	22		
-- ICD 192 --(1967) ----				
SEE PAGES 238 - 243				
-- ICD 193.0 (1967) ----				
00-04	84	69	10	5
05-09	113	71	14	15
10-14	73	75	12	11
15-19	64	41	5	4
20-24	61	37	6	4
25-29	67	38	4	4
30-34	72	52	8	8
35-39	121	96	7	5
40-44	206	149	9	8
45-49	298	216	18	9
50-54	355	273	34	11
55-59	481	306	21	13
60-64	412	316	20	14
65-69	321	257	13	9
70-74	228	161	8	3
75-79	102	76	4	
80-84	19	28		
85-UP	6	11		
-- ICD 193.1 (1967) ----				
00-04				1
05-09		2	1	1
10-14	2	1		
15-19	3	2	1	
20-24	2	1		1
25-29	2		1	
35-39	5	1		
40-44	6	5		
45-49	3	6	1	
50-54	3	2	1	
55-59	3	5		
60-64	4	2	1	
65-69	11	4	1	2
70-74	11	6	2	
75-79	7	4		1
80-84	2	2	1	
85-UP		1		
-- ICD 193.2 (1967) ----				
10-14	1			
15-19	2			
20-24	1			
25-29	1	1		
30-34	1			
35-39	1			
40-44	3	2		
45-49	3	1	1	
50-54	2	2		
55-59	1	5	2	
60-64	4	2		1
65-69	3	1		
70-74	2	1	1	
75-79		2		
80-84		1		
-- ICD 193.3 (1967) ----				
00-04		1		
10-14		1		
20-24	1	1		
25-29	1	2		
30-34	1	1		
35-39	1	1		
40-44	2	1		
45-49	2	1	1	
50-54	3	1		
55-59	3	4	2	
60-64	3	2	1	
65-69	4			
70-74	2	1		
75-79		1		

AGE	WM	WF	NM	NF
-- 193.3 (1967) CONTD---				
80-84	1	1		
-- ICD 193.4 (1967) ----				
00-04	89	58	13	8
05-09	31	22	6	3
10-14	13	6	3	1
15-19	8	5		
20-24	3	3	1	1
25-29	1	1		
30-34	2	2		1
35-39	4	1	1	1
40-44	1	2		
45-49	4	4		1
50-54	2			
55-59	4	2		
60-64	3	3		
65-69	3	6		
70-74	4	3		
75-79		1		1
80-84		4		
85-UP	2			
-- ICD 193.8 (1967) ----				
00-04		2		
05-09		1		
10-14	1			
15-19		1		
35-39	1			
45-49	1			
55-59		2		
65-69		1		1
-- ICD 193.9 (1967) ----				
00-04	19	8	2	
05-09	15	10	4	1
10-14	11	14	3	
15-19	12	10	1	1
20-24	6	5		
25-29	12	9		
30-34	10	10		
35-39	25	19	1	
40-44	42	13	2	2
45-49	58	25	4	1
50-54	67	44	4	1
55-59	61	45	4	
60-64	73	45	2	3
65-69	61	46	3	1
70-74	36	22	1	2
75-79	15	13		1
80-84	2	4		
85-UP	1	2		
-- ICD 194 --(1967) ----				
SEE PAGES 254 - 259				
-- ICD 195.0 (1967) ----				
00-04	8	5	2	
05-09	8	2	1	
10-14		4		1
15-19		3		
20-24		3		
25-29	2	5		
30-34	4	3		1
35-39	7	11	1	2
40-44	12	10	1	
45-49	14	10		2
50-54	18	10		1
55-59	28	20	2	
60-64	27	8	3	1
65-69	21	10	1	1
70-74	22	8		
75-79	9	15	1	
80-84	3	5		
85-UP	2	1		
-- ICD 195.1 (1967) ----				
25-29				1
40-44	1			
45-49	1			
50-54			1	
55-59				1
60-64	1	1		
65-69	1			
75-79		1		
-- ICD 195.2 (1967) ----				
10-14	2	4		1
15-19	5	1	1	
20-24	4	1		
25-29		1		
30-34	3			
35-39	2	2		
40-44	3	4		
45-49	10	3	1	1
50-54	9	8	2	2
55-59	15	13	1	1
60-64	31	16	1	1

AGE	WM	WF	NM	NF
-- 195.2 (1967) CONTD---				
50-54	4	4		1
55-59	2	4		
60-64	4	3		
65-69	2	1	1	
70-74	1	3		
75-79	2	2		
85-UP	1			
-- ICD 195.3 (1967) ----				
05-09		1		
10-14	1			
20-24	1			
30-34	1	1		
40-44		2	1	
50-54	1			1
55-59	1	2	1	
60-64	3	1		
65-69	3	2		
70-74		1		1
75-79		1		
80-84		1		
85-UP		1		
-- ICD 195.4 (1967) ----				
00-04	2	1		
05-09	1	1		
10-14	1	1		
20-24	1			
40-44	1			
45-49		1		
55-59	1		2	
60-64				1
75-79	2			
85-UP	1			
-- ICD 195.7 (1967) ----				
35-39	1			
45-49	1			
55-59	2	1		2
60-64			1	
65-69	1			
70-74	1	2		
75-79		1		
-- ICD 195.8 (1967) ----				
55-59	1			
85-UP		1		
-- ICD 196.0 (1967) ----				
00-04	3			
05-09	1	1		
10-14		2		
15-19	2			
20-24	2	1		1
25-29	1			
30-34	2	1		
35-39	2	4		
40-44	4	2	1	2
45-49	7	6	1	
50-54	9	10	2	1
55-59	14	7		
60-64	12	4	2	1
65-69	14	6		2
70-74	22	11	7	1
75-79	10	15	2	
80-84	15	8		
85-UP	10	10	1	
-- ICD 196.1 (1967) ----				
15-19	1			
30-34	1			
35-39				1
40-44	3			
45-49	3	2		
50-54	7		1	
55-59	17	7	2	
60-64	15	8	1	
65-69	8	10	3	1
70-74	19	8	2	
75-79	6	11		2
80-84	4	12		
85-UP	11	11		
-- ICD 196.2 (1967) ----				
10-14	2	4		1
15-19	5	1	1	
20-24	4	1		
25-29		1		
30-34	3			
35-39	2	2		
40-44	3	4		
45-49	10	3	1	1
50-54	9	8	2	2
55-59	15	13	1	1
60-64	31	16	1	1

AGE	WM	WF	NM	NF
-- 196.2 (1967) CONTD---				
65-69	30	10	2	4
70-74	24	21		
75-79	16	15	3	
80-84	6	8		
85-UP	2	6		
-- ICD 196.3 (1967) ----				
00-04		1		
15-19	2	5		
25-29	1	1		
30-34	1	1		
40-44		1		
45-49	1	3		
50-54	2	1		
55-59	9	1		
60-64	5	1	1	
65-69	4	3	1	
70-74	4	1		
75-79	9			
80-84	2	2		
85-UP		1		
-- ICD 196.4 (1967) ----				
05-09	1			
10-14	3	3		
15-19	8	5		
20-24		3		
25-29		1		
35-39	2	1		
40-44	2	1		
45-49	1	2		1
50-54	3	2		
55-59	4	2		1
60-64	4	1	1	
65-69	4	1		
70-74	2	2		
75-79	4	4	1	
80-84	3	2		
85-UP	3			
-- ICD 196.6 (1967) ----				
00-04	1	2		
05-09	2			
10-14	2	4		
15-19	7	2	1	1
20-24	4	4		
25-29	3			
30-34	1	1		
40-44	1	1		
45-49	3	2	1	
50-54	7	3		1
55-59	8	9		1
60-64	7	9		
65-69	16	8		
70-74	13	6	2	1
75-79	6	8	1	
80-84	1	8		
85-UP	2	2		2
-- ICD 196.7 (1967) ----				
05-09	6	2	3	
10-14	27	27	4	3
15-19	21	18	4	2
20-24	12	5	1	
25-29	5	3		
30-34	1	2	1	1
35-39	1	5	1	1
40-44	3	5		
45-49	5	3		
50-54	3	9	2	2
55-59	4	5		
60-64	6	7		1
65-69	8	7		1
70-74	10	12		
75-79	12	20		3
80-84	5	8		
85-UP	4	2		
-- ICD 196.8 (1967) ----				
10-14		1		
15-19	3		1	
20-24	1	1		
30-34	1			
50-54		1		
65-69		1		1
75-79	1			
-- ICD 196.9 (1967) ----				
00-04	2	2		
05-09	14	9	1	2
10-14	29	29	4	1
15-19	41	30	6	2
20-24	22	14	2	1
25-29	9	3		
30-34	3	7	2	3

AGE	WM	WF	NM	NF
-- 196.9 (1967) CONTD---				
35-39	5	2	1	
40-44	4	5		1
45-49	4	5	1	3
50-54	12	9		1
55-59	15	14	3	1
60-64	18	19	4	3
65-69	18	17	1	2
70-74	23	22		3
75-79	16	17	1	2
80-84	9	8		
85-UP	4	4	1	1
-- ICD 197.0 (1967) ----				
00-04	1			1
05-09	2	2		2
10-14	2			
15-19			1	
30-34				1
35-39			2	
40-44		1		
45-49		4		
55-59	2			
60-64	2	3	1	
65-69	1	1		
70-74	5	3		
75-79	2	2		
80-84	3	5		1
85-UP	3	1		
-- ICD 197.1 (1967) ----				
00-04	2	2	1	
05-09	1	2	1	
10-14	1			
15-19	4	1		
20-24	2	1		
25-29	2	1		
30-34	1	1	1	
35-39	1	2	1	1
40-44	7	4	1	
45-49	5	6	2	1
50-54	9	4	1	2
55-59	10	10	1	
60-64	13	8	2	2
65-69	11	8		1
70-74	12	6	2	1
75-79	11	7	1	
80-84	9	7		
85-UP	8	3		
-- ICD 197.2 (1967) ----				
05-09		2		
15-19		1		
20-24				2
25-29		1		
30-34	1	1		1
40-44	1			
45-49	2	1	1	
50-54	3	2		
55-59	1	2	1	
60-64	6	1	1	
65-69	6	1	1	
70-74	5	3		
75-79	3	1		
80-84	3	3		
85-UP	2			
-- ICD 197.3 (1967) ----				
00-04		1		
05-09		1		1
10-14	4	2		
15-19	4	7		
20-24	3	4	1	
25-29	2	2	1	
30-34	3	1		
35-39	9	3	1	
40-44	6	3	1	
45-49	7	3	1	2
50-54	5	7	2	
55-59	18	11	1	3
60-64	13	7	6	2
65-69	11	8	2	
70-74	15	12	1	
75-79	15	14		1
80-84	8	10		
85-UP	3	5		1
-- ICD 197.8 (1967) ----				
25-29		1		
50-54		1		
60-64		1		
70-74		1		
80-84	1	1		
-- ICD 197.9 (1967) ----				
00-04	19	11		2

AGE	WM	WF	NM	NF
-- 197.9 (1967) CONTD---				
05-09	9	9	2	1
10-14	11	9	1	
15-19	17	11	2	1
20-24	10	10		1
25-29	10	7	1	
30-34	9	7		
35-39	12	5	2	3
40-44	15	20	6	5
45-49	21	14	6	3
50-54	19	28	2	5
55-59	46	26	4	7
60-64	47	36	8	2
65-69	47	39	2	8
70-74	38	34	5	1
75-79	38	22	2	2
80-84	15	16	1	1
85-UP	10	12	1	1
-- ICD 198.0 (1967) ----				
35-39	2			
40-44				1
45-49	3			
50-54	2	2		
55-59	6	3	2	
60-64	9	1	3	1
65-69	5	2	1	
70-74	3	2		2
75-79	11	4		
80-84	6	2		
85-UP	2			
-- ICD 198.1 (1967) ----				
65-69		1	1	
75-79	1			
-- ICD 198.2 (1967) ----				
45-49	1			
50-54	2			
55-59	1			1
60-64	1	2		
75-79	1		1	
80-84		2		
-- ICD 198.3 (1967) ----				
55-59	1			
70-74		1		
75-79		1		
85-UP		1		
-- ICD 198.4 (1967) ----				
25-29		1		
35-39	1			
40-44	1		1	
55-59	1			
60-64	1	1		
70-74		2		
75-79		1		
-- ICD 198.7 (1967) ----				
45-49	1			
50-54		2		
55-59	1			
60-64		1		
65-69		1		
-- ICD 198.8 (1967) ----				
40-44		1		
55-59	2			
-- ICD 198.9 (1967) ----				
35-39		1		
40-44		1		
45-49	3			
50-54	4	1		1
55-59	2			
60-64	6	1		
65-69	1	1		
70-74	3	1	1	
75-79	5	4		
80-84	2	2		
85-UP		1		1
-- ICD 199 --(1967) ----				
00-04	5	19	4	4
05-09	6	8	3	2
10-14	14	8	3	1
15-19	27	16	1	4
20-24	20	18	5	2
25-29	24	25	5	10
30-34	54	41	5	15
35-39	75	92	23	18
40-44	146	207	41	52
45-49	301	335	60	68
50-54	491	492	85	88
55-59	807	697	149	133

AGE	WM	WF	NM	NF
-- 199 --(1967) CONTD---				
60-64	1031	811	144	139
65-69	1043	902	178	138
70-74	1067	1052	124	126
75-79	964	1023	87	97
80-84	617	806	36	52
85-UP	363	621	26	38
-- ICD 200.0 (1967) ----				
00-04	5	3		
05-09	15	5	2	1
10-14	13	11	6	2
15-19	17	13	4	
20-24	25	11	3	4
25-29	23	9	2	1
30-34	19	9	3	2
35-39	50	21	5	3
40-44	52	45	9	7
45-49	76	58	3	8
50-54	102	93	5	7
55-59	139	105	10	9
60-64	152	117	9	9
65-69	136	140	9	3
70-74	140	156	8	5
75-79	117	98	6	2
80-84	48	71	1	2
85-UP	29	40		1
-- ICD 200.1 (1967) ----				
00-04	19	10	2	1
05-09	40	13	7	2
10-14	38	13	1	4
15-19	37	10	3	1
20-24	28	11	2	2
25-29	29	13	2	2
30-34	32	12	2	3
35-39	43	27	6	
40-44	85	65	11	3
45-49	124	104	9	8
50-54	165	139	9	9
55-59	257	165	19	10
60-64	262	182	24	12
65-69	285	238	25	16
70-74	274	263	12	11
75-79	226	224	11	5
80-84	125	142	4	5
85-UP	55	69	4	2
-- ICD 200.2 (1967) ----				
00-04	4	1	2	
05-09	8	1	1	1
10-14	13	7	3	
15-19	11	5	1	
20-24	6	5	2	1
25-29	10	2	1	1
30-34	11	4	2	1
35-39	15	11	1	
40-44	18	18	5	5
45-49	39	29	6	1
50-54	53	39	2	2
55-59	66	47	5	1
60-64	97	75	9	2
65-69	97	84	6	3
70-74	106	102	4	5
75-79	97	74	4	3
80-84	44	47	3	1
85-UP	33	37	1	
-- ICD 201 --(1967) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1967) ----				
30-34	1	1		
35-39	5			
40-44	5	5	1	
45-49	7	6		
50-54	6	8	1	
55-59	12	9	1	
60-64	9	9		
65-69	6	7		
70-74	10	10		
75-79	8	11		
80-84	2	7		
85-UP	1	4		
-- ICD 202.1 (1967) ----				
00-04	17	18	1	2
05-09	9	2		1
10-14	10	4	3	1
15-19	9	1		1
20-24	10	2		1
25-29	5	2	1	2
30-34	1	5	4	3
35-39	8	4	2	2
40-44	15	5	5	
45-49	21	24	2	3

AGE	WM	WF	NM	NF
-- 202.1 (1967) CONTD---				
50-54	36	17	5	4
55-59	62	38	6	6
60-64	67	52	7	3
65-69	88	69	5	3
70-74	86	66	6	3
75-79	83	63	4	1
80-84	38	48	2	4
85-UP	24	21		1
-- ICD 203 --(1967) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1967) ----				
00-04	20	17	5	
05-09	40	28	5	2
10-14	11	8		1
15-19	15	3	1	
20-24	7	2	1	
25-29	1	3	2	
30-34	3	3	1	2
35-39	6	4		1
40-44	24	13	2	3
45-49	49	27	5	5
50-54	73	41	6	5
55-59	137	68	21	4
60-64	201	88	22	9
65-69	262	176	25	18
70-74	317	209	28	10
75-79	314	195	16	12
80-84	223	191	10	7
85-UP	170	136	7	4
-- ICD 204.1 (1967) ----				
00-04	12	6	1	
05-09	3	7		
10-14	8	5		1
15-19	16	3	1	3
20-24	12	15	5	2
25-29	19	11	4	2
30-34	25	19	5	5
35-39	35	28	3	5
40-44	50	48	4	7
45-49	66	48	5	5
50-54	76	64	18	10
55-59	79	80	8	6
60-64	109	89	9	6
65-69	132	112	14	11
70-74	177	120	7	10
75-79	164	128	5	4
80-84	105	93	3	3
85-UP	61	67	2	
-- ICD 204.2 (1967) ----				
00-04	10	10	1	
05-09	13	4	3	
10-14	19	3		
15-19	21	8	2	1
20-24	10	7	1	2
25-29	9	13	2	4
30-34	15	8	3	1
35-39	23	17	1	1
40-44	29	27	4	1
45-49	26	29	3	3
50-54	34	27	3	6
55-59	39	35	3	2
60-64	53	45	5	4
65-69	70	40	2	2
70-74	76	58	7	2
75-79	73	61	6	6
80-84	43	39	4	2
85-UP	24	30	3	1
-- ICD 204.3 (1967) ----				
00-04	254	232	18	24
05-09	306	238	27	19
10-14	196	142	18	9
15-19	183	100	23	6
20-24	97	67	13	10
25-29	67	51	12	8
30-34	76	47	4	5
35-39	76	74	8	8
40-44	98	89	10	9
45-49	145	115	13	13
50-54	153	135	22	14
55-59	204	128	16	13
60-64	271	188	13	10
65-69	278	224	15	11
70-74	312	257	15	17
75-79	269	227	19	8
80-84	173	146	3	2
85-UP	93	107	4	
-- ICD 204.4 (1967) ----				
00-04	37	28	5	4
05-09	60	39	2	5

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 204.4 (1967) CONTD---				
10-14	30	21	3	3
15-19	9	8	5	3
20-24	7	4	1	1
25-29	8	4	2	
30-34	5	3	2	1
35-39	17	3	2	
40-44	11	7	1	1
45-49	14	13	4	
50-54	22	13	4	
55-59	55	26	7	4
60-64	50	41	7	3
65-69	89	39	10	6
70-74	84	69	4	4
75-79	106	72	5	7
80-84	95	58		2
85-UP	40	52	2	
-- ICD 205 --(1967) ----				
10-14		1		
30-34	1			1
35-39		1		
40-44	1	2		
45-49		4		1
50-54	8	4	1	1
55-59	3	1	2	2
60-64	5	2		2
65-69	7	2	2	
70-74	9	6	2	
75-79	5	6	1	1
80-84	3	3		
85-UP	2			
-- ICD 140.0 (1968) ----				
55-59		1		
60-64	1			
65-69		1		
70-74	2	1		
75-79	1			
80-84	1			
85-UP	2			
-- ICD 140.1 (1968) ----				
30-34	2			
45-49	3			
50-54	1			
55-59	1	1		
60-64	3			
65-69	13			
75-79	5			
80-84	7	1		
85-UP	8	1	1	
-- ICD 140.2 (1968) ----				
60-64	1			
85-UP	1			
-- ICD 140.9 (1968) ----				
35-39	1			
40-44	2			
45-49	6			
50-54	6	1		
55-59	2		1	
60-64	8	1		
65-69	15	1		1
70-74	23	2		
75-79	17			
80-84	14	3		
85-UP	15	6		
-- ICD 141.0 (1968) ----				
30-34				1
40-44	3	1	3	1
45-49	4	3	1	1
50-54	13	3	2	2
55-59	22	7		
60-64	25	7	4	
65-69	16	2	1	
70-74	16	4	2	
75-79	17	3		
80-84	3		1	
85-UP	3	1		
-- ICD 141.1 (1968) ----				
65-69		1		
-- ICD 141.2 (1968) ----				
65-69		1		
75-79	1	1		
80-84	1			
-- ICD 141.9 (1968) ----				
20-24	1			
25-29	1			
30-34	5		1	
35-39	5	3	1	

AGE	WM	WF	NM	NF
-- 141.9 (1968) CONTD---				
40-44	14	12	9	4
45-49	49	20	16	8
50-54	119	41	20	4
55-59	128	41	22	3
60-64	154	66	19	2
65-69	155	51	14	3
70-74	125	33	9	
75-79	113	49	6	3
80-84	68	46		1
85-UP	58	22	1	2
-- ICD 142.0 (1968) ----				
05-09	2			
20-24	3	1		
25-29	1			
30-34		4		
35-39	3	3	1	1
40-44	7	4		2
45-49	13	14	2	2
50-54	26	10	3	2
55-59	26	10	1	2
60-64	26	17	2	
65-69	33	14	8	2
70-74	39	17	3	
75-79	26	24	1	1
80-84	20	24		1
85-UP	22	33	3	
-- ICD 142.8 (1968) ----				
05-09	1			
10-14				1
40-44	3			
45-49	2		1	
50-54	3		1	
55-59	2	1	1	
60-64	9	1		
65-69	7	4		1
70-74	5	5		1
75-79	2	5	1	
80-84	7	2	1	
85-UP	5	2		
-- ICD 142.9 (1968) ----				
10-14	1			
25-29	1			
30-34	1	1		
35-39	1			
40-44	5	2		
45-49		1		1
50-54	6	1	2	1
55-59	2	2	2	
60-64	5			
65-69	6	1		
70-74	2	2		
75-79	2	4		1
80-84	2	2		
85-UP	2	3		
-- ICD 143.0 (1968) ----				
60-64	1			
70-74	1			
75-79		1		
80-84	1	1		
85-UP	1	2		
-- ICD 143.1 (1968) ----				
45-49	1	1	1	
50-54	1			
55-59	2	1		1
60-64		1		
65-69	2	1		
70-74	1	1		
75-79	5			
80-84		4		
85-UP	1	2		
-- ICD 143.9 (1968) ----				
00-04		1		
05-09	1			
15-19	1	1		
35-39			1	
40-44	3	1	1	2
45-49	2	1	1	2
50-54	5	1	1	
55-59	8	5	3	
60-64	10	3	2	
65-69	6	1		3
70-74	4	3	2	1
75-79	9	3	1	
80-84	5	5		1
85-UP		6		1
-- ICD 144 --(1968) ----				
35-39	1	1	1	
40-44	7	3	5	1

AGE	WM	WF	NM	NF
-- 144 --(1968) CONTD---				
45-49	25	11	12	
50-54	35	5	8	
55-59	56	26	9	2
60-64	61	17	3	2
65-69	50	15	3	3
70-74	40	8	1	
75-79	32	8	2	1
80-84	11	9	2	
85-UP	10	9	2	
-- ICD 145.0 (1968) ----				
10-14		1		
15-19	1			
40-44	2	2		
45-49	1	3	1	
50-54	4	3	1	
55-59	6	3		
60-64	4	3		
65-69	6	5		
70-74	7	10	2	
75-79	8	3	1	
80-84	9	8		
85-UP	4	4	1	
-- ICD 145.1 (1968) ----				
20-24	1			
35-39	1	1		
40-44	2		2	1
45-49	10	3	7	1
50-54	13	14	7	2
55-59	25	6	5	3
60-64	21	10	4	
65-69	24	6	1	2
70-74	19	5	1	1
75-79	16	5	2	1
80-84	12	10		
85-UP	12	13	2	1
-- ICD 145.8 (1968) ----				
45-49		1		
50-54	2			
55-59	6	1		
60-64	3	1		
65-69	1			
70-74	1			
75-79	2			
85-UP		1		
-- ICD 145.9 (1968) ----				
25-29			1	
35-39	5	1	1	1
40-44	7	1	1	
45-49	17	10	1	1
50-54	30	12	4	1
55-59	50	19	8	1
60-64	62	17	7	2
65-69	41	16	5	2
70-74	48	20	6	2
75-79	55	29	1	2
80-84	36	21	2	1
85-UP	32	31	1	2
-- ICD 146.0 (1968) ----				
00-04		1		
05-09		1		
10-14	1			
15-19	1			
30-34			1	
35-39	2	1	3	2
40-44	11	5	4	2
45-49	28	14	12	2
50-54	49	19	19	7
55-59	69	29	5	
60-64	81	21	8	3
65-69	63	15	6	1
70-74	53	13	5	1
75-79	33	10	1	
80-84	20	8		
85-UP	13	4	1	
-- ICD 146.8 (1968) ----				
20-24				1
40-44	1		1	
45-49	2		2	1
50-54	7		2	
55-59	11	1	2	
60-64	6	1	1	
65-69	3	3	1	1
70-74	8			
75-79	4			
80-84	1			
85-UP	1	1		
-- ICD 146.9 (1968) ----				
35-39				1

AGE	WM	WF	NM	NF
-- 146.9 (1968) CONTD---				
40-44	2		1	
45-49	6	5	1	
50-54	12	5	1	1
55-59	31	8	2	
60-64	24	5	2	
65-69	10	1	3	1
70-74	8	3	3	
75-79	11	1		
80-84	4	2		
85-UP		3		
-- ICD 147 --(1968) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1968) ----				
45-49	1			
60-64	1			
85-UP	1			
-- ICD 148.1 (1968) ----				
40-44	4	1	7	
45-49	7		1	1
50-54	15	2	3	
55-59	22	6	3	1
60-64	21	2	2	1
65-69	17	3	5	1
70-74	13	1	1	
75-79	7		1	1
80-84	3			
85-UP	3			
-- ICD 148.8 (1968) ----				
55-59	1			
-- ICD 148.9 (1968) ----				
25-29				1
35-39				2
40-44	5	1	1	
45-49	17	8	4	1
50-54	20	6	3	2
55-59	30	9	8	
60-64	44	12	4	1
65-69	36	5	1	
70-74	41	9	4	
75-79	21	4	3	
80-84	9	3		
85-UP	2	1		
-- ICD 149 --(1968) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1968) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1968) ----				
30-34	1	2		
40-44	1		1	
45-49	5		1	
50-54	11		1	1
55-59	18	2	2	
60-64	20	7	1	
65-69	24	4	2	
70-74	20	7		
75-79	24	5	1	1
80-84	9	6	1	
85-UP	3	3		
-- ICD 151.1 (1968) ----				
45-49	1			
50-54		1		
55-59	2		1	
60-64	6	1	1	
65-69	1	1	3	
70-74	2	2		
75-79	7	5	1	
80-84	7	3	1	
85-UP	2	7	1	
-- ICD 151.8 (1968) ----				
30-34		1		
45-49	3		1	
50-54	2	2		
55-59	4		1	
60-64	4		1	
65-69	4	3	6	1
70-74	12	3	1	
75-79	13	10		1
80-84	7	6		
85-UP	3	3		
-- ICD 151.9 (1968) ----				
15-19	1	2	1	1
20-24	6	2	2	
25-29	11	15	2	5
30-34	15	17	9	8

AGE	WM	WF	NM	NF
-- 151.9 (1968) CONTD---				
35-39	54	53	23	18
40-44	115	98	46	30
45-49	279	163	78	37
50-54	465	285	115	74
55-59	731	360	206	85
60-64	991	505	235	108
65-69	1225	661	289	135
70-74	1462	931	262	125
75-79	1492	1000	164	100
80-84	1063	865	99	54
85-UP	573	687	72	59
-- ICD 152.0 (1968) ----				
30-34		2		
35-39	1	1		
40-44	1	2	1	
45-49	3	4	2	2
50-54	11	6		1
55-59	6	3	1	
60-64	15	7	3	2
65-69	16	8	1	2
70-74	14	9	2	1
75-79	12	17	1	1
80-84	8	5	1	1
85-UP	3	10		
-- ICD 152.1 (1968) ----				
20-24	1			
30-34	1			
35-39	1			
40-44	5	1		
45-49	6	3	2	
50-54	5	3		1
55-59	5	5		1
60-64	2	4	1	2
65-69	15	6	3	
70-74	6	6	1	
75-79	5	4		
80-84	2	3		
85-UP		1		
-- ICD 152.2 (1968) ----				
20-24		1		
25-29		1		
30-34	1			
35-39	1	1		
40-44	1	1	1	1
45-49	3	3		
50-54	3	7		1
55-59	5	1	1	
60-64	2	11	1	
65-69	7	10	1	1
70-74	11	7		1
75-79	5	5		
80-84	6	6		
85-UP	2	8	1	
-- ICD 152.9 (1968) ----				
10-14	1			
25-29	2	1		
35-39	4	2	1	
40-44	5	2		1
45-49	6	5		
50-54	11	6	1	1
55-59	16	11		
60-64	22	16	1	1
65-69	15	13		2
70-74	17	28		3
75-79	13	12	1	2
80-84	4	16		1
85-UP	6	10		1
-- ICD 153.0 (1968) ----				
00-04			1	
15-19	1		1	
20-24	1			
25-29	4	3		1
30-34	9	2	1	2
35-39	4	15	5	2
40-44	36	21	7	7
45-49	51	58	6	6
50-54	81	105	10	11
55-59	131	144	17	16
60-64	186	223	23	24
65-69	243	292	23	24
70-74	314	412	27	31
75-79	303	400	24	23
80-84	229	358	10	21
85-UP	122	305	6	12
-- ICD 153.1 (1968) ----				
10-14		1		
15-19		1		
20-24		2		
25-29	1	2		

AGE	WM	WF	NM	NF
-- 153.1 (1968) CONTD---				
30-34	5	1	1	1
35-39	5	4	1	
40-44	12	11		1
45-49	25	28	2	6
50-54	28	33	4	5
55-59	45	51	3	4
60-64	75	92	5	5
65-69	90	107	5	8
70-74	96	128	10	7
75-79	102	132	1	6
80-84	62	110	3	4
85-UP	45	74		1
-- ICD 153.2 (1968) ----				
20-24	1	3		
25-29		2	1	
30-34	2	2		1
35-39	1	7	2	2
40-44	8	13	1	
45-49	20	22	2	3
50-54	23	31		5
55-59	48	53	5	7
60-64	55	47	7	12
65-69	69	82	8	9
70-74	83	90	2	8
75-79	65	98	7	7
80-84	69	61	1	3
85-UP	32	50	1	4
-- ICD 153.3 (1968) ----				
15-19	1	1	1	
20-24	1	3	1	
25-29	7	3	2	1
30-34	2	11	1	
35-39	17	22	2	4
40-44	55	47	1	7
45-49	83	98	7	14
50-54	138	170	7	13
55-59	245	246	17	21
60-64	301	279	23	26
65-69	356	354	31	28
70-74	444	440	19	17
75-79	428	464	14	18
80-84	290	337	15	9
85-UP	183	236	8	4
-- ICD 153.8 (1968) ----				
00-04	2	1		
10-14	2		1	
15-19	5	2	3	2
20-24	3	7	1	2
25-29	24	14	4	2
30-34	44	49	7	4
35-39	69	80	9	14
40-44	138	180	21	23
45-49	259	360	35	36
50-54	475	520	50	63
55-59	760	804	78	104
60-64	1062	1046	128	125
65-69	1287	1277	146	178
70-74	1494	1538	133	117
75-79	1419	1615	76	99
80-84	908	1177	45	62
85-UP	531	1030	27	52
-- ICD 153.9 (1968) ----				
00-04				1
15-19	1			1
20-24	1	3	1	
25-29	1	1	1	
30-34		1	1	
35-39	10	6		1
40-44	10	11	1	2
45-49	14	21	3	3
50-54	32	32	5	4
55-59	62	78	4	5
60-64	73	85	3	5
65-69	87	111	13	11
70-74	118	127	10	12
75-79	114	145	7	1
80-84	99	133	2	2
85-UP	55	113	1	4
-- ICD 154.0 (1968) ----				
20-24			1	
30-34	5	1		
35-39	4	4		
40-44	16	11	3	2
45-49	24	23	6	2
50-54	48	51	6	8
55-59	77	74	6	9
60-64	102	76	5	6
65-69	116	96	11	9
70-74	126	113	6	3
75-79	124	109	4	2

AGE	WM	WF	NM	NF
-- 154.0 (1968) CONTD---				
80-84	92	81	1	4
85-UP	43	68	4	5
-- ICD 154.1 (1968) ----				
15-19	1			
20-24	7	4	1	
25-29	3	11	1	1
30-34	15	13	3	2
35-39	32	26	5	11
40-44	70	57	13	12
45-49	140	124	12	22
50-54	265	212	25	34
55-59	456	278	55	44
60-64	613	383	69	55
65-69	717	448	78	54
70-74	766	512	60	34
75-79	695	524	45	31
80-84	490	449	21	21
85-UP	319	407	20	12
-- ICD 154.2 (1968) ----				
40-44	3			
45-49	2			
50-54	1	1	1	1
55-59			1	
60-64	1	5		
65-69	1	3		2
70-74	3	5		
75-79		3		1
80-84		2		
85-UP	1	3		
-- ICD 155.0 (1968) ----				
00-04	10	9		1
05-09	1	3		
10-14	7	2		
15-19	7	5	1	1
20-24	4	10	1	
25-29	3	3	4	1
30-34	7	4	3	3
35-39	9	8	9	4
40-44	20	14	18	2
45-49	34	22	27	5
50-54	57	42	46	4
55-59	118	50	45	7
60-64	163	79	58	14
65-69	201	77	33	14
70-74	186	86	27	11
75-79	146	77	21	9
80-84	74	58	6	6
85-UP	37	46	6	3
-- ICD 155.1 (1968) ----				
10-14		1		
20-24			1	
35-39		1		
40-44		1		1
45-49	1	2		
50-54	4	4	1	
55-59	5	7	1	1
60-64	7	7		
65-69	3	11		1
70-74	4	7		1
75-79	7	1		
80-84	3	3		
85-UP		1		
-- ICD 156.0 (1968) ----				
30-34	1	1		2
35-39	2	4	1	2
40-44	9	14	2	
45-49	8	33	2	6
50-54	24	76		9
55-59	67	121	4	12
60-64	62	199	10	19
65-69	108	311	11	18
70-74	142	382	9	24
75-79	118	365	8	12
80-84	67	275	3	11
85-UP	52	163	2	6
-- ICD 156.1 (1968) ----				
00-04	2			
20-24	1			
25-29	1			
30-34	1		1	
35-39	8	2	1	2
40-44	8	2	3	2
45-49	23	13	1	
50-54	35	30	5	3
55-59	54	44	5	4
60-64	69	67	2	8
65-69	74	105	4	8
70-74	93	101	9	6
75-79	95	98	2	2

AGE	WM	WF	NM	NF
-- 156.1 (1968) CONTD---				
80-84	56	73	2	1
85-UP	35	39	4	
-- ICD 156.2 (1968) ----				
30-34		1		
35-39	2			
40-44	3	3		1
45-49	8	5	2	
50-54	12	8	4	
55-59	17	11		1
60-64	20	17		4
65-69	28	24	3	3
70-74	44	34	4	2
75-79	37	24		2
80-84	20	25		1
85-UP	10	16	1	
-- ICD 156.9 (1968) ----				
30-34		1		
35-39	2			
40-44		3		
45-49	2	7		
50-54	2	8		
55-59	10	8	1	
60-64	14	13	2	
65-69	13	18		1
70-74	14	24	3	1
75-79	15	26		1
80-84	9	20	2	3
85-UP	3	4		1
-- ICD 157.0 (1968) ----				
00-04		1		
05-09		1		
25-29			1	
30-34	3			
35-39	7			1
40-44	18	7	4	2
45-49	43	24	6	4
50-54	91	42	16	13
55-59	128	63	24	16
60-64	168	103	21	15
65-69	179	122	27	29
70-74	245	176	24	13
75-79	238	197	19	22
80-84	157	150	9	6
85-UP	114	114	2	5
-- ICD 157.8 (1968) ----				
20-24	1			
30-34			1	1
35-39	2	1		
40-44	7	5	2	1
45-49	18	2	3	
50-54	35	13	5	4
55-59	26	14	6	7
60-64	34	25	6	4
65-69	45	18	9	3
70-74	48	26	9	2
75-79	36	31		2
80-84	15	12	4	1
85-UP	5	10	1	
-- ICD 157.9 (1968) ----				
00-04	2			
10-14	1			
15-19	2			
20-24	2	1	1	1
25-29	6	4		
30-34	21	9	7	2
35-39	60	32	11	3
40-44	148	79	23	16
45-49	288	170	53	26
50-54	493	341	87	50
55-59	859	491	96	79
60-64	1044	646	153	88
65-69	1207	853	143	125
70-74	1171	931	106	85
75-79	958	992	89	54
80-84	615	605	46	25
85-UP	332	425	31	23
-- ICD 158.0 (1968) ----				
00-04	5	1		
05-09	3	1		
10-14	2	2		
15-19	1	2	1	
20-24	5			2
25-29	2			
30-34	5	3		1
35-39	12	6		1
40-44	10	10	1	1
45-49	22	22	2	1
50-54	24	17	1	2
55-59	26	18	5	1

AGE	WM	WF	NM	NF
-- 158.0 (1968) CONTD---				
60-64	35	33	3	3
65-69	31	33	3	5
70-74	40	32	3	2
75-79	28	42	5	
80-84	9	22	1	1
85-UP	4	13	1	
-- ICD 158.9 (1968) ----				
15-19	1	1		
30-34	3		1	1
40-44	4	3		
45-49	5	12	1	1
50-54	14	9	1	
55-59	12	20	2	4
60-64	19	23	4	3
65-69	16	20	3	2
70-74	16	27		1
75-79	17	17	1	3
80-84	5	11		1
85-UP		11		
-- ICD 159 --(1968) ----				
15-19			1	
25-29	1			
30-34	2	2		1
35-39	4	1	2	2
40-44	1	2	1	1
45-49	11	8	1	1
50-54	20	9	2	2
55-59	25	11	3	8
60-64	37	17	6	9
65-69	42	29	11	8
70-74	46	53	9	15
75-79	43	69	9	11
80-84	39	43	6	4
85-UP	29	49		4
-- ICD 160.0 (1968) ----				
05-09	1			
10-14				1
25-29	1	1		
35-39	1	1		
40-44	2			
45-49	1			
50-54	6	1		
55-59	5	4	1	
60-64	10	2		
65-69	4	4	1	1
70-74	12	4		
75-79	14	11		
80-84	9	5		1
85-UP	9	15		
-- ICD 160.1 (1968) ----				
05-09		1		
20-24		1		
40-44		1		
50-54	1	2		1
55-59	2	2	1	
60-64	2	3		
65-69	3	2		
70-74	2			
75-79	2	1		
80-84		2		
85-UP	3		1	
-- ICD 160.2 (1968) ----				
05-09		1		
10-14	1	1		
15-19	1			
20-24				1
25-29	2	1		
30-34	1			
35-39	6	3		
40-44	11	5		2
45-49	9	8	2	1
50-54	12	12	2	2
55-59	21	8	6	2
60-64	29	13	5	5
65-69	34	14	9	4
70-74	26	12	4	
75-79	17	20	6	2
80-84	15	11	1	1
85-UP	2	10	1	
-- ICD 160.8 (1968) ----				
25-29	1			
30-34	1	2		
35-39	1			
40-44	1	2		
45-49	4	3		
50-54	4	6		
55-59	4	1	1	
60-64	5	1	1	
65-69	7	1		1

AGE	WM	WF	NM	NF
-- 160.8 (1968) CONTD---				
70-74	2	5		
75-79	2	3		
80-84	1	3	1	1
-- ICD 160.9 (1968) ----				
10-14		1		
15-19	1	1		
25-29	1	1		
35-39	1			
40-44	1	1		
45-49	1	1	1	2
50-54	1	1	1	
55-59	4	2		
60-64	6	2		1
65-69	6	4		
70-74	4	6		
75-79	2	2		
80-84	3	1		
85-UP	1			
-- ICD 161.0 (1968) ----				
30-34		1		
45-49	1			
50-54			1	
55-59	4			
60-64	3		1	
65-69	3			
70-74	7			
75-79	6			
80-84	1	1	1	
85-UP	3			
-- ICD 161.8 (1968) ----				
40-44	2	1	1	
45-49	3		2	
50-54	10	2	3	
55-59	17	1	1	1
60-64	23	1	2	
65-69	19	6	1	1
70-74	9	2		
75-79	6	1		
80-84	3			
85-UP	3			
-- ICD 161.9 (1968) ----				
25-29		1		
30-34	2	1		
35-39	5	2	5	
40-44	35	6	16	4
45-49	84	14	34	9
50-54	195	32	33	13
55-59	329	40	40	4
60-64	383	23	50	4
65-69	361	22	55	5
70-74	301	43	34	5
75-79	218	24	13	1
80-84	123	15	10	
85-UP	67	16	4	1
-- ICD 162.0 (1968) ----				
15-19		1		
30-34			1	
35-39	1			
40-44	3	1	1	
45-49	8		2	1
50-54	11	4		1
55-59	20	3	3	
60-64	13	6	1	
65-69	19	2		
70-74	14	3		
75-79	6	1		
80-84	3			
85-UP		2		
-- ICD 162.1 (1968) ----				
00-04	2	7		1
05-09	3	2		
10-14	3	3		1
15-19	8	3		1
20-24	13	5	1	1
25-29	23	11	12	3
30-34	107	40	15	7
35-39	366	165	80	27
40-44	1041	422	238	81
45-49	2158	720	465	98
50-54	3908	1128	617	110
55-59	6008	1264	740	138
60-64	7767	1287	860	136
65-69	7966	1283	714	138
70-74	7128	1150	552	83
75-79	4611	986	305	62
80-84	2030	664	123	42
85-UP	785	410	76	32

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 163.0 (1968) ----				
00-04		1		
20-24	1			1
25-29	3			
30-34	1	1		
35-39	3	5	1	
40-44	6	1		
45-49	11	6	3	
50-54	10	9	4	
55-59	32	9	3	1
60-64	26	8	2	2
65-69	33	16	2	
70-74	18	16	1	
75-79	15	11	2	1
80-84	6	9		1
85-UP	3	4		1
-- ICD 163.1 (1968) ----				
00-04	1		1	
05-09		2		
10-14	3			
15-19	5		1	
20-24	8	2		
25-29	3	1		
30-34	6	1	2	1
35-39	9	4	2	
40-44	3	5	1	1
45-49	17	8	2	
50-54	20	4	1	
55-59	26	9	2	1
60-64	32	9	1	
65-69	24	7	4	2
70-74	17	6	2	1
75-79	13	11	1	
80-84	3	6	2	2
85-UP	6	4		
-- ICD 163.9 (1968) ----				
35-39		1		
40-44	2	1		
45-49	1	2	1	
55-59	4	2		
60-64	3	3		
65-69	1	1	2	
70-74	4	3		
75-79	3	2		
80-84	1			
85-UP	1	1		
-- ICD 170.0 (1968) ----				
00-04	1			
05-09	1	1		
15-19	2			1
20-24	2			1
25-29	1			
30-34	2			
35-39	1	1		
40-44	1			2
45-49	5	4	1	1
50-54	8	6	1	1
55-59	14	10	2	2
60-64	15	10	2	2
65-69	15	18	3	2
70-74	15	12		
75-79	9	11	1	1
80-84	11	6	1	
85-OP	12	11	2	1
-- ICD 170.1 (1968) ----				
00-04	1	1		
05-09	1	1		
15-19		1		
20-24	1			
25-29		2		
45-49	2	2	1	
50-54	3	3		
55-59	12	2	5	1
60-64	11	6	1	1
65-69	22		1	1
70-74	17	4	2	3
75-79	17	8		1
80-84	13	9		
85-UP	11	10	1	1
-- ICD 170.2 (1968) ----				
05-09		1		
10-14	2			
15-19	3	3		1
20-24		1	1	
25-29	1			
30-34	1			
35-39	1	1		
40-44	10	1	1	
45-49	7	6	1	
50-54	10	7		1
55-59	15	13	2	

AGE	WM	WF	NM	NF
-- 170.2 (1968) CONTD---				
60-64	22	10		
65-69	19	19	5	1
70-74	23	18	3	1
75-79	16	12	1	
80-84	15	14		
85-UP	3	2		
-- ICD 170.3 (1968) ----				
10-14	1			
15-19	2		1	
20-24	1		1	
25-29		1		
30-34	2			
35-39	1	1	1	
40-44		2		
45-49	1	1		
50-54	4		1	
55-59	2	3		1
60-64	4	2		
65-69	9	5	1	1
70-74	2	3	1	
75-79	7	5	1	
80-84	3	4		
85-UP	3	1		
-- ICD 170.4 (1968) ----				
05-09	3	3		
10-14	2	1		
15-19	10	3	1	
20-24		1		
25-29	1	2		
30-34	1			
35-39	1	1		
40-44	1			
45-49	1	2		
50-54	1	2		1
55-59		1		
60-64	5	2	1	
65-69	4	3		
70-74	2	9		
75-79	5			
80-84	1	1	1	
85-UP	1	3		
-- ICD 170.5 (1968) ----				
65-69		1		
-- ICD 170.6 (1968) ----				
00-04	2	1		
05-09	3			
10-14		3		
15-19	4	2		1
20-24	3	2		
25-29	1			1
30-34	1	2		
35-39	2	2		1
40-44	2		2	
45-49	6	5		
50-54	6	7		
55-59	8	6	1	1
60-64	10	15		1
65-69	4	5		
70-74	13	6		
75-79	10	11		1
80-84	6	3	1	
85-UP	3	1		
-- ICD 170.7 (1968) ----				
05-09	3	4		3
10-14	16	16	5	1
15-19	34	19	3	3
20-24	8	6	4	1
25-29	1	1	1	
30-34	4	2		
35-39	2	3	1	
40-44	1	2		
45-49	3	2		
50-54	5	3		1
55-59	8	5		
60-64	14	6	1	1
65-69	8	7	1	
70-74	4	11		
75-79	5	4		
80-84	6	4	1	
85-UP	3	7		
-- ICD 170.8 (1968) ----				
05-09	1	1		
20-24		1		
25-29	1			
40-44	1	2		
45-49	1		1	
50-54		1		
55-59		1		
60-64		2		

AGE	WM	WF	NM	NF
-- 170.8 (1968) CONTD---				
65-69		2		
75-79		1		
80-84	1	1		
-- ICD 170.9 (1968) ----				
00-04	1	2		
05-09	11	12	1	
10-14	24	29	7	4
15-19	49	22	9	2
20-24	17	11	5	2
25-29	8	3	1	1
30-34	3	4		2
35-39	5	5	1	1
40-44	6	4	1	2
45-49	10	5		2
50-54	7	11	2	1
55-59	10	8	2	
60-64	19	15	1	1
65-69	24	15	5	1
70-74	14	15	5	1
75-79	9	12	1	1
80-84	10	12	1	
85-UP	7	7		
-- ICD 171.0 (1968) ----				
00-04	4	1		
05-09	1	1		1
10-14	2	1	1	
15-19	2			
20-24	1			
25-29		1		
30-34	1	1		1
35-39				1
45-49	1			
50-54	2	1		
55-59	1	3		
60-64	2	1		
65-69	8			
70-74	1	1		
75-79	4	2		
80-84	3	3		
85-OP	6	3		1
-- ICD 171.1 (1968) ----				
00-04	4	1		1
05-09	3	1	1	1
10-14	5		1	
15-19	4	2		
20-24	2			1
25-29	1	2	2	1
30-34	3	4	1	
35-39	1	2	1	1
40-44	9	8		
45-49	8	5		
50-54	9	10		5
55-59	16	12	1	2
60-64	15	9	1	2
65-69	19	16	2	
70-74	10	10	1	1
75-79	10	11	1	1
80-84	5	9		
85-UP	3	5		
-- ICD 171.2 (1968) ----				
00-04		2		
05-09	1			
10-14	1			
15-19			1	
20-24	2			
25-29	1			
30-34	3	1		
35-39	2	3		
40-44	1	1	1	
45-49	1	2	1	1
50-54	1	4		
55-59	3	4	1	2
60-64	2	2		
65-69	5	1	1	
70-74	4	4		
75-79	5	1		
80-84	5	4		
85-UP	3	1		
-- ICD 171.3 (1968) ----				
00-04	1	1	1	1
05-09	1			
10-14	2	1	1	
15-19	3	2		1
20-24	8	4	1	1
25-29	11	4		
30-34	5	2	2	1
35-39	7	2	2	2
40-44	2	3		1
45-49	11	7	2	2
50-54	14	7	5	

AGE	WM	WF	NM	NF
-- 171.3 (1968) CONTD---				
55-59	18	9	3	1
60-64	10	10	2	1
65-69	13	6		1
70-74	14	14		
75-79	10	14	2	1
80-84	10	8		2
85-OP	3	10		
-- ICD 171.9 (1968) ----				
00-04	13	13	3	2
05-09	10	16	3	
10-14	10	10		2
15-19	12	11	2	1
20-24	12	8		4
25-29	9	7	2	3
30-34	7	4	1	1
35-39	10	11		
40-44	15	18	1	3
45-49	30	24	1	5
50-54	25	23	3	2
55-59	26	32	3	3
60-64	39	37	4	1
65-69	37	31	5	7
70-74	36	33	3	2
75-79	33	20		1
80-84	12	16	3	
85-UP	6	9	1	
-- ICD 172.0 (1968) ----				
40-44	1			
45-49		1		
70-74	1			
75-79	1			
-- ICD 172.1 (1968) ----				
65-69	2			
70-74		1		
75-79		1		
-- ICD 172.2 (1968) ----				
20-24	1			
25-29	2			
30-34		2		
40-44	1			
45-49	2			
50-54		1		
55-59	4	1		
60-64	2			
65-69	1			
70-74	4	1		
75-79	5			
80-84	1			
85-UP	1	1		
-- ICD 172.3 (1968) ----				
20-24		1		
25-29				1
30-34	1	2		
35-39	2	1		
40-44	2			
45-49	2	1		
50-54	4	2		
55-59	1	2		
60-64	3	1		1
65-69	7	1		
70-74	4	7		
75-79	6	1		
80-84	4	2		
85-UP	7	7		
-- ICD 172.4 (1968) ----				
15-19		1		
20-24		2		
25-29	3			
30-34	1			
35-39	5			
40-44	5			
45-49	6	6		
50-54	6	3		
55-59	5	2		
60-64	1	3		
65-69	9	4		
70-74	9	1		
75-79	8	4		
80-84	5	5		
85-UP	4	2		
-- ICD 172.5 (1968) ----				
45-49	1			
60-64	1			
80-84	1			
-- ICD 172.6 (1968) ----				
10-14		1		
15-19	1			

AGE	WM	WF	NM	NF
-- 172.6 (1968) CONTD---				
20-24	2	2		
25-29	4	1		
30-34	9	1	1	
35-39	14	4		1
40-44	25	7		
45-49	17	14		
50-54	26	6		
55-59	11	8		
60-64	16	3		
65-69	12	7		1
70-74	12	7		
75-79	6	7		
80-84	6	3		
85-UP	1	2		
-- ICD 172.7 (1968) ----				
15-19	1			
20-24	1	2		
25-29		2		
30-34		1		
35-39	4	5		
40-44	9	5	1	
45-49	8	9	1	
50-54	11	2		
55-59	4	5		
60-64	8	8	1	
65-69	13	5		
70-74	5	5		
75-79	9	3		
80-84	7	3		
85-UP		1		
-- ICD 172.8 (1968) ----				
15-19	1	1		
20-24	1	1		
25-29	1	1		
30-34	7	7		
35-39	5	3		
40-44	6	9		
45-49	8	10		1
50-54	5	12	3	
55-59	9	14		
60-64	6	11	1	
65-69	6	8		3
70-74	11	14	2	1
75-79	12	12	1	2
80-84	2	8	2	
85-UP	2	8	2	1
-- ICD 172.9 (1968) ----				
00-04	1			
05-09	2			
10-14	2	1		
15-19	8	5		
20-24	26	18	1	1
25-29	31	28		
30-34	46	38	1	
35-39	81	58	2	2
40-44	103	84		1
45-49	132	84		3
50-54	141	84	1	
55-59	139	83	3	4
60-64	136	100	7	3
65-69	114	87	6	5
70-74	75	72	4	2
75-79	87	80	3	2
80-84	44	54	3	1
85-UP	32	33		1
-- ICD 173.0 (1968) ----				
30-34	1			
45-49	4			
50-54	2			
55-59	4			
60-64	5	1		
65-69	4			
70-74	5			
75-79	9			
80-84	7	1		
85-UP	6			
-- ICD 173.1 (1968) ----				
45-49	1			
50-54	1			
55-59	1			
60-64		2		
65-69	1			
70-74		1		
75-79	2	3		
80-84		2		
85-UP		2		
-- ICD 173.2 (1968) ----				
40-44	1	1		
45-49	1	2		

AGE	WM	WF	NM	NF
-- 173.2 (1968) CONTD---				
50-54	2	3		
55-59	7	5		1
60-64	4	2		1
65-69	5	2		
70-74	9	5		
75-79	8	2		
80-84	8	4		
85-UP	14	4		
-- ICD 173.3 (1968) ----				
35-39		2		
40-44	6			
45-49	5	5		
50-54	14	5		1
55-59	18	13	2	1
60-64	27	11	1	
65-69	45	19	2	1
70-74	48	20		1
75-79	62	28	1	1
80-84	61	42		
85-UP	76	79	1	1
-- ICD 173.4 (1968) ----				
10-14		1		
20-24	1			
25-29		1		
30-34	1			
35-39	1			
40-44	1	1	2	
45-49	5	1		
50-54	10	3	1	
55-59	15	4	4	
60-64	22	4	2	2
65-69	19	6		1
70-74	18	6		1
75-79	23	8		
80-84	13	8		
85-UP	21	13		
-- ICD 173.5 (1968) ----				
10-14	1			
55-59	1			
60-64			1	
65-69	3			
70-74	6			
75-79			1	
80-84	2		1	
85-UP	1			
-- ICD 173.6 (1968) ----				
00-04		1		
10-14		1		
25-29			1	1
30-34		1		
35-39	1	2	1	
40-44	3	3		1
45-49	2	4	3	1
50-54	5	6	2	2
55-59	12	6		1
60-64	10	8	2	3
65-69	18	11	3	
70-74	12	16	1	1
75-79	8	14	1	2
80-84	4	11	3	
85-UP	6	9		2
-- ICD 173.7 (1968) ----				
45-49	3			
55-59	1	1		
60-64	1	1		
65-69	6	2		
70-74	5	3	1	1
75-79	4		2	
80-84	5	3		
85-UP	8	4		
-- ICD 173.8 (1968) ----				
15-19		1		
35-39			1	
55-59	2	1		1
60-64	4	3	4	
65-69	2	1	1	
70-74	3	1	1	
75-79	4	4	1	
80-84	2	2		
85-UP	3	4	1	
-- ICD 173.9 (1968) ----				
35-39	3			
40-44		1		
45-49	2	1		
50-54	4	1		1
55-59	7	4		
60-64	8	1	2	1
65-69	15	3		3

AGE	WM	WF	NM	NF
-- 173.9 (1968) CONTD---				
70-74	10	7		
75-79	8	4	1	
80-84	12	2	1	
85-UP	15	12	1	
-- ICD 174 --(1968) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1968) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1968) ----				
00-04		1		
15-19		1		
20-24		7		4
25-29		6		
30-34		5		1
35-39		5		
40-44		2		1
45-49		3		1
50-54		1		1
55-59		1		
-- ICD 182.0 (1968) ----				
20-24		1		
25-29		2		
30-34		4		
35-39		5		
40-44		19		2
45-49		47		4
50-54		83		12
55-59		171		33
60-64		210		49
65-69		276		60
70-74		273		34
75-79		248		23
80-84		102		9
85-OP		80		9
-- ICD 182.9 (1968) ----				
00-04		1		
15-19		2		
20-24		4		1
25-29		5		3
30-34		12		6
35-39		41		19
40-44		78		22
45-49		146		41
50-54		203		44
55-59		317		72
60-64		401		85
65-69		477		100
70-74		529		66
75-79		504		60
80-84		332		35
85-UP		233		16
-- ICD 183.0 (1968) ----				
00-04		1		
05-09		5		2
10-14		23		5
15-19		26		10
20-24		33		4
25-29		29		9
30-34		62		12
35-39		164		27
40-44		421		35
45-49		746		65
50-54		987		88
55-59		1084		95
60-64		1220		129
65-69		1133		95
70-74		1117		64
75-79		846		42
80-84		467		22
85-UP		271		14
-- ICD 183.1 (1968) ----				
30-34				1
35-39		5		
40-44		7		1
45-49		11		1
50-54		17		4
55-59		30		
60-64		13		
65-69		14		
70-74		11		1
75-79		10		
80-84		3		
85-UP		1		
-- ICD 183.9 (1968) ----				
45-49		1		1
55-59				1
60-64		1		

AGE	WM	WF	NM	NF
-- 183.9 (1968) CONTD---				
80-84		2		
-- ICD 184.0 (1968) ----				
15-19		2		
20-24		2		
25-29				1
30-34		2		
35-39		5		
40-44		6		3
45-49		8		4
50-54		22		2
55-59		27		3
60-64		29		3
65-69		30		9
70-74		40		6
75-79		34		
80-84		42		3
85-UP		30		
-- ICD 184.1 (1968) ----				
25-29		1		
35-39		4		2
40-44		3		5
45-49		14		5
50-54		15		6
55-59		29		4
60-64		37		6
65-69		51		7
70-74		72		4
75-79		82		3
80-84		84		
85-UP		62		2
-- ICD 184.8 (1968) ----				
65-69		1		
85-UP		1		
-- ICD 184.9 (1968) ----				
10-14		1		
15-19		1		1
30-34		1		
35-39		2		
45-49		1		1
50-54		3		
55-59		3		2
60-64		6		4
65-69		5		6
70-74		6		2
75-79		9		1
80-84		6		
85-UP		3		1
-- ICD 185 --(1968) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1968) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1968) ----				
20-24	1			
30-34				1
35-39	4			
40-44	5			1
45-49	12			5
50-54	9			3
55-59	16			8
60-64	15			8
65-69	20			6
70-74	22			3
75-79	30			2
80-84	23			4
85-UP	27			3
-- ICD 187.8 (1968) ----				
05-09	3			
15-19				1
30-34	1			
40-44	1			
45-49	2			1
55-59	3			
60-64				1
65-69	1			
75-79	2			
80-84	1			
-- ICD 187.9 (1968) ----				
35-39	1			
40-44	1			
60-64	2			
65-69	1			
70-74	4			1
75-79	4			
80-84	2			
85-UP	4			

AGE	WM	WF	NM	NF
-- ICD 188 --(1968) ----				
00-04	2		1	
05-09	2			
15-19		1		
20-24	1			
25-29	1	1	2	1
30-34	6	1	1	
35-39	12	8	3	3
40-44	29	13	12	8
45-49	83	36	14	9
50-54	215	67	33	24
55-59	370	107	42	26
60-64	624	206	60	36
65-69	863	241	81	58
70-74	1050	356	67	43
75-79	1056	439	43	28
80-84	730	419	33	19
85-UP	528	336	22	20
-- ICD 189.0 (1968) ----				
00-04	31	34	9	9
05-09	41	41	3	6
10-14	7	6	1	3
15-19	9	4		2
20-24	8	5	1	3
25-29	7	7	1	2
30-34	12	12	4	2
35-39	41	18	6	3
40-44	101	49	12	6
45-49	188	71	27	10
50-54	315	134	38	10
55-59	443	207	46	17
60-64	498	226	43	14
65-69	536	266	50	20
70-74	490	340	28	11
75-79	382	267	27	6
80-84	217	167	7	9
85-OP	93	117	3	5
-- ICD 189.1 (1968) ----				
20-24	1			
40-44	2		2	
45-49	1			
50-54	3		1	
55-59	3		1	
60-64	3	3	1	
65-69	5	2		1
70-74	6	4	1	
75-79	3	9		
80-84	8	4		
85-OP		1		1
-- ICD 189.2 (1968) ----				
10-14	1	1		
30-34		1		
35-39			1	
40-44		3		1
45-49	1	5	1	1
50-54	11	4		1
55-59	10	4		1
60-64	15	7		
65-69	26	13		
70-74	27	17	1	1
75-79	19	14		1
80-84	10	9		
85-UP	3	7		
-- ICD 189.9 (1968) ----				
25-29		1		
35-39	1			2
40-44	3	2		
45-49	3	5	2	
50-54	1	3	3	1
55-59	5	5	7	3
60-64	6	10	4	1
65-69	10	13	5	
70-74	8	14	3	2
75-79	12	13	3	2
80-84	3	8	1	1
85-UP	7	10		
-- ICD 190 --(1968) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1968) ----				
00-04	74	57	15	8
05-09	96	72	15	19
10-14	82	68	7	9
15-19	74	39	3	7
20-24	53	46	3	8
25-29	64	35	3	5
30-34	70	49	4	3
35-39	140	89	5	5
40-44	178	135	20	16
45-49	274	194	15	12
50-54	375	271	26	14

AGE	WM	WF	NM	NF
-- 191 --(1968) CONTD---				
55-59	479	332	26	16
60-64	491	306	16	20
65-69	344	255	14	5
70-74	213	180	4	6
75-79	123	91	3	3
80-84	37	39	2	
85-UP	8	4	1	1
-- ICD 192.0 (1968) ----				
00-04		2		
05-09	1	2		1
10-14		1		
15-19	1	1		
20-24			1	
40-44	2	1		
45-49	1			
50-54	1			
55-59	1			
65-69	1	1		
70-74	1			
-- ICD 192.1 (1968) ----				
00-04	1	1		
10-14				1
15-19	1			
30-34		1		
35-39	2	1		
40-44	1		1	1
45-49	1			
50-54	1	2		
55-59	1	1		
60-64			1	1
65-69		2		
70-74	2	2		
75-79		2		1
-- ICD 192.2 (1968) ----				
00-04	1	1		
05-09		5		
10-14	3	2		
15-19	2	2	2	2
20-24	4	6		1
25-29	2	3		1
30-34	5	3	1	
35-39	4	1		2
40-44	1	1		
45-49	4	6		1
50-54	6	4		
55-59	7	3	2	1
60-64	14	4		
65-69	11	4	2	1
70-74	7	7		
75-79	4	6		
80-84	1	4		
85-OP		1		
-- ICD 192.3 (1968) ----				
40-44	1			
75-79				1
85-UP		1		
-- ICD 192.4 (1968) ----				
00-04	1			
05-09	1	2		
10-14	1	1		1
15-19	5	1		
20-24	4		1	2
25-29	3	6		
30-34		3		2
35-39	5	4	1	1
40-44	4	1	1	
45-49	5	4		2
50-54	5	7		
55-59	3	2		1
60-64	3	6	1	
65-69	4	1		
70-74	3	4	1	
75-79	1	1		1
80-84	1	4		
85-UP	1	2		
-- ICD 192.5 (1968) ----				
00-04	85	68	13	10
05-09	24	34	6	2
10-14	13	12	2	1
15-19	8	7	1	
20-24	5	4		1
25-29	2	1		
35-39				1
40-44		1		
45-49	1			1
50-54	5	1		
55-59	2	1		
60-64	3	1		
65-69	4	1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 192.5 (1968) CONTD---				
70-74	1			
75-79	4	1		
85-UP	1			
-- ICD 192.9 (1968) ----				
00-04	19	14	2	1
05-09	25	15	2	2
10-14	15	10	1	2
15-19	10	10	1	1
20-24	10	4		
25-29	11	4	1	2
30-34	17	16	3	1
35-39	23	16	1	
40-44	44	22	2	3
45-49	50	42	4	6
50-54	84	41	4	3
55-59	106	56	2	3
60-64	80	46	3	2
65-69	59	56		2
70-74	52	24	2	1
75-79	23	14		
80-84	7	2		
85-UP	1			
-- ICD 193 --(1968) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1968) ----				
00-04		3		
05-09	1	1		1
10-14	1	1		
15-19		3		
20-24	1	2		
25-29	2	3	1	
30-34	3	5	1	2
35-39	2	6		1
40-44	8	9	1	2
45-49	7	17	1	1
50-54	22	13	2	
55-59	22	11	2	1
60-64	22	9		2
65-69	17	5	2	
70-74	15	10		
75-79	8	5	2	1
80-84	5	3		
85-UP	1			
-- ICD 194.1 (1968) ----				
45-49	1			1
50-54			1	
55-59	1			
60-64	1			
65-69	2		1	
80-84	1			
-- ICD 194.2 (1968) ----				
00-04			1	
05-09	2	1		
10-14	1	1		
15-19		3	1	
20-24	2	1		
25-29	2	2		1
30-34	2			
35-39	2		1	
40-44	3		1	
45-49	1	3		
50-54	3	3	1	
55-59	4	6	1	
60-64	4	2		
65-69	2	2		
70-74	3	2	1	
75-79	1			
80-84	1			
-- ICD 194.3 (1968) ----				
10-14		1		
15-19	1	1		
25-29		1		
35-39	2			
45-49	1	2		1
50-54		1		
55-59	2	1		
60-64	1	1		1
65-69	2	1		
75-79	1	1		
80-84		1		
-- ICD 194.4 (1968) ----				
10-14	2			
15-19		1		
20-24	1			
25-29	1			
50-54	1	1		

AGE	WM	WF	NM	NF
-- ICD 194.8 (1968) ----				
35-39	1			
45-49	2			1
50-54	1			
65-69		1		1
70-74		1	1	
75-79		1		
-- ICD 194.9 (1968) ----				
70-74	1			
-- ICD 195.0 (1968) ----				
00-04	2	1	1	
05-09		1		
15-19	1			
20-24	2	1	2	
25-29		1	2	
30-34	3	1	1	1
35-39	7	5	1	3
40-44	7	10	1	
45-49	14	19	4	3
50-54	30	44	6	8
55-59	32	52	7	6
60-64	65	81	15	14
65-69	46	117	21	20
70-74	71	124	14	16
75-79	60	141	9	14
80-84	47	124	10	8
85-UP	26	111	3	3
-- ICD 195.1 (1968) ----				
00-04	1	3		
05-09	1	2		
15-19		1	1	
25-29	1	3		
30-34		2		
35-39		1		
40-44	2	10		3
45-49	3	7		7
50-54	1	24		4
55-59	1	26		2
60-64	7	24	3	8
65-69	4	33	1	2
70-74	6	35		4
75-79	5	37	1	1
80-84	5	36	1	3
85-UP	4	20		1
-- ICD 195.9 (1968) ----				
00-04	1	2		
05-09		2	1	
10-14	2	1	1	
15-19	4	4	2	
20-24	3	2	1	
25-29	2	1	2	
30-34	3	2	3	2
35-39	5	3	4	2
40-44	9	6	8	1
45-49	16	7	4	3
50-54	31	23	3	4
55-59	62	32	17	6
60-64	69	32	2	2
65-69	62	32	2	5
70-74	65	40	8	8
75-79	65	31	1	7
80-84	54	30	3	2
85-UP	50	39	2	7
-- ICD 196.0 (1968) ----				
35-39	3			
40-44	1	1		1
45-49	2	1	1	
50-54	2	2	1	
55-59	11	2	3	
60-64	10	4		
65-69	7	4		
70-74	6	4		
75-79	7	4		
80-84	5	4		
85-UP	1	5		1
-- ICD 196.1 (1968) ----				
40-44			1	
55-59		1		
60-64	1			
65-69	1			
70-74	1			
80-84		1		
85-UP		1		
-- ICD 196.2 (1968) ----				
30-34		1		
55-59		1		
65-69		1		
70-74	2	1		
75-79	1			

AGE	WM	WF	NM	NF
-- 196.2 (1968) CONTD---				
80-84	1			
-- ICD 196.3 (1968) ----				
55-59		1		
-- ICD 196.4 (1968) ----				
40-44		1		
65-69	1	2		
70-74		1		
75-79	2	1	1	
80-84		1		
85-UP	1			
-- ICD 196.7 (1968) ----				
30-34		1		
45-49	1			
50-54	3	1	1	
55-59	1			
65-69		1		
80-84	1	1		
-- ICD 196.8 (1968) ----				
35-39		1		
50-54	1			
55-59	2			
60-64		1		
80-84		1		
-- ICD 196.9 (1968) ----				
35-39			1	
40-44	1			
45-49	1	1	2	
50-54	4			
55-59	3	5		1
60-64	4	1	2	1
65-69	3	5		
70-74	2	1		
75-79	1	4		
80-84	5	2		
85-UP		1		
-- ICD 197.0 (1968) ----				
05-09	1			
10-14	1			
15-19	3		1	
20-24	2			1
30-34	6	1	2	
35-39	3	4	1	2
40-44	6	5	2	1
45-49	11	9	2	2
50-54	28	13	2	5
55-59	23	24	4	6
60-64	42	34	6	5
65-69	43	39	8	5
70-74	59	37	6	6
75-79	43	51	3	1
80-84	39	41	3	1
85-UP	20	28		
-- ICD 197.1 (1968) ----				
40-44	1			
45-49	2		1	
50-54	1			
55-59	1	1	1	
60-64	1	1		
65-69	2			
70-74	1			
75-79		1		
-- ICD 197.2 (1968) ----				
25-29			1	
35-39	2		1	
45-49	2	2		
50-54	4	3		2
55-59	6	3	2	1
60-64	3	5	1	1
65-69	4	4		
70-74	6	8	1	
75-79	5	10	1	
80-84	5	6	1	1
85-UP	2	5		1
-- ICD 197.3 (1968) ----				
15-19	1			
45-49		1		
55-59	1	1		
60-64	2	1		
65-69		1		
75-79			1	
80-84	1	1		
-- ICD 197.4 (1968) ----				
45-49	1			
65-69	1	1		
75-79	1	1		

AGE	WM	WF	NM	NF
-- 197.4 (1968) CONTD---				
80-84	2			
-- ICD 197.5 (1968) ----				
40-44	1			
45-49	1	1		
50-54	1	2		
55-59	2	1		
60-64		2		
65-69	3	3	2	
70-74	4	5		2
75-79	1	2		1
80-84		1		
85-UP	2	4		
-- ICD 197.6 (1968) ----				
30-34	1			1
35-39	2			
40-44	2	1		
45-49	1			
50-54	1	3		
55-59	2	5	1	
60-64	6	6		1
65-69	8	9	1	5
70-74	6	8		
75-79	6	13		
80-84	4	9	1	
85-UP	2	3		
-- ICD 197.7 (1968) ----				
00-04		1		
15-19	1			
20-24	4			
25-29	2	2		
30-34	1	4		
35-39	5	5	3	1
40-44	12	17	3	1
45-49	28	19	9	8
50-54	37	42	9	8
55-59	68	42	13	9
60-64	106	83	8	10
65-69	110	86	18	13
70-74	108	98	14	16
75-79	99	97	5	7
80-84	60	67	7	4
85-UP	32	61	2	
-- ICD 197.8 (1968) ----				
00-04	3	3		1
05-09	2	2		
10-14	2	2		
15-19	1	2		
20-24	2	1	1	
25-29	3	5	2	
30-34	4	4	2	1
35-39	11	6	3	4
40-44	24	19	10	7
45-49	50	39	12	7
50-54	89	63	14	15
55-59	130	91	39	23
60-64	190	134	39	22
65-69	226	169	45	21
70-74	210	181	37	22
75-79	203	213	15	19
80-84	148	149	11	5
85-UP	76	134	7	6
-- ICD 197.9 (1968) ----				
40-44	1	1		
45-49		1	1	1
50-54		1		1
55-59	1			
60-64	5	2		
65-69	5	1	2	
70-74		3		
75-79	5		1	
80-84	2	4		
85-UP	2			2
-- ICD 198.0 (1968) ----				
60-64	1			
70-74	1			
85-UP		1		
-- ICD 198.1 (1968) ----				
60-64	1	2	1	
65-69	1			
70-74		1		
75-79		1		
80-84	2			
85-UP	1	1		
-- ICD 198.2 (1968) ----				
15-19	1			
30-34	1			
40-44		1		

AGE	WM	WF	NM	NF
-- 198.2 (1968) CONTD---				
45-49	3	1		1
50-54	7	1		
55-59	4	3		
60-64	2	1		
65-69	2	2	1	
70-74	6	3		
75-79	3			
80-84	3	1		
85-UP		3		
-- ICD 198.3 (1968) ----				
00-04		1	1	
05-09	1			
10-14		1		
20-24	2	1		
25-29	1	1		
30-34	1	4		
35-39	6	7	2	3
40-44	17	11	1	3
45-49	20	27	5	
50-54	32	30	7	2
55-59	39	18	5	
60-64	38	26	1	2
65-69	35	30	5	2
70-74	28	21	3	4
75-79	22	13	2	
80-84	9	7		
85-UP	2	2	2	
-- ICD 198.4 (1968) ----				
00-04		1		
05-09		1		
20-24	1			
35-39	1			
40-44	2	1		
45-49	1			
50-54	2			1
55-59	3		1	1
60-64	5	3		2
65-69	2	1	1	
70-74	5	2		
75-79	2			
80-84	1	1		
85-UP	1	1		
-- ICD 198.5 (1968) ----				
10-14	1			
15-19		1		
20-24		1		
30-34		1		
35-39		1		
40-44	4	2		
45-49	15	7	3	1
50-54	15	12	2	1
55-59	23	12	4	3
60-64	31	21	1	
65-69	24	26	4	1
70-74	27	25	1	2
75-79	20	21	2	
80-84	10	12		
85-UP	6	7	1	1
-- ICD 198.9 (1968) ----				
00-04	1	1		1
05-09		2		
10-14		1		
15-19	3		1	
20-24		1		2
25-29	2	2		
30-34	5	2	1	3
35-39	7	8		1
40-44	9	17	6	2
45-49	31	24	4	3
50-54	35	43	8	7
55-59	57	52	5	15
60-64	78	63	22	7
65-69	75	74	17	16
70-74	91	92	7	9
75-79	61	136	5	8
80-84	35	72	4	7
85-UP	18	74	5	4
-- ICD 199.0 (1968) ----				
00-04	3	4	2	
05-09	2	4		
10-14	4	8	4	3
15-19	9	6		3
20-24	9	6	1	3
25-29	23	8	2	4
30-34	28	28	4	9
35-39	49	53	8	14
40-44	83	101	20	24
45-49	152	198	33	45
50-54	290	300	57	52
55-59	367	366	88	68

AGE	WM	WF	NM	NF
-- 199.0 (1968) CONTD---				
60-64	500	450	79	73
65-69	572	481	90	90
70-74	623	553	86	58
75-79	502	511	45	42
80-84	282	374	30	25
85-UP	155	308	12	21
-- ICD 199.1 (1968) ----				
00-04	1	5	2	1
05-09	4		1	
10-14	3	2	1	1
15-19	4	4		
20-24	4			
25-29	4	1	3	
30-34	6	3		1
35-39	7	9	5	6
40-44	17	10	5	9
45-49	18	23	10	14
50-54	28	36	11	9
55-59	60	44	19	15
60-64	71	51	13	16
65-69	74	57	19	18
70-74	70	61	10	12
75-79	66	49	15	6
80-84	54	61	10	10
85-UP	22	53	5	7
-- ICD 200.0 (1968) ----				
00-04	6	2	1	1
05-09	11	3	2	1
10-14	16	12	3	2
15-19	23	15	7	1
20-24	24	14	2	3
25-29	27	15	3	2
30-34	23	17	2	2
35-39	47	23	1	
40-44	58	38	3	1
45-49	84	62	3	5
50-54	114	110	9	7
55-59	124	109	10	4
60-64	173	128	16	8
65-69	139	157	12	10
70-74	170	156	10	10
75-79	120	108	2	2
80-84	69	80		
85-UP	35	37	1	
-- ICD 200.1 (1968) ----				
00-04	26	10		
05-09	42	15	3	
10-14	41	15	2	6
15-19	46	7	6	1
20-24	35	16	5	3
25-29	29	5		2
30-34	43	15	3	3
35-39	55	33	8	2
40-44	85	54	8	8
45-49	131	93	17	12
50-54	165	136	17	7
55-59	231	166	14	10
60-64	288	226	16	16
65-69	318	251	21	17
70-74	251	270	14	9
75-79	239	248	12	15
80-84	145	153	7	3
85-UP	71	81	1	3
-- ICD 201 --(1968) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1968) ----				
25-29	1			
30-34	1			
40-44	8	2		
45-49	13	1		
50-54	7	7		2
55-59	12	8		
60-64	11	7		
65-69	8	10		
70-74	4	9		
75-79	5	3		
80-84	2	1		1
85-UP		3		
-- ICD 202.1 (1968) ----				
30-34		1		
35-39	2	2	1	
40-44	1	3		
45-49	1	2		
50-54	3	6	1	1
55-59	4	4		1
60-64	6	5	2	1
65-69	3	8	1	
70-74	10	3		
75-79	12	5	1	

AGE	WM	WF	NM	NF
-- 202.1 (1968) CONTD---				
80-84	4	4		1
85-UP		1		
-- ICD 202.2 (1968) ----				
00-04	12	2	1	1
05-09	16	5	1	
10-14	13	6	3	1
15-19	18	5	5	2
20-24	9	5	3	1
25-29	16	8	1	6
30-34	13	5	1	3
35-39	16	17	1	2
40-44	44	37	5	1
45-49	56	55	8	6
50-54	88	63	4	2
55-59	106	66	13	6
60-64	121	96	17	12
65-69	157	121	10	9
70-74	163	165	8	4
75-79	133	161	5	7
80-84	78	87	8	5
85-UP	37	50	5	3
-- ICD 202.9 (1968) ----				
05-09	1			
65-69	1			
80-84		1		
85-UP	1			
-- ICD 203 --(1968) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1968) ----				
00-04	125	109	12	6
05-09	191	126	16	7
10-14	75	62	17	9
15-19	80	44	8	4
20-24	45	21	7	3
25-29	18	6	2	
30-34	20	7	2	1
35-39	19	11		
40-44	18	15	1	1
45-49	18	16	5	1
50-54	22	22	1	1
55-59	34	28	7	3
60-64	40	34	2	3
65-69	63	55	4	6
70-74	62	50	2	3
75-79	49	49	5	2
80-84	51	42	6	1
85-UP	31	33	2	1
-- ICD 204.1 (1968) ----				
00-04	1	1		
05-09	4	3		
10-14		2		
15-19	1	1		
20-24	1			
25-29				1
30-34		2		1
35-39	5	2		1
40-44	11	7	5	1
45-49	25	14	1	5
50-54	45	32	6	7
55-59	107	45	14	5
60-64	129	66	26	10
65-69	192	92	19	6
70-74	217	130	15	8
75-79	214	152	12	10
80-84	138	134	10	4
85-UP	133	98	1	5
-- ICD 204.9 (1968) ----				
00-04	10	8	1	1
05-09	17	23		
10-14	10	4	1	
15-19	6	3	1	
20-24	4	2		
25-29	2	2		2
30-34	5	1	1	1
35-39	3			
40-44	7	7	1	
45-49	14	7	1	1
50-54	21	9	1	2
55-59	33	22	3	2
60-64	61	23	5	9
65-69	74	33	3	7
70-74	85	48	6	6
75-79	93	73	4	4
80-84	57	62	1	
85-UP	43	50	1	1
-- ICD 205.0 (1968) ----				
00-04	30	28	1	5
05-09	26	33	7	3

AGE	WM	WF	NM	NF
-- 205.0 (1968) CONTD---				
10-14	38	27	3	3
15-19	54	42	6	5
20-24	40	39	4	6
25-29	45	37	8	4
30-34	51	34	7	4
35-39	48	51	5	7
40-44	73	64	10	2
45-49	100	77	7	3
50-54	99	84	7	5
55-59	139	93	8	13
60-64	162	113	12	12
65-69	198	133	7	5
70-74	195	154	13	7
75-79	162	131	4	6
80-84	100	93	3	3
85-UP	58	65	2	3
-- ICD 205.1 (1968) ----				
00-04	5	2	1	
05-09	1	1	4	
10-14	7	7	1	1
15-19	12	2	2	3
20-24	14	7	1	1
25-29	18	8	5	1
30-34	20	14	5	3
35-39	22	30	3	5
40-44	35	28	7	11
45-49	44	37	7	4
50-54	49	41	8	4
55-59	55	49	8	12
60-64	70	52	7	5
65-69	91	70	11	7
70-74	98	77	8	5
75-79	96	83	3	7
80-84	67	67	2	3
85-UP	36	47	1	1
-- ICD 205.9 (1968) ----				
00-04	4	4		1
05-09	2	1		
10-14	1	2		
15-19	3	7	2	
20-24	3	3	1	
25-29	1	2	1	
30-34	7	2		1
35-39	6	1	2	3
40-44	11	9	1	1
45-49	13	13	2	1
50-54	23	24	3	1
55-59	33	29	1	
60-64	40	24	6	1
65-69	53	30	3	3
70-74	52	50	1	3
75-79	66	65	3	1
80-84	48	35	1	2
85-UP	25	33		
-- ICD 206.0 (1968) ----				
00-04	3	4	2	2
05-09	5	1	1	1
10-14	6	2		
15-19	6	6		
20-24	11	4		1
25-29	2	6		1
30-34	4	9		3
35-39	6	5		2
40-44	15	9		
45-49	14	9	1	1
50-54	19	17	2	2
55-59	35	15	2	1
60-64	26	25	5	2
65-69	34	21	2	2
70-74	36	28	1	1
75-79	24	18		2
80-84	20	21		
85-UP	18	12		
-- ICD 206.1 (1968) ----				
35-39	1			
60-64	1			
65-69	2	1	1	
70-74	1	2		
75-79		1		
80-84	1	3		
85-UP		3		
-- ICD 206.9 (1968) ----				
00-04	3	1	1	
05-09	1	2		
10-14	2		1	
15-19	1			
20-24	1			
30-34	2			
35-39	2	1		
40-44		5		

AGE	WM	WF	NM	NF
-- 206.9 (1968) CONTD---				
45-49	6	1		
50-54	7	7		
55-59	2	2	1	
60-64	7	5	1	
65-69	12	8	1	
70-74	19	8	2	
75-79	12	13	2	1
80-84	8	6		
85-UP	5	10		1
-- ICD 207.0 (1968) ----				
00-04	82	68	9	6
05-09	97	82	9	7
10-14	50	47	3	4
15-19	40	32	10	3
20-24	31	22	1	2
25-29	20	12	1	2
30-34	17	14	3	1
35-39	25	25	2	5
40-44	29	39	3	2
45-49	39	27	4	4
50-54	40	46	4	4
55-59	52	44	2	5
60-64	66	48	8	4
65-69	92	57	4	8
70-74	95	78	5	1
75-79	75	56	7	4
80-84	48	44	4	
85-UP	31	32	3	1
-- ICD 207.1 (1968) ----				
00-04	2			
05-09	1			
10-14	1			
30-34	1			
35-39	1			
40-44	3	1		
45-49			1	
50-54	2			
55-59	3	2	3	
60-64	4	1		
65-69	9	9	1	3
70-74	9	7		
75-79	11	13	2	
80-84	8	9		
85-UP	4	9		
-- ICD 207.2 (1968) ----				
00-04		1		
05-09	1			
10-14		1		
25-29	2			
30-34	3	1		
35-39	2	1		
40-44	2	1		
45-49	4	1		
50-54	9	2	2	
55-59	6	2	1	
60-64	12	1	1	1
65-69	13	5	1	
70-74	22	5	2	
75-79	6	8		
80-84	15	4		
85-UP	3	5		
-- ICD 207.9 (1968) ----				
00-04	32	23	6	3
05-09	44	34	6	3
10-14	17	13	6	3
15-19	16	4	2	5
20-24	6	6		2
25-29	2	3	1	2
30-34	2	3		
35-39	11	5	2	6
40-44	7	7		2
45-49	13	10	3	4
50-54	16	21	3	3
55-59	37	19	4	4
60-64	58	29	3	4
65-69	66	43	9	6
70-74	73	58	5	4
75-79	80	62	6	2
80-84	61	43	1	2
85-UP	43	39	2	
-- ICD 208 --(1968) ----				
00-04	3	1		
10-14	2	1		
15-19		1		
20-24	1			
30-34	1		1	
35-39	4			
40-44	12	5	1	
45-49	18	7	2	
50-54	24	8	1	2

AGE	WM	WF	NM	NF
-- 208 --(1968) CONTD---				
55-59	33	15	1	
60-64	40	20	1	1
65-69	47	19	1	3
70-74	41	39	1	
75-79	38	33	1	1
80-84	25	26		
85-UP	14	10	1	
-- ICD 209 --(1968) ----				
00-04		2	1	1
05-09		1		
10-14			1	
15-19		2		
20-24	1			
25-29	2			
30-34	5			1
35-39	5	2		
40-44	6	7	1	
45-49	9	5	1	1
50-54	23	10	3	2
55-59	39	15	4	
60-64	35	20	2	3
65-69	44	30	2	
70-74	55	51	5	4
75-79	41	35		1
80-84	26	32	1	1
85-UP	16	19	2	1
-- ICD 140.0 (1969) ----				
10-14		1		
70-74	2	1		
75-79	1			
80-84	2			
85-UP	2			
-- ICD 140.1 (1969) ----				
40-44	3			
55-59	3			
60-64	2			
65-69	5	1		
70-74	7	1		
75-79	3	1		
80-84	16	1	1	
85-UP	11	2		
-- ICD 140.2 (1969) ----				
75-79	1			
80-84	1			
-- ICD 140.9 (1969) ----				
25-29	1			
35-39	3			
40-44	3			
45-49	7			
50-54	8			
55-59	8			
60-64	10	1		
65-69	22		1	
70-74	15	5		
75-79	22	2		
80-84	14	3		
85-UP	18	4		
-- ICD 141.0 (1969) ----				
35-39			1	
40-44	1	1	1	
45-49	4	3	3	1
50-54	15	5	2	
55-59	30	3	3	
60-64	28	2	2	
65-69	23	3	2	1
70-74	17	2	2	
75-79	10	1	1	
80-84	7	3		
85-UP	4	1		
-- ICD 141.2 (1969) ----				
30-34	2			
50-54		2		
60-64	1			
75-79		1		
80-84		1		
-- ICD 141.3 (1969) ----				
50-54	1			
70-74		1		
-- ICD 141.9 (1969) ----				
00-04	1			
20-24	1			
25-29		2		
30-34		2		
35-39	4	3	1	1
40-44	15	7	9	2
45-49	39	22	17	7

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 141.9 (1969) CONTD---				
50-54	107	40	29	8
55-59	162	54	17	3
60-64	188	52	23	2
65-69	153	38	22	4
70-74	123	37	7	5
75-79	96	49	7	3
80-84	71	37	3	
85-UP	51	49	3	1
-- ICD 142.0 (1969) ----				
00-04		1		
05-09		1		
15-19	2			
20-24				1
25-29	3			
30-34	2		1	
35-39	2	5		
40-44	8	3	2	
45-49	9	11	2	2
50-54	14	5	2	3
55-59	35	17	5	2
60-64	36	9	8	2
65-69	35	13		
70-74	39	31	1	2
75-79	50	34	1	
80-84	37	11		
85-UP	31	24	1	
-- ICD 142.8 (1969) ----				
35-39				1
40-44	2	1		
45-49	2	3	1	
50-54	4	3		
55-59	9	3	1	1
60-64	7	5	1	
65-69	11	1	1	
70-74	5	7	1	
75-79	6	4		
80-84	7	3		1
85-UP	1	2		
-- ICD 142.9 (1969) ----				
10-14	1			
20-24	1			
40-44		1		1
45-49		1		
50-54	2	2	1	
55-59	5	1		
60-64	5	2		
65-69	4	1		
70-74	2	3		
75-79	2	5		
80-84	1	1		
85-UP	1	2	1	
-- ICD 143.0 (1969) ----				
50-54		1		
60-64		1		
70-74		1		
75-79	1			
-- ICD 143.1 (1969) ----				
40-44	1			
45-49	1	1		
50-54	2	1	1	
55-59	3	2		
60-64		2	1	
65-69	1	1		
70-74	3	3	1	
75-79	4	2		
80-84	1	2		
85-UP	1	1		
-- ICD 143.9 (1969) ----				
10-14		1	1	
15-19	2			
20-24	2			
25-29	1	2		
30-34	1			
35-39	1			
40-44	2	1		1
45-49	2	1	2	1
50-54	4	5	2	1
55-59	4	3	2	2
60-64	4	7		
65-69	7	2	1	1
70-74	12	3		1
75-79	5	6		
80-84	2	2		
85-UP	4	4		
-- ICD 144 --(1969) ----				
05-09	1			
20-24			1	
30-34	1	1		1
35-39	1	1	1	1
40-44	6	4	2	2
45-49	14	10	5	4
50-54	44	13	9	5
55-59	63	18	8	1
60-64	57	16	7	1
65-69	48	11	6	2
70-74	34	8	2	1
75-79	25	6	5	
80-84	19	12		
85-UP	13	7		
-- ICD 145.0 (1969) ----				
35-39	1	2		
40-44		1		
45-49	4	1		
50-54	2	1	2	
55-59	8	6		
60-64	7	4		
65-69	7	3	2	1
70-74	6	7	1	1
75-79	11	3	1	
80-84	9	5		
85-UP	3	3		
-- ICD 145.1 (1969) ----				
30-34			1	
35-39			2	2
40-44	3	2	2	2
45-49	10	4	5	1
50-54	12	5	5	2
55-59	20	14	2	4
60-64	29	11	5	2
65-69	34	4	3	
70-74	14	11	2	
75-79	19	10		
80-84	13	7	1	
85-UP	6	10	1	
-- ICD 145.8 (1969) ----				
40-44	1			
50-54		1		
55-59	2		1	
60-64	3			
65-69			1	
70-74	1			
75-79	1	1		
85-UP		2		
-- ICD 145.9 (1969) ----				
05-09		1		
20-24		1	1	
35-39	3	1	1	1
40-44	4	1	3	2
45-49	16	8	9	5
50-54	32	14	3	3
55-59	49	15	6	1
60-64	70	26	8	1
65-69	59	18	5	1
70-74	52	22		2
75-79	50	41	2	1
80-84	33	24	2	1
85-UP	29	23	2	
-- ICD 146.0 (1969) ----				
15-19		1		
20-24			1	
25-29			1	
30-34			1	
35-39	1	1	2	1
40-44	9	1	13	4
45-49	28	5	12	1
50-54	52	29	14	5
55-59	80	39	12	3
60-64	72	25	9	
65-69	68	15	11	1
70-74	48	13	5	1
75-79	41	6	1	1
80-84	22	8	1	1
85-UP	6	6		
-- ICD 146.8 (1969) ----				
40-44	1	1		
45-49	1		1	
50-54	5	1	2	
55-59	6			
60-64	6	3	1	
65-69	15	1	1	
70-74		1		
75-79	3			
80-84	2			
-- ICD 146.9 (1969) ----				
20-24		1		
30-34			1	
35-39		1		1
40-44			2	
45-49	5	2	5	
50-54	9	6	1	
55-59	31	7	3	
60-64	26	4	5	
65-69	11	2	3	
70-74	15	4		1
75-79	16	2	1	
80-84	8	2		
85-UP	3	1	1	
-- ICD 147 --(1969) ----				
SEE PAGES 42 - 47				
-- ICD 148.1 (1969) ----				
35-39			1	
40-44	1		1	
45-49	5		3	1
50-54	9			1
55-59	14	4	6	
60-64	19	6	3	
65-69	24	1	1	
70-74	11		1	
75-79	9	1	3	
80-84	7	2		
85-UP	2	1		
-- ICD 148.8 (1969) ----				
60-64	1			
-- ICD 148.9 (1969) ----				
30-34	1			
35-39	1			
40-44	5	3	2	1
45-49	10	3	3	
50-54	28	7	12	
55-59	36	13	7	1
60-64	36	10	1	
65-69	41	8	4	1
70-74	29	2	1	
75-79	21	2	2	
80-84	8	4		
85-UP	1	2		
-- ICD 149 --(1969) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1969) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1969) ----				
30-34	1			
35-39	1			
40-44	6	2	1	
45-49	10			1
50-54	9	6	1	1
55-59	20	2	3	
60-64	20	2	1	
65-69	21	9	2	
70-74	22	5		1
75-79	13	10		1
80-84	10	4	1	
85-UP	3	4		
-- ICD 151.1 (1969) ----				
45-49	2			
50-54			1	
55-59	3	2	1	
60-64	1		2	
65-69	1	2	2	
70-74	5	2		1
75-79	7	3	2	1
80-84	2	7		
85-UP	2	6		
-- ICD 151.8 (1969) ----				
40-44				1
45-49	3			
50-54	7	1	2	
55-59	3		3	1
60-64	5	1		
65-69	7	5	1	1
70-74	6	6	2	
75-79	12	6	1	
80-84	8	8	1	
85-UP	7	3	1	
-- ICD 151.9 (1969) ----				
00-04				1
05-09		1		
10-14	1	1		
15-19	1			
20-24	5	3	2	1
25-29	14	10	2	5
30-34	22	32	17	4
35-39	49	54	17	15
40-44	137	106	39	25
45-49	271	151	75	53
50-54	439	228	132	67
55-59	730	410	204	86
60-64	977	471	236	87
65-69	1221	628	259	120
70-74	1330	894	264	115
75-79	1374	1011	165	80
80-84	982	864	95	65
85-UP	625	692	70	44
-- ICD 152.0 (1969) ----				
20-24	1			
25-29	2	1	1	
30-34	1			
35-39	2	1		
40-44	3	1		
45-49	3	4	3	1
50-54	6	6	1	1
55-59	15	9		1
60-64	15	9	1	1
65-69	17	11	1	3
70-74	9	17	2	
75-79	12	14		3
80-84	11	10		
85-UP	3	4		1
-- ICD 152.1 (1969) ----				
20-24	1			
25-29		1		1
30-34		2		
35-39			1	1
40-44	5	5		
45-49	1	5	1	1
50-54	7	1		1
55-59	6	7		
60-64	6	2		2
65-69	12	4		4
70-74	9	6		2
75-79	1	5		
80-84	1	4		
85-UP	3	1		
-- ICD 152.2 (1969) ----				
10-14	1			
35-39		1		
40-44	1	3		
45-49	3	3	1	
50-54	2	2		1
55-59	5	4		1
60-64	5	4		2
65-69	8	5	3	1
70-74	9	5	1	1
75-79	7	8		
80-84	4	5	1	
85-UP	7	3		
-- ICD 152.9 (1969) ----				
20-24		1		
25-29	1	1	1	
30-34	2	1		
35-39	1		1	
40-44	5	1		
45-49	7	9	1	1
50-54	6	6	1	
55-59	10	5	1	2
60-64	27	18	2	2
65-69	14	16		5
70-74	6	15	1	1
75-79	12	20		1
80-84	7	11		
85-UP	5	13	1	1
-- ICD 153.0 (1969) ----				
15-19	2	1	1	
20-24	2			1
25-29	4	4	2	
30-34	8	6	1	1
35-39	20	16	1	2
40-44	28	25	4	1
45-49	45	37	7	10
50-54	88	100	8	12
55-59	162	140	15	17
60-64	214	185	21	17
65-69	265	287	23	31
70-74	300	355	27	28
75-79	346	479	22	29
80-84	217	380	9	15
85-UP	160	344	8	8
-- ICD 153.1 (1969) ----				
20-24		1		
25-29		3		
30-34	2	4	3	1
35-39	4	6	1	1
40-44	11	12	4	1
45-49	14	19		1
50-54	32	44	2	4
55-59	63	64	4	2
60-64	72	74	8	6
65-69	92	95	5	10
70-74	107	111	10	5
75-79	127	126	11	4
80-84	66	112	4	7
85-UP	33	80	1	2
-- ICD 153.2 (1969) ----				
15-19				1
25-29	2			
30-34	4	4	1	
35-39	2	4		2
40-44	8	9	1	
45-49	10	14	1	1
50-54	20	34	1	2
55-59	41	41	5	6
60-64	63	63	8	8
65-69	85	97	5	14
70-74	69	84	9	5
75-79	84	83	4	3
80-84	51	70	10	5
85-UP	33	56	2	3
-- ICD 153.3 (1969) ----				
10-14	1			
25-29	4	5		
30-34	8	4		2
35-39	20	17	3	3
40-44	19	43	3	7
45-49	79	89	3	9
50-54	110	152	11	14
55-59	222	201	20	18
60-64	304	291	26	30
65-69	352	371	37	25
70-74	425	402	28	29
75-79	432	432	22	24
80-84	289	342	15	15
85-UP	191	245	3	6
-- ICD 153.8 (1969) ----				
10-14	1			
15-19		2	3	1
20-24	11	5	3	1
25-29	25	22	5	2
30-34	34	42	8	7
35-39	61	67	14	22
40-44	152	195	19	34
45-49	258	339	41	53
50-54	516	555	64	70
55-59	771	803	93	116
60-64	1084	1095	107	137
65-69	1333	1307	144	169
70-74	1469	1516	127	121
75-79	1406	1639	95	111
80-84	960	1323	40	70
85-UP	600	1031	31	53
-- ICD 153.9 (1969) ----				
05-09	1			
10-14	1			
15-19	1			
20-24	1	1	1	
25-29		1	1	
30-34	6	1	2	3
35-39	3	4		
40-44	13	11	1	
45-49	25	24		1
50-54	31	45	3	7
55-59	55	63	6	8
60-64	75	80	9	10
65-69	100	119	8	9
70-74	133	146	6	11
75-79	115	138	9	11
80-84	102	141		7
85-UP	67	121	1	2
-- ICD 154.0 (1969) ----				
00-04		1		
20-24	1			
25-29	1	1		1
30-34		4	1	1
35-39	2	6	1	
40-44	12	7		4
45-49	24	19	5	2
50-54	54	40	4	2
55-59	78	58	6	5
60-64	110	75	12	9
65-69	139	93	11	5
70-74	134	119	6	9

AGE	WM	WF	NM	NF
-- 154.0 (1969) CONTD---				
75-79	110	103	4	2
80-84	104	95	5	3
85-UP	47	69	1	2
-- ICD 154.1 (1969) ----				
20-24	2	2		1
25-29	7	1	3	2
30-34	15	4	3	3
35-39	27	18	7	6
40-44	60	61	14	15
45-49	144	103	20	20
50-54	281	202	31	35
55-59	441	286	41	52
60-64	610	389	76	62
65-69	706	454	76	56
70-74	780	501	67	50
75-79	727	527	33	33
80-84	537	496	26	26
85-UP	344	401	13	24
-- ICD 154.2 (1969) ----				
35-39				1
40-44		1		
45-49	2	1		
50-54	1			2
55-59	4	5	1	
60-64	2	2		
65-69	4	3		1
70-74	3	1	1	
75-79	2	1		1
80-84		4		1
85-UP	3	6		
-- ICD 155.0 (1969) ----				
00-04	12	12	4	
05-09	2	3		
10-14	3	4		
15-19	2	7	1	
20-24	5	9		1
25-29	4	6		
30-34	4	4	4	4
35-39	7	8	6	2
40-44	16	19	12	2
45-49	46	28	27	5
50-54	75	52	36	9
55-59	151	63	44	16
60-64	190	61	39	11
65-69	200	74	46	14
70-74	178	76	29	13
75-79	137	80	24	5
80-84	77	55	14	2
85-UP	40	36	6	5
-- ICD 155.1 (1969) ----				
15-19		1		
25-29		2		
30-34		2		
35-39		1		
40-44	1			
45-49	5	3	1	
50-54	5	7	1	1
55-59	9	2	1	
60-64	12	3	1	1
65-69	10	6		
70-74	8	5	2	1
75-79	7	9		
80-84	4	5		1
85-UP	2	3		
-- ICD 156.0 (1969) ----				
20-24			1	
25-29				1
35-39	1	5	1	1
40-44	6	16		2
45-49	11	45	2	2
50-54	34	65	1	11
55-59	65	134	2	15
60-64	57	181	5	19
65-69	95	329	7	24
70-74	122	353	5	18
75-79	112	378	7	9
80-84	88	284	6	9
85-UP	51	151	2	9
-- ICD 156.1 (1969) ----				
20-24	2	1		
25-29	1		1	
30-34	2	1		
35-39	3	1		
40-44	11	8	2	1
45-49	22	11	2	
50-54	21	18	7	1
55-59	39	36	5	1
60-64	67	67	2	4
65-69	76	82	6	8

AGE	WM	WF	NM	NF
-- 156.1 (1969) CONTD---				
70-74	81	79	5	1
75-79	85	87	2	8
80-84	62	62	4	
85-UP	23	43	1	2
-- ICD 156.2 (1969) ----				
30-34				1
35-39	1			
40-44	1	4		
45-49	6	4	2	
50-54	11	9	1	2
55-59	15	12	4	
60-64	27	18	4	
65-69	32	18		2
70-74	44	27	1	3
75-79	36	25		1
80-84	19	18	1	2
85-UP	10	12	4	
-- ICD 156.9 (1969) ----				
20-24		1		
30-34	1			
35-39	1			
40-44	2			
45-49	1	5		1
50-54	7	5		
55-59	8	9	1	1
60-64	8	10		4
65-69	13	20	2	3
70-74	6	22		2
75-79	13	17		1
80-84	8	12		1
85-UP	11	8		
-- ICD 157.0 (1969) ----				
25-29	1	1		
30-34	4	1		1
35-39	4	5	2	1
40-44	15	7	5	5
45-49	38	16	10	6
50-54	51	39	13	15
55-59	104	67	27	14
60-64	159	100	27	20
65-69	191	132	32	24
70-74	209	164	30	18
75-79	190	170	15	10
80-84	166	160	14	10
85-UP	108	137	9	7
-- ICD 157.8 (1969) ----				
20-24				1
30-34	1	1		
35-39	1	4		1
40-44	3	1		
45-49	14	6	2	3
50-54	16	7	7	
55-59	36	11	5	1
60-64	39	18	6	3
65-69	38	24	4	2
70-74	39	21	5	5
75-79	25	18	6	2
80-84	11	15		1
85-UP	9	14	1	2
-- ICD 157.9 (1969) ----				
00-04		2		
05-09		2		
15-19	1	1		
20-24	2	2	1	1
25-29	8	2	3	
30-34	16	11	4	3
35-39	67	27	8	5
40-44	144	75	28	18
45-49	338	185	50	29
50-54	533	277	85	45
55-59	813	491	137	77
60-64	1055	710	123	66
65-69	1218	879	160	107
70-74	1202	1053	118	102
75-79	1033	949	83	56
80-84	593	718	50	31
85-UP	343	483	23	20
-- ICD 158.0 (1969) ----				
00-04	3	1		
05-09	2	1		
10-14	3	2		
15-19	6		1	
20-24	4	2	1	
25-29	6	3		1
30-34	7	3		1
35-39	7	4	1	1
40-44	8	9	3	
45-49	18	8	3	3
50-54	34	15		

AGE	WM	WF	NM	NF
-- 158.0 (1969) CONTD---				
55-59	25	24	3	4
60-64	35	23	2	1
65-69	36	40	1	5
70-74	38	35	1	4
75-79	36	39	3	3
80-84	17	25		1
85-UP	8	10	1	2
-- ICD 158.9 (1969) ----				
15-19	1			
20-24	2			
25-29		1		
30-34	1			
35-39	2	3		1
40-44	1	3	1	1
45-49	4	1		3
50-54	8	11		6
55-59	10	15		
60-64	14	16	2	1
65-69	10	20	1	1
70-74	10	21	2	4
75-79	14	27	1	1
80-84	8	17		2
85-UP	1	14		1
-- ICD 159 --(1969) ----				
20-24		1		
25-29	1			
30-34	1	3		
35-39	5	2	1	
40-44	2	5		1
45-49	12	3	2	2
50-54	14	15	5	3
55-59	24	15	7	4
60-64	36	32	5	4
65-69	49	29	7	7
70-74	42	34	6	4
75-79	55	65	13	8
80-84	34	51	4	1
85-UP	34	62	3	4
-- ICD 160.0 (1969) ----				
20-24	1			
25-29	1			
30-34		1		
40-44	2			
45-49	8	1	1	
50-54	3	1		
55-59	8	4		
60-64	10	1		
65-69	7	2		
70-74	6	7		
75-79	10	8		
80-84	5	10		
85-UP	9	13		
-- ICD 160.1 (1969) ----				
00-04		1		
20-24	1			
40-44		1		
45-49	1	3		
55-59	1	3		
60-64	3	1	1	
65-69	1	2		
70-74	4			
75-79	2			
80-84	2	2		
85-UP	2	1		
-- ICD 160.2 (1969) ----				
15-19				1
20-24	1			
25-29	2	1		1
30-34	1	1	1	
35-39	4	1	1	
40-44	3	2	2	
45-49	9	8	6	2
50-54	13	9	1	1
55-59	20	12	10	1
60-64	20	8	7	5
65-69	24	12	8	1
70-74	15	9	4	2
75-79	22	6	3	3
80-84	8	16	2	1
85-UP	6	12		
-- ICD 160.8 (1969) ----				
15-19	1			
25-29	1	1		
35-39			1	
40-44	2	2		
45-49	6	2	1	
50-54	7	3		1
55-59	1	2		
60-64	6	3		

AGE	WM	WF	NM	NF
-- 160.8 (1969) CONTD---				
65-69	7	1	1	
70-74	4	3		
75-79	2	2		
80-84	2	1		
85-UP		1		
-- ICD 160.9 (1969) ----				
05-09	1			
20-24		1		
40-44	2	1	2	
45-49	3	2		
50-54	2	1		
55-59	6		1	1
60-64	7	2		
65-69	7	1	2	
70-74	3	2		
75-79	5	5		
80-84	3	2	1	
85-UP	1			
-- ICD 161.0 (1969) ----				
45-49	2	2		
50-54	6		1	
55-59	8		1	
60-64	2	1		
65-69	2			
70-74	6	1		
75-79	3		1	
80-84	1			
85-UP	3			
-- ICD 161.8 (1969) ----				
35-39	1	2		
40-44	4		1	
45-49	10	1	2	
50-54	4	3	3	1
55-59	15	1	3	2
60-64	24	3	4	
65-69	14	2	4	1
70-74	15	1		1
75-79	14	1	1	
80-84	6	1	1	
85-UP	1		1	
-- ICD 161.9 (1969) ----				
30-34	3		1	
35-39	14	4	2	3
40-44	39	9	17	11
45-49	76	16	32	6
50-54	179	47	34	6
55-59	333	51	42	11
60-64	415	39	41	7
65-69	368	34	37	8
70-74	317	30	24	4
75-79	222	20	18	2
80-84	146	11	10	1
85-UP	77	8	6	1
-- ICD 162.0 (1969) ----				
20-24		1		
25-29		1		
35-39		1		
40-44	3	2	2	1
45-49	6	3	2	1
50-54	10	3	2	1
55-59	9	5		
60-64	10	7	2	
65-69	13	4		1
70-74	11	4	3	
75-79	4	2	2	1
80-84	4	1		
85-UP	1			
-- ICD 162.1 (1969) ----				
00-04		4		1
05-09	3	1		
10-14	5	2	1	1
15-19	5	4	1	1
20-24	13	12	1	2
25-29	19	15	7	5
30-34	92	49	21	15
35-39	359	161	94	34
40-44	1130	424	219	57
45-49	2218	816	455	118
50-54	3928	1162	701	127
55-59	6176	1506	898	174
60-64	8035	1440	827	131
65-69	8288	1389	854	142
70-74	7136	1259	576	113
75-79	4814	967	299	72
80-84	2152	643	125	41
85-UP	865	413	80	22
-- ICD 163.0 (1969) ----				
15-19	1	1		

AGE	WM	WF	NM	NF
-- 163.0 (1969) CONTD---				
20-24		1		
25-29	1	2		
30-34	2			
35-39	2	2		
40-44	7	5		
45-49	8	10	1	
50-54	19	6	1	1
55-59	17	9	5	1
60-64	25	12	2	3
65-69	28	17	2	2
70-74	31	20	1	
75-79	16	12		1
80-84	7	2		
85-UP	1	3		
-- ICD 163.1 (1969) ----				
00-04	1	1		
10-14	4	2		
15-19	4	1	2	1
20-24	8	3		
25-29	4	1	1	
30-34	3	2	1	
35-39	4	4	2	
40-44	12	2	2	1
45-49	8	4	1	1
50-54	13	10	5	1
55-59	25	6	1	1
60-64	33	11	4	
65-69	21	9	5	2
70-74	23	8	2	
75-79	10	11		
80-84	8	9		
85-UP	4	5		
-- ICD 163.9 (1969) ----				
05-09	1			
30-34	1	1		1
35-39		1		
40-44	1	1		
45-49		1	2	1
50-54	2			
55-59	1	4		
60-64	2	2	2	1
65-69	3	3	2	1
70-74	3		1	
75-79	1	2		1
80-84		1		
85-UP			1	
-- ICD 170.0 (1969) ----				
00-04			1	
10-14	1	2		1
15-19	1	1		
20-24	2		2	
25-29	2	1		
30-34	1		1	
35-39	3	2		
40-44	4	1	2	
45-49	7	4	1	
50-54	10	2		2
55-59	20	5	3	3
60-64	18	10	8	
65-69	18	12	5	1
70-74	17	9	1	1
75-79	16	12	1	1
80-84	14	9	1	
85-UP	13	12		1
-- ICD 170.1 (1969) ----				
10-14	1	1		
15-19	2	1		
40-44	1		2	
45-49	6			1
50-54	3	3	2	
55-59	15	7	1	
60-64	16	8		1
65-69	18	6	1	1
70-74	16	9		
75-79	7	16		
80-84	16	10	1	
85-UP	8	10		
-- ICD 170.2 (1969) ----				
10-14		2	1	
15-19	4	2		
25-29	1	2	1	
30-34	1		2	
35-39	2	1		
40-44	4	6		1
45-49	6	8	1	2
50-54	11	5	1	
55-59	14	11	2	1
60-64	22	14	5	
65-69	31	12	2	1
70-74	21	18	1	2

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 170.2 (1969) CONTD---				
75-79	15	14	1	
80-84	8	11		1
85-UP	5	4		
-- ICD 170.3 (1969) ----				
10-14		3		1
15-19		1		
20-24		1		
35-39		1		
40-44	2			
45-49	3	1		1
50-54	1	1		
55-59	2	1	1	
60-64	4			
65-69	1	1		
70-74	5	4		
75-79	10	5		
80-84	1	1		
85-UP	1	2		
-- ICD 170.4 (1969) ----				
00-04	1			
05-09	1	1		1
10-14	5	3		1
15-19	6			1
20-24	3	2		
25-29	1			
30-34	1			
35-39	1			
40-44	1	1	1	
45-49	2	1		
50-54	3			
55-59	6	2	1	
60-64	6	3	1	
65-69	5			
70-74	3	2		1
75-79	3	2		
80-84	2	5		
85-UP	2			
-- ICD 170.6 (1969) ----				
00-04		4		
05-09	1	2		
10-14	2	2		
15-19	5	2	1	1
20-24	7	1		
25-29	2	2		
30-34	2	1		
35-39	4	2		1
40-44	1	1	1	
45-49	5	3	1	
50-54	4	2	1	
55-59	19	9		
60-64	10	5	3	1
65-69	7	14	2	1
70-74	9	10		1
75-79	4	13		
80-84	7	7		1
85-UP	5	3	1	
-- ICD 170.7 (1969) ----				
00-04	1	1		
05-09	8	7		
10-14	18	20	2	4
15-19	26	9	6	3
20-24	15	4	2	1
25-29	6	3		
30-34	3	1		
35-39		1	1	1
40-44	2	4	1	1
45-49	2	5	2	
50-54	9	1	1	
55-59	8	3		1
60-64	8	6		2
65-69	4	9		1
70-74	6	5		1
75-79	6	9	2	
80-84	2	8		
85-UP	5	6		
-- ICD 170.8 (1969) ----				
10-14		1		
15-19	1	2		1
20-24			1	
25-29	1	1	1	
30-34	1			
65-69		1		
75-79	2			
80-84		1		1
-- ICD 170.9 (1969) ----				
00-04	1	1		1
05-09	10	7	1	
10-14	20	28	4	5
15-19	49	26	7	5

AGE	WM	WF	NM	NF
-- 170.9 (1969) CONTD---				
20-24	27	5	4	
25-29	11	4		
30-34	5	3	1	1
35-39	3	2		1
40-44	3	2		
45-49	10	4		1
50-54	12	7	4	2
55-59	15	10	3	1
60-64	14	20	4	1
65-69	16	17	3	1
70-74	17	9	1	2
75-79	19	18	3	1
80-84	5	10		1
85-UP	5	10	1	
-- ICD 171.0 (1969) ----				
00-04	2	2	3	
05-09	4	2		
10-14	1			
15-19	2	2		
20-24	3			
25-29	3	2		
30-34			1	
45-49	1			
50-54	1			
55-59	2	2		
60-64	1			
65-69	2	1		1
70-74	1	2	1	
75-79	2	1		
80-84		4		
85-UP	1			
-- ICD 171.1 (1969) ----				
00-04	1	2	1	
05-09	2	1		2
10-14	1	3	1	
15-19	1	1		
20-24	1	2	1	
25-29	4	4	1	
30-34	2		1	
35-39	5	5	1	1
40-44	7	6		
45-49	9	9	3	2
50-54	8	14	1	
55-59	9	9		1
60-64	13	17	2	
65-69	14	11	1	4
70-74	12	9		
75-79	8	8	2	
80-84	3	6	2	
85-UP	3	3		
-- ICD 171.2 (1969) ----				
10-14	1			
15-19	2	1		1
20-24	3	1		
25-29				1
30-34	3	3		
40-44	1	1		
45-49		1		
50-54		1		
55-59	3	3		
60-64	12	1	1	
65-69	2	3	1	
70-74	3	6	1	
75-79	4	3		
80-84	2	4		
85-UP	3	2		
-- ICD 171.3 (1969) ----				
00-04	1	1	1	
05-09	2			
10-14	3	2		
15-19	7	1	1	
20-24	9	3	3	1
25-29	1	2	1	
30-34	2		2	
35-39	2	7		1
40-44	8	5	1	1
45-49	5	11		4
50-54	9	2	2	
55-59	11	9	1	
60-64	18	13		2
65-69	10	14	1	2
70-74	15	15	3	2
75-79	10	16		1
80-84	8	6		
85-UP	7	10	1	
-- ICD 171.9 (1969) ----				
00-04	6	11	4	
05-09	8	8	2	4
10-14	10	8	1	
15-19	17	12	2	2

AGE	WM	WF	NM	NF
-- 171.9 (1969) CONTD---				
20-24	13	14	1	1
25-29	10	5	1	2
30-34	5	14		
35-39	13	11	2	3
40-44	10	16	1	
45-49	25	21	1	4
50-54	24	27	1	5
55-59	35	31	3	3
60-64	39	32	2	4
65-69	46	50	2	7
70-74	45	35		
75-79	20	25	1	3
80-84	13	18	2	2
85-UP	6	12	2	3
-- ICD 172.0 (1969) ----				
45-49	1			
50-54	1			
80-84		2		
-- ICD 172.1 (1969) ----				
65-69	1	1		
70-74		1		
-- ICD 172.2 (1969) ----				
20-24	1			
25-29	1			
30-34	1			
35-39	1			
45-49	2			
60-64	2	2		
65-69		3		
70-74	2	3		
75-79	5	1		
80-84	1			
85-UP	1	1		
-- ICD 172.3 (1969) ----				
20-24	1			
30-34	1			
35-39	2	1		
40-44	1	1		
45-49	1			
50-54	5	2		
55-59	3	4		
60-64	3	1		
65-69	3	4		
70-74	4	2		
75-79	5	3		
80-84	8	9		
85-UP	4	6		
-- ICD 172.4 (1969) ----				
20-24	1			
25-29	6			
30-34	6	3		
35-39	2	2		
40-44	5	2		
45-49	3	4		
50-54	4	6		
55-59	2	3		
60-64	4	5		
65-69	7	5		
70-74	5	3		1
75-79	10	2	1	
80-84	5	5		
85-UP	4	3		
-- ICD 172.5 (1969) ----				
80-84	1			
-- ICD 172.6 (1969) ----				
15-19	1	1		
20-24	1	2		
25-29	3	4		
30-34	8	3	1	
35-39	11	5		
40-44	27	11		
45-49	10	10		
50-54	14	10		
55-59	25	10	1	
60-64	8	9		
65-69	12	7	1	
70-74	12	10	1	
75-79	10	6		
80-84	5	2		
85-UP	2	3		
-- ICD 172.7 (1969) ----				
20-24	1	1		
25-29	3	2		
30-34	2	1		
35-39	3	4		
40-44	9	7		
45-49	7	9		

AGE	WM	WF	NM	NF
-- 172.7 (1969) CONTD---				
50-54	11	8	1	
55-59	5	7		
60-64	14	8		
65-69	11	2		
70-74	4	4	1	
75-79	4	9		
80-84	3	5		
85-UP	1	1		
-- ICD 172.8 (1969) ----				
10-14		1		
15-19	1			
20-24	3	3		
25-29	4	4		
30-34	4	5		
35-39	4	9		
40-44	8	12	1	1
45-49	4	16		1
50-54	12	16	2	
55-59	11	15	1	1
60-64	12	14	3	
65-69	11	15	4	
70-74	9	11	2	2
75-79	9	15		2
80-84	6	10		
85-UP	2	9		
-- ICD 172.9 (1969) ----				
05-09		1		
10-14	1			
15-19	11	11		
20-24	20	12		1
25-29	40	26		
30-34	58	50	1	
35-39	81	73	2	
40-44	96	89		3
45-49	131	93	3	3
50-54	126	91	6	4
55-59	147	84	5	4
60-64	134	87	7	7
65-69	118	93	6	7
70-74	82	78	4	7
75-79	81	82	1	1
80-84	40	49	2	
85-UP	37	53	2	
-- ICD 173.0 (1969) ----				
40-44	1			
55-59	4			
60-64	2			
65-69		1		
70-74	3		1	
75-79	4			
80-84	1			
85-UP	3	1		
-- ICD 173.1 (1969) ----				
50-54	1	1		
60-64	1			
70-74		1		
75-79	1	1		
80-84	2	1		
85-UP	2			
-- ICD 173.2 (1969) ----				
40-44	1			
45-49	1			
50-54	2	3		1
55-59		2		
60-64	5	1		
65-69	9	1		1
70-74	11	4		
75-79	4			
80-84	11	2		1
85-UP	16	2		
-- ICD 173.3 (1969) ----				
25-29			1	
35-39	4	1		
40-44	4	2	1	
45-49	2	6	1	
50-54	16	3	2	2
55-59	28	7		
60-64	22	8	2	1
65-69	26	11	2	1
70-74	46	22	1	3
75-79	52	29	3	1
80-84	57	50	2	2
85-UP	77	76	1	
-- ICD 173.4 (1969) ----				
25-29		1	1	
40-44	2			1
45-49	7			
50-54	11	3	2	1

AGE	WM	WF	NM	NF
-- 173.4 (1969) CONTD---				
55-59	7	3	1	1
60-64	12	3	1	1
65-69	28	7	1	3
70-74	19	8	1	1
75-79	24	9		
80-84	14	11		2
85-UP	26	6	1	
-- ICD 173.5 (1969) ----				
40-44	1			
45-49			1	
50-54	2			
55-59	2			
60-64	1			
65-69			1	
70-74	1			
75-79	4		1	
85-UP	1			
-- ICD 173.6 (1969) ----				
00-04		1		
10-14	1			
25-29	1			
30-34		1	1	
35-39	3			
40-44	2	4	2	
45-49	4	4	1	
50-54	6	5	1	2
55-59	8	17	3	3
60-64	13	5	2	1
65-69	9	16		2
70-74	18	15	1	3
75-79	14	24	2	5
80-84	11	13		
85-UP	9	17	1	
-- ICD 173.7 (1969) ----				
45-49	1			
55-59	3			
60-64	4			
65-69	4	1		
70-74	5			
75-79	7	1	1	1
80-84	3	1		
85-UP	6	4		
-- ICD 173.8 (1969) ----				
15-19		1	1	
45-49		3		
50-54	2			
55-59		1	1	2
60-64	3		2	1
65-69		6	1	1
70-74	2	3		
75-79	4	1	1	
80-84	2	8		1
85-UP	3	3		
-- ICD 173.9 (1969) ----				
20-24		1		
25-29		1		
30-34	1			
35-39	1	1		
40-44	1		1	
45-49	4	2		
50-54	1	4		1
55-59	4	5		1
60-64	9	1	1	
65-69	6	4		
70-74	12	4	1	
75-79	15	6		
80-84	13	4		
85-UP	11	9	1	
-- ICD 174 --(1969) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1969) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1969) ----				
05-09				1
15-19		6		2
20-24		15		3
25-29		6		1
30-34		4		2
35-39		2		2
40-44		3		1
45-49		4		
50-54		1		
55-59		2		
70-74		1		
75-79		1		1

AGE	WM	WF	NM	NF
-- ICD 182.0 (1969) ----				
15-19	1			
25-29	1			
30-34	1			2
35-39	6			2
40-44	23			3
45-49	48			9
50-54	90			19
55-59	168			37
60-64	213			38
65-69	304			49
70-74	289			29
75-79	260			22
80-84	141			9
85-UP	78			9
-- ICD 182.9 (1969) ----				
10-14	2			
20-24	1			
25-29	2			2
30-34	9			10
35-39	33			12
40-44	83			31
45-49	138			33
50-54	205			55
55-59	276			75
60-64	381			87
65-69	477			102
70-74	462			45
75-79	442			34
80-84	331			36
85-UP	240			22
-- ICD 183.0 (1969) ----				
00-04	3			1
05-09				1
10-14	17			4
15-19	34			6
20-24	30			6
25-29	32			8
30-34	59			15
35-39	159			17
40-44	388			30
45-49	744			77
50-54	1094			84
55-59	1195			121
60-64	1196			114
65-69	1216			114
70-74	1082			52
75-79	891			34
80-84	528			17
85-UP	289			13
-- ICD 183.1 (1969) ----				
10-14	1			
25-29	1			
35-39	3			
40-44	6			
45-49	13			3
50-54	20			5
55-59	20			2
60-64	15			4
65-69	8			1
70-74	6			
75-79	4			2
80-84	2			
-- ICD 183.9 (1969) ----				
75-79	1			
-- ICD 184.0 (1969) ----				
15-19	2			
30-34	1			1
40-44	8			1
45-49	9			2
50-54	9			4
55-59	29			4
60-64	31			3
65-69	33			2
70-74	33			5
75-79	41			3
80-84	34			1
85-UP	32			2
-- ICD 184.1 (1969) ----				
15-19	1			
20-24				1
25-29				1
30-34	1			
35-39	6			1
40-44	8			5
45-49	8			7
50-54	16			1
55-59	19			7
60-64	26			8
65-69	55			9
70-74		75		1
75-79		72		4
80-84		88		2
85-UP		95		3
-- ICD 184.9 (1969) ----				
40-44		3		
45-49		6		
50-54		8		1
55-59		9		2
60-64		6		3
65-69		4		2
70-74		8		3
75-79		8		1
80-84		3		
85-UP		5		2
-- ICD 185 --(1969) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1969) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1969) ----				
25-29	1			
30-34	3			
35-39	3			2
40-44	6			1
45-49	10			3
50-54	10			12
55-59	7			7
60-64	16			20
65-69	19			5
70-74	30			9
75-79	21			4
80-84	16			6
85-UP	22			1
-- ICD 187.8 (1969) ----				
05-09	1			
15-19	1			
20-24				1
25-29	1			
45-49	1			
50-54	1			
55-59	1			
65-69	3			
70-74	3			1
75-79	2			
80-84	4			
-- ICD 187.9 (1969) ----				
10-14				1
35-39				1
50-54	1			
55-59	3			
60-64	6			
65-69	4			1
70-74	3			
75-79	5			
80-84	3			
85-UP	2			
-- ICD 188 --(1969) ----				
00-04	3	2	1	
05-09	1			
10-14	1			1
20-24	1			
25-29	2	1		
30-34	2			
35-39	8	12		
40-44	27	15	7	2
45-49	87	39	11	8
50-54	185	58	26	26
55-59	366	108	60	36
60-64	645	165	69	40
65-69	876	239	90	38
70-74	1055	354	63	42
75-79	1027	471	55	35
80-84	744	440	39	25
85-UP	486	382	31	13
-- ICD 189.0 (1969) ----				
00-04	31	36	3	4
05-09	28	32	6	7
10-14	3	2	1	2
15-19	4	4		5
20-24	2	3	1	
25-29	10	10	2	4
30-34	13	12	4	2
35-39	36	20	4	8
40-44	57	42	10	8
45-49	213	79	21	11
50-54	336	124	25	18
55-59	465	177	44	15
60-64	523	261	48	21
65-69	501	308	45	23
70-74	457	315	24	10
75-79	416	288	12	10
80-84	251	161	12	9
85-UP	104	130	5	8
-- ICD 189.1 (1969) ----				
40-44	1			
45-49	1	2	1	
50-54	3	2	1	
55-59	1	2		
60-64	5	5		
65-69	8	5		1
70-74	10	7	1	
75-79	8	2	1	
80-84	5	3		
85-UP	1	2		
-- ICD 189.2 (1969) ----				
25-29			1	
35-39	1			
40-44	4			
45-49	2	1	1	
50-54	7	4		
55-59	9	3		
60-64	13	10	1	
65-69	24	10	2	2
70-74	15	10	2	
75-79	15	12		
80-84	11	8		
85-UP	7	8		
-- ICD 189.9 (1969) ----				
30-34				1
35-39	1		1	1
40-44	1	4		
45-49	2	3		1
50-54	6	7	2	
55-59	5	12	4	5
60-64	6	9	2	2
65-69	13	13	6	2
70-74	13	9	2	1
75-79	5	11	2	1
80-84	10	10	1	
85-UP	1	13	1	1
-- ICD 190 --(1969) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1969) ----				
00-04	70	69	7	15
05-09	113	65	10	17
10-14	80	69	3	11
15-19	86	38	4	7
20-24	53	49	2	4
25-29	56	44	6	7
30-34	97	67	4	5
35-39	125	103	11	9
40-44	200	152	12	7
45-49	296	199	16	17
50-54	398	283	22	9
55-59	466	343	30	18
60-64	470	339	15	13
65-69	375	302	21	9
70-74	246	212	5	7
75-79	113	92	3	2
80-84	31	32		1
85-UP	9	14		
-- ICD 192.0 (1969) ----				
00-04	1	2		
05-09		3		
10-14	1	1		
15-19		3		
20-24	2	1		
35-39		1		
40-44	1			
45-49		1		
50-54		1		1
55-59			1	
65-69		1		
75-79	1			
-- ICD 192.1 (1969) ----				
05-09	1			
10-14	1			
20-24	1			
25-29	1			
35-39			3	
40-44	1			
45-49		4		
50-54	2	1		
55-59	1	2		
60-64	1			
65-69	1	3		
70-74		1		
-- ICD 192.2 (1969) ----				
00-04	1			
05-09	2	1		1
10-14	4	3	1	
15-19	6	3	1	2
20-24	2	5		1
25-29	3	2	1	
30-34	1	5		1
35-39	2	1		
40-44	1	5		1
45-49	2	5	1	
50-54	6	5		
55-59	12	4		
60-64	10	8		
65-69	6	5	2	
70-74	14	3	2	1
75-79	7	6	1	
80-84	1	1		
-- ICD 192.3 (1969) ----				
25-29				1
-- ICD 192.4 (1969) ----				
00-04	2		1	
05-09	1	1		
10-14	1	3	1	1
15-19	2		2	
20-24	5	6	1	1
25-29	3	3	1	1
30-34	2	4		
35-39	4	5	1	1
40-44		3		1
45-49	4	6	1	
50-54	4	3		1
55-59	5	4	1	2
60-64	5			1
65-69	5	4	1	1
70-74	4	2		
75-79	3	5		1
80-84		1	1	
85-UP	2			
-- ICD 192.5 (1969) ----				
00-04	86	51	10	5
05-09	35	23	1	6
10-14	15	10	1	4
15-19	11			
20-24	3	4		
25-29	4	3		
30-34	4			
35-39	1			
45-49	2	1		
50-54	4			
55-59	2	1		
60-64	2			
65-69	2	1		
70-74	1			
75-79				1
80-84	1			
-- ICD 192.9 (1969) ----				
00-04	15	7		2
05-09	30	19	4	1
10-14	17	11	1	2
15-19	14	6	2	
20-24	4	5	1	
25-29	9	4		
30-34	11	8	3	1
35-39	24	15	1	2
40-44	42	25		1
45-49	58	30	5	3
50-54	87	43	2	
55-59	90	50	6	3
60-64	92	56	1	3
65-69	75	44	3	1
70-74	41	37		2
75-79	25	17	1	
80-84	3	7		
85-UP	2	2		
-- ICD 193 --(1969) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1969) ----				
00-04		1		
05-09		2	1	
15-19		2		
20-24	3	1		
25-29	1	2	1	
30-34	1	3		
35-39	12	6	1	
40-44	7	10		2
45-49	16	12	1	
50-54	15	14	1	
55-59	15	17	1	3
60-64	22	14		
65-69	20	11		1
70-74	20	11		
75-79	7	6		
80-84	4	3		
85-UP		2		1
-- ICD 194.1 (1969) ----				
45-49				1
50-54	1			
55-59		1		
60-64		1		
65-69	1			
75-79		1		
-- ICD 194.2 (1969) ----				
05-09	1	1		
10-14				1
15-19	3			
20-24	2	1		
25-29	3			
30-34	4	1		
35-39	1			1
40-44	2	3		
45-49	6	2		
50-54	3	4	1	
55-59	5	4	1	
60-64	7	6	1	1
65-69	2	4		
70-74	5	1		
75-79		2		
-- ICD 194.3 (1969) ----				
05-09		1		
25-29		1		
30-34		1		
35-39	1		1	
40-44	1	1		
45-49	1			
50-54		2		
55-59	2	1		
60-64	1	2		1
65-69	4	1		
70-74	2			
75-79		1		
-- ICD 194.4 (1969) ----				
00-04			1	
10-14	1	1		1
15-19	2			
20-24	1			
50-54	2			
-- ICD 194.8 (1969) ----				
00-04		1		
20-24		2		
25-29	1			
30-34	2	1		
40-44		1		
45-49		1		
50-54	1			
55-59	1			
65-69	1	1		
75-79				1
80-84	1			
-- ICD 195.0 (1969) ----				
00-04	1	2		
05-09	1	1	1	
10-14	1			
25-29	1	2		1
30-34				3
35-39	5	4		4
40-44	7	9	4	1
45-49	15	27	3	7
50-54	22	33	4	6
55-59	41	58	11	18
60-64	66	94	11	19
65-69	66	114	11	32
70-74	73	129	20	21
75-79	66	158	7	17
80-84	44	128	5	5
85-UP	29	88	4	8
-- ICD 195.1 (1969) ----				
00-04	1	5		1
05-09		1		
15-19	1			
20-24	2	1		
30-34		2		
35-39	1	4	1	
40-44		7	1	2

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 195.1 (1969) CONTD---				
45-49	3	9	2	4
50-54	5	15	1	2
55-59	4	19		4
60-64	5	24	3	7
65-69	4	37	2	7
70-74	6	37		1
75-79	3	39		3
80-84	8	39		2
85-UP	5	35		3
-- ICD 195.9 (1969) ----				
00-04	2	3		
05-09				1
10-14	2	1		1
15-19	5	6	1	1
20-24	4	2		1
25-29	8	4		2
30-34	2			1
35-39	5	6		
40-44	12	9	4	1
45-49	24	11	4	1
50-54	36	20	6	2
55-59	52	37	7	4
60-64	71	29	5	4
65-69	76	33	8	2
70-74	75	37	5	1
75-79	72	52	2	3
80-84	39	42	2	1
85-UP	56	59	3	2
-- ICD 196.0 (1969) ----				
30-34	1			
35-39			1	
40-44	1			
45-49	2	1		
50-54	1	2		
55-59	10	4	1	
60-64	6	4	1	
65-69	6	3		
70-74	4			
75-79	4	7	1	
80-84	7	1	1	
85-UP	5	4		
-- ICD 196.1 (1969) ----				
55-59		1	1	
60-64	1			
65-69	1	1		
-- ICD 196.2 (1969) ----				
45-49		1		
55-59	1			
60-64	1	1		
65-69	1			
70-74		2		
75-79	2			
80-84		1		
85-UP		1		
-- ICD 196.3 (1969) ----				
45-49		1		
60-64	1			
-- ICD 196.4 (1969) ----				
55-59		1		
70-74	2			
75-79		1	1	
80-84		1		
85-UP		1		
-- ICD 196.7 (1969) ----				
45-49		2	1	
55-59		1		
60-64	2			
65-69		1		
70-74	1	1		
85-UP	1	1		
-- ICD 196.8 (1969) ----				
45-49	1	1		
70-74		2		
80-84	2			
-- ICD 196.9 (1969) ----				
15-19	1			
40-44		1		
45-49	2	2	1	
50-54	2		2	
55-59	4		1	
60-64	3	8		1
65-69	3	3		1
70-74	1	3		
75-79	2	2		
80-84	2	1		1
85-UP	1	2	1	

AGE	WM	WF	NM	NF
-- ICD 197.0 (1969) ----				
00-04		1	1	
20-24	1	1		
25-29	1	1		
30-34	8	1		
35-39	4	3	2	1
40-44	7	9	3	5
45-49	13	10		8
50-54	21	23	4	6
55-59	34	33	5	6
60-64	43	27	6	4
65-69	53	45	8	6
70-74	72	35	6	5
75-79	59	48	1	4
80-84	45	37	3	1
85-UP	20	24		3
-- ICD 197.1 (1969) ----				
40-44	1			
50-54	3			
60-64	5	3		
65-69	2			
70-74	2	2		
75-79	4	1		
-- ICD 197.2 (1969) ----				
15-19		1		
25-29			1	
35-39				1
40-44	1	1		
45-49	2	3		1
50-54	3	5	2	
55-59	2	9		1
60-64	5	8		1
65-69	6	12	4	1
70-74	10	12	1	1
75-79	8	14		1
80-84	4	10		1
85-UP	1	8	1	1
-- ICD 197.3 (1969) ----				
40-44		1	1	
50-54		1		
55-59		2		
65-69	1		1	
70-74			1	
75-79				1
-- ICD 197.4 (1969) ----				
45-49	1			
50-54	1			
55-59	2			
60-64	3			
65-69	2			
-- ICD 197.5 (1969) ----				
40-44		2		
45-49		2		1
50-54	2	1		1
55-59		7		
60-64	4	3		
65-69	3	3	1	2
70-74		5		1
75-79	3	7	1	
80-84	2	3		1
85-UP	1	7		1
-- ICD 197.6 (1969) ----				
00-04	1			
25-29	1		1	
35-39		1		
40-44		1		
45-49		1	1	2
50-54	4	3		1
55-59	3	10	1	2
60-64	11	5		1
65-69	10	4	1	2
70-74	5	10		1
75-79	4	10	1	1
80-84	1	7		1
85-UP	4	3		1
-- ICD 197.7 (1969) ----				
00-04		1		
05-09		1	1	
15-19		2		1
20-24	1	1		
25-29	1	1		
30-34	1	3	2	2
35-39	4	4	4	6
40-44	12	13	5	6
45-49	25	22	9	9
50-54	52	38	16	10
55-59	87	53	20	7
60-64	103	81	15	10

AGE	WM	WF	NM	NF
-- 197.7 (1969) CONTD---				
65-69	120	97	20	12
70-74	142	124	15	9
75-79	119	114	9	13
80-84	67	84	3	5
85-UP	44	52	2	2
-- ICD 197.8 (1969) ----				
00-04	2	1		
05-09	1	2		
10-14	3			2
15-19	4	1		
20-24	1	3	3	
25-29	3	4		3
30-34	4	3	1	1
35-39	13	3	8	2
40-44	24	20	11	4
45-49	32	42	14	12
50-54	68	71	18	19
55-59	149	93	28	16
60-64	184	112	54	20
65-69	236	161	31	26
70-74	234	194	19	20
75-79	184	214	13	15
80-84	144	188	14	12
85-UP	79	150	8	11
-- ICD 197.9 (1969) ----				
40-44		1		
45-49	3			
50-54	5			1
55-59	2	1		1
60-64	3	3	1	
65-69	4	2		1
70-74	5	3	1	1
75-79	2		1	
80-84	4	2		
85-UP	2	2		
-- ICD 198.0 (1969) ----				
50-54		1		
55-59	1	1		
60-64	2			
65-69		1		
70-74		2		
75-79	1	2		
85-UP		1		
-- ICD 198.1 (1969) ----				
15-19	1			
30-34		1		
40-44	1			
45-49		1		
55-59	2	2		
60-64		1		
65-69	2	1		
75-79	1	1		
85-UP		2		
-- ICD 198.2 (1969) ----				
35-39	1			
40-44			1	
45-49			1	
50-54	1	1		
55-59	3		1	
60-64	2		1	
65-69	1			
70-74	3	2	1	
75-79	3	5		
80-84	1	1		
85-UP	2			1
-- ICD 198.3 (1969) ----				
00-04		1		
15-19	1			2
20-24	1	1		
25-29	1	1		
30-34	2	6		
35-39	8	6	3	2
40-44	11	7		4
45-49	22	19	2	4
50-54	37	24	6	2
55-59	42	18	3	2
60-64	47	29	5	4
65-69	47	17	1	3
70-74	24	19	2	2
75-79	14	26	2	1
80-84	12	9		
85-UP	4	3		
-- ICD 198.4 (1969) ----				
00-04		1		
05-09	1			
10-14		1		
15-19		1		
40-44		2	1	

AGE	WM	WF	NM	NF
-- 198.4 (1969) CONTD---				
45-49	3	1	1	
50-54	2	3		1
55-59	2	1		1
60-64	3	3	3	
65-69	2	2		1
70-74	2	1		
75-79	4		1	
80-84	1	1		
-- ICD 198.5 (1969) ----				
20-24		1		
30-34	1	1		
35-39		3		
40-44	2	6	1	
45-49	3	6	2	1
50-54	18	13	5	1
55-59	17	13	1	
60-64	35	17	4	1
65-69	31	24	1	2
70-74	32	24	1	1
75-79	17	27	2	2
80-84	19	15	2	1
85-UP	8	10		
-- ICD 198.9 (1969) ----				
00-04		1		
05-09	2			
25-29	1			
30-34	2	1		1
35-39	1	1		1
40-44	8	7		1
45-49	12	17	3	4
50-54	15	35	2	3
55-59	33	30	3	5
60-64	47	52	9	5
65-69	42	67	6	4
70-74	48	53	9	6
75-79	35	65	2	2
80-84	26	64	1	3
85-UP	18	58	1	2
-- ICD 199.0 (1969) ----				
00-04	6	4		
05-09	7	2		1
10-14	2	3	1	
15-19	9	7	3	1
20-24	15	9		2
25-29	24	15	2	5
30-34	19	24	8	5
35-39	51	51	7	12
40-44	78	108	38	33
45-49	177	194	26	49
50-54	280	280	53	71
55-59	405	345	96	82
60-64	514	411	82	69
65-69	572	531	84	100
70-74	557	524	85	83
75-79	466	588	57	39
80-84	317	403	22	29
85-UP	203	310	23	22
-- ICD 199.1 (1969) ----				
00-04	1	7	2	
05-09	3		1	
10-14	1			
15-19	4	2		1
20-24	1	6	2	
25-29	6	4		3
30-34	6	1	1	1
35-39		7	1	2
40-44	12	15	5	7
45-49	24	21	11	4
50-54	33	24	8	12
55-59	48	38	23	17
60-64	73	46	14	17
65-69	61	55	21	22
70-74	64	50	18	15
75-79	61	61	15	11
80-84	38	49	6	4
85-UP	36	46	2	10
-- ICD 200.0 (1969) ----				
00-04	5	3	1	
05-09	9	2	1	1
10-14	18	5	3	1
15-19	30	14	3	
20-24	22	10	3	
25-29	33	12	3	3
30-34	20	12	2	4
35-39	39	21	6	1
40-44	54	21	6	3
45-49	79	66	6	3
50-54	122	88	7	10
55-59	126	109	16	13
60-64	141	135	8	5

AGE	WM	WF	NM	NF
-- 200.0 (1969) CONTD---				
65-69	150	126	13	13
70-74	182	185	8	7
75-79	124	146	6	6
80-84	69	83	2	2
85-UP	30	43	1	1
-- ICD 200.1 (1969) ----				
00-04	14	8		2
05-09	41	16	8	2
10-14	48	12	3	3
15-19	38	9		3
20-24	15	10	6	2
25-29	25	12	5	2
30-34	29	14	4	2
35-39	52	22	3	3
40-44	84	46	5	6
45-49	117	88	10	5
50-54	169	122	14	11
55-59	248	165	14	6
60-64	258	208	24	5
65-69	294	251	20	15
70-74	276	271	13	7
75-79	250	216	11	7
80-84	144	170	7	3
85-UP	68	82	4	4
-- ICD 201 --(1969) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1969) ----				
30-34	1	1		
35-39	3	1		
40-44	1	5		
45-49	5	8		
50-54	10	6		
55-59	10	4		
60-64	9	10		
65-69	6	2		
70-74	10	5		
75-79	7	9		
80-84	3	5	1	
85-UP	3	1		
-- ICD 202.1 (1969) ----				
30-34	1			1
35-39			2	1
40-44	2			
45-49	1	3		2
50-54	4	1		2
55-59	5	5	4	5
60-64	8	4	1	1
65-69	7	2		
70-74	8	7		
75-79	4	4	1	2
80-84	7	1		
85-UP	1	1		
-- ICD 202.2 (1969) ----				
00-04	10	3	1	1
05-09	18	6	2	
10-14	13	5	3	1
15-19	19	13	2	5
20-24	15	6	5	
25-29	14	4	1	1
30-34	14	8	3	1
35-39	16	12	2	3
40-44	45	39	6	6
45-49	71	48	8	6
50-54	91	69	11	5
55-59	146	112	14	10
60-64	164	118	17	10
65-69	177	142	16	12
70-74	159	147	12	5
75-79	148	149	8	5
80-84	91	122	6	1
85-UP	50	70		2
-- ICD 202.9 (1969) ----				
40-44	1			
55-59	1	1		
65-69			1	
75-79	1			
80-84		1		
-- ICD 203 --(1969) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1969) ----				
00-04	117	102	12	11
05-09	200	158	16	8
10-14	104	76	16	9
15-19	95	32	11	5
20-24	37	18	1	1
25-29	29	13	1	
30-34	18	6	1	4

AGE	WM	WF	NM	NF
-- 204.0 (1969) CONTD---				
35-39	15	11		
40-44	26	16		
45-49	22	20	3	2
50-54	29	29	1	2
55-59	42	33	1	5
60-64	55	28	2	1
65-69	46	43	4	3
70-74	62	55	2	3
75-79	64	46		3
80-84	56	37		1
85-UP	34	30		
-- ICD 204.1 (1969) ----				
00-04	1	2		
05-09	2	2		
10-14	2		1	
15-19	3			
20-24	1		1	
25-29	1	1	1	
30-34		1		
35-39	1		1	2
40-44	11	3		1
45-49	28	11	4	3
50-54	60	20	9	3
55-59	109	39	23	5
60-64	111	74	16	6
65-69	176	95	18	8
70-74	220	136	21	8
75-79	254	149	13	6
80-84	176	170	4	3
85-UP	118	115	10	5
-- ICD 204.9 (1969) ----				
00-04	4	7		
05-09	13	12	3	
10-14	3	5		1
15-19	2	2	1	1
20-24	5	1		
25-29	1	1		
30-34	1	1		
35-39	3			
40-44	8	2	1	
45-49	10	4		1
50-54	18	8		2
55-59	34	16	4	4
60-64	40	30	4	2
65-69	69	30	5	5
70-74	75	61	3	6
75-79	72	65	3	4
80-84	73	54	1	
85-UP	48	63	1	1
-- ICD 205.0 (1969) ----				
00-04	33	18	1	5
05-09	23	29	4	2
10-14	36	26	6	3
15-19	50	28	8	2
20-24	43	27	1	6
25-29	38	30	4	4
30-34	47	36	5	5
35-39	62	60	7	8
40-44	77	58	6	5
45-49	94	67	3	4
50-54	95	85	8	6
55-59	124	98	11	8
60-64	174	94	10	11
65-69	185	152	17	12
70-74	233	177	14	8
75-79	177	174	12	4
80-84	93	111	6	3
85-UP	58	73	3	2
-- ICD 205.1 (1969) ----				
00-04	4	3		
05-09	5	3		1
10-14	2	1	3	
15-19	6	4	1	
20-24	17	10	4	2
25-29	26	4	5	2
30-34	19	11	6	3
35-39	26	18	5	5
40-44	32	27	3	5
45-49	36	32	3	10
50-54	64	38	9	4
55-59	64	54	10	7
60-64	76	53	5	4
65-69	90	71	4	6
70-74	99	71	7	6
75-79	99	89	4	5
80-84	56	75	1	3
85-UP	45	67	1	1
-- ICD 205.9 (1969) ----				
00-04	1	2	2	1
05-09	3	2	1	1

AGE	WM	WF	NM	NF
-- 205.9 (1969) CONTD---				
10-14	4			
15-19	2	3		
20-24	5	1		
25-29	5	2	1	
30-34	2	5	1	
35-39	6	4	1	
40-44	9	8		1
45-49	9	7		3
50-54	16	6	2	4
55-59	22	14	2	2
60-64	40	18	3	1
65-69	58	39	2	1
70-74	61	41	1	1
75-79	71	56	1	3
80-84	39	56	2	
85-UP	25	30		1
-- ICD 206.0 (1969) ----				
00-04	3	6		1
05-09	2			1
10-14	4	5		
15-19	8	5		
20-24	6	6	1	2
25-29	4	6	1	
30-34	8	8		
35-39	10	4	1	
40-44	11	8	1	1
45-49	9	17	1	
50-54	20	6	1	
55-59	23	21	1	1
60-64	26	19	3	1
65-69	22	20		1
70-74	35	22	1	
75-79	35	26	1	1
80-84	29	15	3	
85-UP	12	13		
-- ICD 206.1 (1969) ----				
55-59		1		
60-64	1	2		
65-69	1	2		
70-74	1	2		
75-79		2		
80-84		2		
85-UP		1		
-- ICD 206.9 (1969) ----				
00-04	2	1		
10-14	1			
15-19		1		
20-24		1		
30-34	1			
35-39	1			
40-44				1
45-49	7	1		
50-54	4	3		
55-59	6	1	1	
60-64	10	13		
65-69	13	8	3	
70-74	13	8		
75-79	10	14		
80-84	9	11		1
85-UP	6	9		1
-- ICD 207.0 (1969) ----				
00-04	72	57	4	7
05-09	93	73	10	7
10-14	52	35	8	5
15-19	41	26	8	4
20-24	29	18	3	2
25-29	28	6	1	1
30-34	12	21	1	1
35-39	22	20	2	4
40-44	38	32	5	3
45-49	37	30	8	6
50-54	49	29	2	4
55-59	76	50	5	5
60-64	77	42	7	2
65-69	77	66	12	8
70-74	87	69	4	3
75-79	93	73	5	3
80-84	62	43	3	
85-UP	25	22		2
-- ICD 207.1 (1969) ----				
00-04	1			
20-24				1
30-34				1
35-39	1	1		
40-44	1	1		1
45-49	2			
50-54	1		1	
55-59	4	1		
60-64	4	3		1
65-69	9	4	1	
70-74	6	12		

AGE	WM	WF	NM	NF
-- 207.1 (1969) CONTD---				
75-79	5	14	1	1
80-84	8	13	2	1
85-UP	10	9	1	
-- ICD 207.2 (1969) ----				
00-04	2			
05-09	1			1
15-19				1
20-24	1			
30-34		1		
35-39			1	1
40-44	1	1		
45-49	1			1
50-54	4	2	1	
55-59	4	4	1	
60-64	5	5	2	
65-69	9	6	1	
70-74	11	3	1	
75-79	13	6	1	
80-84	8	1		1
85-UP	8	1		
-- ICD 207.9 (1969) ----				
00-04	44	27	3	4
05-09	37	26	5	3
10-14	16	8	4	2
15-19	15	4	2	2
20-24	4	4	1	1
25-29	1	4		1
30-34	7	5	2	5
35-39	8	5	2	2
40-44	12	9	3	
45-49	16	16	4	4
50-54	16	12	5	5
55-59	24	19	4	8
60-64	43	30	2	8
65-69	68	41	10	8
70-74	88	55	5	4
75-79	81	63	6	2
80-84	68	59	3	4
85-UP	60	44		1
-- ICD 208 --(1969) ----				
00-04	2	3		
15-19	1	1		
20-24		1		
25-29	2			
30-34	1	1	1	
35-39	3	2	1	
40-44	6			
45-49	10	7	1	
50-54	31	14	3	
55-59	42	24	2	1
60-64	53	25	3	2
65-69	47	37	3	1
70-74	52	51	2	1
75-79	42	53	1	1
80-84	24	36	1	
85-UP	9	15		
-- ICD 209 --(1969) ----				
00-04	1			
05-09		1	1	
15-19	2		1	
20-24			1	
25-29	1		1	
30-34	1	2		
35-39	1	2		1
40-44	7	5		
45-49	4	9	2	
50-54	15	13	3	
55-59	28	21	4	4
60-64	50	28	3	2
65-69	55	47	2	4
70-74	71	53	4	1
75-79	58	48	2	1
80-84	40	30	2	2
85-UP	16	18	1	
-- ICD 140.0 (1970) ----				
50-54	1			
60-64	1			
65-69		1		
70-74	1			
75-79	1			
80-84	1			
-- ICD 140.1 (1970) ----				
40-44	3			
45-49	2			
50-54	1	1		
55-59	2			
60-64	8			
65-69	4			
70-74	8			

AGE	WM	WF	NM	NF
-- 140.1 (1970) CONTD---				
75-79	11			
80-84	5			
85-UP	12	2		
-- ICD 140.2 (1970) ----				
70-74		1		
75-79		1		
-- ICD 140.9 (1970) ----				
35-39	1			
40-44	5			
45-49	2			
50-54	8			
55-59	11			
60-64	11	1		
65-69	11	3		
70-74	13	1		
75-79	15			
80-84	18	4	2	
85-UP	19	3		1
-- ICD 141.0 (1970) ----				
35-39	1		1	
40-44	5	1	3	
45-49	5		4	2
50-54	12	3	2	3
55-59	22	6	6	1
60-64	30	4	4	1
65-69	25	4	3	
70-74	8	1		
75-79	7	4	2	
80-84	7	1	1	
85-UP	3			
-- ICD 141.1 (1970) ----				
65-69				1
75-79		1		
85-UP		1		
-- ICD 141.2 (1970) ----				
55-59		1		
65-69	1			
80-84		1		
-- ICD 141.9 (1970) ----				
15-19		1		
20-24		1		
25-29		1		
30-34	2	2	1	
35-39	7	3	4	1
40-44	14	8	11	2
45-49	47	19	17	4
50-54	99	39	26	6
55-59	154	66	16	12
60-64	162	56	23	6
65-69	168	39	18	4
70-74	120	58	11	5
75-79	116	44	12	2
80-84	67	41	6	
85-UP	43	40	2	1
-- ICD 142.0 (1970) ----				
00-04			1	
05-09		1		
15-19	1	1		
20-24	1			
25-29	2	2		
30-34		3		
35-39	4	3		
40-44	5	7		1
45-49	6	5	1	
50-54	22	10	1	
55-59	30	16	2	2
60-64	25	22	4	3
65-69	32	18	3	4
70-74	40	20	5	2
75-79	43	23	3	
80-84	36	27	2	
85-UP	29	35		3
-- ICD 142.8 (1970) ----				
20-24				1
40-44	1			
45-49	4	4		2
50-54	1	1		
55-59	7	1		1
60-64	6	3	1	
65-69	2	6		
70-74	7	9		
75-79	3	4	1	
80-84	7	4		1
85-UP	2	1		
-- ICD 142.9 (1970) ----				
30-34	1			

AGE	WM	WF	NM	NF
-- 142.9 (1970) CONTD---				
35-39		1		
40-44	1	1		
45-49	2	2		
50-54	4	1		
55-59	3	1	1	
60-64	2	4	1	1
65-69	6	1		
70-74	5	4	3	
75-79	1	3	2	
80-84	3	2		
85-UP	1	2		
-- ICD 143.0 (1970) ----				
45-49	1			
50-54	1			
55-59		1		
60-64	1	1		
65-69	2	1		1
80-84		1		
-- ICD 143.1 (1970) ----				
45-49		1		
55-59	4			
60-64	1	2		1
65-69	2			
70-74		1		
75-79	2	2		
80-84	1	1		
85-UP		1		
-- ICD 143.9 (1970) ----				
10-14	1			
15-19		1		
20-24	1			
25-29			2	
35-39	1			
40-44	2			
45-49	2		1	
50-54	5	2	1	1
55-59	12	4		
60-64	10	4	1	1
65-69	7	3	2	
70-74	4	5	1	
75-79	8	6	2	
80-84	5	6		2
85-UP	6	4		
-- ICD 144 --(1970) ----				
30-34	1			1
35-39	3		1	
40-44	5	4	4	5
45-49	19	9	9	2
50-54	41	12	5	2
55-59	60	23	9	1
60-64	66	18	9	1
65-69	42	12	8	
70-74	42	13	3	
75-79	42	3	3	1
80-84	18	8	1	
85-UP	11	13	2	4
-- ICD 145.0 (1970) ----				
15-19	1			
40-44	1		1	
45-49	1			
50-54	3	3	1	
55-59	5	3		1
60-64	6	6		
65-69	8	4	1	
70-74	9	6		
75-79	6	7	2	1
80-84	3	7	1	
85-UP	7	3		
-- ICD 145.1 (1970) ----				
25-29		1		
35-39	1		1	
40-44	3	3	3	1
45-49	5	6	3	
50-54	14	9	2	
55-59	14	9	3	1
60-64	29	14	3	2
65-69	21	8	1	1
70-74	28	7	2	1
75-79	19	14	1	2
80-84	16	11	2	1
85-UP	6	7		2
-- ICD 145.8 (1970) ----				
45-49			1	
50-54	1			
55-59	3	1		
60-64	1			
70-74	1			
80-84	1			

AGE	WM	WF	NM	NF
-- ICD 145.9 (1970) ----				
20-24	1			
30-34			3	
35-39	2			
40-44	12	4	5	1
45-49	17	9	9	4
50-54	28	14	5	2
55-59	55	21	10	2
60-64	63	31	12	3
65-69	49	26	4	1
70-74	52	23	1	1
75-79	45	21	1	2
80-84	36	32	2	3
85-UP	27	24		3
-- ICD 146.0 (1970) ----				
10-14				1
25-29				1
30-34			1	
35-39	1	1		1
40-44	12	3	7	2
45-49	25	12	12	1
50-54	53	19	15	5
55-59	79	29	12	3
60-64	76	25	6	4
65-69	67	16	7	1
70-74	63	13	5	
75-79	33	12	4	1
80-84	18	8	2	
85-UP	17	3	1	
-- ICD 146.8 (1970) ----				
35-39			1	
40-44	1			
45-49	2			
50-54	3	1		
55-59	3	3	2	
60-64	4	1	1	
65-69	6	1		
70-74	7			
75-79	4			
85-UP	1			
-- ICD 146.9 (1970) ----				
35-39		2		1
40-44	2			1
45-49	6	1	2	1
50-54	15	6	3	
55-59	24	4	2	
60-64	25	8	2	
65-69	21	6	2	1
70-74	12	6		
75-79	12	3		
80-84	7	2		
85-UP	6	2	1	
-- ICD 147 --(1970) ----				
SEE PAGES 42 - 47				
-- ICD 148.1 (1970) ----				
25-29			1	
40-44	2			1
45-49	8	2	4	1
50-54	17	3	6	
55-59	29	3	5	
60-64	34	4	4	
65-69	16	1	3	
70-74	18	1	1	
75-79	11			
80-84	6	2		
85-UP	2		1	
-- ICD 148.8 (1970) ----				
55-59	1			
-- ICD 148.9 (1970) ----				
20-24	1	1		
30-34		1		
35-39		1		1
40-44	5	1	2	
45-49	6	6	1	
50-54	26	11	2	2
55-59	48	13	5	1
60-64	54	7	3	4
65-69	40	8	3	2
70-74	22	9		
75-79	20	2	3	1
80-84	9	5		
85-UP	4	2		
-- ICD 149 --(1970) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1970) ----				
SEE PAGES 70 - 79				

AGE	WM	WF	NM	NF
-- ICD 151.0 (1970) ----				
35-39		1		
40-44	3	1	1	1
45-49	9	3	2	1
50-54	6	4	3	
55-59	23	2	1	
60-64	23	7		
65-69	21	5	1	
70-74	20	3	1	
75-79	12	4		
80-84	11	2		
85-UP	6	8		
-- ICD 151.1 (1970) ----				
55-59		1	1	
60-64	2	2	1	
65-69	1	1		2
70-74	3	2	1	
75-79	7	3		
80-84	3			
85-UP	1	3		
-- ICD 151.8 (1970) ----				
40-44	1			
45-49	3			
50-54	5	2		
55-59	2	3	3	
60-64	14	2		1
65-69	7	2	1	2
70-74	7	4		
75-79	7	3		1
80-84	6	5		
85-UP	4	3	2	
-- ICD 151.9 (1970) ----				
15-19	3			
20-24	4	4	2	4
25-29	14	5	2	3
30-34	24	15	10	2
35-39	72	46	19	20
40-44	138	82	35	27
45-49	254	164	98	41
50-54	450	226	122	56
55-59	733	369	164	75
60-64	988	473	234	97
65-69	1218	660	273	115
70-74	1307	814	238	124
75-79	1266	975	160	103
80-84	958	856	119	60
85-UP	593	665	79	53
-- ICD 152.0 (1970) ----				
25-29				1
30-34	2	2		
35-39	1			
40-44			1	
45-49	3	4	2	1
50-54	6	5	2	
55-59	12	5		2
60-64	15	10	1	2
65-69	12	11	5	
70-74	15	16	4	1
75-79	17	10	1	1
80-84	18	16		
85-UP	8	5	1	
-- ICD 152.1 (1970) ----				
20-24	1			
25-29	1			
30-34	1	1		
35-39	2	1		1
40-44	1	1	1	
45-49	4	1	1	
50-54	4	2	1	1
55-59	6	8	1	
60-64	13	8	2	
65-69	9	8	1	1
70-74	10	9	2	1
75-79	3	5	1	
80-84	2	6		
85-UP	1	2	1	
-- ICD 152.2 (1970) ----				
30-34	1			
40-44		2		
45-49	1	1	1	
50-54	5	4		
55-59	6	3		1
60-64	9	3	2	
65-69	7	10	1	
70-74	10	7	1	
75-79	6	8		
80-84	3	2	1	2
85-UP	2	2		

AGE	WM	WF	NM	NF
-- ICD 152.9 (1970) ----				
30-34		1		
35-39		1		
40-44	7	2	1	1
45-49	8	3	1	
50-54	12	10	2	1
55-59	15	16	1	2
60-64	18	12	2	
65-69	10	7	1	1
70-74	20	25	2	1
75-79	11	15	1	1
80-84	9	10	1	
85-UP	4	5	1	
-- ICD 153.0 (1970) ----				
05-09				1
15-19			1	1
20-24	4	2	2	
25-29	2	1	2	1
30-34	7	2	2	2
35-39	14	12	2	1
40-44	25	23	4	5
45-49	51	45	7	7
50-54	90	85	14	11
55-59	144	149	19	10
60-64	218	223	22	29
65-69	239	277	32	34
70-74	307	379	21	25
75-79	300	423	27	24
80-84	221	426	15	8
85-UP	158	331	10	14
-- ICD 153.1 (1970) ----				
10-14				1
15-19	1			
20-24	1	1	1	
25-29	2	2		
30-34	3	5		
35-39	4	6	1	
40-44	6	9	1	
45-49	23	24	3	4
50-54	33	38	4	1
55-59	42	54	5	10
60-64	63	72	10	12
65-69	91	79	5	15
70-74	108	103	8	13
75-79	87	109	7	4
80-84	59	95	2	2
85-UP	42	64		3
-- ICD 153.2 (1970) ----				
15-19	1	1		
25-29			1	
30-34	3	2		1
35-39	2	2		
40-44	5	8	1	3
45-49	12	20	1	1
50-54	18	31	2	1
55-59	45	48	7	4
60-64	71	40	8	5
65-69	67	70	16	7
70-74	86	79	8	5
75-79	76	89	7	3
80-84	46	74	5	3
85-UP	33	63	3	2
-- ICD 153.3 (1970) ----				
00-04	1			
05-09		1		
15-19	3			
20-24	1			
25-29	1	2		
30-34	8	9	1	1
35-39	11	15		4
40-44	20	36	2	3
45-49	50	94	9	5
50-54	128	142	15	20
55-59	199	204	16	26
60-64	307	274	12	25
65-69	335	341	37	34
70-74	374	405	21	20
75-79	357	437	18	18
80-84	299	326	16	17
85-UP	176	270	9	8
-- ICD 153.8 (1970) ----				
05-09		1		
10-14			1	1
15-19	5	2	2	
20-24	10	5	3	
25-29	17	16	2	4
30-34	36	39	9	7
35-39	68	64	12	16
40-44	138	144	15	34
45-49	268	328	35	63
50-54	523	576	64	91

AGE	WM	WF	NM	NF
-- 153.8 (1970) CONTD---				
55-59	863	888	82	114
60-64	1131	1113	128	150
65-69	1450	1483	125	168
70-74	1524	1687	127	157
75-79	1530	1812	88	110
80-84	1047	1420	68	68
85-UP	651	1107	41	62
-- ICD 153.9 (1970) ----				
15-19			1	
20-24	1	2		
25-29	1	1	1	
30-34	1			
35-39	5	5	2	
40-44	6	12	1	3
45-49	22	26	3	4
50-54	38	48	7	6
55-59	57	69	2	13
60-64	94	89	8	9
65-69	106	124	6	14
70-74	102	146	6	8
75-79	133	186	11	6
80-84	80	131	3	8
85-UP	69	138	3	4
-- ICD 154.0 (1970) ----				
15-19	1			
20-24	2		1	
25-29	1	1		1
30-34	2	2	2	
35-39	2	4	1	1
40-44	17	9	2	2
45-49	22	23	2	
50-54	36	45	5	2
55-59	79	69	8	2
60-64	110	78	8	2
65-69	122	96	8	7
70-74	128	129	6	7
75-79	112	117	6	7
80-84	84	65	1	5
85-UP	51	66	2	3
-- ICD 154.1 (1970) ----				
00-04	1	1		
05-09		1		
15-19	3		1	
20-24	6	2	2	
25-29	12	6	1	5
30-34	13	9	4	2
35-39	27	17	5	7
40-44	65	50	13	4
45-49	158	103	24	24
50-54	240	165	32	20
55-59	429	290	45	50
60-64	627	372	55	48
65-69	722	444	77	52
70-74	709	516	52	48
75-79	665	549	57	34
80-84	477	439	21	20
85-UP	371	403	26	27
-- ICD 154.2 (1970) ----				
35-39				1
40-44		2		
45-49		1		
50-54	3	3	2	
55-59	2	2		1
60-64	3	1		
65-69	2	1	2	1
70-74	2	2		2
75-79	3	2		
80-84	1	5		2
85-UP	1	1	1	
-- ICD 155.0 (1970) ----				
00-04	19	12		
05-09	1	3	1	
10-14	2	4	1	
15-19	8	3		
20-24	11	6	2	1
25-29	4	6	3	
30-34	8	5	9	5
35-39	7	9	12	2
40-44	24	21	16	7
45-49	37	31	28	6
50-54	72	38	29	10
55-59	122	58	48	9
60-64	196	82	60	16
65-69	180	73	42	11
70-74	166	99	28	14
75-79	139	101	19	10
80-84	89	64	7	4
85-UP	30	53	4	1

AGE	WM	WF	NM	NF
-- ICD 155.1 (1970) ----				
25-29	1			
30-34	1	1		
35-39	2	1		
40-44	3	1		1
45-49	1	2	1	
50-54	6	5		
55-59	8		1	1
60-64	9	7	2	1
65-69	13	13	1	
70-74	13	6		1
75-79	4	6		
80-84	6	7		
85-UP	1	5		
-- ICD 156.0 (1970) ----				
30-34		1		
35-39	3	2		4
40-44	10	12		
45-49	12	33	1	3
50-54	25	90		11
55-59	46	101	5	9
60-64	59	173	5	11
65-69	77	321	5	21
70-74	113	347	7	22
75-79	110	321	8	11
80-84	84	282	4	13
85-UP	35	150	2	5
-- ICD 156.1 (1970) ----				
10-14		1		
15-19		2		
20-24	1			
25-29	1		1	
30-34	3	1		2
35-39	3	5	1	
40-44	10	7	1	1
45-49	21	18	2	1
50-54	27	28	4	
55-59	57	35	5	1
60-64	65	61	5	3
65-69	82	63	5	6
70-74	94	102	5	6
75-79	94	99	2	3
80-84	48	76	3	2
85-UP	27	36	1	3
-- ICD 156.2 (1970) ----				
35-39	1	3		
40-44	4	3	1	
45-49	10		1	
50-54	8	4	2	
55-59	24	11	1	
60-64	25	21	1	
65-69	27	21	1	1
70-74	28	26		
75-79	28	24	2	
80-84	21	18	1	2
85-UP	12	14	1	1
-- ICD 156.9 (1970) ----				
15-19	1			
30-34	1			
35-39	1			
40-44	4	3		
45-49	3	5		
50-54	6	10		2
55-59	8	9	1	2
60-64	13	14		
65-69	20	15	3	4
70-74	16	21	4	3
75-79	16	31		
80-84	6	21		
85-UP	7	24		
-- ICD 157.0 (1970) ----				
25-29	1	1		1
35-39	9	3	1	
40-44	10	12		3
45-49	44	20	8	5
50-54	83	45	13	5
55-59	114	67	19	9
60-64	128	106	17	16
65-69	171	122	22	23
70-74	202	137	26	23
75-79	177	175	22	17
80-84	129	163	12	9
85-UP	102	142	11	7
-- ICD 157.8 (1970) ----				
30-34	2			
35-39	3			1
40-44	4	1		2
45-49	13	10		
50-54	13	6	4	4
55-59	35	15	4	2

AGE	WM	WF	NM	NF
-- 157.8 (1970) CONTD---				
60-64	29	20	7	1
65-69	45	18	5	1
70-74	39	25	5	4
75-79	36	22	4	2
80-84	20	15	2	3
85-UP	5	9		2
-- ICD 157.9 (1970) ----				
00-04		1		
15-19	1	1		
20-24	3	5		2
25-29	4	7	1	
30-34	25	7	5	1
35-39	66	33	6	6
40-44	139	93	23	21
45-49	292	188	49	24
50-54	561	347	75	54
55-59	865	489	114	89
60-64	1157	694	130	107
65-69	1290	859	149	111
70-74	1189	958	132	94
75-79	1079	996	79	72
80-84	621	713	53	34
85-UP	338	514	19	30
-- ICD 158.0 (1970) ----				
00-04	3		1	
05-09	2			
10-14		1		
15-19	3	2		
20-24	8	4	2	1
25-29	4	3		1
30-34	6	3		
35-39	7	5	1	
40-44	8	2	2	2
45-49	10	17		
50-54	30	19	4	5
55-59	23	27	2	4
60-64	39	27	6	1
65-69	34	36	4	1
70-74	32	31	2	3
75-79	32	32		4
80-84	14	24	1	
85-UP	11	9	3	
-- ICD 158.9 (1970) ----				
15-19		1		
20-24	1			
25-29		1		
30-34	5		1	
35-39		2		
40-44	1	4		3
45-49	7	14	1	3
50-54	10	11		
55-59	11	9	3	4
60-64	24	16	1	2
65-69	8	26	1	4
70-74	16	34	1	5
75-79	7	18	2	2
80-84	12	14		2
85-UP	3	10		
-- ICD 159 --(1970) ----				
00-04			1	
20-24	1			
25-29		1	1	
30-34	2			
35-39		1		1
40-44	4	3	3	
45-49	8	2	2	3
50-54	12	11	4	3
55-59	17	19	10	5
60-64	42	23	9	2
65-69	34	33	7	6
70-74	43	35	9	5
75-79	38	52	9	6
80-84	33	53		7
85-UP	37	66	4	6
-- ICD 160.0 (1970) ----				
15-19	1	1		
25-29	1	1		
35-39		1		
40-44		1		
45-49	4			
50-54	3	1	1	
55-59	6	4	1	
60-64	8	2	1	1
65-69	6	2		
70-74	16	3	1	
75-79	10	8	1	
80-84	8	8		
85-UP	14	16		

AGE	WM	WF	NM	NF
-- ICD 160.1 (1970) ----				
45-49		1		
50-54		1		
55-59	5	3		
60-64	5	3		
65-69	2	2		
70-74	1	1		
75-79		3		
80-84	2			
85-UP	2	2		
-- ICD 160.2 (1970) ----				
20-24	2	1		
25-29	3			
35-39	2	1	1	
40-44	4	1	2	
45-49	12	4	1	1
50-54	10	10	4	
55-59	10	14	4	
60-64	30	16	7	1
65-69	27	11	4	2
70-74	12	8	6	3
75-79	19	11	3	2
80-84	14	16		
85-UP	9	6	2	2
-- ICD 160.8 (1970) ----				
10-14	1	1		
40-44	1	2	1	1
45-49	4	2	1	
50-54	4	1	1	1
55-59	4	1	1	
60-64	2	3	1	1
65-69	5	2		1
70-74	5	5		
75-79	4	4		
80-84	2	1		
85-UP	2	1		
-- ICD 160.9 (1970) ----				
35-39	1			
40-44		1		
45-49	6			
50-54	4	3		
55-59	8	2		
60-64	7		1	
65-69	5	1	2	
70-74	5	1		
75-79	1	5		
80-84		3		
85-UP		1		
-- ICD 161.0 (1970) ----				
40-44	2			
45-49	2			1
50-54	4		1	
55-59	5	1		
60-64	10			
65-69	10		1	
70-74	8	1		
75-79	5			
80-84	3			
85-UP	1			
-- ICD 161.8 (1970) ----				
35-39	1			
40-44			1	2
45-49	6	2	3	
50-54	10	1	3	
55-59	13	4	1	
60-64	25	5	2	1
65-69	11	3	3	
70-74	17	3	1	
75-79	12	2	2	
80-84	4			
85-UP	1			
-- ICD 161.9 (1970) ----				
30-34	1	1	1	
35-39	3	1	7	1
40-44	31	3	14	8
45-49	90	18	27	4
50-54	204	44	34	7
55-59	355	35	48	5
60-64	370	49	46	7
65-69	369	43	38	2
70-74	330	24	34	6
75-79	232	28	19	4
80-84	140	14	7	1
85-UP	72	13	5	
-- ICD 162.0 (1970) ----				
25-29			1	
35-39		1		
40-44	5	2		
45-49	1	2	1	

AGE	WM	WF	NM	NF
-- 162.0 (1970) CONTD---				
50-54	12	4	2	
55-59	18	9	4	
60-64	21	5	2	1
65-69	14	3	2	
70-74	14	7	1	
75-79	8	2	1	
80-84	2	3		
85-UP	2	3		
-- ICD 162.1 (1970) ----				
00-04	5	3	1	1
05-09		3	2	
10-14	2	2		
15-19	7	3		
20-24	15	5	5	3
25-29	31	13	5	2
30-34	100	47	25	5
35-39	349	186	77	42
40-44	1114	408	258	87
45-49	2313	883	454	124
50-54	4061	1354	714	153
55-59	6538	1636	892	173
60-64	8291	1643	912	134
65-69	8602	1474	865	150
70-74	7345	1249	600	133
75-79	5128	1091	334	81
80-84	2415	708	170	46
85-UP	970	447	80	34
-- ICD 163.0 (1970) ----				
15-19	1			
25-29	1	2		
30-34		1		
35-39	4	3	2	
40-44	7	2	1	
45-49	7	4	1	
50-54	24	8	2	
55-59	21	9	2	1
60-64	29	7	1	2
65-69	41	10	1	1
70-74	25	11	3	
75-79	24	12		
80-84	11	4		
85-UP	6	7		
-- ICD 163.1 (1970) ----				
00-04	1	1	1	
05-09	2	1		
10-14	1			
15-19	7		1	
20-24	1			
25-29	7		2	
30-34	5	1	1	
35-39	2	5	1	
40-44	9	5	1	
45-49	9	11	2	1
50-54	19	12	2	1
55-59	29	13	5	2
60-64	25	10	1	2
65-69	28	7	4	1
70-74	30	5	1	3
75-79	21	8	1	1
80-84	11	4		
85-UP		9	1	
-- ICD 163.9 (1970) ----				
10-14		2		
15-19	1			
30-34	2	1		1
35-39	3	1	1	
40-44	2	1		
45-49	4	5		2
50-54	3	2		
55-59	11	2		1
60-64	13	6		1
65-69	11	7	2	
70-74	12	5	2	
75-79	7	8		
80-84	9	4		
85-UP	1	6		
-- ICD 170.0 (1970) ----				
05-09		1		1
10-14	1	3	1	
20-24	1			
25-29		1		
30-34	2	1		
35-39	2	1		1
40-44	2	2		2
45-49	4	4		
50-54	10	6	2	1
55-59	13	12	1	1
60-64	15	5	3	
65-69	23	12	4	1
70-74	19	13	1	1

AGE	WM	WF	NM	NF
-- 170.0 (1970) CONTD---				
75-79	24	13	2	3
80-84	19	12		
85-UP	13	13		
-- ICD 170.1 (1970) ----				
10-14	1			
15-19		1	1	
20-24	1			
25-29	1	1		
30-34			1	
40-44	3		2	1
45-49	6		1	1
50-54	5	4		
55-59	9	6	5	
60-64	11	7	3	
65-69	14	4		1
70-74	15	9	3	3
75-79	13	6	1	
80-84	14	9		
85-UP	6	8		
-- ICD 170.2 (1970) ----				
05-09	1			
15-19				2
20-24		1		
25-29	2	3		
35-39	2	2		1
40-44	4	1	1	
45-49	10	3	1	
50-54	9	9	2	1
55-59	19	14	4	3
60-64	20	18	7	2
65-69	18	12	5	
70-74	23	17		3
75-79	17	16		
80-84	7	9		
85-UP	4	5		1
-- ICD 170.3 (1970) ----				
10-14	1	3		
15-19	3			
20-24		2		
30-34			1	
35-39	1			1
40-44	1	2		1
45-49	2	2		
50-54	3	2	2	
55-59	3	2		
60-64	7	1	1	2
65-69	3	2		
70-74	3	1		
75-79	2	2		
80-84	3	2		
85-UP	2	2		
-- ICD 170.4 (1970) ----				
00-04	1			
05-09	1	3		
10-14	4	3	2	
15-19	11	3	1	
20-24	3	1	1	2
25-29		2		
35-39		2		
40-44	1	1		1
45-49	1	3		
50-54	5		1	
55-59	2	5		1
60-64	8	5	1	
65-69	3	2		1
70-74	5	3		1
75-79	2	2		1
80-84	1	1		
85-UP	2	2		
-- ICD 170.5 (1970) ----				
50-54		1		
-- ICD 170.6 (1970) ----				
00-04		6		1
05-09	1	2		
10-14	2	3		2
15-19	9	6	1	1
20-24	3	4	1	
25-29	3	8		
30-34	2			
35-39	1	1		1
40-44	1	2	1	
45-49	4	3		
50-54	5	1	1	1
55-59	3	5	1	1
60-64	11	5	1	1
65-69	10	10		1
70-74	10	5		3
75-79	9	9	1	
80-84	5	9		

AGE	WM	WF	NM	NF
-- 170.6 (1970) CONTD---				
85-UP	2	7		
-- ICD 170.7 (1970) ----				
05-09	4	2		
10-14	19	15	1	3
15-19	34	18	6	
20-24	16	4	2	
25-29	2	4		
30-34	2	2		1
35-39	4	1		
40-44	1	3		1
45-49	3	3	1	1
50-54	4	5	1	
55-59	7	7		
60-64	2	9		1
65-69	14	11		
70-74	2	13	1	
75-79	8	8	2	
80-84	4	6		
85-UP	5	11		
-- ICD 170.8 (1970) ----				
10-14		3		
15-19	5			
25-29	1	1		
30-34	1			
35-39				1
40-44	1			
45-49		1		
60-64	1	1		
65-69	1			
80-84		1		
85-UP		1		
-- ICD 170.9 (1970) ----				
00-04		2	1	
05-09	7	10	2	2
10-14	26	24	3	2
15-19	59	29	8	
20-24	30	6	4	1
25-29	6	1	2	
30-34	8	2	1	
35-39	4	9		1
40-44	5	7		1
45-49	9	6	1	2
50-54	13	9	2	
55-59	14	14	2	
60-64	13	8	5	1
65-69	20	20	1	1
70-74	13	18		2
75-79	10	17	2	
80-84	15	14	2	
85-UP	5	6		
-- ICD 171.0 (1970) ----				
00-04	1	1		
05-09		1	1	
10-14	1	3		
20-24	2			
25-29	1			
30-34	1			
35-39		1	2	
40-44	2			
45-49	1	1		
50-54	2			
55-59	2			
60-64	2	1		1
65-69	4	2		
70-74	2	2		
75-79	3	1		
80-84	3	3		
85-UP	3	1		
-- ICD 171.1 (1970) ----				
00-04	1	4		
05-09	4			
10-14	1			
15-19	4	4		
20-24	3	2		
25-29	3	1	1	1
30-34	1	1	2	
35-39	4	1	2	
40-44	7	5	1	
45-49	13	7		
50-54	17	13	2	2
55-59	12	10	2	1
60-64	17	12	4	3
65-69	13	15	3	
70-74	13	10		1
75-79	14	10		
80-84	10	10	1	
85-UP	6	7		
-- ICD 171.2 (1970) ----				
00-04			1	

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 171.2 (1970) CONTD---				
05-09		1		
15-19	2		1	
20-24	4		1	
25-29	1			
30-34	1			
35-39	1			
40-44	5	1		
45-49		1		
50-54	5	2	1	
55-59	2	2		
60-64	1			1
65-69	5	2		1
70-74	3	7		
75-79	7	6		1
80-84	3	2	1	
85-UP	2	2		
-- ICD 171.3 (1970) ----				
00-04	1		1	
10-14	3	2		
15-19	8	1		
20-24	5	2		
25-29	5	2		
30-34	8	3		
35-39	6	6		1
40-44	3	2	1	
45-49	8	6	2	
50-54	10	5		2
55-59	9	11	3	1
60-64	15	11	2	1
65-69	18	10	2	1
70-74	12	18	3	2
75-79	4	14	1	
80-84	10	10		
85-UP	7	9	1	2
-- ICD 171.9 (1970) ----				
00-04	8	12	1	2
05-09	18	7	1	2
10-14	13	7	2	1
15-19	15	15	3	5
20-24	11	9	2	2
25-29	12	6	1	
30-34	8	12	3	2
35-39	17	5	3	5
40-44	12	17	3	2
45-49	23	35	2	1
50-54	36	39	3	6
55-59	31	25	7	6
60-64	43	34	1	6
65-69	40	40	4	4
70-74	36	37	4	2
75-79	36	44	1	
80-84	22	12	1	1
85-UP	9	13		1
-- ICD 172.0 (1970) ----				
50-54	1	1		
70-74		1		
75-79			1	
-- ICD 172.1 (1970) ----				
75-79				1
-- ICD 172.2 (1970) ----				
20-24	1			
35-39	1	1		
40-44	1			
45-49	4			
55-59	1			
65-69	1			
70-74	1	1		
75-79	1	1		
80-84	2	1		
85-UP	1			
-- ICD 172.3 (1970) ----				
15-19		1		
25-29	1	2		
30-34		1		
40-44	3	1		
50-54	2	2		
55-59	4	2		
60-64	2	1		1
65-69	7	2		
70-74	4	2		
75-79	6	6		
80-84	4	3		
85-UP	7	12		
-- ICD 172.4 (1970) ----				
00-04		1		
15-19	1			
20-24	2	3		
25-29		1		

AGE	WM	WF	NM	NF
-- 172.4 (1970) CONTD---				
30-34	1			
35-39		1		
40-44	1	4		
45-49	4	4		
50-54	7			
55-59	2			
60-64	10	5		
65-69	6	3		
70-74	8	2		
75-79	7	5		
80-84	5	5		
85-UP	2	2		
-- ICD 172.6 (1970) ----				
20-24	2	1		
25-29	4	2		
30-34	4			
35-39	11	10	1	
40-44	13	10		
45-49	21	10	1	
50-54	27	6		
55-59	25	7		
60-64	17	9		1
65-69	14	7		
70-74	9	5		
75-79	5	4		
80-84	5			
85-UP	1	5		
-- ICD 172.7 (1970) ----				
20-24	1	1		
25-29	2	1		
30-34	5			
35-39	2	5	1	
40-44	8	3		
45-49	5	7		
50-54	5	7	2	
55-59	3	14	1	
60-64	5	6		
65-69	3	4		
70-74	8	4		
75-79	5	4		
80-84	4	2		
85-UP	2	5	1	1
-- ICD 172.8 (1970) ----				
15-19		1		
20-24	1	2		
25-29	1	2		
30-34	4			
35-39	1	5		
40-44	5	14	2	1
45-49	5	18		1
50-54	5	13	1	
55-59	6	18	1	2
60-64	7	19	2	1
65-69	13	17	3	1
70-74	9	19	2	1
75-79	12	14	2	
80-84	5	12		
85-UP	4	12		
-- ICD 172.9 (1970) ----				
05-09	2			
10-14	1	2		
15-19	9	2		1
20-24	31	13	1	
25-29	42	34		
30-34	50	31		
35-39	71	74	1	3
40-44	103	80	2	1
45-49	134	84	3	1
50-54	156	115	3	2
55-59	133	89	3	4
60-64	151	101	6	1
65-69	123	94	5	2
70-74	105	83		6
75-79	78	92	5	5
80-84	58	49	1	1
85-UP	31	47	1	1
-- ICD 173.0 (1970) ----				
45-49	1			
50-54	1			
65-69	1			
70-74	6			
75-79	4	1		
80-84	3			
85-UP	1	1		
-- ICD 173.1 (1970) ----				
40-44		1		
55-59	1	1		
65-69	1	2		
70-74	1	1		

AGE	WM	WF	NM	NF
-- 173.1 (1970) CONTD---				
75-79		1		
80-84		2	1	
85-UP	2			
-- ICD 173.2 (1970) ----				
20-24	1			
35-39		1		
45-49	1	1		
50-54		1		
55-59	5	2		1
60-64	7	2		
65-69	4	2		1
70-74	7	1		
75-79	8	2		
80-84	7	4		
85-UP	9	3		
-- ICD 173.3 (1970) ----				
05-09				1
10-14	1			
30-34		1		
35-39		1	1	
40-44	3		1	
45-49	7	3		
50-54	12	4		
55-59	18	13	2	2
60-64	38	7	1	2
65-69	37	9	1	
70-74	39	28	3	
75-79	49	29		2
80-84	67	54		
85-UP	77	80		3
-- ICD 173.4 (1970) ----				
00-04		1		
20-24	1			
30-34			1	
35-39	1	1		
40-44	4			
45-49	7	2	2	
50-54	11	3	2	1
55-59	15	7		1
60-64	17	3	1	1
65-69	18	11	1	3
70-74	13	6		
75-79	11	4	1	
80-84	19	13		
85-UP	14	11		
-- ICD 173.5 (1970) ----				
40-44	1			
45-49	1			
50-54	1			
55-59	3		1	
60-64	2			
65-69	2		1	
70-74	2		1	
75-79	1			
80-84	3		1	
-- ICD 173.6 (1970) ----				
00-04		2		
10-14	1			
25-29	1			1
35-39	2	3	1	
40-44	2	2	1	2
45-49	2	7	1	2
50-54	11	8	4	2
55-59	8	11	1	
60-64	5	17		2
65-69	12	9	1	6
70-74	13	10	1	2
75-79	7	16	2	1
80-84	5	15	1	1
85-UP	9	13		1
-- ICD 173.7 (1970) ----				
40-44	1			
45-49	1	1		
50-54	1			
60-64	3			
65-69	2	2		
70-74	3	2	1	1
75-79	2	1		
80-84	5	5		
85-UP	6	10		
-- ICD 173.8 (1970) ----				
15-19		1		
35-39			1	
40-44				1
45-49	1			
50-54	3			
55-59	3			
60-64		2		

AGE	WM	WF	NM	NF
-- 173.8 (1970) CONTD---				
65-69			1	
70-74	2	2		1
75-79	7	3		
80-84	6	4		1
85-UP	1	2		
-- ICD 173.9 (1970) ----				
05-09	1			
10-14			1	
20-24		1		
30-34	1			
35-39		2		
40-44	3		1	
45-49	3			
50-54	4	2	1	
55-59	14	1		3
60-64	6	2	1	1
65-69	10	5		
70-74	3	3		1
75-79	11	7		
80-84	9	10		
85-UP	9	10		
-- ICD 174 --(1970) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1970) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1970) ----				
05-09		1		
15-19		4		
20-24		6		6
25-29		6		3
30-34		3		3
40-44		2		3
45-49		2		
60-64		1		
65-69		2		
70-74				1
-- ICD 182.0 (1970) ----				
15-19				1
20-24		1		
25-29				1
30-34		2		1
35-39		8		2
40-44		22		3
45-49		53		11
50-54		106		16
55-59		167		32
60-64		267		40
65-69		307		36
70-74		308		41
75-79		248		16
80-84		147		9
85-UP		88		9
-- ICD 182.9 (1970) ----				
10-14		1		
15-19		1		1
25-29		5		3
30-34		13		5
35-39		28		12
40-44		57		27
45-49		137		34
50-54		172		53
55-59		295		69
60-64		363		90
65-69		433		86
70-74		483		67
75-79		455		49
80-84		306		24
85-UP		226		31
-- ICD 183.0 (1970) ----				
00-04		1		1
05-09		3		1
10-14		21		4
15-19		18		7
20-24		29		8
25-29		36		6
30-34		50		5
35-39		159		27
40-44		356		49
45-49		729		74
50-54		1012		91
55-59		1209		124
60-64		1280		106
65-69		1247		86
70-74		1208		69
75-79		919		36
80-84		518		19
85-UP		310		13

AGE	WM	WF	NM	NF
-- ICD 183.1 (1970) ----				
30-34				1
35-39		1		1
40-44		6		2
45-49		7		4
50-54		16		4
55-59		22		2
60-64		17		1
65-69		15		
70-74		9		1
75-79		10		
80-84		3		
85-UP		1		
-- ICD 183.9 (1970) ----				
55-59		1		
70-74		1		
-- ICD 184.0 (1970) ----				
15-19		1		
20-24		1		
25-29		1		
30-34		3		2
35-39		5		
40-44		4		1
45-49		8		2
50-54		13		6
55-59		29		5
60-64		29		5
65-69		30		3
70-74		33		7
75-79		38		1
80-84		33		5
85-UP		27		
-- ICD 184.1 (1970) ----				
05-09		1		
10-14		1		
30-34		1		1
35-39		2		1
40-44		3		2
45-49		13		3
50-54		14		4
55-59		20		10
60-64		31		3
65-69		51		10
70-74		81		4
75-79		90		3
80-84		81		3
85-UP		83		3
-- ICD 184.8 (1970) ----				
65-69				1
75-79		1		
-- ICD 184.9 (1970) ----				
15-19		1		
30-34				1
35-39		3		
40-44		2		1
45-49		2		1
50-54		7		
55-59		3		3
60-64		7		3
65-69		9		4
70-74		4		2
75-79		6		
80-84		4		2
85-UP		8		
-- ICD 185 --(1970) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1970) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1970) ----				
20-24	1			
30-34	1			
35-39	2		1	
40-44	6			
45-49	2		3	
50-54	15		6	
55-59	18		8	
60-64	15		8	
65-69	26		10	
70-74	20		6	
75-79	30		6	
80-84	27		2	
85-UP	23		2	
-- ICD 187.8 (1970) ----				
05-09	1			
15-19	2		1	
20-24			1	
25-29	1			

AGE	WM	WF	NM	NF
-- 187.8 (1970) CONTD---				
40-44	1			
50-54	2		1	
55-59	1			
60-64	1			
65-69	2			
70-74			1	
85-UP	1			
-- ICD 187.9 (1970) ----				
50-54			1	
55-59	2			
60-64	1		1	
65-69	3		2	
70-74	1			
75-79	7			
80-84	1			
85-UP	1			
-- ICD 188 --(1970) ----				
00-04	2			1
05-09	2			
20-24	1			
25-29	1			1
30-34	3	3	3	
35-39	6	7	3	
40-44	39	13	5	3
45-49	83	38	14	11
50-54	179	80	32	20
55-59	396	125	52	28
60-64	669	206	62	25
65-69	881	292	92	59
70-74	1049	341	73	45
75-79	1080	481	56	33
80-84	821	475	34	29
85-UP	588	421	31	17
-- ICD 189.0 (1970) ----				
00-04	27	24	5	10
05-09	28	20	2	5
10-14	8	5	1	1
15-19	5	7	3	2
20-24	9	7	1	3
25-29	8	5	1	1
30-34	14	13		1
35-39	34	17	6	3
40-44	103	54	13	8
45-49	224	86	22	15
50-54	278	134	39	20
55-59	446	203	42	20
60-64	556	258	34	17
65-69	542	286	44	19
70-74	479	292	30	7
75-79	398	309	23	10
80-84	245	217	14	4
85-UP	120	128	7	4
-- ICD 189.1 (1970) ----				
20-24			1	
35-39	1			
40-44				1
45-49	1			2
50-54	5	3		
55-59	3	1	2	
60-64	5	5		
65-69	7	3		
70-74	10	3		1
75-79	2	6		
80-84	5	4		
85-UP	5	1		
-- ICD 189.2 (1970) ----				
30-34		1		
35-39				1
40-44	2			1
45-49	2	1	1	
50-54	4	4		
55-59	13	8		1
60-64	20	10	2	
65-69	21	10	2	
70-74	29	13		1
75-79	28	14	1	2
80-84	7	14		
85-UP	7	2		
-- ICD 189.9 (1970) ----				
25-29	1			
30-34	1			
35-39		3		
40-44	2	2	1	1
45-49	6	2		
50-54	3	10	3	
55-59	6	4	1	2
60-64	10	8	4	3
65-69	7	14	2	5
70-74	4	13	5	

AGE	WM	WF	NM	NF
-- 189.9 (1970) CONTD---				
75-79	9	13	2	1
80-84	8	7	1	
85-UP	3	6	1	1
-- ICD 190 --(1970) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1970) ----				
00-04	69	56	14	8
05-09	98	67	16	10
10-14	80	64	10	12
15-19	59	52	8	6
20-24	80	40	4	5
25-29	49	48	4	3
30-34	66	50	9	3
35-39	121	86	6	5
40-44	194	135	18	8
45-49	282	204	16	12
50-54	388	256	28	15
55-59	503	304	23	12
60-64	473	368	27	11
65-69	356	321	12	16
70-74	238	212	7	8
75-79	121	133	1	3
80-84	41	45	2	1
85-UP	10	14	1	
-- ICD 192.0 (1970) ----				
00-04	2	1		
05-09	3	3		
10-14		1		1
15-19		1		
40-44	1	1		1
60-64	1			
65-69		1		
70-74		1		
75-79	1	1		
-- ICD 192.1 (1970) ----				
15-19		2		
25-29				1
30-34		1		
35-39				1
40-44	3	1		1
45-49	4	2		
50-54	4	2		
55-59	1	4		
60-64	3	3	1	
65-69	5	6		
70-74	5	2		
75-79	4	1		
80-84		2		
85-UP		1		
-- ICD 192.2 (1970) ----				
00-04		1	1	
05-09	1			1
15-19	2	3	2	1
20-24	4	5		
25-29	2			
30-34	5		1	1
35-39	1	2		
40-44	4	1		1
45-49	2	1	1	
50-54		5	1	
55-59	10	7		
60-64	4	6	1	
65-69	10	8	1	
70-74	8	8		
75-79	4	5	1	1
80-84	1	2		
85-UP	1			
-- ICD 192.3 (1970) ----				
55-59	1			
60-64	1			
70-74	1			
75-79				1
-- ICD 192.4 (1970) ----				
00-04	1			
05-09	3		1	1
10-14	2	2		
15-19	3	2	1	
20-24	5	3		3
25-29	8	3		
30-34	4		1	
35-39	2	4		1
40-44	2	2		1
45-49	5	11	1	
50-54	2	2		1
55-59	8	6		
60-64	3	6		1
65-69		7	2	1
70-74	7	3	1	

AGE	WM	WF	NM	NF
-- 192.4 (1970) CONTD---				
75-79	7	7		
80-84	4	1		
85-UP	1	1		
-- ICD 192.5 (1970) ----				
00-04	79	55	15	4
05-09	35	29	7	3
10-14	11	10	2	1
15-19	6	8		
20-24	5	2		
25-29	3	3		
30-34	2	2		
35-39	1	3		
40-44		1		
45-49	1	1		
50-54	1			
55-59	4	1		
60-64	1	1		
65-69	1			
70-74	2	1		
75-79	1			
80-84	1			
85-UP		1		
-- ICD 192.9 (1970) ----				
00-04	14	12	1	2
05-09	23	15	2	1
10-14	15	10	4	1
15-19	15	6		1
20-24	12	7	2	1
25-29	15	6		1
30-34	9	15		1
35-39	33	7	2	
40-44	44	19	2	2
45-49	61	45	7	1
50-54	90	50	6	1
55-59	81	65	5	6
60-64	96	62	2	3
65-69	84	66	5	
70-74	52	48	1	
75-79	23	21	2	
80-84	4	1		
85-UP		3		
-- ICD 193 --(1970) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1970) ----				
00-04	1	1		
05-09	2	1		
10-14	1	2		
15-19	2	4		
25-29	1	3		1
30-34	2	5		1
35-39	4	5		
40-44	9	8	1	2
45-49	10	10	1	1
50-54	16	16	2	
55-59	15	16	1	1
60-64	29	15	1	
65-69	22	9	3	
70-74	11	5	1	1
75-79	9	13		
80-84	5	5		
85-UP		2		
-- ICD 194.1 (1970) ----				
15-19	1			
40-44			1	
50-54	1	2		
55-59		1		
60-64	1			
70-74	1			
75-79	2	1		1
80-84			1	
-- ICD 194.2 (1970) ----				
05-09	1	1		
15-19	3	2		
20-24	1	2		
25-29	1	2	1	
30-34	2			
35-39	2		1	
40-44	5	1	1	1
45-49	3	5	1	2
50-54	3	5	1	
55-59	5	5		1
60-64	5	7		
65-69	6	5		
70-74	2	2	1	
75-79	2	2		
80-84		3		
-- ICD 194.3 (1970) ----				
10-14		1		1

AGE	WM	WF	NM	NF
-- 194.3 (1970) CONTD---				
15-19		1		
20-24				1
25-29	1			
35-39	1	1	1	
40-44	1	1		
45-49	2			
50-54	6	1	1	1
55-59	4	1	1	1
60-64		3		1
65-69	4	1	1	
75-79	1	3		
80-84	1	1		
-- ICD 194.4 (1970) ----				
05-09	1			1
10-14	1	1		1
15-19	3	2		
30-34	1			
40-44	1			1
65-69		1		
-- ICD 194.8 (1970) ----				
35-39			1	
40-44	1			
50-54				1
60-64	1			
65-69	1	1		
-- ICD 194.9 (1970) ----				
15-19		1		
70-74		1		
-- ICD 195.0 (1970) ----				
00-04	1			
05-09		2		
10-14		2		
15-19	2			
20-24	2		2	
25-29		1		1
30-34	5	4		1
35-39	5	7	2	
40-44	7	8	1	1
45-49	15	26	6	2
50-54	27	42	5	8
55-59	43	57	15	16
60-64	66	72	11	14
65-69	78	101	19	26
70-74	71	110	12	22
75-79	73	147	11	10
80-84	47	128	5	12
85-UP	44	114	4	12
-- ICD 195.1 (1970) ----				
00-04		2		1
10-14	2			
15-19	1	1		
20-24	2			
25-29	1			
30-34	2	1	1	
35-39		3		
40-44		4		2
45-49	2	8	1	5
50-54	1	15		5
55-59	3	21	1	5
60-64	6	28		3
65-69	7	35	2	10
70-74	5	31		4
75-79	4	36		5
80-84	2	43	1	2
85-UP		36		2
-- ICD 195.9 (1970) ----				
00-04		1	1	
05-09	2			
10-14	5	5		
15-19	2	4		
20-24	7	3		
25-29	2	3	1	
30-34	4	4	1	1
35-39	6	6		
40-44	17	7	4	1
45-49	17	8	6	2
50-54	34	25	7	3
55-59	53	29	11	2
60-64	75	34	9	2
65-69	84	33	6	5
70-74	66	33	9	5
75-79	58	39	7	2
80-84	56	35	1	1
85-UP	55	35	1	7
-- ICD 196.0 (1970) ----				
15-19		2		
20-24	1			
25-29	1			

AGE	WM	WF	NM	NF
-- 196.0 (1970) CONTD---				
35-39		1		
40-44		1		
50-54	5	1	1	
55-59	7			
60-64	1	4		1
65-69	5	3		
70-74	6	3	1	1
75-79	4	1		1
80-84	4	5		
85-UP	6	6	1	
-- ICD 196.1 (1970) ----				
45-49		1		
50-54	1			
55-59	3			
60-64	3	1		
65-69	1			
70-74		1		
75-79	1			
-- ICD 196.2 (1970) ----				
40-44		1		
55-59			1	
65-69	1		1	
70-74		3		
85-UP	1			
-- ICD 196.3 (1970) ----				
25-29	1			
60-64	1			
75-79		1		
80-84		1		
-- ICD 196.4 (1970) ----				
50-54	2			
55-59		1		
65-69	1	1		
70-74	2			
75-79	1			
85-UP		1		
-- ICD 196.7 (1970) ----				
35-39	1			
45-49	1			
50-54			1	
60-64	1			
65-69		1		
70-74		1		
75-79		1		
-- ICD 196.8 (1970) ----				
40-44			1	1
50-54	1			
55-59	1			
70-74		1		
-- ICD 196.9 (1970) ----				
05-09		1		
10-14	1			
15-19		1		
20-24	1	1		
30-34		1	1	
40-44	3			
45-49	1	1	1	
50-54	4	1		
55-59	1	5		
60-64	3	4	2	
65-69	6	3		
70-74	3	2		
80-84	4	2		1
85-UP		2		
-- ICD 197.0 (1970) ----				
00-04				1
05-09				1
15-19	1	1		
20-24	1	2	2	
25-29	3			1
30-34	2	4		
35-39	5	4		1
40-44	10	7	4	2
45-49	14	13	3	1
50-54	28	17	8	7
55-59	30	36	16	5
60-64	46	40	11	6
65-69	67	35	11	8
70-74	62	44	6	8
75-79	49	53	9	5
80-84	28	57	3	1
85-UP	35	28	1	3
-- ICD 197.1 (1970) ----				
35-39	1		1	
40-44		1		
45-49	1			1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 197.1 (1970) CONTD---				
50-54	1			
55-59	3			
60-64	2		1	
65-69	2	1		
70-74	5	4	1	
75-79	2		1	
80-84		1		
85-UP	1			
-- ICD 197.2 (1970) ----				
05-09		1		
15-19		1		
20-24	1			
40-44		1	1	
45-49	1	7		
50-54	3	8	3	1
55-59	6	9	1	2
60-64	3	10	3	1
65-69	8	5		4
70-74	7	14		1
75-79	5	8	1	
80-84	2	12		
85-UP	5	7	1	
-- ICD 197.3 (1970) ----				
40-44		1		
45-49				1
50-54	3			1
55-59	3	3		
60-64	1	1		
65-69	2			
70-74				1
75-79	1	1		
80-84	1	1		
85-UP	1	1		
-- ICD 197.4 (1970) ----				
40-44		1		
55-59	1			
60-64		1		
65-69		2		
75-79	1		1	
80-84		1		
-- ICD 197.5 (1970) ----				
45-49	1	1		2
50-54	1	1		
55-59	2	1		1
60-64	4	1		1
65-69	2	4		2
70-74	5	2	1	
75-79	3	7		1
80-84	3	7		
85-UP	2	6		
-- ICD 197.6 (1970) ----				
35-39		2		
40-44		1		1
45-49	1	4		
50-54	2	2	1	1
55-59	1	1	1	2
60-64	3	8	1	3
65-69	3	9	1	1
70-74	6	6	2	1
75-79	4	10	1	1
80-84	5	5		
85-UP		9		
-- ICD 197.7 (1970) ----				
10-14	1			
15-19				1
20-24	1	1		1
25-29	1	2		
30-34	3			3
35-39	3	6	1	
40-44	11	8	1	5
45-49	22	24	4	7
50-54	52	34	24	3
55-59	78	61	20	8
60-64	125	71	14	14
65-69	150	115	26	21
70-74	143	128	18	15
75-79	122	120	9	13
80-84	87	86	7	3
85-UP	44	66	5	7
-- ICD 197.8 (1970) ----				
00-04		1		
05-09	3	1		
10-14	2		1	
15-19	1	5	1	
20-24	3	1		1
25-29	2	3	1	
30-34	7	1	1	2
35-39	8	9	4	5

AGE	WM	WF	NM	NF
-- 197.8 (1970) CONTD---				
40-44	18	21	2	6
45-49	47	51	16	3
50-54	66	61	19	15
55-59	132	79	34	11
60-64	215	123	33	27
65-69	234	143	47	24
70-74	236	187	31	26
75-79	204	174	20	9
80-84	133	177	12	11
85-UP	79	124	8	10
-- ICD 197.9 (1970) ----				
40-44	2			
45-49	4			
50-54	2	2		2
55-59	3	1	2	
60-64	3	1	1	
65-69	6	1	1	1
70-74	5	6		
75-79	1	6	1	2
80-84	6	4		
85-UP	2	2	1	
-- ICD 198.0 (1970) ----				
30-34		1		
40-44	1			
45-49	1	1		
50-54	1			1
55-59	1			
60-64	2	1		
70-74	2	1	1	
75-79	1			
80-84	2			
85-UP		1		
-- ICD 198.1 (1970) ----				
30-34			1	
40-44		1	1	
50-54	1			
60-64	1			
65-69	1	1		
75-79		2		
80-84	1			
-- ICD 198.2 (1970) ----				
20-24	1			
30-34	1			
40-44	1			
45-49	2		1	
50-54	2	3		
55-59	1			
60-64	5	3		
65-69	1	2		
70-74	3			
75-79	3	1		
80-84		2		
85-UP	1	2		
-- ICD 198.3 (1970) ----				
00-04		1		
05-09	1			
10-14	1	1		
15-19	1			
20-24		4		
25-29	4	2		
30-34	3	2	1	
35-39	10	5	2	1
40-44	17	13	1	1
45-49	19	19	1	1
50-54	31	27	3	3
55-59	53	33	3	3
60-64	47	31	3	1
65-69	40	33	3	
70-74	20	27	1	3
75-79	19	27	1	
80-84	16	8		
85-UP	4	8		1
-- ICD 198.4 (1970) ----				
35-39	1	2		
40-44	1			
45-49	2	3	1	
50-54			1	2
55-59	1	2	1	1
60-64	6	1		
65-69	4	1		
70-74	4	3		
75-79	2	2		
80-84		1		
-- ICD 198.5 (1970) ----				
00-04	1			
15-19	2			
25-29	1			
35-39	1			

AGE	WM	WF	NM	NF
-- 198.5 (1970) CONTD---				
40-44	3	2	3	
45-49	7	13	5	2
50-54	22	8	4	1
55-59	23	15	5	
60-64	37	20	6	2
65-69	29	16	2	5
70-74	40	15	2	2
75-79	24	31	2	1
80-84	19	18	1	
85-UP	4	9		
-- ICD 198.9 (1970) ----				
00-04	1			
05-09	1			
15-19	2	2	1	
20-24	4			
25-29	1	2		
30-34		2		
35-39	6	2		
40-44	4	6		
45-49	9	14	2	2
50-54	14	31	2	3
55-59	44	37	4	10
60-64	60	56	5	4
65-69	42	51	11	5
70-74	47	91	2	6
75-79	43	79	4	4
80-84	42	64	2	1
85-UP	13	54	1	2
-- ICD 199.0 (1970) ----				
00-04	2	4		1
05-09	2	1		2
10-14	4	3	2	4
15-19	7	4	5	1
20-24	7	9	1	5
25-29	20	13	4	4
30-34	29	32	7	7
35-39	35	43	7	21
40-44	81	105	24	34
45-49	168	194	45	38
50-54	281	268	68	73
55-59	460	437	76	74
60-64	583	469	107	75
65-69	616	539	95	105
70-74	566	567	86	74
75-79	474	577	46	56
80-84	323	483	35	40
85-UP	184	305	22	32
-- ICD 199.1 (1970) ----				
00-04	4	6	1	1
05-09	4			
10-14	1	3		
15-19	3	5		
20-24	6	5		1
25-29	6			1
30-34	7	6	2	1
35-39	4	7	2	6
40-44	10	22	7	7
45-49	26	27	9	8
50-54	49	39	13	11
55-59	43	43	14	23
60-64	65	42	15	15
65-69	81	57	26	11
70-74	79	68	19	12
75-79	53	71	9	14
80-84	48	43	7	4
85-UP	37	43	5	8
-- ICD 200.0 (1970) ----				
00-04	3	2	1	
05-09	10	4		
10-14	11	10	3	2
15-19	18	15	1	
20-24	32	20	1	2
25-29	25	20		1
30-34	23	17	3	2
35-39	32	21	6	2
40-44	58	35	4	3
45-49	93	62	12	4
50-54	117	89	8	5
55-59	156	110	11	5
60-64	195	149	8	4
65-69	183	154	7	7
70-74	180	165	3	7
75-79	124	141	5	2
80-84	82	88	3	
85-UP	37	50		
-- ICD 200.1 (1970) ----				
00-04	13	5	3	6
05-09	55	12	2	2
10-14	31	10	6	2
15-19	38	16	6	1

AGE	WM	WF	NM	NF
-- 200.1 (1970) CONTD---				
20-24	39	7	1	2
25-29	23	19	2	1
30-34	31	17	4	1
35-39	44	26	4	3
40-44	81	46	4	4
45-49	144	96	16	10
50-54	183	124	13	6
55-59	255	170	15	13
60-64	263	198	17	12
65-69	258	232	15	13
70-74	293	269	21	3
75-79	250	283	10	9
80-84	137	172	6	6
85-UP	58	101	4	2
-- ICD 201 --(1970) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1970) ----				
30-34	1			
35-39	2	2		1
40-44	1	4		
45-49	4	5		
50-54	4	3		1
55-59	9	4		
60-64	12	6	1	1
65-69	7	4		
70-74	6	2	1	
75-79	4	7		
80-84	2	3		
85-UP	1	2		
-- ICD 202.1 (1970) ----				
20-24			1	
25-29		2		
30-34	1			
35-39		2		1
40-44	1	1	1	
45-49	2	4	1	
50-54	3	2		2
55-59	5	3		1
60-64	6	3	1	
65-69	8	4	1	1
70-74	11	4	1	
75-79	10	4		1
80-84	3	3		
85-UP	1	2		
-- ICD 202.2 (1970) ----				
00-04	11	2	3	1
05-09	22	12		
10-14	12	3	1	1
15-19	17	5		1
20-24	18	6	4	
25-29	10	8	1	2
30-34	19	6	3	1
35-39	20	11	4	3
40-44	29	22	6	3
45-49	63	47	5	10
50-54	89	62	8	8
55-59	105	104	13	12
60-64	150	109	14	7
65-69	176	156	9	3
70-74	166	193	14	10
75-79	153	160	7	3
80-84	102	127	6	7
85-UP	57	64	3	4
-- ICD 202.9 (1970) ----				
20-24		1		
60-64		2		
65-69		1		
80-84	1			
-- ICD 203 --(1970) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1970) ----				
00-04	122	107	12	9
05-09	198	170	14	13
10-14	111	69	10	7
15-19	92	54	11	7
20-24	51	24	3	4
25-29	20	6	2	1
30-34	15	11	1	
35-39	15	6	1	2
40-44	16	9	1	
45-49	17	13	3	1
50-54	26	16		1
55-59	36	20	3	
60-64	36	30	4	7
65-69	39	43	4	3
70-74	70	50	3	2
75-79	50	53	3	2
80-84	44	34	3	

AGE	WM	WF	NM	NF
-- 204.0 (1970) CONTD---				
85-UP	20	25		
-- ICD 204.1 (1970) ----				
00-04	1			
05-09	2			
10-14		1	1	1
15-19	1			
20-24		1		
30-34	2			
35-39	2	1	2	1
40-44	5	3	1	2
45-49	20	11	5	3
50-54	42	23	6	7
55-59	100	43	14	9
60-64	152	59	12	9
65-69	161	100	17	20
70-74	214	135	17	14
75-79	201	153	11	8
80-84	154	149	7	5
85-UP	125	127	7	3
-- ICD 204.9 (1970) ----				
00-04	9	4	1	2
05-09	14	10	1	1
10-14	6	3	1	
15-19	4	2	1	
20-24	2	2		2
25-29			1	
30-34	2	1		2
35-39	2	1		
40-44	2	2		
45-49	14	9		1
50-54	16	10	2	
55-59	23	18	3	3
60-64	33	17	4	5
65-69	62	37	4	6
70-74	67	54	6	4
75-79	69	74	1	2
80-84	74	51	3	3
85-UP	49	50	3	2
-- ICD 205.0 (1970) ----				
00-04	27	30	4	2
05-09	18	15	2	1
10-14	34	28	4	2
15-19	44	49	8	5
20-24	48	40	1	6
25-29	45	36	4	4
30-34	45	41	6	4
35-39	56	53	5	4
40-44	68	64	7	7
45-49	105	96	4	8
50-54	125	80	9	9
55-59	144	120	8	10
60-64	193	130	12	6
65-69	212	143	16	14
70-74	185	161	13	9
75-79	206	174	5	5
80-84	125	121	2	4
85-UP	67	69	5	1
-- ICD 205.1 (1970) ----				
00-04	4	4	2	
05-09	4	1	1	1
10-14	6	6	2	
15-19	15	11	2	1
20-24	18	8	5	2
25-29	17	15	6	3
30-34	22	14	3	3
35-39	31	29	4	6
40-44	43	32	12	3
45-49	48	28	7	8
50-54	46	66	7	12
55-59	70	51	6	3
60-64	84	62	12	6
65-69	100	77	7	8
70-74	102	79	7	6
75-79	101	85	5	1
80-84	61	80	4	2
85-UP	48	54	2	1
-- ICD 205.9 (1970) ----				
00-04	1	2		
05-09	1	2		1
10-14	6	1	1	
15-19	2			
20-24	2	1		
25-29	4	2	2	
30-34	2	4	3	
35-39	8	6		1
40-44	3	11		2
45-49	12	8	2	
50-54	17	15	5	3
55-59	24	17	3	1
60-64	30	16	4	1

AGE	WM	WF	NM	NF
-- 205.9 (1970) CONTD---				
65-69	47	30	5	3
70-74	44	41	8	4
75-79	49	46	3	3
80-84	42	39	1	2
85-UP	19	25	2	1
-- ICD 206.0 (1970) ----				
00-04	3	5		
05-09	4	1		
10-14		2		
15-19	7	2	1	
20-24	4	5		
25-29	3	1		
30-34	2	4		
35-39	6	3	1	1
40-44	8	7		3
45-49	16	13		3
50-54	20	16	1	1
55-59	32	16	2	2
60-64	27	12	4	1
65-69	26	18	1	
70-74	38	21	2	3
75-79	37	20	3	2
80-84	16	16	1	
85-UP	13	13		
-- ICD 206.1 (1970) ----				
25-29	2	1		
35-39	1			
60-64	3	3		
65-69	1	1		
70-74	1	1	1	
75-79	1	1		
80-84	4	3	1	
85-UP	1	1		
-- ICD 206.9 (1970) ----				
00-04		1		1
05-09	2			
10-14	1	1		
15-19	2		2	
20-24	2	3		
25-29		1	1	
35-39	2	1		
40-44	1			
45-49	3			
50-54	3	3	1	3
55-59	4	3		
60-64	4	5	1	1
65-69	10	6	1	
70-74	15	10	1	
75-79	12	7		1
80-84	14	7		
85-UP	5	5		
-- ICD 207.0 (1970) ----				
00-04	59	47	5	5
05-09	75	54	10	5
10-14	48	40	4	3
15-19	37	27	7	6
20-24	22	28	5	2
25-29	18	19	3	
30-34	16	10	2	
35-39	22	20	4	2
40-44	22	26	3	2
45-49	37	35	5	5
50-54	48	49	6	3
55-59	50	39	3	5
60-64	74	53	7	4
65-69	91	46	10	4
70-74	98	79	4	4
75-79	83	76	3	1
80-84	46	59	5	2
85-UP	18	37	2	
-- ICD 207.1 (1970) ----				
00-04	1			
15-19	1			
25-29			1	
30-34	1	1		
35-39		1		
40-44	2			1
45-49	2	1		
50-54	2			
55-59	8	4	1	
60-64	5	8		1
65-69	2	8	1	2
70-74	7	7	1	
75-79	12	4		1
80-84	9	11		
85-UP	8	12	2	1
-- ICD 207.2 (1970) ----				
00-04	5		1	
05-09		1		

AGE	WM	WF	NM	NF
-- 207.2 (1970) CONTD---				
10-14	1			
15-19		2		
20-24	1	1		
30-34	2	4		
35-39		1		
40-44	2	1		1
45-49	5	2		
50-54	6	3		
55-59	5	4	1	1
60-64	8	3	2	1
65-69	16	7	1	
70-74	20	7		
75-79	17	6	1	
80-84	6	6	1	
85-UP	5	5		
-- ICD 207.9 (1970) ----				
00-04	40	31	4	3
05-09	26	29	5	2
10-14	16	12	3	3
15-19	6	6	4	2
20-24	5	4	2	1
25-29	11	1		4
30-34	8	5	2	1
35-39	8	5		3
40-44	10	11	2	1
45-49	19	8	2	1
50-54	17	19	5	2
55-59	39	34	10	5
60-64	46	34	9	2
65-69	62	34	10	4
70-74	80	42	9	7
75-79	90	62	11	2
80-84	64	73	2	1
85-UP	49	57	2	4
-- ICD 208 --(1970) ----				
00-04	1	1	1	
10-14		1	1	
15-19	1			
25-29		1		
30-34	1	1		
35-39	2	4		
40-44	5	1	1	
45-49	14	6	2	
50-54	24	14	4	
55-59	39	15	3	1
60-64	40	30	1	
65-69	46	27	3	1
70-74	55	42	1	2
75-79	36	38	1	
80-84	21	22	1	
85-UP	12	17		1
-- ICD 209 --(1970) ----				
00-04	2	1		
05-09	1			
15-19		1	2	1
20-24	1	2		
25-29		2	2	
30-34	2			
35-39	2	2	1	
40-44	8	8		
45-49	11	8	1	
50-54	16	7	5	2
55-59	35	22	6	4
60-64	47	24	9	3
65-69	77	43	8	5
70-74	78	52	8	5
75-79	63	58	3	3
80-84	49	28		
85-UP	21	17		
-- ICD 140.0 (1971) ----				
60-64	1			
70-74		1		
75-79	1			
-- ICD 140.1 (1971) ----				
40-44	1			
45-49	1			
50-54	8			
55-59	2			
60-64	1	1		
65-69	6	2		
70-74	7	1		
75-79	10	3		
80-84	4			
85-UP	4	2		
-- ICD 140.9 (1971) ----				
25-29		1		
40-44	3			
45-49	6	1		1
50-54	8			

AGE	WM	WF	NM	NF
-- 140.9 (1971) CONTD---				
55-59	8			
60-64	10	1		
65-69	21		1	
70-74	23	3		
75-79	19	4	1	1
80-84	15	3		2
85-UP	25	10	2	
-- ICD 141.0 (1971) ----				
40-44	2	2	3	
45-49	5	1	5	
50-54	13	2	4	2
55-59	27	11	5	
60-64	25	6	2	
65-69	31	2		1
70-74	13	3	3	
75-79	9	1		
80-84	4	3		
85-UP	4	1		
-- ICD 141.2 (1971) ----				
60-64	1			
80-84	1			
-- ICD 141.9 (1971) ----				
20-24			1	
25-29	3	1		
30-34	3	1	1	
35-39	6	1	3	1
40-44	17	5	8	5
45-49	47	32	16	7
50-54	86	43	17	8
55-59	150	54	23	12
60-64	179	88	28	3
65-69	176	48	16	8
70-74	129	49	13	3
75-79	102	52	12	5
80-84	60	40	4	4
85-UP	46	36	2	1
-- ICD 142.0 (1971) ----				
10-14	1			1
20-24	2			
25-29	2	1		
30-34	5	1		
35-39	7	2		
40-44	11	2		
45-49	14	11	1	1
50-54	23	9		
55-59	30	17	2	1
60-64	38	14	4	2
65-69	25	18	3	1
70-74	35	20	3	
75-79	34	22		
80-84	30	25		2
85-UP	31	36		1
-- ICD 142.8 (1971) ----				
20-24	1	1		
40-44	1	1		
45-49	3			
50-54	4		1	
55-59	6	2		
60-64	6	4		1
65-69	5	2	1	2
70-74	8	1		
75-79	2	3		
80-84	4	2		
85-UP	3	5		
-- ICD 142.9 (1971) ----				
20-24	1			
30-34				1
35-39	1	1		
40-44	2	1		
45-49	3	3	3	
50-54	1	1		
55-59		3		
60-64	8	4		1
65-69	3	3		
70-74	7	3	1	
75-79	6	1		
80-84		1		
85-UP	1	7		
-- ICD 143.0 (1971) ----				
50-54	1			
60-64		1		
65-69	1			
70-74	1			
80-84		1		
85-UP		6		
-- ICD 143.1 (1971) ----				
30-34	1			

AGE	WM	WF	NM	NF
-- 143.1 (1971) CONTD---				
40-44		1		
55-59	2			
60-64	1	1	1	
65-69	3	3		
70-74	1	2	1	
75-79	1	2		
80-84	2	2		
85-UP	3	1		
-- ICD 143.9 (1971) ----				
20-24		1	1	
25-29		1		
45-49	6	1		
50-54	3	1	1	
55-59	6	3	1	
60-64	10	11	1	
65-69	11	7	1	1
70-74	3	9		
75-79	3	2		
80-84	6	4		
85-UP	3	8		
-- ICD 144 --(1971) ----				
35-39	1			
40-44	9	4	2	2
45-49	20	5	8	4
50-54	26	17	15	2
55-59	44	20	7	3
60-64	53	18	9	1
65-69	57	15	6	
70-74	45	11	3	
75-79	28	11	1	
80-84	18	12	1	
85-UP	18	4		
-- ICD 145.0 (1971) ----				
30-34		1		
40-44			1	
45-49	1	2	1	
50-54	1	1		
55-59	6	1		1
60-64	6	7		
65-69	10	5		1
70-74	7	8	1	
75-79	5	3		
80-84	3	2		1
85-UP	3	3	1	
-- ICD 145.1 (1971) ----				
10-14		2		
30-34				1
35-39	1	2	2	1
40-44	2	1	2	
45-49	3	5	4	5
50-54	22	11	3	1
55-59	30	9	7	
60-64	30	7	5	
65-69	25	11	1	
70-74	18	5	2	
75-79	17	13		2
80-84	15	7	1	1
85-UP	9	7		1
-- ICD 145.8 (1971) ----				
45-49	1			
55-59	2			
60-64	1	2		
65-69	4			
70-74	5	1		
75-79	1		1	
80-84			1	
85-UP		1		
-- ICD 145.9 (1971) ----				
05-09		1		
25-29		2		
30-34	1			1
35-39	5		1	1
40-44	3	1	3	1
45-49	18	4	6	
50-54	20	15	7	2
55-59	65	21	9	2
60-64	69	20	2	4
65-69	44	29	3	1
70-74	48	21	1	5
75-79	44	35		1
80-84	25	27	2	5
85-UP	25	37		
-- ICD 146.0 (1971) ----				
05-09		1		
20-24				1
25-29			1	
30-34		1	1	
35-39	2		3	

AGE	WM	WF	NM	NF
-- 146.0 (1971) CONTD---				
40-44	6	5	5	1
45-49	18	8	8	3
50-54	59	35	14	7
55-59	84	34	12	4
60-64	88	33	9	1
65-69	51	18	5	1
70-74	57	19	5	
75-79	40	13	3	
80-84	21	4	3	
85-UP	11	5	1	1
-- ICD 146.8 (1971) ----				
45-49	1	2		
50-54	2	2		
55-59		3	1	
60-64	7	2	1	
65-69	4	1	1	
70-74	1			
75-79	3	1		
80-84	3		1	
85-UP	1	2		
-- ICD 146.9 (1971) ----				
20-24	1			
40-44	1	2	1	
45-49	14	4	4	1
50-54	16	8	2	1
55-59	16	11	2	2
60-64	20	6	2	
65-69	17	6	5	
70-74	17	5	3	
75-79	9	4	1	
80-84	5	3	1	
85-UP	4	2	1	
-- ICD 147 --(1971) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1971) ----				
40-44	1			
-- ICD 148.1 (1971) ----				
35-39			1	
40-44	3		2	1
45-49	3	1	3	
50-54	21	3	2	2
55-59	25	2	1	1
60-64	18	5	1	1
65-69	29	3	4	
70-74	12	3	3	
75-79	10	1	1	
80-84	6	1		
85-UP	1		2	
-- ICD 148.8 (1971) ----				
55-59	1	1		
65-69				1
-- ICD 148.9 (1971) ----				
00-04	1			
35-39		2		
40-44	4	3	3	
45-49	8	4	5	2
50-54	28	11	7	1
55-59	36	12	6	2
60-64	42	9	7	1
65-69	58	10	3	
70-74	34	4	3	1
75-79	16	1	3	
80-84	22	3		
85-UP	5			
-- ICD 149 --(1971) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1971) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1971) ----				
40-44				1
45-49	7		1	
50-54	11	1	1	
55-59	13	2	2	
60-64	16	3	1	1
65-69	19	7		
70-74	15	8	1	
75-79	12	8		2
80-84	13	6	1	
85-UP	6	5		
-- ICD 151.1 (1971) ----				
25-29			1	
60-64	2	3		2
65-69	3	2		
70-74	2	3	3	
75-79	6	4	1	

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 151.1 (1971) CONTD---				
80-84	5	4		
85-UP	4	4		
-- ICD 151.8 (1971) ----				
35-39	2			
40-44	2			1
45-49	3		3	
50-54	7	3		1
55-59	6	3		1
60-64	6	2	1	
65-69	7	2	2	1
70-74	8	4		2
75-79	10	6		1
80-84	4	6		
85-UP	2	4		
-- ICD 151.9 (1971) ----				
00-04	1			
05-09	1	1		
15-19	1	1	1	1
20-24	4	2	3	3
25-29	10	10	9	5
30-34	21	28	8	6
35-39	45	43	22	16
40-44	114	91	38	21
45-49	272	153	69	32
50-54	438	247	112	53
55-59	661	346	166	78
60-64	906	444	262	88
65-69	1118	655	236	126
70-74	1200	803	262	134
75-79	1274	937	152	109
80-84	962	835	94	58
85-UP	670	680	79	61
-- ICD 152.0 (1971) ----				
25-29	1			
35-39	2			
40-44	5	2	1	
45-49	6	1	3	1
50-54	5	4	2	3
55-59	12	7		1
60-64	16	10	1	2
65-69	12	17		2
70-74	15	13		
75-79	9	12		
80-84	11	15		
85-UP	9	4	1	2
-- ICD 152.1 (1971) ----				
35-39	2	1		
40-44	1	1	1	1
45-49	2	4		1
50-54	6	4		
55-59	6	7	2	
60-64	9	5	1	
65-69	8	9	1	
70-74	5	6		
75-79	6	4	1	1
80-84	2	6	1	
85-UP	2	2		
-- ICD 152.2 (1971) ----				
10-14		1		
15-19	2	1		
25-29	1			
30-34		1		
35-39	1			
40-44	2		1	
45-49	1	1		
50-54	8	2	1	
55-59	5	4		
60-64	9	7	1	1
65-69	7	4		2
70-74	8	4	2	
75-79	5	10		
80-84	4	8		
85-UP	1	1		
-- ICD 152.9 (1971) ----				
20-24	1	1		
25-29	1	1		
30-34		1		
35-39	2	2		
40-44	4	5	1	
45-49	9	9	1	
50-54	9	3	2	1
55-59	12	15	3	1
60-64	15	10	3	3
65-69	22	17	2	2
70-74	12	21	1	1
75-79	17	15	1	
80-84	6	10		
85-UP	4	10		

AGE	WM	WF	NM	NF
-- ICD 153.0 (1971) ----				
10-14	1			1
15-19			1	2
20-24	4	2	1	1
25-29	4	1	3	1
30-34	9	3	2	1
35-39	10	7	3	1
40-44	23	24	3	4
45-49	41	45	8	3
50-54	89	89	10	5
55-59	140	123	12	17
60-64	194	190	16	24
65-69	252	254	18	31
70-74	284	335	14	39
75-79	297	428	12	19
80-84	235	389	12	14
85-UP	173	336	8	19
-- ICD 153.1 (1971) ----				
15-19		1		
30-34	2	3	1	
35-39	2	4		
40-44	5	11	2	
45-49	12	17	9	4
50-54	31	28	5	7
55-59	43	41	3	4
60-64	75	66	8	7
65-69	61	84	13	10
70-74	91	105	5	11
75-79	91	102	4	6
80-84	62	87	2	7
85-UP	43	99	3	2
-- ICD 153.2 (1971) ----				
15-19	1	1	1	
25-29		2		
30-34	4	2		
35-39	3	7	1	3
40-44	5	13		2
45-49	15	12	3	4
50-54	16	35	3	10
55-59	28	39	7	5
60-64	49	54	6	5
65-69	53	71	8	8
70-74	64	91	7	5
75-79	59	90	3	8
80-84	50	59	5	3
85-UP	28	54	2	5
-- ICD 153.3 (1971) ----				
00-04	2			
10-14		1		
20-24	1	4	1	
25-29	4	3		1
30-34	7	2		
35-39	5	14		1
40-44	22	35	6	7
45-49	60	78	4	5
50-54	116	150	6	9
55-59	188	198	18	24
60-64	282	267	19	20
65-69	354	329	25	27
70-74	396	371	38	29
75-79	331	377	15	18
80-84	237	292	16	15
85-UP	175	250	5	11
-- ICD 153.8 (1971) ----				
00-04	1	1		
10-14			1	
15-19	5	1	3	3
20-24	15	14	5	1
25-29	32	14	4	7
30-34	40	37	9	9
35-39	79	79	9	18
40-44	150	194	21	40
45-49	297	331	45	44
50-54	523	566	60	93
55-59	889	848	97	112
60-64	1247	1146	134	131
65-69	1484	1436	133	168
70-74	1674	1747	153	172
75-79	1633	1854	108	141
80-84	1116	1509	54	74
85-UP	673	1217	36	79
-- ICD 153.9 (1971) ----				
10-14		1		
25-29	4	1		1
30-34	3	5		1
35-39	4	8	1	
40-44	7	7	1	1
45-49	15	28	1	5
50-54	27	40	6	4
55-59	48	79	6	8
60-64	93	101	8	10

AGE	WM	WF	NM	NF
-- 153.9 (1971) CONTD---				
65-69	98	92	7	12
70-74	129	123	6	17
75-79	118	148	4	9
80-84	100	150	6	2
85-UP	64	131	6	4
-- ICD 154.0 (1971) ----				
15-19	1			
20-24		1		
25-29	2	3		2
30-34		1		1
35-39	3	3	1	1
40-44	11	12		
45-49	16	18		
50-54	44	39	3	3
55-59	77	54	2	8
60-64	105	70	5	4
65-69	123	83	15	8
70-74	133	103	13	9
75-79	114	116	6	5
80-84	92	93	5	6
85-UP	68	82		5
-- ICD 154.1 (1971) ----				
10-14				1
15-19	4	1		1
20-24	3	3	5	
25-29	12	3	4	3
30-34	12	10	4	5
35-39	27	22	9	10
40-44	74	55	7	9
45-49	106	107	14	29
50-54	292	197	30	28
55-59	430	318	42	32
60-64	577	356	61	46
65-69	683	420	77	53
70-74	659	524	54	57
75-79	676	500	47	39
80-84	549	515	36	28
85-UP	332	451	23	26
-- ICD 154.2 (1971) ----				
35-39	1	1		
40-44		1		
45-49	1	1		
55-59		5	3	
60-64	3	8		
65-69	6	4		
70-74	4	3		
75-79	1	1		
80-84	1	4		
85-UP	1	1		
-- ICD 155.0 (1971) ----				
00-04	12	9	3	3
05-09	1	1	1	1
10-14	1	4		
15-19	8	4	1	1
20-24	12	9	2	
25-29	6	5	1	2
30-34	11	9	4	1
35-39	10	8	5	2
40-44	18	17	11	4
45-49	43	15	16	6
50-54	81	36	28	9
55-59	132	67	58	10
60-64	191	74	58	14
65-69	229	98	39	8
70-74	181	85	26	9
75-79	170	98	21	8
80-84	78	73	9	3
85-UP	37	53	5	3
-- ICD 155.1 (1971) ----				
25-29				1
30-34		1		
35-39	1	2		
40-44	2	2		
45-49	3	2	1	
50-54	1	2		
55-59	11	11		
60-64	8	8	2	
65-69	12	7		1
70-74	1	10		1
75-79	6	6	1	
80-84	7	6	1	
85-UP		1		
-- ICD 156.0 (1971) ----				
15-19		1		1
25-29	1			
30-34		2	1	
35-39	4	3		1
40-44	9	11		4
45-49	10	30	1	

AGE	WM	WF	NM	NF
-- 156.0 (1971) CONTD---				
50-54	31	65	1	13
55-59	46	124	3	8
60-64	55	159	9	20
65-69	85	263	5	22
70-74	103	309	11	22
75-79	140	329	7	15
80-84	90	266	5	9
85-UP	52	186	4	8
-- ICD 156.1 (1971) ----				
00-04		1		
20-24			1	
25-29	1	1		
30-34	2	1		
35-39	4	1		
40-44	8	4	2	1
45-49	24	14	3	1
50-54	30	15	1	3
55-59	47	36	11	6
60-64	71	55	7	2
65-69	82	77	6	2
70-74	91	113	6	5
75-79	86	100	4	10
80-84	55	90	4	4
85-UP	38	50		1
-- ICD 156.2 (1971) ----				
20-24		1		
30-34	1	1		
35-39	1			
40-44	1	3	1	
45-49	7	2	2	
50-54	9	7	3	
55-59	21	7	3	2
60-64	32	20		1
65-69	37	26		2
70-74	26	19	2	1
75-79	32	17	3	1
80-84	21	20		1
85-UP	16	16		
-- ICD 156.9 (1971) ----				
15-19		1		
20-24		1		
25-29	1			
30-34	1			1
40-44	2	2		
45-49	1	3		
50-54	10	5		
55-59	11	11	2	3
60-64	9	12	3	1
65-69	15	19	1	2
70-74	20	27	1	2
75-79	17	25		
80-84	10	25	1	2
85-UP	7	9	1	1
-- ICD 157.0 (1971) ----				
20-24		1		
25-29		1		
30-34		2		
35-39	6	4		2
40-44	11	8	4	2
45-49	45	22	9	4
50-54	77	39	8	9
55-59	107	58	15	20
60-64	137	79	23	18
65-69	185	116	37	25
70-74	168	163	26	19
75-79	181	154	16	11
80-84	143	154	14	7
85-UP	103	119	7	5
-- ICD 157.8 (1971) ----				
25-29		1		
30-34	1			1
35-39	2	1		
40-44	3	2	1	1
45-49	8	4	4	1
50-54	18	7	6	1
55-59	29	11	5	3
60-64	33	15	3	3
65-69	34	27	7	2
70-74	35	27	3	2
75-79	33	14	5	
80-84	11	11	1	1
85-UP	6	8		
-- ICD 157.9 (1971) ----				
00-04	1			
05-09	1			
10-14	2	1		
15-19	4			
20-24	4	2		
25-29	9	1	2	1

AGE	WM	WF	NM	NF
-- 157.9 (1971) CONTD---				
30-34	30	13	6	3
35-39	54	31	9	11
40-44	160	84	36	16
45-49	309	173	37	42
50-54	537	317	73	47
55-59	839	512	129	72
60-64	1076	677	151	107
65-69	1216	911	142	122
70-74	1249	1029	124	131
75-79	1022	1050	100	89
80-84	625	729	40	44
85-UP	380	507	27	37
-- ICD 158.0 (1971) ----				
00-04	3	4		
05-09	1			
10-14	1	1	1	
15-19	2			
20-24	4	1		1
25-29	2	1	2	
30-34	6	1		
35-39	4	2		4
40-44	6	5		3
45-49	12	7		2
50-54	19	17	2	2
55-59	23	22	2	8
60-64	32	27	6	2
65-69	31	39	3	7
70-74	45	30	3	3
75-79	23	26	5	1
80-84	15	21	2	1
85-UP	3	13	1	1
-- ICD 158.9 (1971) ----				
20-24	2	1		
30-34	3	1		
35-39		1		1
40-44	2	4		
45-49	8	5		
50-54	5	15		2
55-59	17	20		1
60-64	7	13	2	1
65-69	9	30	2	2
70-74	7	15	1	
75-79	12	19	2	
80-84	6	12	1	3
85-UP	6	12		
-- ICD 159 --(1971) ----				
20-24	1			
25-29	1			
30-34		1		1
35-39	2	3	2	1
40-44	3	1	3	
45-49	8	5	5	1
50-54	17	12	8	4
55-59	31	21	6	5
60-64	29	26	5	4
65-69	40	40	7	12
70-74	50	45	13	8
75-79	41	57	6	9
80-84	45	54	6	3
85-UP	41	53	5	8
-- ICD 160.0 (1971) ----				
05-09		1		
10-14			1	
25-29		1		
35-39	1		1	
40-44	1	1		
45-49	1	1		
50-54	3	2		
55-59	7	3		
60-64	3	8		
65-69	9	10	1	
70-74	12	1		
75-79	11	4		
80-84	4	5		
85-UP	9	24	2	
-- ICD 160.1 (1971) ----				
15-19			1	
45-49		1		
50-54	1	1		
55-59	1			
60-64	1	2		
65-69	4	1		
70-74	2	1		
75-79	2	1		
-- ICD 160.2 (1971) ----				
05-09		1		
10-14		1	1	
20-24		1		
25-29			1	

AGE	WM	WF	NM	NF
-- 160.2 (1971) CONTD---				
30-34	1			
35-39		1		
40-44	5	4		1
45-49	5	6	1	1
50-54	16	7	7	
55-59	17	11	5	1
60-64	22	13	2	1
65-69	21	15	6	7
70-74	26	13	6	4
75-79	14	13	1	1
80-84	12	7		
85-UP	7	13		1
-- ICD 160.8 (1971) ----				
15-19		1	1	
20-24	1			
25-29	1			
30-34		2		
35-39	1			
40-44	1	2	1	1
45-49	3	1		2
50-54	4			1
55-59	3	4	1	
60-64	4	1	4	
65-69	7	3		
70-74	5	2		
75-79	5			1
80-84		1		1
85-OP	2	1		1
-- ICD 160.9 (1971) ----				
20-24		1		
25-29	1			
45-49	1	1		1
50-54	1	2	1	
55-59	3	1		1
60-64	3	1	1	
65-69	4			
70-74		1		
75-79		1		1
80-84	2	2		
85-UP	1	1	1	
-- ICD 161.0 (1971) ----				
45-49	3		1	
50-54	6			
55-59	2	1	2	
60-64	11			
65-69	3			
70-74	7			
75-79	2	1		
80-84	4			
85-OP	3			
-- ICD 161.8 (1971) ----				
40-44				1
45-49	5	5	1	
50-54	5	5	4	
55-59	17	3	2	
60-64	19	4	4	
65-69	22	6		
70-74	10		2	
75-79	5	1		
80-84	6	2		
85-UP	1	1		
-- ICD 161.9 (1971) ----				
20-24	1			
25-29		1		
30-34	3			
35-39	2		2	2
40-44	37	7	14	5
45-49	85	22	31	8
50-54	169	44	50	7
55-59	311	49	53	11
60-64	398	55	50	7
65-69	377	47	51	4
70-74	301	34	35	
75-79	260	24	17	3
80-84	108	14	3	
85-UP	70	15	5	1
-- ICD 162.0 (1971) ----				
30-34	1	1		
35-39	2	3		
40-44	3	1		
45-49	6	2	1	1
50-54	8	7	2	
55-59	8	5	3	
60-64	9	3	3	
65-69	19	6	2	1
70-74	13	2		1
75-79	12	3		
80-84	8	3		
85-UP	3	1		

AGE	WM	WF	NM	NF
-- ICD 162.1 (1971) ----				
00-04	3	6	2	
05-09	2			
10-14	6		3	1
15-19	6	6		
20-24	19	10	1	
25-29	28	12	5	1
30-34	109	59	20	10
35-39	348	148	85	37
40-44	1035	450	235	97
45-49	2393	954	463	138
50-54	4071	1462	712	203
55-59	6499	1760	887	179
60-64	8354	1802	982	169
65-69	9232	1678	888	168
70-74	7723	1460	636	154
75-79	5544	1209	396	74
80-84	2737	768	185	49
85-UP	1137	548	76	29
-- ICD 163.0 (1971) ----				
05-09	1			
30-34	3	1		
35-39	2	2		
40-44	3	1		
45-49	10	3	1	
50-54	13	5	1	
55-59	26	4	2	1
60-64	42	11	1	1
65-69	45	11	1	
70-74	30	14		2
75-79	24	12	1	1
80-84	10	7		2
85-OP	11	10		
-- ICD 163.1 (1971) ----				
00-04	1			
10-14	2			
15-19	4	1		
20-24	5			1
25-29	8	2	1	
30-34	6	3		1
35-39	6	1		
40-44	8	3	1	2
45-49	7	4	2	1
50-54	23	7	1	
55-59	23	7	3	2
60-64	23	9	2	1
65-69	31	14	1	1
70-74	19	4	3	
75-79	20	13	2	
80-84	7	5	1	
85-UP	2	5		
-- ICD 163.9 (1971) ----				
00-04		1		
05-09		1		
15-19	1			
20-24		1		
25-29	1			1
30-34		1	1	
35-39	2		1	
40-44	3			
45-49	6	1		
50-54	4	5		
55-59	8	4	1	1
60-64	7	4	1	1
65-69	21	5	2	1
70-74	12	5	2	1
75-79	9	6		
80-84	5	10	1	
85-UP	8	1	3	
-- ICD 170.0 (1971) ----				
05-09	1			
10-14		1		
15-19	1	1		1
20-24	1	1		
25-29			1	
30-34	1	1		
35-39	4	1	2	1
40-44	1	2	1	3
45-49	7	3	1	
50-54	11	5		
55-59	11	3	3	
60-64	17	8	2	4
65-69	16	12	3	1
70-74	16	12	4	1
75-79	16	16	2	1
80-84	9	13	1	
85-UP	16	10		
-- ICD 170.1 (1971) ----				
10-14				1
20-24	1	2		
25-29	1			

AGE	WM	WF	NM	NF
-- 170.1 (1971) CONTD---				
30-34	2			
35-39	1			
40-44	1	3	1	
45-49	1	2	3	
50-54	3	1	2	
55-59	7	7		1
60-64	5	10	1	
65-69	9	3	3	
70-74	13	7	1	3
75-79	11	11		
80-84	11	7		1
85-UP	8	9		2
-- ICD 170.2 (1971) ----				
00-04		1		1
10-14	1			
15-19	2	1		1
20-24	3			
25-29	1		1	
30-34				1
35-39	3			
40-44	3	1		
45-49	7	4		
50-54	9	5	2	3
55-59	21	12	1	1
60-64	20	11	1	2
65-69	34	14	3	
70-74	17	14	2	2
75-79	19	16		2
80-84	10	3	1	
85-UP	4	5		
-- ICD 170.3 (1971) ----				
05-09	1		1	
10-14	2	1		
15-19	4			
20-24	3			
25-29	1			
30-34	1	1		
35-39		1		
40-44	1			
45-49	1	1	1	
50-54	4		1	
55-59	7	2		1
60-64	9	3		
65-69	16	1	1	
70-74	5	1		1
75-79	3	1	1	
80-84	4	5		
85-UP	2	1		
-- ICD 170.4 (1971) ----				
05-09	1			
10-14	4	5		
15-19	3	7		1
20-24	3			
25-29	2			
35-39	2		1	
40-44	1	2		
45-49	2		1	
50-54	2		2	1
55-59	2			
60-64	2	2		
65-69	4	2		1
70-74	3	1		
75-79	4	2		
80-84	2	2		
85-UP		2		
-- ICD 170.5 (1971) ----				
05-09	1	1		
60-64	1			
85-UP	1			
-- ICD 170.6 (1971) ----				
00-04	1	4		1
10-14	1	2	1	
15-19	7	1		
20-24	3	1		
25-29	1	1		
30-34		1	1	
35-39	2	1		
40-44		3	1	
45-49	2	1		1
50-54	12	4	1	1
55-59	5	4	3	
60-64	11	6		
65-69	14	6	3	
70-74	4	14	1	1
75-79	7	3		
80-84	5	3		
85-UP	5	8		
-- ICD 170.7 (1971) ----				
00-04	1			

AGE	WM	WF	NM	NF
-- 170.7 (1971) CONTD---				
05-09	3	2		
10-14	13	11	2	
15-19	20	11	3	2
20-24	12	5	2	
25-29	5	4		
30-34	2			
35-39	5	1	1	
40-44	4	2		2
45-49	2	3	2	
50-54	1	2	1	1
55-59	5	2	1	1
60-64	5	7	1	2
65-69	17	8	1	
70-74	7	7		
75-79	7	9	1	2
80-84	6	7		1
85-UP	1	7		
-- ICD 170.8 (1971) ----				
05-09	1			
10-14		1		
25-29		1		
50-54		1		
65-69	2			
-- ICD 170.9 (1971) ----				
00-04	2	2		
05-09	3	9	1	
10-14	32	28	8	3
15-19	55	35	5	4
20-24	22	12	3	1
25-29	7	9		
30-34	6	4		2
35-39	4	2		1
40-44	7	5	1	2
45-49	5	10	2	
50-54	14	17	1	
55-59	18	17	1	3
60-64	21	12		3
65-69	29	15	2	
70-74	16	22	1	1
75-79	14	11	1	
80-84	14	13	2	3
85-UP	2	8		
-- ICD 171.0 (1971) ----				
00-04	1			1
05-09	2	1		
10-14	2			
15-19	2			1
20-24		1		
35-39	1			
40-44	1			
45-49	2			
50-54	6	1		2
55-59	4			
60-64	2	1		1
65-69	2	1	1	1
70-74	1	1		1
75-79	2	1		
80-84	1	3		
85-UP	5	2		
-- ICD 171.1 (1971) ----				
00-04	2	1	1	
05-09		4		1
10-14	3	1	1	
15-19	5	1		
20-24	3	2	1	
25-29	1	1		1
30-34	2		1	
35-39	3	2		
40-44	4	2	2	1
45-49	7	7	3	1
50-54	10	10		
55-59	22	8		2
60-64	20	12	2	3
65-69	12	15	2	2
70-74	15	15	1	1
75-79	12	11	1	2
80-84	1	12		
85-UP	3	10		
-- ICD 171.2 (1971) ----				
00-04	1			
05-09	1			
15-19		1	1	
20-24	2			
25-29	1	3		
30-34	1			1
35-39	1	3		
40-44	2	2		
45-49		1		
50-54	3			
55-59	4	1	2	

AGE	WM	WF	NM	NF
-- 171.2 (1971) CONTD---				
60-64	2	3		
65-69	3	4		
70-74	10		1	1
75-79	6	5		
80-84	4	3	1	
85-UP	4	2		
-- ICD 171.3 (1971) ----				
00-04	3			
05-09	1	2		
10-14	2	1		
15-19	3	1	1	
20-24	2	4	1	
25-29	3	3		
30-34	3	4		
35-39	5	5		2
40-44	4		1	1
45-49	4	5	1	1
50-54	13	6	1	1
55-59	12	10	2	2
60-64	9	14	1	1
65-69	8	6	1	
70-74	11	12		
75-79	12	7	1	3
80-84	8	16	1	
85-UP	6	7	1	1
-- ICD 171.9 (1971) ----				
00-04	12	7		2
05-09	12	5	3	
10-14	14	12	1	
15-19	23	8	4	1
20-24	15	9	3	1
25-29	8	4		
30-34	12	7		2
35-39	9	8		
40-44	15	18	4	3
45-49	35	24	3	6
50-54	20	43	2	8
55-59	38	43	6	8
60-64	30	34	7	5
65-69	44	39	10	7
70-74	37	45	4	5
75-79	38	29	3	3
80-84	26	27		1
85-UP	11	15		2
-- ICD 172.0 (1971) ----				
25-29		1		
60-64	1			
-- ICD 172.1 (1971) ----				
40-44		1		
55-59	1			
60-64		1		
70-74	2			
75-79	1			
-- ICD 172.2 (1971) ----				
15-19	1			
30-34	1			
35-39	1			
40-44	1			
45-49	1			
50-54	1	1		
55-59	1			
60-64	1	3		
65-69	2	1		
70-74	3	2		
75-79	1	2		
80-84	1	3		
85-OP	1			
-- ICD 172.3 (1971) ----				
20-24	2	1		
35-39	1	1		
40-44	3	2		
45-49	1			
50-54	3	2		
55-59	3	1		
60-64	2	3		
65-69	3	2		
70-74	8	2		
75-79	8	6		
80-84	5	5	1	
85-UP	5	7		
-- ICD 172.4 (1971) ----				
10-14	1			
15-19		1		
20-24	1	2		
25-29		1		
30-34	3	3		
35-39	5	3		
40-44	3	1		

Appendix I – Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 172.4 (1971) CONTD---				
45-49	2	2		
50-54	4	2		
55-59	8	5		
60-64	6			
65-69	7	4		
70-74	4	7		
75-79		5		
80-84	5			
85-UP	1	1		
-- ICD 172.6 (1971) ----				
15-19	1	1		
20-24	4	3		
25-29	5	3		
30-34	14	3		
35-39	13	6		
40-44	15	12		
45-49	16	12		
50-54	18	12		
55-59	16	5		
60-64	16	2		
65-69	9	9	1	
70-74	4	7		
75-79	11	9		1
80-84	6	3		
85-UP	4	4		
-- ICD 172.7 (1971) ----				
15-19	1	1		
20-24	3			
25-29	2	2		
30-34	3	2		
35-39	5	4		
40-44	9	4		
45-49	4	5		
50-54	8	6		
55-59	4	7		
60-64	13	3		
65-69	6	5		
70-74	2	6		
75-79	4	8		
80-84	2	2		
85-UP	3	3		
-- ICD 172.8 (1971) ----				
15-19		1		
20-24	2			
25-29	1	3		
30-34	2	2		
35-39	3	6		
40-44	1	11		
45-49	5	10	1	2
50-54	3	19		
55-59	6	6		
60-64	7	16		2
65-69	5	14	1	2
70-74	11	21		1
75-79	6	21		1
80-84	7	7	1	
85-UP	7	10		2
-- ICD 172.9 (1971) ----				
00-04	1			
05-09	1			
10-14	2			
15-19	8	6		
20-24	36	14		
25-29	51	39	2	1
30-34	62	46	3	
35-39	84	50	1	1
40-44	113	90		
45-49	129	84	5	1
50-54	140	94	2	5
55-59	148	111	3	5
60-64	141	125	2	6
65-69	159	116	6	1
70-74	100	100	2	2
75-79	95	95	2	2
80-84	51	71	2	1
85-UP	37	48	1	1
-- ICD 173.0 (1971) ----				
50-54	2	1		
55-59	1			
60-64	1		1	
65-69	1			
70-74	1			
75-79	2			
80-84	4			
85-UP	2	1		
-- ICD 173.1 (1971) ----				
45-49	1			
60-64	2			
65-69	1			

AGE	WM	WF	NM	NF
-- 173.1 (1971) CONTD---				
70-74	2			
75-79	1	1		
80-84	1			
85-UP	6	1		
-- ICD 173.2 (1971) ----				
25-29	1			
40-44	1	1		
45-49	1	3		
50-54	4	1		
55-59	6			
60-64	4	5		1
65-69	4	4		
70-74	6	1		
75-79	12	4		
80-84	10	2		
85-UP	10	3		
-- ICD 173.3 (1971) ----				
00-04	1			
15-19	1			
30-34	1			
35-39	4		1	
40-44	9		1	
45-49	4	4	2	
50-54	14	8	1	1
55-59	20	7		1
60-64	29	10	2	1
65-69	35	17	2	3
70-74	48	20	1	1
75-79	55	33	1	2
80-84	47	53	1	3
85-UP	80	89	2	4
-- ICD 173.4 (1971) ----				
25-29				1
30-34	2			
35-39	3	1		
40-44	3			
45-49		1		
50-54	6	2		
55-59	12	3		
60-64	19	7	2	1
65-69	22	4	1	
70-74	20	8	1	1
75-79	15	9	1	
80-84	21	6		
85-UP	20	9		
-- ICD 173.5 (1971) ----				
55-59				1
60-64	2			
65-69	1			1
70-74	3			
75-79	3			
80-84				1
-- ICD 173.6 (1971) ----				
00-04	1	1		
30-34	1			
35-39				1
40-44	2	2		2
45-49	4	5		2
50-54	6	10		2
55-59	5	9	3	2
60-64	13	12	3	2
65-69	14	14	2	1
70-74	7	14	5	3
75-79	12	16		
80-84	6	14		2
85-UP	7	13	1	
-- ICD 173.7 (1971) ----				
55-59		1		
65-69	3	1		
70-74	3			
75-79	5	2		
80-84	2	2		
85-UP	8	3	1	
-- ICD 173.8 (1971) ----				
35-39		1		
45-49	3			
55-59	1	1		
60-64	4	3	1	
65-69	1			2
70-74	2	2		1
75-79	3	1		
80-84		3		2
85-UP	1	4		
-- ICD 173.9 (1971) ----				
10-14			1	
20-24	1			
25-29		1		

AGE	WM	WF	NM	NF
-- 173.9 (1971) CONTD---				
30-34	1			
35-39	1	2		
40-44	3			
45-49	6	2		
50-54	2	3	1	
55-59	5	2		
60-64	10	1	1	
65-69	11	5		
70-74	6	5		
75-79	8	4	1	
80-84	9	6	1	
85-UP	13	13		
-- ICD 174 --(1971) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1971) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1971) ----				
15-19	5			2
20-24	9			2
25-29	7			1
30-34	3			3
35-39	2			
40-44	5			
45-49	3			
55-59	1			
60-64	1			
65-69	1			
70-74				1
-- ICD 182.0 (1971) ----				
25-29	2			
30-34	4			
35-39	9			3
40-44	26			5
45-49	47			13
50-54	113			16
55-59	161			32
60-64	278			42
65-69	318			43
70-74	331			48
75-79	279			18
80-84	153			15
85-UP	108			2
-- ICD 182.9 (1971) ----				
00-04	1			
15-19	3			
20-24				2
25-29	11			4
30-34	13			6
35-39	21			12
40-44	59			27
45-49	137			41
50-54	184			44
55-59	295			68
60-64	345			86
65-69	465			82
70-74	428			72
75-79	410			46
80-84	322			48
85-UP	256			27
-- ICD 183.0 (1971) ----				
00-04				1
05-09	3			
10-14	16			2
15-19	17			8
20-24	43			9
25-29	33			8
30-34	59			14
35-39	115			20
40-44	350			41
45-49	736			82
50-54	1007			87
55-59	1166			101
60-64	1343			105
65-69	1303			96
70-74	1054			79
75-79	997			43
80-84	534			27
85-UP	322			21
-- ICD 183.1 (1971) ----				
35-39	2			
40-44	1			2
45-49	9			3
50-54	17			3
55-59	28			2
60-64	19			1
65-69	19			1
70-74	15			
75-79	4			

AGE	WM	WF	NM	NF
-- 183.1 (1971) CONTD---				
80-84		3		
85-UP		2		
-- ICD 183.9 (1971) ----				
45-49		1		
50-54		1		
60-64		1		
75-79		1		
-- ICD 184.0 (1971) ----				
15-19		1		
20-24				2
30-34		1		
35-39		2		
40-44		8		2
45-49		8		2
50-54		16		5
55-59		23		2
60-64		26		6
65-69		42		4
70-74		43		4
75-79		50		3
80-84		45		4
85-UP		37		1
-- ICD 184.1 (1971) ----				
15-19		2		
25-29		2		1
30-34		1		2
35-39		1		1
40-44		6		3
45-49		7		5
50-54		16		6
55-59		23		2
60-64		43		6
65-69		53		5
70-74		78		4
75-79		94		4
80-84		79		8
85-UP		101		4
-- ICD 184.8 (1971) ----				
65-69		2		
-- ICD 184.9 (1971) ----				
35-39				1
40-44		1		1
45-49		2		1
50-54		4		2
55-59		9		3
60-64		9		3
65-69		2		1
70-74		5		1
75-79		7		
80-84		2		1
85-UP		11		
-- ICD 185 --(1971) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1971) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1971) ----				
20-24				1
30-34	1			
35-39	4			1
40-44	4			
45-49	3			2
50-54	11			5
55-59	16			6
60-64	24			11
65-69	26			6
70-74	26			11
75-79	34			2
80-84	16			2
85-UP	27			4
-- ICD 187.8 (1971) ----				
15-19	1			1
20-24	1			1
40-44	1			1
50-54	3			
55-59	1			
60-64	4			
65-69	1			
70-74	2			
80-84	1			
85-UP	2			
-- ICD 187.9 (1971) ----				
50-54				1
55-59	4			1
60-64	4			
65-69	5			2

AGE	WM	WF	NM	NF
-- 187.9 (1971) CONTD---				
70-74	5		1	
75-79	3		1	
80-84	2			
-- ICD 188 --(1971) ----				
00-04	3	1		
05-09	1			
15-19	1	1		
20-24		1		1
25-29	3		1	
30-34	2	3	1	
35-39	14	1	1	
40-44	30	23	1	3
45-49	86	35	15	8
50-54	196	57	29	31
55-59	340	119	41	31
60-64	628	197	67	48
65-69	857	238	84	43
70-74	1061	375	81	40
75-79	1016	417	74	37
80-84	824	451	35	22
85-UP	557	459	26	14
-- ICD 189.0 (1971) ----				
00-04	26	19	3	8
05-09	20	23	1	7
10-14	8	7		3
15-19	8	1	4	2
20-24	5	8	2	4
25-29	8	7	4	6
30-34	15	10	2	3
35-39	34	15	9	6
40-44	85	34	8	9
45-49	197	100	18	6
50-54	331	149	28	20
55-59	443	209	39	16
60-64	545	237	44	29
65-69	576	306	46	15
70-74	503	279	29	21
75-79	406	296	15	10
80-84	262	199	14	3
85-UP	124	131	10	6
-- ICD 189.1 (1971) ----				
40-44	1			
45-49	1			
50-54	2	2	1	
55-59	8	4	1	
60-64	10	4		
65-69	11	1	1	
70-74	6	5	1	1
75-79	7	4		1
80-84	4	3	1	
85-UP	6	1		
-- ICD 189.2 (1971) ----				
15-19		1		
35-39		1		
45-49	5	2		
50-54	3	3		
55-59	4	5		
60-64	11	8	1	
65-69	35	14	1	1
70-74	22	16	1	3
75-79	38	18	2	
80-84	14	5		
85-UP	6	8	1	1
-- ICD 189.9 (1971) ----				
00-04	2			
35-39				1
40-44	2			
45-49	1			5
50-54	2	4	11	2
55-59	2	4	2	1
60-64	6	10	1	5
65-69	8	15	4	4
70-74	5	9	4	4
75-79	11	16		2
80-84	4	8		1
85-UP	3	4		
-- ICD 190 --(1971) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1971) ----				
00-04	63	44	6	10
05-09	87	67	19	22
10-14	104	52	10	9
15-19	69	44	3	8
20-24	56	48	7	7
25-29	73	54	11	7
30-34	94	62	6	9
35-39	124	68	11	7
40-44	159	128	10	11

AGE	WM	WF	NM	NF
-- 191 -- (1971) CONTD---				
45-49	258	195	20	15
50-54	381	292	27	15
55-59	485	344	20	24
60-64	480	376	22	14
65-69	412	326	20	19
70-74	253	204	13	8
75-79	131	152	4	4
80-84	56	45		3
85-UP	10	20		1
-- ICD 192.0 (1971) ----				
05-09	1	3		
10-14	1	1		
15-19	2		1	
20-24		1		
30-34	1			
35-39		1		
45-49	1			
50-54	1	1		
55-59	1	2		
65-69	1	1		
75-79	1	1		
80-84	1			
-- ICD 192.1 (1971) ----				
00-04			1	
20-24				1
40-44	1	1	1	
45-49	3	1	1	
50-54	1	1		
55-59	2	1	1	
60-64	3	2		
65-69	3	7	1	
70-74	1	1		1
75-79	4			
80-84	3			
85-UP		1		
-- ICD 192.2 (1971) ----				
00-04	5	2		
05-09	1			
10-14	2	2		
15-19	1	2		
20-24	6	1		
25-29	5	1		
30-34		3	1	
35-39	3	2		
40-44	4	1	1	1
45-49	3	2	1	1
50-54	7	3		1
55-59	6	5	2	
60-64	10	1		1
65-69	11	5	3	1
70-74	5	4		
75-79	6	6	3	
80-84	4	4		
85-UP	1			
-- ICD 192.3 (1971) ----				
30-34		1		
-- ICD 192.4 (1971) ----				
00-04	1			
05-09		3		1
10-14	1	1		
15-19	3	1	1	1
20-24	5	4		
25-29	2	1		
30-34	4	3		2
35-39	3	2	1	
40-44	4	3		
45-49	2	4		
50-54	2	4		
55-59	7	1		1
60-64	1	4		
65-69	9	3		1
70-74	4	4		1
75-79	2	3		
80-84	3	1		1
85-UP		3		
-- ICD 192.5 (1971) ----				
00-04	77	51	7	11
05-09	32	21	8	2
10-14	11	5	1	1
15-19	6	6	2	2
20-24	4	2		1
25-29	4	1		
30-34		1		
35-39	2	1		
40-44	2	3		
45-49	2	1		
50-54	2			
55-59	4	3		
60-64	2	2		

AGE	WM	WF	NM	NF
-- 192.5 (1971) CONTD---				
65-69	4		1	
70-74	1	1		
75-79	2	1		
80-84		2		
-- ICD 192.9 (1971) ----				
00-04	12	16	3	3
05-09	19	16	1	3
10-14	15	17	1	1
15-19	10	7	2	1
20-24	18	11	1	1
25-29	9	14	1	2
30-34	19	10	2	1
35-39	34	11	3	
40-44	31	26	1	1
45-49	56	51	5	5
50-54	68	43	6	2
55-59	107	68	6	4
60-64	96	86	4	3
65-69	82	59	4	7
70-74	55	56	2	1
75-79	26	23	3	
80-84	9	5		
85-UP	2	1	1	
-- ICD 193 --(1971) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1971) ----				
00-04	2	1		
05-09	1	1		
10-14		1		
15-19	1			
20-24	3	3		
25-29	3	3		
30-34	1	3		
35-39	5	5		
40-44	11	11	2	3
45-49	13	14	2	2
50-54	18	13	7	3
55-59	18	10	2	1
60-64	20	13	2	1
65-69	21	13		
70-74	16	7	1	2
75-79	9	7		
80-84	3			
85-UP	3	3		
-- ICD 194.1 (1971) ----				
00-04	1			
40-44		1		
50-54		4		
60-64	2		1	
65-69	1	1		
70-74	1			
75-79	1	1		
-- ICD 194.2 (1971) ----				
10-14		1		
15-19	1	3	1	1
20-24	3	1		
25-29	3	6		
30-34	3	2		
35-39	2	1		
40-44	4	3		
45-49	6	5		2
50-54	3	4		
55-59	2	2	1	
60-64	4	6		
65-69	5			
70-74	3	4		
75-79	1	1		
80-84	1	4		
85-UP	1	1		
-- ICD 194.3 (1971) ----				
05-09				1
10-14				1
15-19	2			
20-24		1		
25-29		1		
40-44	2	1		
45-49	1	3		
50-54	2	1	1	1
55-59	1	1		
60-64	4		1	
65-69	2		1	2
70-74		1	1	
75-79	1	1		
80-84	1	1		
-- ICD 194.4 (1971) ----				
00-04		1		
05-09	1			
40-44	1			

AGE	WM	WF	NM	NF
-- 194.4 (1971) CONTD---				
50-54		1		
-- ICD 194.8 (1971) ----				
00-04		1		
15-19		1		
25-29	1			
35-39	1			
45-49		1		
50-54	2	1		
55-59	1	1		
60-64	1			
65-69	2	1		
70-74		1		
75-79	1			
80-84	1	1		
-- ICD 194.9 (1971) ----				
40-44	1			
55-59		2	1	
65-69		1		
80-84	1			
-- ICD 195.0 (1971) ----				
00-04	1		1	
05-09		1		
15-19	2			
20-24			1	
25-29	4	1		1
30-34	3	2		2
35-39	3	5	2	
40-44	8	10	1	3
45-49	16	31	3	13
50-54	18	39	4	11
55-59	51	67	7	12
60-64	58	80	7	20
65-69	74	118	7	20
70-74	71	130	12	14
75-79	64	141	9	21
80-84	61	143	7	8
85-UP	46	136	10	14
-- ICD 195.1 (1971) ----				
00-04	1	1		
15-19		1	1	
25-29	1	2		
30-34		2	1	1
35-39		4		
40-44	2	8		2
45-49		12		2
50-54	1	24		3
55-59	4	15	1	3
60-64	3	24	2	7
65-69	5	40		4
70-74	5	34	1	6
75-79	8	25		4
80-84	5	38		
85-UP	3	33		1
-- ICD 195.9 (1971) ----				
00-04	2	1		
05-09	1			
10-14	1	1	1	
15-19	6	3	4	
20-24	5	1	3	2
25-29	6	2	1	1
30-34	5	2		
35-39	4	3	3	
40-44	8	6	3	2
45-49	28	16	3	1
50-54	36	14	1	5
55-59	61	24	9	4
60-64	74	35	7	5
65-69	78	25	5	3
70-74	84	38	4	7
75-79	65	35	2	2
80-84	70	47	2	1
85-UP	59	41	1	
-- ICD 196.0 (1971) ----				
00-04		1		
30-34	1			
40-44	1			
45-49		1		1
50-54	4	3	1	
55-59	6	2	3	2
60-64	6			
65-69	10	2	1	
70-74	10	2		1
75-79	10	1		
80-84	2	2		
85-UP	8	3		
-- ICD 196.1 (1971) ----				
30-34				1
50-54	2			

AGE	WM	WF	NM	NF
-- 196.1 (1971) CONTD---				
55-59	1			
60-64		1		
70-74	1	1		
85-UP		1		
-- ICD 196.2 (1971) ----				
20-24				1
35-39	1			
60-64	1	2		
65-69	1			
70-74		1	1	
75-79	2			
80-84	1	1		
-- ICD 196.3 (1971) ----				
25-29				1
60-64	1			
70-74	1	1		
75-79	1			
80-84	1	1		
-- ICD 196.4 (1971) ----				
60-64	2	1		
65-69		2		
75-79	1	1		
80-84	3			
85-UP	1	1		
-- ICD 196.7 (1971) ----				
45-49	1			
50-54	2			
60-64	1			
70-74	2			
75-79	1			
80-84	1			
-- ICD 196.8 (1971) ----				
30-34	1			
50-54	1			
55-59	1	1		
65-69		1		
70-74			1	
80-84		1	1	1
-- ICD 196.9 (1971) ----				
20-24			1	1
30-34	1			
40-44	1		1	1
45-49	1	3		
50-54	1	1		
55-59	4	3		
60-64	1	2	1	
65-69	2	3		1
70-74	6	9		
75-79	2	3		
80-84	3	5		
85-UP	2	1		
-- ICD 197.0 (1971) ----				
00-04				1
15-19	5	1		
20-24	3	5	1	
25-29		2	1	
30-34	2	1		
35-39	5	2	1	1
40-44	19	8	3	1
45-49	15	16	6	5
50-54	34	30	2	6
55-59	35	25	7	9
60-64	53	44	9	9
65-69	65	41	8	6
70-74	77	63	10	6
75-79	65	68	3	1
80-84	28	42	1	3
85-UP	29	29	2	4
-- ICD 197.1 (1971) ----				
40-44	1			
45-49	2	1		
50-54	2	1		
60-64	3	2	1	
65-69	3			
70-74	1	4		
75-79	1	2		
80-84		1		
85-UP	1	1		
-- ICD 197.2 (1971) ----				
00-04	1			
35-39		1		
40-44	2	4		
45-49	2	3	1	
50-54	4	4		2
55-59	1	4	1	2
60-64	5	11		2

AGE	WM	WF	NM	NF
-- 197.2 (1971) CONTD---				
65-69	9	7	2	
70-74	9	8		1
75-79	4	12	1	
80-84	6	10		1
85-UP	10	10		1
-- ICD 197.3 (1971) ----				
50-54		3		
55-59	3			
60-64	3	2		
65-69	3		1	
70-74	4	3		
75-79	3	2		
80-84	3	5		
85-UP	2	2		
-- ICD 197.4 (1971) ----				
40-44	1			
45-49	1			
55-59	1			
60-64		3		
65-69			1	1
70-74		1		
75-79		1		
-- ICD 197.5 (1971) ----				
20-24				1
40-44		2		
45-49	1	3		
50-54		3		1
55-59	4	2		
60-64	2	2		2
65-69	1	3	1	1
70-74	3	4	1	1
75-79	9	14	1	
80-84	5	4		
85-UP	1	9		
-- ICD 197.6 (1971) ----				
20-24	1			
25-29	1			
30-34		1		
35-39	1			1
40-44	1	1		
45-49	2	1		
50-54	4	2	2	1
55-59	6	4		1
60-64	6	4	1	1
65-69	10	6		1
70-74	5	11		
75-79	4	8		
80-84	2	10		1
85-UP	1	3		
-- ICD 197.7 (1971) ----				
05-09			1	
15-19	2		1	1
20-24		1		
25-29	1	2	1	
30-34	3	4		1
35-39	3	1	1	2
40-44	12	16	4	3
45-49	24	24	5	6
50-54	43	39	18	8
55-59	100	71	16	12
60-64	115	67	27	9
65-69	135	129	20	18
70-74	139	109	22	15
75-79	131	119	14	10
80-84	78	119	7	9
85-UP	55	92	3	6
-- ICD 197.8 (1971) ----				
00-04	4	2		
05-09	1	1		
10-14	2	1	2	
15-19	1	1	2	
20-24	4	3	2	
25-29	2	1	3	
30-34	4	5	2	1
35-39	8	3	7	2
40-44	14	13	4	6
45-49	36	34	13	6
50-54	71	61	24	15
55-59	123	79	30	14
60-64	186	137	37	22
65-69	209	157	40	28
70-74	249	164	36	21
75-79	189	207	30	11
80-84	127	166	14	16
85-UP	76	138	5	7
-- ICD 197.9 (1971) ----				
30-34	1	1		
35-39	2			

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 197.9 (1971) CONTD---				
40-44		1		
45-49	1	1	1	
50-54	2		3	
55-59	5	5		
60-64	8	2	3	1
65-69	4	3	1	
70-74	3	4	1	
75-79	2	4		
80-84	3	5		1
85-UP		3		
-- ICD 198.0 (1971) ----				
40-44			1	
55-59	3			
60-64				1
65-69	1		1	
75-79	1	1		
80-84		2		
85-UP			1	1
-- ICD 198.1 (1971) ----				
30-34		1		
45-49	1			
50-54		2		
60-64	2	1		
65-69	1	1	1	
70-74	1		1	
75-79	2	2		
80-84	1	1		
85-UP	1			
-- ICD 198.2 (1971) ----				
20-24	1			
30-34	1			
45-49	3			
50-54	3			
55-59	3			
60-64	3	1		
65-69		1	2	
70-74		1		
75-79	2	4		
80-84		2		
85-UP		2		1
-- ICD 198.3 (1971) ----				
00-04	2			
25-29		1	1	
30-34	2	3		1
35-39	3	5	2	1
40-44	16	11		3
45-49	24	11	5	1
50-54	39	34	5	3
55-59	56	33	8	5
60-64	64	36	4	4
65-69	55	26	4	2
70-74	38	23	3	1
75-79	20	15	2	
80-84	7	13		1
85-UP	5	5		
-- ICD 198.4 (1971) ----				
00-04			1	
10-14		1		
30-34	2			
40-44	1	3		
45-49	4	3	1	2
50-54	2		1	
55-59	4	2	2	
60-64	3	4		
65-69	7	4		1
70-74	2	2		
80-84	1	1		
85-UP	1			
-- ICD 198.5 (1971) ----				
10-14				1
20-24	2			
25-29	1			
30-34	1	1		1
35-39	2	4	1	
40-44	3	4	3	
45-49	7	7		
50-54	13	16	2	2
55-59	28	15	4	4
60-64	31	18	3	2
65-69	32	29		1
70-74	30	29	1	3
75-79	22	25	2	1
80-84	21	12	1	
85-UP	6	8		
-- ICD 198.9 (1971) ----				
10-14	2			
15-19	2	1		1
20-24		1		

AGE	WM	WF	NM	NF
-- 198.9 (1971) CONTD---				
25-29	1	2		
30-34	2	3		1
35-39	3	1		
40-44	8	9	1	4
45-49	14	18	4	1
50-54	26	24	5	6
55-59	27	47	2	8
60-64	49	39	6	4
65-69	44	59	5	4
70-74	43	71	8	10
75-79	47	78	3	6
80-84	25	64	3	3
85-UP	19	46	1	2
-- ICD 199.0 (1971) ----				
00-04	4	6		
05-09	1	5	1	1
10-14	4	1	1	1
15-19	20	13	6	4
20-24	22	14	4	4
25-29	18	13	3	1
30-34	23	28	8	6
35-39	59	65	14	17
40-44	110	107	21	19
45-49	206	190	40	43
50-54	288	282	88	58
55-59	486	428	104	77
60-64	618	558	107	94
65-69	683	622	108	92
70-74	590	661	99	81
75-79	587	632	60	54
80-84	348	465	42	42
85-UP	235	387	17	26
-- ICD 199.1 (1971) ----				
00-04	1	2	1	1
05-09	4			1
10-14	3	5	1	
15-19	8	2		1
20-24	14	3		2
25-29	3	1		1
30-34	2	7	2	
35-39	7	6	5	3
40-44	15	14	4	4
45-49	29	35	6	13
50-54	48	33	13	14
55-59	57	44	17	16
60-64	105	62	30	14
65-69	79	72	10	15
70-74	105	68	18	16
75-79	81	65	22	7
80-84	58	80	6	8
85-UP	43	59	8	9
-- ICD 200.0 (1971) ----				
00-04	5	2		
05-09	5	5	1	
10-14	12	7	3	1
15-19	19	12	2	2
20-24	30	23	4	
25-29	26	10	1	
30-34	29	10	5	3
35-39	29	21	3	1
40-44	54	40	4	3
45-49	80	74	7	6
50-54	112	91	13	5
55-59	179	107	14	12
60-64	184	138	21	8
65-69	167	139	8	8
70-74	172	163	10	7
75-79	140	147	8	10
80-84	77	100	5	2
85-UP	33	60	4	2
-- ICD 200.1 (1971) ----				
00-04	10	7	2	1
05-09	40	11	5	1
10-14	28	11	2	5
15-19	32	15	5	4
20-24	25	10	4	5
25-29	31	10	6	1
30-34	34	17	1	
35-39	38	25	6	5
40-44	67	49	11	9
45-49	128	75	10	8
50-54	211	120	17	11
55-59	284	184	21	13
60-64	282	228	25	20
65-69	294	241	16	12
70-74	283	289	15	14
75-79	257	244	14	11
80-84	126	179	2	6
85-UP	77	109	7	2

AGE	WM	WF	NM	NF
-- ICD 201 --(1971) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1971) ----				
35-39	1	1		
40-44		5		
45-49	1	2	1	
50-54	4	5	1	
55-59	6	8		
60-64	9	4		
65-69	12	5		
70-74	2	8		
75-79	5	11		
80-84	3	2		
85-UP	2	2		
-- ICD 202.1 (1971) ----				
20-24	1			
25-29				1
35-39	1			
40-44	1			1
45-49		3		
50-54	4	2	1	2
55-59	6		1	1
60-64	8	4	1	
65-69	14	7	3	1
70-74	4	2		
75-79	8	5		
80-84	7	1		
85-UP		2	1	
-- ICD 202.2 (1971) ----				
00-04	10	5	1	2
05-09	17	5		1
10-14	22	4	3	
15-19	17	7	1	1
20-24	15	11	1	
25-29	11	7	4	
30-34	22	8	3	2
35-39	19	3	3	3
40-44	44	23	4	5
45-49	65	48	4	4
50-54	90	63	9	3
55-59	134	97	11	9
60-64	157	138	19	15
65-69	161	121	18	12
70-74	149	184	12	9
75-79	153	180	11	5
80-84	100	147	2	4
85-UP	62	81	3	4
-- ICD 202.9 (1971) ----				
15-19		1		
55-59		1		
65-69	1			
70-74	1			
-- ICD 203 --(1971) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1971) ----				
00-04	129	78	9	10
05-09	202	154	18	15
10-14	94	90	6	10
15-19	86	58	12	6
20-24	46	20	5	2
25-29	26	9	2	2
30-34	17	7	3	
35-39	8	11	3	
40-44	9	8	1	
45-49	17	12	2	2
50-54	17	17	1	2
55-59	32	13	1	2
60-64	36	25	7	
65-69	43	32	2	4
70-74	53	45	6	2
75-79	65	37		1
80-84	35	38	2	1
85-UP	28	32		3
-- ICD 204.1 (1971) ----				
00-04		1		
05-09	2	2		
10-14				1
15-19	1			
25-29	1	1		
30-34		2		
35-39	1	1		
40-44	5	4	1	1
45-49	17	10	2	3
50-54	59	19	7	2
55-59	111	36	14	9
60-64	137	65	10	6
65-69	182	96	19	11
70-74	226	163	15	14
75-79	244	195	15	11

AGE	WM	WF	NM	NF
-- 204.1 (1971) CONTD---				
80-84	173	156	3	4
85-UP	137	110	10	3
-- ICD 204.9 (1971) ----				
00-04	5	6	1	
05-09	16	9	2	
10-14	6			1
15-19	4		1	
20-24	1			
25-29	3	1	1	
30-34	2			1
40-44	4	5	1	
45-49	7	5		1
50-54	12	6		1
55-59	37	16	1	3
60-64	48	18	3	2
65-69	42	34	7	8
70-74	67	41	8	2
75-79	86	55	4	2
80-84	68	60	3	2
85-UP	59	61	4	5
-- ICD 205.0 (1971) ----				
00-04	33	44	2	6
05-09	30	21	5	4
10-14	35	20	7	4
15-19	49	48	11	3
20-24	47	48	8	4
25-29	53	49	9	4
30-34	52	43	9	9
35-39	54	49	7	3
40-44	74	54	8	2
45-49	104	87	8	15
50-54	119	100	12	6
55-59	166	118	13	9
60-64	185	144	13	8
65-69	250	160	10	8
70-74	220	177	7	12
75-79	198	178	12	3
80-84	137	144	8	5
85-UP	69	72	5	5
-- ICD 205.1 (1971) ----				
00-04	2	1	2	2
05-09	3	1	2	2
10-14	5	4	2	
15-19	4	3	1	1
20-24	18	4	2	1
25-29	23	9	3	3
30-34	28	16	5	1
35-39	21	27	5	2
40-44	47	30	5	6
45-49	48	35	9	6
50-54	47	36	6	8
55-59	56	46	9	3
60-64	84	58	4	9
65-69	84	66	7	5
70-74	100	85	6	6
75-79	105	83	5	1
80-84	67	77	2	7
85-UP	46	43	2	5
-- ICD 205.9 (1971) ----				
00-04	1	1	2	
05-09	3	1	1	1
10-14	1	2		1
15-19	3	1		
20-24	4	4		1
25-29	1	1		1
30-34	2	1	1	
35-39	6	7		2
40-44	10	2	1	2
45-49	8	3	1	1
50-54	19	15	1	1
55-59	16	10	4	2
60-64	34	20	1	1
65-69	37	39	2	1
70-74	46	37	3	2
75-79	53	48	2	2
80-84	37	43	1	1
85-UP	30	36		1
-- ICD 206.0 (1971) ----				
00-04	4	5		1
05-09	1	1	1	
10-14	5	4	3	1
15-19	3	3	2	
20-24	3	3	1	
25-29	3	6		
30-34	8	5		
35-39	4	1	1	2
40-44	3	8		
45-49	4	11	1	
50-54	8	12	4	
55-59	17	8	1	1

AGE	WM	WF	NM	NF
-- 206.0 (1971) CONTD---				
60-64	17	20	1	
65-69	27	27		2
70-74	30	22	1	1
75-79	28	20	1	
80-84	23	16	1	
85-UP	12	10		1
-- ICD 206.1 (1971) ----				
00-04	1			
55-59	1	1		
60-64	1			
65-69	2			
70-74	4	2		
75-79	5	2		
80-84	2	1		1
85-UP	5	2		
-- ICD 206.9 (1971) ----				
00-04	3	2		
20-24		1		
30-34		1		
35-39	1	1		
40-44	2			
45-49	2	2		
50-54	4	3		
55-59	5	2	1	
60-64	5	6	1	
65-69	3	5	1	
70-74	13	8		
75-79	11	6		
80-84	9	2		
85-UP	7	9		
-- ICD 207.0 (1971) ----				
00-04	46	39	5	6
05-09	62	42	7	7
10-14	35	32	7	4
15-19	48	23	2	6
20-24	21	8	4	2
25-29	23	17	2	1
30-34	18	11	3	2
35-39	21	17		4
40-44	20	17	2	1
45-49	34	30	5	2
50-54	40	36	2	2
55-59	46	48	6	5
60-64	80	46	4	3
65-69	79	50	11	6
70-74	108	85	11	3
75-79	85	58	5	2
80-84	67	52	2	1
85-UP	32	47	3	
-- ICD 207.1 (1971) ----				
00-04	1			
05-09			1	
10-14	1			
35-39				1
40-44	2			
45-49		1		2
50-54	1			
55-59	1	1	1	
60-64	5	4	1	
65-69	6	7		1
70-74	17	5	2	2
75-79	23	8		1
80-84	8	14	1	
85-UP	6	8		
-- ICD 207.2 (1971) ----				
00-04	1	3		
05-09	1			
15-19	1			
20-24	1	1		
25-29		1		1
30-34	1			1
35-39	3			
40-44	1	3		
45-49	4	3		
50-54	6		1	
55-59	2	7	1	
60-64	6	9	3	
65-69	10	11	1	
70-74	15	3	4	1
75-79	17	5		1
80-84	3	7	1	1
85-UP	3	2	1	
-- ICD 207.9 (1971) ----				
00-04	32	23	5	5
05-09	47	24	6	2
10-14	18	13	4	1
15-19	14	2	4	1
20-24	4	8	1	2
25-29	4	1	1	

AGE	WM	WF	NM	NF
-- 207.9 (1971) CONTD---				
30-34	5	3	1	1
35-39	3	6	1	2
40-44	13	11	2	
45-49	17	10	6	5
50-54	16	21	1	4
55-59	31	25	4	3
60-64	45	30	4	4
65-69	65	39	3	3
70-74	73	54	5	6
75-79	71	64	6	8
80-84	75	60	2	3
85-UP	54	71	2	2
-- ICD 208 --(1971) ----				
00-04	3	1		
05-09	1	1		
10-14	1			
15-19		1		
20-24	1			
25-29	1			
30-34	1			
35-39	3	1	1	
40-44	8	3		
45-49	13	5		1
50-54	31	15	2	1
55-59	42	17		4
60-64	42	28	1	1
65-69	52	30	1	1
70-74	43	33	5	
75-79	36	52	1	
80-84	21	38		
85-UP	9	17		
-- ICD 209 --(1971) ----				
00-04	1	1		
15-19		2		
20-24	1			
25-29	1	7	1	
30-34	2	5		
35-39	2	2	1	1
40-44	5	2		1
45-49	13	15	1	1
50-54	15	9	5	3
55-59	32	17	2	5
60-64	45	35	10	4
65-69	69	50	4	4
70-74	88	56	7	2
75-79	87	59	2	3
80-84	50	53	1	1
85-UP	22	18		1
-- ICD 140.1 (1972) ----				
45-49	1	1		
60-64	3	1		
65-69	1			
75-79	3			
80-84	6			
85-UP	2			
-- ICD 140.9 (1972) ----				
25-29	2			
35-39	2			
40-44	1			
45-49	2			
50-54	1			
55-59	1			
60-64	5	2		1
65-69	8	1		
70-74	4	1		
75-79	9	2		1
80-84	4	1		
85-UP	8	3		
-- ICD 141.0 (1972) ----				
35-39			1	
40-44	1			
45-49	6	2	1	1
50-54	6		2	1
55-59	6	3	2	
60-64	8	10	2	
65-69	12	5		
70-74	6	2	1	
75-79	5	1		1
80-84	3	2		
85-UP	1			
-- ICD 141.1 (1972) ----				
65-69	1			
80-84		1		
85-UP	1			
-- ICD 141.9 (1972) ----				
20-24	2	1		
30-34	1			
35-39	4	1		2

AGE	WM	WF	NM	NF
-- 141.9 (1972) CONTD---				
40-44	9	7	2	2
45-49	22	9	7	7
50-54	42	29	10	5
55-59	81	36	15	3
60-64	91	27	6	3
65-69	87	25	4	2
70-74	68	23	5	1
75-79	57	26		2
80-84	27	17	1	1
85-UP	19	24		1
-- ICD 142.0 (1972) ----				
15-19		1		
20-24	1			
30-34	1			
35-39	1	2		
40-44	2	2	1	
45-49	2	7	1	
50-54	5	1	1	
55-59	7	9	1	1
60-64	11	8	3	1
65-69	18	7	4	1
70-74	21	9	1	1
75-79	15	5	1	
80-84	18	6		1
85-UP	13	7		
-- ICD 142.8 (1972) ----				
40-44	2	1		
50-54	1		1	1
55-59	3	1		
60-64	1	1		
65-69	3		1	1
70-74	2	3		2
75-79	2	1		1
80-84	2	1		
85-UP	3	2		
-- ICD 142.9 (1972) ----				
10-14				1
20-24	1	1		
40-44			1	
50-54	2	1		
55-59	2	1		
65-69	2	3		1
70-74	3	1		
75-79	1	3		
80-84	2			
85-UP	2			
-- ICD 143.0 (1972) ----				
65-69	1			
70-74	1			
85-UP	1			
-- ICD 143.1 (1972) ----				
25-29				1
50-54	2	1		
55-59	2		1	
60-64	2			
65-69	1			
75-79	2	2		1
80-84	1			
85-UP	2	1		
-- ICD 143.9 (1972) ----				
05-09		1		
45-49	1			
50-54	3	4		2
55-59	3	1	1	
60-64	5	1	2	1
65-69	3	1		
70-74	3	5	1	
75-79	1	4		
80-84	2	3	1	
85-UP	2	3		1
-- ICD 144 --(1972) ----				
30-34			1	
40-44	1	1	2	
45-49	6	3	6	1
50-54	19	3	5	
55-59	27	9	3	2
60-64	28	12		1
65-69	30	7		
70-74	21	7	1	
75-79	6	5	1	
80-84	10	2		1
85-UP	5	1		
-- ICD 145.0 (1972) ----				
40-44	1			
45-49	2	1	1	
50-54	2		2	
55-59	2	1		1

AGE	WM	WF	NM	NF
-- 145.0 (1972) CONTD---				
60-64	3	1		
65-69	3	3		
70-74	3	3		
75-79	2	3		1
80-84	4	3		
85-UP	3	3		
-- ICD 145.1 (1972) ----				
15-19	1	1		
40-44	1			
45-49	2		1	
50-54	11	3	4	2
55-59	8	5	2	1
60-64	11	7	4	
65-69	15	4	2	1
70-74	15	7	1	
75-79	8	3		1
80-84	6	3		
85-UP	4	5		
-- ICD 145.8 (1972) ----				
45-49	1	1	2	
50-54	1			
55-59		1		
60-64	1	1		
65-69	2			
70-74	1	1		
75-79		1		
85-UP		1		
-- ICD 145.9 (1972) ----				
35-39		1		
40-44	3		1	
45-49	8		1	2
50-54	12	5	3	1
55-59	26	7	3	2
60-64	29	13	4	1
65-69	38	12	5	3
70-74	18	11	1	2
75-79	15	16	4	1
80-84	18	7	3	
85-UP	14	16		
-- ICD 146.0 (1972) ----				
05-09	1			
15-19	2			
35-39		1		1
40-44	7	3		2
45-49	16	4	3	2
50-54	23	6	7	3
55-59	32	9	8	3
60-64	33	24	7	
65-69	46	9	7	
70-74	34	8	2	
75-79	16	6	1	1
80-84	9	3	1	
85-UP	9	3	1	1
-- ICD 146.8 (1972) ----				
35-39	1			
45-49	2	1	1	
50-54	1			
55-59	1			
60-64	1	1		
65-69	1	1		
70-74	2			
75-79	2			
80-84		1		
-- ICD 146.9 (1972) ----				
30-34	1			1
35-39			1	
40-44	1			1
45-49	5	5		1
50-54	3	3	2	1
55-59	7	4	3	
60-64	11	8	1	1
65-69	11	3		
70-74	3	4	3	
75-79	9	4		
80-84	3	2		
85-UP	1	1		1
-- ICD 147 --(1972) ----				
SEE PAGES 42 - 47				
-- ICD 148.1 (1972) ----				
35-39			1	
45-49	5	3	3	
50-54	9		1	1
55-59	14	1	2	
60-64	15		3	
65-69	6	2	2	
70-74	8	1		
75-79	7		1	

AGE	WM	WF	NM	NF
-- 148.1 (1972) CONTD---				
80-84	7			
85-UP	3			
-- ICD 148.8 (1972) ----				
80-84		1		
-- ICD 148.9 (1972) ----				
30-34			1	
40-44		1	1	
45-49	9	1	1	1
50-54	13	4	5	1
55-59	19	12	6	
60-64	26	13	8	
65-69	23	5	1	
70-74	19	4		
75-79	12	2		
80-84	4	1		
85-UP	1			
-- ICD 149 --(1972) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1972) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1972) ----				
25-29	1			
35-39	2			
40-44	1	2		
45-49	3	2	1	
50-54	10			
55-59	6	1		
60-64	10	5	2	
65-69	13	3	2	1
70-74	12	2	2	1
75-79	16	2		2
80-84	2	4		
85-UP	4	2		
-- ICD 151.1 (1972) ----				
45-49		1		
55-59	1			1
60-64			1	
65-69	1	1		
70-74			1	
75-79	3	2		
80-84	1	2		
85-UP	2			
-- ICD 151.8 (1972) ----				
40-44	1	1		
50-54	1			
60-64	3	1	1	
65-69	5		1	
70-74	2	2		1
75-79	3	4		
80-84	2	4		
85-UP	4	2		
-- ICD 151.9 (1972) ----				
00-04		1		
15-19	2			
20-24	1	1		
25-29	5	3	2	3
30-34	16	16	6	4
35-39	24	32	10	8
40-44	59	49	16	14
45-49	121	68	30	17
50-54	186	117	73	27
55-59	335	171	89	40
60-64	521	224	105	50
65-69	563	322	119	65
70-74	587	379	111	72
75-79	615	457	88	56
80-84	455	415	50	37
85-UP	307	349	43	33
-- ICD 152.0 (1972) ----				
30-34			1	
40-44	4	1		
45-49		1	1	
50-54	6	2	1	
55-59	7	5	1	
60-64	10	3	1	2
65-69	8	9		2
70-74	9	9	1	1
75-79	5	5		1
80-84	4	5	1	
85-UP	6	1		
-- ICD 152.1 (1972) ----				
35-39	2			1
45-49	2	1	1	
50-54	4	2		1
55-59	5	3		

AGE	WM	WF	NM	NF
-- 152.1 (1972) CONTD---				
60-64	8	5		
65-69	4	3		
70-74	7	2	1	
75-79	2	3	1	
-- ICD 152.2 (1972) ----				
35-39	1			
45-49	1			
50-54	3	1		1
55-59	2	2	2	
60-64	6	5		
65-69	5	1		
70-74	3	1		
75-79	5	5		
80-84	2	3		
85-UP	1	3	1	
-- ICD 152.9 (1972) ----				
15-19	1			
25-29		1		
30-34	1			
35-39	3			
40-44	3		1	
45-49	3	1		1
50-54	7	3		1
55-59	13	3	1	
60-64	5	6	2	1
65-69	4	10	2	
70-74	8	7	2	1
75-79	10	9		
80-84	3	6		
85-UP	4	5	1	1
-- ICD 153.0 (1972) ----				
15-19	1	1	1	
20-24	2			
25-29	1	1		
30-34	2	6	2	
35-39	7	5	1	2
40-44	9	9	2	4
45-49	29	18	3	2
50-54	42	34	8	6
55-59	67	80	10	5
60-64	101	89	10	11
65-69	118	143	7	11
70-74	147	179	9	16
75-79	140	212	6	16
80-84	126	181	9	4
85-UP	84	150	7	4
-- ICD 153.1 (1972) ----				
15-19				1
25-29			1	
30-34	1	1		
40-44		2		1
45-49	12	7	3	
50-54	10	15	1	1
55-59	25	26	3	5
60-64	26	33	4	4
65-69	40	36	9	6
70-74	39	50	3	7
75-79	42	55	1	2
80-84	28	53	3	3
85-UP	29	41	1	1
-- ICD 153.2 (1972) ----				
15-19	1			
20-24		1		
30-34	1	1		
35-39		1		
40-44	3	3		1
45-49	6	5	1	
50-54	12	11	2	
55-59	20	18	2	3
60-64	27	28	4	6
65-69	32	24	5	4
70-74	52	32	5	
75-79	30	40	3	5
80-84	30	30	1	3
85-UP	14	25		1
-- ICD 153.3 (1972) ----				
05-09	1			
20-24		2		
25-29	1	1	1	
30-34	1	3		
35-39	3	8	2	1
40-44	10	16	2	2
45-49	25	33	1	4
50-54	58	67	6	9
55-59	92	81	11	10
60-64	152	108	7	13
65-69	161	176	11	14
70-74	154	173	17	11
75-79	202	174	13	11

Appendix I – Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 153.3 (1972) CONTD---				
80-84	144	149	7	10
85-UP	76	129	5	5
-- ICD 153.8 (1972) ----				
00-04				1
10-14	2	1		
15-19	3	1	2	1
20-24	11	1	1	
25-29	11	17	4	2
30-34	13	13	4	2
35-39	43	41	8	4
40-44	81	80	9	11
45-49	149	158	22	36
50-54	285	287	35	46
55-59	472	453	44	59
60-64	680	619	56	71
65-69	780	831	92	97
70-74	813	903	56	86
75-79	823	954	52	59
80-84	615	774	33	37
85-UP	357	717	14	28
-- ICD 153.9 (1972) ----				
20-24	1			
25-29	2	2		
30-34	1		1	
35-39	1	3	1	
40-44	3	7		1
45-49	11	16		2
50-54	17	20	1	3
55-59	33	28	2	3
60-64	42	39	5	2
65-69	67	61	1	4
70-74	71	71	6	3
75-79	62	78	4	6
80-84	59	84		3
85-UP	33	81	1	2
-- ICD 154.0 (1972) ----				
30-34	1	1		
35-39	4	3		
40-44		3		
45-49	12	16	3	3
50-54	25	17	1	1
55-59	49	26	1	1
60-64	43	44	2	7
65-69	67	42	3	6
70-74	74	48	8	1
75-79	73	60	4	2
80-84	43	55	3	2
85-UP	33	45	1	
-- ICD 154.1 (1972) ----				
20-24	3		1	
25-29	2	2	1	
30-34	3	7	4	1
35-39	19	9	5	2
40-44	20	33	8	4
45-49	70	49	10	10
50-54	121	76	15	11
55-59	213	131	24	21
60-64	262	171	32	17
65-69	352	219	31	24
70-74	353	259	30	35
75-79	376	256	19	22
80-84	263	214	8	15
85-UP	138	235	4	15
-- ICD 154.2 (1972) ----				
40-44		1		
45-49	1	2		
50-54		1		
55-59	1		1	
60-64	1	2		
65-69	1	2		
70-74	3	2	1	
75-79	2	1		
80-84	2	2		
85-UP		3	1	1
-- ICD 155.0 (1972) ----				
00-04	3		2	1
05-09	4	1		
10-14	1	2		1
15-19		2		
20-24	6	3	1	
25-29	4	3	3	1
30-34	5	6	1	
35-39	6	7	2	
40-44	12	10	3	4
45-49	23	14	9	5
50-54	37	19	26	7
55-59	62	23	14	7
60-64	95	35	26	6
65-69	96	49	36	8

AGE	WM	WF	NM	NF
-- 155.0 (1972) CONTD---				
70-74	74	55	13	9
75-79	89	39	7	2
80-84	46	32	6	4
85-UP	19	24	3	1
-- ICD 155.1 (1972) ----				
20-24				1
30-34	1			
35-39		2		
40-44	1		1	
45-49		2		
50-54	2	1		
55-59	3	8		1
60-64	9	6	1	1
65-69	5	6	1	1
70-74	5	1	5	
75-79	4	2		
80-84	2	3		
85-UP		2		
-- ICD 156.0 (1972) ----				
15-19		1		
35-39		2		
40-44	2	6		1
45-49	7	7	1	1
50-54	8	28	2	4
55-59	21	53	3	5
60-64	31	73	2	10
65-69	50	140	6	7
70-74	53	167	3	7
75-79	62	167	2	9
80-84	47	138	2	9
85-UP	25	95	1	1
-- ICD 156.1 (1972) ----				
10-14		1		
20-24		1		
25-29	1	1		
30-34	3	1		
35-39	2	2		
40-44	4	5		
45-49	8	6	1	
50-54	15	13		2
55-59	27	18	2	
60-64	35	33	5	1
65-69	30	41	4	5
70-74	40	46	2	3
75-79	40	45	2	3
80-84	32	36	1	
85-UP	17	26	1	
-- ICD 156.2 (1972) ----				
15-19	1			
30-34		1		
35-39		1		
40-44	3			
45-49	1			
50-54	1	5	1	
55-59	7	2		1
60-64	6	7	1	
65-69	26	10		
70-74	17	12		1
75-79	11	17	1	
80-84	6	3		
85-UP	4	3	1	
-- ICD 156.9 (1972) ----				
30-34	1	1		
35-39	1	1		
45-49		3		
50-54	2	1		3
55-59	8	7	1	
60-64	4	5		1
65-69	8	18		
70-74	4	26	1	1
75-79	11	13	1	
80-84	4	9		1
85-UP	5	5		1
-- ICD 157.0 (1972) ----				
30-34	1			
35-39	2			
40-44	9	5	2	
45-49	15	7	2	1
50-54	33	18	6	10
55-59	50	30	8	3
60-64	78	43	9	3
65-69	83	63	14	11
70-74	90	80	9	10
75-79	81	70	10	6
80-84	68	78	4	4
85-UP	39	58	5	4
-- ICD 157.8 (1972) ----				
30-34		1		

AGE	WM	WF	NM	NF
-- 157.8 (1972) CONTD---				
35-39	1	2		
40-44	2		3	
45-49	5	2		
50-54	8	4	1	1
55-59	14	6	4	
60-64	25	9	3	2
65-69	19	13	2	
70-74	19	5	1	1
75-79	23	13	1	
80-84	6	10	1	2
85-UP	6	4		
-- ICD 157.9 (1972) ----				
05-09				1
10-14	1			
20-24	4	3	1	
25-29	3	3	2	
30-34	11	4	2	
35-39	22	16	9	4
40-44	63	37	12	9
45-49	140	99	41	22
50-54	251	149	43	25
55-59	442	266	59	44
60-64	565	326	59	54
65-69	670	492	76	52
70-74	659	498	63	52
75-79	468	549	46	37
80-84	319	380	20	21
85-UP	173	273	16	21
-- ICD 158.0 (1972) ----				
00-04	1			
10-14	1			
15-19	2		1	
20-24	2	1	2	
25-29	1	1		
30-34	2	1		
35-39	2	2		1
40-44	4	3		
45-49	7	6		1
50-54	14	10		1
55-59	10	4	3	
60-64	13	11	4	
65-69	17	18	1	
70-74	19	14	2	2
75-79	18	19	1	1
80-84	3	8		
85-UP	1	3		
-- ICD 158.9 (1972) ----				
30-34		1		
35-39	1	1	1	
40-44	3	4		
45-49	1	1		
50-54	6	3		2
55-59	8	7		
60-64	5	11		2
65-69	6	15	1	1
70-74	1	10		4
75-79	5	11		1
80-84	5	5		
85-UP	3	5		1
-- ICD 159 --(1972) ----				
35-39		2		
40-44	2	3	1	
45-49	2	5	1	
50-54	2	5	2	
55-59	15	6	1	3
60-64	18	12	2	4
65-69	20	13	9	6
70-74	21	22	5	3
75-79	23	32	3	7
80-84	14	32	4	3
85-UP	15	31		2
-- ICD 160.0 (1972) ----				
10-14		1		
40-44			1	
45-49	1			
50-54	2	1		
55-59	3	3		
60-64	2	4		
65-69	5	2	1	1
70-74	5	4	2	
75-79	7			
80-84	6	2		
85-UP	5	5	1	1
-- ICD 160.1 (1972) ----				
15-19				1
40-44		1		
55-59		2		
60-64	1	2		
65-69	1			

AGE	WM	WF	NM	NF
-- 160.1 (1972) CONTD---				
70-74	2	2		
75-79	1			
85-UP	1			
-- ICD 160.2 (1972) ----				
25-29	1			
35-39	2	2	1	
40-44	4	1	1	
45-49	4	3	1	1
50-54	8	5	1	1
55-59	10		3	2
60-64	10	8	5	
65-69	13	6	1	
70-74	6	5	2	1
75-79	14	8		
80-84	4	11	1	
85-UP	1	4		
-- ICD 160.8 (1972) ----				
40-44	1			
45-49	2		1	
50-54	2	1		
55-59	3		1	
60-64	1	3	1	
65-69	2			2
70-74	4	2		
75-79	3	1		
80-84	2			
-- ICD 160.9 (1972) ----				
35-39		1	1	
40-44	1			
50-54			1	
55-59	1			
60-64	2			
65-69	2	3		
70-74	1	1		
75-79		1		
80-84	1	3		
85-UP	1	1		
-- ICD 161.0 (1972) ----				
50-54	2			1
55-59	2	1		
60-64	5			
65-69	3			
70-74	5			
75-79	5		2	
80-84	2			
-- ICD 161.8 (1972) ----				
40-44	3		1	
45-49	3	1	2	1
50-54	3	3	1	
55-59	11	2		2
60-64	14	1	1	1
65-69	9	1		
70-74	10	4	2	
75-79	5	1	1	
85-UP	2			
-- ICD 161.9 (1972) ----				
25-29			1	
30-34	1	1	1	
35-39	4			
40-44	13	4	8	1
45-49	31	16	16	5
50-54	88	13	18	6
55-59	144	38	24	4
60-64	189	20	27	4
65-69	191	24	24	4
70-74	170	16	11	2
75-79	138	15	10	
80-84	66	9	4	
85-UP	41	10	5	
-- ICD 162.0 (1972) ----				
25-29		1		
30-34		1		
40-44	1			
45-49	1	1		
50-54	4	3		1
55-59	7	3		1
60-64	8	4		1
65-69	3	5		
70-74	5		1	
75-79	1	2		
85-UP		2		
-- ICD 162.1 (1972) ----				
00-04	4	1	1	
05-09		2		1
10-14	3			
15-19	5	1		
20-24	5	3		

AGE	WM	WF	NM	NF
-- 162.1 (1972) CONTD---				
25-29	11	7	2	
30-34	38	26	14	4
35-39	175	94	39	11
40-44	519	244	120	53
45-49	1242	480	256	62
50-54	2167	845	363	105
55-59	3368	1018	493	77
60-64	4442	995	547	98
65-69	4760	954	499	81
70-74	4073	817	371	71
75-79	2939	594	209	49
80-84	1431	434	98	25
85-UP	561	276	42	18
-- ICD 163.0 (1972) ----				
00-04				1
25-29				1
30-34	1			
35-39	1			1
40-44	3	1	1	
45-49	4			
50-54	10	3		1
55-59	12	3	2	2
60-64	14	4	2	1
65-69	13	6	1	1
70-74	11	5	1	
75-79	12	3	1	
80-84	5	2		
85-UP	5		1	1
-- ICD 163.1 (1972) ----				
05-09	1			
10-14				1
15-19	2			
20-24	1	2		
25-29	3	1		
30-34	1	1		
35-39		3	1	
40-44	4	2	1	
45-49	5	1	2	2
50-54	4	5	1	
55-59	18	5	1	
60-64	16	9		1
65-69	13	5	2	
70-74	12	5	2	
75-79	9	8	1	
80-84	8	2	1	1
85-UP	4	3		1
-- ICD 163.9 (1972) ----				
15-19	1			
30-34	1		1	
40-44	1			
45-49	1		1	
50-54	5	4		
55-59	8	4		
60-64	4	5		
65-69	4	2		2
70-74	7	5		
75-79	4	2		2
80-84	1	3		1
85-UP		5		
-- ICD 170.0 (1972) ----				
00-04		1		
05-09		1		
15-19		2		
20-24		1		
25-29				1
30-34	1			
35-39	1	4		
40-44	1	1		
45-49	2	1	1	
50-54	5	2		2
55-59	11	1	1	
60-64	9	7	2	2
65-69	9	6	3	1
70-74	9	9	3	
75-79	6		1	1
80-84	6	3		1
85-UP	6	11		
-- ICD 170.1 (1972) ----				
10-14		1		
15-19	1			
20-24			2	
40-44	1			2
45-49	3	1		
50-54	6	4	3	1
55-59	2	5		
60-64	9	3	1	
65-69	5	2	1	1
70-74	3	7	2	
75-79	4	3		
80-84	5	5		

AGE	WM	WF	NM	NF
-- 170.1 (1972) CONTD---				
85-UP	3	5		1
-- ICD 170.2 (1972) ----				
00-04				1
10-14	1			
15-19	1	2	1	
25-29		1		
30-34	1			
35-39	2	1		
40-44	2			
45-49	1			
50-54	10	5	1	1
55-59	12	4		1
60-64	8	10		
65-69	9	4		1
70-74	11	8		
75-79	9	7	1	
80-84	4	4		
85-UP	4	2		
-- ICD 170.3 (1972) ----				
25-29	1			
30-34		1		
35-39		1		
40-44		1		
45-49	1			
50-54		1		
55-59	2	1		
60-64	1			
65-69	3	2	1	2
70-74	1	2		
75-79	3	3		
80-84		1		
85-UP	3	1		
-- ICD 170.4 (1972) ----				
00-04	1			
05-09		2		
10-14	1	3		
15-19	3	2		
25-29	1			
30-34	1	1		
35-39	1		1	
45-49	2			
50-54		1		
55-59	3	1		
60-64	2	1		
65-69	2	1	1	
70-74		2	1	
75-79	2	5		
80-84				1
85-UP	1	2	1	
-- ICD 170.5 (1972) ----				
15-19		1		
80-84	1			
-- ICD 170.6 (1972) ----				
00-04	2	2		
05-09	1			
10-14	5	1		
15-19	1			
20-24	2	1		
25-29	3	2	1	
30-34		1		
35-39		1		
40-44	2	1	1	
45-49		2	1	
50-54	3	2	1	1
55-59	3	3		
60-64	8	1		1
65-69	1	4		
70-74	7	4		
75-79	3	7		
80-84	1	2		
-- ICD 170.7 (1972) ----				
00-04	1			
05-09		3		
10-14	5	17	1	3
15-19	16	6	1	
20-24	3	1	1	
25-29	1	2		
30-34	2	1		
35-39	1	2		
45-49		1	1	
50-54	3	2	1	
55-59	2	2		1
60-64	5	5	1	
65-69	6	5	1	
70-74	2	5		
75-79	7	3	1	
80-84		4		
85-UP		4		1

AGE	WM	WF	NM	NF
-- ICD 170.8 (1972) ----				
15-19	1	2		
60-64		3		
70-74	1			
80-84		1		
-- ICD 170.9 (1972) ----				
00-04	1	1		
05-09	2	8		1
10-14	17	4	2	3
15-19	39	6	4	
20-24	13	8	6	1
25-29	5	1	1	
30-34	4			
35-39	5	2		
40-44	2	1		
45-49	4	2		1
50-54	9	3		3
55-59	7	6	2	1
60-64	3	9		1
65-69	7	7	2	2
70-74	15	5	2	2
75-79	12	11	1	
80-84	8	3		
85-UP	7	6	1	
-- ICD 171.0 (1972) ----				
00-04			1	
05-09	2			
15-19	1	1		
35-39			1	
40-44	1			
50-54	2	1		
55-59	1		1	1
60-64	1			
65-69	1	1		
70-74	4	2		
75-79	2	2		
80-84		1		
85-UP	2	1		
-- ICD 171.1 (1972) ----				
00-04	4			
05-09	1	1		
10-14	1	1		
15-19	2			
20-24	2	1		
25-29	2	2		
30-34	1	1		
35-39	2	2		1
40-44	5	5		
45-49	7	6		1
50-54	7	7		1
55-59	4	4	2	
60-64	5	5	1	3
65-69	11	6		1
70-74	3	4	1	2
75-79	7	7		
80-84	2	7		
85-UP		6	1	
-- ICD 171.2 (1972) ----				
10-14	1			
20-24	1			
30-34				1
40-44	3			
45-49	1			
50-54	2	1		
55-59		1	2	
60-64	1	2		
65-69	4			
70-74		1		
75-79	2			
80-84	2	2		1
85-UP		1		
-- ICD 171.3 (1972) ----				
00-04	1			
15-19	3	3		
20-24	1		2	
25-29		2		3
30-34	2			
35-39	3		1	
40-44	2	1		1
45-49	2	2	1	
50-54	8	2	1	
55-59	9	5		1
60-64	7	5		2
65-69	3	4		1
70-74	6	8		
75-79	3	5	1	
80-84	3	3		
85-UP	3	5		
-- ICD 171.9 (1972) ----				
00-04	7	5	1	

AGE	WM	WF	NM	NF
-- 171.9 (1972) CONTD---				
05-09	1	7	1	
10-14	2	4	2	1
15-19	8	7	1	2
20-24	9	8	2	3
25-29	9			
30-34	7	4		
35-39	7	3	1	1
40-44	8	7	1	2
45-49	12	12	1	
50-54	9	10		6
55-59	20	18	1	5
60-64	14	18	1	2
65-69	34	28	4	4
70-74	28	19	4	2
75-79	19	17	1	2
80-84	10	7		
85-UP	8	5		
-- ICD 172.0 (1972) ----				
25-29	1			
50-54	1			
65-69	1			
-- ICD 172.1 (1972) ----				
50-54		1		
80-84	1			
-- ICD 172.2 (1972) ----				
40-44	1			
50-54	1			
55-59	1			
60-64	1			
65-69	1			
70-74	1	1		
85-UP	1			
-- ICD 172.3 (1972) ----				
25-29	3			
30-34	1	1		
40-44	1			
45-49	4	1		
55-59	1	2		
60-64	3	2		
65-69	3			
70-74	4	2		
75-79	2	1		
80-84	3	2		
85-UP	2	2		
-- ICD 172.4 (1972) ----				
20-24	2			
25-29	2			
30-34	4			
35-39	4	1		
40-44	1	1		
45-49	5			1
50-54	1			
60-64	3			
65-69	6			
70-74	1	3		
75-79		1		
80-84	3	1	1	
85-UP	2	2		
-- ICD 172.5 (1972) ----				
60-64	1			
-- ICD 172.6 (1972) ----				
15-19	2			
20-24	3	1		1
25-29	2	2		
30-34	1	5		
35-39	2	3		
40-44	5	5		
45-49	9	8		
50-54	13	6		
55-59	5	1		
60-64	10	4		
65-69	4	7		
70-74	5	3		
75-79	4	2		
80-84	3	5		
85-UP	2			
-- ICD 172.7 (1972) ----				
15-19		1		
20-24	1			
25-29	1			
30-34	3	1	1	
35-39	2	1		
45-49	2	3		
50-54	5	5		
55-59	4	2		
60-64	5	1	1	
65-69	3	3		

AGE	WM	WF	NM	NF
-- 172.7 (1972) CONTD---				
70-74	3	4	1	
75-79	3	2		
80-84	3	3		
85-UP	2	1		
-- ICD 172.8 (1972) ----				
25-29	1	1		
30-34	3	2		
35-39		5		
40-44		7		
45-49	5	7		
50-54	1	5	1	
55-59	4	4	2	
60-64	4	6		
65-69	2	5		
70-74	2	10	1	
75-79	1	7		
80-84	2	8		
85-UP	2	7	1	
-- ICD 172.9 (1972) ----				
00-04			1	
15-19	2	4		
20-24	17	8		
25-29	26	13		
30-34	30	17	2	
35-39	36	32	1	
40-44	40	42	3	1
45-49	67	53	1	1
50-54	80	45		1
55-59	81	62	1	
60-64	76	53	2	7
65-69	81	43	3	
70-74	57	52	3	3
75-79	53	49	8	1
80-84	27	31	1	
85-UP	15	29		
-- ICD 173.0 (1972) ----				
65-69	2			
75-79	1			
80-84	2			
85-UP	2	1		
-- ICD 173.1 (1972) ----				
55-59	1			
60-64		1		
70-74		1		
75-79	1			
85-UP		2		
-- ICD 173.2 (1972) ----				
40-44	1			
45-49		1		
50-54	1	1		
55-59	2	2		
60-64		2		
65-69	3			
70-74	1	2		
75-79	3	2		
80-84	2	2		
85-UP	2	1		
-- ICD 173.3 (1972) ----				
05-09	1			
20-24	1		1	
40-44	3			
45-49	1	1		
50-54	3	4		
55-59	13	4		
60-64	15	1		1
65-69	16	5	1	2
70-74	34	10	2	1
75-79	34	25	1	
80-84	29	24		1
85-OP	34	43		1
-- ICD 173.4 (1972) ----				
40-44	1	1		
45-49	2	2	1	
50-54	5	1	1	
55-59	4	2	1	
60-64	6	3	3	3
65-69	7	2		
70-74	9	4		
75-79	3	7		
80-84	10	7		
85-UP	10	5		
-- ICD 173.5 (1972) ----				
60-64	1			
65-69	1			
75-79	1		1	
80-84	3			
85-UP	2			

AGE	WM	WF	NM	NF
-- ICD 173.6 (1972) ----				
15-19		1		
30-34		1		
35-39	1	2	2	
40-44	4		1	
45-49	3	4		1
50-54	4	2		1
55-59	5	6	1	1
60-64	5	4		1
65-69	8	6	1	1
70-74	5	9		3
75-79	8	5	1	3
80-84	4	2		1
85-UP	1	6		1
-- ICD 173.7 (1972) ----				
25-29	1			
35-39	1			
50-54	1			
60-64	1			
65-69	4			
75-79	1	1		
80-84	2			
85-UP	1	2		
-- ICD 173.8 (1972) ----				
35-39	1			
40-44	1			
45-49	1			
50-54	1		1	
55-59	2			
60-64			1	1
65-69	2	1		
70-74	2			
75-79	2	2	1	
80-84	1	4		
85-UP	2			3
-- ICD 173.9 (1972) ----				
05-09	1			
35-39			1	
40-44	3	1		
45-49	2	2	1	
55-59	5	1		1
60-64	3	3		1
65-69	5	3		1
70-74	5	4	1	
75-79	7	2		
80-84	6	4		
85-UP	5	7		
-- ICD 174 --(1972) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1972) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1972) ----				
15-19		2		
20-24		4		2
25-29		3		
30-34		5		
35-39		1		
50-54		1		
-- ICD 182.0 (1972) ----				
25-29		3		
30-34		1		
35-39		2		2
40-44		11		
45-49		34		3
50-54		54		10
55-59		80		15
60-64		130		25
65-69		167		35
70-74		170		27
75-79		166		6
80-84		81		4
85-UP		56		2
-- ICD 182.9 (1972) ----				
05-09		1		
15-19		2		
25-29		1		4
30-34		7		2
35-39		14		2
40-44		30		15
45-49		64		15
50-54		89		23
55-59		127		28
60-64		192		45
65-69		211		44
70-74		227		35
75-79		216		21
80-84		170		20
85-OP		137		17

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 183.0 (1972) ----				
05-09		2		
10-14		7		1
15-19		13		4
20-24		14		1
25-29		19		2
30-34		32		5
35-39		63		11
40-44		167		14
45-49		354		41
50-54		517		47
55-59		619		51
60-64		655		66
65-69		638		56
70-74		597		35
75-79		463		30
80-84		307		13
85-UP		172		10
-- ICD 183.1 (1972) ----				
20-24		1		
40-44		4		
45-49		7		1
50-54		4		1
55-59		4		1
60-64		9		2
65-69		8		
70-74		9		
75-79		5		
85-UP		2		
-- ICD 183.9 (1972) ----				
50-54		1		
-- ICD 184.0 (1972) ----				
25-29		1		1
30-34		2		
35-39		3		1
40-44		1		
45-49		5		1
50-54		9		4
55-59		11		4
60-64		10		3
65-69		26		2
70-74		24		3
75-79		24		2
80-84		17		1
85-UP		28		
-- ICD 184.1 (1972) ----				
15-19		1		
30-34		1		
35-39		3		
40-44		2		1
45-49		4		2
50-54		10		3
55-59		13		
60-64		17		3
65-69		21		
70-74		22		6
75-79		37		2
80-84		37		1
85-UP		40		2
-- ICD 184.8 (1972) ----				
50-54		1		
-- ICD 184.9 (1972) ----				
15-19		1		
35-39				1
40-44		1		
45-49		3		2
50-54		4		2
55-59		4		1
60-64		1		
65-69		4		1
70-74		5		1
75-79		7		
80-84		4		1
85-UP		2		
-- ICD 185 --(1972) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1972) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1972) ----				
15-19	1			
35-39	2			
40-44			1	
45-49	2		1	
50-54	6		2	
55-59	8		4	
60-64	10		8	
65-69	10		2	

AGE	WM	WF	NM	NF
-- 187.0 (1972) CONTD---				
70-74	15		3	
75-79	7		1	
80-84	7		1	
85-UP	11		3	
-- ICD 187.8 (1972) ----				
20-24	1			
35-39	1			
55-59			1	
60-64	1			
65-69	1			
70-74	1			
-- ICD 187.9 (1972) ----				
55-59	2		1	
60-64			2	
65-69	3			
70-74	4			
75-79	2			
80-84	1		1	
85-UP	1			
-- ICD 188 --(1972) ----				
00-04		1	1	
05-09			1	
15-19			1	
20-24	1			
25-29				1
30-34		3		
35-39	8	3	1	
40-44	14	5	6	3
45-49	41	15	7	5
50-54	89	25	14	12
55-59	177	60	31	11
60-64	288	86	32	24
65-69	436	112	36	33
70-74	573	173	35	31
75-79	541	223	35	20
80-84	430	223	22	7
85-UP	322	240	16	13
-- ICD 189.0 (1972) ----				
00-04	18	12	1	5
05-09	11	13	2	4
10-14	4	2		
15-19	2	5	1	
20-24	6	4		1
25-29	1	2	1	1
30-34	5	3	2	
35-39	15	8	4	4
40-44	44	27	8	1
45-49	92	47	11	4
50-54	162	66	15	10
55-59	263	93	14	7
60-64	266	133	27	11
65-69	291	188	19	13
70-74	261	147	23	10
75-79	228	128	18	2
80-84	135	94	4	6
85-UP	65	66	3	3
-- ICD 189.1 (1972) ----				
35-39				1
40-44	1			
45-49	1			
50-54	3			
55-59	1		2	
60-64	5	1		
65-69	5	4		1
70-74	8	4		1
75-79	2	1	1	
80-84	1	2		
85-UP		1		
-- ICD 189.2 (1972) ----				
40-44	1			
45-49	1	1	1	
50-54	4	2		
55-59	5	3		
60-64	4	5	1	
65-69	17	5	2	
70-74	14	4		1
75-79	8	5	2	3
80-84	9	6		
85-UP	2	4	1	
-- ICD 189.9 (1972) ----				
35-39	1			
40-44	1	1		1
45-49		2	2	2
50-54			1	2
55-59	3	8	2	
60-64	5	3	2	
65-69	3	2		2
70-74	4	6	1	2

AGE	WM	WF	NM	NF
-- 189.9 (1972) CONTD---				
75-79	4	6	2	1
80-84	1	4		1
85-UP		7		1
-- ICD 190 --(1972) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1972) ----				
00-04	34	27	4	3
05-09	41	27	7	3
10-14	44	35	3	3
15-19	39	27	6	3
20-24	25	26	2	1
25-29	30	23	6	4
30-34	43	33	5	3
35-39	65	39	2	6
40-44	84	66	7	4
45-49	129	85	8	6
50-54	182	130	8	8
55-59	247	165	12	8
60-64	262	172	10	8
65-69	210	153	8	10
70-74	147	137	6	4
75-79	68	73	4	5
80-84	22	25		1
85-UP	10	5		
-- ICD 192.0 (1972) ----				
00-04	1	1		
05-09	1		1	
10-14		1		1
15-19	1	1		
50-54				1
55-59	1			
-- ICD 192.1 (1972) ----				
45-49			1	
50-54		1		
55-59		2		
60-64	1	1	1	
65-69	1	1		1
70-74	1			
75-79	1			
85-UP	1	1		
-- ICD 192.2 (1972) ----				
05-09		1		1
10-14	1			
15-19		1		
20-24	1	1		
25-29			1	
30-34	1	3		
35-39	1		1	
40-44	1		1	
45-49	1	3	1	
50-54	1	1		
55-59	1			1
60-64	8	1	1	
65-69	3	2		
70-74	3	4		
75-79	4	5	1	
80-84		1		
85-UP	1			
-- ICD 192.3 (1972) ----				
30-34	1			
-- ICD 192.4 (1972) ----				
10-14	1	1	1	
15-19	2	4		1
20-24	3	4		
25-29	2			
30-34	3	1		
35-39	1		1	
40-44	1	1		
50-54	3	3		
55-59	7	1		
60-64	2	4		
65-69	4	2		1
70-74	5		1	
75-79	2	1		
80-84	2	1		
85-UP		1		
-- ICD 192.5 (1972) ----				
00-04	28	28	9	2
05-09	19	10	3	
10-14	3	4		
15-19	3	4		
20-24	4	1		1
35-39	3		1	
50-54	1			
60-64	5	1		
65-69	1			
70-74	1			

AGE	WM	WF	NM	NF
-- 192.5 (1972) CONTD---				
75-79				1
-- ICD 192.9 (1972) ----				
00-04	5	6		1
05-09	6	8	1	3
10-14	12	8	1	2
15-19	9	5		
20-24	5	2		1
25-29	12	1		
30-34	6	4	1	
35-39	5	9	3	
40-44	25	16	1	2
45-49	39	20		4
50-54	46	25	4	2
55-59	51	46	4	1
60-64	51	40		3
65-69	49	34	1	2
70-74	23	26	1	1
75-79	13	11	1	
80-84	1	2	1	
-- ICD 193 --(1972) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1972) ----				
00-04		2		
10-14	2	1	1	
15-19	1	2		
20-24	2	1		
25-29	3	1	1	
30-34	3	1	1	1
35-39	1	2		
40-44	1	3		1
45-49	6	4		
50-54	9	5	1	2
55-59	9	10		
60-64	4	9	1	
65-69	9	9		
70-74	7	7		
75-79	9	2		
80-84	1	3		
85-UP	1	2		
-- ICD 194.1 (1972) ----				
35-39		1		
50-54	1			1
55-59		1		1
70-74		1		
75-79	1			
-- ICD 194.2 (1972) ----				
00-04	1			
20-24		2	1	
25-29	1	1		
30-34	2		1	
35-39	1		1	
40-44	2	3		
45-49		2		
50-54				1
55-59	5	2		1
60-64	1			
65-69		4		1
70-74	1	2		
75-79	1	4		
80-84	1			
-- ICD 194.3 (1972) ----				
10-14		1		
40-44		1		
45-49	1			
55-59			2	1
60-64	1	2	1	
65-69	4			
70-74	1	2		
75-79		2		
-- ICD 194.4 (1972) ----				
05-09				1
10-14		1		
15-19		1	1	
45-49	1			
-- ICD 194.8 (1972) ----				
25-29	1			
35-39		1	1	
60-64	1			
65-69	1	1		
70-74		1		
75-79	1			
-- ICD 194.9 (1972) ----				
60-64	1			
-- ICD 195.0 (1972) ----				
00-04		1		

AGE	WM	WF	NM	NF
-- 195.0 (1972) CONTD---				
05-09	1			
10-14		1		
20-24	1			1
25-29	1	2		
30-34	2	1	1	
35-39	3	4	1	
40-44	4	3	3	1
45-49	12	12	4	4
50-54	16	21	1	1
55-59	14	27	2	6
60-64	29	37	6	12
65-69	39	65	5	8
70-74	29	56	6	14
75-79	40	76	2	3
80-84	27	70	2	6
85-UP	17	93		3
-- ICD 195.1 (1972) ----				
00-04		1		
05-09	1			
30-34	1	2		
35-39		3		
40-44		2		
45-49	2	2		3
50-54	1	3		2
55-59		17		
60-64	5	15		1
65-69	1	12	1	6
70-74	3	17	1	4
75-79	3	13		
80-84	1	23	1	1
85-UP	1	19		1
-- ICD 195.9 (1972) ----				
00-04		1		
05-09	1			
10-14	2	1	1	
15-19	1	2		
20-24	2			
25-29	2	2		1
30-34	2			
35-39	6	1		2
40-44	5	1	2	3
45-49	8	9		2
50-54	25	8	6	3
55-59	26	14	6	2
60-64	47	9	2	
65-69	37	14	5	2
70-74	45	13	3	3
75-79	37	15	1	1
80-84	32	15	1	1
85-UP	26	22	1	4
-- ICD 196.0 (1972) ----				
05-09	1			
20-24	1			
45-49		1		1
50-54		1		
55-59			2	1
60-64	6			
65-69	1	1	1	
70-74		1		1
75-79	4	4		
80-84		2	1	
85-UP	3	2		
-- ICD 196.1 (1972) ----				
65-69	1			
-- ICD 196.2 (1972) ----				
00-04				1
45-49	1			
65-69		1		
75-79		1		
-- ICD 196.3 (1972) ----				
65-69				1
70-74	1			
-- ICD 196.4 (1972) ----				
55-59		1		
70-74		1		
75-79			1	
80-84		1		
-- ICD 196.7 (1972) ----				
45-49	1			
50-54	1			
60-64	1			
65-69	2			
70-74		1		1
75-79	1			
80-84		1		

AGE	WM	WF	NM	NF
-- ICD 196.8 (1972) ----				
00-04		1		
15-19	1			
20-24		1		
55-59	1			
65-69		1		
85-UP		1		
-- ICD 196.9 (1972) ----				
25-29	2			
35-39		1		
40-44			1	
45-49		1		
50-54	3	2	2	
55-59	1	2		
60-64	1			
65-69	1	1	1	
70-74	1	1	1	
75-79	1			
80-84	1	1		
85-UP		1		
-- ICD 197.0 (1972) ----				
15-19	1			
20-24	1			
25-29	2		1	
30-34	5	3		
35-39	3	3		1
40-44	4	3	1	2
45-49	7	7	4	1
50-54	13	15	4	2
55-59	25	16	3	3
60-64	26	20		1
65-69	26	10	3	3
70-74	31	30	2	2
75-79	34	27	1	2
80-84	14	30	1	1
85-UP	16	24	1	1
-- ICD 197.1 (1972) ----				
40-44	2			
45-49		1		1
50-54	1	1		
55-59	1	1		1
60-64		1	1	
65-69		1		
70-74	2			
75-79	1			
-- ICD 197.2 (1972) ----				
40-44	2			
45-49	1	1	1	
50-54	2	3	1	1
55-59	4	8	1	
60-64	6	3	2	
65-69	5	6		
70-74	5	7		1
75-79	4	10		1
80-84	6	6	1	
85-UP	1	5		
-- ICD 197.3 (1972) ----				
35-39		1		
50-54		1	1	
60-64	1			
65-69	2			
70-74				1
75-79	2	2		
80-84	1	1		
85-UP		2		
-- ICD 197.4 (1972) ----				
55-59	1	1		
60-64	1			
65-69		1		
70-74		2		
-- ICD 197.5 (1972) ----				
30-34	1			
45-49		1		
55-59	1			1
60-64	3			
65-69	3	4		
70-74	1	4		
75-79	1	3	1	
80-84	2	2	1	
85-UP		3		1
-- ICD 197.6 (1972) ----				
15-19	1			
30-34	1			
40-44	2	2		
45-49		2	1	
50-54	4			
55-59	1	1		
60-64	5	4	2	

AGE	WM	WF	NM	NF
-- ICD 197.6 (1972) CONTD---				
65-69	4	9	1	
70-74	2	3		
75-79	2			
80-84	2	2		
85-UP		1		
-- ICD 197.7 (1972) ----				
20-24	3			
25-29		2		
30-34			1	
35-39	1	3		2
40-44	7	2	1	
45-49	15	14	4	3
50-54	21	24	9	9
55-59	45	34	6	5
60-64	58	39	10	6
65-69	84	59	12	13
70-74	73	50	9	5
75-79	67	74	7	6
80-84	46	61	3	3
85-UP	31	52	1	5
-- ICD 197.8 (1972) ----				
00-04	1		1	
05-09			1	
10-14	1		1	
15-19	1			
20-24	3			
25-29		1	1	
30-34	2	3		1
35-39	3	8	2	1
40-44	12	5	5	1
45-49	15	20	8	3
50-54	48	33	8	4
55-59	60	66	13	7
60-64	98	68	25	11
65-69	107	64	16	9
70-74	123	91	23	13
75-79	100	105	11	5
80-84	66	97	6	6
85-UP	51	71	3	10
-- ICD 197.9 (1972) ----				
35-39	1			
50-54	1		1	
55-59	1		1	
60-64	4	3		
65-69	3	1		
70-74	2	1		
75-79	2	1		
80-84	2			2
85-UP	4	1		
-- ICD 198.0 (1972) ----				
55-59	2			
70-74	1			
80-84		1		
85-UP	1			
-- ICD 198.1 (1972) ----				
60-64	1			
70-74	2	1		
75-79	2			
85-UP		1		
-- ICD 198.2 (1972) ----				
30-34	1			
40-44	1		1	
45-49	1			
50-54			1	
60-64	1	1		
65-69	1			
70-74	2			
75-79	1			
85-UP	1			
-- ICD 198.3 (1972) ----				
15-19		1		
25-29	2			
30-34		1		1
35-39	3	1		1
40-44	7	2		
45-49	15	7		
50-54	16	10	2	1
55-59	29	25	4	1
60-64	34	18	3	2
65-69	26	20	5	1
70-74	21	17	2	1
75-79	18	19		
80-84	3	4	1	
85-UP	2	7		1
-- ICD 198.4 (1972) ----				
30-34	1			
40-44	1	1	1	

AGE	WM	WF	NM	NF
-- 198.4 (1972) CONTD---				
45-49	1			
50-54	3		1	
55-59	4			1
60-64	4		1	
65-69	1	2		
70-74	3	1	1	
75-79		2		
85-UP		1		
-- ICD 198.5 (1972) ----				
20-24	1			
25-29	1			
30-34	1			
35-39	1	1	1	
40-44	1	3		
45-49	3	3	1	
50-54	10	6	1	
55-59	20	7	3	
60-64	16	14		1
65-69	23	13	1	2
70-74	21	8		4
75-79	19	12	2	2
80-84	9	4	1	
85-UP	4	6		
-- ICD 198.9 (1972) ----				
00-04	1			
30-34	2		1	1
35-39		2	2	1
40-44	3	1		
45-49	11	8	2	4
50-54	12	9	3	4
55-59	16	21	2	2
60-64	19	20	5	4
65-69	23	27	4	2
70-74	24	33	3	2
75-79	15	34	2	3
80-84	17	32	1	
85-UP	13	37		3
-- ICD 199.0 (1972) ----				
00-04	2	3		
05-09		4		
10-14	3	2	1	1
15-19	3	2	2	1
20-24	15	5	3	1
25-29	12	5		3
30-34	13	16	2	5
35-39	25	29	4	5
40-44	46	53	17	12
45-49	100	106	19	24
50-54	157	157	42	30
55-59	274	203	53	50
60-64	336	262	45	42
65-69	351	304	58	43
70-74	326	334	57	41
75-79	314	321	33	36
80-84	185	309	19	19
85-UP	127	205	16	22
-- ICD 199.1 (1972) ----				
00-04	1	1	1	
05-09	1	3		1
10-14	1	1		2
15-19	2			
20-24	2	4	1	
25-29	2	1		
30-34		1	2	1
35-39	3	2		1
40-44	7	5		8
45-49	13	9	2	4
50-54	27	17	6	6
55-59	34	21	9	9
60-64	38	41	8	8
65-69	52	36	8	7
70-74	38	33	10	13
75-79	42	37	14	8
80-84	35	35	4	7
85-UP	30	29	1	3
-- ICD 200.0 (1972) ----				
00-04	2		1	
05-09	2	1	2	
10-14	4	8	2	2
15-19	11	4		
20-24	16	6	2	4
25-29	10	10		1
30-34	20	15		1
35-39	16	10	2	1
40-44	30	18	2	3
45-49	35	25	5	4
50-54	53	46	4	6
55-59	72	62	4	6
60-64	90	54	5	2
65-69	94	92	2	7

AGE	WM	WF	NM	NF
-- 200.0 (1972) CONTD---				
70-74	80	93	3	3
75-79	51	71	5	2
80-84	47	57		1
85-UP	19	28	3	
-- ICD 200.1 (1972) ----				
00-04	3	6		2
05-09	13	5		1
10-14	15	7	1	1
15-19	21	13	2	2
20-24	17	8	1	1
25-29	17	5		
30-34	12	6	4	2
35-39	22	10	1	
40-44	45	28	3	1
45-49	54	44	2	3
50-54	94	66	8	3
55-59	119	82	8	6
60-64	143	106	9	6
65-69	134	128	11	10
70-74	152	150	5	6
75-79	148	141	7	5
80-84	81	92	4	3
85-UP	46	50	1	1
-- ICD 201 --(1972) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1972) ----				
30-34		1		
35-39	1			
40-44		1		
45-49		4		
50-54	1	2		
60-64	2	3		
65-69	1	4		
70-74	3	5		
75-79	1	3		
80-84	1	4		
85-UP		1		
-- ICD 202.1 (1972) ----				
25-29	2			
30-34		1	1	
35-39				1
40-44	1			
45-49			1	
50-54	4	2	1	1
55-59	2	3	2	2
60-64	4	1		
65-69	3	3	1	3
70-74	6	2		
75-79	2	1	1	
80-84	3	3		
85-UP	3			
-- ICD 202.2 (1972) ----				
00-04	6	3	1	
05-09	8	1	1	
10-14	7	3	1	
15-19	14		1	
20-24	11	7		1
25-29	7	5	1	
30-34	5	4	1	4
35-39	12	6	2	2
40-44	33	12	7	2
45-49	36	24	7	2
50-54	54	33	5	3
55-59	71	43	2	3
60-64	96	66	8	4
65-69	85	74	10	
70-74	85	100	2	9
75-79	81	97	1	3
80-84	66	75	2	1
85-UP	36	51		4
-- ICD 203 --(1972) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1972) ----				
00-04	34	32	4	2
05-09	97	60	8	5
10-14	45	36	8	2
15-19	35	29	9	3
20-24	30	11	2	
25-29	10	5	1	1
30-34	1	6	1	
35-39	7	4		1
40-44	7	6		
45-49	7	5	1	
50-54	7	5		2
55-59	17	7	1	
60-64	11	17	2	2
65-69	18	12	2	1
70-74	22	16	1	1

AGE	WM	WF	NM	NF
-- 204.0 (1972) CONTD---				
75-79	26	30	1	1
80-84	22	19	3	1
85-UP	15	10	1	
-- ICD 204.1 (1972) ----				
00-04		2		
05-09		1		
15-19			1	
20-24	1			
30-34	1			
35-39		2	1	
40-44	9	1	1	2
45-49	11	7	4	1
50-54	18	10	7	
55-59	41	22	6	2
60-64	77	22	6	2
65-69	73	51	9	6
70-74	114	73	6	10
75-79	113	74	12	2
80-84	94	61	4	3
85-UP	65	56	1	
-- ICD 204.9 (1972) ----				
00-04		1		
05-09	4	3	1	
10-14	1	1		
15-19	1	3		
25-29		1		
30-34			1	
35-39		1	1	
40-44		1	1	
45-49	1	3		1
50-54	5	3	1	1
55-59	20	5		2
60-64	19	10	1	2
65-69	29	17	1	1
70-74	36	22	5	1
75-79	36	35	1	1
80-84	30	36	2	1
85-UP	29	28	2	2
-- ICD 205.0 (1972) ----				
00-04	13	15	3	2
05-09	16	4	4	2
10-14	20	13	2	5
15-19	33	19	3	6
20-24	31	21	4	3
25-29	25	28		2
30-34	24	20	5	3
35-39	34	20	5	2
40-44	38	32	4	1
45-49	47	38	3	7
50-54	65	44	5	2
55-59	96	60	3	3
60-64	98	76	6	8
65-69	124	88	12	11
70-74	132	72	3	9
75-79	104	105	2	2
80-84	77	76	5	3
85-UP	37	61	1	
-- ICD 205.1 (1972) ----				
00-04	2	4		
05-09	2	1		1
10-14	3	3	1	
15-19	3	5	1	1
20-24	6		2	2
25-29	13	11		1
30-34	11	7	1	1
35-39	15	11	1	1
40-44	20	13	2	1
45-49	19	21	6	2
50-54	30	26	3	2
55-59	34	40	5	4
60-64	33	33	1	4
65-69	52	38	12	2
70-74	58	38	6	3
75-79	60	43	3	2
80-84	43	38	1	2
85-UP	21	21	1	4
-- ICD 205.9 (1972) ----				
00-04	1			
05-09	1	1		
10-14	2	1		
15-19	2			
20-24	1			
25-29	2	2		
30-34		2		1
35-39	2	1	2	2
40-44	7	1	1	1
45-49	7	3		
50-54	5	6	2	1
55-59	12	11	1	
60-64	14	13	2	

AGE	WM	WF	NM	NF
-- 205.9 (1972) CONTD---				
65-69	28	15	1	
70-74	25	19		2
75-79	28	25		3
80-84	19	24		
85-UP	14	16		
-- ICD 206.0 (1972) ----				
00-04	5		2	
05-09	1	1	1	
10-14	2			
15-19	1	3		1
20-24	5	3		
25-29	4	1		
30-34	6	3	1	2
35-39	1	3		
40-44	4			
45-49	4	2		
50-54	3	1		
55-59	6	6	1	2
60-64	12	7		1
65-69	18	14	1	1
70-74	18	12	1	
75-79	15	15		
80-84	15	17	1	
85-UP	5	3		
-- ICD 206.1 (1972) ----				
40-44	1			
55-59	2			
60-64	2			
65-69	1	1		
70-74	1	1		
80-84		2		
85-UP		1		
-- ICD 206.9 (1972) ----				
00-04		1	1	
40-44	1			
45-49	1			
50-54	1			
55-59	3	1		
60-64	2	2		
65-69	3	1		
70-74	7	3		
75-79	3	2		
80-84	6	6		1
85-UP	2	3	1	
-- ICD 207.0 (1972) ----				
00-04	16	18	1	1
05-09	29	20	1	1
10-14	10	12	1	
15-19	19	16	1	2
20-24	13	10		
25-29	11	6	4	2
30-34	4	3	1	
35-39	11	7		
40-44	10	12		3
45-49	16	14	1	1
50-54	22	17	1	1
55-59	36	22	1	2
60-64	32	22	2	2
65-69	55	34	3	2
70-74	45	30	4	5
75-79	32	32	2	3
80-84	15	23		2
85-UP	20	28	1	2
-- ICD 207.1 (1972) ----				
05-09		1		
20-24	1	1		
25-29			1	
35-39		1		
40-44	1			
45-49	1	1		
50-54	1		1	
55-59	3	1		
60-64	4	4	1	
65-69	4	4		
70-74	4	2		2
75-79	5	4		
80-84	2	5		
85-UP	2	2		
-- ICD 207.2 (1972) ----				
00-04	2			
05-09		1		
20-24		1		
35-39	1			
40-44		2		
45-49	2			
50-54	4	2	1	
55-59	3	1	1	
60-64	5	2	1	
65-69	5	2	1	

AGE	WM	WF	NM	NF
-- 207.2 (1972) CONTD---				
70-74	9	8		
75-79	7	6		
80-84	4	5	2	1
85-UP	2	3		
-- ICD 207.9 (1972) ----				
00-04	15	12	1	3
05-09	13	10	3	1
10-14	13	8	2	
15-19	4	2		
20-24	3	2		
25-29	1	3	2	
30-34	2	1		2
35-39	2	2	1	1
40-44	3	2	3	1
45-49	3	5	1	
50-54	9	9	3	1
55-59	18	5	1	3
60-64	20	13	3	1
65-69	35	20		3
70-74	44	28	6	2
75-79	43	35	3	3
80-84	44	41	1	
85-UP	24	25		1
-- ICD 208 --(1972) ----				
00-04	1			
20-24	1			
25-29	2			
30-34	1			
35-39	3			
40-44	3		1	
45-49	8	2	1	
50-54	8	6		
55-59	21	16	2	2
60-64	29	10		
65-69	24	24	2	
70-74	23	26	4	
75-79	18	32		
80-84	8	22		1
85-UP	6	6		
-- ICD 209 --(1972) ----				
05-09	1			
15-19	1			
25-29	1			
30-34	1			
35-39	1			
40-44	3	1		
45-49	5	2		1
50-54	9	9	2	1
55-59	19	15	6	1
60-64	33	19	1	
65-69	43	24	2	2
70-74	39	42		2
75-79	26	37	2	3
80-84	20	20		3
85-UP	20	14		
-- ICD 140.0 (1973) ----				
60-64	1			
70-74	1			
75-79	1			
80-84		1		
85-UP				1
-- ICD 140.1 (1973) ----				
30-34	1			
35-39	1			
40-44	1			
45-49	2			
50-54	2			
55-59	2			
60-64	8			
65-69	9			
70-74	6	3		
75-79	4	1		
80-84	5			
85-UP	2	1		
-- ICD 140.2 (1973) ----				
60-64			1	
-- ICD 140.9 (1973) ----				
20-24	1			
25-29				1
40-44	1			
45-49			1	
50-54	8			
55-59	8			1
60-64	14	2		
65-69	17	1	1	
70-74	12	1	1	1
75-79	21	3		
80-84	14	2		

AGE	WM	WF	NM	NF
-- 140.9 (1973) CONTD---				
85-UP	15	1		
-- ICD 141.0 (1973) ----				
25-29				1
40-44	1	1	2	1
45-49	7	1	5	1
50-54	17	9	4	3
55-59	22	8	6	
60-64	23	10	2	1
65-69	17	1	2	
70-74	12	4	3	1
75-79	16		2	
80-84	7	2		
85-UP	5	2		
-- ICD 141.1 (1973) ----				
70-74				1
-- ICD 141.2 (1973) ----				
55-59		1		
70-74	1			
-- ICD 141.9 (1973) ----				
15-19	1			
20-24	1	1		
25-29	1			
30-34	2	4		1
35-39	3	2	2	1
40-44	19	8	8	7
45-49	49	13	16	9
50-54	102	45	30	7
55-59	132	61	27	10
60-64	186	66	27	8
65-69	169	70	21	3
70-74	129	47	16	3
75-79	92	45	7	1
80-84	67	56	4	3
85-UP	39	49	1	
-- ICD 142.0 (1973) ----				
10-14	1	1	1	
20-24	4			
25-29		1		
30-34	2	1		1
35-39	1	2	1	1
40-44	6	3		2
45-49	8	3	2	1
50-54	22	7	1	
55-59	20	27	2	1
60-64	28	15	5	
65-69	33	28	4	2
70-74	41	13	5	4
75-79	27	12	1	1
80-84	26	24	2	
85-UP	29	29		
-- ICD 142.8 (1973) ----				
30-34				1
35-39	1			
40-44	4			1
45-49		1	1	
50-54	4	2	1	
55-59	4	1		1
60-64	2	2	1	
65-69	6	3		
70-74	5	2		
75-79	3	2	1	
80-84	4	3		
85-UP	2	1		
-- ICD 142.9 (1973) ----				
30-34		1		
35-39		1		
40-44		2	1	
45-49	2	3	1	
50-54	2	3	2	
55-59	3	2		
60-64	3	3	1	
65-69	3	7		
70-74	4	4	2	
75-79	4	3		1
80-84	3	1	1	1
85-UP	2	5		
-- ICD 143.0 (1973) ----				
70-74		2		1
75-79	1	1		
80-84	1	1		
85-UP		1		
-- ICD 143.1 (1973) ----				
50-54	2			
55-59	5			
65-69	3	1	1	
70-74	2			

AGE	WM	WF	NM	NF
-- 143.1 (1973) CONTD---				
75-79		2		1
80-84	3	1		
85-UP	1	2		
-- ICD 143.9 (1973) ----				
10-14	1			
40-44	1		1	
45-49	2		1	1
50-54	5	4		
55-59	3	3	3	
60-64	1	4		
65-69	7	8	1	2
70-74	11	4	2	
75-79	5	6		
80-84	6	2	1	
85-UP	4	5		
-- ICD 144 --(1973) ----				
35-39	1	1		
40-44	4	3	2	
45-49	18	7	7	1
50-54	33	13	14	2
55-59	57	15	12	4
60-64	76	19	3	
65-69	44	19	9	1
70-74	56	10	4	1
75-79	22	14	5	
80-84	15	5	1	
85-UP	11	7		
-- ICD 145.0 (1973) ----				
25-29			1	
35-39			1	
45-49	2		1	
50-54	2			2
55-59	2	7	2	
60-64	6	5	1	
65-69	7	4		
70-74	13	5	1	1
75-79	3	5	1	
80-84	4	6		
85-UP	3	4		
-- ICD 145.1 (1973) ----				
00-04	1			
25-29		1		
30-34		1	1	
40-44	3	2	2	
45-49	4	5	5	1
50-54	13	5	3	3
55-59	14	11	6	2
60-64	21	8	8	1
65-69	24	13	4	2
70-74	20	11		
75-79	14	14		
80-84	12	8	2	2
85-UP	7	6	1	
-- ICD 145.8 (1973) ----				
40-44	1			
50-54		1	2	
55-59	1		1	
65-69	2	1		
70-74	4	1		
75-79	2	1		
80-84	1			
-- ICD 145.9 (1973) ----				
20-24	1			
25-29	1			
30-34			1	
35-39	2	1		
40-44	7	3	3	1
45-49	14	10	6	2
50-54	22	16	6	2
55-59	47	21	4	
60-64	75	32	7	1
65-69	71	31	12	5
70-74	55	29	9	1
75-79	45	27	1	1
80-84	30	23	2	4
85-UP	42	37	2	1
-- ICD 146.0 (1973) ----				
05-09		1		
10-14		2		
25-29	1		1	
30-34	1			1
35-39		2	4	1
40-44	7	5	8	2
45-49	27	6	13	5
50-54	39	18	14	6
55-59	81	25	10	4
60-64	78	35	13	1
65-69	70	23	8	5

AGE	WM	WF	NM	NF
-- 146.0 (1973) CONTD---				
70-74	62	17	3	3
75-79	31	15	3	
80-84	30	4	1	
85-UP	13	9	1	3
-- ICD 146.8 (1973) ----				
35-39	1			
45-49	1		1	
50-54	1			
55-59	2	1	1	1
60-64	7	2		
65-69	6			
70-74	3	1		
75-79	5			
85-UP	1			
-- ICD 146.9 (1973) ----				
20-24	1		2	
35-39	2			
40-44	6			1
45-49	13	3	4	
50-54	16	5	6	1
55-59	24	10	5	6
60-64	21	6	4	1
65-69	30	10	3	
70-74	14	4	1	
75-79	11	4		
80-84	9	1		
85-UP	5	4		
-- ICD 147 --(1973) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1973) ----				
70-74			1	
-- ICD 148.1 (1973) ----				
40-44	3			
45-49	13	1	2	
50-54	14	4	4	
55-59	15	5	3	2
60-64	23	6	3	2
65-69	24	4	3	
70-74	14		1	
75-79	9	2	1	
80-84	11	1		
85-UP	3	1		
-- ICD 148.8 (1973) ----				
65-69		1		
-- ICD 148.9 (1973) ----				
25-29				1
35-39	1	1		
40-44	2		1	1
45-49	8	6	4	1
50-54	30	7	6	3
55-59	42	15	7	2
60-64	42	8	5	
65-69	58	7	6	2
70-74	30	8	3	1
75-79	19	4	2	
80-84	13			1
85-UP	4	2		
-- ICD 149 --(1973) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1973) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1973) ----				
25-29	1			
30-34	1			
35-39	3		1	
40-44	5	1	1	
45-49	12	3		
50-54	17		2	
55-59	26	3		
60-64	28	6	2	
65-69	15	9	4	1
70-74	23	8	2	2
75-79	23	10	2	
80-84	14	4		
85-UP	5	4		
-- ICD 151.1 (1973) ----				
40-44				1
45-49	1			
50-54	1			
55-59	1		1	1
65-69	4		1	
70-74	2			
75-79	4	4		
80-84	5	2		

AGE	WM	WF	NM	NF
-- 151.1 (1973) CONTD---				
85-UP	2	3		
-- ICD 151.8 (1973) ----				
35-39				1
40-44	2			
45-49	1	1		
50-54	4			1
55-59	4	3		1
60-64	6	1	1	
65-69	6	4		2
70-74	7	6	1	1
75-79	9	4	1	
80-84	4	5	1	1
85-UP	4	6		
-- ICD 151.9 (1973) ----				
00-04	1			
10-14	1	1		
15-19	1	2		
20-24	2	5	3	3
25-29	12	15	1	4
30-34	25	27	13	11
35-39	62	48	17	13
40-44	122	66	29	21
45-49	257	134	81	52
50-54	408	225	121	59
55-59	653	314	157	97
60-64	902	430	233	99
65-69	1142	593	244	126
70-74	1160	762	237	129
75-79	1145	900	167	110
80-84	914	842	90	73
85-UP	653	710	63	50
-- ICD 152.0 (1973) ----				
15-19		1		
20-24	1			
35-39	1			
40-44	2	1		
45-49	3	3		1
50-54	5	6		
55-59	9	12	3	3
60-64	12	10	2	
65-69	18	17	4	4
70-74	24	16	2	5
75-79	10	14	1	2
80-84	7	9		
85-UP	6	7		1
-- ICD 152.1 (1973) ----				
25-29		2		
30-34	1			
35-39	2			
40-44	3	1	1	
45-49	7			
50-54	2	4		1
55-59	4	6	1	
60-64	4	1		
65-69	6	8	1	
70-74	3	5	1	
75-79	4	3	1	1
80-84	3	4		
85-UP	2			
-- ICD 152.2 (1973) ----				
10-14		1		
15-19	2			
35-39		1		1
40-44		2		
45-49	5	2		1
50-54	1			1
55-59	4	3		1
60-64	3	1		1
65-69	8	4		1
70-74	6			
75-79	4	6		1
80-84	5	7		
85-UP	3	1		
-- ICD 152.9 (1973) ----				
20-24		1		1
25-29		2		
30-34	2	1		2
35-39	2	1		
40-44	5	4	1	1
45-49	4	6		3
50-54	11	8	1	1
55-59	13	11	1	1
60-64	13	10	1	3
65-69	28	14	2	4
70-74	8	12	3	1
75-79	19	12	1	2
80-84	10	10	1	4
85-UP	7	7		

AGE	WM	WF	NM	NF
-- ICD 153.0 (1973) ----				
10-14		1		
20-24	2	5		1
25-29	1	5		2
30-34	4	4	1	
35-39	10	7	2	3
40-44	18	19	2	1
45-49	51	34	6	6
50-54	77	75	9	12
55-59	130	117	11	16
60-64	191	203	12	18
65-69	237	247	26	33
70-74	285	388	35	21
75-79	270	435	20	25
80-84	227	394	7	21
85-UP	156	357	6	16
-- ICD 153.1 (1973) ----				
15-19	1			
20-24		1		
25-29	1	1		1
30-34	7	1		
35-39	3	4	1	
40-44	8	12	2	
45-49	13	12	1	4
50-54	19	21	3	4
55-59	46	53	4	7
60-64	65	54	4	10
65-69	67	76	10	7
70-74	67	96	3	1
75-79	67	101	6	9
80-84	70	88	4	5
85-UP	50	85	4	7
-- ICD 153.2 (1973) ----				
20-24	1		2	
25-29	2	1		
30-34	3	3		
35-39	2	2		
40-44	6	6		1
45-49	12	17	1	3
50-54	19	24	1	3
55-59	41	40	4	4
60-64	50	53	4	4
65-69	73	71	5	8
70-74	67	70	7	6
75-79	56	74	5	5
80-84	58	65	3	2
85-UP	38	44	3	3
-- ICD 153.3 (1973) ----				
10-14	1			
15-19	1			
20-24	1	2	1	
25-29	1	1		1
30-34	4	9		1
35-39	8	13	1	1
40-44	15	27	1	3
45-49	41	66	6	9
50-54	92	100	12	21
55-59	150	156	12	16
60-64	236	229	19	19
65-69	295	316	24	30
70-74	346	320	28	28
75-79	317	403	20	15
80-84	253	295	18	14
85-UP	181	247	10	6
-- ICD 153.8 (1973) ----				
00-04	1	1	1	
10-14	1			
15-19	5	2	4	1
20-24	15	8	7	3
25-29	26	28	2	4
30-34	44	30	11	7
35-39	73	86	17	14
40-44	144	142	23	33
45-49	315	378	36	61
50-54	578	641	61	111
55-59	923	990	94	130
60-64	1421	1318	150	157
65-69	1631	1703	148	193
70-74	1773	1821	163	181
75-79	1662	1980	126	163
80-84	1220	1780	80	109
85-UP	799	1349	44	78
-- ICD 153.9 (1973) ----				
05-09		1		
15-19	1			1
20-24	1			
25-29	2	2		1
30-34	4	2	2	1
35-39	4	6	2	
40-44	9	11		3
45-49	17	26	2	2

AGE	WM	WF	NM	NF
-- 153.9 (1973) CONTD---				
50-54	38	29	5	4
55-59	71	61	4	2
60-64	85	87	5	9
65-69	102	88	13	10
70-74	108	139	9	8
75-79	113	179	3	11
80-84	116	153	5	7
85-UP	81	129	3	3
-- ICD 154.0 (1973) ----				
20-24		1	1	
25-29		1		
30-34	2	1	1	
35-39	5	3	2	
40-44	7	7	1	3
45-49	19	18		2
50-54	34	40	3	5
55-59	80	32	3	3
60-64	105	74	4	5
65-69	116	123	8	14
70-74	112	108	8	10
75-79	119	118	8	10
80-84	88	98	3	6
85-UP	55	64	7	2
-- ICD 154.1 (1973) ----				
15-19	1			1
20-24	3	4	2	1
25-29	1	4	3	2
30-34	15	13	2	2
35-39	21	22	3	5
40-44	60	39	10	7
45-49	125	90	15	11
50-54	223	150	35	25
55-59	388	280	46	46
60-64	551	362	49	40
65-69	641	416	83	53
70-74	657	496	70	58
75-79	646	469	46	40
80-84	502	490	26	24
85-UP	357	441	22	23
-- ICD 154.2 (1973) ----				
35-39		1		
40-44	1			
45-49	2	3		
50-54	2	5		1
55-59	2	1		2
60-64	1	1		
65-69	7	1		
70-74	3	6		
75-79	6	3		1
80-84		5		
85-UP	5	4		
-- ICD 155.0 (1973) ----				
00-04	19	7	2	
05-09	3	3	4	
10-14	3		1	2
15-19	3	2		2
20-24	8	4		
25-29	4	4		4
30-34	4	5	4	
35-39	9	6	8	3
40-44	15	12	9	
45-49	35	25	20	4
50-54	61	36	35	7
55-59	121	54	50	16
60-64	150	79	51	15
65-69	197	97	51	13
70-74	183	94	28	19
75-79	135	100	21	6
80-84	100	56	6	7
85-UP	35	41	4	4
-- ICD 155.1 (1973) ----				
20-24		1		
25-29	1			
30-34	1			
35-39		3		1
40-44		4		
45-49	2	5	2	
50-54	8	3	3	
55-59	7	6	6	2
60-64	11	13	4	1
65-69	17	11	1	2
70-74	9	11	1	2
75-79	3	5		
80-84	7	3		
85-UP	2	5	1	
-- ICD 156.0 (1973) ----				
00-04				1
30-34		3		
35-39	1	3		

AGE	WM	WF	NM	NF
-- 156.0 (1973) CONTD---				
40-44	5	6	1	2
45-49	9	26	2	6
50-54	26	71	3	13
55-59	38	92	6	11
60-64	88	176	3	23
65-69	77	244	8	19
70-74	115	311	4	29
75-79	126	341	9	22
80-84	73	231	6	11
85-UP	56	188	2	7
-- ICD 156.1 (1973) ----				
15-19		1		
20-24	1	1		
25-29		1		
30-34	4	3		
35-39	1	1		1
40-44	11	9	1	3
45-49	14	10	3	2
50-54	34	23	6	6
55-59	55	44	1	1
60-64	65	53	6	6
65-69	77	62	8	4
70-74	91	105	7	9
75-79	102	88	6	7
80-84	58	88	2	
85-UP	29	44	3	3
-- ICD 156.2 (1973) ----				
20-24			1	
30-34	1			
35-39		1		
40-44	2	3	1	1
45-49	3	4		
50-54	15	11		3
55-59	19	11	2	3
60-64	18	15	3	1
65-69	33	16	3	2
70-74	28	20	1	1
75-79	20	21	5	4
80-84	18	22	1	
85-UP	8	21	1	
-- ICD 156.9 (1973) ----				
25-29		1		
40-44	1	2	1	
45-49	2	3	1	
50-54	5	5		1
55-59	14	9		2
60-64	14	21	1	1
65-69	17	19	1	
70-74	21	19	2	1
75-79	20	25		1
80-84	10	29		1
85-UP	8	17	1	
-- ICD 157.0 (1973) ----				
20-24	1	1		
25-29		1		
30-34	3			
35-39	5		2	2
40-44	7	13	1	1
45-49	27	12	9	3
50-54	71	30	11	11
55-59	91	47	14	14
60-64	118	86	19	17
65-69	142	112	25	16
70-74	158	114	34	32
75-79	192	141	17	14
80-84	128	156	11	14
85-UP	102	134	8	5
-- ICD 157.8 (1973) ----				
35-39	2			
40-44	1		2	
45-49	11	6	1	3
50-54	14	8	3	3
55-59	29	9	5	1
60-64	39	28	5	1
65-69	44	22	5	
70-74	25	20	4	3
75-79	24	19	4	
80-84	15	15	1	1
85-UP	4	10	1	
-- ICD 157.9 (1973) ----				
05-09		1		
15-19	1			
20-24	5	1	2	
25-29	7	6	3	
30-34	27	7	3	2
35-39	60	37	5	8
40-44	122	69	24	26
45-49	316	180	59	32
50-54	552	342	83	57

AGE	WM	WF	NM	NF
-- 157.9 (1973) CONTD---				
55-59	851	566	97	99
60-64	1169	776	167	121
65-69	1369	965	178	109
70-74	1276	1079	164	110
75-79	1067	1065	81	103
80-84	747	773	42	45
85-UP	436	542	31	27
-- ICD 158.0 (1973) ----				
00-04	1			
10-14	1			
15-19	4	1		
20-24	8			
25-29	1	1		
30-34	5	3	1	1
35-39	4	2		1
40-44	6	8	1	2
45-49	12	8	3	
50-54	12	13	1	4
55-59	26	17	6	2
60-64	35	27	2	7
65-69	40	29	3	5
70-74	26	34	9	3
75-79	21	18	2	1
80-84	17	20	3	
85-UP	7	7		
-- ICD 158.9 (1973) ----				
10-14		1		
15-19		1		
20-24				1
25-29	1	2		
30-34	1	2		
35-39	1	2		
40-44	6	3		
45-49	4	3	2	
50-54	11	9		1
55-59	7	15		
60-64	10	17	2	4
65-69	14	31	2	3
70-74	18	22	2	2
75-79	11	20	1	2
80-84	13	16		
85-UP	5	13		
-- ICD 159 --(1973) ----				
00-04	1			
20-24	1			
25-29		1	1	
30-34		1		
35-39	1	5		
40-44	1	2	1	
45-49	5	4	3	2
50-54	11	9	3	2
55-59	29	21	2	3
60-64	29	25	16	5
65-69	29	37	9	10
70-74	47	47	12	10
75-79	27	56	9	9
80-84	45	54	7	4
85-UP	34	68	4	9
-- ICD 160.0 (1973) ----				
10-14	1			
25-29		2		
45-49	3	1		
50-54	2		1	
55-59	7	2		
60-64	7	6		2
65-69	4	2		1
70-74	11	3		
75-79	9	6	1	
80-84	5	9		
85-UP	11	16		
-- ICD 160.1 (1973) ----				
10-14		1		
25-29	1			
40-44	1			
45-49		1		
50-54	3	2	1	
55-59		2		
60-64	3	3		
65-69	2			
70-74	3	1		
75-79	1	1		
80-84	1			
85-UP	3	2		
-- ICD 160.2 (1973) ----				
10-14			1	
15-19			1	
20-24		2		
25-29	3	1	1	
35-39	1		1	

Appendix I – Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 160.2 (1973) CONTD---				
40-44	8	4	2	1
45-49	11	8	4	2
50-54	15	11	4	1
55-59	21	5	4	
60-64	25	8	4	4
65-69	24	14	4	1
70-74	18	15	9	4
75-79	22	12	5	3
80-84	17	7		2
85-UP	7	14	4	
-- ICD 160.8 (1973) ----				
10-14				1
25-29		3		
35-39	1	1		
40-44	3	1	2	
45-49	7			
50-54	6			
55-59	6	1	1	
60-64	8	1	1	1
65-69	7	2		
70-74	8	1		1
75-79	1	4	1	1
80-84	1	2	1	
85-UP	1	2		
-- ICD 160.9 (1973) ----				
20-24		1		
25-29		1		
30-34	1			
40-44		2		
45-49			1	
50-54	3	2		
55-59	4	2		1
60-64	7	2	1	
65-69	4	2		
70-74	3	1	1	
75-79	1	2		
80-84	2			
85-UP	1	4		
-- ICD 161.0 (1973) ----				
40-44			1	
50-54	2			
55-59	1		1	
60-64	7			
65-69	6	2		
70-74	5	1		
75-79	4		1	
80-84	5		1	
85-UP	1	2		
-- ICD 161.8 (1973) ----				
35-39	1			
40-44	2	1	2	
45-49	2	1	2	
50-54	9	6	4	1
55-59	19	6	3	2
60-64	15	7	6	
65-69	11	3	3	
70-74	13	2	1	1
75-79	12	1		
80-84	6			
85-UP	6			
-- ICD 161.9 (1973) ----				
30-34	3		1	
35-39	6	6	2	
40-44	36	10	11	8
45-49	101	13	27	5
50-54	176	27	53	10
55-59	304	62	59	8
60-64	386	54	62	5
65-69	383	57	43	4
70-74	313	27	44	5
75-79	225	24	20	1
80-84	148	17	12	
85-UP	82	9	7	
-- ICD 162.0 (1973) ----				
30-34	2	1		
35-39	1			
40-44	3	1		
45-49	6	2		
50-54	11	5	1	1
55-59	3	8	3	1
60-64	27	9	5	
65-69	16	4	2	
70-74	9	5	1	
75-79	9	2		
80-84	6	1		
-- ICD 162.1 (1973) ----				
00-04	4	3		1
05-09	1	1		

AGE	WM	WF	NM	NF
-- 162.1 (1973) CONTD---				
10-14	4	2	1	
15-19	8	5	3	
20-24	9	2	3	4
25-29	22	19	7	2
30-34	90	63	20	9
35-39	400	171	82	38
40-44	955	444	214	85
45-49	2451	1039	515	188
50-54	4304	1533	908	206
55-59	6717	2062	1032	233
60-64	9162	2271	1131	192
65-69	9947	2081	993	190
70-74	8399	1660	776	165
75-79	5865	1356	455	98
80-84	3017	896	208	52
85-UP	1272	592	104	42
-- ICD 163.0 (1973) ----				
15-19		2		
20-24		2		
25-29		1		
30-34		1		
35-39	2	2	2	
40-44	2	4		
45-49	10	2		
50-54	8	5	2	1
55-59	23	7	4	3
60-64	21	10	2	1
65-69	34	10	4	2
70-74	21	9	1	
75-79	17	14		
80-84	18	7		
85-UP	9	8		1
-- ICD 163.1 (1973) ----				
00-04	2			
05-09	1	1		1
10-14	4			1
15-19	1	1		
20-24	6	2		
25-29	11	5		
30-34	6	2	2	
35-39	8	1		
40-44	8	3		1
45-49	10	11	3	4
50-54	16	7	3	1
55-59	23	15	2	1
60-64	25	13	1	1
65-69	25	9	1	1
70-74	24	7	1	1
75-79	14	13	1	1
80-84	8	2		1
85-UP	8	4	1	1
-- ICD 163.9 (1973) ----				
10-14		1		
20-24		1		
35-39		1		
40-44	2			1
45-49	4	2	3	
50-54	9	3	2	
55-59	17	3	4	2
60-64	12	5	1	
65-69	9	3	3	
70-74	11	11	2	
75-79	5	7	1	
80-84	8	8		1
85-UP	5	7		1
-- ICD 170.0 (1973) ----				
15-19	2	1	1	
20-24	1	1		
25-29		1		
30-34	1		1	
35-39	2			
40-44	2	4	2	1
45-49	4	1	3	1
50-54	9	6	3	3
55-59	19	4	4	4
60-64	20	7	4	3
65-69	17	20	4	
70-74	20	13	2	1
75-79	14	16	1	3
80-84	11	6	2	
85-UP	15	10	1	1
-- ICD 170.1 (1973) ----				
05-09	1			
15-19		1	1	
25-29		2		
35-39	1			
40-44	2	1		1
45-49	5	1		
50-54	4	4	3	
55-59	7	4	2	

AGE	WM	WF	NM	NF
-- 170.1 (1973) CONTD---				
60-64	13	6	2	
65-69	16	5	2	3
70-74	14	8	1	1
75-79	11	6	2	1
80-84	13	9		2
85-UP	17	4		1
-- ICD 170.2 (1973) ----				
00-04	2			
05-09		1		
10-14	1	1		1
15-19	2			
20-24	2			
25-29	2			
30-34	2	1		1
35-39	4			
40-44	1	2		
45-49	6	2	1	1
50-54	13	7	1	1
55-59	14	7	1	3
60-64	20	16	1	1
65-69	21	13	2	
70-74	23	13	3	1
75-79	15	18	1	1
80-84	8	11	2	
85-UP	6	7		1
-- ICD 170.3 (1973) ----				
15-19	1			
20-24	2	1		
45-49		1		
50-54	1			
55-59	1	2		
60-64	2	1		
65-69	7	4	1	
70-74	10	4		
75-79	4	6		
80-84	1	3	2	
85-UP	4	2		
-- ICD 170.4 (1973) ----				
05-09		1		
10-14	3	3	1	1
15-19	4	3		
20-24	3	1		
25-29	1			
30-34	1			1
35-39	1			
40-44	4	1		1
45-49	1	3		1
50-54	2	1		
55-59	3	1		
60-64	3	3		1
65-69	1	6		
70-74	3	2		
75-79	9	2		
80-84	4	2		
85-UP	1	1		
-- ICD 170.5 (1973) ----				
50-54	1			
85-UP		1		
-- ICD 170.6 (1973) ----				
00-04		5		
05-09	1			
10-14		2		
15-19	6	2		1
20-24	4	5		
25-29	1	1	1	
30-34	2	1		
35-39		1	1	
40-44		3		
45-49	7	3	1	
50-54	3	3		2
55-59	7	2		
60-64	5	3		
65-69	7	8	1	
70-74	11	8		1
75-79	9	11		
80-84	3	4		
85-UP		3		
-- ICD 170.7 (1973) ----				
05-09	1	1		
10-14	18	9	1	4
15-19	21	13	4	3
20-24	15	4	1	1
25-29	4	1	2	
30-34	5	2	2	
35-39	1	1		
40-44	3	2	1	
45-49	2	6		
50-54	3	1	1	
55-59	8	1	2	

AGE	WM	WF	NM	NF
-- 170.7 (1973) CONTD---				
60-64	10	4		
65-69	8	10	1	1
70-74	13	11		
75-79	4	11		
80-84	4	10		
85-UP	5	4	1	
-- ICD 170.8 (1973) ----				
15-19	1	1		
65-69				1
80-84		1		
-- ICD 170.9 (1973) ----				
00-04		1		
05-09	12	7		2
10-14	30	28	1	6
15-19	64	34	7	5
20-24	43	16	3	
25-29	13	5	2	2
30-34	6	3		
35-39	6	3	1	1
40-44	6	4		2
45-49	8	7	1	1
50-54	8	11	1	5
55-59	21	10	4	1
60-64	17	14	1	
65-69	25	24	2	1
70-74	19	20	4	1
75-79	19	24	1	1
80-84	7	17	1	1
85-UP	5	5	1	
-- ICD 171.0 (1973) ----				
00-04		1		
05-09				1
10-14	4			
15-19	1		1	1
20-24				1
25-29	1			
35-39	1			
40-44	1			
45-49	1			
50-54	1	1		
55-59	1	1		
60-64	2	2		1
70-74	5	1		
75-79	2	2		2
80-84	2	1		
85-UP		2		
-- ICD 171.1 (1973) ----				
00-04	2	1		
15-19	3	1	1	
20-24		2		
25-29	3	1	1	
30-34	1		3	
35-39	2	7		
40-44	6	3	1	
45-49	12	7		2
50-54	15	6		
55-59	9	12	1	
60-64	14	11		1
65-69	10	11	1	1
70-74	13	10	2	1
75-79	13	8		
80-84	5	6		
85-UP	5	5		
-- ICD 171.2 (1973) ----				
10-14	1			1
15-19	1	1		
20-24	3	1		
25-29	3	1		
35-39	1			
40-44	1	1		
45-49		1		
50-54	2		1	
55-59	2	1	1	
60-64	5	1	1	
65-69	2	5	1	
70-74	6	1		1
75-79	1	4		
80-84	4	2		
85-UP	1	2		
-- ICD 171.3 (1973) ----				
00-04	1			
05-09		1		
10-14	1			
15-19	2	1		
20-24	1			
25-29	8	5		
30-34	4	4		
35-39	4	6		
40-44	16	6		
45-49	16	8		
50-54	20	12		
55-59	23	8		
60-64	16	9		1

AGE	WM	WF	NM	NF
-- 171.3 (1973) CONTD---				
45-49	6	5	1	1
50-54	6	8	2	2
55-59	8	9	1	
60-64	12	8		
65-69	12	8	2	3
70-74	16	12	2	1
75-79	11	13		1
80-84	11	17		1
85-UP	5	9	2	
-- ICD 171.9 (1973) ----				
00-04	11	16	2	1
05-09	8	12		5
10-14	10	10	1	4
15-19	21	15	2	3
20-24	11	9	4	1
25-29	20	5	3	3
30-34	22	8	2	
35-39	18	15	1	3
40-44	8	23	4	2
45-49	27	29	4	5
50-54	29	40	3	9
55-59	46	47	6	6
60-64	36	33	5	8
65-69	46	47	7	9
70-74	32	28	6	7
75-79	32	36	2	
80-84	22	29	1	1
85-UP	19	16	1	1
-- ICD 172.0 (1973) ----				
65-69	1			
-- ICD 172.1 (1973) ----				
45-49		1		
55-59	1			
85-UP	1			
-- ICD 172.2 (1973) ----				
40-44	1	1		
45-49	1	1		
50-54	1			
55-59		2		
60-64	3			
70-74	3	1		
75-79	2			
80-84	1	1		
85-UP	3			
-- ICD 172.3 (1973) ----				
20-24	1			
25-29		2		
30-34	2			
40-44	1			
45-49		2		
50-54	1	1		
55-59	2	1		
60-64	6	1		
65-69	5	4		
70-74	6	7	1	1
75-79	6	1	1	
80-84	3	2		
85-UP	7	4		
-- ICD 172.4 (1973) ----				
20-24	1			
25-29	5	2		
30-34	6	1		
35-39	1	2		
40-44	5			
45-49	6	3		
50-54	5	2		
55-59	4	4		
60-64	5			
65-69	2	2		
70-74	5	4		
75-79	3	6		
80-84	2	3		
85-UP	2	4		
-- ICD 172.5 (1973) ----				
00-04	1			
-- ICD 172.6 (1973) ----				
10-14	1			
15-19	2	1		
20-24	1			
25-29	8	5		
30-34	4	4		
35-39	4	6		
40-44	16	6		
45-49	16	8		
50-54	20	12		
55-59	23	8		
60-64	16	9		1

AGE	WM	WF	NM	NF
-- 172.6 (1973) CONTD---				
65-69	22	10		
70-74	8	7		
75-79	12	6	1	
80-84	6	4		
85-UP	2	7		
-- ICD 172.7 (1973) ----				
15-19	1			
20-24	2	1		
25-29	1	1		
30-34	5	2		
35-39	4	3		
40-44	8	2		
45-49	8	6		
50-54	10	2		
55-59	9	4		
60-64	8	5		
65-69	6	6		
70-74	4	3		
75-79	8	4		
80-84	1	6		
85-UP	3	3		
-- ICD 172.8 (1973) ----				
15-19		1		
20-24	1			
25-29	2			
30-34	3	4		
35-39	4	3		1
40-44	3	11		1
45-49	7	13	1	
50-54	4	10	1	
55-59	8	14		1
60-64	10	15		
65-69	5	8	3	
70-74	4	16	2	
75-79	5	10		
80-84	5	8	1	
85-UP	7	10	1	1
-- ICD 172.9 (1973) ----				
00-04			1	1
10-14	1	1		
15-19	11	4		2
20-24	33	21		
25-29	56	29	2	
30-34	76	53	1	3
35-39	81	46		1
40-44	107	104	3	
45-49	156	113	3	
50-54	175	101	2	2
55-59	165	128	3	6
60-64	154	103	4	5
65-69	156	124	6	4
70-74	114	72	4	3
75-79	110	89	4	3
80-84	56	69	2	3
85-UP	48	39	1	1
-- ICD 173.0 (1973) ----				
35-39	2			
55-59	3			
60-64	4	1		
65-69	1			
70-74	3			
75-79	1			
80-84	2	1		
85-UP	2	3		
-- ICD 173.1 (1973) ----				
30-34	1			
45-49	1			
50-54	1			
55-59	1			
60-64	1	2		
70-74		1		
80-84	3			
-- ICD 173.2 (1973) ----				
45-49	1	1		
50-54	2	1		
55-59	1	3		
60-64	3	3		
65-69	1	4		
70-74	4	1		2
75-79	10	1		
80-84	6	5		
85-UP	17	4		
-- ICD 173.3 (1973) ----				
00-04		1		
20-24		1		
35-39		1	1	
40-44	7	1	1	
45-49	6	2	1	

AGE	WM	WF	NM	NF
-- 173.3 (1973) CONTD---				
50-54	13	5	2	
55-59	18	8	3	
60-64	24	10		2
65-69	45	11	3	
70-74	53	12	2	
75-79	43	30	2	1
80-84	48	26	1	
85-UP	70	89	1	
-- ICD 173.4 (1973) ----				
40-44	2		1	
45-49	3	1	2	1
50-54	18	4	1	
55-59	12	9	1	
60-64	12	8		1
65-69	22	7	2	
70-74	21	8	1	
75-79	20	8	1	1
80-84	18	9		
85-UP	21	11		
-- ICD 173.5 (1973) ----				
50-54	1			
60-64			1	
65-69			1	
70-74	2			
75-79	1		1	
80-84	1			
85-UP	1			
-- ICD 173.6 (1973) ----				
10-14		1		
15-19	1			
25-29				1
30-34		1		
40-44	1	4	4	
45-49	3	2	1	3
50-54	7	5	3	1
55-59	7	13	2	
60-64	13	15	2	5
65-69	11	16	1	1
70-74	9	9	1	3
75-79	10	24	2	1
80-84	5	18		2
85-UP	4	11		1
-- ICD 173.7 (1973) ----				
45-49	1			
55-59	1			
60-64	4	1		
65-69	4	4	1	
70-74	2	3		
75-79	7	3		
80-84	5	5		
85-UP	7	7		
-- ICD 173.8 (1973) ----				
25-29	1			
35-39		1	1	
40-44	1			
50-54	2	1	1	
55-59	1	1		
60-64	1	1		1
65-69	3	3	1	
70-74	5	2		
75-79	3	5	2	
80-84	6	6	1	3
85-UP	1	4		1
-- ICD 173.9 (1973) ----				
00-04	1			
05-09		1		
10-14	1			
20-24		1		
25-29	2	2		
30-34	2			
35-39	2			1
40-44	5			1
45-49	5			2
50-54	6	1	2	
55-59	8	7		2
60-64	7	8	3	
65-69	9	3		1
70-74	14	10		
75-79	13	9	1	1
80-84	14	7	1	1
85-UP	19	14	1	
-- ICD 174 --(1973) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1973) ----				
SEE PAGES 174 - 179				

AGE	WM	WF	NM	NF
-- ICD 181 --(1973) ----				
15-19		3		
20-24		7		5
25-29		8		3
30-34		3		3
35-39		3		
40-44		2		1
45-49		2		
50-54				1
55-59		2		
60-64		2		
80-84		1		
85-UP		1		
-- ICD 182.0 (1973) ----				
00-04		1		
20-24		1		
25-29		3		
30-34		4		
35-39		12		2
40-44		18		1
45-49		50		11
50-54		95		18
55-59		191		27
60-64		301		71
65-69		342		61
70-74		330		50
75-79		274		22
80-84		199		15
85-UP		123		9
-- ICD 182.9 (1973) ----				
15-19		2		
20-24		4		4
25-29		7		1
30-34		17		4
35-39		23		9
40-44		48		20
45-49		88		43
50-54		191		48
55-59		278		60
60-64		325		86
65-69		437		85
70-74		454		74
75-79		428		53
80-84		342		40
85-UP		257		26
-- ICD 183.0 (1973) ----				
00-04		1		1
05-09		1		2
10-14		11		2
15-19		26		11
20-24		23		1
25-29		37		7
30-34		57		8
35-39		127		21
40-44		333		32
45-49		693		64
50-54		1034		95
55-59		1202		98
60-64		1286		121
65-69		1324		119
70-74		1079		92
75-79		956		60
80-84		569		21
85-UP		349		21
-- ICD 183.1 (1973) ----				
35-39		1		
45-49		9		3
50-54		11		3
55-59		19		4
60-64		21		2
65-69		14		1
70-74		11		
75-79		10		
80-84		4		
85-UP		1		
-- ICD 183.9 (1973) ----				
60-64		1		
65-69		1		
70-74		1		
-- ICD 184.0 (1973) ----				
20-24		1		
25-29		2		
30-34		3		1
35-39		3		1
40-44		4		4
45-49		13		2
50-54		16		4
55-59		19		2
60-64		28		9
65-69		39		5

AGE	WM	WF	NM	NF
-- 184.0 (1973) CONTD---				
70-74		38		4
75-79		46		7
80-84		48		3
85-UP		32		2
-- ICD 184.1 (1973) ----				
15-19		1		
25-29		1		
30-34		1		
35-39		2		5
40-44		4		3
45-49		6		6
50-54		29		5
55-59		21		5
60-64		36		5
65-69		61		5
70-74		70		5
75-79		97		7
80-84		74		6
85-UP		80		1
-- ICD 184.9 (1973) ----				
10-14		1		
20-24		1		
25-29				1
40-44				1
45-49		1		1
50-54		1		3
55-59		5		2
60-64		8		2
65-69		5		3
70-74		9		1
75-79		9		6
80-84		6		1
85-UP		12		
-- ICD 185 --(1973) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1973) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1973) ----				
25-29	1			
30-34	1			
35-39	2			
40-44	3			3
45-49				2
50-54	11			6
55-59	16			3
60-64	18			13
65-69	23			6
70-74	30			7
75-79	21			4
80-84	15			2
85-UP	15			6
-- ICD 187.8 (1973) ----				
10-14	1			
60-64	1			
65-69	1			
70-74	4			1
75-79				1
85-UP	1			
-- ICD 187.9 (1973) ----				
20-24				1
50-54	1			
60-64	3			
65-69				4
70-74	1			
75-79	2			
80-84	3			2
85-UP	1			
-- ICD 188 --(1973) ----				
00-04	3			2
05-09	4			
15-19		1		
20-24	1	2	1	
25-29	3	1		
30-34	5	4		1
35-39	13	4	1	1
40-44	29	12	2	1
45-49	79	22	8	10
50-54	178	69	25	26
55-59	360	135	52	28
60-64	621	205	58	29
65-69	939	275	90	59
70-74	1064	344	83	58
75-79	1104	459	71	34
80-84	905	458	39	31
85-UP	647	466	22	34

AGE	WM	WF	NM	NF
-- ICD 189.0 (1973) ----				
00-04	25	18	6	7
05-09	19	21	3	7
10-14	11	8	1	5
15-19	4	3	2	
20-24	6	6	1	1
25-29	9	9	1	
30-34	19	8	1	2
35-39	39	20	4	2
40-44	87	34	9	5
45-49	202	98	25	12
50-54	315	125	40	12
55-59	489	187	47	22
60-64	590	284	42	23
65-69	560	331	49	25
70-74	527	300	29	19
75-79	415	318	17	13
80-84	215	207	11	7
85-UP	143	157	7	4
-- ICD 189.1 (1973) ----				
30-34	1		1	
35-39	2			
40-44	1	1		
45-49		1		
50-54	1	2		
55-59	4	1		1
60-64	3	4	1	
65-69	5	1		
70-74	6	7		
75-79	4	5	1	
80-84	3	6		
85-UP	1	1		
-- ICD 189.2 (1973) ----				
35-39		1		
40-44	1	1		
45-49	3	2		
50-54	8	4		1
55-59	7	1		1
60-64	11	10		2
65-69	20	7	1	1
70-74	25	13	1	
75-79	18	15	1	
80-84	10	23		1
85-UP	10	8		
-- ICD 189.9 (1973) ----				
30-34	1			
35-39	1			
40-44	1		1	
45-49	4			3
50-54	4	3	1	1
55-59	4	7	3	3
60-64	9	11	2	3
65-69	7	6	3	
70-74	3	8	3	3
75-79	8	12	3	1
80-84	7	12	1	
85-UP	5	13		
-- ICD 190 --(1973) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1973) ----				
00-04	57	55	7	8
05-09	75	66	13	21
10-14	58	64	12	11
15-19	64	47	4	17
20-24	70	43	5	9
25-29	75	53	4	1
30-34	91	64	6	5
35-39	137	82	8	2
40-44	203	115	16	8
45-49	252	190	20	16
50-54	364	302	28	16
55-59	458	357	35	21
60-64	506	357	23	16
65-69	401	336	24	14
70-74	278	242	6	13
75-79	132	142	6	4
80-84	53	61	2	3
85-UP	15	26	1	
-- ICD 192.0 (1973) ----				
00-04	1	1		1
10-14		1		
15-19	1	2	1	
20-24	2			
40-44	1			
45-49	2	1		
65-69			1	
-- ICD 192.1 (1973) ----				
00-04		2		
10-14				1

AGE	WM	WF	NM	NF
-- 192.1 (1973) CONTD---				
20-24			1	
40-44	1	2		
45-49	2	2	2	
50-54	2	2		
55-59	3	4		1
60-64	3	2	1	1
65-69	3	1		1
70-74	6	2		
75-79	4	1		
80-84		1		
85-UP			1	
-- ICD 192.2 (1973) ----				
00-04	1			
05-09	2		1	1
10-14	3	2	1	1
15-19	3	2	1	
20-24	1	2		
25-29	4	1	1	
30-34		2		
35-39	3		2	
40-44	4	3	2	
45-49	4	7	1	
50-54	4	3	2	
55-59	9	7		
60-64	6	4		1
65-69	6	5		
70-74	7	4	4	
75-79	8	5	1	
80-84	1	3		
85-UP	1			1
-- ICD 192.3 (1973) ----				
85-UP		1		
-- ICD 192.4 (1973) ----				
00-04	1			
05-09	1			
10-14		1	1	
15-19		4		1
20-24	5	6		
25-29	7	6	1	
30-34	4	2	1	
35-39	5	3	1	
40-44	2	2		1
45-49	5	5	1	
50-54	4	7	1	
55-59	8	5	2	
60-64	9	5	1	2
65-69	7	7		
70-74	7	3		2
75-79	4	3		1
80-84	3	2		
85-UP		2		
-- ICD 192.5 (1973) ----				
00-04	86	59	10	7
05-09	22	16	5	8
10-14	6	8		
15-19	8	5	1	
20-24	5	1	1	
25-29	4	4		
30-34		2		1
35-39		1		
40-44	2			
45-49	1			
50-54	4			
55-59	2	1		
60-64	4			
65-69	1	2		
70-74	1	1		
75-79		1	1	
80-84	1			
-- ICD 192.9 (1973) ----				
00-04	18	10	7	2
05-09	8	16	1	
10-14	16	4	5	3
15-19	12	6		3
20-24	11	11	1	4
25-29	12	10	1	2
30-34	19	15	2	1
35-39	25	21	1	3
40-44	36	22		3
45-49	62	41	9	3
50-54	94	61	7	2
55-59	104	76	6	7
60-64	99	77	6	4
65-69	83	87	4	3
70-74	64	70	1	1
75-79	47	26		
80-84	10	6		
85-UP	3	2		

AGE	WM	WF	NM	NF
-- ICD 193 --(1973) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1973) ----				
00-04		2		
05-09		2		
10-14	4			1
15-19	2		1	
20-24	2	3		
25-29	3	4		
30-34	5	4		1
35-39	7	7		
40-44	3	11	1	1
45-49	16	13		1
50-54	24	15	2	1
55-59	20	21	4	
60-64	17	12	1	
65-69	16	14	1	1
70-74	15	7	1	
75-79	8	6		1
80-84	4	4	1	
85-UP	1	1		
-- ICD 194.1 (1973) ----				
00-04	1			
05-09	1			
10-14	1		2	
15-19	1			
20-24				1
25-29	1		1	
40-44	1			
45-49	2			
50-54		2		
55-59		1		
60-64	1	1		
70-74	1	2	1	
75-79		2		
-- ICD 194.2 (1973) ----				
15-19	3			
20-24	1	2		
25-29	2	5		
30-34	2	2		1
35-39	3			
40-44	1	2		1
45-49	10	2	1	1
50-54	3	2		
55-59		5		
60-64	5	3	4	
65-69	3	2	1	
70-74	3	1		
75-79		2		
80-84	2			
-- ICD 194.3 (1973) ----				
05-09			1	
10-14		2		
15-19	1	1		
35-39	2			
40-44		3		1
45-49	1	1	1	
50-54	1	1		1
55-59	3	1		
60-64	1	2		
65-69	2	4		
70-74	1			
75-79	1			1
80-84		3		
-- ICD 194.4 (1973) ----				
05-09	1	1	1	
10-14	2			
15-19	6			
20-24	1			
25-29	1			
30-34		1		
35-39	1			
55-59	1			
-- ICD 194.8 (1973) ----				
00-04	1			
20-24	1			
25-29		1		
30-34				1
35-39	1			
40-44		1		
45-49	1	1		
50-54	1			
55-59	1			
60-64	1			
70-74	2			
75-79		2		
-- ICD 194.9 (1973) ----				
45-49			1	

AGE	WM	WF	NM	NF
-- 194.9 (1973) CONTD---				
65-69				1
70-74		1		
-- ICD 195.0 (1973) ----				
00-04	2	1		1
05-09	1			
10-14			1	
15-19				1
20-24	4	2		1
25-29	3			2
30-34	3	2		
35-39	10	8	2	
40-44	10	8	1	10
45-49	17	15	6	8
50-54	31	43	5	7
55-59	40	60	9	15
60-64	65	104	13	21
65-69	77	108	13	23
70-74	71	149	12	17
75-79	82	140	5	10
80-84	62	151	6	13
85-UP	41	135	5	15
-- ICD 195.1 (1973) ----				
00-04	1	2		
05-09		1		
15-19	1	2		
30-34		2		
35-39		4		1
40-44		3		1
45-49	1	10		2
50-54	1	16		5
55-59	14	22	1	2
60-64	6	32	2	6
65-69	8	31		6
70-74	8	29		8
75-79	6	41		3
80-84	6	30		3
85-UP	5	43		4
-- ICD 195.9 (1973) ----				
00-04		1	1	
15-19	1	2	1	
20-24	3	3	1	
25-29	4	3	1	1
30-34	3	2	2	
35-39	2	3	3	
40-44	5		3	
45-49	29	6	3	2
50-54	34	16	4	2
55-59	60	23	10	4
60-64	75	31	9	5
65-69	60	26	5	8
70-74	71	30	7	3
75-79	57	45	5	2
80-84	60	32	1	2
85-UP	46	41	3	1
-- ICD 196.0 (1973) ----				
15-19	1			
30-34			1	
40-44	2	1		
45-49	2			
50-54		1		
55-59	4	3	1	
60-64	5	1		
65-69	4			
70-74	2		1	
75-79	5	3	1	
80-84	5			
85-UP	3	2		
-- ICD 196.1 (1973) ----				
35-39		1		
55-59	2			
60-64	1	2		
65-69	1	1		
70-74	1			
-- ICD 196.2 (1973) ----				
65-69		1		
75-79	1	1		
80-84		2		
85-UP	1			
-- ICD 196.3 (1973) ----				
40-44			1	
50-54	1		1	
55-59	2		1	
60-64	1			
65-69	1			
80-84		1		
-- ICD 196.4 (1973) ----				
50-54			1	

AGE	WM	WF	NM	NF
-- 196.4 (1973) CONTD---				
55-59	1			
60-64				1
65-69	1			
70-74	1			
80-84	1			
85-UP		1		1
-- ICD 196.7 (1973) ----				
60-64	1			
65-69	1			
70-74		1		
75-79		1		
80-84	1			
85-UP		1		
-- ICD 196.8 (1973) ----				
15-19		1		
20-24	2			
25-29	1	1		
45-49		1		
60-64	1			1
70-74	2			
75-79				1
-- ICD 196.9 (1973) ----				
05-09	1			
15-19	1	1		
20-24	1			
25-29		1		
30-34	1			
35-39			1	1
40-44	1			
45-49			1	
50-54	5		1	
55-59	2	2	2	
60-64	6	1		
65-69	2	1	1	1
70-74	5	3	1	
75-79	5	5		1
80-84	4	1		
85-UP	5	4		
-- ICD 197.0 (1973) ----				
00-04	1	2		
05-09	1	1		
10-14	1	1	1	
15-19		1		
20-24	3	4		
25-29	1	1		
30-34	1	2		1
35-39	2	3	1	1
40-44	8	7	3	2
45-49	19	17	4	5
50-54	19	25	5	1
55-59	37	32	4	8
60-64	49	37	7	2
65-69	70	52	6	6
70-74	74	46	8	3
75-79	57	42	9	7
80-84	38	46	3	7
85-UP	36	42	3	3
-- ICD 197.1 (1973) ----				
45-49	1			
50-54	5	2		
55-59		1		
60-64	3	1	2	
65-69	1	2		
70-74	4	2		
75-79		2		
80-84	1			
85-UP	1			
-- ICD 197.2 (1973) ----				
00-04	1			
10-14	1			
20-24		1		
30-34		1		1
40-44		2		
45-49	4	2		1
50-54	1	12	3	1
55-59	9	6	2	2
60-64	4	1	1	1
65-69	12	9		1
70-74	8	16		2
75-79	14	19	1	1
80-84	7	19		2
85-UP	6	12	1	
-- ICD 197.3 (1973) ----				
45-49	1			
50-54	2	1		
55-59		1		
60-64	3	1		
65-69	3	1	1	
70-74	3	2	1	

AGE	WM	WF	NM	NF
-- 197.3 (1973) CONTD---				
75-79	4	2		1
80-84		2		
85-UP	1	1		
-- ICD 197.4 (1973) ----				
40-44			1	
45-49	1			
50-54	1			
65-69	1	1		
75-79		1		
80-84	1			
85-UP	1	1		
-- ICD 197.5 (1973) ----				
30-34	1		1	
40-44		2		
45-49	1		1	
50-54	1	1		
55-59	1	2		
60-64	2	3		
65-69	2	3		1
70-74		3		
75-79	3	4		1
80-84	4	7		
85-UP	2	4		
-- ICD 197.6 (1973) ----				
15-19	1			
20-24			1	
35-39		1		
45-49	1	1		
50-54	5	5		1
55-59	2	9		1
60-64	5	7		1
65-69	3	9	1	
70-74	8	12	1	1
75-79	2	12	1	
80-84	7	13		
85-UP	2	6		
-- ICD 197.7 (1973) ----				
05-09	1			
15-19	1	1		
20-24	2	3		
25-29	1	1		
30-34	2	2		2
35-39	5	6	3	3
40-44	11	13	2	4
45-49	35	30	11	5
50-54	44	43	12	5
55-59	99	68	14	10
60-64	137	116	22	15
65-69	169	112	30	13
70-74	148	115	19	18
75-79	168	157	13	12
80-84	110	137	11	8
85-UP	77	89	6	11
-- ICD 197.8 (1973) ----				
00-04	1	1	1	
05-09	4	1	1	1
10-14		3	1	
15-19	2	4		
20-24	1	5	1	1
25-29	3	2	3	
30-34	4	1	1	2
35-39	6	14	4	2
40-44	20	13	5	5
45-49	42	30	13	5
50-54	72	62	20	14
55-59	124	83	32	6
60-64	178	96	39	22
65-69	217	153	50	27
70-74	209	163	35	32
75-79	203	189	19	13
80-84	125	190	13	8
85-UP	87	149	11	12
-- ICD 197.9 (1973) ----				
40-44			1	
45-49	2			
50-54	1		1	
55-59	6	1	1	
60-64	7	2		
65-69	5	4	2	
70-74	3	1	1	
75-79	6	8		1
80-84	3			
85-UP	1	5		
-- ICD 198.0 (1973) ----				
25-29		1		
40-44	1	1		
60-64	1			
65-69	3			

AGE	WM	WF	NM	NF
-- 198.0 (1973) CONTD---				
70-74				1
75-79		2	1	
80-84	2	1		
-- ICD 198.1 (1973) ----				
45-49		1		
50-54	1	2		
55-59		1		
60-64	1			
70-74	1			
80-84			1	
85-UP		2		
-- ICD 198.2 (1973) ----				
40-44	1			
50-54	1			1
55-59	3			
60-64	4	1		
65-69	3			
70-74	3	2		
80-84	3	1		
85-UP	2	1		
-- ICD 198.3 (1973) ----				
00-04	2	1		
15-19	1			
20-24	1			
25-29	1	1		
30-34	1	3		2
35-39	5	5	3	
40-44	10	17	3	2
45-49	28	21	9	3
50-54	38	40	4	3
55-59	59	33	3	
60-64	79	39	5	3
65-69	61	41	7	5
70-74	48	29	3	1
75-79	31	21	1	
80-84	13	11	2	1
85-UP	5	11	1	1
-- ICD 198.4 (1973) ----				
00-04		1		
05-09	1			
20-24			1	
35-39		1		
40-44	1	2		
45-49	3		1	
50-54	2	2		1
55-59	2	2		
60-64	5	2		
65-69	3	3	1	
70-74	1		1	
75-79	1	2		
80-84	1	4		
85-UP	1	1		
-- ICD 198.5 (1973) ----				
10-14	1	2		
20-24	1	1		
30-34	1			
35-39	2	1		
40-44	2	4		1
45-49	10	8	3	1
50-54	12	5	1	3
55-59	27	16		1
60-64	36	17	5	5
65-69	45	24	9	1
70-74	37	21	6	5
75-79	37	24	3	2
80-84	11	16	4	
85-UP	12	9	2	
-- ICD 198.9 (1973) ----				
15-19		1		
20-24	1	1		
25-29	1	1		
30-34		1	1	
35-39	6	2	1	1
40-44	4	5	4	3
45-49	15	5	2	5
50-54	21	19	4	4
55-59	27	31	6	2
60-64	36	33	3	2
65-69	40	51	6	7
70-74	41	78	10	6
75-79	29	67	3	3
80-84	30	54	6	4
85-UP	15	63	2	4
-- ICD 199.0 (1973) ----				
00-04		2		1
05-09	1	2		1
10-14	5	1		3
15-19	7	6	3	2

AGE	WM	WF	NM	NF
-- 199.0 (1973) CONTD---				
20-24	19	11	1	4
25-29	22	13	2	8
30-34	26	29	8	5
35-39	44	50	19	13
40-44	113	96	20	44
45-49	189	216	42	48
50-54	342	345	73	64
55-59	504	484	87	87
60-64	704	589	139	112
65-69	808	648	116	91
70-74	730	673	120	106
75-79	580	714	79	56
80-84	426	574	53	45
85-UP	254	500	30	32
-- ICD 199.1 (1973) ----				
00-04	3	11		3
05-09	3	2	1	
10-14	3	2		1
15-19	5	5	3	3
20-24	13			
25-29	9	5	1	3
30-34	6	3	2	2
35-39	9	7	2	2
40-44	13	14	5	8
45-49	33	28	12	6
50-54	49	44	19	17
55-59	73	66	19	21
60-64	109	61	25	20
65-69	124	73	26	15
70-74	109	72	26	18
75-79	89	77	16	12
80-84	75	70	12	15
85-UP	62	76	4	12
-- ICD 200.0 (1973) ----				
00-04	3	4		1
05-09	8	2		
10-14	9	7		
15-19	21	13	4	1
20-24	20	9	1	1
25-29	32	16	1	2
30-34	26	17	4	
35-39	25	22	4	1
40-44	55	31	9	11
45-49	73	53	7	5
50-54	95	90	6	16
55-59	131	136	11	5
60-64	177	127	19	5
65-69	185	178	10	8
70-74	152	165	7	9
75-79	131	153	5	6
80-84	80	120	6	3
85-UP	46	67	1	
-- ICD 200.1 (1973) ----				
00-04	19	7	2	
05-09	28	10	5	3
10-14	42	11	4	2
15-19	23	12	7	2
20-24	29	12	4	1
25-29	21	13	2	1
30-34	25	15	3	2
35-39	28	32	3	1
40-44	56	52	4	1
45-49	104	83	8	5
50-54	167	111	13	6
55-59	235	155	17	11
60-64	258	210	13	8
65-69	324	238	23	16
70-74	285	289	18	18
75-79	243	266	9	7
80-84	158	194	8	7
85-UP	71	128	5	2
-- ICD 201 --(1973) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1973) ----				
05-09	1			
40-44		1		
50-54	3	3		
55-59	3	3		
60-64	3			
65-69	3	1		
70-74	3	4		
75-79	2	4		1
80-84	1	2		
85-UP	1			
-- ICD 202.1 (1973) ----				
20-24				1
35-39	1		1	
40-44	2	1	1	
45-49	1		1	1

AGE	WM	WF	NM	NF
-- 202.1 (1973) CONTD---				
50-54	6	2	1	
55-59	5	3	2	1
60-64	6	6	1	
65-69	7	1	3	
70-74	6	4	2	
75-79	7	4	1	
80-84	6	2		
85-UP	5	3		1
-- ICD 202.2 (1973) ----				
00-04	16	8		
05-09	16	2	2	2
10-14	19	7	5	1
15-19	21	15	6	4
20-24	21	9	8	1
25-29	23	11	3	2
30-34	23	15	1	2
35-39	34	12	6	4
40-44	45	34	7	2
45-49	73	55	12	8
50-54	117	76	13	11
55-59	130	116	13	7
60-64	198	133	16	13
65-69	220	197	23	8
70-74	227	216	10	8
75-79	209	214	14	7
80-84	132	157	6	7
85-UP	85	112	5	5
-- ICD 202.9 (1973) ----				
65-69	1			
-- ICD 203 --(1973) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1973) ----				
00-04	100	48	8	9
05-09	189	130	18	9
10-14	119	60	17	6
15-19	100	49	11	5
20-24	42	22	4	3
25-29	24	12	2	2
30-34	11	8	4	1
35-39	8	8	2	1
40-44	9	6	1	
45-49	16	12	1	1
50-54	20	13		1
55-59	36	17	1	
60-64	34	22	2	1
65-69	50	29	7	4
70-74	37	31	6	7
75-79	42	37	3	1
80-84	38	36	1	1
85-UP	27	33	2	3
-- ICD 204.1 (1973) ----				
00-04	1			1
05-09	2	3		
10-14	1	1		
15-19	2			
20-24	1			
25-29			1	
30-34	1			
35-39	4	2		
40-44	6	6		1
45-49	25	8	1	5
50-54	41	27	3	3
55-59	89	47	13	10
60-64	161	61	14	10
65-69	171	93	22	14
70-74	199	98	14	17
75-79	252	174	14	9
80-84	211	164	15	7
85-UP	136	152	10	5
-- ICD 204.9 (1973) ----				
00-04	5	1		1
05-09	7	10		
10-14	4	2		1
15-19	5	2		
20-24	2	2		
25-29	1	1		
30-34	3			
35-39	2	1		
40-44	5	1	1	
45-49	4	2	1	
50-54	14	6	2	1
55-59	25	9	1	2
60-64	31	29	2	3
65-69	52	27	3	5
70-74	58	36	7	5
75-79	51	57	8	3
80-84	57	44	1	1
85-UP	63	36		2

AGE	WM	WF	NM	NF
-- ICD 205.0 (1973) ----				
00-04	34	22	3	5
05-09	32	15	10	1
10-14	29	36	4	1
15-19	63	62	14	7
20-24	60	40	8	7
25-29	68	66	7	7
30-34	50	50	4	4
35-39	59	58	3	10
40-44	80	50	3	10
45-49	111	89	10	5
50-54	126	121	13	15
55-59	159	123	15	14
60-64	192	144	15	12
65-69	271	180	20	13
70-74	250	226	23	11
75-79	239	178	9	13
80-84	139	130	12	5
85-UP	78	103	3	3
-- ICD 205.1 (1973) ----				
00-04	5	5		
05-09		6		
10-14	4	1	3	4
15-19	13	7	2	
20-24	8	10	3	2
25-29	22	11	8	2
30-34	30	16	9	8
35-39	34	27	5	4
40-44	52	24	6	6
45-49	49	35	6	6
50-54	57	44	9	1
55-59	87	60	7	10
60-64	87	66	6	14
65-69	91	64	11	12
70-74	100	77	7	5
75-79	108	83	1	5
80-84	70	72	9	2
85-UP	50	56	2	
-- ICD 205.9 (1973) ----				
00-04	2	3	2	
10-14	5	1		
15-19	6	1		
20-24	2		1	
25-29	2	1		
30-34	4	3	2	1
35-39	7	3	1	
40-44	4	5	1	
45-49	8	5	2	1
50-54	8	9	3	1
55-59	9	13	4	1
60-64	18	19	2	1
65-69	28	26	2	4
70-74	45	44	2	4
75-79	53	37	2	2
80-84	32	48	2	1
85-UP	31	33	2	3
-- ICD 206.0 (1973) ----				
00-04	2	1		
05-09	1			2
10-14	2	1		
15-19	3	3	1	
20-24	3		1	
25-29	5	5	2	1
30-34	3	3		
35-39	5	4	1	1
40-44	8	4	1	1
45-49	11	8	1	
50-54	9	11	1	2
55-59	7	10	2	
60-64	16	11	1	2
65-69	19	14	1	1
70-74	18	24	3	
75-79	30	25	4	1
80-84	13	5		
85-UP	11	16	2	
-- ICD 206.1 (1973) ----				
40-44	2			
60-64		1		
65-69	1	1		
70-74	3	1		1
75-79	1	2	1	
80-84	2	2		
85-UP	2	1		
-- ICD 206.9 (1973) ----				
00-04	3		1	
05-09	1			
10-14	2	1		
15-19	1			
30-34	1	2		
40-44	3			
45-49	3	1		

AGE	WM	WF	NM	NF
-- 206.9 (1973) CONTD---				
50-54	5			
55-59	7	2	1	
60-64	4	2	5	
65-69	7	4	1	
70-74	11	8	1	
75-79	10	5		
80-84	7	10		
85-UP	3	11	1	
-- ICD 207.0 (1973) ----				
00-04	23	29	10	2
05-09	36	35	5	2
10-14	33	19	3	9
15-19	42	28	6	1
20-24	25	14	6	
25-29	20	15	2	
30-34	20	14	1	5
35-39	21	13		3
40-44	23	13	1	1
45-49	33	21	2	5
50-54	46	34	3	1
55-59	69	45	2	8
60-64	68	49	10	2
65-69	91	71	4	5
70-74	80	67	4	8
75-79	75	67	4	3
80-84	66	52	4	3
85-UP	33	38	2	3
-- ICD 207.1 (1973) ----				
15-19	2			
30-34		2		
35-39	1			
40-44	2			
45-49	2	1		
50-54	1	2		
55-59	4	3	1	
60-64	7	5	3	1
65-69	11	9		
70-74	11	6		1
75-79	16	6		
80-84	8	15		
85-UP	12	23		1
-- ICD 207.2 (1973) ----				
00-04	1		2	
10-14		2		
15-19			1	
20-24	1			
25-29	1	2		
30-34	1			
35-39	1		1	1
40-44	1	1	1	
45-49	1	3	1	
50-54	6	1		
55-59	8	2		
60-64	7	9	2	
65-69	14	6	1	
70-74	21	3	1	1
75-79	14	9	1	1
80-84	10	11		
85-UP	9	5		
-- ICD 207.9 (1973) ----				
00-04	14	17	5	3
05-09	27	16	3	1
10-14	10	8	4	4
15-19	8	4	5	1
20-24	7	11	1	
25-29	1	7	2	
30-34	7	4		
35-39	8	5	1	
40-44	7	15	3	
45-49	17	5	1	4
50-54	14	17	6	3
55-59	25	21	6	2
60-64	48	36	13	2
65-69	52	41	10	2
70-74	93	67	8	5
75-79	81	66	9	5
80-84	74	60	6	2
85-UP	59	64	3	2
-- ICD 208 --(1973) ----				
00-04	1	1		
05-09	1			
10-14	1	1		
15-19		1		
20-24		2		1
25-29	1	2		
30-34	1	1		
35-39	3		2	
40-44	4	1		
45-49	16	6	2	
50-54	16	13	2	1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 208 --(1973) CONTD---				
55-59	33	14		3
60-64	35	14	2	1
65-69	42	29	1	
70-74	42	37	4	2
75-79	37	42	1	1
80-84	23	24	3	
85-UP	9	23		
-- ICD 209 --(1973) ----				
00-04	3	1	1	2
05-09		1		
10-14		1		
15-19		2		
20-24	3	1		
25-29	2	3		
30-34	2	2	1	
35-39	4	3	1	1
40-44	9	8		
45-49	11	16	2	2
50-54	22	15	4	1
55-59	42	21	6	1
60-64	55	50	6	3
65-69	88	54	9	4
70-74	92	61	6	4
75-79	92	58	3	2
80-84	64	54	1	1
85-UP	20	31	2	2
-- ICD 140.0 (1974) ----				
55-59	1			
60-64			1	
65-69	1			
80-84	1			
85-UP	2			
-- ICD 140.1 (1974) ----				
40-44	1			
45-49	3			
50-54	1			
60-64	6		1	
65-69	4	1		1
70-74	3			
75-79	6	1		1
80-84	3			
85-UP	2	1		
-- ICD 140.2 (1974) ----				
65-69	1			
70-74	1			
-- ICD 140.9 (1974) ----				
30-34	1			
40-44	2			
45-49	3			
50-54	4			
55-59	9	3		
60-64	7	2	1	1
65-69	14			
70-74	13	1		
75-79	21	2		
80-84	14	4		
85-UP	17			
-- ICD 141.0 (1974) ----				
30-34	1			
35-39	1			
40-44	3	1		
45-49	12	5	1	
50-54	19	3	7	
55-59	23	5	2	
60-64	14	9	2	
65-69	20	7	4	1
70-74	23	4	2	
75-79	12	2	2	
80-84	6	1		1
85-UP	3	1		
-- ICD 141.2 (1974) ----				
75-79	1			
-- ICD 141.3 (1974) ----				
70-74	1			
-- ICD 141.9 (1974) ----				
15-19	3			
25-29	2			
30-34	3	1		1
35-39	5	4	2	2
40-44	16	4	15	5
45-49	50	18	16	6
50-54	76	29	22	10
55-59	148	50	20	5
60-64	184	79	17	5
65-69	186	51	10	9
70-74	151	45	17	5

AGE	WM	WF	NM	NF
-- 141.9 (1974) CONTD---				
75-79	104	56	5	3
80-84	71	39	2	2
85-UP	41	40	2	
-- ICD 142.0 (1974) ----				
00-04		1		
10-14	1			
20-24	1			
25-29	1	1		
30-34	2	3		
35-39	3	2		
40-44	5	9		
45-49	14	11	2	
50-54	16	6	2	1
55-59	35	13	3	2
60-64	35	21	1	
65-69	38	21	4	2
70-74	38	28	3	3
75-79	36	28	3	2
80-84	30	33	2	1
85-UP	31	26	1	3
-- ICD 142.8 (1974) ----				
25-29		1		
35-39	1			
45-49	2	1		
50-54	4	5		
55-59	1	2		
60-64	5	3		1
65-69	4	4	2	1
70-74	5	5	2	
75-79	6	5		
80-84	3	3		
85-OP	2	1		
-- ICD 142.9 (1974) ----				
35-39	1	1		
40-44			1	
45-49	2	2		1
50-54	3	3	1	
55-59	4	6	1	
60-64	6	4		
65-69	5	3		1
70-74	7	1	1	1
75-79	2	5		
80-84	3	2		
85-UP	2	2		
-- ICD 143.0 (1974) ----				
60-64	1			
65-69		1	1	
75-79	1			
85-UP	1	1		
-- ICD 143.1 (1974) ----				
50-54	4	1		
60-64		2	1	
65-69	3			
70-74		1		
75-79	2	2		
80-84		3		
85-OP		4		
-- ICD 143.9 (1974) ----				
15-19	1	1		
20-24				1
30-34		1		
45-49	3	1	3	1
50-54	7	1	1	1
55-59	3	2		1
60-64	5	6	3	1
65-69	5	6	1	
70-74	5	3	1	1
75-79	7	5		
80-84	3	2		
85-UP	4	6		
-- ICD 144 --(1974) ----				
30-34		1		
40-44	8		4	3
45-49	22	4	13	4
50-54	46	7	8	5
55-59	53	12	12	1
60-64	69	17	14	
65-69	43	14	7	
70-74	38	14	3	1
75-79	26	12	3	
80-84	13	7	1	
85-UP	14	10	2	
-- ICD 145.0 (1974) ----				
40-44	1		2	
45-49	1	2	1	
50-54	1	2		1
55-59	6	1	3	

AGE	WM	WF	NM	NF
-- 145.0 (1974) CONTD---				
60-64	7	2		1
65-69	7	3	1	
70-74	5	7		1
75-79	7	5		
80-84	7	8		
85-UP	7	5		
-- ICD 145.1 (1974) ----				
05-09		1		
10-14	1			
30-34	1		1	
35-39			2	1
40-44		1	3	1
45-49	8	5	1	5
50-54	13	2	7	2
55-59	26	16	3	1
60-64	32	9	5	2
65-69	30	16		2
70-74	21	12	3	2
75-79	8	8	1	1
80-84	14	8		
85-UP	8	10	1	
-- ICD 145.8 (1974) ----				
40-44	1			
45-49	1	1		
50-54	3	1		
55-59	4	2		
60-64	1			
65-69	1	1		
70-74	3	1		
75-79	1	1		
80-84	2			
-- ICD 145.9 (1974) ----				
20-24			1	
25-29	1			
35-39	3			
40-44	6	2	2	3
45-49	25	3	4	2
50-54	27	7	11	2
55-59	60	25	9	5
60-64	69	27	11	1
65-69	66	23	7	3
70-74	53	31	6	2
75-79	44	44	5	2
80-84	35	37	5	1
85-UP	30	35	1	1
-- ICD 146.0 (1974) ----				
15-19			1	
30-34			1	
35-39	4	1	4	
40-44	5		8	4
45-49	24	5	14	3
50-54	51	17	15	4
55-59	64	31	12	4
60-64	88	36	15	4
65-69	70	28	4	4
70-74	50	18	4	2
75-79	41	12	6	
80-84	22	3	1	
85-UP	15	7		
-- ICD 146.8 (1974) ----				
40-44	1			
50-54	2		1	
55-59	4	1		
60-64	5	2		1
65-69	3	2	1	
70-74	2			
75-79	1	1	1	
80-84	2			
85-UP				1
-- ICD 146.9 (1974) ----				
30-34	1			
35-39	1	1		
40-44	3	2	2	
45-49	4	3		
50-54	14	10	4	
55-59	28	13	7	
60-64	34	10	2	2
65-69	26	9	3	
70-74	19	5		
75-79	17	1		
80-84	10	1		1
85-UP	3	8		1
-- ICD 147 --(1974) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1974) ----				
45-49	1			
55-59		1		

AGE	WM	WF	NM	NF
-- 148.0 (1974) CONTD---				
60-64	1			
-- ICD 148.1 (1974) ----				
40-44			1	1
45-49	10	3	1	2
50-54	19	7	3	2
55-59	27	1	3	
60-64	28	5	1	1
65-69	28	3	5	1
70-74	22	1	2	1
75-79	18	1	2	
80-84	7			
85-UP	3	1		
-- ICD 148.8 (1974) ----				
65-69	1			
-- ICD 148.9 (1974) ----				
30-34	1			
35-39	1		1	1
40-44		2	1	
45-49	6	4	3	2
50-54	33	11	5	2
55-59	24	10	8	1
60-64	54	18	4	2
65-69	45	20	6	
70-74	33	6	1	
75-79	27	1	4	1
80-84	12	2	3	1
85-UP	4	1	1	
-- ICD 149 --(1974) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1974) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1974) ----				
30-34	1			
35-39	1	1		
40-44	2			
45-49	16		1	
50-54	19	4	1	
55-59	24	6	1	
60-64	32	5	1	
65-69	21	5		1
70-74	29	6	1	
75-79	15	6		
80-84	10	4		1
85-UP	7	2		
-- ICD 151.1 (1974) ----				
35-39			1	
50-54	1			
55-59	2			
60-64	2			
65-69		1		
70-74	4	3	1	
75-79	5	4	1	
80-84	3	2		
85-UP	4	2		
-- ICD 151.8 (1974) ----				
40-44	1			
45-49	2	2	1	
50-54	1			
55-59	4		2	
60-64	3	2	1	
65-69	6	3	1	
70-74	2	3	3	
75-79	10	4	1	
80-84	6	8	1	1
85-UP	3	6	2	1
-- ICD 151.9 (1974) ----				
10-14	1			1
15-19	1	1		3
20-24	4	3	2	2
25-29	6	7	3	9
30-34	17	25	6	13
35-39	50	56	19	13
40-44	123	80	29	19
45-49	241	154	62	46
50-54	396	220	134	45
55-59	636	303	178	84
60-64	967	446	241	124
65-69	1061	606	277	117
70-74	1166	730	246	180
75-79	1144	909	163	99
80-84	927	821	93	70
85-OP	626	684	82	59
-- ICD 152.0 (1974) ----				
25-29	1		1	
35-39	4	3		

AGE	WM	WF	NM	NF
-- 152.0 (1974) CONTD---				
40-44	2	2		
45-49	4	2		2
50-54	4	5	3	3
55-59	13	14	2	
60-64	20	6	3	
65-69	10	20		4
70-74	25	19	1	1
75-79	13	14	2	4
80-84	12	16	1	
85-OP	3	5		
-- ICD 152.1 (1974) ----				
30-34		1		
40-44	2			1
45-49	3	2		2
50-54	1	4	1	1
55-59	7	1		1
60-64	6	9	3	
65-69	1	5	1	
70-74	6	6		1
75-79	3	1	1	
80-84	3	4		
-- ICD 152.2 (1974) ----				
10-14	1			
30-34	1			
35-39	1		1	
40-44	1	2		
45-49	2	2		1
50-54	2	2	1	
55-59	7	1	2	
60-64	3	3		2
65-69	5	5	2	1
70-74	10	6	1	
75-79	1	5	2	
80-84	4	2	1	
85-UP	1	2		
-- ICD 152.9 (1974) ----				
05-09		1		
20-24		1		
30-34	1	2		1
35-39	4		2	
40-44	4	2		1
45-49	7	4	2	
50-54	5	5	3	1
55-59	15	10	3	
60-64	14	12	4	1
65-69	16	20	1	5
70-74	17	19	4	
75-79	12	18	2	1
80-84	9	11	1	1
85-UP	6	8	1	
-- ICD 153.0 (1974) ----				
10-14	1			
15-19	1			
20-24	2	1	2	
25-29	1	4	2	
30-34	6	7	2	1
35-39	9	9	1	1
40-44	19	23	2	5
45-49	38	41	6	2
50-54	80	79	7	9
55-59	115	97	11	9
60-64	191	196	17	16
65-69	238	244	24	25
70-74	267	319	24	28
75-79	289	353	17	23
80-84	254	387	12	25
85-UP	201	377	10	24
-- ICD 153.1 (1974) ----				
15-19		1		
20-24	1			
25-29	1	4		
30-34	2	1		
35-39	6	4	1	1
40-44	7	4		3
45-49	10	12	2	2
50-54	22	17	6	3
55-59	44	42	4	4
60-64	64	48	4	4
65-69	60	63	10	4
70-74	91	93	11	11
75-79	67	90	5	3
80-84	64	92	7	6
85-OP	44	84	3	3
-- ICD 153.2 (1974) ----				
10-14	1			1
20-24			1	1
25-29		1	1	
30-34	1	2		
35-39	2		1	

AGE	WM	WF	NM	NF
-- 153.2 (1974) CONTD---				
40-44	3	6	1	
45-49	6	23	2	2
50-54	25	24	1	5
55-59	37	34	2	6
60-64	46	41	3	6
65-69	49	65	2	6
70-74	74	61	12	10
75-79	67	71	7	3
80-84	43	56	4	6
85-UP	47	54	2	3
-- ICD 153.3 (1974) ----				
00-04	1			
15-19				1
20-24	3	2	1	
25-29	1		1	1
30-34	3	7	2	
35-39	7	14	1	
40-44	22	22	5	5
45-49	47	53	1	4
50-54	88	102	9	9
55-59	154	160	13	15
60-64	217	242	15	22
65-69	302	241	17	16
70-74	306	308	25	22
75-79	314	342	13	17
80-84	243	293	8	14
85-UP	161	242	13	10
-- ICD 153.8 (1974) ----				
00-04		1		
05-09		1		
10-14	2		1	2
15-19	5	3	4	
20-24	9	7	5	4
25-29	25	26	11	7
30-34	73	38	11	8
35-39	81	97	10	23
40-44	140	179	30	33
45-49	363	366	42	49
50-54	632	684	80	84
55-59	993	976	95	128
60-64	1510	1339	183	195
65-69	1892	1807	183	196
70-74	1890	2065	189	231
75-79	1746	2000	156	139
80-84	1319	1920	86	95
85-UP	921	1571	52	85
-- ICD 153.9 (1974) ----				
00-04				1
20-24	2			
25-29	1	1	1	
30-34		3		
35-39	8	4		
40-44	9	12	1	4
45-49	18	14	4	2
50-54	29	39	9	8
55-59	80	58	3	8
60-64	78	104	11	10
65-69	133	110	9	9
70-74	112	165	11	13
75-79	113	201	7	8
80-84	102	175	1	3
85-UP	86	163	4	6
-- ICD 154.0 (1974) ----				
25-29	2	1		
30-34	3	1		1
35-39	7			
40-44	15	7	2	1
45-49	18	15	2	3
50-54	38	30	4	4
55-59	51	50	8	4
60-64	102	82	6	7
65-69	123	83	8	15
70-74	130	93	7	6
75-79	91	117	8	4
80-84	81	87	6	5
85-UP	52	64	3	3
-- ICD 154.1 (1974) ----				
15-19	1		1	
20-24	4	4	1	1
25-29	6	4	2	4
30-34	17	9	2	3
35-39	26	23	7	7
40-44	52	41	11	5
45-49	104	80	24	18
50-54	281	171	36	26
55-59	360	262	43	32
60-64	566	348	71	41
65-69	686	432	75	46
70-74	658	465	75	55
75-79	619	507	56	38

AGE	WM	WF	NM	NF
-- 154.1 (1974) CONTD---				
80-84	492	518	29	32
85-UP	362	514	27	32
-- ICD 154.2 (1974) ----				
40-44		1		
45-49		2		1
50-54		2		1
55-59		3		
60-64	3	2		2
65-69	4	2	1	1
70-74	4	4	1	
75-79		2		1
80-84	1	8		
85-UP	1	2		
-- ICD 155.0 (1974) ----				
00-04	10	11		2
05-09	7	3	1	
10-14	3	3	1	1
15-19	6	3		2
20-24	5	4	3	3
25-29	7	1	3	4
30-34	8	6	9	1
35-39	8	7	8	3
40-44	24	14	14	6
45-49	38	22	22	9
50-54	80	34	29	11
55-59	139	68	45	9
60-64	210	66	47	22
65-69	221	93	51	14
70-74	182	91	29	17
75-79	123	97	25	8
80-84	87	64	6	6
85-UP	46	55	1	7
-- ICD 155.1 (1974) ----				
20-24		2		
25-29				1
30-34			1	
35-39	2	1		1
40-44	3	3		
45-49	6	6	1	
50-54	10	9	1	2
55-59	14	10	2	1
60-64	16	13	3	
65-69	16	13		2
70-74	5	10	1	1
75-79	11	13		
80-84	5	2		
85-UP	4	7	1	1
-- ICD 156.0 (1974) ----				
30-34	1	1		1
35-39	1	2		1
40-44	6	16	2	3
45-49	9	32	1	8
50-54	25	73	7	11
55-59	42	85	4	8
60-64	65	167	10	20
65-69	86	267	11	16
70-74	93	327	11	23
75-79	109	318	7	13
80-84	89	254	3	12
85-UP	41	183	4	8
-- ICD 156.1 (1974) ----				
25-29	1	1		
30-34	3	2		
35-39	6	9		
40-44	10	2	1	
45-49	14	11	2	1
50-54	28	23	5	3
55-59	45	38	4	5
60-64	59	64	9	2
65-69	86	87	6	7
70-74	89	102	7	5
75-79	83	97	2	1
80-84	68	97	4	6
85-UP	29	52	2	1
-- ICD 156.2 (1974) ----				
30-34		1		
40-44	2	1		1
45-49	7	9		1
50-54	8	11		
55-59	13	8	4	
60-64	25	13	2	3
65-69	18	19	4	2
70-74	34	31		2
75-79	33	28	5	3
80-84	17	22	2	1
85-UP	12	11		
-- ICD 156.9 (1974) ----				
35-39	1			2

AGE	WM	WF	NM	NF
-- 156.9 (1974) CONTD---				
40-44	3	1		
45-49	3	5		
50-54	6	4	2	
55-59	7	17	2	1
60-64	16	17	1	2
65-69	24	24	2	
70-74	20	18	2	1
75-79	14	35	2	3
80-84	13	21	1	2
85-UP	16	16		2
-- ICD 157.0 (1974) ----				
00-04	1			
25-29	2			1
30-34	1			
35-39	3	2	2	2
40-44	8	4	1	1
45-49	18	11	5	3
50-54	54	30	13	7
55-59	102	47	23	7
60-64	113	87	21	16
65-69	152	95	18	17
70-74	160	125	26	26
75-79	161	139	17	17
80-84	113	156	9	14
85-UP	82	127	8	6
-- ICD 157.8 (1974) ----				
20-24		1		
35-39	1			
40-44	1	3		
45-49	9	4	2	1
50-54	8	7	5	2
55-59	25	11	2	2
60-64	34	19	4	2
65-69	40	18	4	1
70-74	25	16	1	4
75-79	21	22	3	2
80-84	18	12	2	
85-UP	5	10	2	
-- ICD 157.9 (1974) ----				
00-04		2		
10-14				1
15-19	1			
20-24	1	2	2	
25-29	8	5	1	4
30-34	19	17	3	1
35-39	56	36	7	8
40-44	120	72	20	17
45-49	321	178	45	40
50-54	566	364	75	71
55-59	904	603	109	88
60-64	1185	823	175	140
65-69	1309	1030	165	118
70-74	1316	1147	138	132
75-79	1020	1098	97	93
80-84	729	824	56	60
85-UP	410	608	24	29
-- ICD 158.0 (1974) ----				
00-04	1		1	
05-09	1	2		
10-14		1		
15-19	2		2	
20-24	3	2		
25-29	4	2		
30-34	4	2		
35-39	2	2		1
40-44	7	3	3	2
45-49	13	14		1
50-54	26	16	2	2
55-59	21	18	3	3
60-64	23	20	3	2
65-69	38	38	2	3
70-74	24	42	4	
75-79	41	24	2	4
80-84	12	12	1	
85-UP	8	17	1	
-- ICD 158.9 (1974) ----				
00-04	1	1		
20-24		1		
25-29	1			
30-34	1			
35-39	2	1		
40-44	2	5		
45-49	4	5		
50-54	10	6	1	1
55-59	4	15	1	4
60-64	9	18	4	3
65-69	21	16	1	3
70-74	12	25	3	2
75-79	17	23	1	1
80-84	7	16		

AGE	WM	WF	NM	NF
-- 158.9 (1974) CONTD---				
85-UP	5	14		
-- ICD 159 -- (1974) ----				
30-34	1	1		
35-39	2	1		1
40-44	2	2	1	1
45-49	3	4	1	1
50-54	12	11	3	3
55-59	27	10	7	4
60-64	30	26	6	8
65-69	35	22	9	4
70-74	39	45	5	11
75-79	39	44	9	4
80-84	41	57	4	6
85-UP	40	63	5	7
-- ICD 160.0 (1974) ----				
10-14	1			
30-34	3			
40-44	2		1	
45-49	1			
50-54	4	1		
55-59	4	2		
60-64	10	3		
65-69	12	6	1	
70-74	3	5		
75-79	10	7		
80-84	7	13	1	2
85-UP	10	15	2	
-- ICD 160.1 (1974) ----				
05-09		1		
45-49	1			
50-54	2	1		
55-59	1	1		
60-64	2	1		
65-69	4	3		
70-74	1	1		
75-79	1	4		
85-UP		1		
-- ICD 160.2 (1974) ----				
10-14	1	1		
15-19	1	1		
25-29	1	2		
30-34	1	1		
35-39	1			
40-44	2	2	1	
45-49	10	1	5	2
50-54	10	2	4	1
55-59	15	14	8	
60-64	20	11	6	2
65-69	19	9	9	3
70-74	27	18	5	1
75-79	8	14		
80-84	20	8		1
85-UP	8	11	1	1
-- ICD 160.8 (1974) ----				
25-29		1		
35-39		1	1	
40-44	4		1	
45-49	2	2		
50-54	2	2		
55-59	9	6	1	
60-64	3	5	2	
65-69	3	1	1	
70-74	4	5		
75-79	1	5		
80-84		3		
85-UP	1	3		
-- ICD 160.9 (1974) ----				
15-19		1		
25-29	1			
35-39	2			
40-44	3	1		
45-49	2			2
50-54	1	1	1	
55-59	2	1		
60-64	4	4		
65-69	4	4	1	
70-74	6	3		
75-79	3	5		
80-84		1	1	
85-UP	3	4		
-- ICD 161.0 (1974) ----				
45-49	2		1	
50-54	7			
55-59	5		2	
60-64	11	2	3	
65-69	9	2	2	
70-74	3		2	
75-79	9	2	1	

AGE	WM	WF	NM	NF
-- 161.0 (1974) CONTD---				
80-84	2			
85-UP	1		1	
-- ICD 161.8 (1974) ----				
35-39	1			
45-49	3	2	2	
50-54	15	4	2	1
55-59	12	1	6	
60-64	27	8		
65-69	19	2	2	
70-74	15	3	1	
75-79	12	3		
80-84	5	1		
85-UP	1	2	1	
-- ICD 161.9 (1974) ----				
15-19		1		
25-29		1		
30-34	4	1		
35-39	9	1	3	3
40-44	23	7	15	7
45-49	84	14	44	8
50-54	196	46	53	12
55-59	317	48	62	8
60-64	398	65	71	11
65-69	428	61	48	6
70-74	342	44	40	3
75-79	241	25	18	1
80-84	135	15	11	3
85-UP	94	11	4	1
-- ICD 162.0 (1974) ----				
40-44	2	2	1	
45-49	8	4	1	
50-54	9	4	2	1
55-59	12	4	4	2
60-64	11	8		
65-69	22	7	2	1
70-74	12	5		1
75-79	8	5	2	1
80-84	3	4	1	
85-UP	4			
-- ICD 162.1 (1974) ----				
00-04	3	2		
05-09	1	1	2	
10-14	1	2		1
15-19	4	2	2	
20-24	11	8		
25-29	22	14	5	3
30-34	97	62	20	9
35-39	340	166	83	30
40-44	984	465	229	90
45-49	2507	1056	498	175
50-54	4592	1630	903	230
55-59	6870	2306	1072	241
60-64	9544	2548	1198	264
65-69	10176	2356	1109	201
70-74	8633	1874	901	160
75-79	6244	1470	459	102
80-84	3246	942	238	63
85-UP	1392	697	116	40
-- ICD 163.0 (1974) ----				
15-19	1			
20-24				1
25-29	1			
30-34	1	1	1	
40-44	4	2		2
45-49	10	3	2	1
50-54	13	10	4	1
55-59	23	9	3	1
60-64	24	7		
65-69	41	8	1	
70-74	35	13	2	2
75-79	18	8	1	3
80-84	10	7		
85-UP	7	8		
-- ICD 163.1 (1974) ----				
00-04		1		
05-09	1			
10-14	1	1		
15-19	2			
20-24	6			
25-29	8	3		1
30-34	4			
35-39	2	1		1
40-44	8	3	5	
45-49	6	7	3	1
50-54	24	8	3	2
55-59	27	7	2	1
60-64	23	14	3	2
65-69	37	9	5	1
70-74	20	6	1	

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 163.1 (1974) CONTD---				
75-79	23	10		
80-84	10	5	1	1
85-UP	2	7	1	
-- ICD 163.9 (1974) ----				
00-04	2			
10-14		1		
20-24	1			
25-29	1		1	
30-34	1	1		
35-39	1			
40-44	1		1	
45-49	3	8	2	1
50-54	4	4	1	2
55-59	8	5	1	2
60-64	15	5	2	2
65-69	13	6	2	
70-74	11	6	1	1
75-79	11	6	2	
80-84	9	7		
85-UP	7	3		
-- ICD 170.0 (1974) ----				
10-14	1	2		
15-19		1		
20-24	1			
25-29	1			
30-34	1			
35-39	1	3	1	
40-44	2	2		
45-49	1	3	1	1
50-54	10	7	4	1
55-59	19	11	2	3
60-64	21	10	3	3
65-69	11	9	3	5
70-74	12	9	3	2
75-79	17	18	2	2
80-84	13	15	2	1
85-UP	10	14		
-- ICD 170.1 (1974) ----				
05-09			1	
10-14		2		
15-19	1			
20-24	1		1	
25-29	1		1	
30-34	1			
35-39		1		
40-44	1			
45-49	3	1	2	1
50-54	8	5	2	
55-59	5	2	3	1
60-64	17	6	2	1
65-69	10	5	1	2
70-74	12	4	4	1
75-79	15	10	1	2
80-84	13	6	1	2
85-UP	13	13		
-- ICD 170.2 (1974) ----				
00-04	1		1	
10-14	2	1	1	
15-19	3			
20-24	3			
25-29		1		1
30-34	5	1		
40-44	2			
45-49	2	3		
50-54	8	9		
55-59	19	6	3	1
60-64	12	13	1	1
65-69	21	17	5	
70-74	24	13	5	1
75-79	23	15		2
80-84	3	11	2	
85-UP	4	5		
-- ICD 170.3 (1974) ----				
10-14	1			
15-19	1			
20-24	1	1		
40-44	1	1		
45-49		1		
50-54	1	1	1	
55-59	5	2		
60-64	1	1		
70-74	4	1		
75-79	4	4	2	
80-84	2	2		
85-UP		2		
-- ICD 170.4 (1974) ----				
05-09	1			
10-14	2	3		
15-19	5	2		1
20-24	3	1		1
30-34	1			1
35-39	1			1
40-44	2			1
45-49	1		1	
50-54	3	2		
55-59	12	6		
60-64	15	4		2
65-69	9	7		
70-74	10	5	3	
75-79	6	4		
80-84	6	5		
85-UP	2	3		
-- ICD 170.7 (1974) ----				
05-09	1	3		
10-14	10	9	1	2
15-19	16	16	3	1
20-24	4	2	1	
25-29	4	2	2	1
30-34	4			
35-39	2			1
40-44	4	2	2	1
45-49	1	1		1
50-54		3		
55-59	3	3		
60-64	10	3	2	
65-69	6	8		2
70-74	11	4	1	
75-79	2	5		1
80-84	6	7	1	
85-UP	4	3		
-- ICD 170.8 (1974) ----				
10-14				1
20-24		1		1
25-29	1			
35-39	1			
40-44			1	
45-49	1			
55-59		1		
60-64	1			1
65-69		1		
70-74	1	1		
75-79	1	2		
80-84	1	1		
85-UP	1			
-- ICD 170.9 (1974) ----				
00-04	2	1	1	
05-09	2	6		2
10-14	26	32	8	
15-19	53	42	9	7
20-24	34	16	2	3
25-29	23	5	1	1
30-34	5	6		
35-39	6	5	2	1
40-44	5	5	1	1
45-49	11	4	1	1
50-54	11	13	1	2
55-59	12	10		2
60-64	24	21	5	2
65-69	25	24	2	3
70-74	32	21	5	1
75-79	21	22		2
80-84	16	19	2	
85-UP	8	11	1	
-- ICD 171.0 (1974) ----				
00-04	2	1		
05-09	1			
10-14	1			
20-24		1		1
25-29		1		
30-34	1			1
40-44	1	2	1	
45-49		1		1
50-54	2			1
55-59	2	2		1
60-64	5	2		1
65-69	5	1		
70-74	1	3		
75-79	2	1		
80-84	1	1		
85-UP	2	1		
-- ICD 171.1 (1974) ----				
00-04	7	4	1	
05-09		1		
10-14	1	1	1	
15-19	3	2		
20-24	3		1	1
25-29	6	1	1	
30-34	4	2		
35-39	4	5	1	
40-44	6	5	1	
45-49	6	8		1
50-54	6	8		2
55-59	14	11	1	
60-64	14	8	2	3
65-69	17	20	5	1
70-74	17	19	1	2
75-79	15	16		
80-84	5	6	1	
85-UP	2	5		1
-- ICD 171.2 (1974) ----				
05-09		1		
10-14	1			
15-19	1		1	
20-24		3		
25-29		1		
30-34	2			
35-39	1	1		
40-44	1			
45-49	1	1		
50-54	3	2		
55-59	1	4	1	
60-64	1	1		1
65-69	5	10		
70-74	4	1		
75-79		5		
80-84	3	3		
85-UP	1	3		
-- ICD 171.3 (1974) ----				
00-04	1	1		
10-14		2		1
15-19	3	1	1	
20-24	7	3		
25-29	1	2		
30-34	2	2	1	
35-39	2	2		
40-44	4	4		
45-49	3	4		1
50-54	5	3	1	2
55-59	6	6	1	2
60-64	12	9		2
65-69	9	5	1	1
70-74	8	12	3	2
75-79	14	6	2	1
80-84	8	9		
85-UP	9	8		1
-- ICD 171.9 (1974) ----				
00-04	7	10	2	
05-09	8	4		1
10-14	9	6	2	1
15-19	13	10	1	2
20-24	16	12	5	
25-29	8	13		
30-34	11	7	2	1
35-39	11	11	5	1
40-44	16	12	6	3
45-49	21	20	4	3
50-54	37	34	6	1
55-59	42	39	3	5
60-64	46	34	7	11
65-69	65	42	2	4
70-74	56	36	4	6
75-79	39	34	3	2
80-84	21	16	1	1
85-UP	18	21		3
-- ICD 172.0 (1974) ----				
30-34	1			
55-59	2			
75-79		1		
85-UP		1		
-- ICD 172.1 (1974) ----				
45-49		1		
50-54	1			
55-59	1			
60-64	1			
65-69	4			
70-74	2	1		
75-79	2			
80-84	5			
85-UP	1			
-- ICD 172.3 (1974) ----				
20-24	1			
25-29		1		
30-34	1			
35-39	1			
40-44	1	2		
45-49	2	1		
50-54	2	1		
55-59	5	2		
60-64	4	1		
65-69	5	2	1	
70-74	7	6		
75-79	12	6		
80-84	6	6		
85-UP	9	4		
-- ICD 172.4 (1974) ----				
20-24	3	1		
25-29	3	1		
30-34	1			
35-39	3			
40-44	5	4		
45-49	2	3		
50-54		5		
55-59	6	3		
60-64	6	3		
65-69	8	2		
70-74	4	6	1	
75-79	6			
80-84	4	1		
85-UP	3	3		
-- ICD 172.5 (1974) ----				
20-24	1			
75-79	1			
-- ICD 172.6 (1974) ----				
15-19	3			
20-24	4	3		
25-29	5	2		1
30-34	8	3		
35-39	12	5		
40-44	9	4		
45-49	22	6		
50-54	22	8		
55-59	17	15		
60-64	16	6	1	
65-69	13	6		
70-74	13	11		
75-79	15	2		
80-84	2	7		
85-UP	4	7		
-- ICD 172.7 (1974) ----				
20-24	2	1		1
25-29	5	4		
30-34	2	2		
35-39	2	1	1	
40-44	5	2		
45-49	8	2		
50-54	7	10		
55-59	9	8		
60-64	10	4		
65-69	7	2		
70-74	4	8		
75-79	7	5		
80-84	3	5		
85-UP	3	2		
-- ICD 172.8 (1974) ----				
20-24	2	1		
25-29		6	1	
30-34	2	5		
35-39	3	3		
40-44	3	8		
45-49	10	7	1	
50-54	4	10		
55-59	6	11		
60-64	8	18		3
65-69	8	17	2	1
70-74	5	18	1	2
75-79	7	12	1	1
80-84	5	10		
85-UP	4	7		
-- ICD 172.9 (1974) ----				
10-14	3	1		1
15-19	13	7		1
20-24	44	18	1	1
25-29	50	49	1	1
30-34	67	61	2	
35-39	102	64	2	1
40-44	124	87		2
45-49	191	109	3	2
50-54	206	120	4	2
55-59	203	102	2	
60-64	178	94	3	4
65-69	174	130	3	1
70-74	138	100	2	4
75-79	109	100	1	2
80-84	67	67	1	1
85-UP	56	46	2	3
-- ICD 173.0 (1974) ----				
55-59	2			
60-64	1			
65-69	1			
70-74	3			
75-79	1	1	1	
80-84	1			
-- ICD 173.1 (1974) ----				
35-39	1			
50-54		1		
60-64	1			
65-69	1			
75-79	1	1		
80-84	1			
85-UP	2	4		
-- ICD 173.2 (1974) ----				
45-49	1	2		
50-54	1	2		
55-59	3	3		
60-64	8	2		
65-69	6	5		
70-74	3	2		
75-79	8	1		
80-84	13	1		
85-UP	13	2		1
-- ICD 173.3 (1974) ----				
20-24	1			
25-29	1		1	
35-39	2	1		
45-49	2	3		2
50-54	20	2		
55-59	16	9	4	
60-64	22	9		1
65-69	44	14	2	1
70-74	45	29	1	1
75-79	42	29	1	
80-84	42	45		
85-UP	87	86		1
-- ICD 173.4 (1974) ----				
15-19	2			
20-24	1			
30-34	1			
35-39	2	1		
40-44	2			
45-49	4	2	3	
50-54	15	2	4	
55-59	16	2	2	
60-64	23	6	3	1
65-69	23	4	1	1
70-74	15	7	2	1
75-79	12	6		2
80-84	13	8		
85-UP	25	13	1	
-- ICD 173.5 (1974) ----				
55-59	2			
65-69	3		1	
70-74	2			
75-79	3		1	
80-84	1		1	
85-UP	1			
-- ICD 173.6 (1974) ----				
00-04		1		
25-29	1			
30-34	1	2		1
40-44	3	3		1
45-49	3	6		1
50-54	9	8	4	
55-59	10	11	1	1
60-64	9	11	2	2

AGE	WM	WF	NM	NF
-- 173.6 (1974) CONTD---				
65-69	5	5	1	2
70-74	17	14	3	2
75-79	7	15		1
80-84	8	23		
85-UP	6	12		
-- ICD 173.7 (1974) ----				
20-24	1			
35-39		1		
45-49			1	
50-54		2		
55-59	1			
60-64	1			
65-69	4			
70-74	2	2	1	
75-79	4	1		1
80-84	9	1		
85-UP	4			
-- ICD 173.8 (1974) ----				
25-29				1
35-39		2		
45-49	2			1
50-54	2	1	1	
55-59	4	3		
60-64	3			2
65-69		1	2	
70-74	2	3		2
75-79	3	4		1
80-84	1	4	1	
85-UP	7	5		
-- ICD 173.9 (1974) ----				
00-04	1	2	1	
10-14	1			
15-19	1			
20-24			1	
25-29				1
30-34	1			
35-39	2	1		
40-44	5			
45-49	2	2	2	1
50-54	6	4		
55-59	12	5	1	1
60-64	11	2	2	2
65-69	12	5	1	
70-74	14	8	1	
75-79	17	3	1	
80-84	20	9	2	
85-UP	9	21		1
-- ICD 174 --(1974) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1974) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1974) ----				
15-19		1		2
20-24		9		3
25-29		6		3
30-34		2		2
35-39		3		
40-44		1		1
45-49		1		
60-64		1		
75-79		1		
80-84		2		
-- ICD 182.0 (1974) ----				
10-14		1		
20-24		1		1
30-34		2		
35-39		8		2
40-44		18		1
45-49		55		8
50-54		107		13
55-59		194		40
60-64		304		54
65-69		347		55
70-74		338		59
75-79		282		25
80-84		183		16
85-UP		132		5
-- ICD 182.9 (1974) ----				
15-19		1		
20-24		1		
25-29		2		3
30-34		17		4
35-39		24		9
40-44		56		12
45-49		113		22
50-54		179		39
55-59		276		55

AGE	WM	WF	NM	NF
-- 182.9 (1974) CONTD---				
60-64		342		73
65-69		379		69
70-74		426		79
75-79		440		54
80-84		328		33
85-UP		287		27
-- ICD 183.0 (1974) ----				
00-04		2		
05-09		2		1
10-14		13		1
15-19		19		9
20-24		28		3
25-29		44		3
30-34		53		9
35-39		145		23
40-44		352		38
45-49		678		62
50-54		1047		90
55-59		1253		106
60-64		1394		126
65-69		1338		124
70-74		1117		76
75-79		923		48
80-84		644		36
85-UP		373		23
-- ICD 183.1 (1974) ----				
30-34				1
40-44		4		
45-49		9		3
50-54		21		9
55-59		13		2
60-64		19		1
65-69		24		1
70-74		9		1
75-79		6		1
80-84		1		
85-UP		1		
-- ICD 183.9 (1974) ----				
45-49				1
55-59		2		
60-64				1
70-74		1		
80-84		1		
-- ICD 184.0 (1974) ----				
00-04		1		1
05-09				1
10-14		1		1
15-19		4		
20-24		3		
25-29		2		3
30-34		3		
35-39		3		
40-44		9		1
45-49		16		1
50-54		12		7
55-59		30		6
60-64		26		1
65-69		39		9
70-74		46		6
75-79		54		4
80-84		52		1
85-UP		50		6
-- ICD 184.1 (1974) ----				
15-19				1
30-34		2		
35-39		5		2
40-44		5		1
45-49		4		3
50-54		11		3
55-59		25		7
60-64		30		5
65-69		50		4
70-74		67		3
75-79		67		7
80-84		87		4
85-UP		101		4
-- ICD 184.8 (1974) ----				
00-04		1		
45-49		1		1
70-74				1
-- ICD 184.9 (1974) ----				
15-19		1		
30-34		1		
35-39				1
50-54		6		2
55-59		5		3

AGE	WM	WF	NM	NF
-- 184.9 (1974) CONTD---				
60-64		5		
65-69		7		1
70-74		15		4
75-79		8		
80-84		3		
85-UP		9		
-- ICD 185 --(1974) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1974) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1974) ----				
30-34	2			1
35-39	4			1
40-44	4			
45-49	10			1
50-54	10			2
55-59	20			5
60-64	24			9
65-69	28			3
70-74	17			5
75-79	19			8
80-84	23			3
85-UP	24			3
-- ICD 187.8 (1974) ----				
40-44	1			
50-54	1			
55-59	1			
60-64	2			1
65-69	2			
70-74	2			
75-79	1			
80-84	2			
85-UP	1			
-- ICD 187.9 (1974) ----				
35-39				2
55-59	1			1
65-69	2			
70-74				1
75-79	1			
80-84	3			
85-UP	2			
-- ICD 188 --(1974) ----				
00-04	2			
05-09	2			
10-14				1
15-19		1		
25-29	1			
30-34	6	4		1
35-39	12	6	1	2
40-44	21	14	8	4
45-49	95	36	14	4
50-54	204	51	31	13
55-59	360	110	37	24
60-64	645	188	62	53
65-69	937	276	91	60
70-74	1111	402	94	57
75-79	1124	465	56	43
80-84	914	482	44	36
85-UP	666	473	29	24
-- ICD 189.0 (1974) ----				
00-04	22	19	3	1
05-09	14	15	3	7
10-14	2	3	1	
15-19	7	4	2	4
20-24	4	4	8	1
25-29	11	5	6	2
30-34	15	14	4	4
35-39	37	16	2	5
40-44	98	38	21	4
45-49	203	71	14	13
50-54	368	146	38	16
55-59	460	220	39	19
60-64	604	296	49	20
65-69	637	359	33	23
70-74	519	339	38	19
75-79	441	318	20	17
80-84	263	226	16	10
85-UP	143	157	7	5
-- ICD 189.1 (1974) ----				
25-29				1
30-34	1			
40-44	2			
50-54	5	1		
55-59	2	2		
60-64	10	4		
65-69	7	7	1	1
70-74	10	6		

AGE	WM	WF	NM	NF
-- 189.1 (1974) CONTD---				
75-79	6	2		
80-84	5	4		1
85-UP	2			
-- ICD 189.2 (1974) ----				
40-44	1			
45-49	3	3		
50-54	7	3	1	
55-59	13	7	1	2
60-64	19	16	2	
65-69	18	14		
70-74	20	14		
75-79	22	17		1
80-84	19	15		
85-UP	5	4		
-- ICD 189.9 (1974) ----				
25-29	1	1		
30-34	1			
35-39		1		
40-44		1		
45-49		3		1
50-54	4	4	1	4
55-59	3	8	4	
60-64	6	11	3	2
65-69	15	8	6	1
70-74	15	19	4	3
75-79	8	7	3	2
80-84	6	13		1
85-UP	3	7		
-- ICD 190 --(1974) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1974) ----				
00-04	49	53	11	8
05-09	92	72	20	20
10-14	65	54	8	10
15-19	50	43	7	7
20-24	71	45	6	4
25-29	75	46	5	4
30-34	86	65	4	7
35-39	103	77	10	5
40-44	161	113	7	12
45-49	276	181	14	9
50-54	448	269	19	22
55-59	439	358	18	16
60-64	485	367	35	23
65-69	452	354	14	10
70-74	302	245	10	12
75-79	165	174	5	7
80-84	64	71	3	1
85-UP	25	25	2	1
-- ICD 192.0 (1974) ----				
00-04	4			
05-09		1		
10-14	4	1	1	
15-19	1			1
20-24	1			
25-29	1			
55-59		1		
60-64		1		
70-74	1			
80-84		1		
-- ICD 192.1 (1974) ----				
35-39	1			
40-44				1
45-49	1			
50-54	1			
55-59	2	1		
60-64	4	2	2	1
65-69	5	2		1
70-74	2	2		
75-79	2	3		
80-84	1			
-- ICD 192.2 (1974) ----				
00-04	1			
05-09	1	2		
10-14	1	6		1
15-19	2	2	1	2
20-24	3	1	1	1
25-29	1	1		
30-34	4	2		
35-39	1	1	1	
40-44	2	3		
45-49	6	5		
50-54	2	3		
55-59	8	6	1	
60-64	13	5	1	
65-69	7	4		1
70-74	10	7	1	
75-79	5	3		

AGE	WM	WF	NM	NF
-- 192.2 (1974) CONTD---				
80-84		4	1	
85-UP		1		
-- ICD 192.3 (1974) ----				
20-24	1			
55-59	1			
70-74		1		
-- ICD 192.4 (1974) ----				
00-04		1		
05-09	1		1	
10-14	1			
15-19	6	4	1	2
20-24	3	3		
25-29	2	3	2	
30-34	1	1	1	
35-39	2	7	1	1
40-44	4	2	1	1
45-49	3	2	1	1
50-54	8	4	1	
55-59	4	7	1	
60-64	8	3	1	
65-69	5	12		1
70-74	6	7		
75-79	4	6		
80-84	1	5	2	
85-UP	1	2		
-- ICD 192.5 (1974) ----				
00-04	64	62	10	9
05-09	22	13	5	3
10-14	8	7	1	1
15-19	8	12	2	
20-24	5	4		1
25-29	1	1		
35-39	1			
45-49		1		
50-54	2	2		
55-59	1	2		
60-64	2			
65-69	1	4		
70-74	2	1		
75-79	1			
-- ICD 192.9 (1974) ----				
00-04	14	12	3	1
05-09	23	12	2	3
10-14	11	6	3	1
15-19	13	12	4	3
20-24	17	6	2	
25-29	12	7	1	
30-34	22	9		1
35-39	13	19	2	
40-44	43	28	4	2
45-49	81	44	1	4
50-54	95	62	6	1
55-59	118	64	7	6
60-64	108	90	7	5
65-69	101	80	3	5
70-74	52	60		3
75-79	30	33	1	1
80-84	13	8	1	
85-UP	1	2	1	
-- ICD 193 --(1974) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1974) ----				
00-04		2		
05-09		1	1	
10-14		2		
15-19	1	5		
20-24	1	1		
25-29	1	4		
30-34	3	7		1
35-39	8	4		
40-44	4	10	1	
45-49	6	6	3	1
50-54	18	10	1	1
55-59	18	18	1	2
60-64	17	11	2	
65-69	18	11		3
70-74	14	15		
75-79	8	5		
80-84	4	6		
85-UP		1		
-- ICD 194.1 (1974) ----				
20-24			1	
35-39		1		
50-54	1			
55-59	1			
60-64		2		
70-74	1			
75-79	1			

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 194.1 (1974) CONTD--				
80-84		1		
-- ICD 194.2 (1974) ----				
05-09	1			
15-19	2	1	1	
20-24	3	2		1
25-29	2	2	1	
30-34	1	2		
35-39	3	2		
40-44	3	1	2	
45-49	4	1	1	
50-54	3	1	2	
55-59	1	8	1	1
60-64	2	4		
65-69	3	2		1
70-74		2		
75-79	5	1		
80-84		2		
85-UP		1		
-- ICD 194.3 (1974) ----				
15-19		1	1	
25-29	3			
30-34	1			
35-39	1			
40-44	2			
45-49		1		1
50-54				2
55-59	2			
60-64	1	1		
65-69	4	4	1	
70-74		2	2	
75-79	1			
80-84		1		
85-UP		1		
-- ICD 194.4 (1974) ----				
00-04	3	2		
05-09	2	1		
10-14	2	1		
15-19	1			
20-24		1		
65-69		1		
-- ICD 194.8 (1974) ----				
25-29	1			
35-39		1		
40-44	1	1		
45-49	2			
50-54	3			
55-59	2			
60-64	3			
65-69	2			
70-74		1		
75-79	1			
80-84			1	
85-UP	1	1		
-- ICD 195.0 (1974) ----				
00-04		1	1	2
15-19		1		1
20-24	1			
25-29	3	1		1
30-34	3	1		
35-39	2	8	1	1
40-44	5	9	1	4
45-49	14	27	5	7
50-54	23	36	4	13
55-59	44	61	3	9
60-64	73	92	7	20
65-69	82	109	13	19
70-74	85	128	13	18
75-79	77	160	12	16
80-84	62	146	9	10
85-UP	46	156	6	8
-- ICD 195.1 (1974) ----				
00-04	2	2		
15-19		1		1
20-24	1			1
25-29		1	1	
30-34	2			
35-39		3		
40-44	2	5		1
45-49	3	8		3
50-54	6	12		5
55-59	6	16	1	10
60-64	1	23	1	7
65-69	8	33	3	5
70-74	4	41	1	8
75-79	5	41		4
80-84	3	51		2
85-UP	3	38		6

AGE	WM	WF	NM	NF
-- ICD 195.9 (1974) ----				
00-04				1
10-14	1	1		
15-19	3	2		1
20-24	2	1		
25-29	5	4		
30-34	4	3		2
35-39	2	1	2	
40-44	4	4	2	2
45-49	23	14	4	1
50-54	40	19	6	4
55-59	51	21	11	2
60-64	59	33	6	5
65-69	69	24	8	5
70-74	54	25	6	2
75-79	66	33	4	4
80-84	56	29	1	4
85-UP	46	46	2	
-- ICD 196.0 (1974) ----				
45-49	2			
50-54	1	1	1	
55-59			1	
60-64	7	3		
65-69	5	5	2	
70-74	8	3	1	
75-79	7	2		
80-84	3	4		
85-UP	2	2		
-- ICD 196.1 (1974) ----				
50-54				2
55-59	1			
60-64	1	2		
65-69		1		
80-84		1		
85-UP	1			
-- ICD 196.2 (1974) ----				
70-74			1	
75-79	1	1		
-- ICD 196.3 (1974) ----				
50-54	1			
55-59		1		
65-69		1		
70-74	1			
85-UP		2		
-- ICD 196.4 (1974) ----				
55-59			2	
60-64	3	1		
75-79	2	1		
80-84	1			
85-UP		1		
-- ICD 196.7 (1974) ----				
35-39	1			
50-54				1
55-59	1			
80-84	1			
-- ICD 196.8 (1974) ----				
40-44	2			
50-54	1			
55-59		1		
60-64	2	2		
65-69	1			
70-74		5		
80-84	1	1		
85-UP	1			
-- ICD 196.9 (1974) ----				
05-09		1		
20-24			1	
25-29		1		
35-39		1		
40-44	1		1	
45-49	2		1	
50-54	4	2	1	1
55-59	4	3	1	
60-64	3	2	1	
65-69	5	2		
70-74	2	2	1	
75-79	2	6		
80-84	3	1		
85-UP	2	2		
-- ICD 197.0 (1974) ----				
05-09	2			
15-19	2			
20-24	3			
25-29	2	1	1	
30-34	7	3		1
35-39	2	5		2
40-44	6	4	2	2

AGE	WM	WF	NM	NF
-- 197.0 (1974) CONTD---				
45-49	11	15	1	1
50-54	19	22	10	5
55-59	36	31	12	4
60-64	54	50	7	2
65-69	62	35	7	5
70-74	73	37	5	4
75-79	55	51	4	4
80-84	40	52	1	4
85-UP	32	42	1	3
-- ICD 197.1 (1974) ----				
10-14	1			
20-24				1
30-34	2			
35-39		1		
40-44	1			
45-49	1	1	1	
50-54		2	1	
55-59	1	3	1	
60-64	3	1		
65-69	3	3	1	
70-74	2		1	
75-79	1			
80-84		1		
85-UP				1
-- ICD 197.2 (1974) ----				
15-19	1	1		
25-29		1		
30-34	1	1		
40-44	1			1
45-49	2	4	1	
50-54	3	5	1	
55-59	4	7	3	2
60-64	5	7	1	2
65-69	5	14	1	4
70-74	11	11	2	4
75-79	5	11	2	2
80-84	8	7	2	1
85-UP	8	12		2
-- ICD 197.3 (1974) ----				
35-39		1		
40-44	1			
45-49	1			
50-54	2		1	
55-59	3	3		1
60-64	2	1	1	
65-69	4	5		
70-74	5			1
75-79	2	4		1
80-84	1			
85-UP	2	3		
-- ICD 197.4 (1974) ----				
45-49	1			
60-64	1		1	
65-69	1	1		
70-74				1
75-79	1			
80-84	2			
-- ICD 197.5 (1974) ----				
35-39		1		
50-54	1	2		
55-59		6		
60-64	3	3		
65-69	3	6		
70-74	4	3		1
75-79	3	5		
80-84	2	9		
-- ICD 197.6 (1974) ----				
10-14		1		
35-39	1			
40-44	1		1	
45-49	2	2		
50-54	1	1		
55-59	3	9		
60-64	5	9	1	1
65-69	8	8	1	1
70-74	9	8	1	2
75-79	5	8		2
80-84	5	11		1
85-UP		8	1	
-- ICD 197.7 (1974) ----				
05-09	1			
10-14			1	
15-19			1	
20-24	1			
25-29	5	4		1
30-34	1	2	3	
35-39	7	4		1
40-44	14	9	2	1

AGE	WM	WF	NM	NF
-- 197.7 (1974) CONTD---				
45-49	18	18	14	5
50-54	45	41	11	6
55-59	70	66	19	13
60-64	132	98	16	12
65-69	172	101	19	19
70-74	181	142	29	20
75-79	148	132	13	10
80-84	97	119	6	7
85-UP	73	107	2	5
-- ICD 197.8 (1974) ----				
00-04	5			
05-09	1	1	1	
10-14	1			1
15-19	1	1	1	
20-24	6	2	1	
25-29	4	2	1	1
30-34	4	2	3	1
35-39	5	5	2	
40-44	20	9	5	3
45-49	42	35	17	5
50-54	72	45	24	13
55-59	122	76	23	17
60-64	150	123	35	19
65-69	205	121	34	31
70-74	200	177	41	29
75-79	194	188	31	15
80-84	140	197	12	10
85-UP	100	164	10	8
-- ICD 197.9 (1974) ----				
30-34	1			
40-44			1	
45-49	2			
50-54	3	2		
55-59	2	3		
60-64	4	1	2	1
65-69	1	1		
70-74	6	4		
75-79	2	3	1	
80-84	2	2	1	
85-UP	1	3		
-- ICD 198.0 (1974) ----				
50-54		1		
65-69		1		
70-74				1
75-79	3	1		
80-84	1	1		
85-UP				1
-- ICD 198.1 (1974) ----				
35-39			1	
45-49	1		1	
50-54		2		
65-69	1	1		
70-74	3	1		
75-79	1			
80-84		1		1
85-UP	1			
-- ICD 198.2 (1974) ----				
20-24	1			
30-34		1		
40-44		1		
45-49	1	2		
50-54	1			
55-59	3	2		
60-64	4	1		
65-69	3		2	
70-74	4	2		
75-79	4	1		
80-84	2	3		
85-UP	1			
-- ICD 198.3 (1974) ----				
00-04		1		
05-09	1			
10-14	1			
15-19		3		
25-29	3			
30-34	4	5		
35-39	6	8	1	
40-44	6	4		4
45-49	20	30	4	3
50-54	32	34	5	5
55-59	48	45	4	4
60-64	60	35	7	
65-69	67	38	4	4
70-74	49	36	4	4
75-79	26	19	4	3
80-84	10	16	3	2
85-UP	2	7		

AGE	WM	WF	NM	NF
-- ICD 198.4 (1974) ----				
00-04		1		
15-19				1
40-44	2			1
45-49		1	1	1
50-54	2		1	1
55-59	4	2	1	1
60-64	7	2		
65-69	1	4	1	
70-74	4	2	2	
75-79	4	2		
80-84		3	1	
85-UP	2			
-- ICD 198.5 (1974) ----				
00-04		1		
20-24	3			
30-34			1	
35-39	2	2		
40-44	2	5	3	1
45-49	9	10	4	1
50-54	20	9	2	
55-59	27	23	5	1
60-64	44	14	5	2
65-69	44	37	2	1
70-74	44	30	1	3
75-79	30	23	1	
80-84	25	27	2	1
85-UP	20	16	1	2
-- ICD 198.9 (1974) ----				
20-24	1		1	
25-29	1			
30-34	1	3		
35-39	3	3		3
40-44	2	7	1	2
45-49	8	13		4
50-54	18	25	6	6
55-59	37	18	3	7
60-64	53	37	9	8
65-69	39	63	4	9
70-74	40	55	5	6
75-79	36	65	3	3
80-84	26	66	1	3
85-UP	23	60	3	1
-- ICD 199.0 (1974) ----				
00-04	5	5		1
05-09	2		1	2
10-14	3	2	1	
15-19	13	7	3	1
20-24	13	6	2	1
25-29	26	20	3	5
30-34	24	32	7	9
35-39	60	60	15	11
40-44	85	96	24	30
45-49	211	213	59	58
50-54	398	346	85	74
55-59	534	510	99	84
60-64	739	662	143	107
65-69	798	634	154	106
70-74	836	741	130	122
75-79	637	738	71	87
80-84	445	608	41	62
85-UP	288	497	34	39
-- ICD 199.1 (1974) ----				
00-04	3	5	2	1
05-09		3		
10-14	1	5	1	1
15-19	11	5	3	2
20-24	7	4		2
25-29	6	2		1
30-34	2	6	2	2
35-39	6	8	1	4
40-44	19	16	4	5
45-49	31	32	12	12
50-54	55	47	19	12
55-59	74	62	26	22
60-64	112	73	33	25
65-69	117	76	20	19
70-74	107	78	19	22
75-79	85	78	17	17
80-84	85	80	13	10
85-UP	50	84	13	12
-- ICD 200.0 (1974) ----				
00-04	5	2		
05-09	8			
10-14	9	7	3	
15-19	22	10	1	
20-24	22	18	3	3
25-29	31	21	2	2
30-34	23	16	2	3
35-39	38	19	5	4
40-44	39	28	4	6

AGE	WM	WF	NM	NF
-- 200.0 (1974) CONTD---				
45-49	80	61	12	2
50-54	115	87	9	7
55-59	138	119	14	5
60-64	179	140	22	11
65-69	184	185	17	9
70-74	190	188	7	11
75-79	130	161	6	4
80-84	87	115	2	3
85-UP	31	65	2	3
-- ICD 200.1 (1974) ----				
00-04	8	6	4	
05-09	33	9	3	
10-14	27	8	3	2
15-19	37	12	6	3
20-24	18	4	3	1
25-29	27	11	1	1
30-34	27	11	2	2
35-39	37	19		1
40-44	51	32	6	2
45-49	103	69	13	5
50-54	163	114	16	10
55-59	189	188	15	8
60-64	261	201	14	17
65-69	293	238	19	15
70-74	284	267	21	12
75-79	213	231	2	6
80-84	146	159	11	4
85-UP	81	107	3	6
-- ICD 201 --(1974) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1974) ----				
35-39		1		
45-49	4		1	
50-54	3	1		
55-59	1	2		
60-64	4	2		
65-69	5	2	1	
70-74	2	5		
75-79		2		
80-84		3		
85-UP	1			
-- ICD 202.1 (1974) ----				
30-34	1			1
35-39	1	1	1	
40-44	2	1		1
45-49	2	3		
50-54	5	2	2	1
55-59	8	4		2
60-64	15	4	2	
65-69	8	5	2	2
70-74	7	6	3	
75-79	8	6		
80-84	6	3	1	2
85-UP	1	4	2	
-- ICD 202.2 (1974) ----				
00-04	13	5	1	1
05-09	21	3	3	2
10-14	22	10	3	
15-19	21	8	5	4
20-24	24	17	5	1
25-29	19	8	5	1
30-34	31	14	2	1
35-39	32	15	3	3
40-44	47	36	4	3
45-49	100	52	11	4
50-54	117	111	14	8
55-59	178	164	16	10
60-64	228	159	15	11
65-69	240	225	23	11
70-74	285	273	17	17
75-79	221	246	13	16
80-84	148	185	7	10
85-UP	104	130	6	6
-- ICD 202.9 (1974) ----				
65-69	1			
70-74		1		
75-79	2			
-- ICD 203 --(1974) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1974) ----				
00-04	82	63	10	4
05-09	173	118	17	7
10-14	124	63	14	12
15-19	89	47	15	2
20-24	36	27	4	3
25-29	30	10	2	6
30-34	16	9	1	

AGE	WM	WF	NM	NF
-- 204.0 (1974) CONTD---				
35-39	12	9	3	2
40-44	10	10	1	1
45-49	14	10		
50-54	16	15	1	4
55-59	26	16	3	1
60-64	25	22	2	3
65-69	32	22	4	1
70-74	42	26	3	2
75-79	41	25	1	1
80-84	44	32		2
85-UP	22	26	1	1
-- ICD 204.1 (1974) ----				
00-04	2			
05-09	2			
10-14		1		1
15-19	2	1		
20-24	2			
25-29		1		
30-34	2	1	1	
35-39	2	2		
40-44	7	9		2
45-49	25	8	4	5
50-54	44	22	8	2
55-59	82	45	11	8
60-64	158	79	20	12
65-69	185	98	16	11
70-74	198	137	18	10
75-79	206	170	20	4
80-84	206	184	12	8
85-UP	155	170	5	8
-- ICD 204.9 (1974) ----				
00-04	4	2	1	
05-09	4	11		
10-14	3	1		1
15-19	2			
20-24		2	1	
25-29	1	1		1
30-34	1			
35-39	1	2	1	
40-44	3	3	1	
45-49	5	2		
50-54	14	5		
55-59	13	6	3	2
60-64	36	12	1	2
65-69	38	20	1	3
70-74	56	44	8	2
75-79	83	45	3	1
80-84	57	53	3	1
85-UP	47	57		1
-- ICD 205.0 (1974) ----				
00-04	26	21	4	5
05-09	28	24	5	1
10-14	34	36	5	8
15-19	60	43	6	8
20-24	58	45	10	5
25-29	55	54	10	11
30-34	58	53	7	6
35-39	58	53	4	7
40-44	61	84	8	6
45-49	108	82	7	5
50-54	132	132	15	3
55-59	172	126	10	13
60-64	241	140	24	17
65-69	287	192	14	21
70-74	288	225	17	7
75-79	231	212	20	8
80-84	154	180	10	7
85-UP	101	99	4	6
-- ICD 205.1 (1974) ----				
00-04	4	4	1	
05-09	3	3	1	
10-14	6	7	1	1
15-19	11	4	1	1
20-24	19	7	3	4
25-29	17	20	2	
30-34	40	15	5	3
35-39	26	23	6	3
40-44	40	22	3	7
45-49	50	41	5	4
50-54	60	43	8	6
55-59	75	60	11	8
60-64	92	52	7	5
65-69	104	75	7	9
70-74	97	87	7	8
75-79	117	96	6	3
80-84	96	86	4	5
85-UP	70	49	1	3
-- ICD 205.9 (1974) ----				
00-04	3		1	
05-09	2			1

AGE	WM	WF	NM	NF
-- 205.9 (1974) CONTD---				
10-14	1	2		
15-19	3			
20-24		2		
25-29	3			
30-34	4		1	
35-39	4	2		1
40-44	3	2		
45-49	4	1		1
50-54	14	7		
55-59	10	17	1	2
60-64	18	13	1	5
65-69	28	21	1	4
70-74	43	36	3	1
75-79	41	45		
80-84	42	39	2	3
85-UP	28	28	2	
-- ICD 206.0 (1974) ----				
00-04	4	2		1
05-09		2	1	
10-14	1	2	1	2
15-19	4	5		
20-24	3	4		
25-29		3	1	
30-34	2	2		
35-39	2			1
40-44	2	1		
45-49	3	3	1	
50-54	9	6	2	2
55-59	14	8	3	1
60-64	22	18	2	1
65-69	20	12	1	2
70-74	30	23	1	2
75-79	28	14	1	
80-84	18	22	1	1
85-UP	11	6		1
-- ICD 206.1 (1974) ----				
40-44			1	
55-59			1	
60-64	1			
65-69	1			
70-74		3	1	1
75-79	1	3		
80-84	3	2		
85-UP		1		
-- ICD 206.9 (1974) ----				
00-04		1		
10-14	1	2		
15-19	1			
25-29	2			
35-39	3	1		
40-44		1		
45-49	1	1		
50-54	1	2		
55-59	6	4	1	
60-64	4	2	1	
65-69	3	4		
70-74	12	6		1
75-79	5	8	1	
80-84	12	13		
85-UP	8	4		
-- ICD 207.0 (1974) ----				
00-04	22	18	3	2
05-09	45	27	4	6
10-14	19	11	6	
15-19	22	22	7	1
20-24	17	14	2	
25-29	21	18	2	4
30-34	13	11	1	2
35-39	20	10	1	2
40-44	17	15	6	3
45-49	23	22	2	5
50-54	46	38	1	3
55-59	49	48	4	1
60-64	74	58	8	5
65-69	95	75	10	5
70-74	100	61	6	5
75-79	98	75	5	3
80-84	49	65	4	4
85-UP	39	35	2	3
-- ICD 207.1 (1974) ----				
35-39		1		
40-44	1	1		
45-49	4			
50-54	1	1	2	
55-59		4	3	1
60-64	4	2	1	2
65-69	13	6		
70-74	10	8		1
75-79	6	11	3	
80-84	11	14	2	3

AGE	WM	WF	NM	NF
-- 207.1 (1974) CONTD---				
85-UP	9	15		
-- ICD 207.2 (1974) ----				
00-04	1	2		
05-09	1			
10-14		1		
15-19		1		
20-24	2	1		1
25-29	1			
30-34		1	1	
35-39	2			
40-44		1		1
45-49	2			1
50-54	13	10		
55-59	9	8	1	1
60-64	7	3		
65-69	13	10	1	2
70-74	11	8	2	1
75-79	24	11		
80-84	12	7	1	
85-UP	7	9		1
-- ICD 207.9 (1974) ----				
00-04	14	11	1	4
05-09	11	17	2	2
10-14	16	15	3	1
15-19	13	5	3	1
20-24	4	2		1
25-29	5	2	1	
30-34	7	5		
35-39	3	4	3	2
40-44	7	8	1	
45-49	15	11	5	3
50-54	19	17	6	6
55-59	39	20	8	4
60-64	50	26	7	7
65-69	70	35	11	8
70-74	79	52	7	8
75-79	87	73	6	7
80-84	95	70	2	1
85-UP	44	55	2	3
-- ICD 208 --(1974) ----				
00-04	1			
10-14	2			
15-19	2	1		1
25-29	2	1		
30-34	3	1	2	
35-39	3	2	1	
40-44	5		1	
45-49	8	5		1
50-54	18	4		
55-59	29	19	1	1
60-64	35	24		2
65-69	51	28		1
70-74	41	31	2	4
75-79	46	60		3
80-84	18	35	2	
85-UP	11	13	1	2
-- ICD 209 --(1974) ----				
00-04		1	1	
05-09	1			
10-14	2		1	
15-19			3	
20-24	1	2		2
25-29	2	3		1
30-34	1	2		1
35-39	5	1		
40-44	8	4	1	2
45-49	10	3	2	3
50-54	30	19	2	1
55-59	34	23	1	1
60-64	71	44	5	2
65-69	98	47	13	3
70-74	100	61	4	5
75-79	93	80	3	4
80-84	68	57		3
85-UP	28	23		1
-- ICD 140.0 (1975) ----				
60-64	1			
70-74			1	
80-84	1	1		
85-UP	1	1		
-- ICD 140.1 (1975) ----				
35-39	1			
50-54	1			
55-59	2			
60-64	5			
65-69	3	1		
70-74	2			
75-79	4			
80-84	4			

AGE	WM	WF	NM	NF
-- 140.1 (1975) CONTD---				
85-UP	2	1		
-- ICD 140.9 (1975) ----				
40-44	4			
45-49	2			1
50-54	7	1	1	
55-59	5	1		
60-64	7			
65-69	12			
70-74	24	2		
75-79	19	3		
80-84	17	2	1	
85-UP	15	2		
-- ICD 141.0 (1975) ----				
25-29				1
35-39		1		
40-44	3		3	
45-49	8		3	1
50-54	14	8	6	2
55-59	21	9	3	1
60-64	23	7	5	1
65-69	25	1	6	2
70-74	17	4		
75-79	12	5		
80-84	6	1	1	1
85-UP	6	1	1	
-- ICD 141.2 (1975) ----				
70-74	1			
-- ICD 141.9 (1975) ----				
15-19	2	1		
20-24	2	2		
25-29	1	2		
30-34	4	3		1
35-39	2	4	4	
40-44	16	10	11	1
45-49	54	13	21	6
50-54	93	39	25	9
55-59	127	60	33	2
60-64	186	76	18	5
65-69	173	77	23	8
70-74	146	62	6	2
75-79	75	59	9	5
80-84	75	50	7	4
85-UP	42	47	2	1
-- ICD 142.0 (1975) ----				
10-14	1			
20-24	1			
25-29	1			
30-34	2	1		1
35-39	2	2	1	2
40-44	3	6	1	
45-49	5	8		2
50-54	17	11	4	2
55-59	20	9	3	4
60-64	29	13	1	2
65-69	45	18	5	2
70-74	52	21		1
75-79	38	19	2	3
80-84	39	25	1	2
85-UP	24	28	1	1
-- ICD 142.8 (1975) ----				
25-29	1	1		
35-39	1	1		
40-44	1			
45-49	1	2		
50-54	1	1	1	
55-59	5	2		
60-64	5	3		
65-69	7	5		
70-74	4	1		1
75-79	2	2	1	
80-84	4	6		
85-UP	2	5		
-- ICD 142.9 (1975) ----				
25-29		1		
30-34	1			
35-39				1
45-49	3	2		
50-54	5	4	2	2
55-59	4	3		
60-64	6	5		
65-69	8	2	1	
70-74	6	3		
75-79	2	3		
80-84	2	1		
85-UP	1	5		
-- ICD 143.0 (1975) ----				
50-54		1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 143.0 (1975) CONTD---				
55-59	1			
60-64		2		
70-74		1		
75-79	1			
80-84		3		
85-UP		1		
-- ICD 143.1 (1975) ----				
55-59	3		1	
60-64	4	2		
65-69	1	2		
70-74	2			
75-79	2	1		
80-84	1	2		
85-UP	1	1		
-- ICD 143.9 (1975) ----				
20-24	1			
40-44		1	1	
45-49	1	1		
50-54	3	3	1	
55-59	8	3		
60-64	7	2	2	2
65-69	3	3	2	
70-74	8	6		
75-79	2	7		
80-84	6	9		
85-UP	5	6		
-- ICD 144 --(1975) ----				
20-24	1	1		
25-29	2			
30-34	2		1	
35-39	2		3	2
40-44	4	1	3	
45-49	16	4	10	3
50-54	32	13	23	6
55-59	39	23	11	1
60-64	51	24	9	3
65-69	72	17	6	
70-74	42	14	8	1
75-79	18	8	3	
80-84	14	13	1	
85-UP	7	9		1
-- ICD 145.0 (1975) ----				
35-39	1			
40-44	1	1		
45-49	2	1		1
50-54	2	1		
55-59	5	5		1
60-64	12	9	2	
65-69	8	4		
70-74	11	4		
75-79	3	9		
80-84	6	4		
85-UP	8	8		
-- ICD 145.1 (1975) ----				
15-19		1		
25-29	1			
30-34		1		
35-39	2			
40-44	1			2
45-49	6	3	1	5
50-54	15	6	5	1
55-59	21	15	3	
60-64	30	16	4	
65-69	30	13	8	
70-74	24	11	4	2
75-79	17	9	1	
80-84	21	11	1	1
85-UP	9	10		
-- ICD 145.8 (1975) ----				
05-09	1			
45-49	1			
55-59	2	1		
60-64	4	1		
65-69	1	1		
70-74	3	1		
-- ICD 145.9 (1975) ----				
20-24			1	
30-34		1		1
35-39			1	
40-44	3	3	6	2
45-49	24	11	10	2
50-54	33	15	11	4
55-59	63	29	14	4
60-64	85	33	6	2
65-69	73	38	8	2
70-74	57	28	5	3
75-79	42	29	4	2
80-84	29	29	2	2

AGE	WM	WF	NM	NF
-- 145.9 (1975) CONTD---				
85-UP	41	28	1	1
-- ICD 146.0 (1975) ----				
00-04			1	
20-24	1			
25-29			1	
30-34	2		1	
35-39	1			4
40-44	7			7
45-49	25	9	15	8
50-54	55	21	10	5
55-59	58	27	14	4
60-64	76	31	23	4
65-69	64	23	7	1
70-74	55	21	7	2
75-79	36	9	4	
80-84	24	12	2	
85-UP	20	5	2	1
-- ICD 146.8 (1975) ----				
40-44			1	
45-49			1	1
50-54	3	1		
55-59	2	1	1	
60-64	7	2		
65-69	6	1		
70-74	4	1	2	
75-79	4	1	1	
85-UP	1			
-- ICD 146.9 (1975) ----				
35-39			2	1
40-44	1			
45-49	9	4	2	2
50-54	22	8	5	2
55-59	28	10	8	2
60-64	31	19	4	1
65-69	27	13	4	
70-74	21	6	3	
75-79	10	9	1	
80-84	12	4	1	
85-UP	3	5		2
-- ICD 147 --(1975) ----				
SEE PAGES 42 - 47				
-- ICD 148.1 (1975) ----				
35-39			2	
40-44	2	2	1	
45-49	9		8	
50-54	16	3	4	2
55-59	23	7	6	
60-64	35	5	4	1
65-69	28	5	3	
70-74	19	9	1	
75-79	10	1	1	
80-84	8	1		
85-UP	5	1		
-- ICD 148.9 (1975) ----				
35-39			1	
40-44	2		1	1
45-49	11	3	5	
50-54	26	10	9	2
55-59	36	17	7	3
60-64	51	16	3	1
65-69	43	12	5	1
70-74	39	9	4	1
75-79	19	4	1	1
80-84	12	2		
85-UP	4	3		1
-- ICD 149 --(1975) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1975) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1975) ----				
25-29	1			
30-34				1
35-39	1	1		1
40-44	5			1
45-49	15	3	2	1
50-54	16	3	1	
55-59	31	2	2	
60-64	37	3	3	1
65-69	32	9	1	1
70-74	30	9	2	
75-79	24	9	1	1
80-84	11	4	1	
85-UP	5	7	1	
-- ICD 151.1 (1975) ----				
30-34		1		

AGE	WM	WF	NM	NF
-- 151.1 (1975) CONTD---				
50-54			1	
60-64			1	
65-69	1			2
70-74	3	2		
75-79	1		1	
80-84	1	1		1
85-UP	3	2		
-- ICD 151.8 (1975) ----				
40-44	1	1		
45-49		1	1	
50-54	2			
55-59	2	1	2	1
60-64	3	6	1	
65-69	10	2	3	
70-74	6	2		
75-79	4	3	1	2
80-84	9	3	1	
85-UP	6	4		1
-- ICD 151.9 (1975) ----				
00-04	1			
15-19	1			2
20-24	3	2	3	3
25-29	15	12	6	7
30-34	21	19	9	6
35-39	40	30	16	18
40-44	104	71	31	18
45-49	194	131	67	45
50-54	430	229	128	72
55-59	593	328	149	78
60-64	909	473	217	93
65-69	1093	582	248	114
70-74	1163	761	257	113
75-79	1070	883	192	118
80-84	866	848	106	71
85-UP	654	736	79	72
-- ICD 152.0 (1975) ----				
25-29		1	1	
30-34	1			
35-39	1	2		
40-44	4	1	1	
45-49	3	4	1	3
50-54	7	4		
55-59	5	9	2	
60-64	18	14	3	
65-69	10	11	3	1
70-74	7	13	4	1
75-79	21	15	1	2
80-84	9	14	1	1
85-UP	5	3	2	1
-- ICD 152.1 (1975) ----				
35-39			1	
40-44	4	1		
45-49	6	1		1
50-54	7	1		
55-59	7	5		
60-64	5	7	2	1
65-69	5	3		1
70-74	7	4	1	
75-79	5	5	1	
80-84		4	1	
85-UP	1	1		1
-- ICD 152.2 (1975) ----				
15-19	1			
35-39		1		
40-44	2			
45-49	2			1
50-54	3	3		2
55-59	4	3		
60-64	4	7		
65-69	6	4		
70-74	5	4		2
75-79	1	6		
80-84	1	5		
85-UP	1	2		
-- ICD 152.9 (1975) ----				
15-19		1		
25-29		3		1
30-34	1			
35-39	2	1		
40-44	2	6	1	1
45-49	9	9	2	
50-54	4	5	2	
55-59	16	14	1	1
60-64	13	11	1	4
65-69	31	18	3	1
70-74	15	16	1	
75-79	11	13	1	2
80-84	8	10		1
85-UP	2	11		1

AGE	WM	WF	NM	NF
-- ICD 153.0 (1975) ----				
15-19			1	
20-24	3	1		
25-29	2	2		
30-34	8	3	1	1
35-39	18	11	3	2
40-44	16	23		2
45-49	28	23	6	4
50-54	70	72	4	14
55-59	125	123	13	16
60-64	175	196	25	25
65-69	220	261	28	29
70-74	277	309	15	36
75-79	259	394	27	30
80-84	245	366	15	23
85-UP	186	363	11	17
-- ICD 153.1 (1975) ----				
10-14	1			
15-19				1
20-24	2	1	1	
30-34	2	4		1
35-39	1	2		
40-44	2	9		2
45-49	18	11	2	3
50-54	25	25	4	2
55-59	30	35	2	5
60-64	42	50	7	5
65-69	57	45	9	6
70-74	66	90	9	8
75-79	55	86	6	11
80-84	63	95	2	5
85-UP	48	78	6	4
-- ICD 153.2 (1975) ----				
20-24			1	
25-29		1		
30-34	2			
35-39		1		1
40-44	5	7		2
45-49	9	7	2	1
50-54	22	21	4	4
55-59	31	32	4	5
60-64	45	48	8	4
65-69	69	50	10	8
70-74	49	53	5	10
75-79	54	69	5	6
80-84	38	65	5	3
85-UP	36	65	2	4
-- ICD 153.3 (1975) ----				
15-19	1	1		1
20-24	1	2		
25-29	2	3	1	
30-34	2	5		
35-39	7	13		2
40-44	20	23	3	3
45-49	37	36	5	9
50-54	90	97	9	10
55-59	147	141	12	9
60-64	213	188	21	15
65-69	260	219	26	32
70-74	272	294	17	27
75-79	275	318	21	17
80-84	213	265	12	18
85-UP	158	239	8	11
-- ICD 153.8 (1975) ----				
05-09	2			
10-14	1	1	1	1
15-19	10	1	2	2
20-24	17	8	4	2
25-29	37	25	10	3
30-34	56	47	8	9
35-39	95	73	15	16
40-44	156	189	28	31
45-49	360	358	37	51
50-54	690	690	86	75
55-59	1019	1016	111	139
60-64	1480	1377	175	172
65-69	1952	1776	185	197
70-74	1998	2102	190	203
75-79	1876	2177	141	185
80-84	1410	1939	109	120
85-UP	884	1657	65	88
-- ICD 153.9 (1975) ----				
15-19		1		
20-24	1	1		
25-29	4	2		
30-34	1	1		
35-39	4	6		
40-44	4	8	1	2
45-49	17	17	1	9
50-54	26	28	3	2
55-59	48	53	6	4

AGE	WM	WF	NM	NF
-- 153.9 (1975) CONTD---				
60-64	77	96	4	10
65-69	112	119	12	6
70-74	130	148	8	12
75-79	116	170	11	16
80-84	107	152	4	13
85-UP	76	147	3	2
-- ICD 154.0 (1975) ----				
10-14		1		
20-24		1		
25-29			2	
30-34	2		1	
35-39	5	4		1
40-44	4	7	1	
45-49	8	13	3	2
50-54	37	34	3	2
55-59	50	59	9	5
60-64	85	64	3	8
65-69	122	78	10	6
70-74	106	103	10	9
75-79	107	98	5	9
80-84	100	102	8	5
85-UP	55	82	3	7
-- ICD 154.1 (1975) ----				
10-14	2			2
15-19	2	1	1	1
20-24	4	1	1	
25-29	6	4	1	1
30-34	10	10	4	2
35-39	23	14	3	2
40-44	54	34	14	9
45-49	126	79	22	23
50-54	232	179	25	24
55-59	376	250	41	34
60-64	500	337	54	40
65-69	666	423	77	49
70-74	708	490	76	55
75-79	589	494	45	53
80-84	478	512	34	28
85-UP	412	533	28	19
-- ICD 154.2 (1975) ----				
15-19			1	
40-44	1	1		
45-49	1	5		
50-54	1			
55-59	2	2		1
60-64	1	3	1	
65-69	3	4	1	
70-74	3	5		1
75-79	3	3		1
80-84	4	4		
85-UP	3	5		1
-- ICD 155.0 (1975) ----				
00-04	12	7	2	1
05-09	2		2	
10-14	4	2	1	
15-19	5	9	2	
20-24	9	5	1	1
25-29	9	9	8	4
30-34	8	3	6	2
35-39	11	14	7	5
40-44	10	13	12	3
45-49	37	26	16	4
50-54	64	46	37	8
55-59	137	52	50	3
60-64	161	74	56	16
65-69	226	78	50	15
70-74	178	98	42	12
75-79	139	93	27	14
80-84	87	65	12	7
85-UP	52	73	1	6
-- ICD 155.1 (1975) ----				
25-29	1		1	
30-34	3		2	
35-39	1	3		
40-44	3			1
45-49	4	2	1	
50-54	12	8	3	2
55-59	15	8		2
60-64	14	12		
65-69	19	8	1	1
70-74	12	13	2	3
75-79	8	11	2	
80-84	8	7	1	
85-UP	4	12		
-- ICD 156.0 (1975) ----				
30-34	2	1		1
35-39	2	1		1
40-44		13		3
45-49	4	26		3

AGE	WM	WF	NM	NF
-- 156.0 (1975) CONTD---				
50-54	26	51	2	7
55-59	31	108	7	12
60-64	58	151	5	22
65-69	95	232	11	23
70-74	110	302	11	18
75-79	104	310	7	23
80-84	60	275	7	7
85-UP	56	198	1	10
-- ICD 156.1 (1975) ----				
20-24		1		
25-29	3	1		
30-34		3		
35-39	1	3	1	
40-44	3	7		1
45-49	10	14	1	2
50-54	29	21	6	4
55-59	46	38	7	3
60-64	59	58	6	5
65-69	90	70	5	5
70-74	92	95	11	6
75-79	92	104	3	12
80-84	71	78		4
85-UP	34	69	2	4
-- ICD 156.2 (1975) ----				
40-44	3	2		
45-49	6	6	1	
50-54	10	7		1
55-59	16	9	1	
60-64	22	10	1	2
65-69	19	15	2	2
70-74	24	15	3	1
75-79	26	21	2	
80-84	17	21		
85-UP	11	18	1	1
-- ICD 156.9 (1975) ----				
30-34				1
35-39	1			
40-44	1	2	1	
45-49	3	5	1	
50-54	6	9	1	
55-59	10	13		
60-64	10	16		1
65-69	33	24	1	3
70-74	27	34		3
75-79	15	24	2	2
80-84	13	25	2	
85-UP	14	14	2	1
-- ICD 157.0 (1975) ----				
15-19		1		
25-29				1
30-34	2			
35-39	2	1		
40-44	4	5	3	3
45-49	19	5	2	1
50-54	44	24	9	7
55-59	58	42	13	10
60-64	114	67	38	16
65-69	141	100	17	16
70-74	147	115	15	24
75-79	147	139	30	12
80-84	115	125	12	8
85-UP	101	128	5	4
-- ICD 157.8 (1975) ----				
25-29	1			
30-34		1	1	
35-39	1		1	
40-44	2	3		
45-49	4	3	1	3
50-54	12	7	3	5
55-59	16	9	6	1
60-64	26	15	10	2
65-69	23	23	4	2
70-74	38	17	5	1
75-79	21	21	1	2
80-84	20	14	2	2
85-UP	7	9		1
-- ICD 157.9 (1975) ----				
00-04	1			
05-09	1			
15-19		1		
20-24	1	4		
25-29	6	7	3	1
30-34	16	12	1	5
35-39	73	29	19	8
40-44	116	61	23	15
45-49	267	169	50	29
50-54	577	330	94	61
55-59	821	585	141	109
60-64	1216	864	180	132

AGE	WM	WF	NM	NF
-- 157.9 (1975) CONTD---				
65-69	1485	1073	196	139
70-74	1355	1173	151	127
75-79	1184	1118	111	116
80-84	749	911	49	56
85-UP	448	665	29	36
-- ICD 158.0 (1975) ----				
00-04	3	1		
05-09	1			
15-19	2	2	1	
20-24	6	1		1
25-29	1			
30-34	5	2	1	
35-39	3	3		
40-44	7	5	1	1
45-49	12	7	2	
50-54	19	18	2	1
55-59	27	11	3	5
60-64	28	21	2	3
65-69	43	33	4	3
70-74	34	30	4	3
75-79	29	29	2	3
80-84	15	16		2
85-UP	10	23		1
-- ICD 158.9 (1975) ----				
20-24		1		
25-29	2		1	
30-34	1	2		
35-39	2	1		
40-44	3		3	
45-49	11	1		
50-54	9	12	2	3
55-59	15	14	3	4
60-64	16	20	2	
65-69	18	13	1	5
70-74	11	22	2	6
75-79	10	20		
80-84	12	17		
85-UP	4	7		
-- ICD 159 --(1975) ----				
25-29	1			
30-34		1		
35-39	3	1		1
40-44	3		2	
45-49	7	7	6	2
50-54	14	6	3	2
55-59	21	17	4	3
60-64	21	20	10	4
65-69	38	26	7	7
70-74	40	43	7	6
75-79	60	55	5	15
80-84	51	63	6	8
85-UP	41	84	3	8
-- ICD 160.0 (1975) ----				
15-19	1			
20-24		1		
25-29			1	
45-49	3	1	1	1
50-54	2			1
55-59	4	1	1	
60-64	11	2	1	
65-69	7	5	1	
70-74	13	6	1	
75-79	12	4		
80-84	6	9		2
85-UP	15	20	1	
-- ICD 160.1 (1975) ----				
00-04	1			
05-09	1			
40-44	2			
45-49	1			
50-54	2	2		
55-59		1		
60-64	4			
65-69	3	6		
70-74	4	6		1
75-79	1	4		
80-84	1	1		
-- ICD 160.2 (1975) ----				
00-04	1			
25-29	2	2		
30-34	2	3	1	
35-39	2	1	1	1
40-44	12	2	4	
45-49	10	6	2	1
50-54	16	11	5	1
55-59	21	5	10	2
60-64	22	16	6	2
65-69	23	10	6	1
70-74	20	17	4	2

AGE	WM	WF	NM	NF
-- 160.2 (1975) CONTD---				
75-79	12	12	1	3
80-84	14	11	2	3
85-UP	6	10	1	1
-- ICD 160.8 (1975) ----				
25-29	1			
35-39	2	1	1	
40-44	2		1	
45-49		1	1	
50-54	1	2		
55-59	6	1	2	1
60-64	8	2		
65-69	5	3		
70-74	9	3		
75-79	3	2		
80-84	3	2		
85-UP	2			
-- ICD 160.9 (1975) ----				
00-04	1			1
20-24		1		
25-29	2			1
30-34	1			
35-39	1			
40-44	1	1		
45-49	3	5		
50-54	1		1	
55-59	4	2	1	
60-64	6	3	2	
65-69	5			
70-74	4	4	2	
75-79	2	2	2	
80-84	1	2		
85-UP	1	1		
-- ICD 161.0 (1975) ----				
40-44	1	1	1	
45-49	4		2	
50-54	2	1	1	
55-59	4	1	1	1
60-64	11	2	3	
65-69	9		3	
70-74	9	1	1	
75-79	3			
80-84	4		1	1
85-UP	3			
-- ICD 161.8 (1975) ----				
40-44	2		1	
45-49	4	1	1	1
50-54	15	2	1	
55-59	16	5	5	4
60-64	31	6	6	2
65-69	20	5	3	1
70-74	17	2	3	1
75-79	7	3	1	
80-84	4	3		
85-UP	2	1		
-- ICD 161.9 (1975) ----				
10-14		1		
15-19	1			
25-29	1			
30-34	1			
35-39	5	2	5	
40-44	22	6	17	4
45-49	83	24	32	12
50-54	171	43	48	13
55-59	299	59	53	11
60-64	377	85	57	11
65-69	377	58	64	5
70-74	338	50	34	3
75-79	260	27	25	1
80-84	169	19	6	5
85-UP	87	13	5	1
-- ICD 162.0 (1975) ----				
15-19	1			
20-24	1			
35-39		1	1	
40-44	2	1	1	1
45-49	5	3		1
50-54	10	5	1	
55-59	9	8	2	2
60-64	22	8	2	1
65-69	17	3		
70-74	15			
75-79	13	2		1
80-84	8	1		
85-UP	3	2		
-- ICD 162.1 (1975) ----				
00-04	5	1	1	
05-09	1			
10-14		1		

AGE	WM	WF	NM	NF
-- 162.1 (1975) CONTD---				
15-19	4	2	1	
20-24	11	5	2	1
25-29	29	16	6	5
30-34	110	49	18	9
35-39	307	180	81	34
40-44	929	506	236	91
45-49	2432	1094	521	178
50-54	4683	1792	861	215
55-59	6844	2481	1097	241
60-64	9618	2799	1294	253
65-69	10654	2605	1207	234
70-74	9278	2016	865	200
75-79	6302	1495	498	116
80-84	3529	1069	237	67
85-UP	1503	772	133	57
-- ICD 163.0 (1975) ----				
20-24	1	1		
25-29	1		1	
30-34		1	1	
35-39	2	1		
40-44	2	4	1	
45-49	8	4	2	1
50-54	9	4	1	
55-59	29	9	3	1
60-64	35	15	2	1
65-69	31	11	1	1
70-74	33	15	1	3
75-79	26	15	2	
80-84	14	9		1
85-UP	4	7		1
-- ICD 163.1 (1975) ----				
00-04		2		
10-14	1			
15-19	7	2		
20-24	3	1		
25-29	9			
30-34	9	1		
35-39	5	2		
40-44	6	4		
45-49	6	6		1
50-54	15	4	2	
55-59	18	5	1	1
60-64	21	16	5	2
65-69	27	6	3	1
70-74	26	8	3	2
75-79	13	6		
80-84	10	5		
85-UP	8	11		1
-- ICD 163.9 (1975) ----				
05-09	1			
10-14	1	1		
20-24	2			
25-29		1		
35-39	1	2		
40-44	3	1		
45-49	3	3		1
50-54	7	5	1	
55-59	18	2	2	
60-64	11	7	2	
65-69	19	3	1	
70-74	15	7	1	1
75-79	10	7	1	1
80-84	9	5	1	
85-UP	3	6		
-- ICD 170.0 (1975) ----				
05-09		1		
15-19	2	2		
20-24	1			
25-29	1	1		
30-34		2		
35-39	1	1		
40-44	2	3		
45-49	3	1	3	
50-54	7	4	2	1
55-59	11	5	1	
60-64	20	11	3	5
65-69	20	10	4	
70-74	20	13	2	2
75-79	17	4	4	
80-84	10	13	1	1
85-UP	16	18		
-- ICD 170.1 (1975) ----				
00-04			1	
15-19			1	
20-24				1
30-34	1			2
35-39	1	1	2	2
40-44	3		1	1
45-49	5			
50-54	8	3	3	

AGE	WM	WF	NM	NF
-- 170.1 (1975) CONTD---				
55-59	13	3		
60-64	8	2	1	
65-69	10	7	1	1
70-74	14	11		2
75-79	6	4	1	
80-84	11	8		1
85-UP	1	14		1
-- ICD 170.2 (1975) ----				
00-04		1		
10-14	1	2		1
15-19	1	1		
20-24	1	2		1
25-29	1	1	1	
30-34	1			
35-39	1			
40-44	4	1		
45-49	11	2		
50-54	16	4	1	1
55-59	7	11	1	2
60-64	21	9	2	1
65-69	12	13	1	
70-74	9	13	1	
75-79	12	13		1
80-84	7	7		
85-UP	3	10		1
-- ICD 170.3 (1975) ----				
15-19	1			
20-24				1
25-29		2		
30-34		1		
35-39				1
40-44	1			
45-49	2			
50-54	3			
55-59	3	2	1	1
60-64	4	1	1	
65-69	5	3		
70-74	7	4		
75-79	6	4		
80-84	4	1		
85-UP	3	5		1
-- ICD 170.4 (1975) ----				
10-14	2	1		1
15-19	1	3		1
20-24	2		1	
30-34			1	
35-39	1	1	1	
40-44		2		
45-49	1			
50-54			1	
55-59	2	2		
60-64	2	1	1	
65-69		1	1	
70-74	3	3		
75-79	1	2	1	2
80-84	2	4		
85-UP	1	3		
-- ICD 170.6 (1975) ----				
00-04	1	5	2	
05-09	1	1		
10-14	2	3		
15-19	4	3	1	
20-24	1			1
25-29	2			
30-34	3	2		
35-39				1
40-44		2		1
45-49	4	1	1	
50-54	7	4		
55-59	6	2	1	1
60-64	2	7		
65-69	7	8	1	1
70-74	7	6		2
75-79	9	7	1	
80-84	1	7		
85-UP	2	2		
-- ICD 170.7 (1975) ----				
05-09	1	3	1	2
10-14	10	9		3
15-19	20	15	5	3
20-24	7	2		
25-29	5	1		
30-34	1			
35-39	5	1		
40-44	1		1	
45-49	3	5		
50-54	3	3		1
55-59	3	3		2
60-64	3	7		2
65-69	6	6		1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 170.7 (1975) CONTD---				
70-74	5	9		1
75-79	4	16		1
80-84	5	8		
85-UP	5	6		
-- ICD 170.8 (1975) ----				
50-54	1			
55-59	1			
-- ICD 170.9 (1975) ----				
00-04		3	1	1
05-09	4	9		2
10-14	24	19	3	6
15-19	47	28	10	3
20-24	36	18	5	2
25-29	14	8	2	
30-34	7	8	1	2
35-39	7	2	2	
40-44	9	3	1	1
45-49	7	2	1	3
50-54	9	9	2	5
55-59	17	12	1	2
60-64	21	28	1	3
65-69	25	22	5	1
70-74	23	27	2	
75-79	14	21	1	1
80-84	18	14		
85-UP	2	14		2
-- ICD 171.0 (1975) ----				
00-04		2		
05-09		1		1
15-19	2			
20-24	1			
25-29	1	2		
30-34		1		
35-39	1			
45-49	3	2		
50-54	2		1	
55-59	1	3		
60-64	1			
65-69	2			
70-74	3	2		
75-79	2	2		1
80-84	2	4		1
85-UP	2	1		
-- ICD 171.1 (1975) ----				
00-04	2	1		
05-09	1	2	1	
10-14	1	4	1	
15-19	2	5		
20-24	2	2		
25-29		3		
30-34	4	4		
35-39	5	1		
40-44	4	8	2	1
45-49	6	1	1	3
50-54	6	9	1	
55-59	13	14	2	3
60-64	14	13	1	1
65-69	26	12		
70-74	13	16	3	1
75-79	11	16	1	1
80-84	8	8		1
85-UP	3	7		1
-- ICD 171.2 (1975) ----				
05-09				1
20-24			1	
30-34		2	1	
35-39	2	2		1
40-44	1	1		
45-49	2		1	
50-54	3	1		1
60-64	1	1	1	1
65-69	2	4		
70-74	7	2		
75-79	2	2		
80-84	2	3	1	
85-UP	1	3		
-- ICD 171.3 (1975) ----				
00-04	1	1		
05-09	1	1		
10-14		1		
15-19	2	1		
20-24	3	2	1	
25-29		3		
35-39	5	2		
40-44	1	1		1
45-49	4	2		1
50-54	11	7	1	1
55-59	14	12	1	1
60-64	9	9		1

AGE	WM	WF	NM	NF
-- 171.3 (1975) CONTD---				
65-69	11	11		3
70-74	10	8	2	1
75-79	15	10	1	1
80-84	6	5		
85-UP	8	7	2	1
-- ICD 171.9 (1975) ----				
00-04	8	5	1	1
05-09	2	5	2	1
10-14	8	6	2	2
15-19	15	14	9	3
20-24	15	9	2	1
25-29	14	8	2	3
30-34	16	11	3	3
35-39	9	11	2	4
40-44	17	9	3	
45-49	25	32	5	4
50-54	28	38	2	8
55-59	47	42	3	4
60-64	41	50	3	15
65-69	56	51	3	6
70-74	38	36	2	8
75-79	29	27	4	5
80-84	25	39		1
85-UP	18	28	1	1
-- ICD 172.0 (1975) ----				
55-59	1			
60-64	1			
75-79		1		
80-84	1			
-- ICD 172.1 (1975) ----				
40-44	1			
-- ICD 172.2 (1975) ----				
30-34	1			
35-39	2			
40-44	1			
45-49	1			
50-54	1			
55-59	2	2		
60-64	3	1		
65-69	2	2		
70-74	1	2		
75-79	2	1		
80-84	2	2		
85-UP	1			
-- ICD 172.3 (1975) ----				
20-24	1	1		
30-34		1		
40-44	2	1		
45-49	2	3		
50-54	1	1		
55-59	3			
60-64	3	1		
65-69	5	3		
70-74	5	5		
75-79	7	3		
80-84	3	8		
85-UP	4	3		
-- ICD 172.4 (1975) ----				
20-24	3	1		
25-29		1		
30-34	3			
35-39	4	1		
40-44	3	1		
45-49	3	1		
50-54	5	1		
55-59	4	1		
60-64	5			
65-69	4	4		
70-74	4	3		
75-79	4	4		
80-84	11	1		
85-UP	2	1		
-- ICD 172.5 (1975) ----				
10-14		1		
-- ICD 172.6 (1975) ----				
15-19		1		
20-24	8	2		
25-29	6	4		
30-34	7	4		
35-39	7	11		
40-44	14	4		
45-49	22	6		
50-54	18	9		
55-59	33	3		
60-64	19	10		
65-69	15	5		1
70-74	11	6		

AGE	WM	WF	NM	NF
-- 172.6 (1975) CONTD---				
75-79	8	3		
80-84	4	1		
85-UP	3	7		
-- ICD 172.7 (1975) ----				
15-19		1		
20-24	3			
25-29	3	2		
30-34	1	2		
35-39	6	4		
40-44	2	3		
45-49	7	12		
50-54	5	4		
55-59	3	2		
60-64	6	8		1
65-69	10			
70-74	9	4		
75-79	5	5		
80-84	2	6		
85-UP	1	3		
-- ICD 172.8 (1975) ----				
15-19	1			
25-29	1	3		
30-34	1	3		
35-39	5	4		
40-44	3	10		
45-49	3	9		
50-54	11	10		
55-59	13	13		1
60-64	5	10		1
65-69	13	16		
70-74	8	16	1	1
75-79	11	12	1	1
80-84	5	15		
85-UP	3	10		
-- ICD 172.9 (1975) ----				
00-04	1		1	1
10-14	3			1
15-19	8	8		
20-24	25	27		
25-29	73	45	3	
30-34	92	58	1	
35-39	95	75	4	
40-44	107	69		1
45-49	156	103	3	3
50-54	217	104	6	2
55-59	202	121	4	4
60-64	194	120	7	3
65-69	177	117	7	6
70-74	148	136	3	6
75-79	102	109	2	5
80-84	56	76	2	2
85-UP	56	67	1	3
-- ICD 173.0 (1975) ----				
55-59	2			
60-64	1			
65-69	1			
70-74	2			
75-79	3			
80-84	3	1		
85-UP	3			
-- ICD 173.1 (1975) ----				
45-49		1		
50-54		1		
55-59	1			
60-64	1			
70-74		1		
80-84		1		
85-UP		1		
-- ICD 173.2 (1975) ----				
35-39		1		
45-49	2	1		
50-54	3			
55-59	4	2		
60-64	6	3		
65-69	2	3		
70-74	8	4		
75-79	8	3		
80-84	7	2		
85-UP	12	4		
-- ICD 173.3 (1975) ----				
15-19				1
20-24		1		
40-44	3	1		
45-49	7	1		
50-54	8	1	1	1
55-59	11	9		1
60-64	23	11		
65-69	33	14	1	1

AGE	WM	WF	NM	NF
-- 173.3 (1975) CONTD---				
70-74	35	12		
75-79	51	22	1	
80-84	47	37		
85-UP	71	101		2
-- ICD 173.4 (1975) ----				
25-29	1			
30-34		1		
35-39	2		1	
40-44	4		2	
45-49	4	2		1
50-54	15	4	6	2
55-59	19	3	4	1
60-64	16	6	4	2
65-69	22	6	1	
70-74	22	9		
75-79	26	11	3	
80-84	17	8	1	
85-UP	26	15		
-- ICD 173.5 (1975) ----				
50-54				1
60-64	2			
65-69	1			
70-74	2		1	
75-79	1		1	
80-84	1			
85-UP	4			
-- ICD 173.6 (1975) ----				
20-24			1	
30-34		1		
35-39	2	1	1	
40-44	2	1	1	1
45-49	7	3	2	1
50-54	13	7	1	3
55-59	10	11	4	1
60-64	13	14	2	2
65-69	17	17	1	4
70-74	12	19	3	2
75-79	11	16		1
80-84	6	11		4
85-UP	8	19		1
-- ICD 173.7 (1975) ----				
25-29	1			
30-34	1			
50-54	2			
55-59	1			
60-64	1	2		
65-69	4			
70-74	3	1		
75-79	7	1		
80-84	9	6		
85-UP	2	3		
-- ICD 173.8 (1975) ----				
20-24	2			
35-39		1		
40-44			1	
50-54		1		
55-59	3	1	2	
60-64	5			
65-69	5	2		1
70-74	2	4		1
75-79	3	6		2
80-84	4	4		
85-UP	4	10		
-- ICD 173.9 (1975) ----				
10-14		1		
20-24		1		
25-29	2	1		
30-34	1	1	1	
35-39	2	2	1	
40-44	1	1		
45-49	5	2		
50-54	6	5		
55-59	13	7		1
60-64	14	6	2	1
65-69	12	10		1
70-74	14	7	2	1
75-79	27	9		
80-84	13	15		
85-UP	15	19		1
-- ICD 174 --(1975) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1975) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1975) ----				
05-09		1		
15-19		2		1

AGE	WM	WF	NM	NF
-- 181 --(1975) CONTD---				
20-24		3		4
25-29		5		3
30-34		3		3
35-39		2		
40-44				1
50-54				1
55-59		2		
-- ICD 182.0 (1975) ----				
25-29		3		
30-34		2		
35-39		8		
40-44		12		1
45-49		49		6
50-54		110		18
55-59		209		34
60-64		293		53
65-69		357		58
70-74		377		60
75-79		312		31
80-84		219		14
85-UP		162		9
-- ICD 182.9 (1975) ----				
20-24		2		2
25-29		3		2
30-34		8		2
35-39		24		4
40-44		43		18
45-49		84		29
50-54		160		33
55-59		236		53
60-64		341		57
65-69		405		94
70-74		423		57
75-79		369		43
80-84		339		36
85-UP		282		24
-- ICD 183.0 (1975) ----				
00-04		1		
05-09		3		
10-14		10		3
15-19		28		
20-24		33		6
25-29		34		12
30-34		57		10
35-39		124		12
40-44		284		28
45-49		678		61
50-54		1055		94
55-59		1230		94
60-64		1321		126
65-69		1405		110
70-74		1253		80
75-79		954		50
80-84		698		24
85-UP		442		20
-- ICD 183.1 (1975) ----				
35-39				1
40-44		2		1
45-49		10		3
50-54		14		4
55-59		15		7
60-64		19		3
65-69		19		1
70-74		4		3
75-79		14		1
80-84		3		1
-- ICD 184.0 (1975) ----				
20-24				1
25-29		3		1
30-34		1		
35-39				1
40-44		10		
45-49		7		2
50-54		18		4
55-59		23		7
60-64		24		15
65-69		31		6
70-74		44		9
75-79		34		6
80-84		43		7
85-UP		47		3
-- ICD 184.1 (1975) ----				
30-34				2
35-39		1		2
40-44		5		
45-49		11		3
50-54		19		3
55-59		20		6
60-64		29		4

AGE	WM	WF	NM	NF
-- 184.1 (1975) CONTD---				
65-69	51			7
70-74	82			4
75-79	87			8
80-84	95			2
85-UP	97			2
-- ICD 184.8 (1975) ----				
85-UP	1			
-- ICD 184.9 (1975) ----				
30-34	1			
40-44	1			
45-49	6			1
50-54	5			1
55-59	4			5
60-64	4			
65-69	4			4
70-74	11			1
75-79	8			
80-84	6			1
85-UP	8			
-- ICD 185 --(1975) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1975) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1975) ----				
20-24	1			
25-29	1			
30-34	1		1	
35-39	2		1	
40-44	2		3	
45-49	5		1	
50-54	5		6	
55-59	17		4	
60-64	26		10	
65-69	25		8	
70-74	26		11	
75-79	22		3	
80-84	20		3	
85-UP	19		3	
-- ICD 187.8 (1975) ----				
15-19	1			
55-59	1			
70-74	3			
75-79	2			
80-84	2			
85-UP	1			
-- ICD 187.9 (1975) ----				
40-44	1			
55-59	1		1	
60-64	1		1	
65-69	1			
70-74	4			
75-79	3		1	
80-84	4			
85-UP	2		1	
-- ICD 188 --(1975) ----				
00-04		1		
20-24	1			
25-29				1
30-34	1	2	1	
35-39	3	4	1	2
40-44	35	11	5	3
45-49	68	31	9	11
50-54	197	64	17	11
55-59	359	104	43	34
60-64	624	192	72	38
65-69	889	258	76	48
70-74	1191	372	76	55
75-79	1082	420	72	50
80-84	952	476	42	30
85-UP	757	511	31	36
-- ICD 189.0 (1975) ----				
00-04	21	20	2	6
05-09	15	15	1	3
10-14	3	4	2	
15-19		3	4	2
20-24	11	13	1	3
25-29	4	11	2	4
30-34	15	8	11	5
35-39	36	23	3	1
40-44	93	45	12	10
45-49	211	95	19	9
50-54	357	149	32	14
55-59	482	219	49	18
60-64	608	271	37	22
65-69	623	343	47	22
70-74	537	361	50	25

AGE	WM	WF	NM	NF
-- 189.0 (1975) CONTD---				
75-79	423	328	21	20
80-84	231	259	16	11
85-UP	152	157	12	7
-- ICD 189.1 (1975) ----				
35-39	1			
40-44	1	1		
45-49	3	2		1
50-54		1		
55-59	3	3	1	
60-64	4	2	1	
65-69	11	3	1	2
70-74	13	10	1	
75-79	7	7	1	
80-84	5	5		
85-UP	3	4		
-- ICD 189.2 (1975) ----				
15-19	1			
20-24				1
35-39	1			1
40-44	2			
45-49	1	5		
50-54	5	2		
55-59	2	6		
60-64	11	5		
65-69	22	7	3	2
70-74	23	16	1	
75-79	32	20		1
80-84	8	21		2
85-UP	13	13		
-- ICD 189.9 (1975) ----				
20-24	1			
30-34	1			
35-39	1			
40-44		1		
45-49	3	4	1	3
50-54	4	4	1	1
55-59	9	8	2	2
60-64	10	10	4	3
65-69	12	13	6	4
70-74	7	12	1	1
75-79	8	11	4	2
80-84	6	14		2
85-UP	4	9	1	1
-- ICD 190 --(1975) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1975) ----				
00-04	57	33	7	8
05-09	62	64	15	9
10-14	78	57	10	9
15-19	51	47	6	10
20-24	51	31	8	5
25-29	75	60	3	3
30-34	96	64	3	4
35-39	115	77	8	5
40-44	145	108	10	5
45-49	260	190	19	11
50-54	365	288	22	15
55-59	433	342	38	15
60-64	496	398	28	22
65-69	463	421	27	12
70-74	304	307	15	12
75-79	182	172	5	4
80-84	61	68	2	1
85-UP	21	38		2
-- ICD 192.0 (1975) ----				
00-04	1	2		
05-09		1		1
10-14		1		
15-19		3		1
20-24	2			1
25-29		1		
30-34		1		
35-39				1
50-54		1		
55-59				1
65-69		1		
-- ICD 192.1 (1975) ----				
10-14				1
15-19	1			
40-44		1	1	
45-49	1		1	
50-54	3	1		
55-59	3	7		
60-64	2	1		
65-69	4	3		1
70-74				1
75-79	1	2		
80-84	1	2		

AGE	WM	WF	NM	NF
-- 192.1 (1975) CONTD---				
85-UP	1	1		
-- ICD 192.2 (1975) ----				
00-04	2			1
05-09	1	2		1
10-14	5		1	1
15-19	2	2		
20-24	4	1		
25-29	4	1	1	
30-34	2	4		1
35-39		3		
40-44	2	3		
45-49	6			2
50-54	2	5		
55-59	2	4		
60-64	4	6		
65-69	5	3	2	
70-74	7	4	2	
75-79	3	5	2	
80-84		1		
85-UP		1		1
-- ICD 192.4 (1975) ----				
05-09		1		
10-14	2	3		1
15-19	1	5	2	
20-24	5	1	1	
25-29	7	1	2	1
30-34	4	8	2	1
35-39	5	3	2	
40-44	2	4		
45-49	3	2		3
50-54	6	9	1	1
55-59	3	2	2	1
60-64	5	3		
65-69	8	4		
70-74	7	6	1	1
75-79	4			
80-84	2	7		
85-UP	1	2		
-- ICD 192.5 (1975) ----				
00-04	63	59	6	8
05-09	28	16	4	2
10-14	6	7	2	2
15-19	9	7		1
20-24	5			
25-29	4			
30-34	2			
35-39	1			
40-44	1	3		
45-49		1		
50-54	1			
55-59	1	5	1	
60-64	1	1		1
65-69	2	1		
70-74	1	1		
75-79	1	3		
85-UP	1	1		
-- ICD 192.9 (1975) ----				
00-04	17	9	2	
05-09	22	17	3	6
10-14	21	10	5	1
15-19	13	12	2	1
20-24	14	10	3	3
25-29	12	11	3	
30-34	25	19	1	3
35-39	31	23		2
40-44	39	26	4	5
45-49	77	36	5	
50-54	105	58	11	4
55-59	104	78	13	6
60-64	137	104	9	4
65-69	96	83	6	6
70-74	82	79	1	1
75-79	43	32	1	1
80-84	8	7		3
85-UP	6	1		
-- ICD 193 --(1975) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1975) ----				
00-04	1			
10-14		1		
15-19	2			1
20-24	1	5		
25-29	1	3		
30-34	2	2	2	1
35-39	3	7	1	
40-44	11	9		2
45-49	10	6	2	
50-54	13	18		1
55-59	13	18	1	

AGE	WM	WF	NM	NF
-- 194.0 (1975) CONTD---				
60-64	25	16		1
65-69	20	13		1
70-74	21	11	1	
75-79	10	7		
80-84	2	2		1
85-UP	1	2		
-- ICD 194.1 (1975) ----				
15-19	1			
25-29			1	
35-39	1			
40-44	1			
45-49		1		
50-54		1		
60-64	1			1
65-69		1		
70-74	1			
80-84	1	1		
-- ICD 194.2 (1975) ----				
00-04	1			
10-14		1		
15-19	2		1	
20-24	1	2		
25-29	2	1		1
30-34	1	3	1	
35-39	3	3		1
40-44	3	1	1	2
45-49	6	2		1
50-54	2	4		1
55-59	5	2		
60-64	8	1		
65-69	3	3		1
70-74	2	7		
75-79	3	2		1
80-84	1	4		
85-UP	2	1		
-- ICD 194.3 (1975) ----				
10-14	2	1		
15-19		2		1
20-24	1			
25-29	1	1		
30-34	1			
35-39				1
40-44	1	1	1	
45-49		1		
50-54	1	2		
55-59	2			
60-64	2	2		
65-69		4	1	
70-74	1	3		1
75-79	3			
80-84	2	1		
-- ICD 194.4 (1975) ----				
00-04		1	1	
05-09		1		
10-14	1			
15-19		2		
20-24	3	1		
25-29	1			
30-34			1	
35-39		1		
40-44	1			
45-49	1			
-- ICD 194.8 (1975) ----				
15-19	2			
20-24	1			
35-39			1	1
40-44	1			
45-49		1		
50-54		1		
65-69	1	1		
75-79	1			
80-84	1			
-- ICD 194.9 (1975) ----				
65-69		1		
-- ICD 195.0 (1975) ----				
10-14	1			
15-19	1	1		1
20-24		1		1
25-29		2		
30-34	1	2		2
35-39	3		1	
40-44	8	15	2	3
45-49	12	19	2	7
50-54	25	40	6	8
55-59	35	48	5	9
60-64	47	80	17	8
65-69	66	109	8	20
70-74	74	124	14	23

AGE	WM	WF	NM	NF
-- 195.0 (1975) CONTD---				
75-79	84	166	5	21
80-84	58	140	11	11
85-UP	50	171	1	4
-- ICD 195.1 (1975) ----				
10-14	1			
15-19	1	1		
20-24		2		
25-29		1		
30-34		1		
35-39	1	1		1
40-44	1	5		2
45-49	2	12	1	2
50-54		10	1	2
55-59	5	18		7
60-64	5	24	1	5
65-69	4	29		5
70-74	9	32		6
75-79	9	46		6
80-84	4	33	1	2
85-UP	3	33		6
-- ICD 195.9 (1975) ----				
00-04	1	1		
05-09	1			
10-14		1		
15-19	1	1	2	1
20-24		1		
25-29	9	2		
30-34	2	3		
35-39	3	2	1	
40-44	5	4		
45-49	13	6	8	5
50-54	46	23	7	5
55-59	52	17	14	3
60-64	72	35	7	3
65-69	64	29	9	8
70-74	62	40	3	3
75-79	65	35	2	1
80-84	44	28	9	
85-UP	50	47		1
-- ICD 196.0 (1975) ----				
25-29				1
40-44				1
45-49	1		1	
50-54	2	2		
55-59	4	2		
60-64	4	3	1	
65-69	7			
70-74	6	1	2	
75-79	1	6	2	
80-84	3	3		
85-UP	4	2		2
-- ICD 196.1 (1975) ----				
15-19		1		
35-39	1			
45-49		1	1	
50-54			1	
60-64	1	1	1	
65-69	1			
70-74	2			
75-79	1	1		
80-84	1			
85-UP	2			
-- ICD 196.2 (1975) ----				
55-59		1		
70-74	1	1		
80-84	1			
85-UP		1		
-- ICD 196.3 (1975) ----				
70-74	1			
75-79	2			
80-84		2		1
-- ICD 196.4 (1975) ----				
45-49	1			
55-59				1
60-64	1			
65-69		1		
70-74		1		
80-84		1		
85-UP		1		
-- ICD 196.7 (1975) ----				
45-49		1		
55-59		1	2	
65-69		2		
70-74		1		
75-79	1			
80-84		1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 196.8 (1975) ----				
15-19	1			
25-29	1			
45-49	2	1		
60-64	1		1	
65-69	2			
70-74		1		
75-79	1			
80-84		1		
85-UP		2		
-- ICD 196.9 (1975) ----				
15-19	1			
20-24	1		1	
35-39	1			1
40-44	1			
50-54	3	2	1	
55-59	4	1	1	
60-64	5	3		1
65-69	4	4		
70-74	4	2	1	1
75-79	5	3		
80-84	3	4		
85-UP	4	4		
-- ICD 197.0 (1975) ----				
00-04		1		
10-14	1			
15-19	1	2		
20-24	2	1		
25-29	5	1	1	
30-34	2	3		
35-39	3	3	1	
40-44	12	5		3
45-49	15	10	5	4
50-54	29	15	7	4
55-59	34	24	4	5
60-64	55	36	8	5
65-69	69	53	9	9
70-74	73	48	9	8
75-79	57	46	11	7
80-84	52	57	5	1
85-UP	25	42	2	4
-- ICD 197.1 (1975) ----				
35-39		1		
45-49		2		
50-54			1	
55-59	2			
60-64	2			
65-69	2		1	
70-74	4	2		
75-79	2	1		
80-84		1		
85-UP		1		
-- ICD 197.2 (1975) ----				
25-29	1			
35-39	1			1
40-44	1	1	1	
45-49	1	5	1	
50-54	4	4	4	
55-59	9	4	3	1
60-64	6	5	1	3
65-69	9	11	2	
70-74	10	22		
75-79	11	9	3	2
80-84	6	14		
85-UP	14	16		2
-- ICD 197.3 (1975) ----				
35-39	1			1
40-44	1			
45-49		1	1	1
50-54	2	1		
55-59	1	1	1	
60-64	1			
65-69	3	2	1	
70-74	2	2	1	
75-79	2	2	1	
80-84	1	2		
85-UP	1			
-- ICD 197.4 (1975) ----				
50-54	1			
55-59			1	
60-64	1		1	
65-69	1			
70-74	1	2		
75-79		2		
-- ICD 197.5 (1975) ----				
35-39		1		
45-49		1	1	
50-54	2	1	2	1
55-59	2	4		

AGE	WM	WF	NM	NF
-- 197.5 (1975) CONTD---				
60-64	6	6		
65-69	2	2		2
70-74	6	3		1
75-79	5	7		
80-84	4	4	2	
85-UP	2	7		
-- ICD 197.6 (1975) ----				
00-04		1		
20-24			1	
25-29	1	2		
35-39		2		
40-44		2		
45-49	3			
50-54	3	3	1	
55-59	4	7	1	1
60-64	6	9		
65-69	3	5	2	
70-74	5	14		
75-79	6	15		2
80-84	6	8		1
85-UP	4	8		
-- ICD 197.7 (1975) ----				
10-14				1
15-19		1	1	
20-24		2	2	
25-29	2	1		1
30-34	3	3	2	1
35-39	2	2	2	
40-44	8	9	4	2
45-49	31	23	5	6
50-54	51	38	18	9
55-59	81	84	19	9
60-64	130	100	26	8
65-69	168	131	34	22
70-74	173	138	25	28
75-79	141	177	18	14
80-84	106	152	10	11
85-UP	78	139	5	5
-- ICD 197.8 (1975) ----				
00-04	3	1	2	
10-14	2	3		1
15-19	2	2		
20-24	2	1	2	
25-29	1		3	
30-34	5	2		1
35-39	6	6	3	2
40-44	14	11	1	2
45-49	26	29	10	4
50-54	51	56	21	10
55-59	102	65	23	22
60-64	158	116	50	17
65-69	223	144	40	18
70-74	225	166	32	20
75-79	166	194	18	18
80-84	131	186	11	19
85-UP	91	123	10	10
-- ICD 197.9 (1975) ----				
25-29			1	
35-39	1			
45-49	1		1	
50-54	1	1		
55-59	3	1	2	1
60-64	2			
65-69	3	2	1	1
70-74	2	4	3	1
75-79	6	3		1
80-84	3	5		1
85-UP	1	5		1
-- ICD 198.0 (1975) ----				
40-44		1		
45-49		1		1
50-54	2		1	
55-59	1			
60-64	1			
65-69	1	1		
70-74	1	3		
75-79		1		
80-84	1			1
85-UP	1	1		
-- ICD 198.1 (1975) ----				
35-39				1
55-59		1		
60-64			1	
70-74		3		
80-84	2			
-- ICD 198.2 (1975) ----				
30-34	1			

AGE	WM	WF	NM	NF
-- 198.2 (1975) CONTD---				
35-39	1			
45-49		1		
50-54	3	1		
55-59	2	1		
60-64	6			
65-69	2	1	1	
70-74		3		
75-79	6	1	1	1
80-84	2	2		
85-UP	1	5		
-- ICD 198.3 (1975) ----				
05-09	1			
10-14		1		
25-29		2		
30-34	3	2	1	2
35-39	3	5	2	
40-44	14	11	1	1
45-49	24	14	4	4
50-54	35	31	6	2
55-59	45	41	7	7
60-64	50	42	7	4
65-69	52	46	6	3
70-74	36	38	1	1
75-79	28	25	4	
80-84	17	18		
85-UP	8	8		
-- ICD 198.4 (1975) ----				
25-29	1			
30-34		1		
40-44		2	1	
45-49	3	2		
50-54	1	4		2
55-59	4	5	2	
60-64	4	4	1	
65-69	6	8		
70-74	4			1
75-79	4	2		
80-84	1			
-- ICD 198.5 (1975) ----				
00-04	1			
15-19		2		
30-34		1	2	
35-39	3	1		
40-44	4	1	1	1
45-49	10	9		
50-54	15	6	1	
55-59	20	10	2	3
60-64	38	24	4	3
65-69	36	24	6	3
70-74	49	31	4	5
75-79	32	35	3	2
80-84	14	28	3	1
85-UP	15	26		2
-- ICD 198.9 (1975) ----				
00-04	1			
15-19	1			
20-24	1	2	1	
25-29	3	1		
30-34	1	2		2
35-39	1	3		
40-44	7	7	1	1
45-49	9	14	2	4
50-54	18	30	5	5
55-59	22	23	4	2
60-64	39	47	2	4
65-69	39	55	7	7
70-74	42	67	2	6
75-79	30	62	1	6
80-84	29	77	1	4
85-UP	28	68	2	5
-- ICD 199.0 (1975) ----				
00-04	3	2		2
05-09	1			1
10-14	4	6	1	3
15-19	16	4	1	2
20-24	26	18	4	5
25-29	29	17	6	2
30-34	37	32	10	12
35-39	48	51	19	23
40-44	102	95	26	33
45-49	194	210	58	55
50-54	389	366	93	77
55-59	566	493	107	97
60-64	787	596	123	106
65-69	900	668	134	110
70-74	814	751	135	132
75-79	688	761	79	87
80-84	483	696	51	54
85-UP	318	586	36	48

AGE	WM	WF	NM	NF
-- ICD 199.1 (1975) ----				
00-04	1	1		
05-09	2	1		
10-14	1	2		
15-19	3	5	1	1
20-24	2	2	3	1
25-29	9	4	1	1
30-34	8	3		4
35-39	7	6		1
40-44	13	8	4	8
45-49	37	18	16	10
50-54	60	52	23	7
55-59	73	56	20	30
60-64	114	81	34	28
65-69	132	77	36	25
70-74	131	80	21	28
75-79	119	87	25	15
80-84	67	84	18	10
85-UP	73	87	8	8
-- ICD 200.0 (1975) ----				
00-04	3	2		
05-09	3	1	1	1
10-14	5	3		1
15-19	22	10	2	
20-24	23	11	5	
25-29	24	10	3	
30-34	35	16	3	2
35-39	23	16	2	1
40-44	38	25	5	2
45-49	57	41	7	4
50-54	93	80	8	6
55-59	145	123	8	7
60-64	158	113	10	7
65-69	165	154	8	7
70-74	153	143	12	7
75-79	114	157	4	7
80-84	81	111	4	4
85-UP	47	77		4
-- ICD 200.1 (1975) ----				
00-04	9	1	1	2
05-09	20	4	5	1
10-14	13	6	4	2
15-19	32	14	3	2
20-24	24	9	3	3
25-29	15	9	2	
30-34	34	14	2	2
35-39	24	22	3	1
40-44	43	28	4	1
45-49	86	54	8	8
50-54	143	105	9	15
55-59	187	147	13	7
60-64	234	171	22	10
65-69	252	195	21	10
70-74	229	211	18	19
75-79	197	225	8	10
80-84	129	158	9	9
85-UP	74	124	5	2
-- ICD 201 --(1975) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1975) ----				
35-39			1	
40-44	1	1		
45-49	1			
50-54	2			
55-59	1	3		
60-64	2	4		
65-69	2	1		
70-74		2		
75-79	3	3		
80-84		1		
85-UP	1	1		
-- ICD 202.1 (1975) ----				
30-34		4		1
35-39	1		1	
40-44	1			
45-49	8	1	1	
50-54	1	3	1	1
55-59	2	3	1	2
60-64	4	6		1
65-69	7	6	2	
70-74	7	6	1	1
75-79	9	4	2	1
80-84	2	3	1	
85-UP	3	1		
-- ICD 202.2 (1975) ----				
00-04	8	1	5	1
05-09	30	7	4	4
10-14	37	9	3	
15-19	37	17	5	2
20-24	26	14	3	

AGE	WM	WF	NM	NF
-- 202.2 (1975) CONTD---				
25-29	20	19	4	4
30-34	33	21	1	3
35-39	41	30	4	5
40-44	63	37	8	4
45-49	104	61	9	13
50-54	164	113	17	9
55-59	209	157	26	14
60-64	286	199	24	16
65-69	306	264	20	17
70-74	280	295	16	12
75-79	269	294	13	14
80-84	149	218	8	9
85-UP	119	150	4	2
-- ICD 202.9 (1975) ----				
45-49		1		
60-64		1	1	
70-74	1			
75-79	1	1		
85-UP	1			
-- ICD 203 --(1975) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1975) ----				
00-04	86	55	9	12
05-09	151	106	15	11
10-14	96	63	9	10
15-19	87	43	9	8
20-24	50	28	3	1
25-29	18	16	3	4
30-34	13	12	3	
35-39	10	9		1
40-44	12	9	1	2
45-49	6	7	2	1
50-54	15	11		2
55-59	23	12	1	2
60-64	28	18	2	4
65-69	30	24	2	1
70-74	30	29	6	2
75-79	49	30	3	4
80-84	34	37	1	
85-UP	25	30	2	2
-- ICD 204.1 (1975) ----				
00-04		1		
05-09	1	3		
10-14		1		
25-29		1		
30-34	1			1
35-39	1	2		
40-44	10	2		
45-49	24	12	3	1
50-54	50	23	6	1
55-59	104	43	14	9
60-64	154	71	16	11
65-69	187	88	19	11
70-74	209	118	17	12
75-79	219	186	12	8
80-84	192	165	10	13
85-UP	172	149	13	6
-- ICD 204.9 (1975) ----				
00-04	2	3	1	
05-09	5	6		
10-14	2	1		
15-19	1	2		1
20-24	2	1		
25-29	1	1		
35-39	2	1		
40-44	3			1
45-49	2	3		1
50-54	8	5		
55-59	19	4		
60-64	30	15	1	
65-69	48	20	4	2
70-74	53	33	4	4
75-79	58	42	5	3
80-84	60	42	1	
85-UP	59	64	1	3
-- ICD 205.0 (1975) ----				
00-04	19	35	2	4
05-09	20	23	3	8
10-14	38	32	7	5
15-19	55	50	8	5
20-24	69	59	10	3
25-29	64	54	8	4
30-34	58	57	11	5
35-39	50	51	9	6
40-44	62	71	10	4
45-49	93	101	13	10
50-54	112	125	18	15
55-59	197	146	14	19
60-64	242	172	13	9

AGE	WM	WF	NM	NF
-- 205.0 (1975) CONTD---				
65-69	263	185	22	11
70-74	273	242	22	23
75-79	286	230	15	15
80-84	172	206	9	11
85-UP	118	130	5	4
-- ICD 205.1 (1975) ----				
00-04	11	2		
05-09	4	3		
10-14	5	5	2	
15-19	8	5	2	3
20-24	19	6	2	1
25-29	34	11	3	3
30-34	32	24	9	7
35-39	20	17	8	8
40-44	48	24	6	2
45-49	64	32	3	6
50-54	74	44	9	8
55-59	72	59	12	5
60-64	87	48	7	4
65-69	83	60	7	9
70-74	125	86	4	2
75-79	108	69	5	5
80-84	104	80	5	4
85-UP	65	77	4	3
-- ICD 205.9 (1975) ----				
00-04	4	2		
05-09	4			
10-14		3		
15-19	3	3		
20-24	2			
25-29		4		
30-34	5			1
35-39		5		
40-44	4	2	1	2
45-49	8	3		
50-54	7	4	1	3
55-59	12	9	1	2
60-64	22	12	1	
65-69	18	24	4	
70-74	38	38	2	1
75-79	42	42	1	2
80-84	39	33	3	2
85-UP	37	23		1
-- ICD 206.0 (1975) ----				
00-04	3	1	1	
05-09	5	2		
10-14	4	1		1
15-19	2	3	1	
20-24	3	1		
25-29	4	1		
30-34	1	3		
35-39	1	5		
40-44	1	3		1
45-49	5	8	1	1
50-54	11	12		
55-59	10	9	1	3
60-64	13	8	1	3
65-69	19	9	1	
70-74	31	12		
75-79	17	21	2	1
80-84	14	22		
85-UP	13	15		
-- ICD 206.1 (1975) ----				
00-04				1
45-49	1			
60-64	1			
65-69	1			
70-74	2			
75-79	1			
80-84	3	3		
85-UP	2			
-- ICD 206.9 (1975) ----				
00-04	1			
15-19			1	
20-24	1			
35-39	1			
40-44	2	2	1	
45-49	2	2		
50-54	4	1		
55-59	2	1		
60-64	6	2		
65-69	3	3		
70-74	11	6		1
75-79	8	7	1	
80-84	19	6		
85-UP	5	4	1	1
-- ICD 207.0 (1975) ----				
00-04	22	19	1	2
05-09	25	21	3	3

AGE	WM	WF	NM	NF
-- 207.0 (1975) CONTD---				
10-14	21	4	3	3
15-19	31	16	2	3
20-24	25	19	5	1
25-29	23	19	1	2
30-34	19	11	4	
35-39	17	12	2	4
40-44	27	18	2	2
45-49	25	24	1	3
50-54	30	34	4	2
55-59	60	46	13	5
60-64	67	54	8	3
65-69	109	62	9	6
70-74	109	73	6	1
75-79	91	80	9	5
80-84	66	58	2	2
85-UP	51	42	2	6
-- ICD 207.1 (1975) ----				
10-14	1			
25-29				1
35-39	1	1		
40-44	1			
45-49	3			
50-54	2	5		
55-59	2	4		
60-64	4	3	2	
65-69	7	6	1	2
70-74	13	8		
75-79	14	6		1
80-84	13	10		1
85-UP	10	12		
-- ICD 207.2 (1975) ----				
00-04	3	1		
05-09		1		
15-19	1			
20-24		1		
25-29	1			
30-34		1		1
35-39	1	1		
40-44	2			
45-49	2	2		
50-54	10	6		1
55-59	10	5	1	1
60-64	15	10	1	
65-69	14	15	3	1
70-74	18	15	2	
75-79	13	9	1	
80-84	13	11	1	1
85-UP	7	7		
-- ICD 207.9 (1975) ----				
00-04	14	15	6	4
05-09	19	17	2	3
10-14	12	11	6	1
15-19	4	3	1	1
20-24	6	5	1	2
25-29	4			3
30-34	9	3		1
35-39	8	5	4	
40-44	18	5	3	
45-49	24	10	4	3
50-54	22	9	5	4
55-59	43	30	4	6
60-64	41	28	14	4
65-69	78	33	13	9
70-74	79	58	8	11
75-79	98	74	7	7
80-84	75	56	7	4
85-UP	64	74	3	
-- ICD 208 --(1975) ----				
00-04			1	1
05-09	1			
10-14				1
20-24				1
25-29	1			
30-34	2	1		
35-39	1			
40-44	7	1	1	
45-49	7	1	1	
50-54	6	12	1	
55-59	28	15	3	
60-64	35	23	2	
65-69	40	31	2	
70-74	33	46		3
75-79	38	51	1	1
80-84	33	46		1
85-UP	14	21	1	1
-- ICD 209 --(1975) ----				
00-04	1	3		
05-09		1		
10-14		1		
15-19	1		1	1

AGE	WM	WF	NM	NF
-- 209 --(1975) CONTD---				
20-24	2	2		
25-29	3	5		
30-34	2	1	1	
35-39	4	1		1
40-44	3	3	1	2
45-49	10	7	3	1
50-54	23	18	4	1
55-59	42	26	4	3
60-64	71	28	4	3
65-69	91	73	5	6
70-74	103	83	4	5
75-79	100	88	1	5
80-84	61	74	4	1
85-UP	41	31		2
-- ICD 140.0 (1976) ----				
70-74	1	1		
-- ICD 140.1 (1976) ----				
35-39	1			
45-49	2			
55-59	2			
60-64	5			1
65-69	3			
70-74	4	2		
75-79	3			
80-84	1	1		
85-UP	5	2		
-- ICD 140.9 (1976) ----				
25-29	1			
40-44	3			
45-49	2			
50-54	1			
55-59	6	1		
60-64	10			
65-69	5	1		
70-74	20	2		
75-79	13	2		
80-84	12	3		
85-UP	13	1	1	1
-- ICD 141.0 (1976) ----				
15-19			1	
20-24	1	1		
35-39	1	1		
40-44	2	1	1	
45-49	9	3	5	1
50-54	18	7	5	1
55-59	23	7	5	
60-64	21	14	2	
65-69	19	13	5	1
70-74	15	6	3	
75-79	19	3	2	1
80-84	6	1	1	
85-UP	1	1		
-- ICD 141.2 (1976) ----				
65-69	1			
-- ICD 141.9 (1976) ----				
20-24	1	3		
25-29	3	3		
30-34	3	2	1	
35-39	7	4	1	
40-44	17	9	7	4
45-49	40	12	19	8
50-54	78	29	39	11
55-59	136	40	17	8
60-64	191	78	23	5
65-69	181	62	17	4
70-74	135	64	22	6
75-79	97	53	5	2
80-84	79	34	7	3
85-UP	56	56	3	1
-- ICD 142.0 (1976) ----				
10-14	1			
20-24	2			
25-29	2	1		
30-34	4	5	2	
35-39	1	3		
40-44	3	1	2	
45-49	14	4		1
50-54	15	6	3	
55-59	27	15	8	4
60-64	31	10	6	
65-69	27	25	4	
70-74	41	19	6	
75-79	40	16	2	1
80-84	32	27		2
85-UP	27	31	3	1
-- ICD 142.8 (1976) ----				
20-24		1		

AGE	WM	WF	NM	NF
-- 142.8 (1976) CONTD---				
45-49	3			1
50-54	2	2	1	
55-59	4	1	1	
60-64	3	4	2	
65-69	1	2		
70-74	10	5	1	
75-79	4	6		1
80-84	3	2		
85-UP	4	3		
-- ICD 142.9 (1976) ----				
15-19	1	1		
30-34	1	1		
40-44	2			
45-49	4	1	1	
50-54	6	6	1	
55-59	4	2		
60-64	3	5	1	
65-69	7	6	2	
70-74	2	4		
75-79	3	2		
80-84	5	4		
85-UP	3	3		
-- ICD 143.0 (1976) ----				
60-64	2	1	1	
80-84			1	
85-UP		1		
-- ICD 143.1 (1976) ----				
40-44	1			
45-49	1			
50-54	1			
55-59	2		1	
60-64	3	1	1	
65-69	2	2		
70-74	3	2		
75-79	2	1		
80-84	1			
85-UP		1		
-- ICD 143.9 (1976) ----				
15-19	1	1		
20-24		1		
35-39	1			
40-44	2	2	1	1
45-49	4	1		
50-54	3	1		1
55-59	1	8	1	1
60-64	4	6		
65-69	12	2		1
70-74	8	6	1	
75-79	8	6		
80-84	3	5		
85-UP	2	6		
-- ICD 144 --(1976) ----				
20-24	1			
35-39	4		2	1
40-44	3	1	3	1
45-49	19	2	7	2
50-54	35	11	11	6
55-59	47	13	9	6
60-64	75	26	5	1
65-69	57	20	8	3
70-74	34	8	4	1
75-79	26	14	4	1
80-84	14	9	2	
85-UP	9	9		
-- ICD 145.0 (1976) ----				
25-29			1	
30-34	2			
35-39	1			
40-44		1		
45-49	1	3	1	
50-54	5	1		
55-59	5	5	1	
60-64	4		1	
65-69	12	5	1	
70-74	6	7		2
75-79	4	10	1	
80-84	3	7		
85-UP	3	5		
-- ICD 145.1 (1976) ----				
30-34			1	
35-39			1	
40-44	4		3	1
45-49	7	6	3	1
50-54	16	6	6	1
55-59	21	8	6	3
60-64	42	16	3	1
65-69	31	14	4	2
70-74	22	12	8	

AGE	WM	WF	NM	NF
-- 145.1 (1976) CONTD---				
75-79	15	12		
80-84	18	10	1	
85-UP	13	9		1
-- ICD 145.8 (1976) ----				
40-44				1
45-49				1
50-54	1			1
55-59	3			
60-64	3			
65-69	5			1
70-74	1			
75-79		1		
85-UP	1			
-- ICD 145.9 (1976) ----				
15-19	1			
20-24	1			
30-34		3		
35-39				1
40-44	8	3	7	2
45-49	15	4	5	1
50-54	45	10	15	5
55-59	57	25	16	6
60-64	64	26	5	2
65-69	76	34	12	4
70-74	53	37	8	2
75-79	34	32	3	4
80-84	43	21		
85-UP	26	40	1	3
-- ICD 146.0 (1976) ----				
05-09		1		
10-14		1	1	
15-19			1	
20-24				1
25-29	1			
30-34			1	1
35-39	4	3	1	
40-44	8	2	5	1
45-49	27	9	10	2
50-54	47	18	13	9
55-59	61	38	17	6
60-64	86	34	20	3
65-69	70	29	5	4
70-74	58	19	6	2
75-79	30	10	1	
80-84	15	6	2	
85-UP	18	10	1	
-- ICD 146.8 (1976) ----				
25-29		1		
35-39			1	
40-44	1			
45-49	2		1	
50-54	2	3		
55-59	3		1	
60-64	2			1
65-69	6	1		
70-74	1	1	2	
75-79	2	2		
85-UP	1			
-- ICD 146.9 (1976) ----				
25-29			1	
35-39				1
40-44	3		1	1
45-49	5	3	7	3
50-54	26	6	7	2
55-59	22	8	7	1
60-64	31	13	3	3
65-69	34	10	1	1
70-74	26	8	5	
75-79	15	5	1	
80-84	9	7		1
85-UP	4	1		
-- ICD 147 --(1976) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1976) ----				
55-59				1
80-84		1		
-- ICD 148.1 (1976) ----				
35-39				1
40-44	2			1
45-49	10	2	3	
50-54	15	5	7	1
55-59	22	9	9	1
60-64	24	9	5	1
65-69	25	3	1	
70-74	19	9	3	
75-79	17		2	
80-84	4	1	3	
85-UP	5	1		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 148.9 (1976) ----				
35-39			1	
40-44	2	3	3	1
45-49	11	2	7	2
50-54	25	3	7	2
55-59	42	11	8	2
60-64	53	14	7	2
65-69	44	12	7	2
70-74	28	7	7	
75-79	17	2	4	
80-84	9	3	2	
85-UP	1	4		
-- ICD 149 --(1976) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1976) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1976) ----				
15-19	1			
25-29	2			
30-34	1			
35-39	4	1	1	1
40-44	3	1		1
45-49	10	1	1	
50-54	28	3	1	1
55-59	22	2		1
60-64	25	2	4	
65-69	38	14	3	1
70-74	39	10	1	
75-79	28	11	1	1
80-84	11	10		
85-UP	9	5		
-- ICD 151.1 (1976) ----				
50-54	1	1		
55-59		1		
60-64	1	1		
65-69	1	1		
75-79	2	3		
80-84	2	1		
85-UP		2		
-- ICD 151.8 (1976) ----				
25-29				1
35-39			1	
45-49	2	1	1	
50-54			1	
55-59	1		1	
60-64	5	1	1	
65-69	4	1	1	
70-74	5	1	1	1
75-79	8	5		
80-84	2	6		
85-UP	5	6		
-- ICD 151.9 (1976) ----				
00-04	1			1
15-19	1			
20-24	4	5	2	2
25-29	13	9	8	4
30-34	25	20	15	7
35-39	48	37	16	7
40-44	84	58	43	24
45-49	191	94	62	38
50-54	404	203	111	63
55-59	610	310	146	62
60-64	854	405	209	93
65-69	1094	594	257	119
70-74	1079	723	227	109
75-79	1110	831	204	138
80-84	909	826	121	69
85-UP	670	839	69	89
-- ICD 152.0 (1976) ----				
30-34	1			
35-39	1	1		
40-44	1		1	1
45-49	5	3	3	1
50-54	9	10	2	
55-59	12	5	1	2
60-64	15	8	1	1
65-69	16	16	1	
70-74	17	21	4	2
75-79	17	15	2	3
80-84	13	10	1	2
85-UP	4	12		2
-- ICD 152.1 (1976) ----				
30-34	1			
35-39		1		
40-44	3	1		
45-49		4		
50-54	5	4		1
55-59	6	4		1
60-64	10	4	1	1
65-69	8	3	1	
70-74	6	3	1	1
75-79	5	2		
80-84	4	1		
85-UP		3		
-- ICD 152.2 (1976) ----				
30-34	1			
35-39		1		
40-44	2	3		
45-49	2	1		
50-54	5	1		
55-59	2	1		
60-64	4	5		2
65-69	3	3		1
70-74	4	4		1
75-79	4	5	2	
80-84	3	2		
85-UP	4	5		
-- ICD 152.9 (1976) ----				
15-19		1		
20-24	1			
25-29		1		
30-34	1	1		
35-39	4	3	1	
40-44	5	4	1	1
45-49	6	2	1	1
50-54	16	18	1	2
55-59	12	16	6	1
60-64	23	12	3	4
65-69	16	12	9	
70-74	21	16	2	3
75-79	7	21	1	1
80-84	5	11	3	
85-UP	1	9	1	2
-- ICD 153.0 (1976) ----				
10-14		1		
20-24		2	1	
25-29	2	3		
30-34	3	3		1
35-39	12	11	3	1
40-44	15	16	1	4
45-49	32	41	4	4
50-54	65	51	5	11
55-59	112	102	8	9
60-64	160	152	12	20
65-69	233	253	18	30
70-74	240	304	27	28
75-79	230	372	17	26
80-84	225	413	8	25
85-UP	151	415	5	22
-- ICD 153.1 (1976) ----				
25-29	1	1		1
30-34	2	1		
35-39	4	3	1	
40-44	8	6	1	
45-49	17	7	1	1
50-54	30	12	1	7
55-59	32	30	7	5
60-64	51	44	3	8
65-69	60	50	4	5
70-74	74	67	7	8
75-79	70	84	4	4
80-84	53	78	2	5
85-UP	32	72	1	6
-- ICD 153.2 (1976) ----				
15-19			1	
20-24			1	
25-29	1		1	
30-34		2	1	
35-39		3		1
40-44	4	2	1	3
45-49	12	10		2
50-54	14	15	2	5
55-59	16	32	2	3
60-64	40	49	7	6
65-69	56	48	9	9
70-74	55	54	5	6
75-79	55	48	7	7
80-84	53	51	7	3
85-OP	33	64	3	5
-- ICD 153.3 (1976) ----				
25-29	2	2	2	
30-34	5	2	1	1
35-39	6	7	1	2
40-44	13	12		2
45-49	31	31	2	5
50-54	63	63	9	5
55-59	112	120	12	8
60-64	168	187	12	14
65-69	240	217	16	17
70-74	268	279	26	20
75-79	278	317	19	17
80-84	225	265	14	17
85-UP	190	235	10	15
-- ICD 153.8 (1976) ----				
00-04	1	1		
05-09		1		
10-14		1		
15-19	6	4	3	3
20-24	8	10	3	4
25-29	36	28	8	7
30-34	45	46	8	11
35-39	80	103	16	26
40-44	166	175	25	27
45-49	384	353	33	67
50-54	679	691	98	124
55-59	1055	1053	141	142
60-64	1700	1560	171	194
65-69	2167	1969	211	235
70-74	2188	2236	191	264
75-79	1963	2264	198	214
80-84	1557	2035	115	120
85-UP	1025	1926	99	123
-- ICD 153.9 (1976) ----				
25-29		2	1	
30-34	3	1		
35-39	4	5		1
40-44	11	16	1	
45-49	15	20		6
50-54	34	38	6	2
55-59	52	63	7	6
60-64	75	77	2	10
65-69	91	114	9	14
70-74	126	170	9	7
75-79	105	155	7	10
80-84	111	157	6	3
85-UP	87	176	4	11
-- ICD 154.0 (1976) ----				
20-24		1		
25-29	1	1	1	
30-34		1		
35-39	4	2	1	
40-44	5	6	4	
45-49	13	12	1	
50-54	37	28	2	7
55-59	52	48	4	4
60-64	72	62	14	5
65-69	106	77	10	10
70-74	94	97	5	11
75-79	107	101	4	8
80-84	82	86	5	3
85-UP	67	81	3	6
-- ICD 154.1 (1976) ----				
15-19			1	
20-24	3	4	2	
25-29	2	1	2	1
30-34	15	10	4	4
35-39	16	21	4	
40-44	43	33	13	8
45-49	99	89	18	20
50-54	246	158	25	28
55-59	376	237	44	29
60-64	505	328	57	40
65-69	634	420	64	44
70-74	691	479	70	47
75-79	594	485	39	44
80-84	483	510	37	27
85-UP	401	516	18	27
-- ICD 154.2 (1976) ----				
45-49	3	1		
50-54	1	4		
55-59	1	4		
60-64	1	2	1	
65-69	4	3	1	1
70-74	4	4	1	
75-79	3	3	1	
80-84	6	4		1
85-UP	2	8		
-- ICD 155.0 (1976) ----				
00-04	13	10	2	1
05-09	1	3	1	
10-14	5	1	1	1
15-19	5	2	6	
20-24	7	9	2	3
25-29	8	5	4	1
30-34	3	5	9	5
35-39	12	6	6	2
40-44	11	6	10	2
45-49	44	16	21	8
50-54	79	33	29	18
55-59	116	61	52	11
60-64	179	65	49	20
65-69	213	77	53	14
70-74	187	100	47	18
75-79	156	82	33	6
80-84	97	88	13	9
85-UP	51	47	4	5
-- ICD 155.1 (1976) ----				
20-24	1		1	
25-29	2			
30-34	2	2		
35-39	3	3		
40-44	3	2		
45-49	8	9	2	2
50-54	13	6	3	2
55-59	24	16	1	
60-64	28	16	2	1
65-69	22	16	6	1
70-74	27	19	3	
75-79	16	23	2	2
80-84	8	13		
85-UP	2	7		
-- ICD 156.0 (1976) ----				
25-29	1	1		
30-34	1	1		
35-39	2	2	1	1
40-44	8	11		1
45-49	8	28		4
50-54	28	51	1	11
55-59	43	89	7	12
60-64	67	166	12	10
65-69	81	206	3	19
70-74	105	289	11	20
75-79	118	319	9	15
80-84	82	274	6	6
85-UP	59	201	1	6
-- ICD 156.1 (1976) ----				
05-09	1			
15-19		1		
25-29	1	1		
30-34		1		
35-39	2	5		
40-44	9	13		2
45-49	11	15	2	1
50-54	29	19	2	8
55-59	43	45	4	6
60-64	77	58	13	8
65-69	75	85	6	3
70-74	109	104	6	4
75-79	76	99	2	8
80-84	60	78	6	2
85-UP	42	53	1	
-- ICD 156.2 (1976) ----				
35-39		1		1
40-44	1	3		
45-49	7	3	1	
50-54	8	6		
55-59	13	8	2	1
60-64	21	16	1	1
65-69	19	20	1	1
70-74	23	21	1	2
75-79	23	17	1	
80-84	21	18	1	2
85-UP	9	16		
-- ICD 156.9 (1976) ----				
30-34	2	2		
35-39	2	1	1	1
40-44	4	3		1
45-49	3	5		1
50-54	7	5	1	
55-59	14	11	3	2
60-64	16	21	2	1
65-69	25	31	4	4
70-74	23	40	5	6
75-79	18	31	1	1
80-84	10	19		3
85-OP	10	26	2	
-- ICD 157.0 (1976) ----				
25-29		2		
30-34			1	
35-39	2		1	
40-44	7	4		
45-49	16	9	2	2
50-54	35	12	11	7
55-59	67	35	4	4
60-64	102	57	15	14
65-69	127	74	17	18
70-74	154	98	21	22
75-79	132	133	10	13
80-84	124	125	12	14
85-UP	85	133	8	11
-- ICD 157.8 (1976) ----				
30-34		1		
40-44	4	3		
45-49	4	2	2	1
50-54	11	10		
55-59	13	10	2	1
60-64	22	10	6	1
65-69	31	10	4	2
70-74	23	26	8	3
75-79	24	21	1	1
80-84	15	12	1	
85-UP	3	9	1	2
-- ICD 157.9 (1976) ----				
10-14	1	3		
20-24	4	2	2	
25-29	7	7	3	3
30-34	20	14	5	2
35-39	43	35	4	6
40-44	136	74	20	15
45-49	323	181	55	41
50-54	558	343	92	69
55-59	851	632	146	96
60-64	1251	842	163	137
65-69	1468	1064	198	154
70-74	1356	1275	183	143
75-79	1115	1188	129	120
80-84	834	927	50	54
85-OP	455	710	38	48
-- ICD 158.0 (1976) ----				
00-04	1	1		
05-09	1			1
15-19	1	1	1	
20-24	6	3	1	1
25-29	6	1		
30-34	4	2		
35-39	8	5	1	
40-44	9	7	1	1
45-49	12	7	1	
50-54	15	11	1	3
55-59	28	10	1	4
60-64	28	26	1	2
65-69	34	29	1	6
70-74	30	33	3	2
75-79	24	30	1	3
80-84	27	25		4
85-UP	12	9		
-- ICD 158.9 (1976) ----				
20-24	1		1	
30-34	2	2		
35-39	2			
40-44	2	2	1	1
45-49	4	5		1
50-54	12	9	1	
55-59	17	11		1
60-64	17	21	1	5
65-69	14	25	3	3
70-74	18	14	1	1
75-79	10	18	2	
80-84	3	27		
85-UP	2	16	1	2
-- ICD 159 --(1976) ----				
20-24				1
25-29		1		
30-34	2			
35-39	2	1	1	1
40-44	9	2		1
45-49	7	4		1
50-54	12	9	3	2
55-59	28	12	4	3
60-64	34	18	3	5
65-69	30	25	5	5
70-74	42	34	10	5
75-79	45	42	10	6
80-84	50	65	1	6
85-OP	50	78	6	7
-- ICD 160.0 (1976) ----				
05-09		1		
25-29		2		
35-39	1	1	1	
40-44	5			
45-49	2	2		
50-54	5	2		1
55-59	6	5	1	
60-64	10	4	1	

AGE	WM	WF	NM	NF
-- 160.0 (1976) CONTD---				
65-69	15	6		
70-74	16	8		
75-79	20	4		1
80-84	8	5		
85-UP	11	13		
-- ICD 160.1 (1976) ----				
05-09	1	1		
45-49		1		
50-54		1		
55-59	2	2		
60-64	1	2		
65-69	2	4		
70-74	1			
75-79	1	1		
80-84		1		
85-UP	1			
-- ICD 160.2 (1976) ----				
15-19			1	
20-24	1			
25-29	1	1		
30-34	1	1	1	
35-39	2	2	2	
40-44	5	2		
45-49	9	2	2	1
50-54	16	3		4
55-59	14	12	3	1
60-64	15	12	6	3
65-69	19	16	5	3
70-74	21	15	3	2
75-79	13	7	1	2
80-84	21	17	1	3
85-UP	9	7	1	
-- ICD 160.8 (1976) ----				
05-09	1			
20-24			1	
25-29	1			
30-34			1	
35-39		1		
45-49	2	1		
50-54	2			1
55-59	7	2	1	
60-64	5	3	1	
65-69	4	2	2	
70-74	7	3		
75-79	2	1		
80-84	8	1		
85-UP	1	1		
-- ICD 160.9 (1976) ----				
00-04	1			
10-14		1		
20-24	1			
25-29		1		
30-34		1		
45-49	1	1		
50-54	5	1	1	
55-59	3	1	1	
60-64	6	5	1	1
65-69	4	3	1	1
70-74	7	2		2
75-79	5	3	2	
80-84	3			
85-UP	2	6		
-- ICD 161.0 (1976) ----				
35-39			1	
45-49			1	
50-54	4	1		
55-59	7	1	2	1
60-64	6	3	3	1
65-69	8	2		1
70-74	9	1	1	
75-79	6	1	1	
80-84	2		1	
85-UP	3	1		
-- ICD 161.8 (1976) ----				
35-39	3			
40-44	3		1	
45-49	5	1	4	2
50-54	9	3	2	4
55-59	22	3	2	
60-64	31	6	4	2
65-69	21	5	4	1
70-74	14	1	1	
75-79	10	7	2	
80-84	9	1		
85-UP	1			
-- ICD 161.9 (1976) ----				
00-04		1		
20-24		1		

AGE	WM	WF	NM	NF
-- 161.9 (1976) CONTD---				
25-29	1		1	
30-34			1	
35-39	6	3	8	
40-44	21	10	16	1
45-49	72	17	37	7
50-54	164	44	55	11
55-59	282	81	65	11
60-64	403	89	45	10
65-69	429	68	52	13
70-74	336	44	49	8
75-79	248	32	19	1
80-84	152	20	16	
85-UP	121	21	6	1
-- ICD 162.0 (1976) ----				
30-34				1
35-39	1		1	
40-44	1	2		1
45-49	7	3	3	
50-54	6	5	3	
55-59	11	4	3	
60-64	20	7	2	
65-69	16	7	1	2
70-74	6	5	2	1
75-79	5	3	3	
80-84	1	1	1	
85-UP	5	4		1
-- ICD 162.1 (1976) ----				
00-04	1	2	1	
05-09	1			
10-14		2		1
15-19	8	3	1	
20-24	16	9	1	
25-29	20	22	7	6
30-34	100	65	16	10
35-39	327	181	52	36
40-44	935	474	227	91
45-49	2393	1105	546	186
50-54	4666	1927	912	265
55-59	7180	2623	1161	272
60-64	9831	3105	1318	259
65-69	11033	2982	1236	237
70-74	9685	2301	948	220
75-79	6823	1775	544	135
80-84	3726	1160	275	77
85-UP	1672	859	145	63
-- ICD 163.0 (1976) ----				
20-24	2			
25-29		1		
30-34			1	
35-39	1			
40-44	3	1	1	
45-49	7	3	1	
50-54	15	6	3	1
55-59	22	6	1	
60-64	34	11	3	1
65-69	37	16	1	1
70-74	26	15	8	
75-79	22	16		
80-84	13	8	1	1
85-UP	8	6		
-- ICD 163.1 (1976) ----				
00-04	3			
15-19	4			
20-24	4	1		
25-29	7			
30-34	4			
35-39	5	2	1	2
40-44	5	5	2	1
45-49	11	4	4	1
50-54	15	9	2	1
55-59	18	9	2	1
60-64	30	10		3
65-69	22	10	1	2
70-74	23	13	2	
75-79	15	8		3
80-84	8	4	1	2
85-UP	10	8		1
-- ICD 163.9 (1976) ----				
00-04		1		
15-19	1	2		
20-24	2			
25-29		1		
35-39		1		
40-44	2	1		
45-49			2	
50-54	8	2		
55-59	16	2	3	1
60-64	9	2	3	1
65-69	16	8	3	2
70-74	17	9	1	1

AGE	WM	WF	NM	NF
-- 163.9 (1976) CONTD---				
75-79	15	4	2	1
80-84	10	2	1	1
85-UP	5	3		2
-- ICD 170.0 (1976) ----				
00-04			1	
05-09	2	1		
10-14	1			
15-19	2	3		1
25-29	1			
30-34	2			
35-39	1	4	1	1
40-44	3		1	
45-49	4	3	2	2
50-54	7	9	2	2
55-59	22	8	5	1
60-64	23	10	4	1
65-69	22	12		
70-74	15	13	3	3
75-79	17	10	1	1
80-84	14	11		
85-UP	16	17	1	1
-- ICD 170.1 (1976) ----				
00-04	1			
05-09		1	1	
20-24	1	1		
25-29			1	1
30-34		1		
35-39	1	1	1	
40-44	1	1		1
45-49	2		1	2
50-54	7	4	2	
55-59	11	5		2
60-64	10	2	2	1
65-69	15	7	1	
70-74	11	7	1	2
75-79	13	7	2	
80-84	10	12	1	
85-UP	10	13		1
-- ICD 170.2 (1976) ----				
15-19	1	1		
20-24	3		1	
25-29	2	1		1
30-34				1
35-39	1	1		
40-44	1			
45-49	1	2	2	2
50-54	6	5	1	1
55-59	12	5	1	4
60-64	14	10	1	3
65-69	16	11		
70-74	15	12	1	1
75-79	9	15	1	1
80-84	6	7	1	1
85-UP	1	6		
-- ICD 170.3 (1976) ----				
05-09		1		
10-14	1			
15-19	1			
20-24	1			
35-39	2			1
40-44	1	1		
45-49		2		
50-54	4	2		
55-59	5		1	1
60-64	2	3	1	
65-69	5	2		1
70-74	7	2	1	
75-79	5	4		
80-84	5	5		
85-UP	2	1		
-- ICD 170.4 (1976) ----				
05-09	1	1		
10-14		1		
15-19	5	1		1
20-24	2	2	1	
30-34		1		
35-39	2			
40-44	1		1	
50-54	3	1		
55-59	2	3	1	
60-64	2	3		
65-69	3	1		
70-74	5		1	1
80-84	5	2		
85-UP	2	3		
-- ICD 170.5 (1976) ----				
15-19	2			

AGE	WM	WF	NM	NF
-- ICD 170.6 (1976) ----				
00-04	2			
10-14	2	1		
15-19	4	6	2	1
20-24	6	2		
25-29	4	2		
35-39	3			
40-44		1		
45-49	3	2		
50-54	2	5	1	
55-59	4	6		
60-64	6	5	1	
65-69	2	4		
70-74	5	7	1	
75-79	4	2		
80-84	4	9		1
85-UP	4			
-- ICD 170.7 (1976) ----				
00-04			1	
05-09		3		
10-14	8	2	2	2
15-19	21	6	2	2
20-24	4	4	2	
25-29	5	2		
30-34	3	3		
35-39	2	4		
40-44	2			1
45-49	1	1		1
50-54	4		1	1
55-59	4	5		
60-64	5	5	1	1
65-69	10	4		
70-74	5	6	2	1
75-79	5	3	1	
80-84	4	8		
85-UP	2	5	1	
-- ICD 170.8 (1976) ----				
10-14				1
15-19	1			
20-24			1	
70-74		1		
75-79			1	
80-84		1		
85-UP	1	1		
-- ICD 170.9 (1976) ----				
00-04	2	1		
05-09	13	6	2	1
10-14	28	22	6	5
15-19	65	22	9	1
20-24	33	14	4	1
25-29	19	11	2	1
30-34	9	11	1	2
35-39	8	2		
40-44	5	2	1	1
45-49	10	12	3	2
50-54	11	13		3
55-59	18	11		2
60-64	22	12	5	6
65-69	29	18		1
70-74	35	23	4	2
75-79	26	28	3	3
80-84	21	14		1
85-UP	9	12	2	2
-- ICD 171.0 (1976) ----				
00-04	1	1	1	
10-14			1	
15-19	1			1
20-24				1
25-29		1		
45-49	1			
50-54	1			
55-59	3	2		
60-64	4		1	
65-69	4	1		
70-74	2	4		
75-79	2			
80-84		2		
85-UP	2	4		
-- ICD 171.1 (1976) ----				
05-09		2		
10-14	2	1		1
15-19	4	3		
20-24	4	2	1	
25-29		5		
30-34	1	2		
35-39	2	2	2	
40-44	5	4		
45-49	4	3	1	
50-54	10	3		1
55-59	10	13	1	3
60-64	11	13	2	

AGE	WM	WF	NM	NF
-- 171.1 (1976) CONTD---				
65-69	9	12		1
70-74	10	16		1
75-79	12	14	2	1
80-84	7	10		1
85-UP	5	5		
-- ICD 171.2 (1976) ----				
05-09	1			
15-19	2	1	1	
35-39			1	
45-49	1	1		1
50-54	2	2		
55-59	2			
60-64	2	5		1
65-69	4	4	1	
70-74	4	1		1
75-79	3	3		
80-84				2
85-UP	2	1		
-- ICD 171.3 (1976) ----				
05-09			1	
10-14	1			
15-19	2	1	3	
20-24	5	3		
25-29	5	2	1	
30-34	2	2	1	
35-39	3			
40-44	1	2	1	1
45-49	5	5	1	1
50-54	10	1	3	3
55-59	7	9	1	1
60-64	8	4	1	4
65-69	9	12	1	1
70-74	8	17	1	1
75-79	8	9		8
80-84	14	8	1	
85-UP	3	14		
-- ICD 171.9 (1976) ----				
00-04	7	9	1	2
05-09	14	4	2	1
10-14	6	8	1	5
15-19	12	12		
20-24	8	7	2	
25-29	11	9	2	
30-34	11	14	1	2
35-39	19	8	3	1
40-44	22	11	1	6
45-49	16	24	4	2
50-54	30	40	2	4
55-59	37	46	8	8
60-64	56	43	5	6
65-69	39	56	4	7
70-74	43	58	6	8
75-79	31	35	4	1
80-84	28	39	1	2
85-UP	23	20		2
-- ICD 172.0 (1976) ----				
65-69	1			
70-74	1			
-- ICD 172.1 (1976) ----				
60-64	1			
65-69	1			
-- ICD 172.2 (1976) ----				
35-39	2			
40-44	1			
50-54	1	1		
55-59	2			
60-64	4			
65-69	3	1		
70-74	3			
75-79	2			
80-84	1	1		
-- ICD 172.3 (1976) ----				
15-19	1			
25-29	1	1		
30-34	2			
35-39	2	1		
40-44		1		
45-49	3			
50-54				1
55-59	3	1		
60-64	7	1		
65-69	2	5		
70-74	6	5		
75-79	2	4		
80-84	6	6		
85-UP	8	10		

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- ICD 172.4 (1976) ----				
15-19	1		2	
20-24	3			
25-29	2			
30-34	1	1		
35-39	6			
40-44		2		
45-49	2	3		
50-54	1			
55-59	8	3		
60-64	5	2		
65-69	3	1		
70-74	6	6		
75-79	1	2		
80-84	3	2		
85-UP	1			
-- ICD 172.6 (1976) ----				
15-19	2	1		
20-24	3	2		1
25-29	5	4		
30-34	7	8		
35-39	9	6		
40-44	5	7		
45-49	16	10		
50-54	26	10		
55-59	30	11		
60-64	25	7		
65-69	15	9	1	1
70-74	19	8		
75-79	9	4		
80-84	5	6		
85-UP	3	6		
-- ICD 172.7 (1976) ----				
20-24		1		
25-29	4	4		
30-34	5	2		
35-39	4			
40-44	8	5		
45-49	6	2		
50-54	10	6		
55-59	12	5		
60-64	13	3		
65-69	11	7		
70-74	5	6		
75-79	12			
80-84	3	3		
85-UP	1	2		
-- ICD 172.8 (1976) ----				
15-19		1		
20-24		1		
25-29	3	1		
30-34	1	6		
35-39	3	5		
40-44	1	8	1	
45-49	7	9	1	
50-54	6	11		
55-59	4	5		
60-64	9	12	3	
65-69	10	16	2	
70-74	8	12	3	
75-79	10	16		
80-84	5	11	1	1
85-UP	6	6		
-- ICD 172.9 (1976) ----				
00-04	1			
15-19	12	2		
20-24	31	31		1
25-29	77	49		
30-34	89	63	1	
35-39	93	86		
40-44	115	78	4	1
45-49	173	118	3	1
50-54	206	126	6	3
55-59	224	140	2	
60-64	215	136	8	2
65-69	190	165	8	11
70-74	161	136	2	4
75-79	129	121	4	
80-84	83	100	3	4
85-UP	70	81	2	6
-- ICD 173.0 (1976) ----				
55-59	1			
60-64	3			
65-69	2			
70-74	2			
75-79	4			
85-UP	3			1
-- ICD 173.1 (1976) ----				
55-59	1			
70-74	1			
75-79	1			
80-84				
85-UP	2	2		
-- ICD 173.2 (1976) ----				
20-24		1		
45-49	1	1		
50-54	3	2		
55-59	3	2		
60-64	4	2		
65-69	8	3		1
70-74	12	3		
75-79	7			
80-84	5	1		1
85-UP	12	8		
-- ICD 173.3 (1976) ----				
30-34	1	2		
35-39	1			
40-44	2	1	1	
45-49	6	3	4	1
50-54	9	2	1	1
55-59	17	11	2	1
60-64	27	8	1	
65-69	25	14		
70-74	31	9	2	4
75-79	51	24	1	
80-84	41	39	1	1
85-UP	67	109		2
-- ICD 173.4 (1976) ----				
20-24	3			
30-34	1			1
35-39	1			
40-44	3		1	
45-49	7	4	1	1
50-54	17	1	3	1
55-59	22	3	3	1
60-64	28	11	1	
65-69	28	12	3	
70-74	29	10	1	1
75-79	30	6		1
80-84	14	11	1	
85-UP	19	27		
-- ICD 173.5 (1976) ----				
45-49			1	
60-64	2			
65-69			1	
70-74	5			
75-79	2			
80-84	1			
-- ICD 173.6 (1976) ----				
05-09	1			
20-24		1		
25-29	1	1		
30-34				1
35-39	1	3		
40-44	2	3	1	
45-49	4	5		1
50-54	6	6	1	
55-59	11	17	1	2
60-64	19	13	4	2
65-69	16	21	2	1
70-74	9	14	2	3
75-79	10	10		1
80-84	11	9		1
85-UP	10	13		
-- ICD 173.7 (1976) ----				
25-29	1			
45-49		1		
50-54	3			
55-59	1			
60-64	2			
65-69	1			
70-74	2	1		
75-79	7	3		
80-84	6	3		
85-UP	5	2		
-- ICD 173.8 (1976) ----				
20-24	1			
25-29	1			
35-39				1
40-44	2			
45-49	2	1	1	
50-54		1		
55-59	4			1
60-64	2	2		
65-69	3	4		
70-74	4	2		
75-79	2	5	1	
80-84	6	3		
85-UP	4	5		1
-- ICD 173.9 (1976) ----				
10-14		1		
15-19	1			
25-29	2	2		
30-34		3		
35-39	4	2	1	
40-44	5	1	1	1
45-49	8	4	1	
50-54	8	9	1	
55-59	14	2	1	2
60-64	14	6	4	1
65-69	15	6		1
70-74	16	11		2
75-79	18	8	1	
80-84	15	13	1	
85-UP	16	23		
-- ICD 174 --(1976) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1976) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1976) ----				
10-14		1		
15-19		2		2
20-24		3		
25-29		6		1
30-34		7		1
35-39		1		1
40-44		3		1
45-49		1		2
50-54		1		
55-59		1		1
60-64		2		
65-69				1
-- ICD 182.0 (1976) ----				
20-24				1
25-29		2		1
30-34		5		
35-39		13		1
40-44		26		
45-49		39		10
50-54		121		14
55-59		253		38
60-64		358		67
65-69		404		62
70-74		354		42
75-79		348		31
80-84		261		18
85-UP		146		12
-- ICD 182.9 (1976) ----				
15-19		1		
20-24		1		2
25-29		6		2
30-34		4		2
35-39		26		11
40-44		44		13
45-49		78		16
50-54		150		30
55-59		214		54
60-64		324		62
65-69		364		84
70-74		415		74
75-79		374		44
80-84		339		43
85-UP		288		33
-- ICD 183.0 (1976) ----				
05-09		4		
10-14		7		2
15-19		29		6
20-24		20		4
25-29		32		8
30-34		67		13
35-39		132		14
40-44		268		27
45-49		619		64
50-54		1034		76
55-59		1251		119
60-64		1360		126
65-69		1491		124
70-74		1287		97
75-79		1051		72
80-84		787		50
85-UP		451		19
-- ICD 183.1 (1976) ----				
25-29		1		
40-44		4		
45-49		12		2
50-54		20		5
55-59		23		3
60-64		25		7
65-69		26		
70-74		10		
75-79		8		
80-84		4		1
85-UP		3		1
-- ICD 183.9 (1976) ----				
35-39		1		
70-74				1
75-79		1		
80-84		1		
-- ICD 184.0 (1976) ----				
15-19		2		
20-24		2		
25-29		2		
35-39		4		
40-44		7		2
45-49		5		4
50-54		13		3
55-59		26		3
60-64		31		7
65-69		32		6
70-74		55		4
75-79		50		8
80-84		39		8
85-UP		57		3
-- ICD 184.1 (1976) ----				
15-19		1		
25-29		2		
35-39		1		
40-44		3		2
45-49		10		3
50-54		13		3
55-59		28		4
60-64		29		6
65-69		59		3
70-74		66		3
75-79		95		6
80-84		70		2
85-UP		103		7
-- ICD 184.8 (1976) ----				
50-54		1		
65-69		1		
75-79				1
80-84		1		
-- ICD 184.9 (1976) ----				
30-34		1		
40-44		3		
45-49		1		1
50-54		2		
55-59		6		
60-64		4		1
65-69		15		2
70-74		13		1
75-79		8		1
80-84		8		
85-UP		7		
-- ICD 185 --(1976) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1976) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1976) ----				
25-29	1			
35-39	4		1	
40-44	7		2	
45-49	8		3	
50-54	12		1	
55-59	10		6	
60-64	16		11	
65-69	25		10	
70-74	29		3	
75-79	23		9	
80-84	13		3	
85-UP	20		4	
-- ICD 187.8 (1976) ----				
20-24			1	
25-29	1			
30-34	1			
40-44			1	
50-54	1			
55-59	2			
60-64	2			
65-69	1			
70-74	3			
75-79	2			
80-84	1			
-- ICD 187.9 (1976) ----				
55-59	1		1	
65-69	1			
70-74	3			
75-79	6		1	
80-84	1			
85-UP	2			
-- ICD 188 --(1976) ----				
00-04	1	2		
05-09		1		
15-19	1			
20-24	1			
25-29	3	1		
30-34	7	3	1	2
35-39	7	8	1	2
40-44	27	15	2	4
45-49	71	34	10	7
50-54	201	54	26	16
55-59	385	117	60	18
60-64	623	182	81	34
65-69	918	267	94	51
70-74	1107	389	76	50
75-79	1173	447	79	53
80-84	955	512	42	43
85-UP	761	570	45	32
-- ICD 189.0 (1976) ----				
00-04	19	14	2	6
05-09	14	18	7	5
10-14	3	4		3
15-19	6	4	3	2
20-24	5	8	2	2
25-29	10	7	3	
30-34	14	14	2	5
35-39	36	19	3	4
40-44	82	31	13	6
45-49	202	93	29	11
50-54	346	155	37	23
55-59	501	206	44	16
60-64	578	291	51	17
65-69	677	378	58	33
70-74	535	330	40	27
75-79	400	349	24	17
80-84	291	226	11	23
85-UP	169	189	10	4
-- ICD 189.1 (1976) ----				
30-34	1			
35-39		1		
45-49	1	1		
50-54	4	3		
55-59	9	2	1	
60-64	13	2	2	
65-69	13	6		
70-74	5	9	2	
75-79	6	3		
80-84	7	2		
85-UP	2	4	1	
-- ICD 189.2 (1976) ----				
35-39		1		
40-44		1		
45-49	3	6		
50-54	11	2	1	
55-59	19	7		1
60-64	13	7	2	
65-69	21	12	1	
70-74	23	18	2	
75-79	26	20	1	
80-84	13	12		1
85-UP	8	12		3
-- ICD 189.9 (1976) ----				
25-29		1		
30-34	1	2		
35-39	1	2		
40-44	4	2		1
45-49	1			1
50-54	3	6	2	3
55-59	10	10	3	2
60-64	7	5	2	8
65-69	7	8	3	6
70-74	8	8	2	3
75-79	7	11	3	1
80-84	7	11	1	2
85-UP	12	13	2	1
-- ICD 190 --(1976) ----				
SEE PAGES 238 - 243				

AGE	WM	WF	NM	NF
-- ICD 191 --(1976) ----				
00-04	49	40	6	7
05-09	64	56	15	14
10-14	79	49	9	11
15-19	56	41	13	5
20-24	54	43	10	9
25-29	68	69	2	5
30-34	88	69	6	9
35-39	121	92	10	5
40-44	151	98	18	5
45-49	272	176	16	14
50-54	339	277	29	19
55-59	487	334	31	21
60-64	531	433	32	16
65-69	517	419	29	19
70-74	364	316	18	11
75-79	212	218	13	10
80-84	73	101	2	3
85-UP	30	44	3	3
-- ICD 192.0 (1976) ----				
00-04	1	2		
10-14		2	1	
15-19	1	1		
20-24		2		
25-29	1	1		
40-44	1	1		
50-54	1			
65-69	3			
70-74	1			
85-UP			1	
-- ICD 192.1 (1976) ----				
25-29	2			
35-39	1	1	1	
40-44		1		
45-49	1			
50-54	1	4		
55-59	5			1
60-64	2	2	1	
65-69	4	3	1	1
70-74	2	3		
75-79		1		
80-84		1		
85-UP		2		
-- ICD 192.2 (1976) ----				
00-04	1	2		
05-09	1	2		
10-14	2	2	1	1
15-19		2	1	2
20-24	2	1		1
25-29		5		
30-34	2	3	1	2
35-39	2	3		2
40-44	2	1		1
45-49	4			
50-54	2	3		1
55-59	1	3		
60-64	3	4	2	1
65-69	7	2	1	
70-74	4	3	2	
75-79	4	7		
80-84	1	3		
85-UP	2	1		
-- ICD 192.3 (1976) ----				
50-54		1		
-- ICD 192.4 (1976) ----				
00-04	1	1		
05-09	2	2		
10-14	1			1
15-19	4	2	1	2
20-24	7		5	1
25-29	5	7	3	1
30-34	7	3	2	
35-39	5	2		1
40-44	9	3	1	
45-49	6	4	1	
50-54	5	7		
55-59	4	5		
60-64	4	2		
65-69	4	5		
70-74	1			1
75-79	7	4		
80-84	1	1		
85-UP	2			
-- ICD 192.5 (1976) ----				
00-04	63	60	8	10
05-09	32	23	9	1
10-14	10	4		
15-19	6	2		3
20-24	3	1		1
25-29	1			1

AGE	WM	WF	NM	NF
-- 192.5 (1976) CONTD---				
30-34		4		
35-39	2			
40-44	1			
50-54		1		
55-59	3	1		
60-64	3	2		
65-69	1	1	1	
70-74		1		
75-79	1			
80-84		1		
85-UP			1	
-- ICD 192.9 (1976) ----				
00-04	16	14		1
05-09	18	7	5	2
10-14	22	15	2	6
15-19	15	13	2	3
20-24	16	9	2	1
25-29	21	17	1	4
30-34	29	19	2	1
35-39	25	22	3	
40-44	50	24	7	2
45-49	69	49	5	6
50-54	106	68	6	5
55-59	124	93	12	5
60-64	136	101	7	5
65-69	126	85	7	4
70-74	70	84	2	5
75-79	39	45		
80-84	13	17	1	1
85-UP	3	3		
-- ICD 193 --(1976) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1976) ----				
00-04		1		
05-09	1	1		
15-19	1	1		
20-24	1	2		1
25-29	1	7		
30-34	6	5		1
35-39	3	3	4	
40-44	9	11		
45-49	11	13	1	1
50-54	7	20	4	
55-59	19	16	2	
60-64	20	20	2	
65-69	19	15	3	
70-74	6	14		
75-79	6	7	2	1
80-84	1	3	1	
85-UP		2		
-- ICD 194.1 (1976) ----				
00-04				1
25-29	1			
30-34	1			
45-49		1		
50-54	1			
55-59	1			
60-64	2			
70-74	1			
80-84		1		
85-UP		1		
-- ICD 194.2 (1976) ----				
15-19	2	1		
20-24	1	4		
25-29	3	1		
30-34	3	3		
35-39	1	4		
40-44	3	1		
45-49	2	1	1	
50-54	1	2	2	1
55-59	1	6	1	
60-64	5	5		
65-69	2	4		
70-74	1	1	1	1
75-79	3	1		
85-UP		1		
-- ICD 194.3 (1976) ----				
05-09	1	1		
10-14		1		
25-29	1			
35-39	1	1		
40-44		1		
45-49	1		1	
50-54	1			
55-59	1	1		1
60-64	1	2		
65-69	2	2	1	
70-74	1	2		1
75-79	2			

AGE	WM	WF	NM	NF
-- 194.3 (1976) CONTD---				
80-84		2		
-- ICD 194.4 (1976) ----				
05-09				1
10-14	3	2	1	1
15-19	2			
20-24	1			
30-34			1	
35-39	1			
40-44	1			
45-49				1
-- ICD 194.8 (1976) ----				
25-29		2		
45-49	2			
50-54		3		
55-59	2			
60-64	1			1
65-69	3		1	
70-74	1			
75-79	1			
-- ICD 194.9 (1976) ----				
20-24		1		
30-34	1			
50-54		2		
65-69		1		
-- ICD 195.0 (1976) ----				
00-04		1		
05-09	2			
10-14		1		
15-19	1		1	
20-24		2		1
30-34				1
35-39	5	2	1	1
40-44	5	9	2	3
45-49	14	19	3	3
50-54	22	35	4	13
55-59	32	55	4	14
60-64	56	92	12	12
65-69	74	96	13	24
70-74	71	132	16	19
75-79	69	145	14	22
80-84	41	156	6	13
85-UP	41	155	3	14
-- ICD 195.1 (1976) ----				
15-19		1	1	
20-24	2			
30-34		3		1
35-39	1	2		
40-44		9		2
45-49	1	5	1	2
50-54	3	6		1
55-59	3	12		6
60-64	7	26	1	3
65-69	4	28	4	9
70-74	6	36		6
75-79	7	26	1	1
80-84	4	41	2	10
85-UP		32		3
-- ICD 195.9 (1976) ----				
00-04		1		
05-09		1		
10-14	1	1		
15-19	1	4		
20-24	5	4	1	
25-29	7	7		
30-34	5		2	1
35-39	7	3	1	
40-44	11	7	6	1
45-49	22	8	9	2
50-54	40	15	7	5
55-59	54	15	10	1
60-64	70	27	7	
65-69	79	25	8	1
70-74	68	35	7	2
75-79	50	33	3	3
80-84	59	34	3	2
85-UP	47	65	1	2
-- ICD 196.0 (1976) ----				
10-14			1	
30-34	1			
35-39		1		
45-49	2	1		
50-54	3	5		
55-59	5	1		
60-64	2	2		1
65-69	1		2	
70-74	8	1		
75-79	4	2		
80-84	1	2		

AGE	WM	WF	NM	NF
-- 196.0 (1976) CONTD---				
85-UP	4	4		
-- ICD 196.1 (1976) ----				
40-44				1
50-54	1	1		
60-64	1	2		
65-69		1		
75-79	1			
80-84	1	1		
-- ICD 196.2 (1976) ----				
30-34	1			
70-74	2			
-- ICD 196.3 (1976) ----				
40-44			1	
55-59		1		
60-64	1		1	
65-69		1		
75-79		2		
80-84	1			
85-UP	2	1		
-- ICD 196.4 (1976) ----				
50-54	1			
55-59	1			
75-79		1		
80-84		1		
-- ICD 196.7 (1976) ----				
50-54	1	1		1
55-59		1		
60-64	1			
65-69	1			
70-74	1			
-- ICD 196.8 (1976) ----				
20-24	1			
55-59	1	1		
80-84		1		
-- ICD 196.9 (1976) ----				
30-34	1			
40-44	1	1	1	1
50-54	3	1		
55-59	6	3		1
60-64	4	1	1	
65-69	4	2		
70-74	2	3		
75-79	1	1		
80-84	1	3	1	1
85-UP	1	7		
-- ICD 197.0 (1976) ----				
00-04		2		
10-14	2		1	
15-19	2	1	1	
20-24	4			
25-29	2	1		
30-34	2	3	1	1
35-39	6	6	1	1
40-44	4	4		
45-49	16	14	2	
50-54	22	21	7	5
55-59	35	30	4	4
60-64	65	44	7	6
65-69	66	41	12	6
70-74	67	47	3	5
75-79	59	53	9	5
80-84	45	47	6	2
85-UP	33	53	3	1
-- ICD 197.1 (1976) ----				
35-39		1		
45-49	1			
50-54	2	1		
55-59	2	1	1	
60-64	5	1		
65-69	3	3	1	
70-74	2			
75-79	1			
85-UP		1		
-- ICD 197.2 (1976) ----				
05-09	1			
10-14	1			
15-19	1			
20-24		1		
25-29		1		
35-39			1	
40-44		4		
45-49	3	1	1	2
50-54	3	8	1	1
55-59	3	10		2
60-64	11	10	2	3

AGE	WM	WF	NM	NF
-- 197.2 (1976) CONTD---				
65-69	10	7	4	1
70-74	9	11	2	4
75-79	13	12		4
80-84	6	22	1	4
85-UP	10	18		1
-- ICD 197.3 (1976) ----				
45-49	1		1	
50-54	1			
55-59	2	1		
60-64	3		1	
65-69	1	4		
70-74	1	3		1
75-79	4	2		1
80-84	1	2		
85-UP	1	2		
-- ICD 197.4 (1976) ----				
20-24				1
45-49	1			
50-54		1		
60-64	1	1		
65-69	3			
70-74		1		1
80-84		1	1	
85-UP		1		
-- ICD 197.5 (1976) ----				
45-49	1	3		
50-54	1			
55-59	3	2		
60-64	1	2		2
65-69	2	5		
70-74	2			
75-79	5	5		1
80-84	2	4		1
85-UP	5	9		
-- ICD 197.6 (1976) ----				
00-04	1			
20-24	1			
35-39			1	
40-44	1	2		1
45-49	1	2		
50-54	4	3	1	4
55-59	4	9		
60-64	6	10	3	2
65-69	11	7		1
70-74	6	8		
75-79	7	10	1	1
80-84	8	10	1	1
85-UP	3	11		
-- ICD 197.7 (1976) ----				
10-14	1	1		
20-24	2	1	1	2
25-29	1	1		
30-34	1	8	2	1
35-39	8	7		
40-44	7	6	3	
45-49	19	21	6	9
50-54	46	44	12	3
55-59	99	64	17	10
60-64	138	123	24	13
65-69	178	122	23	32
70-74	188	143	22	16
75-79	160	144	19	14
80-84	114	133	9	10
85-UP	76	140	6	11
-- ICD 197.8 (1976) ----				
00-04	1	1		
05-09	2			
10-14		2	1	1
15-19	3	1	2	
20-24	2	2		
25-29	2	3	2	1
30-34	3	4	2	
35-39	8	6	2	2
40-44	11	6	6	2
45-49	40	18	4	8
50-54	53	43	21	14
55-59	80	59	26	10
60-64	144	95	36	18
65-69	177	150	36	22
70-74	210	160	41	29
75-79	173	173	24	16
80-84	110	168	10	10
85-UP	91	155	9	12
-- ICD 197.9 (1976) ----				
30-34		1		
40-44	1	1	1	
50-54	1	1	1	
55-59	1		1	

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 197.9 (1976) CONTD---				
60-64	2	2	2	1
65-69	3	2	1	
70-74	4	2		
75-79	3	2		
80-84	1	1		
85-UP	4	4		
-- ICD 198.0 (1976) ----				
45-49	1	1		
50-54	2			
55-59	2			
60-64	2		1	
70-74	1	2		
75-79	2	1		
80-84	1	2		
-- ICD 198.1 (1976) ----				
35-39				1
40-44			1	
55-59	1			
60-64	2			1
65-69	1			
70-74		1		
75-79	1			
80-84	1	1		
85-UP		2		
-- ICD 198.2 (1976) ----				
25-29	1			
30-34				1
40-44	1	1		
45-49	1			
50-54	2	1		
55-59	5			
60-64	4			1
65-69	2	1		
70-74	2		1	
75-79	3	2		
80-84	2	1		
85-UP	2	3		1
-- ICD 198.3 (1976) ----				
10-14	1	1		
20-24		2		
25-29		1		
30-34	2	4	2	
35-39	3	1	1	1
40-44	9	10	1	2
45-49	14	18	2	3
50-54	36	36	8	3
55-59	58	37	4	3
60-64	63	44	4	7
65-69	64	53	14	2
70-74	72	40	3	2
75-79	34	31	3	1
80-84	22	23	1	
85-UP	6	16		
-- ICD 198.4 (1976) ----				
00-04	1			
25-29	1			
35-39	1	1		
40-44	1			
45-49	4	2		
50-54	4	3		
55-59	1	3	1	1
60-64	6	1	1	
65-69	6	3	2	
70-74	5	4		
75-79	6	1	1	
80-84	1	2		
-- ICD 198.5 (1976) ----				
00-04	1			
30-34	1			
35-39	1	1		
40-44	4	1	2	1
45-49	8	11	1	2
50-54	17	11	3	1
55-59	28	19	3	3
60-64	36	27	9	
65-69	38	25	4	3
70-74	37	20	4	3
75-79	37	29	2	2
80-84	23	21	2	1
85-UP	14	12	1	
-- ICD 198.9 (1976) ----				
15-19	1		1	
20-24	1			
25-29	3			
30-34	1	2		
35-39	4	2		2
40-44	6	8	2	2
45-49	10	12	2	2

AGE	WM	WF	NM	NF
-- 198.9 (1976) CONTD---				
50-54	18	25	3	4
55-59	29	28	8	9
60-64	34	52	6	5
65-69	41	61	2	9
70-74	43	76	6	3
75-79	33	63	3	9
80-84	23	73	4	4
85-UP	25	58	1	4
-- ICD 199.0 (1976) ----				
00-04	1		1	1
05-09	2	3		1
10-14	3	3		
15-19	10	6	2	2
20-24	18	10	5	3
25-29	37	16	1	2
30-34	35	28	5	11
35-39	45	55	14	17
40-44	90	105	23	23
45-49	206	201	47	46
50-54	378	326	87	75
55-59	597	493	125	96
60-64	810	606	157	114
65-69	912	727	152	111
70-74	802	783	130	108
75-79	694	804	95	103
80-84	474	672	69	58
85-UP	344	624	28	51
-- ICD 199.1 (1976) ----				
00-04	2	4		
05-09	1	1		
10-14	4	3	1	
15-19	6	6	2	2
20-24	10	1	2	
25-29	8	12	3	2
30-34	5	4	1	2
35-39	6	5	2	3
40-44	20	12	8	13
45-49	30	23	12	19
50-54	79	53	19	20
55-59	83	67	24	18
60-64	130	81	39	14
65-69	140	85	39	18
70-74	114	81	42	26
75-79	113	104	22	28
80-84	98	96	25	17
85-UP	65	117	10	12
-- ICD 200.0 (1976) ----				
00-04		2		
10-14	5	1		
15-19	10	4	3	1
20-24	13	12		4
25-29	19	13	1	1
30-34	28	13		1
35-39	26	13	2	1
40-44	38	18	5	3
45-49	70	49	6	7
50-54	77	79	8	6
55-59	119	93	14	3
60-64	131	118	12	9
65-69	150	151	9	11
70-74	175	146	6	7
75-79	124	150	7	9
80-84	72	115	3	3
85-UP	44	60	1	1
-- ICD 200.1 (1976) ----				
00-04	5		1	
05-09	10	3	1	
10-14	14	2		5
15-19	17		3	2
20-24	11	11	5	
25-29	22	13	7	2
30-34	18	10		2
35-39	24	13	2	1
40-44	33	22	3	3
45-49	70	40	6	
50-54	108	98	11	11
55-59	161	135	13	8
60-64	227	153	15	7
65-69	225	220	17	11
70-74	235	219	11	7
75-79	176	193	10	15
80-84	130	196	4	5
85-UP	81	109	3	4
-- ICD 201 --(1976) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1976) ----				
35-39	1			
50-54	1			1
55-59	1	2		

AGE	WM	WF	NM	NF
-- 202.0 (1976) CONTD---				
60-64	1	1		
65-69		2		
70-74	1	1		
75-79	1	1		
85-UP		2		
-- ICD 202.1 (1976) ----				
30-34				1
35-39	2			
40-44	1			1
45-49	5	3	1	2
50-54	4	5	2	1
55-59	5	1		2
60-64	7	8	1	3
65-69	14	4		3
70-74	11	6	1	1
75-79	13	3	1	1
80-84	5	6		
85-UP	4	3		
-- ICD 202.2 (1976) ----				
00-04	16	7	2	
05-09	33	7	2	3
10-14	31	5	2	
15-19	41	15	5	1
20-24	29	25	6	2
25-29	35	16	6	
30-34	36	15	3	3
35-39	43	41	5	5
40-44	58	40	11	4
45-49	113	65	3	3
50-54	185	134	19	12
55-59	246	196	23	19
60-64	298	262	18	14
65-69	352	323	28	17
70-74	327	337	21	8
75-79	291	351	17	20
80-84	210	295	11	9
85-UP	111	192	4	6
-- ICD 203 --(1976) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1976) ----				
00-04	62	52	16	4
05-09	187	97	13	11
10-14	98	65	14	7
15-19	97	44	12	3
20-24	46	27	4	4
25-29	21	11	3	6
30-34	17	6	2	1
35-39	8	6		
40-44	11	6	1	2
45-49	11	7	3	
50-54	12	11	3	2
55-59	22	10	3	1
60-64	24	20	3	1
65-69	39	17	2	7
70-74	38	23	2	3
75-79	35	36	2	2
80-84	33	23		
85-UP	24	26	2	1
-- ICD 204.1 (1976) ----				
00-04		1		
10-14	1	2		
20-24	1			
25-29	1			
30-34	1	1		
35-39	1			
40-44	6	2		
45-49	17	8		
50-54	49	18	9	3
55-59	99	37	13	9
60-64	155	63	23	11
65-69	203	109	17	13
70-74	202	138	25	14
75-79	235	187	26	10
80-84	192	180	9	12
85-UP	173	185	6	6
-- ICD 204.9 (1976) ----				
00-04		2		
05-09		3		
10-14	5	2	1	
15-19	3			
20-24	3	1	1	
25-29		1	1	2
30-34	1	2		
35-39		2		1
40-44	1			1
45-49	7	2	1	1
50-54	5	4		1
55-59	11	6		2
60-64	21	14	3	1

AGE	WM	WF	NM	NF
-- 204.9 (1976) CONTD---				
65-69	34	28	1	2
70-74	50	35	2	2
75-79	44	34	6	2
80-84	49	47	4	1
85-UP	56	47	2	2
-- ICD 205.0 (1976) ----				
00-04	22	26	3	4
05-09	24	28	3	5
10-14	52	42	6	3
15-19	72	56	7	6
20-24	58	55	11	8
25-29	57	62	4	8
30-34	57	49	3	5
35-39	58	51	5	7
40-44	67	68	7	10
45-49	112	89	17	9
50-54	141	92	17	7
55-59	187	155	14	12
60-64	255	174	33	16
65-69	287	212	24	12
70-74	319	201	21	25
75-79	263	246	9	15
80-84	194	210	12	5
85-UP	130	139	8	5
-- ICD 205.1 (1976) ----				
00-04	5	2		
05-09	6	7		
10-14	4	2		1
15-19	8	9	3	2
20-24	14	13	5	2
25-29	25	18	2	3
30-34	34	19	8	6
35-39	26	21	5	4
40-44	43	25	3	12
45-49	62	23	2	10
50-54	71	43	12	11
55-59	68	53	7	9
60-64	97	51	14	4
65-69	122	71	13	10
70-74	131	100	9	8
75-79	84	85	8	6
80-84	75	95	5	9
85-UP	57	80	1	8
-- ICD 205.9 (1976) ----				
00-04	2	1		
05-09	1		1	
10-14	2	1		
15-19	1	1		
20-24		1		1
25-29		3		
30-34	1	2		
35-39	4	2		
40-44	2	5		1
45-49	5	6	1	
50-54	8	5		
55-59	12	8		1
60-64	15	17	2	2
65-69	32	18	2	
70-74	39	24	1	2
75-79	45	31		1
80-84	38	29		2
85-UP	31	32	1	
-- ICD 206.0 (1976) ----				
00-04	4	3		2
05-09	2			
10-14	3	1		
15-19	1	4	1	
20-24	2	4	1	
25-29	3	1		
30-34	5	4		
35-39	5	1		1
40-44	2	2		
45-49	2	4	2	4
50-54	6	5	1	
55-59	11	7	4	1
60-64	12	11		
65-69	22	20	2	1
70-74	18	13	1	1
75-79	25	26		
80-84	16	15		1
85-UP	12	15		2
-- ICD 206.1 (1976) ----				
00-04		1		
60-64			1	
65-69	2			
70-74	1	1		
75-79	1	2		
80-84	3	3		
85-UP	1	1		

AGE	WM	WF	NM	NF
-- ICD 206.9 (1976) ----				
00-04	2			
05-09		1		
15-19	1			
30-34	1	1		
35-39	2			
40-44	1	1		
45-49	2			
50-54	6	1		
55-59	10	5		1
60-64	6	2		
65-69	10	4		2
70-74	2	3		
75-79	14	3		
80-84	7	4		
85-UP	8	4	3	
-- ICD 207.0 (1976) ----				
00-04	15	15	3	3
05-09	27	20	7	
10-14	22	10	5	2
15-19	26	14		3
20-24	21	19	4	
25-29	25	15	3	4
30-34	16	12	1	3
35-39	16	19	2	4
40-44	13	23	1	4
45-49	32	25	2	4
50-54	45	35	2	8
55-59	56	45	2	6
60-64	99	40	6	3
65-69	89	83	12	9
70-74	105	74	10	5
75-79	105	98	8	4
80-84	62	67		4
85-UP	47	45	2	3
-- ICD 207.1 (1976) ----				
05-09				1
15-19	1			
35-39		1		
45-49	1			
50-54	4	1		1
55-59	5	4	2	
60-64	7	3	2	
65-69	11	4	2	1
70-74	10	6		4
75-79	16	10		1
80-84	8	15		
85-UP	7	11		
-- ICD 207.2 (1976) ----				
00-04	1			
05-09	2			1
15-19	3	1		
20-24		1		
25-29	1			
35-39	1		1	
40-44	2	1	1	
45-49	5			
50-54	4	3	2	
55-59	17	5		
60-64	22	6	1	
65-69	18	19	1	
70-74	17	12		4
75-79	22	14	2	
80-84	13	7	1	
85-UP	7	13		
-- ICD 207.9 (1976) ----				
00-04	8	10	3	2
05-09	19	10	3	3
10-14	13	8	4	5
15-19	13	9	3	1
20-24	6	2	1	
25-29	8	3		1
30-34	5	5	2	
35-39	11	2	3	2
40-44	11	5	3	1
45-49	25	11	3	2
50-54	23	22	4	3
55-59	50	17	6	6
60-64	63	29	5	4
65-69	81	40	7	1
70-74	94	57	5	3
75-79	79	76	8	5
80-84	74	71	3	6
85-UP	67	71	5	6
-- ICD 208 --(1976) ----				
00-04	1	2		
05-09			2	
20-24		3		1
25-29		1		
30-34	1	2		
35-39	1		1	

AGE	WM	WF	NM	NF
-- 208 --(1976) CONTD---				
40-44	3	1	1	
45-49	4	5		
50-54	16	14	1	
55-59	22	12	2	
60-64	35	28	2	
65-69	42	26	1	2
70-74	36	34		2
75-79	31	38	1	2
80-84	15	44		
85-UP	10	29		1
-- ICD 209 --(1976) ----				
00-04	1	1		
05-09	1			
15-19	4	1		1
25-29	1		1	1
30-34	1	2		
35-39	6	1	2	1
40-44	7	4		2
45-49	12	7	2	3
50-54	19	16	1	1
55-59	32	25	4	3
60-64	67	50	6	6
65-69	109	65	5	5
70-74	118	85	13	5
75-79	101	92	8	3
80-84	61	65	5	1
85-UP	55	57	2	3
-- ICD 140.0 (1977) ----				
75-79	2	1		
80-84		1		
-- ICD 140.1 (1977) ----				
40-44	1			
50-54	1			
55-59	4			
60-64	2		1	
65-69	4			
70-74	3	2	1	
75-79	3	1		
80-84	4	1		1
85-UP	6			
-- ICD 140.2 (1977) ----				
65-69	1			
70-74	1			
-- ICD 140.9 (1977) ----				
20-24	1			
45-49	3			
50-54	2		1	
55-59	8	2		
60-64	11	1		
65-69	13	1		
70-74	15	1	1	
75-79	18	1		
80-84	17	2		
85-UP	17	6	1	
-- ICD 141.0 (1977) ----				
20-24	1			
35-39	1		2	
40-44	1		3	
45-49	6	4	3	3
50-54	15	5	5	1
55-59	14	7	5	2
60-64	28	11	2	1
65-69	20	7	1	1
70-74	9	7	1	
75-79	14	2	1	
80-84	13	3		
85-UP	6	1		
-- ICD 141.9 (1977) ----				
25-29	2	1		
30-34	4	3		
35-39	10	1	5	
40-44	13	5	15	4
45-49	36	17	19	8
50-54	75	37	20	14
55-59	115	61	22	8
60-64	174	70	17	5
65-69	180	64	21	3
70-74	128	75	20	2
75-79	87	44	8	3
80-84	59	58	5	2
85-UP	48	47	6	2
-- ICD 142.0 (1977) ----				
20-24	2	1		
25-29	2			
30-34		1	1	
35-39	2	2		1
40-44	5	2		1

AGE	WM	WF	NM	NF
-- 142.0 (1977) CONTD---				
45-49	8	4	2	2
50-54	19	8	3	3
55-59	27	12	2	
60-64	26	19	2	1
65-69	60	12	5	1
70-74	48	23	4	3
75-79	41	21	2	1
80-84	35	19	2	2
85-UP	29	26		
-- ICD 142.8 (1977) ----				
15-19				1
30-34	2	2		
35-39	1	4		
40-44	1			
45-49	1	1		
50-54	4			
55-59	9	4		1
60-64	5		2	
65-69	8	1		
70-74	8	2	1	
75-79	7	4		
80-84	2	4	1	
85-UP	4	3		
-- ICD 142.9 (1977) ----				
25-29			1	
30-34	1			
40-44	4	1		
45-49	1	2		
50-54	3	1		
55-59	9	4	2	1
60-64	4	3	2	
65-69	6	5	1	
70-74	8	4		
75-79	2	4		
80-84	1	4		
85-UP	4	5		
-- ICD 143.0 (1977) ----				
55-59	1			
65-69		3		
80-84	1	1		
85-UP		1		
-- ICD 143.1 (1977) ----				
10-14	1			
45-49	2			
50-54		1		
60-64	2			
65-69	1	1	1	
70-74	2	3		
75-79	1	1		
80-84	1			
85-UP	1	1		
-- ICD 143.9 (1977) ----				
15-19	1			
40-44	1	1		
45-49	1			
50-54	4	1		
55-59	3	1	4	
60-64	5	6		
65-69	3	6		1
70-74	6	3		
75-79	4	2		
80-84	3	7		
85-UP	5	1		1
-- ICD 144 --(1977) ----				
25-29	1			
30-34			1	
35-39	2		2	
40-44	5	1	5	1
45-49	20	2	9	3
50-54	43	4	11	1
55-59	57	12	13	5
60-64	70	27	8	3
65-69	52	22	5	1
70-74	44	16	4	
75-79	18	8	3	
80-84	18	10	1	1
85-UP	14	10	1	
-- ICD 145.0 (1977) ----				
40-44	1			1
45-49	3		1	1
50-54	7	4	1	1
55-59	6	4	2	
60-64	8	8	1	1
65-69	15	9	1	
70-74	6	4	2	1
75-79	7	6		1
80-84	11	7		
85-UP	5	5		

AGE	WM	WF	NM	NF
-- ICD 145.1 (1977) ----				
05-09	1			
25-29	1			
30-34	1			
35-39			1	
40-44	2		1	
45-49	9	2	9	
50-54	17	7	7	2
55-59	35	15	8	1
60-64	37	19	5	
65-69	34	26	8	
70-74	24	9	4	
75-79	10	9	2	1
80-84	10	15	1	
85-UP	11	15		1
-- ICD 145.8 (1977) ----				
50-54		1		
60-64	1			
65-69		1		
70-74	2	1	1	
75-79	1			
-- ICD 145.9 (1977) ----				
15-19	1			
25-29	1			
30-34		1		
35-39	2	2	2	
40-44	6	2	4	2
45-49	23	3	11	2
50-54	43	12	12	5
55-59	67	29	13	3
60-64	82	20	14	9
65-69	78	35	7	1
70-74	64	36	7	2
75-79	53	24	5	5
80-84	28	31	4	2
85-UP	33	45	2	3
-- ICD 146.0 (1977) ----				
15-19	2			
20-24	2			
30-34			2	
35-39		1	4	
40-44	5	1	3	4
45-49	20	16	11	3
50-54	50	18	20	6
55-59	61	31	21	3
60-64	82	39	17	3
65-69	85	31	12	2
70-74	52	13	4	2
75-79	45	22	2	2
80-84	28	8	1	
85-UP	17	6	1	
-- ICD 146.8 (1977) ----				
40-44			1	
55-59	3		1	
60-64	4	1	1	
65-69	1	3		
70-74	4	1	1	
75-79	1		1	
80-84		1		
85-UP	2			
-- ICD 146.9 (1977) ----				
00-04	1			
10-14		1		
25-29	1			
30-34		1		
35-39	2		2	
40-44	2			
45-49	11	5	8	
50-54	30	8	7	1
55-59	32	10	5	1
60-64	32	12	6	
65-69	44	13	2	2
70-74	23	6	2	1
75-79	11	9	2	1
80-84	12	7	3	
85-UP	11	6	1	
-- ICD 147 --(1977) ----				
SEE PAGES 42 - 47				
-- ICD 148.0 (1977) ----				
45-49	1		1	
60-64		1		
65-69	1			
80-84		1		
-- ICD 148.1 (1977) ----				
35-39	1			
40-44	1		2	
45-49	8	1	2	1
50-54	15	4	11	3

AGE	WM	WF	NM	NF
-- 148.1 (1977) CONTD---				
55-59	25	7	8	3
60-64	29	9	5	
65-69	37	9	4	
70-74	24	3	3	
75-79	9	4	1	
80-84	9	3	1	
85-UP	5			1
-- ICD 148.8 (1977) ----				
65-69	1			
-- ICD 148.9 (1977) ----				
30-34	2	2		
40-44	3		2	
45-49	15	1	4	
50-54	26	8	8	2
55-59	45	14	12	2
60-64	53	14	7	3
65-69	60	13	5	
70-74	35	9	2	3
75-79	24	11	4	
80-84	16	3	1	
85-UP	6	3	2	
-- ICD 149 --(1977) ----				
SEE PAGES 54 - 59				
-- ICD 150 --(1977) ----				
SEE PAGES 70 - 79				
-- ICD 151.0 (1977) ----				
30-34	3		1	
35-39	2			
40-44	4			1
45-49	7			
50-54	29	4	4	1
55-59	39	2	2	1
60-64	37	6	3	1
65-69	33	8	3	
70-74	36	10	2	
75-79	29	6	1	1
80-84	11	11	1	
85-UP	5	5		1
-- ICD 151.1 (1977) ----				
55-59	1			
60-64	1		1	
65-69	1	1	1	1
70-74		1	1	
75-79	1	1		
80-84	1	5		
85-UP	1	1		
-- ICD 151.8 (1977) ----				
50-54	2	1	1	1
55-59	4		2	1
60-64	7	3		
65-69	8	2		
70-74	9	2	1	
75-79	6	6	1	
80-84	7	5		2
85-UP	4	4	1	1
-- ICD 151.9 (1977) ----				
15-19	2	1	1	1
20-24	2	7	2	4
25-29	11	9	4	7
30-34	30	23	4	10
35-39	58	30	22	9
40-44	121	64	30	25
45-49	210	117	52	45
50-54	360	188	105	54
55-59	602	285	163	88
60-64	876	427	210	89
65-69	1026	569	219	124
70-74	1129	668	235	140
75-79	1033	780	183	131
80-84	860	795	105	91
85-UP	627	792	91	84
-- ICD 152.0 (1977) ----				
25-29	1	1		1
30-34			2	
40-44	4	2		
45-49	8	6		1
50-54	4	4	1	1
55-59	10	8	1	1
60-64	16	11	2	2
65-69	16	10	2	
70-74	22	17	1	1
75-79	12	16		3
80-84	5	17		
85-UP	11	12		2

AGE	WM	WF	NM	NF
-- ICD 152.1 (1977) ----				
25-29		1		
30-34			1	
35-39	3	1	1	
40-44	3	1	3	
45-49	3	3	1	
50-54	4	6		1
55-59	4	1	1	
60-64	3	4		1
65-69	3	6		1
70-74	5	3		
75-79	5	3		
80-84	3	4		
85-UP	2	3	1	
-- ICD 152.2 (1977) ----				
20-24	2			
30-34	1			
45-49	2			
50-54	4			2
55-59	2	2	2	1
60-64	6	5		
65-69	5	3		
70-74	4	6	1	
75-79	3	5		
80-84	2	3		1
85-UP		3		
-- ICD 152.9 (1977) ----				
30-34	2	1		
35-39	3	3	1	3
40-44	4	3	1	
45-49	4	8		
50-54	6	13	4	2
55-59	17	14	3	1
60-64	27	15	1	
65-69	23	20	3	3
70-74	14	9	4	1
75-79	12	17	1	1
80-84	17	15	1	
85-UP	8	9	1	
-- ICD 153.0 (1977) ----				
15-19			1	
20-24	1		2	
25-29	5	4	2	2
30-34	3	6	1	1
35-39	6	6	1	
40-44	12	14	3	4
45-49	24	29	4	2
50-54	57	62	7	9
55-59	124	97	19	9
60-64	153	152	13	16
65-69	196	207	27	18
70-74	274	284	19	29
75-79	239	331	19	28
80-84	195	387	12	14
85-UP	176	391	11	17
-- ICD 153.1 (1977) ----				
15-19			1	1
20-24	1			
25-29	1	1		
30-34	4	3		
35-39	4	1		
40-44	5	3		
45-49	7	5	2	1
50-54	16	15		3
55-59	31	27	4	
60-64	32	35	8	4
65-69	58	40	5	4
70-74	61	72	3	9
75-79	55	73	3	2
80-84	42	71	5	6
85-UP	50	67	1	3
-- ICD 153.2 (1977) ----				
15-19	1			
30-34	3	3		
35-39	2	1		2
40-44	4	9	2	
45-49	3	7	3	1
50-54	12	16	3	1
55-59	29	25	3	1
60-64	39	39	6	3
65-69	40	53	7	7
70-74	64	39	6	8
75-79	39	54	4	6
80-84	39	71	2	4
85-UP	27	53	3	6
-- ICD 153.3 (1977) ----				
15-19		1		
20-24	1	1		
25-29	2		1	1
30-34	2	3	1	1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 153.3 (1977) CONTD---				
35-39	7	4	2	
40-44	16	21	2	4
45-49	42	29	2	6
50-54	56	59	5	11
55-59	112	108	13	27
60-64	175	144	16	10
65-69	244	195	21	21
70-74	223	219	16	23
75-79	216	237	18	20
80-84	161	251	8	11
85-UP	155	269	6	7
-- ICD 153.8 (1977) ----				
00-04	1	1		2
05-09	1			
10-14		1	1	2
15-19	12	6	6	1
20-24	16	10	5	5
25-29	32	27	13	7
30-34	63	45	10	10
35-39	99	86	15	19
40-44	160	183	32	29
45-49	341	372	43	53
50-54	760	680	104	106
55-59	1165	1181	148	158
60-64	1775	1543	169	204
65-69	2268	2069	242	255
70-74	2370	2304	229	245
75-79	2054	2396	192	218
80-84	1605	2251	103	122
85-UP	1179	2005	86	138
-- ICD 153.9 (1977) ----				
05-09	1			
20-24		2		
25-29	2	1	1	
30-34	3	2		2
35-39	4	3	1	1
40-44	11	10		5
45-49	11	17	1	1
50-54	15	35	5	1
55-59	46	61	5	4
60-64	86	88	8	2
65-69	102	125	9	15
70-74	121	149	13	9
75-79	125	168	7	8
80-84	78	179	7	6
85-UP	97	193	3	9
-- ICD 154.0 (1977) ----				
25-29	1	2		2
30-34	3	1		
35-39	6	2	4	
40-44	5	7	3	1
45-49	8	16	6	
50-54	29	18	2	2
55-59	62	40	8	5
60-64	72	57	13	6
65-69	116	75	5	9
70-74	109	94	13	10
75-79	84	91	13	11
80-84	73	91	5	2
85-UP	74	73	4	5
-- ICD 154.1 (1977) ----				
15-19	1		1	
20-24	3	3	1	1
25-29	7	2	2	1
30-34	14	13	2	3
35-39	26	16	4	3
40-44	44	35	14	8
45-49	87	72	18	14
50-54	226	139	36	22
55-59	334	216	44	37
60-64	502	323	54	40
65-69	577	421	71	44
70-74	637	414	78	44
75-79	528	498	48	36
80-84	481	489	43	36
85-UP	393	517	32	20
-- ICD 154.2 (1977) ----				
40-44	1			
45-49	2			
50-54	1	2	1	
55-59	1	2		
60-64	3	7	1	
65-69	2	3		
70-74	5	6		
75-79	4	7		
80-84	2	1	1	
85-UP	4	4		
-- ICD 155.0 (1977).----				
00-04	16	10	3	

AGE	WM	WF	NM	NF
-- 155.0 (1977) CONTD---				
05-09	2	5	2	
10-14	2	2	1	
15-19	7	1	3	
20-24	5	7	5	1
25-29	9	5	4	1
30-34	4	12	6	1
35-39	5	9	10	4
40-44	22	14	14	4
45-49	36	23	25	3
50-54	89	46	37	7
55-59	132	54	52	8
60-64	201	72	59	20
65-69	241	104	66	17
70-74	202	96	53	17
75-79	135	84	34	12
80-84	104	80	10	4
85-UP	33	43	8	6
-- ICD 155.1 (1977) ----				
25-29	2	2		
30-34	2	3	2	1
35-39	2	1	1	2
40-44	4	2	2	
45-49	8	6	3	3
50-54	21	14	3	3
55-59	13	18	5	2
60-64	24	11	1	3
65-69	28	26	4	2
70-74	24	27	2	3
75-79	12	29	1	2
80-84	8	14	1	
85-UP	4	9		
-- ICD 156.0 (1977) ----				
30-34	2	2		
35-39	1	2		1
40-44	4	15		
45-49	12	26	1	7
50-54	17	48	5	15
55-59	35	97	4	10
60-64	67	146	4	13
65-69	79	213	14	23
70-74	114	292	3	21
75-79	92	290	9	15
80-84	92	256	5	13
85-UP	50	197	5	11
-- ICD 156.1 (1977) ----				
10-14	1			
20-24		1		
25-29	1	1	1	
30-34	1		1	1
35-39	4	4	1	
40-44	7	2	1	
45-49	18	8	1	2
50-54	32	24	4	1
55-59	69	23	5	8
60-64	82	75	7	6
65-69	98	92	6	7
70-74	110	99	13	4
75-79	91	113	5	13
80-84	73	91	5	5
85-UP	57	77	3	4
-- ICD 156.2 (1977) ----				
10-14		1		
30-34		1		
35-39	1	1		
40-44	1	1		1
45-49	3	4		1
50-54	6	6		1
55-59	12	9	2	3
60-64	15	12		2
65-69	17	16	2	
70-74	25	19	1	3
75-79	21	22	1	1
80-84	16	12	1	1
85-UP	13	27		
-- ICD 156.9 (1977) ----				
25-29	1			
30-34	1	1		
35-39			1	
40-44	1			1
45-49	3			2
50-54	8	7		1
55-59	17	18	2	
60-64	16	18	1	2
65-69	25	25	2	3
70-74	24	27	3	1
75-79	19	43	1	2
80-84	15	17	1	2
85-UP	14	28		

AGE	WM	WF	NM	NF
-- ICD 157.0 (1977) ----				
25-29			1	
30-34	2			
35-39	2			3
40-44	7	1	5	1
45-49	14	9	3	3
50-54	42	17	8	7
55-59	55	28	14	9
60-64	88	51	15	3
65-69	124	92	25	11
70-74	108	110	19	15
75-79	102	106	11	7
80-84	110	127	11	10
85-UP	88	131	12	8
-- ICD 157.8 (1977) ----				
30-34		1		1
35-39		1		
45-49	4	3	2	1
50-54	9	1	2	
55-59	13	12	5	
60-64	26	18	2	1
65-69	20	22	3	4
70-74	35	19	5	1
75-79	24	17	1	
80-84	13	14		1
85-UP	5	7		
-- ICD 157.9 (1977) ----				
00-04			1	
15-19	2	1		
20-24	4	1		
25-29	9	6	1	2
30-34	24	7	4	5
35-39	53	43	9	7
40-44	137	81	29	20
45-49	271	171	49	41
50-54	561	349	100	74
55-59	929	597	141	109
60-64	1260	870	181	141
65-69	1463	1195	209	155
70-74	1467	1281	171	148
75-79	1178	1320	133	118
80-84	845	1008	72	69
85-UP	555	785	45	50
-- ICD 158.0 (1977) ----				
00-04	3		1	
05-09		2		
10-14	1	1		
15-19	3	2		
20-24	2	1		1
25-29	3	2		
30-34	5	5		
35-39	1	1		3
40-44	4			1
45-49	13	4	2	2
50-54	17	11	1	1
55-59	25	14	5	2
60-64	23	28	1	5
65-69	47	26	5	2
70-74	39	28	2	2
75-79	27	19	1	1
80-84	20	16	3	2
85-UP	11	16		2
-- ICD 158.9 (1977) ----				
10-14		1		
15-19	2		1	
25-29	1	1	1	
30-34	1			
35-39	2			
40-44		1		
45-49				1
50-54	2	2		
55-59	3	4	1	1
60-64	7	1	1	
65-69	5	2	1	
70-74	4			2
75-79	2			
80-84	2	2		
85-UP	1		1	
-- ICD 161.0 (1977) ----				
45-49	3		1	
50-54	6		1	
55-59	6	1		
60-64	3		4	1
65-69	7		1	
70-74	9	2	1	
75-79	9			
80-84	6			
85-UP	1			
-- ICD 161.8 (1977) ----				
40-44	4			1
45-49	2	1		
50-54	15	6	1	1
55-59	18	3	4	
60-64	18	5	4	1
65-69	16	8	5	1

AGE	WM	WF	NM	NF
-- ICD 160.0 (1977) ----				
20-24		1	1	
25-29				1
30-34	1	3		
40-44				1
45-49	2			
50-54	4	2	1	
55-59	5	4		
60-64	5	1		
65-69	15	6	1	
70-74	9	9		1
75-79	12	8		1
80-84	10	5		
85-UP	8	21	1	
-- ICD 160.1 (1977) ----				
30-34	1			
45-49		1		
55-59	1	1		
60-64			1	
65-69	2	2		
70-74		1		
75-79	1	2		
80-84		1		
85-UP		1		
-- ICD 160.2 (1977) ----				
15-19		1		
20-24	1			
25-29	1			
30-34		1	1	
35-39	1		2	
40-44	4	2	3	
45-49	6	2	2	1
50-54	8	3	3	1
55-59	19	6	4	
60-64	19	9		2
65-69	27	8	7	7
70-74	16	9	4	
75-79	22	10	3	1
80-84	11	13	1	
85-UP	10	19	1	1
-- ICD 160.8 (1977) ----				
05-09	1			
15-19		1		1
20-24	1			
25-29	1	1		
30-34	1			
40-44	1	1		
45-49	4	1		
50-54	6	2		
55-59	9	2	1	
60-64	1	5		
65-69	7	3	1	
70-74	4	2	1	
75-79	2	1		1
80-84	5			
85-UP	1	2		
-- ICD 160.9 (1977) ----				
10-14			1	
15-19		1		1
20-24		1		
25-29	2	1		
30-34	1			
35-39	2			
40-44		1		
45-49				1
50-54	2	2		
55-59	3	4	1	1
60-64	7	1	1	
65-69	5	2	1	
70-74	4			2
75-79	2			
80-84	2	2		
85-UP	1		1	
-- ICD 161.0 (1977) ----				
45-49	3		1	
50-54	6		1	
55-59	6	1		
60-64	3		4	1
65-69	7		1	
70-74	9	2	1	
75-79	9			
80-84	6			
85-UP	1			
-- ICD 161.8 (1977) ----				
40-44	4			1
45-49	2	1		
50-54	15	6	1	1
55-59	18	3	4	
60-64	18	5	4	1
65-69	16	8	5	1

AGE	WM	WF	NM	NF
-- 161.8 (1977) CONTD---				
70-74	21	7	1	
75-79	11	1	1	
80-84	7	1	1	
85-UP	1	5	2	
-- ICD 161.9 (1977) ----				
30-34		1	5	2
35-39	3	1	4	
40-44	13	3	13	9
45-49	79	23	30	4
50-54	186	36	61	17
55-59	277	71	75	13
60-64	425	85	64	9
65-69	417	65	54	10
70-74	350	46	32	5
75-79	270	33	23	1
80-84	158	29	15	1
85-UP	111	14	12	
-- ICD 162.0 (1977) ----				
25-29		2		
35-39	2	2	1	
40-44	6	1		
45-49	2	3		
50-54	9	7	1	1
55-59	10	5		
60-64	13	11	4	1
65-69	12	8	6	1
70-74	17	5	4	
75-79	14	1	2	
80-84	7	1	1	1
85-UP	3	3		
-- ICD 162.1 (1977) ----				
00-04		2	1	
05-09	2	1	2	
10-14	1	1		
15-19	5	5		
20-24	6	3	6	1
25-29	35	17	6	6
30-34	103	63	27	12
35-39	335	195	70	43
40-44	857	525	239	117
45-49	2338	1130	541	182
50-54	4741	2019	968	303
55-59	7238	2757	1266	323
60-64	10016	3300	1338	319
65-69	11448	3229	1390	304
70-74	10302	2567	1048	215
75-79	7227	1894	633	143
80-84	3896	1243	280	60
85-UP	1832	931	165	64
-- ICD 163.0 (1977) ----				
00-04			1	
25-29		1		
30-34	3			
35-39	2			1
40-44	5	1		
45-49	8	6		
50-54	16	4	2	2
55-59	27	6	1	1
60-64	46	14	3	1
65-69	38	15	2	
70-74	34	10	2	
75-79	28	7		1
80-84	14	5	2	1
85-UP	8	7		
-- ICD 163.1 (1977) ----				
15-19	2		2	
20-24	6	2	2	
25-29	9	1	1	
30-34	8	1	1	
35-39	5			1
40-44	2	4		
45-49	11	8	2	4
50-54	9	10	3	2
55-59	9	6	2	1
60-64	22	17	4	
65-69	17	8	1	
70-74	20	12	1	3
75-79	11	9		
80-84	5	8	1	
85-UP	5	7		1
-- ICD 163.9 (1977) ----				
00-04		1		
15-19	1			1
20-24	1	1		
35-39	3			
40-44	2			
45-49	5	1		
50-54	5	5	2	
55-59	10	3	1	

AGE	WM	WF	NM	NF
-- 163.9 (1977) CONTD---				
60-64	14	3	1	1
65-69	5	5	2	3
70-74	13	5		
75-79	14	6	1	
80-84	6	6		1
85-UP	2	8		1
-- ICD 170.0 (1977) ----				
00-04		1		
15-19	1	1		
20-24	2	2		
25-29	1	1		3
30-34	1	1		
35-39	2	1	1	1
40-44	4	2	1	2
45-49	5	2	3	1
50-54	8	4		4
55-59	13	8	3	2
60-64	15	8	3	1
65-69	15	11	2	
70-74	25	8	5	
75-79	15	18	2	2
80-84	11	8		
85-UP	14	22	1	
-- ICD 170.1 (1977) ----				
15-19		1		
25-29			1	
40-44	1		2	
45-49	2	1	3	
50-54	6		1	3
55-59	17	3	2	3
60-64	9	8	4	1
65-69	18	4	1	1
70-74	15	5	2	1
75-79	11	5		3
80-84	6	8		1
85-UP	12	5	1	2
-- ICD 170.2 (1977) ----				
00-04	2	1		
10-14	2			
15-19	2	1	1	
20-24	1	1		
25-29	3	1		
30-34	1	1		
35-39		1		
40-44	1		2	
45-49	2	4	1	
50-54	7	6		1
55-59	10	8	1	
60-64	12	6	2	
65-69	14	9	2	3
70-74	14	5		
75-79	12	5	4	1
80-84	11	12	1	2
85-UP	7	4		
-- ICD 170.3 (1977) ----				
05-09	1			
10-14		1		
15-19	2			
25-29	1		1	
40-44		1		
45-49	1			
50-54	3	1	1	
55-59	4	4		
60-64		3	4	
65-69	3	2		
70-74	3	1	1	
75-79	4	3	1	1
80-84	1	2		1
85-UP	1	2		
-- ICD 170.4 (1977) ----				
05-09		1		
10-14	2			1
15-19	6			
35-39	1			
40-44	1			
45-49		3		
50-54		2		
55-59	3			
60-64	3	1		
65-69	1	4		
70-74	7	3		
75-79	3	5		
80-84	3	5		
85-UP	1	2		
-- ICD 170.5 (1977) ----				
10-14	1			
-- ICD 170.6 (1977) ----				
00-04	3	1		

AGE	WM	WF	NM	NF
-- 170.6 (1977) CONTD---				
05-09	1			
10-14		3	1	
15-19	7			
20-24	6			1
25-29	1			1
30-34	4	1		
35-39	2	3		1
40-44	4	2		
45-49	1	3		
50-54	4		2	
55-59	3	2		
60-64	5	4	2	
65-69	9	7		
70-74	8	7		
75-79	5	11	1	
80-84	1	3		
85-UP	3	3	1	
-- ICD 170.7 (1977) ----				
00-04		1		
05-09	1			1
10-14	3	5	1	
15-19	20	12	2	2
20-24	5	5		
25-29	2		1	
30-34		1		
35-39	1	2		
40-44	1	1		
45-49	2	2		
50-54	4	4		
55-59	1	3	2	
60-64	7	6		
65-69	5	6	1	
70-74	4	10	1	
75-79	4	6	1	1
80-84	2	7		
85-UP	5	3		
-- ICD 170.8 (1977) ----				
35-39	1			
50-54	1			
60-64	1			
80-84	1			
-- ICD 170.9 (1977) ----				
00-04	1	2		
05-09	10	4		
10-14	17	23	12	2
15-19	57	27	7	10
20-24	49	14	6	3
25-29	14	12	1	
30-34	18	8	3	1
35-39	13	1		1
40-44	7	5		1
45-49	5	3	4	1
50-54	16	7	4	5
55-59	19	13	5	4
60-64	25	17	3	3
65-69	35	24	4	3
70-74	27	25	1	1
75-79	25	13	3	1
80-84	23	20		1
85-UP	12	16	1	2
-- ICD 171.0 (1977) ----				
00-04	2			
05-09	2			
10-14	1	1		
15-19		1		
20-24	1			
25-29	1			
40-44	1			
50-54	1			
55-59	2	2		
60-64	2			1
65-69	1			1
70-74	1	1		
75-79	2			
80-84	1			
85-UP	2	2		
-- ICD 171.1 (1977) ----				
00-04	4	1	2	
05-09	2	1		
10-14	2	1		
15-19	2	1	1	
20-24	1	1		
25-29	3	6	1	1
30-34	2			
35-39	5	4	1	1
40-44	4	4	1	2
45-49	6	9	1	2
50-54	10	6		2
55-59	16	18	3	2
60-64	9	18	3	1

AGE	WM	WF	NM	NF
-- 171.1 (1977) CONTD---				
65-69	14	10		1
70-74	16	11	3	
75-79	10	14	1	2
80-84	4	14		
85-UP	3	2		
-- ICD 171.2 (1977) ----				
15-19			1	
20-24		1		
25-29	2	2		
35-39	2			
40-44	1	1		
50-54	1			
55-59	1	1		
60-64	2	2		
65-69	3	2		
70-74	1	1		1
75-79	2	1	1	
80-84	2	1		
85-UP	2	4		
-- ICD 171.3 (1977) ----				
00-04		1		
10-14		1		
15-19	3	2	2	
20-24	4	2		
25-29	5	1		
30-34	1	2		1
35-39	1	2	3	
40-44	3	1		
45-49	2	2		2
50-54	5	6	1	1
55-59	10	2	2	2
60-64	7	9	1	1
65-69	8	6		
70-74	13	10		
75-79	12	8	1	1
80-84	8	10		
85-UP	8	10		
-- ICD 171.9 (1977) ----				
00-04	8	9	1	2
05-09	16	8	2	2
10-14	6	14	2	5
15-19	16	15	1	6
20-24	19	7	3	1
25-29	12	11	4	1
30-34	15	9	6	
35-39	15	11	4	5
40-44	18	14	5	3
45-49	26	33	4	8
50-54	35	30	3	9
55-59	37	48	13	6
60-64	43	44	6	10
65-69	52	53	3	10
70-74	43	55	4	3
75-79	43	37	3	8
80-84	41	37		5
85-UP	25	34	2	3
-- ICD 172.0 (1977) ----				
80-84	1			
-- ICD 172.1 (1977) ----				
30-34	1			
75-79	1			
80-84		1		
-- ICD 172.2 (1977) ----				
30-34	1			
45-49	3			
50-54	1			
60-64	3			
65-69	2	1		
70-74	3	1		
75-79	1			
80-84	2			
85-UP	2	2		
-- ICD 172.3 (1977) ----				
20-24	1			
25-29	1			
30-34	1			
35-39	1			
40-44	1	1		
45-49	2			1
50-54	4			
55-59	1	3		
60-64	4			
65-69	4	4		
70-74	8	2		
75-79	7	9		
80-84	5	4		
85-UP	3	12		

AGE	WM	WF	NM	NF
-- ICD 172.4 (1977) ----				
20-24	1			
25-29	4			
30-34		1		
35-39	4	1		
40-44	2			
45-49	2	4		
50-54	4	3		
55-59	3	4		
60-64	8	2		
65-69	5	1		
70-74	10	4		
75-79	7	4		
80-84		5	1	
85-UP	2	2		
-- ICD 172.5 (1977) ----				
25-29	1			
-- ICD 172.6 (1977) ----				
05-09	1			
15-19	1			
20-24	2	2		
25-29	4	5		
30-34	12	2		
35-39	7	8		
40-44	6	6		
45-49	22	6		
50-54	23	5		
55-59	29	7		
60-64	15	7		
65-69	18	6		
70-74	12	12		
75-79	10	4		1
80-84	9	3		
85-UP		5		
-- ICD 172.7 (1977) ----				
20-24	1			
25-29	3	2		
30-34	2	3		
35-39	2	4		
40-44	4	2		
45-49	4	7		
50-54	11	6		
55-59	7	3		
60-64	11	4		
65-69	5	10		
70-74	10	5		
75-79	4	4		
80-84	1	5		1
85-UP	1	3		
-- ICD 172.8 (1977) ----				
15-19	2	1		
20-24		2		
25-29	2			
30-34	2	3		
35-39	2	5		
40-44	6	10		
45-49	2	5		
50-54	2	12	1	
55-59	5	9		2
60-64	14	13	1	
65-69	9	18	1	2
70-74	12	18		
75-79	5	10	1	3
80-84	5	7	1	2
85-UP	5	13	1	
-- ICD 172.9 (1977) ----				
00-04		1		1
05-09	1			
10-14			1	
15-19	10	8		
20-24	35	26		1
25-29	70	29		
30-34	83	49	1	
35-39	122	84	1	2
40-44	116	91	4	1
45-49	187	128	2	
50-54	202	124	5	3
55-59	241	153	4	2
60-64	253	141	5	2
65-69	211	161	6	3
70-74	172	153	5	1
75-79	128	113	5	5
80-84	98	90	2	1
85-UP	66	90	2	3
-- ICD 173.0 (1977) ----				
40-44	1		1	
60-64	1	1		
65-69	2			
70-74	2			
75-79	1	1		

AGE	WM	WF	NM	NF
-- 173.0 (1977) CONTD---				
85-UP		1		
-- ICD 173.1 (1977) ----				
65-69	1			
70-74	2	1		
75-79	4			
80-84	1			
85-UP	1	1		
-- ICD 173.2 (1977) ----				
25-29	1			
35-39				1
40-44	1			
45-49	1	1		1
50-54	2	2		1
55-59	5	4		
60-64	4	4		
65-69	10	4		
70-74	7	3		
75-79	5	2		
80-84	6	3	1	
85-UP	17	7		
-- ICD 173.3 (1977) ----				
05-09	1			
30-34	1			
35-39	2	1		
40-44	3			
45-49	7	1	2	1
50-54	7	3		1
55-59	21	5	2	1
60-64	29	10		
65-69	35	5	1	
70-74	53	22	1	
75-79	29	26		2
80-84	33	39		
85-UP	69	92	1	
-- ICD 173.4 (1977) ----				
20-24	1			
25-29	1			
30-34		1		
35-39	1			
40-44	1	1		
45-49	9	2	3	
50-54	16	2	3	2
55-59	25	6	1	4
60-64	34	14	2	1
65-69	35	5	3	
70-74	25	14	4	1
75-79	27	13		2
80-84	29	14	3	
85-UP	24	14		
-- ICD 173.5 (1977) ----				
40-44	1			
50-54	2			
60-64	1		1	
65-69	1			
70-74	2			
75-79	2			
80-84	3			
85-UP			1	
-- ICD 173.6 (1977) ----				
15-19		1		
25-29		2		
35-39		1	1	
40-44	2		1	1
45-49	9	8		1
50-54	11	4		2
55-59	13	8		3
60-64	10	16	2	3
65-69	17	17	1	
70-74	17	14	1	2
75-79	10	12	2	2
80-84	2	18		
85-UP	7	19		1
-- ICD 173.7 (1977) ----				
35-39	1			
50-54	1			
55-59	2	1		
60-64	1	2		
65-69	2	2		
70-74	2	1		1
75-79	8	2		
80-84	4	4		
85-UP	5	6	1	
-- ICD 173.8 (1977) ----				
15-19	1			
45-49	1	1	2	
50-54	2			
55-59	3	1		1

Appendix I - Annual Tumor Mortality by ICD

AGE	WM	WF	NM	NF
-- 173.8 (1977) CONTD---				
60-64	2	5		1
65-69	6	1	2	
70-74	4	6		
75-79	1	5	1	1
80-84	3	2		
85-UP	2	3		
-- ICD 173.9 (1977) ----				
00-04		1	1	
10-14		1		
15-19	2	1		2
20-24	1	1		
25-29	3	1		1
30-34	2	1		
35-39	5			
40-44	4	2		1
45-49	9	3		
50-54	7	8	2	1
55-59	14	15		1
60-64	21	4		1
65-69	32	11	1	
70-74	35	7	2	
75-79	23	12	1	
80-84	21	11	1	
85-UP	20	21		
-- ICD 174 --(1977) ----				
SEE PAGES 164 - 173				
-- ICD 180 --(1977) ----				
SEE PAGES 174 - 179				
-- ICD 181 --(1977) ----				
15-19				2
20-24		5		3
25-29		9		2
30-34		6		1
35-39		1		2
45-49		1		1
50-54		1		
-- ICD 182.0 (1977) ----				
15-19				1
30-34		2		
35-39		6		2
40-44		22		3
45-49		46		5
50-54		117		12
55-59		228		29
60-64		352		64
65-69		440		65
70-74		403		70
75-79		329		49
80-84		249		27
85-UP		181		15
-- ICD 182.9 (1977) ----				
10-14		1		
20-24		2		
25-29		6		5
30-34		10		2
35-39		20		9
40-44		48		5
45-49		79		28
50-54		148		39
55-59		245		47
60-64		318		74
65-69		338		73
70-74		363		79
75-79		343		54
80-84		333		34
85-UP		294		27
-- ICD 183.0 (1977) ----				
00-04		1		
05-09		3		
10-14		.5		4
15-19		13		5
20-24		30		3
25-29		37		7
30-34		59		5
35-39		106		19
40-44		219		33
45-49		553		51
50-54		972		75
55-59		1264		103
60-64		1462		123
65-69		1453		118
70-74		1280		89
75-79		1012		70
80-84		744		29
85-UP		513		34
-- ICD 183.1 (1977) ----				
35-39				1

AGE	WM	WF	NM	NF
-- 183.1 (1977) CONTD---				
40-44		2		2
45-49		10		1
50-54		14		5
55-59		32		4
60-64		27		6
65-69		22		1
70-74		14		2
75-79		11		
80-84		2		
-- ICD 183.9 (1977) ----				
75-79		2		
-- ICD 184.0 (1977) ----				
15-19		1		
20-24		2		2
25-29		4		
30-34		2		
35-39		2		2
40-44				1
45-49		11		4
50-54		15		7
55-59		23		4
60-64		36		7
65-69		38		5
70-74		47		8
75-79		41		9
80-84		46		6
85-UP		39		3
-- ICD 184.1 (1977) ----				
25-29				1
30-34				1
35-39				1
40-44		8		
45-49		6		
50-54		13		3
55-59		21		4
60-64		30		4
65-69		69		6
70-74		61		5
75-79		87		5
80-84		88		5
85-UP		109		3
-- ICD 184.8 (1977) ----				
30-34		1		
65-69		2		
-- ICD 184.9 (1977) ----				
30-34		1		
40-44		1		
45-49		3		1
50-54		1		
55-59		4		1
60-64		2		2
65-69		6		
70-74		4		2
75-79		11		1
80-84		5		1
85-UP		11		
-- ICD 185 --(1977) ----				
SEE PAGES 190 - 195				
-- ICD 186 --(1977) ----				
SEE PAGES 196 - 201				
-- ICD 187.0 (1977) ----				
30-34	1			
35-39	1			
40-44	3			
45-49	7			
50-54	6			2
55-59	16			5
60-64	26			4
65-69	23			8
70-74	23			7
75-79	17			5
80-84	23			4
85-UP	21			
-- ICD 187.8 (1977) ----				
15-19				2
60-64				1
65-69	2			1
70-74	2			
75-79	2			
80-84	2			
-- ICD 187.9 (1977) ----				
55-59	4			
60-64	1			
65-69	1			1
70-74	2			1

AGE	WM	WF	NM	NF
-- 187.9 (1977) CONTD---				
75-79	5			
80-84	4			
85-UP	3			1
-- ICD 188 --(1977) ----				
00-04	4	1		
15-19	1			
20-24	1			
25-29	1	1		
30-34	2	4		
35-39	14	3		3
40-44	23	14	2	4
45-49	65	21	8	2
50-54	203	70	23	23
55-59	330	113	33	23
60-64	635	202	53	40
65-69	919	286	94	57
70-74	1159	416	85	62
75-79	1143	451	103	46
80-84	994	535	56	28
85-UP	787	589	38	41
-- ICD 189.0 (1977) ----				
00-04	10	11	4	6
05-09	9	8	2	3
10-14	4	4		3
15-19	3	5	1	3
20-24	4	7	3	
25-29	8	8	2	7
30-34	19	12	6	
35-39	36	22	8	6
40-44	105	39	8	11
45-49	217	74	24	11
50-54	365	167	40	19
55-59	510	243	42	12
60-64	588	288	51	25
65-69	643	387	58	28
70-74	599	380	37	23
75-79	436	306	27	18
80-84	297	278	14	15
85-UP	184	190	6	11
-- ICD 189.1 (1977) ----				
35-39	1			
45-49	1	2		
50-54	4	3		
55-59	4	6	1	1
60-64	13	5	1	1
65-69	11	8		
70-74	4	5		1
75-79	4	6		1
80-84	5	6		
85-UP	5	4		
-- ICD 189.2 (1977) ----				
40-44	1	1	1	
45-49	2	1	1	
50-54	8	5		
55-59	7	4		1
60-64	18	16		1
65-69	20	12	1	
70-74	26	22	1	1
75-79	28	17	2	2
80-84	23	17		
85-UP	12	18		1
-- ICD 189.9 (1977) ----				
25-29	1			
35-39			1	1
40-44	2	1		1
45-49	2	4		2
50-54	3	5	3	3
55-59	9	7	2	4
60-64	3	9	3	
65-69	16	10	3	3
70-74	11	15	5	2
75-79	5	13	4	2
80-84	13	6	1	
85-UP	3	17		1
-- ICD 190 --(1977) ----				
SEE PAGES 238 - 243				
-- ICD 191 --(1977) ----				
00-04	56	42	6	8
05-09	67	44	13	11
10-14	56	53	8	10
15-19	69	44	9	5
20-24	64	27	5	4
25-29	68	54	6	2
30-34	100	75	9	5
35-39	117	75	6	6
40-44	160	108	6	12
45-49	226	177	12	16
50-54	353	283	23	21

AGE	WM	WF	NM	NF
-- 191 --(1977) CONTD---				
55-59	508	326	33	18
60-64	551	419	31	21
65-69	516	434	34	28
70-74	415	342	16	13
75-79	225	225	5	9
80-84	95	127	1	4
85-UP	50	53	1	1
-- ICD 192.0 (1977) ----				
00-04		1		1
05-09		1		
15-19				1
25-29	1			
30-34	1			
35-39				1
40-44		1		
45-49				1
70-74	1			
-- ICD 192.1 (1977) ----				
20-24	1			
25-29				1
40-44	2	1		
45-49	1	1		
50-54	2	1		
55-59	2	5		
60-64	4	2		
65-69	5	1		
70-74	7	6		
75-79		1		
80-84		1		
-- ICD 192.2 (1977) ----				
00-04		1	1	1
05-09	1	2		
10-14	3			1
15-19	4	1		
20-24	1			
25-29	3	1		
30-34	1	4		
35-39	1	2		1
40-44	1	2		
45-49	3	3	2	1
50-54	6	3	1	1
55-59	4	3	1	
60-64	6	4		
65-69	8	3		
70-74	4	3		1
75-79	2	2		1
80-84	1	1	1	1
85-UP		2		
-- ICD 192.3 (1977) ----				
00-04	1			
70-74		1		
-- ICD 192.4 (1977) ----				
00-04		1		1
05-09		1		
10-14		3		2
15-19	3	3	2	
20-24	2	7		
25-29	5	5	1	2
30-34	4	7	3	1
35-39	4			1
40-44	3	5		2
45-49	3	5	2	
50-54	8	5	2	1
55-59	2	7		1
60-64	1	8		1
65-69	8	10		1
70-74	6	7		
75-79	5	7		
80-84	5	2		
85-UP	1	5		
-- ICD 192.5 (1977) ----				
00-04	76	38	10	12
05-09	30	16	6	2
10-14	7	8		
15-19	8	4	1	
20-24	3	1		2
25-29	1	1		
30-34	1			
35-39		1	1	
45-49		2		1
50-54				1
55-59	2			
60-64		1		
65-69		1		
70-74	2			
75-79	1	1		
85-UP		2		

AGE	WM	WF	NM	NF
-- ICD 192.9 (1977) ----				
00-04	19	7	2	3
05-09	26	9	4	3
10-14	17	16	5	4
15-19	17	21	1	2
20-24	16	3	1	2
25-29	24	11	3	2
30-34	34	17	2	1
35-39	28	25	2	1
40-44	46	35	2	3
45-49	57	38	6	2
50-54	107	74	7	5
55-59	135	116	13	9
60-64	137	88	12	7
65-69	127	123	5	10
70-74	70	67	4	3
75-79	45	53	3	1
80-84	20	24	2	1
85-UP	6	2		
-- ICD 193 --(1977) ----				
SEE PAGES 254 - 259				
-- ICD 194.0 (1977) ----				
05-09	1			
10-14	2			1
15-19		2	1	
20-24		4		
25-29	1	7		
30-34	3	3		
35-39	3	7	1	
40-44	10	9	2	
45-49	13	6		
50-54	15	16	2	1
55-59	20	23	2	1
60-64	18	10	1	1
65-69	18	13		
70-74	12	14		1
75-79	4	8		
80-84	3	4		
85-UP	5	3		
-- ICD 194.1 (1977) ----				
25-29	1			
55-59	1			
60-64	3			
75-79		1		
80-84		1		
-- ICD 194.2 (1977) ----				
10-14		1		
15-19	3			
20-24	3	1		1
25-29	4			
30-34	4	1		
35-39	4	2		
40-44	2	1		
45-49	5	1	2	1
50-54		4	1	1
55-59	6	4	1	
60-64	6	4	1	
65-69	2	7	1	1
70-74	1			
75-79	1	2		
80-84	2	2		
-- ICD 194.3 (1977) ----				
05-09		1		
10-14	2			
20-24	1			
25-29	1			
30-34	1			
35-39		1	1	
40-44			1	
45-49	1		2	
50-54	3	1		
55-59	2	3	1	
60-64	2	1	1	
65-69	2	1		
70-74	2	1		
75-79		1	1	
-- ICD 194.4 (1977) ----				
00-04		1		
05-09	1		1	
10-14	1	1		
15-19	1	1	1	1
20-24			1	
25-29	1			
35-39	1			
40-44	1			
60-64	1			
-- ICD 194.8 (1977) ----				
15-19		2		
40-44	1			

AGE	WM	WF	NM	NF
-- 194.8 (1977) CONTD---				
45-49		1		
50-54	3		1	
55-59		1		
60-64		2		1
65-69		1		
70-74				1
75-79	1			
80-84		1		
-- ICD 194.9 (1977) ----				
35-39		1		
50-54	1			
-- ICD 195.0 (1977) ----				
00-04	2	1		
05-09	1			
15-19	1		1	
20-24		2		
25-29	2		1	1
30-34	5	2	1	
35-39	5	3	2	2
40-44	5	6	2	1
45-49	17	18	2	7
50-54	26	19	5	6
55-59	36	55	5	12
60-64	53	84	10	21
65-69	73	114	20	26
70-74	81	125	11	27
75-79	71	140	7	16
80-84	57	145	9	16
85-UP	45	143	7	10
-- ICD 195.1 (1977) ----				
00-04	2	2		1
05-09				1
15-19	1	1		
20-24		3		
25-29	2			
35-39		1	1	1
40-44		2		1
45-49	1	11		3
50-54		14	3	2
55-59	7	18		4
60-64	4	25	3	2
65-69	6	30		6
70-74	3	26	1	6
75-79	2	33	2	10
80-84	3	40		7
85-UP	4	41		6
-- ICD 195.9 (1977) ----				
00-04		1		
05-09		1		
15-19	4			1
20-24	2			
25-29	8	2		
30-34	2	3	1	
35-39	3		1	1
40-44	10	6	6	2
45-49	15	4	6	1
50-54	32	12	12	5
55-59	47	22	7	7
60-64	63	29	6	2
65-69	84	41	12	3
70-74	74	36	5	6
75-79	74	25	4	1
80-84	54	40	4	2
85-UP	58	47	2	5
-- ICD 196.0 (1977) ----				
30-34	1			1
40-44	1			
45-49	3		1	
50-54		1	1	1
55-59	1	2		
60-64	3	5	1	1
65-69	3	1		
70-74	5	2	1	
75-79	4	3		
80-84	4	5	1	
85-UP	1	4		
-- ICD 196.1 (1977) ----				
15-19	1			
50-54	1			
55-59	2		1	
60-64	1			
65-69		1		
70-74		1		
75-79	2			
80-84		1		
-- ICD 196.2 (1977) ----				
45-49	1			
55-59		1		

AGE	WM	WF	NM	NF
-- 196.2 (1977) CONTD---				
60-64		1		
65-69		1		
70-74		1		
75-79		1		
80-84		1		
-- ICD 196.3 (1977) ----				
40-44	1			
55-59		1		
65-69	2			
70-74	1			
75-79	1			1
85-UP		1		
-- ICD 196.4 (1977) ----				
15-19		1		
40-44		1		
55-59	1			
60-64	1			
65-69	2	1		
70-74	2	2		
75-79	4			
80-84	3	1		
-- ICD 196.7 (1977) ----				
55-59		1		
60-64	1			
65-69	1			
75-79	1			
85-UP	1			
-- ICD 196.8 (1977) ----				
05-09	1			
10-14	1			
25-29	1	1		
50-54		1		
65-69	2	1		
75-79				1
80-84	1	1		
-- ICD 196.9 (1977) ----				
10-14	1			
25-29		1		
30-34	1	1		
40-44	1	1		
45-49	2	1		1
50-54	5	1		
55-59	2	1		
60-64	4	2	2	
65-69	6	2	1	
70-74	3	2	1	
75-79	3	4		
80-84	3	7		
85-UP	4	3		
-- ICD 197.0 (1977) ----				
10-14	1			
15-19				1
20-24	1		1	
25-29	1			
30-34	1	1	1	1
35-39	1	5		
40-44	6	6	1	1
45-49	14	10	5	4
50-54	26	27	8	4
55-59	45	29	4	4
60-64	51	37	3	6
65-69	51	44	6	10
70-74	73	57	9	9
75-79	56	65	8	6
80-84	49	54	2	3
85-UP	34	64	4	4
-- ICD 197.1 (1977) ----				
40-44	1		1	
45-49	1			
50-54	1			
55-59	1			
60-64	1			
65-69	1	1		
70-74	1			
75-79		4		
80-84	1			
85-UP		2		
-- ICD 197.2 (1977) ----				
00-04		1		
25-29	1	1		
30-34	1			1
35-39	1	1		1
40-44		4	1	
45-49	1	4		1
50-54	6	4	2	1
55-59	8	11	1	2
60-64	15	9	3	2

AGE	WM	WF	NM	NF
-- 197.2 (1977) CONTD---				
65-69	9	13		1
70-74	10	14	3	4
75-79	10	20	1	3
80-84	14	21		2
85-UP	12	18		1
-- ICD 197.3 (1977) ----				
15-19		1		
40-44			1	
45-49		1		
50-54		3		
55-59	3			
60-64	2	1		
65-69	1	3		1
70-74	3	3		
75-79	3	1		
80-84	1	1		1
85-UP		2		
-- ICD 197.4 (1977) ----				
50-54		1		
55-59			2	
60-64	1	1		
65-69		2		
80-84		1		
-- ICD 197.5 (1977) ----				
40-44				1
45-49	2	1		
50-54	2	2	1	
55-59	5	1		
60-64	3	2		
65-69	1	3	1	
70-74	4	8		2
75-79	3	8	1	
80-84	3	9		
85-UP	2	5	2	1
-- ICD 197.6 (1977) ----				
20-24	1			
25-29	1	1		
35-39	1			
45-49	1		1	1
50-54	2	1	1	
55-59	2	10	3	
60-64	4	7		2
65-69	1	7		
70-74	9	12		2
75-79	8	14		1
80-84	3	9		
85-UP	3	8		1
-- ICD 197.7 (1977) ----				
15-19	1	1		
20-24	1	1		
25-29	4		1	
30-34	5	5		2
35-39	5	6	2	
40-44	19	14	5	
45-49	22	25	10	5
50-54	59	44	11	18
55-59	73	70	8	14
60-64	142	94	23	11
65-69	177	127	30	22
70-74	203	151	24	18
75-79	151	155	19	16
80-84	118	159	11	13
85-UP	90	160	7	11
-- ICD 197.8 (1977) ----				
05-09			1	
15-19	5	1		
20-24	2	2		
25-29	2	2		
30-34	4	2	5	
35-39	5	12	3	4
40-44	14	10	2	1
45-49	37	20	16	5
50-54	56	42	18	9
55-59	85	80	19	8
60-64	147	81	35	10
65-69	196	140	40	26
70-74	203	154	32	22
75-79	162	171	26	25
80-84	122	164	11	15
85-UP	87	162	11	12
-- ICD 197.9 (1977) ----				
30-34			1	
35-39		1		
40-44	1		1	
45-49	1			
50-54	1	4	1	
55-59	2	3	2	1
60-64	3	5		

AGE	WM	WF	NM	NF
-- 197.9 (1977) CONTD---				
65-69	5	3		
70-74	3		1	
75-79	5	2		1
80-84	2	2	2	
85-UP	4	3		
-- ICD 198.0 (1977) ----				
45-49				1
55-59	2			
60-64		1		
75-79		1		1
80-84	2	1		
85-UP		2		
-- ICD 198.1 (1977) ----				
45-49	1			
50-54	1			
60-64		2		
65-69		2		
70-74	1	1		
75-79			1	
85-UP		1		
-- ICD 198.2 (1977) ----				
35-39	1			
45-49	1		1	
50-54	3			
55-59	3	1		
60-64	2			1
65-69	3	2	1	
70-74	1	2		
75-79	5	1		
80-84	2	1	1	
85-UP	2	1		
-- ICD 198.3 (1977) ----				
20-24	2	2		
25-29	1	2		
30-34	1	2		
35-39	2	6	1	
40-44	6	9		1
45-49	16	20	4	4
50-54	37	26	10	4
55-59	53	40	4	1
60-64	53	55	11	9
65-69	96	43	6	5
70-74	55	40	6	3
75-79	31	35	5	2
80-84	20	29	1	
85-UP	10	13	1	1
-- ICD 198.4 (1977) ----				
15-19	1			
30-34		1		
35-39	2	2		
40-44	2	1		
45-49	2	1		1
50-54	2	1	2	
55-59	6	1	3	
60-64	7	3		
65-69	11	6	1	
70-74	5	2		
75-79	5	3	2	
80-84	3		1	
-- ICD 198.5 (1977) ----				
25-29	1			
35-39	2	1		
40-44		2	1	1
45-49	10	6	2	1
50-54	19	8	1	1
55-59	24	10	5	3
60-64	46	23	3	4
65-69	44	22	4	3
70-74	34	32	4	2
75-79	40	24	4	3
80-84	19	33	3	3
85-UP	15	19	1	
-- ICD 198.9 (1977) ----				
20-24			1	
25-29	1			
30-34	2	4	1	
35-39		2	2	
40-44	5	6	2	5
45-49	8	9	2	3
50-54	19	20	4	4
55-59	26	28	5	5
60-64	33	49	5	6
65-69	42	48	6	5
70-74	26	61	2	9
75-79	35	63	5	6
80-84	26	49	2	3
85-UP	22	41	4	

AGE	WM	WF	NM	NF
-- ICD 199.0 (1977) ----				
00-04	5	6		
05-09	1	4		
10-14	2	4	3	
15-19	7	12	5	3
20-24	18	10	3	2
25-29	28	10	8	4
30-34	29	35	3	8
35-39	51	42	13	17
40-44	87	96	24	32
45-49	187	233	51	42
50-54	418	324	94	73
55-59	556	489	121	86
60-64	845	623	119	111
65-69	909	745	148	122
70-74	888	829	137	115
75-79	730	840	102	96
80-84	516	713	72	60
85-UP	377	700	40	60
-- ICD 199.1 (1977) ----				
00-04	4	1	1	1
05-09	3	1		1
10-14	3	2	1	2
15-19	7	4		2
20-24	7	5	2	
25-29	10	3		1
30-34	6	12	3	3
35-39	10	9	2	4
40-44	18	18	11	5
45-49	29	23	23	15
50-54	64	48	26	9
55-59	116	72	31	15
60-64	122	84	40	30
65-69	159	108	38	40
70-74	152	89	28	25
75-79	99	105	29	20
80-84	106	83	18	13
85-UP	89	106	18	18
-- ICD 200.0 (1977) ----				
00-04		3		
05-09	3	1		
10-14	6	3	3	1
15-19	10	6	1	
20-24	15	13	2	2
25-29	25	15	4	1
30-34	21	17	2	1
35-39	24	14	7	1
40-44	40	27	1	3
45-49	50	37	8	6
50-54	93	74	7	6
55-59	132	122	10	17
60-64	149	115	11	13
65-69	173	166	16	4
70-74	149	186	9	11
75-79	113	139	7	6
80-84	73	130		4
85-UP	39	81	1	7
-- ICD 200.1 (1977) ----				
00-04	1	2		
05-09	9	1	5	2
10-14	22	2		
15-19	18	7	4	1
20-24	17	2		2
25-29	22	10	2	3
30-34	20	8	7	
35-39	22	14	3	
40-44	31	18	2	4
45-49	61	57	4	7
50-54	93	84	4	2
55-59	155	122	15	4
60-64	202	167	23	10
65-69	217	175	9	12
70-74	197	184	8	13
75-79	154	212	8	12
80-84	125	146	6	7
85-UP	77	115	5	4
-- ICD 201 --(1977) ----				
SEE PAGES 280 - 289				
-- ICD 202.0 (1977) ----				
25-29	1			
60-64	1			
65-69		1		
70-74	1	4		1
75-79	2	1		
80-84	1			
85-UP		1		
-- ICD 202.1 (1977) ----				
20-24			1	
30-34	1	2		
35-39	1	1		

AGE	WM	WF	NM	NF
-- 202.1 (1977) CONTD---				
40-44		3	2	1
45-49	5	2		1
50-54	5	1	2	
55-59	3	4	1	1
60-64	8	5	1	1
65-69	12	5	1	4
70-74	10	4		1
75-79	11	3	1	1
80-84	2	4	1	1
85-UP	4	4	1	
-- ICD 202.2 (1977) ----				
00-04	10	6	3	
05-09	31	5	7	1
10-14	39	10	3	2
15-19	38	18	4	5
20-24	43	9	6	
25-29	36	20	9	6
30-34	33	18	4	7
35-39	51	35	6	6
40-44	60	29	9	3
45-49	94	80	12	9
50-54	181	136	14	12
55-59	254	200	26	18
60-64	362	270	27	16
65-69	389	357	25	27
70-74	384	362	32	20
75-79	286	381	26	18
80-84	239	311	8	12
85-UP	135	235	7	5
-- ICD 202.9 (1977) ----				
60-64		1		
80-84	1	1		
-- ICD 203 --(1977) ----				
SEE PAGES 300 - 305				
-- ICD 204.0 (1977) ----				
00-04	56	41	6	8
05-09	150	94	19	11
10-14	110	66	16	8
15-19	86	46	8	5
20-24	44	33	7	5
25-29	26	14	2	
30-34	16	13	2	
35-39	18	10		2
40-44	5	6	1	
45-49	16	11	2	1
50-54	15	11	1	3
55-59	19	18	2	
60-64	18	14	3	
65-69	23	22	4	3
70-74	36	29	3	2
75-79	31	40	2	3
80-84	34	34	3	
85-UP	20	38	1	
-- ICD 204.1 (1977) ----				
05-09		3		
10-14	2			
15-19	3	1		1
25-29	1			
30-34	2	1		
35-39	4	3		
40-44	8	1		
45-49	15	6	9	2
50-54	55	22	10	5
55-59	95	35	15	5
60-64	149	74	12	10
65-69	200	96	15	12
70-74	239	159	24	21
75-79	225	166	18	10
80-84	222	174	9	10
85-UP	187	220	10	7
-- ICD 204.9 (1977) ----				
00-04	2	3	1	
05-09	9	7		
10-14	3	3		
15-19		1		
20-24	2		1	
25-29	2			1
30-34			1	1
35-39	1	1	1	
40-44	4	1		1
45-49	3	2	1	1
50-54	4	6	1	1
55-59	10	2	1	
60-64	23	18		1
65-69	32	15	3	
70-74	57	29	5	2
75-79	54	39	2	2
80-84	28	48	4	6
85-UP	49	54	1	7

AGE	WM	WF	NM	NF
-- ICD 205.0 (1977) ----				
00-04	31	18	6	3
05-09	29	20	4	3
10-14	29	27	4	6
15-19	56	46	4	13
20-24	68	37	9	16
25-29	75	42	4	10
30-34	55	57	6	8
35-39	45	62	6	9
40-44	68	64	7	14
45-49	105	79	12	10
50-54	136	106	6	10
55-59	211	142	18	11
60-64	256	184	23	22
65-69	299	225	20	23
70-74	348	239	16	18
75-79	248	255	14	17
80-84	188	208	16	7
85-UP	128	147	13	4
-- ICD 205.1 (1977) ----				
00-04	3	5	1	
05-09	4	3		1
10-14	5	2	1	
15-19	6	4	1	2
20-24	17	12	3	1
25-29	31	22	3	6
30-34	23	30	7	3
35-39	34	20	7	4
40-44	36	28	12	9
45-49	43	29	8	5
50-54	61	49	5	14
55-59	79	52	10	7
60-64	102	62	8	10
65-69	110	75	13	8
70-74	117	88	10	8
75-79	109	90	11	5
80-84	102	84	4	3
85-UP	61	83	2	2
-- ICD 205.9 (1977) ----				
00-04	1			
10-14	3	1		
15-19	5	1		
20-24	1	1		
25-29	1	1	1	1
30-34	4	2		
35-39	1			
40-44	3	3		
45-49	2	7	1	
50-54	9	7		2
55-59	13	10	2	
60-64	25	12	3	
65-69	24	12	2	1
70-74	47	19	4	1
75-79	36	23		2
80-84	31	37	4	1
85-UP	24	38	2	
-- ICD 206.0 (1977) ----				
00-04	7	4		
10-14	2	1		1
15-19	2	1		1
20-24	1	3		1
25-29	5			1
30-34	2	2	1	
35-39	3	1		
40-44	2	5		
45-49	5	3		2
50-54	6	11	3	2
55-59	8	13	2	1
60-64	12	7	2	1
65-69	11	14	2	2
70-74	20	12		2
75-79	21	12	3	
80-84	20	16		1
85-UP	10	10	1	1
-- ICD 206.1 (1977) ----				
55-59	2			
60-64	2			
65-69	2			
75-79		2	1	
85-UP	3	1		
-- ICD 206.9 (1977) ----				
00-04	3			
10-14			1	1
15-19	2	1		
20-24	1	1		
30-34		1		
40-44	6			
50-54	2	4		

AGE	WM	WF	NM	NF
-- 206.9 (1977) CONTD---				
55-59	6	1		
60-64	10	4		
65-69	6	5		
70-74	6	7		
75-79	10	5	1	
80-84	6	5	1	
85-UP	6	8		
-- ICD 207.0 (1977) ----				
00-04	17	9	1	1
05-09	27	9	4	2
10-14	15	15	3	3
15-19	33	19	2	6
20-24	29	16	8	2
25-29	25	17	2	2
30-34	14	14	1	2
35-39	25	10	4	3
40-44	18	18	2	4
45-49	31	26		
50-54	46	30	6	3
55-59	60	36	4	7
60-64	58	52	6	5
65-69	100	93	5	6
70-74	109	91	11	9
75-79	107	95	6	6
80-84	91	73	5	3
85-UP	44	59	4	3
-- ICD 207.1 (1977) ----				
10-14		1		
15-19	1			
35-39	1	1		
40-44	2			
45-49		1	1	1
50-54	2	1		
55-59	4	4		1
60-64	5	7		1
65-69	8	1	1	
70-74	10	8		
75-79	8	16		2
80-84	11	14		
85-UP	7	12		
-- ICD 207.2 (1977) ----				
00-04		2	1	
05-09	1			
10-14	1			1
15-19	1			
25-29	1			
35-39	2	1		
40-44	1			
45-49	4	1	1	
50-54	5	4		1
55-59	10	4	1	
60-64	11	12	1	
65-69	27	13	1	
70-74	16	12		4
75-79	19	11	3	
80-84	18	8	2	1
85-UP	12	10		1
-- ICD 207.9 (1977) ----				
00-04	8	10	3	2
05-09	16	12	2	3
10-14	25	12	1	
15-19	15	5	4	1
20-24	6	6	1	2
25-29	8	4		2
30-34	6	4	1	1
35-39	8	2		1
40-44	13	5	1	
45-49	21	9	2	1
50-54	30	20	4	2
55-59	35	25	7	5
60-64	80	41	7	6
65-69	69	60	5	4
70-74	75	63	16	7
75-79	84	81	13	13
80-84	107	73	4	5
85-UP	70	82	3	4
-- ICD 208 --(1977) ----				
00-04	1	1	1	
10-14		2		
15-19		1		
25-29	1	1		
35-39	2			
40-44	3	4		
45-49	9	5	1	
50-54	8	7		
55-59	17	12	2	
60-64	25	31	4	1
65-69	30	43	2	4
70-74	41	45	1	1
75-79	36	54	3	

AGE	WM	WF	NM	NF
-- 208 --(1977) CONTD---				
80-84	25	42	1	
85-UP	17	26	1	2
-- ICD 209 --(1977) ----				
00-04	2	1		
05-09		1	1	
15-19		1		
20-24	4	1	1	
25-29		1		
30-34	2	3		
35-39	5	5		
40-44	6	6		1
45-49	10	16	2	2
50-54	21	15	7	4
55-59	42	23	3	3
60-64	72	57	6	2
65-69	92	70	8	10
70-74	147	91	8	6
75-79	108	87	4	9
80-84	106	77	3	3
85-UP	47	57	3	3

Appendix II: ICD Codes

IIA: Sixth Revision of the ICD

IIB: Seventh Revision of the ICD

IIC: Eighth Revision of the ICD

This Appendix consists of listings of the three pertinent revisions of the ICD. The listings have been extracted from the original publications with as few changes as possible. American spelling has been substituted for some terms ("tumor" for "tumour," "esophagus" for "oesophagus," etc.); we changed the format to facilitate photo reproduction of the computer printouts.

The special uses of parentheses and colons in these lists need to be clearly understood. In addition to their ordinary use to enclose alternate wordings or explanatory phrases, parentheses enclose supplementary words which may be present in the stated diagnosis; the code number to which the diagnosis is assigned is not affected. Words followed by a colon (:) are not complete terms, but they need one of the modifiers that are listed beneath to make them assignable to the given category.

"NOS" means not otherwise specified: This is virtually the equivalent of "unspecified" and "unqualified." "NOS" is added to or indented under many items.

Annual mortality data in this monograph have been coded as follows:

Data years 1950 through 1957 are coded to the sixth revision.

Data years 1958 through 1967 are coded to the seventh revision.

Data years 1968 through 1977 are coded to the eighth revision.

140 MALIGNANT NEOPLASM OF LIP
Malignant neoplasm of:
lip
mucous membrane of lip

This title excludes malignant neoplasm of skin of lip (190-191).

141 MALIGNANT NEOPLASM OF TONGUE
Lingual cancer
Malignant neoplasm of tongue

142 MALIGNANT NEOPLASM OF SALIVARY GLAND

142.0 Mixed salivary gland tumor
Mixed salivary gland tumor (malignant)

142.1 Other
Malignant neoplasm of:
parotid gland
salivary gland
sublingual gland
submaxillary gland

143 MALIGNANT NEOPLASM OF FLOOR OF MOUTH
Malignant neoplasm of:
floor of mouth
gum, lower

144 MALIGNANT NEOPLASMS OF OTHER PARTS OF MOUTH AND MOUTH UNSPECIFIED
Malignant epulis
Malignant neoplasm of:
alveolus (process or ridge)
buccal:
cavity NOS
mucosa
cheek, internal
gum (upper)
mouth (roof)
palate (hard) (soft)
uvula

145 MALIGNANT NEOPLASM OF ORAL MESOPHARYNX
Malignant neoplasm of:
fauces
mesopharynx (oral)
tonsil
vallecula

146 MALIGNANT NEOPLASM OF NASOPHARYNX
Malignant neoplasm of:
adenoid tissue
nasopharynx

147 MALIGNANT NEOPLASM OF HYPOPHARYNX
Malignant neoplasm of:
hypopharyngeal wall
hypopharynx
postcricoid region
pyriform fossa

148 MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED
Malignant neoplasm of:
pharynx
throat

150 MALIGNANT NEOPLASM OF ESOPHAGUS
Malignant neoplasm of esophagus

151 MALIGNANT NEOPLASM OF STOMACH
Carcinoma ventriculi
Gastric cancer
Malignant neoplasm of:
cardia
cardiac orifice
pylorus
stomach (fundus)

152 MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM
Malignant neoplasm of:
duodenum
ileum
jejunum
small intestine

153 MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM
Malignant neoplasm of:
appendix
caput coli
cecum
colon
hepatic flexure
ileocecum
intestine (large)
sigmoid flexure
splenic flexure

154 MALIGNANT NEOPLASM OF RECTUM
Malignant neoplasm of:
anal canal (not anus)
rectosigmoid (junction)
rectum

This title excludes malignant neoplasm of anus (191).

155 MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (STATED TO BE PRIMARY SITE)
Malignant neoplasm of:
ampulla of Vater
biliary duct, passage, or cystic duct
gallbladder
gall ducts
liver, stated to be primary site

156 MALIGNANT NEOPLASM OF LIVER (SECONDARY AND UNSPECIFIED)
Malignant neoplasm of liver:
not stated whether primary or secondary
secondary, primary site not specified

This title is not to be used for primary death classification if the site of the primary neoplasm is known.

157 MALIGNANT NEOPLASM OF PANCREAS
Malignant islet cell tumor of pancreas
Malignant neoplasm of pancreas

158 MALIGNANT NEOPLASM OF PERITONEUM
Cancerous or malignant ascites or peritonitis
Malignant neoplasm of:
mesentery
mesocolon
omentum
peritoneum

159 MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS
Gastrointestinal cancer
Malignant neoplasm of:
abdominal viscera
digestive organs or tract NOS

160 MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES
Malignant neoplasm of:
accessory sinus (any)
Eustachian tube
frontal sinus
maxillary sinus
middle ear
nasal:
cavity
septum
nose:
NOS
internal

This title excludes malignant neoplasm of: skin of nose, skin of ear, external ear (190-191); bone of nose (196), auricular canal, ear NOS (199).

161 MALIGNANT NEOPLASM OF LARYNX
Cancer of cricoid cartilage
Malignant neoplasm of:
arytenoids
epiglottis
glottis
larynx
vocal cords (false)

162 MALIGNANT NEOPLASM OF TRACHEA, AND OF BRONCHUS AND LUNG SPECIFIED AS PRIMARY
Bronchogenic carcinoma
Malignant neoplasm (of):
bronchus) specified as
lung) primary site
pleura)
pulmonary)
trachea:
NOS
primary
Pancoast's tumor unless specified as benign

163 MALIGNANT NEOPLASM OF LUNG AND BRONCHUS, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY
Malignant neoplasm (of):
bronchus) unspecified whether
lung) primary or secondary
pleura)
pulmonary)

164 MALIGNANT NEOPLASM OF MEDIASTINUM
Malignant neoplasm of:
mediastinum
thoracic organs, unspecified

165 MALIGNANT NEOPLASM OF THORACIC ORGANS (SECONDARY)
Malignant neoplasm of:
bronchus)
lung)
mediastinum) specified as
pleura) secondary
thorax)
trachea)
respiratory organs NOS

This title is not to be used for primary death classification if the site of the primary neoplasm is known.

170 MALIGNANT NEOPLASM OF BREAST
Cancer en cuirasse
Malignant neoplasm of:
breast
mammary gland
nipple
Paget's disease of:
breast
nipple

171 MALIGNANT NEOPLASM OF CERVIX UTERI
Malignant neoplasm of:
cervix (uteri)
external os uteri

172 MALIGNANT NEOPLASM OF CORPUS UTERI
Malignant neoplasm of:
body of uterus
corpus uteri
fundus of uterus

173 MALIGNANT NEOPLASM OF OTHER PARTS OF UTERUS, INCLUDING CHORIONEPITHELIOMA
Chorionepithelioma
Chorionic carcinoma
Deciduoma malignum
Malignant change in uterine fibroid
Malignant neoplasm of placenta
Syncytioma malignum

174 MALIGNANT NEOPLASM OF UTERUS, UNSPECIFIED
Malignant neoplasm of uterus, unspecified part

175 MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT
Malignant neoplasm of:
broad ligament
Fallopian tube
ovary
oviduct
uterine ligament
Malignant teratoma (cystic) of:
broad ligament
Fallopian tube
ovary
oviduct

176 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS
Epithelioma, vulva
Malignant neoplasm of:
Bartholin's gland
clitoris
female genital organs, unspecified
labium (majus) (minus)
parametrium
pudendum
vagina
vulva
other sites of female genital system not classifiable under 170-175

177 MALIGNANT NEOPLASM OF PROSTATE
Malignant neoplasm of prostate gland

178 MALIGNANT NEOPLASM OF TESTIS
Malignant neoplasm of:
testicle
testis
Seminoma
Spermatoblastoma
Teratoma (cystic), testis

179 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS
Chimney sweeps' cancer
Epithelioma of:
penis
scrotum
Malignant neoplasm of:
epididymis
male genital organs, unspecified

179 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS (continued)
Malignant neoplasm of:
penis
prepuce
scrotum
seminal vesicle
spermatic cord
other sites of male genital system not classifiable under 177-178
Mule-spinners' cancer

180 MALIGNANT NEOPLASM OF KIDNEY
Embryoma, kidney
Grawitz's tumor
Hypernephroma
Malignant neoplasm of:
kidney
ureter
Malignant papilloma of kidney
Wilms' neoplasm or tumor

181 MALIGNANT NEOPLASM OF BLADDER AND OTHER URINARY ORGANS
Malignant neoplasm of:
bladder (sphincter) (urinary)
urachus
urethra
other urinary organs

190 MALIGNANT MELANOMA OF SKIN
Malignant melanoma of:
skin
any site classifiable under 191
Melanoma NOS
Mole, malignant
Sarcoma, melanotic, except of eye

191 OTHER MALIGNANT NEOPLASM OF SKIN
Carcinoma of skin
Epithelioma (of):
NOS
neck
Malignant neoplasm of:
abdominal wall
anus
axillary fold
buttock
canthus
cheek
chin
eyebrow
eyelid
forehead
popliteal space
pubis
scalp
skin of any site except of genital organs
umbilicus
Paget's disease of skin
Pitch cancer, except of scrotum
Rodent ulcer NOS
Tar cancer except of scrotum
X-ray cancer

192 MALIGNANT NEOPLASM OF EYE
Glioma)
Malignant neoplasm)
Melanotic sarcoma) of choroid, optic nerve,
Neuroepithelioma) retina, and any part of eye,
Neuroglioma) excluding eyelid
Any neoplastic term)
ending in "glioma")
Papilloma choroideum
Retinoblastoma

193 MALIGNANT NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM
Astroblastoma
Astrocytoma
Ependymoma
Glioma, unless specified as benign
Malignant neoplasm of:
brain
cauda equina
cranial meninges
meninges
nerve (any except optic)
spinal:
cord
meninges
sympathetic nervous system
Medulloblastoma
Neuroepithelioma
Neuroglioma
Oligodendroblastoma

193 MALIGNANT NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM (continued)
- Oligodendroma
- Spongioblastoma
- Any neoplastic term ending in "glioma" except glioma of eye

This title excludes malignant neoplasm of optic nerve, retina, and eye (192).

194 MALIGNANT NEOPLASM OF THYROID GLAND
- Hürthle cell tumor
- Malignant goiter
- Malignant neoplasm of thyroid gland

195 MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS
- Malignant neoplasm of:
  - adrenal gland
  - pineal gland
  - pituitary gland
  - suprarenal gland
  - thymus
  - other endocrine glands
- Pinealoblastoma
- Pinealoma
- Sympathetic blastoma of suprarenal cortex

This title excludes malignant neoplasm of pancreas (157).

196 MALIGNANT NEOPLASM OF BONE (INCLUDING JAW BONE)
- Adamantinocarcinoma
- Ewing's neoplasm
- Malignant neoplasm of bone
  - jaw
  - nasal
  - other
- Osteoblastoma
- Osteosarcoma

197 MALIGNANT NEOPLASM OF CONNECTIVE TISSUE
- Fibrosarcoma
- Malignant neoplasm of:
  - connective tissue
  - muscle
- Myoblastoma, except of tongue
- Myosarcoma
- Rhabdomyosarcoma

198 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES
- Malignant neoplasm of:
  - lymph gland (any))
  - axillary)
  - cervical)
  - inguinal) stated to be secondary or
  - intestinal) unspecified whether primary
  - mediastinal) or secondary
  - mesenteric)
  - retroperitoneal)
  - other)

This title includes all malignant neoplasm of lymph nodes or glands specified as secondary. It is not to be used for primary death classification if the site of the primary neoplasm is known.

Malignant neoplasms of lymph nodes or glands, not specified whether primary or secondary, is coded here for all sites, except the specific types mentioned under titles 200-202.

This title excludes malignant neoplasms of lymph nodes or glands when specified as primary (200-202).

199 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES
- Branchial carcinoma
- Cancer)
- Carcinoma)
- Carcinomatosis)
- Disseminated cancer)
- Generalized:)
  - malignancy) of unspecified site
  - neoplastic disease)
  - sarcomatosis)
- Intra-abdominal cancer)
- Multiple cancer)
- Sarcoma)
- Malignant neoplasm, NOS, of:
  - abdomen
  - arm
  - auricular canal
  - chest wall
  - ear NOS
  - external meatus
  - hand
  - heart

199 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (continued)
- Malignant neoplasm, NOS, of:
  - leg
  - neck
  - pelvic viscera
  - pelvis
  - pericardium
  - pinna
  - rectovaginal septum
  - shoulder
  - other and unspecified sites not classifiable under 140-205

This site excludes malignant neoplasms of the hematopoietic tissues (200-205).

200 LYMPHOSARCOMA AND RETICULOSARCOMA

This title includes primary malignant neoplasm of lymph nodes or glands. It excludes secondary and unspecified neoplasm of lymph nodes (198).

200.0 Reticulum cell sarcoma
- Reticulosarcoma
- Reticulum cell sarcoma

200.1 Lymphosarcoma
- Lymphosarcoma, any site

200.2 Other primary malignant neoplasms of lymphoid tissue
- Chloroma
- Chlorosarcoma
- Leukosarcoma
- Lymphochloroma
- Malignant neoplasm of lymph glands of any site, or of unspecified site, specified as primary except as classified under 200.0-200.1
- Malignant neoplasm, NOS, of spleen

201 HODGKIN'S DISEASE
- Hodgkin's:
  - disease
  - granuloma
  - lymphoblastoma
  - lymphoma
- Lymphadenoma
- Lymphadenosis NOS
- Lymphogranulomatosis NOS
- Multiple lymphadenomata
- Pseudoleukemia, Hodgkin's type

202 OTHER FORMS OF LYMPHOMA (RETICULOSIS)

202.0 Giant follicular lymphoma (Brill-Symmer disease)
- Brill-Symmer disease
- Giant follicular lymphoma
- Lymphoid follicular reticulosis

202.1 Other
- Benign or unspecified neoplasm of bone marrow
- Malignant reticulosis
- Reticuloendothelioma
- Reticuloendotheliosis
- Reticulosis (lymphoma) not classifiable under 200-202.0

203 MULTIPLE MYELOMA (PLASMOCYTOMA)
- Erythroblastoma
- Hemic myeloma
- Kahler's disease
- Multiple myelomata
- Myelocytoma
- Plasma cell myeloma
- Plasmocytoma

204 LEUKEMIA AND ALEUKEMIA
This title excludes agranulocytosis (297).

204.0 Lymphatic leukemia
- Leukemia, aleukemia, leukocythemia, leukosis:
  - lymphatic (acute)
  - lymphoblastic (acute)
  - lymphoid (acute)
- Lymphocythemia

204.1 Myeloid leukemia
- Leukemia, aleukemia, leukocythemia, leukosis:
  - eosinophilic (acute)
  - myeloblastic (acute)
  - myelogenous (acute)
  - myeloid (acute)
- Myelemia
- Myelocythemia
- Myelosis, leukopenic

204 LEUKEMIA AND ALEUKEMIA (continued)

204.2 Monocytic leukemia
Leukemia, aleukemia, leukocythemia, leukosis:
monocytic (acute)
monoblastic (acute)

204.3 Acute leukemia, unspecified type
Leukemia, aleukemia, leukocythemia, leukosis:
acute, unspecified as to type

204.4 Other and unspecified leukemia
Leukemia, aleukemia, leukocythemia, leukosis:
not acute, unspecified as to type
Megakaryocytic leukemia
Acute erythremia (Di Guglielmo's disease)

205 MYCOSIS FUNGOIDES
Granuloma fungoides
Mycosis fungoides

140 MALIGNANT NEOPLASM OF LIP

This title excludes malignant neoplasm of skin of lip (190-191).

140.0 Upper lip
Malignant neoplasm of upper lip (mucous membrane)

140.1 Lower lip
Malignant neoplasm of lower lip (mucous membrane)

140.8 Both lips
Malignant neoplasm of:
both lips
lips NOS

140.9 Lip, unspecified (including commissure)
Malignant neoplasm of:
commissure of lip
lip NOS
mucous membrane of lip

141 MALIGNANT NEOPLASM OF TONGUE

This title excludes "book-leaf" neoplasm involving both the ventral surface of the tongue and the floor of the mouth (143).

141.0 Base of tongue
Malignant neoplasm of base of tongue

141.7 Other specified parts of tongue
Malignant neoplasm of:
borders) of tongue
dorsal surface)
ventral surface)
lingual papillae (any type)
tip of tongue

141.8 Multiple parts of tongue
Malignant neoplasm of base and other specified part of tongue

141.9 Part unspecified
Lingual cancer
Malignant neoplasm of tongue NOS

142 MALIGNANT NEOPLASM OF SALIVARY GLAND

142.0 Parotid gland
Malignant neoplasm of parotid gland
Mixed tumor (malignant) of parotid gland

142.7 Other salivary gland
Malignant neoplasm of:
sublingual gland
submaxillary gland
Mixed tumor (malignant) of:
sublingual gland
submaxillary gland

142.8 Multiple salivary glands
Malignant neoplasm of parotid and sublingual or submaxillary glands
Mixed tumor (malignant) of parotid and sublingual or submaxillary glands

142.9 Gland unspecified
Malignant neoplasm of salivary gland, gland unspecified
Mixed tumor (malignant) of salivary gland, gland unspecified

143 MALIGNANT NEOPLASM OF FLOOR OF MOUTH
Malignant neoplasm of:
floor of mouth
gum, lower

144 MALIGNANT NEOPLASMS OF OTHER PARTS OF MOUTH, AND OF MOUTH UNSPECIFIED
Malignant epulis
Malignant neoplasm of:
alveolus (process or ridge)
buccal:
cavity NOS
mucosa
cheek, internal
gum (upper)
mouth (roof)
palate (hard) (soft)
uvula

145 MALIGNANT NEOPLASM OF ORAL MESOPHARYNX

145.0 Tonsil (excluding pillars)
Malignant neoplasm of tonsil

145 MALIGNANT NEOPLASM OF ORAL MESOPHARYNX (continued)

145.7 Other specified parts of mesopharynx
Malignant neoplasm of:
pillars of fauces
vallecula

145.8 Multiple parts of mesopharynx
Malignant neoplasm of tonsil and other specified part of mesopharynx

145.9 Part unspecified
Malignant neoplasm of:
fauces NOS
mesopharynx (oral) NOS

146 MALIGNANT NEOPLASM OF NASOPHARYNX
Malignant neoplasm of:
adenoid tissue
nasopharynx

147 MALIGNANT NEOPLASM OF HYPOPHARYNX
Malignant neoplasm of:
hypopharyngeal wall
hypopharynx
postcricoid region
pyriform fossa

148 MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED
Malignant neoplasm of:
pharynx
throat

150 MALIGNANT NEOPLASM OF ESOPHAGUS
Malignant neoplasm of esophagus

151 MALIGNANT NEOPLASM OF STOMACH
Carcinoma ventriculi
Gastric cancer
Malignant neoplasm of:
cardia
cardiac orifice
pylorus
stomach (fundus)

152 MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM

152.0 Duodenum
Malignant neoplasm of duodenum

152.7 Other specified parts of small intestine
Malignant neoplasm of:
ileum
jejunum

152.8 Multiple parts of small intestine
Malignant neoplasm of duodenum and other specified part of small intestine

152.9 Part unspecified
Malignant neoplasm of small intestine NOS

153 MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM

153.0 Cecum, appendix, and ascending colon
Malignant neoplasm of:
appendix
ascending colon
cecum
caput coli
ileocecum

153.1 Transverse colon, including hepatic and Splenic flexures
Malignant neoplasm of:
hepatic flexure
splenic flexure
transverse colon

153.2 Descending colon
Malignant neoplasm of descending colon

153.3 Sigmoid colon
Malignant neoplasm of sigmoid (colon) (flexure)

153.7 Multiple parts of large intestine
Malignant neoplasm of site classifiable to more than one of the above subdivisions

153.8 Large intestine (including colon), part unspecified
Malignant neoplasm of:
colon NOS
large intestine NOS

153.9 Intestinal tract, part unspecified
Malignant neoplasm of intestine NOS

154 MALIGNANT NEOPLASM OF RECTUM
Malignant neoplasm of:
anal canal (not anus)
rectosigmoid junction
rectum

This title excludes malignant neoplasm of anus (190.5, 191.5).

155 MALIGNANT NEOPLASM OF BILIARY PASSAGES AND OF LIVER (STATED TO BE PRIMARY SITE)

155.0 Liver
Malignant neoplasm, stated to be primary site of:
biliary canals, interlobular
canaliculi, biliferous
gall ducts, intrahepatic
intrahepatic bile duct or passage
liver

155.1 Gallbladder and extrahepatic gall ducts, including ampulla of Vater
Malignant neoplasm of:
ampulla of Vater
biliary duct or passage:
NOS
extrahepatic
cystic duct (common)
gallbladder
gall duct:
NOS
extrahepatic
hepatic duct

155.8 Multiple sites
Malignant neoplasm of sites classifiable to both the above subdivisions

156 MALIGNANT NEOPLASM OF LIVER (SECONDARY AND UNSPECIFIED)
Malignant neoplasm of liver:
not stated whether primary or secondary
secondary, primary site not specified

This title is not to be used for primary death classification if the site of the primary neoplasm is known.

157 MALIGNANT NEOPLASM OF PANCREAS:
Malignant islet cell tumor of pancreas
Malignant neoplasm of pancreas

158 MALIGNANT NEOPLASM OF PERITONEUM
Cancerous or malignant ascites of peritonitis
Malignant neoplasm of:
mesentery
mesocolon
omentum
peritoneum

159 MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS
Gastrointestinal cancer
Malignant neoplasm of digestive organs or tract NOS

160 MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES

This title excludes malignant neoplasm of: skin of nose (190.3, 191.3); skin of ear (external) (190.2, 191.2); bone of nose (196.0); auricular canal, and ear NOS (199).

160.0 Nose (internal) and nasal cavities
Malignant neoplasm of nasal:
cavity
septum
Malignant neoplasm of nose:
NOS
internal

160.1 Eustachian tube and middle ear
Malignant neoplasm of:
Eustachian tube
middle ear

160.2 Maxillary sinus
Malignant neoplasm of:
antrum (Highmore)
maxillary sinus

160.7 Other specified sinus (accessory)
Malignant neoplasm of:
ethmoidal
frontal
sphenoidal

160 MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES (continued)

160.8 Multiple sites
Malignant neoplasm of:
sites classifiable to more than one of the above subdivisions
sinus (accessory) NOS and a site classifiable to one of the above subdivisions

160.9 Site unspecified
Maligant neoplasm of sinus (accessory) NOS

161 MALIGNANT NEOPLASM OF LARYNX
Cancer of cricoid cartilage
Malignant neoplasm of:
arytenoids
epiglottis
glottis
larynx
vocal cords (false)

162 MALIGNANT NEOPLASM OF BRONCHUS AND TRACHEA, AND OF LUNG SPECIFIED AS PRIMARY

162.0 Trachea
Malignant neoplasm of trachea:
NOS
primary

162.1 Bronchus and lung
Bronchogenic carcinoma
Malignant neoplasm of:
bronchus:
NOS
primary
lung) specified as
pulmonary) primary
Pancoast's tumor, unless specified as benign

162.2 Pleura
Malignant neoplasm of pleura specified as primary

162.8 Multiple sites
Malignant neoplasm of sites classifiable to more than one of the above classifications

163 MALIGNANT NEOPLASM OF LUNG, UNSPECIFIED AS TO WHETHER PRIMARY OR SECONDARY
Malignant neoplasm (of):
lung) unspecified
pleura) whether primary
pulmonary) or secondary

164 MALIGNANT NEOPLASM OF MEDIASTINUM
Malignant neoplasm of:
mediastinum
thoracic organs NOS

165 MALIGNANT NEOPLASM OF THORACIC ORGANS (SECONDARY)
Malignant neoplasm of:
bronchus)
lung)
mediastinum) specified as
pleura) secondary
thorax)
trachea)
respiratory organs NOS

This title is not to be used for primary death classification if the site of the primary neoplasm is known.

170 MALIGNANT NEOPLASM OF BREAST
Cancer en cuirasse
Malignant neoplasm of:
breast
mammary gland
nipple
Paget's disease of:
breast
nipple

171 MALIGNANT NEOPLASM OF CERVIX UTERI
Malignant neoplasm of:
cervix (uteri)
external os uteri

172 MALIGNANT NEOPLASM OF CORPUS UTERI
Malignant neoplasm of:
body of uterus
corpus uteri
fundus of uterus

173 MALIGNANT NEOPLASM OF OTHER PARTS OF UTERUS, INCLUDING CHORIONEPITHELIOMA
- Chorionepithelioma
- Chorionic carcinoma
- Deciduoma malignum
- Malignant change in uterine fibroid
- Malignant neoplasm of placenta
- Syncytioma (malignant)

This site excludes chorionepithelioma in males (code to site, or to 178 if no site is stated).

174 MALIGNANT NEOPLASM OF UTERUS, UNSPECIFIED
- Malignant neoplasm of uterus NOS

175 MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT

175.0 Ovary
- Malignant neoplasm of ovary
- Malignant teratoma (cystic) of ovary

175.1 Fallopian tube and broad ligament
- Malignant neoplasm of:
  - broad ligament
  - fallopian tube
  - oviduct
  - uterine ligament
- Malignant teratoma (cystic) of:
  - broad ligament
  - fallopian tube
  - oviduct

175.8 Multiple sites
- Malignant neoplasm of sites classifiable to both the above subdivisions

175.9 Site unspecified
- Malignant neoplasm of uterine adnexa NOS

176 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS

176.0 Vulva
- Epithelioma of vulva
- Malignant neoplasm of:
  - Bartholin's gland
  - clitoris
  - labium (majus) (minus)
  - pudendum
  - vulva

176.1 Vagina
- Malignant neoplasm of vagina

176.7 Other specified sites
- Malignant neoplasm of:
  - parametrium
  - other sites of female genital organs not classifiable under 170-176.1

176.8 Multiple sites
- Malignant neoplasm of sites classifiable to more than one of the above subdivisions

176.9 Site unspecified
- Malignant neoplasm of female genital organs NOS

177 MALIGNANT NEOPLASM OF PROSTATE
- Malignant neoplasm of prostate (gland)

178 MALIGNANT NEOPLASM OF TESTIS
- Malignant neoplasm of:
  - testicle
  - testis
- Seminoma
- Spermatoblastoma
- Teratoma (cystic) of testis

179 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS

179.0 Penis
- Epithelioma of penis
- Malignant neoplasm of:
  - corpus cavernosum of penis
  - glans penis
  - penis
  - prepuce

179.1 Scrotum
- Chimney sweeps' cancer
- Epithelioma of scrotum
- Mule-spinners' cancer
- Malignant neoplasm of:
  - scrotum
  - tunica vaginalis

179 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS (continued)

179.7 Other specified sites
- Malignant neoplasm of:
  - epididymis
  - seminal vesicle
  - spermatic cord
  - other sites of male genital organs not classifiable under 177-179.1

179.8 Multiple sites
- Malignant neoplasm of sites classifiable to more than one of the above subdivisions

179.9 Site unspecified
- Malignant neoplasm of male genital organs NOS

180 MALIGNANT NEOPLASM OF KIDNEY
- Embryoma of kidney
- Grawitz's tumor
- Hypernephroma
- Malignant neoplasm of:
  - kidney
  - ureter
- Malignant papilloma of kidney
- Wilms' neoplasm or tumor

181 MALIGNANT NEOPLASM OF BLADDER AND OTHER URINARY ORGANS

181.0 Bladder
- Malignant neoplasm of bladder (sphincter) (urinary)

181.7 Other urinary organs
- Malignant neoplasm of:
  - urachus
  - urethra
  - other urinary organs

181.8 Multiple sites
- Malignant neoplasm of bladder and other urinary organ

190 MALIGNANT MELANOMA OF SKIN

190.0 Lips
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of lip (lower) (upper)

190.1 Eyelids, including canthi
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (canthus (eye); eyelid (lower); (upper))

190.2 Ear and external auricular canal
- Malignant nole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (auricle (ear); auricular canal (external); ear (external); pinna)

190.3 Other and unspecified parts of face
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (cheek; chin; eyebrow; face NOS; forehead)

190.4 Scalp and neck
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (neck; scalp)

190.5 Trunk
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (abdominal wall; anus; axillary fold; back; buttock; chest wall; pubis; trunk NOS; umbilicus)

190.6 Upper limb
- Malignant mole
- Melanoma (skin):
  - NOS
  - malignant
- Melanotic (skin) sarcoma

of (arm; finger; forearm; hand; upper limb NOS)

190 MALIGNANT MELANOMA OF SKIN (continued)

190.7 Lower limb

Malignant mole	)	(ankle
Melanoma (skin):	)	(foot
NOS	)	(heel
malignant	) of	(knee
Melanotic (skin) sarcoma	)	(leg
		(lower limb NOS
		(popliteal space
		(thigh
		(toe

190.8 Multiple sites

Malignant mole	)
Melanoma (skin):	) of sites classifiable
NOS	) to more than one of
malignant	) the above subdivisions
Melanotic (skin) sarcoma	)

190.9 Site unspecified

Malignant mole	)
Melanoma (skin):	)
NOS	) of unspecified site
malignant	)
Melanotic (skin) sarcoma	)

191 OTHER MALIGNANT NEOPLASMS OF SKIN

This title includes malignant neoplasm of skin of any site except breast (170) and genital organs (176, 179). It excludes malignant melanoma of the listed sites (190).

191.0 Lips
Malignant neoplasm of skin of lip (lower) (upper)

191.1 Eyelids, including canthi
Malignant neoplasm of:
canthus (eye)
eyelid (lower) (upper) (skin) (glands)

191.2 Ear and external auricular canal
Malignant neoplasm of skin of:
auricle
auricular canal (external)
ear (external)
pinna

191.3 Other and unspecified parts of face
Malignant neoplasm of:
cheek (external)
eyebrow
face NOS
forehead
nose, external

191.4 Scalp and neck
Malignant neoplasm of:
scalp
skin of neck

191.5 Trunk
Malignant neoplasm of:
abdominal wall
anus
axillary fold
buttock
pubis
umbilicus
Malignant neoplasm of skin of:
back
chest wall
trunk NOS

191.6 Upper limb
Malignant neoplasm of skin of:
arm
finger
forearm
hand
upper limb NOS

191.7 Lower limb
Malignant neoplasm of:
ankle
foot
heel
Malignant neoplasm of skin of:
knee
leg
lower limb NOS
thigh
toe

191.8 Multiple sites
Malignant neoplasm of sites classifiable to more than one of the above subdivisions

191 OTHER MALIGNANT NEOPLASMS OF SKIN (continued)

191.9 Site unspecified

Carcinoma of skin	)
Epithelioma	)
Malignant neoplasm of skin	)
Paget's disease of skin	) of unspecified
Pitch cancer	) site
Rodent ulcer	)
Tar cancer	)
X-ray cancer	)

192 MALIGNANT NEOPLASM OF EYE

Glioma	)
Malignant neoplasm	)
Melanotic sarcoma	) of optic nerve, retina, or
Neuroepithelioma	) any part of eye, excluding
Neuroglioma	) eyelid
Any term ending in "glioma"	)
Retinoblastoma	

193 MALIGNANT NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM

This title includes any term ending in "glioma" except glioma of eye (192). It excludes malignant neoplasm of optic nerve, retina, and eye (192).

193.0 Brain
Malignant neoplasm of:
brain (any part)
cranial nerve (except optic)

193.1 Spinal cord
Malignant neoplasm of:
cauda equina
spinal cord

193.2 Meninges
Malignant neoplasm of meninges (cranial) (spinal)

193.3 Peripheral nerves
Malignant neoplasm of peripheral nerve (any site)

193.4 Sypathetic nervous system
Malignant neoplasm of:
ganglion (sympathetic)
sympathetic:
nerve
nervous system (except adrenal gland)

193.8 Multiple sites
Malignant neoplasm of sites classifiable to more than one of the above subdivisions

193.9 Site unspecified

Astroblastoma	)
Astrocytoma	)
Ependymoma	)
Glioma	)
Maligant neoplasm of nerve	) of unspecified site
Medulloblastoma	)
Neuroepithelioma	)
Neuroglioma	)
Oligodendroblastoma	)
Spongioblastoma	)

194 MALIGNANT NEOPLASM OF THYROID GLAND
Hürthle cell tumor
Malignant goiter
Malignant neoplasm of thyroid gland

195 MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS

This title excludes malignant neoplasm of pancreas (157), ovary (175.0), and testis (178).

195.0 Suprarenal gland
Malignant neoplasm of:
adrenal gland
suprarenal gland
Sympathetic blastoma of suprarenal gland

195.1 Parathyroid gland
Malignant neoplasm of parathyroid gland

195.2 Thymus
Malignant neoplasm of thymus
Malignant thymoma

195.3 Pituitary gland and craniopharyngeal duct
Malignant craniopharyngioma
Malignant neoplasm of:
craniobuccal pouch
craniopharyngeal duct
craniopharyngeal pouch
hypophysecal duct
Rathke's pouch

195 MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS (continued)

195.4 Pineal gland
Malignant neoplasm of pineal gland
Pinealoblastoma

195.7 Other specified glands
Malignant neoplasm of other endocrine glands not classifiable elsewhere

195.8 Multiple glands
Malignant neoplasm of endocrine glands classifiable to more than one of the above subdivisions

196 MALIGNANT NEOPLASM OF BONE

196.0 Bones of the skull and face
Malignant neoplasm of bone:
face (except lower jaw)
frontal
nasal
occipital
parietal
temporal
ethmoid (bone)
maxilla (superior)
skull
sphenoid (bone)
upper jaw (bone)

This title excludes malignant neoplasm of lower jaw (196.1).

196.1 Lower jaw bone
Malignant neoplasm of:
inferior maxilla
lower jaw (bone)
mandible

196.2 Vertebral column (excluding sacrum and coccyx)
Malignant neoplasm of:
spine (except sacrum and coccyx)
vertebra (except sacral and coccygeal)

196.3 Ribs, sternum, and clavicle
Malignant neoplasm of:
clavicle
rib
sternum
xiphoid process

196.4 Long bones of upper limb, and scapula
Malignant neoplasm of:
acromion
bone NOS of upper limb
humerus (any part)
radius (any part)
scapula (any part)
ulna (any part)

196.5 Upper limb, short bones
Malignant neoplasm of:
bone of finger (any)
carpus (any bone)
digital bones of finger
metacarpus (any bone)
phalanges of hand

196.6 Pelvic bones, sacrum, coccyx
Malignant neoplasm of:
coccygeal vertebra
coccyx
ilium
ischium
pelvic bone
pubic bone
sacral vertebra
sacrum

196.7 Lower limb, long bones
Malignant neoplasm of:
bone NOS of lower limb
femur (any part)
fibula (any part)
tibia (any part)

196.8 Lower limb, short bones
Malignant neoplasm of:
bone of toe (any)
digital bones of toe
metatarsus (any bone)
patella
phalanges of foot
tarsus (any bone)

196 MALIGNANT NEOPLASM OF BONE (continued)

196.9 Multiple sites and site unspecified
Malignant neoplasms of sites classifiable to more than one of the above subdivisions
Adamantinocarcinoma)
Ewing's neoplasm)
Malignant neoplasm of bone) of unspecified
Osteoblastoma) site
Osteosarcoma)

197 MALIGNANT NEOPLASM OF CONNECTIVE TISSUE

197.0 Head, face, and neck

		(auricle (ear)
Malignant neoplasm of:		(cheek
connective tissue	)	(chin
muscle	) of	(ear (external)
soft parts	)	(face NOS
		(head
		(neck

197.1 Trunk

		(abdominal wall
Malignant neoplasm of:		(axilla
connective tissue	)	(back
muscle	) of	(buttock
soft parts	)	(chest wall
		(trunk NOS

197.2 Upper limb (including shoulder)

		(arm
Malignant neoplasm of:		(finger
connective tissue	)	(forearm
muscle	) of	(hand
soft parts	)	(shoulder
		(upper limb NOS

197.3 Lower limb (including hip)

		(foot
Malignant neoplasm of:		(hip
connective tissue	)	(leg
muscle	) of	(lower limb NOS
soft parts	)	(popliteal space
		(thigh
		(toe

197.8 Multiple sites

Malignant neoplasm of:		
connective tissue	)	of sites classifiable
muscle	)	to more than one of the
soft parts	)	above subdivisions

197.9 Site unspecified

Fibrosarcoma	)	
Malignant neoplasm of:	)	
connective tissue	)	
muscle	)	of unspecified site
Myoblastoma malignant	)	
Myosarcoma	)	
Rhabdomyosarcoma	)	

198 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES

This title includes all malignant neoplasms of lymph nodes or glands specified as secondary. It is not to be used for primary death classification if the site of the primary neoplasm is known.

Malignant neoplasm of lymph nodes or glands, not specified whether primary or secondary, is coded here for all sites, except the specific types mentioned under titles 200-202.

This title excludes malignant neoplasms of lymph nodes or glands when specified as primary (200-202).

198.0 Head, face, and neck
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes (of):
cervical
face
head
neck
supraclavicular

198.1 Intrathoracic
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes:
intrathoracic
mediastinal
tracheobronchial

198 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES (continued)

198.2 Intra-abdominal
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes:
intestinal
intra-abdominal
mesenteric
retroperitoneal

198.3 Axillary and upper limb
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes (of):
axilla
axillary
epitrochlear
upper limb

198.4 Inguinal and lower limb
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes (of):
groin
iliac
inguinal
lower limb
popliteal

198.7 Other specified sites
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes of other sites not classifiable elsewhere

198.8 Multiple sites
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes of sites classifiable to more than one of the above subdivisions

198.9 Site unspecified
Malignant neoplasm, stated to be secondary or unspecified whether primary or secondary, of lymph glands or nodes of unspecified site

199 MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES
For primary death classification, numbers 140-199 (except 156, 165 and 198) are to be used for primary cancer sites; secondary cancer of these sites with no mention of a primary site is assigned to 199 (i.e., malignant neoplasm of unspecified site).

Branchial carcinoma
Cancer)
Carcinoma)
Carcinomatosis)
Disseminated cancer)
Generalized:)
malignancy) of unspecified site
neoplastic disease)
sarcomatosis)
Intra-abdominal cancer)
Multiple cancer)
Sarcoma)
Malignant neoplasm, NOS, of:
abdomen
arm
auricular canal
chest wall
ear NOS
external meatus
hand
heart
leg
neck
pelvic viscera
pelvis
pericardium
pinna
rectovaginal septum
shoulder
other and unspecified sites not classifiable under 140-205

This site excludes malignant neoplasms of the hematopoietic tissues (200-205).

200 LYMPHOSARCOMA AND RETICULOSARCOMA

This title includes primary malignant neoplasm of lymph nodes or glands. It excludes secondary and unspecified neoplasm of lymph nodes (198).

200.0 Reticulum cell sarcoma
Reticulosarcoma
Reticulum cell sarcoma

200 LYMPHOSARCOMA AND RETICULOSARCOMA (continued)

200.1 Lymphosarcoma
Lymphosarcoma, any site

200.2 Other primary malignant neoplasms of lymphoid tissue
Chloroma
Chlorosarcoma
Leukosarcoma
Lymphochloroma
Malignant neoplasm of lymph glands of any site, or of unspecified site, specified as primary except as classified under 200.0-200.1
Malignant neoplasm, NOS, of spleen

201 HODGKIN'S DISEASE
Hodgkin's:
disease
granuloma
lymphoblastoma
lymphoma
lymphosarcoma
Lymphadenoma
Lymphadenosis NOS
Lymphogranulomatosis NOS
Multiple lymphadenomata
Pseudoleukemia, Hodgkin's type

202 OTHER FORMS OF LYMPHOMA (RETICULOSIS)

202.0 Giant follicular lymphoma (Brill-Symmer's disease)
Brill-Symmer disease
Giant follicular lymphoma
Lymphoid follicular reticulosis

202.1 Other
Benign or unspecified neoplasm of bone marrow
Malignant reticulosis
Reticuloendothelioma
Reticuloendotheliosis
Reticulosis (lymphoma) not classificable under 200-202.0

203 MULTIPLE MYELOMA (PLASMOCYTOMA)
Erythroblastoma
Hemic myeloma
Kahler's disease
Multiple myelomata
Myelocytoma
Plasma cell myeloma
Plasmocytoma

204 LEUKEMIA AND ALEUKEMIA

This title excludes agranulocytosis (297)

204.0 Lymphatic leukemia
Leukemia, aleukemia, leukocythemia, leukosis:
lymphatic
lymphoblastic
lymphoid
Lymphocythemia
This title excludes the listed conditions if specified as acute(204.3)

204.1 Myeloid leukemia
Leukemia, aleukemia, leukocythemia, leukosis:
eosinophilic
myeloblastic
myelogenous
myeloid
Myelemia
Myelocythemia
Myelosis, leukopenic
This title excludes the listed conditions if specified as acute(204.3)

204.2 Monocytic leukemia
Leukemia, aleukemia, leukocythemia, leukosis:
monocytic (acute)
monoblastic (acute)

204.3 Acute leukemia, unspecified type
Leukemia, aleukemia, leukocythemia, leukosis:
acute, unspecified as to type
Any condition in 204.0 or 204.1 specified as acute

204.4 Other and unspecified leukemia
Acute erythremia (Di Guglielmo's disease)
Leukemia, aleukemia, leukocythemia, leukosis:
not acute, unspecified as to type
Megakaryocytic leukemia

205 MYCOSIS FUNGOIDES
Granuloma fungoides
Mycosis fungoides

140 MALIGNANT NEOPLASM OF LIP

Includes:
frenulum labii
mucous membrane of lip (exposed) (internal)

Excludes:
malignant neoplasm of skin of lip (172.0, 173.0)

140.0 Upper lip

140.1 Lower lip

140.2 Both lips
Lips NOS

140.9 Lip unspecified
Commissure of lip
Lip NOS
Mucous membrane of lip NOS

141 MALIGNANT NEOPLASM OF TONGUE

141.0 Base of tongue

141.1 Dorsal surface of tongue
Foramen cecum of tongue
Papillae:
filiform
lingual NOS
vallate

141.2 Borders and tip of tongue
Papillae (lingual):
foliate
fungiform
lenticular

141.3 Ventral surface of tongue
Frenulum linguae
Excludes:
"book leaf" neoplasm involving both the ventral surface of the tongue and the floor of the mouth (144)

141.9 Part unspecified
Lingual cancer NOS
Tongue NOS

142 MALIGNANT NEOPLASM OF SALIVARY GLAND

Includes:
salivary ducts

142.0 Parotid gland

142.8 Other specified salivary gland
Sublingual gland
Submaxillary gland

142.9 Unspecified salivary gland
Salivary (gland) (duct) NOS

143 MALIGNANT NEOPLASM OF GUM

Includes:
alveolus (process or ridge)
gingiva (alveolar) (marginal)
interdental papillae

143.0 Upper gum

143.1 Lower gum

143.9 Gum unspecified

144 MALIGNANT NEOPLASM OF FLOOR OF MOUTH
"Book leaf" neoplasm involving both the ventral surface of the tongue and the floor of the mouth

145 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED PARTS OF MOUTH

145.0 Buccal mucosa
Buccal:
commissure
groove (lower) (upper)
Cheek, internal
Retromolar area
Vestibule of mouth

145.1 Palate (hard) (soft)
Roof of mouth

145.8 Other specified parts
Uvula

145.9 Part unspecified
Buccal cavity NOS
Mouth NOS

146 MALIGNANT NEOPLASM OF OROPHARNYNX

146.0 Tonsils
Tonsil:
faucial
lingual
Excludes:
faucial pillars (146.8)

146.8 Other specified parts
Branchial cleft or vestiges
Epiglottis, anterior surface
Faucial pillars
Vallecula (epiglottis)

146.9 Part unspecified
Fauces NOS
Mesopharynx (oral) NOS
Oropharynx NOS

147 MALIGNANT NEOPLASM OF NASOPHARYNX
Adenoid tissue)
Lymphadenoid tissue) of pharynx
Pharyngeal bursa)

148 MALIGNANT NEOPLASM OF HYPOPHARYNX

148.0 Postcricoid region

148.1 Pyriform fossa

148.8 Other specified parts
Hypopharyngeal wall
Posterior wall of hypopharynx

148.9 Part unspecified
Hypopharynx NOS

149 MALIGNANT NEOPLASM OF PHARYNX, UNSPECIFIED
Pharynx NOS
Throat NOS

150 MALIGNANT NEOPLASM OF ESOPHAGUS

151 MALIGNANT NEOPLASM OF STOMACH

151.0 Cardia
Cardiac orifice

151.1 Pylorus

151.8 Other specified parts
Curvature (greater) (lesser))
Fundus) of stomach

151.9 Part unspecified
Carcinoma ventriculi
Gastric cancer
Malignant neoplasm:
stomach NOS

152 MALIGNANT NEOPLASM OF SMALL INTESTINE, INCLUDING DUODENUM

152.0 Duodenum

152.1 Jejunum

152.2 Ileum
Excludes:
ileocecal valve (153.0)

152.9 Part unspecified
Small intestine NOS

153 MALIGNANT NEOPLASM OF LARGE INTESTINE, EXCEPT RECTUM

153.0 Cecum, appendix and ascending colon
Caput coli
Ileocecal valve

153.1 Transverse colon, including hepatic and splenic flexures

153.2 Descending colon

153.3 Sigmoid colon
Sigmoid (flexure)
Excludes:
rectosigmoid junction (154.0)

153.8 Large intestine (including colon), part unspecified

153.9 Intestinal tract, part unspecified

154 MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOID JUNCTION

154.0 Rectosigmoid junction

154 MALIGNANT NEOPLASM OF RECTUM AND RECTOSIGMOID JUNCTION (continued)

154.1 Rectum

154.2 Anal canal
Anal sphincter
Excludes:
anus (skin) (172.6, 173.6)

155 MALIGNANT NEOPLASM OF LIVER AND INTRAHEPATIC BILE DUCT SPECIFIED AS PRIMARY

155.0 Liver
Carcinoma:
hepatocellular
liver cell
liver, specified as primary
Hepatoblastoma

155.1 Intrahepatic bile ducts
Canaliculi biliferi
Interlobular:
bile ducts
biliary canals
Intrahepatic:
biliary passages
canaliculi
gall duct

156 MALIGNANT NEOPLASM OF GALLBLADDER AND BILE DUCTS

156.0 Gallbladder

156.1 Extrahepatic bile ducts
Biliary duct or passage (extrahepatic)
Common bile duct
Cystic duct
Hepatic duct

156.2 Ampulla of Vater

156.9 Biliary tract, unspecified

157 MALIGNANT NEOPLASM OF PANCREAS

157.0 Head

157.8 Other specified parts
Body)
Neck) of pancreas
Tail)

157.9 Unspecified
Pancreas NOS

158 MALIGNANT NEOPLASM OF PERITONEUM AND RETROPERITONEAL TISSUE

158.0 Retroperitoneal tissue

158.9 Other parts
Mesentery
Mesocolon
Omentum
Peritoneum NOS

159 MALIGNANT NEOPLASM OF UNSPECIFIED DIGESTIVE ORGANS
Alimentary tract or canal NOS
Digestive system NOS
Gastrointestinal tract NOS

160 MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES

160.0 Nose (internal) and nasal cavities
Cartilage of nose
Naris
Septum of nose
Excludes:
bone of nose (170.0)
skin of nose (172.3, 173.3)
turbinate (nasal) (170.0)

160.1 Eustachian tube and middle ear
Excludes:
auricular canal (external) (172.2, 173.2)
bone of ear (meatus) (170.0)
cartilage of ear (171.0)
skin of ear (external) (172.2, 173.2)

160.2 Maxillary sinus
Antrum (Highmore) (maxillary)

160.8 Other sinus
Ethmoidal)
Frontal) sinus
Sphenoidal)

160 MALIGNANT NEOPLASM OF NOSE, NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES (continued)

160.9 Unspecified sinus
Sinus, accessory NOS

161 MALIGNANT NEOPLASM OF LARYNX

161.0 Glottis, true vocal cord

161.8 Other specified parts
Cartilage:
arytenoid
cricoid
cuneiform
laryngeal
thyroid
False vocal cords

161.9 Part unspecified
Larynx NOS

162 MALIGNANT NEOPLASM OF TRACHEA, BRONCHUS AND LUNG

162.0 Trachea
Trachea (cartilage) (mucosa)

162.1 Bronchus and lung
Bronchogenic carcinoma
Malignant neoplasm of bronchus, lung:
NOS
primary
Pancoast's tumor, unless specified as benign
Pulmonary carcinoma

163 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED RESPIRATORY ORGANS

163.0 Pleura

163.1 Mediastinum

163.9 Site unspecified
Respiratory (system) (upper) NOS
Thoracic organs NOS

170 MALIGNANT NEOPLASM OF BONE

Includes:
cartilage NOS (articular) (joint)
periosteum

Excludes:
bone marrow (201-203)

170.0 Bones of skull and face
Bone:
ethmoid
frontal
malar
nasal
occipital
parietal
sphenoid
temporal
Maxilla (superior)
Turbinate
Vomer
Excludes:
cartilage of:
ear (171.0)
eyelid (171.0)
nose (160.0)
lower jaw bone (170.1)

170.1 Lower jaw bone
Inferior maxilla
Mandible

170.2 Vertebral column (excluding sacrum and coccyx)
Spinal column
Spine
Vertebra
Excludes:
coccyx and sacrum (170.6)

170.3 Ribs, sternum and clavicle
Costal cartilage
Ensiform cartilage
Xiphoid process

170.4 Long bones of upper limb and scapula
Acromion process
Bones NOS of upper limb
Humerus
Radius
Ulna

170 MALIGNANT NEOPLASM OF BONE (continued)

170.5 Upper limb, short bones
Carpal
Cuneiform, wrist
Metacarpal
Phalanges of hand
Pisiform
Scaphoid (of hand)
Semilunar or lunate (bone)
Trapezium
Trapezoid
Unciform

170.6 Pelvic bones, sacrum, coccyx
Coccygeal vertebra
Ilium
Ischium
Pubic bone
Sacral vertebra

170.7 Lower limb, long bones
Bones NOS of lower limb
Femur
Fibula
Tibia

170.8 Lower limb, short bones
Astragalus
Calcaneus
Cuboid
Cuneiform, ankle
Metatarsal
Navicular (of ankle)
Patella
Phalanges of foot
Semilunar cartilage
Tarsal

170.9 Site unspecified
Chondrosarcoma)
Chondromyxosarcoma) site unspecified
Ewing's sarcoma or tumor)
Osteosarcoma)

171 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE
Includes:
fibrosarcoma)
hemangiosarcoma)
leiomyosarcoma)
liposarcoma) NOS or of specified sites
lymphangiosarcoma) in 171.0-171.3
myosarcoma)
myxosarcoma)
rhabdomyosarcoma)
tissues, such as blood vessel, bursa, fascia, fat, ligament, muscle, synovial membrane, tendon (sheath) of unspecified site, or of specified sites in 171.0-171.3

Excludes:
cartilage (articular) (170)
larynx (161.8)
nose (160.0)

171.0 Head, face, and neck
Cartilage of:
ear
eyelid
Connective tissue) of (auricle(ear), cheek, chin, ear(external), face NOS, head, neck
Muscle)
Soft parts)

Excludes:
nasal cartilage (160.0)

171.1 Trunk
Diaphragm
Heart
Myocardium
Connective tissue) of (groin, hypochondrium, perineum, thorax, trunk NOS
Muscle)
Soft parts)

Excludes:
broad ligament (183.1)
round ligament (183.1)
uterine ligament (any type) (183.1)

171.2 Upper limb (including shoulder)
Connective tissue) of (arm, finger, forearm, hand, shoulder, upper limb NOS
Muscle)
Soft parts)

171 MALIGNANT NEOPLASM OF CONNECTIVE AND OTHER SOFT TISSUE (continued)

171.3 Lower limb (including hip)
Connective tissue) of (foot, hip, leg, lower limb NOS, popliteal space, thigh, toe
Muscle)
Soft parts)

171.9 Site unspecified

172 MALIGNANT MELANOMA OF SKIN

Includes:
melanocarcinoma
melanoma (skin) NOS

172.0 Lips
Lip (lower) (upper)

172.1 Eyelids, including canthi

172.2 Ear and external auricular canal
Auricle (ear)
Auricular canal (external)
External meatus
Pinna

172.3 Other and unspecified parts of face
Cheek
Chin
Eyebrow
Face NOS
Forehead
Nose (external)

172.4 Scalp and neck

172.5 Scrotum

172.6 Trunk, except scrotum
Abdominal wall
Anus
Axilla
Back
Buttock
Chest wall
Groin
Perineum
Pubis
Trunk NOS
Umbilicus

172.7 Upper limb
Arm
Finger
Forearm
Hand
Shoulder
Upper limb NOS

172.8 Lower limb
Ankle
Foot
Heel
Hip
Knee
Leg
Lower limb NOS
Popliteal space
Thigh
Toe

172.9 Site unspecified

Excludes:
skin of breast (174)
skin of genital organs (184, 187)

173 OTHER MALIGNANT NEOPLASM OF SKIN

Includes:
malignant neoplasm of:
sebaceous glands
sudoriferous, sudoriparous glands

Excludes:
malignant melanoma of skin (172)
skin of:
breast (174)
genital organs (184, 187)

173.0 Lips
Skin of lip (lower) (upper)

173.1 Eyelids, including canthi

173 OTHER MALIGNANT NEOPLASM OF SKIN (continued)

173.2 Ear and external auricular canal
Auricular canal (external)
External meatus
Skin of:
auricle (ear)
pinna

173.3 Other and unspecified parts of face
Cheek (external)
Chin
Eyebrow
Face NOS
Forehead
Nose, external

173.4 Scalp and neck
Skin of neck

173.5 Scrotum

173.6 Trunk, except scrotum
Abdominal wall
Anus
Axillary fold
Buttock
Pubis
Umbilicus
Skin of:
back
chest wall
groin
perineum
trunk

173.7 Upper limb
Skin of:
arm
finger
forearm
hand
shoulder
upper limb NOS

173.8 Lower limb
Skin of:
ankle
foot
heel
hip
knee
leg
lower limb NOS
thigh
toe

173.9 Site unspecified

174 MALIGNANT NEOPLASM OF BREAST
Breast (male) (female)
connective tissue
skin
soft parts
Mammary gland
Nipple
Paget's disease of:
breast
nipple

180 MALIGNANT NEOPLASM OF CERVIX UTERI

181 CHORIONEPITHELIOMA
Choriocarcinoma
Deciduoma malignum
Malignant neoplasm of placenta

182 OTHER MALIGNANT NEOPLASM OF UTERUS

182.0 Corpus uteri
Body of uterus
Endometrium
Fundus of uterus
Myometrium

182.9 Uterus, unspecified
Malignant change in uterine fibroid

183 MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT

183.0 Ovary
Dysgerminoma (ovary)
Malignant teratoma (cystic) of ovary

183 MALIGNANT NEOPLASM OF OVARY, FALLOPIAN TUBE, AND BROAD LIGAMENT (continued)

183.1 Fallopian tube and broad ligament
Round)
Uterine)
Utero-ovarian) ligament
Uterosacral)
Oviduct

183.9 Part unspecified
Uterine adnexa NOS

184 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS

184.0 Vagina

184.1 Vulva
Bartholin's gland
Clitoris
Labium (majus) (minus)
Pudendum

184.8 Other specified sites

184.9 Site unspecified

185 MALIGNANT NEOPLASM OF PROSTATE

186 MALIGNANT NEOPLASM OF TESTIS
Dysgerminoma of testis
Seminoma
Teratoma (cystic) of testis

187 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED MALE GENITAL ORGANS

187.0 Penis
Corpus cavernosum of penis
Glans penis
Prepuce

187.8 Other specified sites
Epididymis
Seminal vesicle
Spermatic cord

187.9 Site unspecified

188 MALIGNANT NEOPLASM OF BLADDER
Bladder (sphincter) (urinary)

189 MALIGNANT NEOPLASM OF OTHER AND UNSPECIFIED URINARY ORGANS

189.0 Kidney, except pelvis
Hypernephroma
Wilms' tumor

189.1 Pelvis of kidney

189.2 Ureter

189.9 Other and unspecified
Urachus
Urethra

190 MALIGNANT NEOPLASM OF EYE
Glioma)
Melanoma) of eye
Malignant neoplasm:
any part of eye except eyelid and optic nerve
retina
Retinoblastoma

Excludes:
eyelid (skin) (172.1, 173.1)
cartilage (171.0)
optic nerve (192.0)

191 MALIGNANT NEOPLASM OF BRAIN
Brain, any part except cranial nerves and meninges

Excludes:
cranial nerves (including optic) (192.0)
meninges, cerebral (192.1)

192 MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM

192.0 Cranial nerves (including optic)

192.1 Cerebral meninges

192.2 Spinal cord
Cauda equina

192 MALIGNANT NEOPLASM OF OTHER PARTS OF NERVOUS SYSTEM (continued)

192.3 Spinal meninges

192.4 Peripheral nerves

192.5 Sympathetic nervous system
Autonomic)
Parasympathetic) nerve
Sympathetic)
Ganglion (sympathetic)

192.9 Site unspecified
Astrocytoma)
Astroblastoma)
Ependymoma)
Glioma) site unspecified
Medulloblastoma)
Neuroepithelioma)
Oligodendroblastoma)

193 MALIGNANT NEOPLASM OF THYROID GLAND
Hürthle cell carcinoma
Malignant goiter

194 MALIGNANT NEOPLASM OF OTHER ENDOCRINE GLANDS

194.0 Suprarenal gland
Adrenal gland

194.1 Parathyroid gland

194.2 Thymus
Malignant thymoma

194.3 Pituitary gland and craniopharyngeal duct
Craniobuccal pouch
Craniopharyngeal pouch
Hypophysial duct
Rathke's pouch

194.4 Pineal gland
Pinealoblastoma

194.8 Other
Aortic body
Carotid body

194.9 Unspecified endocrine gland

195 MALIGNANT NEOPLASM OF ILL-DEFINED SITES

195.0 Abdomen, intra-abdominal cancer

195.1 Pelvis, pelvic viscera, rectovaginal septum

195.9 Other
Arm NOS
Chest wall NOS
Ear NOS
Hand NOS
Leg NOS
Neck NOS
Pinna NOS
Shoulder NOS

196 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES

Includes:
malignant neoplasm of lymph nodes or glands specified as secondary, or not indicated to be primary or secondary
Excludes:
any malignant neoplasm of lymph nodes specified as primary (200-202)
Hodgkin's disease (201)
lymphosarcoma (200.1)
other forms of lymphoma (202)
reticulum cell sarcoma of lymph nodes (200.0)

196.0 Head, face, and neck
Cervical
Supraclavicular

196.1 Intrathoracic
Bronchopulmonary
Mediastinal
Tracheobronchial

196.2 Intra-abdominal
Intestinal
Mesenteric
Retroperitoneal

196.3 Axillary and upper limb
Brachial
Epitrochlear

196 SECONDARY AND UNSPECIFIED MALIGNANT NEOPLASM OF LYMPH NODES (continued)

196.4 Inguinal and lower limb
Groin
Iliac
Popliteal
Tibial

196.7 Other specified site

196.8 Multiple sites
Multiple sites classifiable to more than one of the above subdivisions

196.9 Site unspecified

197 SECONDARY MALIGNANT NEOPLASM OF RESPIRATORY AND DIGESTIVE SYSTEMS

197.0 Lung, specified as secondary

197.1 Mediastinum, specified as secondary

197.2 Pleura, specified as secondary

197.3 Other respiratory organs, specified as secondary
Bronchus)
Trachea) specified as secondary
Conditions in 160, 161, 162.0, 163.9, specified as secondary

197.4 Small intestine, including duodenum, specified as secondary
Conditions in 152, specified as secondary

197.5 Large intestine and rectum, specified as secondary
Conditions in 153, 154, specified as secondary

197.6 Peritoneum, specified as secondary
Conditions in 158, specified as secondary

197.7 Liver, specified as secondary

197.8 Liver, unspecified

197.9 Other digestive organs, specified as secondary
Conditions in 150, 151, 155.1, 156, 157, 159, specified as secondary

198 OTHER SECONDARY MALIGNANT NEOPLASM

198.0 Bladder specified as secondary
Bladder (sphincter))
(urinary)) specified as secondary
Vesical orifice)

198.1 Other urinary organs, specified as secondary
Conditions in 189, specified as secondary

198.2 Skin, specified as secondary
Conditions in 172, 173, specified as secondary

198.3 Brain, specified as secondary
Conditions in 191, specified as secondary

198.4 Other parts of nervous system, specified as secondary
Conditions in 190, 192, specified as secondary

198.5 Bone, specified as secondary
Bone marrow)
Conditions in 170) specified as secondary

198.9 Other sites, specified as secondary
Conditions in 140-149, 171, 174, 180-187, 193-195, specified as secondary
Spleen, specified as secondary

199 MALIGNANT NEOPLASM WITHOUT SPECIFICATION OF SITE

199.0 Multiple
Carcinomatosis)
Disseminated cancer)
Generalized:) without specification
malignancy) of site
neoplastic disease)
Multiple cancer)
Sarcomatosis)

199.1 Other
Cancer)
Carcinoma)
Malignancy) site not specified
Sarcoma)

200 LYMPHOSARCOMA AND RETICULUM CELL SARCOMA

200.0 Reticulum-cell sarcoma
Reticulosarcoma
Reticulum-cell lymphosarcoma

200.1 Lymphosarcoma
Lymphosarcoma (lymphoblastic) (lymphocytic)

201 HODGKIN'S DISEASE
Hodgkin's:
granuloma
lymphoma
Lymphogranuloma (malignant)
Lymphogranulomatosis

202 OTHER NEOPLASMS OF LYMPHOID TISSUE

202.0 Giant follicular lymphoma
Brill-Symmer disease
Lymphoid follicular reticulosis
Macrofollicular lymphoma

202.1 Mycosis fungoides

202.2 Other primary malignant neoplasms of lymphoid tissue
Chloroma
Compound lymphoma
Leukosarcoma
Malignant neoplasm of:
lymph nodes or glands, specified as primary, not classifible under 200-202.1
spleen

202.9 Other forms of lymphoma
Benign lymphoma
Benign or unspecified neoplasm of bone marrow
Lymphoid polyp (benign)
Ocular lymphoma

203 MULTIPLE MYELOMA
Kahler's disease
Myeloma:
NOS
hemic
plasma cell
Myelomatosis
Plasmocytoma

204 LYMPHATIC LEUKEMIA
Includes:
aleukemia, leukemia (aleukemic):
lymphatic
lymphoblastic
lymphogenous
lymphoid

204.0 Acute

204.1 Chronic

204.9 Unspecified

205 MYELOID LEUKEMIA
Includes:
aleukemia, leukemia (aleukemic):
granulocytic
myeloblastic
myelocytic
myelogenous
myelosclerotic
myelosis, aleukemic

205.0 Acute

205.1 Chronic

205.9 Unspecified

206 MONOCYTIC LEUKEMIA
Includes:
aleukemia, leukemia (aleukemic):
histiocytic
monoblastic
monocytic

206.0 Acute

206.1 Chronic

206.9 Unspecified

207 OTHER AND UNSPECIFIED LEUKEMIA
Includes:
aleukemia, leukemia (aleukemic):
NOS
giant cell
megakaryocytic
stem cell

207 OTHER AND UNSPECIFIED LEUKEMIA (continued)

207.0 Leukemia, acute

207.1 Leukemia, chronic

207.2 Acute erythremia
Di Guglielmo's disease
Erythremic myelosis (acute)

207.9 Leukemia, unspecified

208 POLYCYTHEMIA VERA
Erythremia (chronic)
Erythrocythemia
Osler-Vaquez disease
Polycythemia:
chronic
myelopathic
primary
rubra
splenomegalic

Excludes:
acute erythremia (207.2)
secondary polycythemia (289.0)

209 MYELOFIBROSIS
Myelosclerosis
Osteomyelofibrosis
Osteomyelosclerosis
Osteosclerotic anemia

Accuracy of Cancer Death Certificates and Its Effect on Cancer Mortality Statistics[1]

CONSTANCE PERCY, MS, EDWARD STANEK, III, MS, AND LYNN GLOECKLER, MS

Abstract: A study to determine the accuracy of cancer mortality data was done using cancer deaths occurring during 1970 and 1971 in eight of the nine areas included in the Third National Cancer Survey (TNCS). Death certificates with an underlying cause of death of cancer were compared to the hospital diagnosis for 48,826 resident cases of single primary cancers.

The underlying cause of death as coded on the death certificate was found to be accurate for about 65 per cent of the cancer deaths in this study. Misclassification problems occurred for colorectal cancer, the second leading cause of death from cancer. Colon cancer was overreported and rectal cancer was underreported on death certificates. Other misclassification problems were found for cancers of the uterus, brain, and buccal cavity including most of its sub-sites. Physicians tended to report a non-specific site of cancer on the death certificate rather than the specific site identified by the hospital diagnosis. (*Am J Public Health* 1981; 71:242-250.)

Cancer mortality statistics have been part of many epidemiological investigations including a variety of etiological studies of cancer. Deaths from cancer have been used in geographic studies, studies of time trends, correlation studies, and therapy evaluation. They have also been used to identify cases for retrospective evaluation of possible etiological factors. Because of the varied uses of mortality data, it is important that they be reliable and accurate.

In the past, a number of authors have pointed out the inaccuracies of cancer death certificates[1-3] by comparing the specified underlying cause of death to autopsy diagnosis and to more specific hospital and pathologic information. Most of these studies have been of limited scope and dealt only with a small series of cases. To date, the only large-scale studies on the accuracy of cancer death certification are Dorn and Horn's 1941 study[4] based on the First National Cancer Survey; Dorn and Cutler's 1958 study[5] based on the Second National Cancer Survey; the Pan American Health Association study in 1967[6]; and studies by the Atomic Bomb Casualty Commission[7, 8] in Japan. No national assessment of the accuracy of cancer mortality data in the United States has been undertaken in the last 20 years. The study to be reported compares the underlying cause of death from cancer with the hospital cancer diagnosis of persons in specific areas of the United States. In order to be included in the analyses to be presented, a patient must have had a medical record which indicated that a diagnosis of one and only one cancer had been made and must have died with cancer coded as the underlying cause of death on the death certificate. Furthermore, the patient must have been a resident of the areas involved in the study.

Materials and Methods

The data on deaths used in this study were drawn from the Third National Cancer Survey (TNCS), which was conducted in two states and seven metropolitan areas during the years 1969-1971. The survey reviewed hospital records, including autopsy and surgical pathology reports, for all active cancers, both incident and prevalent, in all area hospitals. Over 90 per cent of the TNCS cases were microscopically proven. This data set differs from that reported in Monograph 41[9] which dealt mainly with incident cases. Prevalent cases were included in this study in addition to the subset of the incident cases reported in this monograph.*

Death certificates with any mention of cancer were routinely collected from vital statistics sections of state health departments during the study period. However, not all copies of certificates received by TNCS included an International Classification of Diseases Adapted (ICDA-8)[10] code for the underlying cause of death. Sometimes copies of the certificates were requested by TNCS staff before the coding was done in the state health department or copies were sent without the underlying cause code appearing on the copies of the certificate. It would have been possible for the authors to code the underlying cause of death directly from the death certificate when the ICDA-8 code was missing. However, the coding rules for ICD-8[11] are complicated and codes are usually assigned by a trained nostologist. To prevent possible bias, no coding of the death certificates was attempted by the authors. As a result, deaths whose certificates lacked the ICDA-8 codes for cause of death had to be excluded from the analysis.

From the Biometry Branch, DCCP, NCI, NIH. Address reprint requests to Constance Percy, Biometry Branch, National Cancer Institute, National Institutes of Health, Bethesda, MD 20205. This paper, submitted to the Journal October 26, 1979, was revised and accepted for publication October 28, 1980.

Editor's Note: See related editorial p. 231, this issue.

[1] This article was first published in the American Journal of Public Health 71:242-250, 1981. It is reproduced here with the permission of the publisher.

*Prevalent cases were defined in the TNCS study as having active cancer during 1969-1971 but having been first diagnosed previous to 1969.

In 1970, TNCS staff began abstracting from the death certificates the underlying cause of death coded according to the ICDA-8.[10] Death certificates must be obtained from the state health departments because the National Center for Health Statistics (NCHS) receives certificates without any personal identification. NCHS recodes all death certificates sent from the states but both the state and NCHS use the same classification and coding schemes, so the results of this study should be applicable to both U.S. mortality data (NCHS) and state mortality data.

If a hospital abstract was not on file for a death certificate with an underlying cause of cancer, an abstract of the medical record was obtained. Only 2.1 per cent of the cases in TNCS were "death certificate only" cases, i.e., the death certificate was the only evidence that the person had cancer. These cases were not included in this study since there was no corresponding hospital record. When an autopsy protocol indicated cancer, the death certificate was obtained and the autopsy diagnosis was considered as the hospital diagnosis.

Hospital diagnoses of cancer were abstracted and coded for site and histologic type according to the Manual of Tumor Nomenclature and Coding (MOTNAC).[12] To facilitate comparison, a computer program was written converting the MOTNAC codes to ICDA-8 categories.[13] Since this conversion consists of converting a detailed code involving both site and histologic type to the less specific categories of ICDA-8 which is based mainly on site, it is highly reliable for the site involved. In this study, malignant neoplasms are defined as ICDA-8 categories 140-207.

For a death to be included in this study, the copy of the death certificate received at the National Cancer Institute (NCI) must have an ICDA-8 cancer category coded for the underlying cause of death and it must have a hospital diagnosis of cancer. When a person had two or more cancers, it was difficult to determine which cancer caused the death. Therefore, patients with multiple primaries were excluded.

There were 48,826 deaths among residents during 1970 and 1971 in the TNCS areas for persons with only a single primary cancer and an underlying cause of death category of cancer coded on the death certificate. Excluded from these 48,826 deaths were those from the Minneapolis-St. Paul area which did not start recording the underlying cause of death categories until 1971. Also excluded were less than 100 deaths from malignant carcinoids (category 258) that were not considered to be malignant neoplasms by ICDA-8. Of these 48,826 patients, 60 per cent were incident (diagnosed in 1970 or 1971) and 40 per cent prevalent (diagnosed before 1970) cases.

To assess the representativeness of the cancer deaths in this study, a comparison of these 48,826 cancer deaths was made to those deaths reported by the NCHS for the survey areas. The 48,826 cancer death certificates from TNCS comprised 80.6 per cent of those reported as cancer deaths in the TNCS areas by NCHS in 1970 and 1971. In 1970, 70 per cent of the NCHS deaths were in our study and in 1971, 90 per cent were included. The discrepancy results from excluding patients with multiple primaries, death certificate only cases, and certificates received without an ICDA-8 category for the underlying cause of death. Overall, the most common cause of exclusion was the lack of an ICDA-8 cause of death category coded on the certificate. After the first year of the study, a special effort was made to get this item from the health departments (hence the difference between the 1970 and 1971 percentages). Cross classifications of hospital diagnoses with underlying cause of death by site were examined for the individual years, 1970 and 1971, and found to be very similar. Therefore, it was decided to combine the data for these years. The survey deaths were cross-classified by sex, race (White, non-White), and age (0-49, 50-69, 70+), and subsequently compared to NCHS deaths (Table 1). Although there were slight differences in percentages, none of the comparisons suggested serious biases in the data.

The accuracy of the death certificate code was assessed by comparing the primary cancer site reported on the hospital diagnosis with the cancer site coded as the underlying cause of death on the death certificate (Table 2). This was done at a 3-digit level of the ICDA-8 classification[10] for most sites. Most mortality data are reported by similar groupings. The basis of the analysis is a cross-tabulation of the hospital diagnosis (vertical axis) with the underlying cause of death (horizontal axis). The diagonal of the cross-tabulation represents cases whose hospital diagnosis and underlying cause of

TABLE 1—Number of Cancer Deaths Reported to the National Center for Health Statistics (NCHS) for TNCS Areas* and Percentage of Such Deaths Included in this Study by Age, Sex, and Race (1970 + 1971)

Race and Sex	No. of NCHS Cancer Deaths by Age				% of NCHS Cancer Deaths Included in this Study by Age			
	0-49	50-69	70+	All Ages	0-49	50-69	70+	All Ages
White	6,552	23,983	23,022	53,557	77.6	79.5	81.8	80.3
Males	3,142	13,400	12,462	29,004	79.9	80.0	80.1	80.0
Females	3,410	10,583	10,560	24,553	75.5	78.7	84.0	80.6
Non-white	1,269	3,696	2,069	7,034	80.5	80.4	89.0	82.9
Males	614	2,202	1,241	4,057	80.8	81.6	87.6	83.3
Females	655	1,494	828	2,977	80.2	78.6	91.1	82.4
Total	7,821	27,679	25,091	60,591	78.1	79.6	82.5	80.6

*Minneapolis-St. Paul area excluded

TABLE 2—Comparison of Hospital Diagnoses with Underlying Cause of Death by Cancer Sites (ICDA-8: 140-207) for Cancer Deaths from the Third National Cancer Survey, 1970-71

HOSPITAL DIAGNOSIS		UNDERLYING CAUSE OF DEATH FROM DEATH CERTIFICATE																														
PRIMARY SITE	ICDA-8 CATEGORY	140-207-	140-149	150	151	153	154	155.0, 197.8	155.1, 156	157	152, 158-9	161	162	160, 163	172	174	180	182	183	181, 184	185	186, 187	188	189	191, 192	193, 194	201	200, 202	203	204-207	170-1, 173, 190	195-199*
ALL SITES		48826	1187	997	2321	5131	1367	687	709	2531	290	433	10178	173	486	4583	869	768	1499	138	2579	171	1179	930	1171	205	536	1470	688	2140	647	2763
BUC. CAV.	140-149	1397	1098	20	2	2	0	1	0	0	1	100	22	9	1	1	1	0	0	1	1	0	1	0	3	0	1	3	0	0	46	83
ESOPHAGUS	150	921	5	858	24	0	0	0	1	2	0	3	13	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	11
STOMACH	151	2365	0	85	2109	26	2	8	1	17	12	0	10	0	0	5	1	0	5	0	3	1	0	0	1	1	1	4	0	0	5	68
COLON	153	4546	0	3	19	4062	138	25	4	15	22	0	25	1	0	11	6	2	14	0	3	0	6	3	3	3	1	1	0	0	2	177
RECTUM	154	2098	0	0	5	791	1180	8	3	2	4	0	9	0	3	1	4	3	1	0	5	0	1	1	0	0	0	0	0	0	8	69
LIVER	155.0, 197.8	462	0	0	4	6	0	377	10	8	1	0	8	0	0	0	0	2	1	0	1	0	0	0	0	0	0	1	0	0	0	43
GALLBL	155.1, 156	801	0	0		6	0	67	627	55	4	0	3	0	1	0	0	0	1	0	0	1	0	0	0	0	0	0	0	6	1	28
PANCREAS	157	2496	0	1	20	20	0	20	21	2252	11	1	24	0	0	2	0	0	5	0	3	0	1	1	1	0	0	2	0	0	1	110
OTH.DIG.	152, 158-9	355	0	1	22	40	4	6	7	17	146	0	4	0	0	2	0	1	3	0	0	0	0	2	3	2	0	5	0	0	38	52
LARYNX	161	395	40	4	0	1	0	0	0	0	0	317	16	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	14
LUNG †	162	10059	6	13	11	11	1	16	1	17	3	6	9560	38	3	19	5	1	3	0	6	1	3	9	21	10	0	12	0	4	13	266
OTH.RESP.	160, 163	169	10	1	1	0	0	0	0	0	2	0	15	89	4	0	0	1	0	0	0	2	0	0	4	2	0	1	0	0	13	24
MELANOMA	172	502	1	0	1	1	2	1	0	0	0	0	11	0	440	0	0	0	0	0	0	0	0	1	13	0	0	3	4	0	7	17
BREAST	174	4734	1	1	4	9	1	8	2	5	1	0	42	6	0	4498	1	3	8	0	2	0	0	0	8	4	0	2	0	0	13	115
CERVIX	180	995	0	0	2	7	1	0	0	1	1	0	10	2	0	3	786	111	16	2	0	0	5	1	1	0	0	0	0	0	4	42
CORPUS	182	674	0	0	2	5	0	1	0	0	2	0	8	0	0	3	25	549	34	9	0	0	0	0	0	0	0	0	1	0	5	30
OVARY †	183	1497	0	0	4	26	1	2	2	5	6	0	6	0	0	4	4	21	1322	2	0	0	1	0	0	1	0	2	0	0	3	85
OTH.FEM.	181, 184	232	0	0	1	3	3	0	0	1	0	0	2	0	0	0	17	38	10	117	0	0	3	1	1	0	0	0	0	0	18	17
PROSTATE	185	2621	1	1	3	11	2	1	1	8	2	0	21	1	0	0	0	0	1	0	2483	1	27	1	1	0	0	1	1	0	6	47
OTH.MALE	186, 187	186	0	0	0	0	0	0	1	0	1	0	7	0	0	0	0	0	0	1	1	156	0	3	2	0	0	1	0	0	1	12
BLADDER	188	1211	0	0	0	4	2	1	1	1	1	0	9	1	0	1	5	1	2	0	34	3	1103	18	1	0	0	0	0	1	2	20
KIDNEY	189	984	1	0	1	4	0	2	0	0	3	0	25	0	0	2	0	1	1	1	5	1	17	865	4	0	0	3	0	0	6	42
BRAIN †	191, 192	1074	0	0	1	0	0	0	0	0	0	0	4	0	1	1	0	0	0	0	0	0	0	1	1044	0	0	2	0	0	9	11
THYROID †	193, 194	206	0	2	0	0	0	0	1	2	1	0	6	0	1	1	0	0	0	0	0	1	0	2	5	169	0	1	0	0	0	14
HODGKINS	201	572	1	0	1	0	0	0	0	0	1	1	2	1	1	0	0	0	0	0	0	0	0	0	0	1	496	61	0	2	2	2
N-H.LYMPH.	200, 202	1562	5	0	28	10	4	2	1	9	13	0	11	3	0	4	1	1	0	0	6	2	1	3	5	3	34	1300	3	57	6	50
MULT.MYELOMA	203	699	0	0	0	0	0	0	0	1	1	0	2	0	2	0	0	0	0	0	0	0	0	0	2	0	1	3	675	6	2	4
LEUKEMIA	204-207	2152	0	0	0	1	0	2	0	2	0	0	1	1	0	2	0	0	1	0	0	0	1	0	0	0	0	35	1	2069	28	8
OTHER SPEC. SITES		541	3	0	2	6	17	2	0	1	4	0	15	3	26	6	2	12	7	2	0	1	0	0	8	1	0	9	0	0	343	71
UNKNOWN	195-199*	2320	15	7	47	79	9	137	25	110	47	5	287	18	3	15	11	21	64	3	26	1	9	18	39	6	2	18	3	1	63	1231

*Excludes 197.8
†See ICDA-8 (ref. 10) for complete description of categories.

death were identical. This agreement was measured by two different rates, detection and confirmation:

- The *detection rate* for a specific site was defined as the number of cases diagnosed as cancer of that site in the hospital and having cancer of the same site on the death certificate divided by the total number of persons diagnosed with that specific site of cancer in the hospital and dying of cancer. It is, therefore, the proportion of hospital diagnoses with cancer of a certain site in which the cause of death reflects the same hospital diagnosis.
- The *confirmation rate* is the same numerator divided by the number of persons who died with this particular site as the underlying cause of death and had had previous diagnosis of cancer. It is therefore the proportion of cancer deaths in which the specified underlying cause is confirmed by the hospital diagnosis.

Selected sites of cancer were classified into four groups according to the relative and absolute values of their detection and confirmation rates as follows:

Group 1: *Both high detection and confirmation rates at about the same level (over 80 per cent).* This means that there was good agreement between the primary site diagnosed in the hospital and that recorded on the death certificate. Mortality rates for these sites should be fairly accurate. The majority of the deaths were found in this group.

Group 2: *Both low detection and confirmation rates at about the same level (under 80 per cent).* In this group, there was considerable disagreement between hospital diagnoses and the corresponding underlying causes reported on the death certificates. Nevertheless, since both the detection and confirmation rates were equally low, the number diagnosed in the hospital and the number of deaths reported on the death certificates were about the same (columns 1 and 2 of Table 3). Such rates were observed usually for sites of low frequency. For cancer sites in this group the proportionate mortality would remain the same.

Group 3: *Detection rate higher than confirmation rate.* The sites in this group are characterized by a greater number of deaths reported on death certificates for the specific site than reported by the hospital diagnosis; this means that these sites will be overreported in the subsequent mortality statistics. This occurs for a site such as bone where metastasis from other primary sites frequently occurs. Unless the certifier specifies bone as a metastatic site, it will be coded as the primary site.

Group 4: *Confirmation rate higher than detection rate.* In this group more cases of a site were diagnosed in the hospital than were actually reported on the death certificates. This resulted in an underreporting on death certificates.

Results

Frequencies and detection and confirmation rates are presented in the Tables for the 48,826 cancer deaths. The detection and confirmation rates are given with their standard errors for each site to aid researchers in evaluating the accuracy of cancer mortality statistics for these sites.

As mentioned above, Table 2 cross-classifies the hospital diagnoses of the 48,826 cancer deaths with the underlying cause of death on the certificate. Overall, when the 30-site groupings shown in this Table were used, 86.7 per cent had the same site reported on the hospital diagnosis as that indicated as the underlying cause of death on the certificate. However, if the number of groups (3-digit categories) is increased to 49 as in Table 3, the overall agreement decreases to 82.7 per cent. Naturally, if 4-digit categories are used (Tables 5–7), agreement decreases even more.

Table 3 presents the data of Table 2 in a different format and includes the detection and confirmation rates and their standard errors. The figures and rates are given for each 3-digit primary site and a few combinations of sites.

Table 4 identifies the principal sites which fell into the four groups described earlier. In this study 65 per cent of the total cancer deaths belong in Group 1. A similar percentage (64) of United States cancer deaths in 1970 were attributed to cancers of the sites included in Group 1. Extremely high detection and confirmation rates of over 93 per cent were found for cancers of the lung and bronchus, breast, prostate, and multiple myeloma.

Connective tissue tumors are a good example of Group 2. Although there was much misclassification between the hospital diagnosis and the underlying cause of death, about the same number (259 cases) were reported in the hospital as were found for the underlying cause on the death certificate (252 cases). However, as seen in Table 3, column 3, only 142 connective tissue cancers were diagnosed and confirmed on death certificates, a detection rate of 54.8 per cent and a confirmation rate of 56.3 per cent. Very few cancer deaths are in Group 2.

The category "malignant neoplasm of the bone" is a good example of Group 3 (detection rate higher than confirmation rate). Table 3 shows that 160 bone cancers were diagnosed in the hospital but many more (252) were stated as the underlying cause of death. Since only 125 of these were confirmed in the hospital, the confirmation rate was only 49.6 per cent but the detection rate was 78.1 per cent. An examination of those deaths coded to primary cancer of bone on the death certificate showed diagnoses in the hospital of primary cancers of many other sites. No doubt bone was actually a secondary site of these cases and thus they were misclassified. Therefore mortality figures for bone cancer are considerably overreported in vital statistics data. Colon cancer, one of the principal sites of cancer, falls into Group 3.

Group 4 sites have higher confirmation rates than detection rates. For example, more buccal cavity cancers were diagnosed in the hospital (1,397 cases), than were reported on death certificates (1,187 cases). Since 1,098 deaths were confirmed by the hospital diagnosis, the confirmation rate (92.5 per cent) was much higher than the detection rate (78.6 per cent). Malignancies of the rectum, a frequent site of cancer, fall into this group as well.

For many sites, a specific diagnosis was made in the hospital but only a non-specific site was stated on the death certificate. Table 5 shows a detailed comparison of cancer of the cervix uteri, corpus uteri and uterus, NOS (not otherwise specified). Many more deaths were reported for cancer

TABLE 3—Number of Cases Diagnosed in Hospital and Number with Underlying Cause of Death by Site and Number with Same Site on both, Cancer Deaths from Third National Cancer Survey, 1970–1971 Detection and Confirmation Rates

ICDA-8 Category	Primary Site	No. diagnosed in hospital with this site	No. with this site as the cause of death	No. with same site on both	Detection Rate %	Detection Rate Standard error	Confirmation Rate %	Confirmation Rate Standard error
140-207	All Sites	48,826	48,826	40,379	82.7	0.17	82.7	0.17
140-149	Buccal cavity	1,397	1,187	1,098	78.6	1.10	92.5	0.76
140	Lip	32	14	14	43.8	8.77	100.0	
141	Tongue	324	267	219	67.6	2.60	82.0	2.35
142	Salivary gland	90	67	56	62.2	5.11	83.6	4.53
143	Gum	54	23	14	25.9	5.96	60.9	10.18
144	Floor of mouth	135	79	51	37.8	4.17	64.6	5.38
145	Mouth, NOS	176	177	83	47.2	3.76	46.9	3.75
146	Oropharynx	220	149	115	52.3	3.37	77.2	3.44
147	Nasopharynx	123	104	82	66.7	4.25	78.8	4.01
148	Hypopharynx	174	111	74	42.5	3.75	66.7	4.47
149	Pharynx, NOS	69	196	45	65.2	5.73	23.0	3.00
150	Esophagus	921	997	858	93.2	0.83	86.1	1.10
151	Stomach	2,365	2,321	2,109	89.2	0.64	90.9	0.60
152	Small intestine	113	109	75	66.4	4.44	68.8	4.44
153-154	Colon & Rectum	6,644	6,498	6,171	92.9	0.32	95.0	0.27
153	Colon	4,546	5,131	4,062	89.4	0.46	79.2	0.57
154	Rectum	2,098	1,367	1,180	56.2	1.08	86.3	0.93
155	Liver & Intrahep. bile duct	536	347	266	49.6	2.16	76.7	2.27
156	Gallbladder	727	674	583	80.2	1.48	86.5	1.32
157	Pancreas	2,496	2,531	2,252	90.2	0.59	89.0	0.62
158	Retroperitoneum	108	102	45	41.7	4.74	44.1	4.92
159	Peritoneum	134	79	20	14.9	3.08	25.3	4.89
160	Nose, ear & sinuses	93	71	53	57.0	5.13	74.6	5.16
161	Larynx	395	433	317	80.3	2.00	73.2	2.13
162	Trachea, lung & bronchus	10,059	10,178	9,560	95.0	0.22	93.9	0.24
163	Pleura, med. & other resp.	76	102	36	47.4	5.73	35.3	4.73
170	Bone	160	252	125	78.1	3.27	49.6	3.15
171	Connective tissue	259	252	142	54.8	3.09	56.3	3.12
172	Melanoma of skin	502	486	440	87.6	1.47	90.5	1.33
173	Other skin	51	67	18	35.3	6.69	26.9	5.42
174	Breast	4,734	4,583	4,498	95.0	0.32	98.1	0.20
180	Cervix	995	869	786	79.0	1.29	90.4	1.00
182	Corpus & uterus, NOS	674	768	549	81.5	1.50	71.5	1.63
183	Ovary, f. tube, etc.	1,497	1,499	1,322	88.3	0.83	88.2	0.83
181+184	Other female genital	232	138	117	50.4	3.30	84.8	3.10
185	Prostate	2,621	2,579	2,483	94.7	0.44	96.3	0.73
186	Testis	136	125	113	83.1	3.21	90.4	2.64
187	Other male genital	50	46	41	82.0	5.43	89.1	4.59
188	Bladder	1,211	1,179	1,103	91.1	0.82	93.6	0.72
189	Kidney	984	930	865	87.9	1.04	93.0	0.84
190	Eye	71	43	35	49.3	5.93	81.4	5.93
191-192	Brain & other nerv.	1,074	1,171	1,044	97.2	0.50	89.2	0.90
191	Brain	965	919	803	83.2	1.20	87.4	1.10
192	Other nervous system	109	252	79	72.5	4.28	31.3	2.92
193-194	Thyroid & other endo.	206	205	169	82.0	2.70	82.4	2.70
193	Thyroid	149	142	130	87.2	2.73	91.5	2.33
194	Other endocrine	57	63	39	68.4	6.16	61.9	6.12
195-199	Ill defined & unknown	2,320	2,763	1,231	53.1	1.00	44.6	0.90
200+202	Non-Hodgkin's lymphoma	1,562	1,470	1,300	83.2	0.90	88.4	0.80
201	Hodgkin's disease	572	536	496	86.7	1.42	92.5	1.14
203	Multiple myeloma	699	688	675	96.6	0.69	98.1	0.52
204-207	Leukemias	2,152	2,140	2,069	96.1	0.40	96.7	0.40
204	Lymphocytic	743	688	594	79.9	1.47	86.3	1.31
205	Myeloid	1,107	914	843	76.2	1.28	92.2	0.89
206	Monocytic	98	104	56	57.1	5.00	53.8	4.89
207	Other & unspecified	204	434	149	73.0	3.11	34.3	2.28

of the uterus, NOS (category 182.9) on the death certificates than were so diagnosed in the hospital. Of the 470 cases having cancer of the uterus, NOS on the death certificate, 103 were diagnosed in the hospital as cervical cancer and 184 as corpus cancer. In contrast, only 89 were diagnosed cancer of the uterus, NOS in the hospital, a confirmation rate of only 18.9 per cent.

Table 6 shows a comparison of the 4-digit ICDA-8 categories for cancer of the colon and rectum. The non-specific site of cancer of the colon, NOS (category 153.8) was found

TABLE 4—Groupings of Certain Cancer Sites According to the Absolute and Relative Values of the Detection and Confirmation Rates* (Cancer Deaths from Third National Cancer Survey, 1970–1971)

Group 1	Group 2	Group 3	Group 4
Both rates high	Both rates low	Detection rate higher than Confirmation Rate (overreporting on death certificates)	Confirmation Rate higher than Detection Rate (underreporting on death certificates)
Stomach (151)	Mouth, NOS (145)	Colon (153)	Buccal cavity (140–149)
Pancreas (157)	Small intestine (152)	Larynx (161)	Rectum (154)
Bronchus and Lung (162)	Connective tissue (171)	Bone (170)	Cervix (180)
Melanoma of skin (172)		Uterus, NOS (182.9)	Corpus (182.0)
Breast (174)		Pharynx, NOS (149)	Eye (190)
Ovary (183.0)		Ill defined and	Myeloid leukemia (205)
Prostate (185)		Unknown sites (195–199)	Transverse colon (153.1)
Bladder (188)			Sigmoid colon (153.3)
Thyroid (193)			
Multiple myeloma (203)			

*See Table 3 for rates.
NOTE: ICDA-8 (ref. 10) categories given in parentheses

as the underlying cause of death on 3,299 certificates, but only 554 cases were classified in this category from the hospital diagnosis, a detection rate of 76.0 per cent but a confirmation rate of only 12.8 per cent (Group 3). Of these 3,299 colon cancers (category 153.8), 468 were diagnosed in the hospital as cancer of the transverse colon, 749 as sigmoid colon, 266 as recto-sigmoid, etc. As can be seen from this Table, a specific site was diagnosed in the hospital, but the physician did not record this specific site as the underlying cause on the death certificate. When all the sites of the colon (category 153) are combined, the detection rate is 89 per cent and the confirmation rate is 79 per cent, putting this site in Group 3. Cancer of the rectum, on the other hand, falls into Group 4 because the confirmation rate (86 per cent) was much higher than the detection rate (56 per cent). Thus cancer of the colon was overreported on death certificates and cancer of the rectum was underreported. If cancer of the colon and rectum are combined, the detection rate is 93 per cent and the confirmation rate is 95 per cent, placing the combination in Group 1.

ICDA-8 has several categories for coding cancers of the liver: 155.0—primary liver cancers, such as hepatocellular carcinoma; 197.8—malignant neoplasms of the liver, not specified primary or secondary; and 197.7—liver cancer specified as secondary. Table 7 gives the comparison and rates for the various liver categories. Of the 536 cases diagnosed as primary liver cancer in the hospital, only 347 cases had an underlying cause of death category of 155.0 (primary malignant neoplasm of liver) on the death certificate, a detection rate of 49.6 per cent. However, in addition there were 375 cases with a cause of death category of 197.8 (malignant neoplasm of liver, unspecified). By adding the deaths from category 155.0 and category 197.8 together, the detection rate rose to 79.1 per cent as shown in Table 7. If only the category 155.0 were used, there would be gross underreporting of malignant neoplasms of liver on death certificates. Therefore, a more accurate total of liver malignancy deaths was obtained by combining ICDA-8 categories 155.0 and 197.8 together.

Myeloid leukemia and lymphocytic leukemia were underreported on death certificates (Table 3). Again the diagnosis was specific in the hospital but the physician just wrote "leukemia" (category 207) on the death certificate. Over twice as many cases were in this unspecified category on the

TABLE 5—Compairson of Hospital Diagnosis with Underlying Cause of Death: Cancer Deaths from the Third National Cancer Survey, 1970–1971, Detection and Confirmation Rates for Malignant Neoplasms of Specific Sites of the Uterus

Hospital Diagnosis		Underlying Cause of Death			Total no diagnosed in hosp. of this site*	Detection Rate		Confirmation Rate	
ICDA-8 Category	Malignant Neoplasm of	Cervix 180	Corpus 182.0	Uterus NOS† 182.9		Per Cent	Standard Error	Per Cent	Standard Error
180	Cervix Uteri	786	8	103	995	79.0	1.29	90.4	1.00
182.0	Corpus Uteri	23	265	184	547	48.4	2.14	89.5	1.78
182.9	Uterus, NOS†	2	10	89	127	70.1	4.06	18.9	1.81
Total no with this underlying cause*		869	296	470					

*Figures for other sites are included in this total but not shown in the Table
†Not Otherwise Specified

TABLE 6—Comparison of Hospital Diagnosis with Underlying Cause of Death: Cancer Deaths from the Third National Cancer Survey, 1970–1971, Detection and Confirmation Rates for Malignant Neoplasms of Colon and Rectum

ICDA-8 Category	Malignant Neoplasm of	Underlying Cause of Death: 153.0	153.1	153.2	153.3	153.8	153.9	154.0	154.1	154.2	Total no.* diagnosed in hospital of this site	Detection Rate: Per Cent	Detection Rate: Standard Error	Confirmation Rate: Per Cent	Confirmation Rate: Standard Error
153.0	Cecum, ascending colon & appendix	551	8	4	13	610	25	1	8	-	1,311	42.0	1.36	88.6	1.28
153.1	Transverse colon	18	144	16	8	468	22	2	2	-	723	19.9	1.49	87.8	2.56
153.2	Descending colon	4	2	51	23	260	5	2	8	-	394	12.9	1.69	38.3	3.75
153.3	Sigmoid colon	13	1	33	473	749	47	37	62	-	1,519	31.1	1.19	71.1	1.76
153.8	Colon, NOS†	13	3	8	13	421	19	1	15	-	554	76.0	1 81	12.8	0.58
153.9	Intestine, NOS†	-	-	-	2	10	25	-	-	-	45	55.6	7.41	10.1	1.91
154.0	Recto-sigmoid	2	-	11	80	266	18	86	127	-	627	13.7	1.37	51.2	3.86
154.1	Rectum	2	1	7	39	334	25	36	906	5	1,435	63.1	1.27	76.2	1.24
154.2	Anus, etc.	-	-	-	1	4	1	-	18	2				50.0	12.65
Total no. with this underlying cause*		622	164	133	665	3,299	248	168	1,189	10					

*Figures for other sites are included in total but not shown in the table.
†Not Otherwise Specified.

death certificate as were diagnosed in the hospital.

A final observation concerns deaths and diagnoses in ICDA-8 categories 195–199, cancers of ill-defined and unknown sites. The detection rate was 53.1 per cent and the confirmation rate was 44.6 per cent. As seen in the last row of Table 2, many of the cases diagnosed as "unknown" in the hospital were coded to a specific site on the death certificate. Large frequencies were found for common metastatic sites such as lung, liver, and bone. Conversely, when we look in the other direction (at the column) for this category in Table 2, we note that over one-half of the cases with unknown or ill-defined site on the death certificate had a hospital diagnosis of cancer of a specific site.

Discussion and Summary

Variability and biases in cancer mortality data can distort, limit, or inhibit the value of this important resource in epidemiologic studies. The data in this study have been used to pinpoint some of these problems.

The reasons the absolute numbers of cancer deaths in TNCS did not correspond to those reported by NCHS have been previously presented. To ensure that this discrepancy in numbers did not bias this study, a comparison was made of the site distribution of cancers (ICDA-8 categories 140–207) reported by NCHS[14] for the total U.S. in 1970–71 to the TNCS cancer deaths in 1970–71 used in this study. Table 8

TABLE 7 —Comparison of Hospital Diagnosis with Underlying Cause of Death: Cancer Deaths from the Third National Cancer Survey, 1970–1971, Detection and Confirmation Rates of Malignant Neoplasms of the Liver

Hospital Diagnosis	Underlying Cause of Death: Malignant Neoplasm of: Primary Liver	Liver, NOS‡	Total Liver	Secondary Liver	Unknown Site	Total no. diagnosed in hospital of this site*	Detection Rate: Per Cent	Detection Rate: Standard Error	Confirmation Rate: Per Cent	Confirmation Rate: Standard Error
ICDA-8 Category	155.0	197.8	155.0 + 197.8	197.7	195-199 **		155.0		155.0 + 197.8	
155.0 Liver, primary	229	148	377	14	29	462	49.6	2.33	81.6	1.80
Total no. with this underlying cause*	315	375	722	213						
Confirmation Rate: Per Cent	72.7	39.5	52.2							
Confirmation Rate: Standard Error	2.51	2.52	1.86							

*Figures for other sites are included in this total but not shown in the Table.
**Excluding sites 197.7 and 197.8
‡Not Otherwise Specified.

TABLE 8—Comparison of Percentages of U.S. Cancer Deaths and TNCS Cancer Deaths by Death Certificate and Hospital Diagnosis for Selected Sites of Cancer, 1970–1971

Site		% of total cancer deaths in U.S. (14)	% of TNCS Cancer deaths by cause of death on certificates	% of TNCS Cancer deaths by hospital diagnosis
ICDA Category	Term			
140–149	Buccal cavity	2.3	2.4	2.9
150	Esophagus	1.8	2.0	1.9
151	Stomach	4.8	4.8	4.8
153.1	Transverse colon	0.4	0.3	1.5
153.2	Descending colon	0.3	0.3	0.8
153.3	Sigmoid colon	1.5	1.4	3.1
153.8	Colon, NOS	6.7	6.8	1.1
154	Rectum	3.1	2.8	4.3
160–163	Lung and other respiratory	21.4	22.1	21.8
174	Breast	9.0	9.3	9.4
180	Cervix	2.0	1.8	2.0
183	Ovary	3.0	3.1	3.1
185	Prostate	5.3	5.3	5.4

displays these data for selected sites comprising over 60 per cent of the cancer deaths, showing that there is very good agreement between the distribution of U.S. cancer deaths (column 1) and TNCS cancer deaths (column 2) by site.

What would happen to cancer mortality statistics if the death certificates were reviewed and the underlying causes changed to correspond to the site of cancer as reported in the hospital? The absolute value of the mortality rate would not change much for any particular site since the number of deaths is small in comparison to the total population of the areas. However, the percentage change is dependent on the site. Sites which fall into Groups 3 and 4 would have substantial percentage changes in the mortality rate. This would be important in any time trend analysis. Similarly, the proportionate cancer mortality ratio due to a particular site of cancer would show little change (Table 8, columns 2 and 3) but the percentage change based on the number of deaths of a particular site would be large for sites in Group 3 and 4. For example, if the hospital diagnosis was used instead of the cause recorded on the death certificate, the number of transverse colon deaths would increase from 164 to 723 (see Table 6), an increase of 340.9 per cent (723-164)/164. Similar calculations for descending colon, sigmoid colon, colon, NOS, rectum, and buccal cavity yield changes of 196.2 per cent, 128.4 per cent, − 81.9 per cent, 53.5 per cent, and 17.7 per cent, respectively. This illustrates the fact that mortality trends may show a per cent change due to an artifact caused by physicians changing their method of recording the diagnoses when they fill out the death certificate.

Death certificates are frequently used as a means of case ascertainment for retrospective studies. Cases identified for sites with low confirmation rates would be subject to possible bias, as many cases identified by the death certificates for a particular site would not have that site as the hospital diagnosis. For example, if bone cancer cases were selected from the death certificates, over one-half would not be bone cancers according to the hospital record. Another bias is that if the detection rate is low, cases pulled from the death certificates for a particular site will not represent all the cases diagnosed of that site. For example, over one-half the deaths due to malignant neoplasms of eye (category 190) would be missed if only death certificates were used because the certificate often says only "melanoma" with no mention of eye; these certificates are coded to category 172 (melanoma of skin) and not to eye.

There are a few additional factors besides the site of the neoplasm that may affect the accuracy of death certificates, such as the presence of an autopsy, evidence of microscopic confirmation, age at death, sex, race and geographic area. Although mechanisms exist for amending the original death certificates after autopsies are completed, this is rarely done. As a result, the performance of autopsies does not routinely result in improvements in death certificate accuracy. There was a slight variation in overall accuracy from area to area but no substantial differences were observed except for a few sites of low frequency. The overall agreement of the other factors mentioned, i.e, age, sex, and race, did not cause a difference of more than one or two per cent from the 86.7 per cent overall agreement in Table 2. The place of death may influence the accuracy of the recorded cause of death. In this study 73 per cent of the deaths occurred in the hospital, 12 per cent in nursing homes, and 15 per cent at home.

Certifiers are not always familiar with the indexing of ICDA-8 or the guidelines and instructions[15] for filling out death certificates and do not realize how the order of entry of the terms which they record ultimately determines the selection of the underlying cause of death by the coders.

Even though, in some cases, the NCHS had expanded the rules[16] of ICD-8, it was still difficult for coders to apply the rules in a uniform and consistent manner. The ICD-9,[17] which went into effect in January 1979, has further expanded the rules and improved the index. Word choice is critical for determining the correct code. For example, when malignant brain tumors such as astrocytoma or glioma were diagnosed in the hospital, the physician frequently signed out the death certificate as "brain tumor." This cause of death is coded to category 238.1, neoplasm of unspecified nature of the brain and is therefore not recorded as a cancer death. Differences

in understanding between certifiers and coders of the meaning of a term may introduce systematic biases to the cause of death assignments. The term "metastasic" is often difficult to interpret on death certificates. For instance "metastatic lung cancer" can mean metastasis from a primary lung cancer or metastasis to the lung.[18]

The combination of the detection and confirmation rates for each site should help determine the reliability of the frequency of each particular site. Among the ten leading sites of cancer deaths,[19] seven sites—lung, breast, prostate, pancreas, urinary bladder, ovary, and leukemia—fell into Group 1. Thus, with both a high detection and confirmation rate, the mortality rates for these sites can be considered reliable. Furthermore these sites represent 65 per cent of all cancer deaths in this study.

However, statistics on the remaining one-third of the cancer sites are not as accurate:

Cancer of the colon and cancer of the rectum, together the second leading cause of cancer deaths (18 per cent), are different entities with separate characteristics. Colon cancer is overreported on death certificates and rectal cancer is underreported. This crossover forces some statisticians to combine mortality figures of colon and rectal cancer in order to get a more accurate count of colorectal cancer. Unfortunately, this obliterates the individual characteristics of each disease.

Cancer of the uterus, the fifth leading cause of cancer deaths among females, has the same type of problem as colorectal cancer. Cancers of the corpus uteri and cervix uteri are not the same disease and have different etiologies. They should be identified specifically on the death certificate and not be called simply "uterus".

Buccal cavity cancer, the tenth leading cause of cancer deaths, and its components—cancers of lip, tongue, salivary gland, gum, etc.—are underreported on death certificates.

If physicians understand how their reporting affects the classification of the underlying cause of death, they are likely to be more accurate in completing the death certificate. State vital statistics departments can and must play a role in monitoring and encouraging accurate certification. Ensuring that autopsy diagnoses are reflected on death certificates would be a step in the right direction.

The quality of cancer death certificate data will continue to be an important issue for cancer researchers, not simply to acknowledge but also to address. When using cancer mortality data in studies of a specific cancer site, attention must be paid to the limitations as well as to the potentials of this data source.

REFERENCES

1. Steer A, Land CE, Moriyama IM, *et al*: Accuracy of diagnosis of cancer among autopsy cases: JNIH-ABCC Population for Hiroshima and Nagasaki. Gann 1976; 67:625-632.
2. Moriyama IM, Baum WS, Haenszel WM, *et al*: Inquiry into diagnostic evidence supporting medical certifications of death. Am J Public Health 1958; 48:1376-1387.
3. James G, Patton RE and Heslin AS: Accuracy of cause-of-death statements on death certificates. Pub Health Rep 1955; 70:39-51.
4. Dorn HF and Horn JL: The reliability of certificates of deaths from cancer. Am J of Hygiene 1941; 34:12-23.
5. Dorn HF and Cutler SJ: Morbidity from cancer in the United States. Comparison of death certificates and case reports. Pub Health Mono 1958; 56:117-124, 206-207.
6. Puffer RR and Griffith GW: Patterns of urban mortality. Pan American Health Organization, WHO, 1967, pg. 90.
7. Steer A, Moriyama IM and Shimizu K: The autopsy program and the life span study, Jan. 1951-Dec. 1970 ABCC-JNIH Pathology Studies, Hiroshima and Nagasaki. Report 3. Technical Report 16-73.
8. Yamamoto T, Moriyama IM, Asano M and Guralnick L: The autopsy program and the life span study, Jan. 1961-Dec. 1975. Radiation Effects Research Foundation. Report 4, Technical Report RERF TR 18-78.
9. Cutler SJ and Young JL Jr (eds): Third National Cancer Survey: Incidence Data, NCI Monograph 41, DHEW Publication No. (NIH) 75-787, 1975.
10. U.S. Dept. of Health, Education, and Welfare. International Classification of Diseases, Adapted for use in the United States, Eighth Revision, PHS Publication No. 1693, 1967.
11. World Health Organization: International Classification of Diseases, 1965 revision: Geneva: WHO, 1967.
12. Percy C, Berg JW and Thomas LB (eds): Manual of Tumor Nomenclature and Coding, 1968 Edition. New York: American Cancer Society, 1968.
13. American Cancer Society: Conversion Table No. 3, Conversion of Neoplasms by site and histology from Manual of Tumor Nomenclature and Coding, 1968 Edition to 8th Revision of the International Classification of Diseases Adapted. ACS No. 0803, 1973.
14. Vital Statistics of United States, II-Mortality, Part A. National Center for Health Statistics, US DHEW, 1970, 1971.
15. U.S. Dept. of Health, Education, and Welfare: Physicians' handbook on medical certification: death, birth, fetal death. Pub. No. (PHS) 78-1108.
16. Vital statistics: Instructions for classifying the underlying cause of death, 1976-77. National Center for Health Statistics, Part 2a, DHEW, 1975.
17. World Health Organization: International Classification of Diseases, 1975 revision: Geneva: WHO, 1977.
18. Percy C and Dolman A: Comparison of the coding of death certificates related to cancer in seven countries. Pub Health Rep 1978; 93:335-350.
19. American Cancer Society: Cancer Facts and Figures, New York, ACS, 1980.

ACKNOWLEDGMENTS

The authors wish to thank Valerie Van Holten for the extensive programming of the MOTNAC/ICDA-8 conversion. Without this program, this study would not have been possible. Also the authors thank William McKay of the National Cancer Institute for supplying the necessary figures for Table 1 that he adapted from U.S. mortality tapes supplied by NCHS. The authors appreciate the comments of Dr. Susan Devesa, and the technical assistance of Carol Kalb and other members of the Demographic Analysis Section of the Biometry Branch of the National Cancer Institute.

An earlier version of this paper was presented at the American Public Health Association Annual Meeting on November 7, 1979 in New York City.

U.S. GOVERNMENT PRINTING OFFICE : 198[illegible] - 366-[illegible] : QL 2



http://nihlibrary.nih.gov

10 Center Drive
Bethesda, MD 20892-1150
301-496-1080

NIH LIBRARY
3 1496 00026 4187

NIH Publication No. 82-2435

April 1982